

Updated: 09.04.2019

CATALOGUE OF PALAEARCTIC CERAMBYCOIDEA M.L. Danilevsky

The present Catalogue is arranged on the base of “Catalogue of Palaearctic Coleoptera” (vol. 6) by Löbl & Smetana (2010). All new names published after that edition, are included, as well as numerous additions and corrections published by Danilevsky (2010e, 2011h, 2012j, 2012k, 2012l, 2012m, 2013a, 2013c, 2014b). The taxonomy of several genera is changed. Most fragments differing from the publication by Löbl & Smetana (2010) are red, including corrections to the wrong bibliography references.

The references to the new publications see at the end of the list.

All new taxonomy remarks can be seen in a separate file with corresponding numbers.

The abbreviations of geographical divisions are same as in the Catalogue by Löbl & Smetana (2010), but Transcaucasian republics (Armenia, Azerbaijan and Georgia) are returned to Asia. The eastern limits of Europe are same as in 6th volume (Löbl & Smetana, 2010: 11, 13) with the borderline along Ural Ridge and Ural River, while the whole territories of Sverdlovsk and Chelyabinsk regions as well as Orenburg Region were included in Europe in the previous volumes (here south and east areas of Orenburg Region behind Ural River are treated as West Siberia – “WS”).

The present files will be regularly updated. All remarks and corrections are strongly desirable.

The author is very grateful to K. Adlbauer, R. Ambrus, G. Georgiev, C. Holzschuh, L. Karpiński, L. Kruszelnicki, J. Kurzawa, M. Lazarev, A. Lobanov, I. Löbl, J. Mazepa, Lin Meiyang, A. Miroshnikov, A. Napolov, A. Shapovalov and T. Tichý for their remarks to the text and/or valuable records.

family **VESPERIDAE** Mulsant, 1839

subfamily **Vesperinae** Mulsant, 1839

tribe **Vesperini** Mulsant, 1839

genus *Vesperus* Dejean, 1821: 111 type species *Stenocorus strepens* Fabricius, 1793

aragonicus Baraud, 1964: 38 **E**: FR SP

barredai Verdugo, 2009: 22 **E**: SP

bolivari Paulino d'Oliveira, 1893: 359 **E**: PT SP

reitteri Cameron, 1912: 49

brevicollis Graells, 1858: 89 **E**: PT SP

conicicollis conicicollis Fairmaire, 1866: 69a **E**: SP **N**: MO

conicicollis hispalensis Fuente, 1901: 44 **E**: PT SP

baesuriensis Zuzarte, 1985: 99

creticus Ganglbauer, 1886b: 310 **E**: GR

flaveolus Mulsant & Rey, 1863: 169 **N**: AG TU

fuentei Pic, 1905a: 5 **E**: SP

rufescens Pic, 1921a: 4

semiobscurus Pic, 1921a: 4

gomezi Verdugo, 2004: 67 **E**: SP

jertensis Bercedo & Bahillo de la Puebla, 1999: 150 **E**: SP

joanivivesi Vives, 1998: 186 **E**: SP

lucasi Barreda, Mejias & Manuel, 2013: 82 **E**: SP

luridus Rossi, 1794: 96 (*Stenocorus*) **E**: CR FR IT YU

graecus Guérin-Méneville, 1833a: pl. 46

solieri Germar, 1836a: 20

macropterus Sama, 1999a: 42 **E**: IT (Sardegna)

nigellus Comptes Sart, 1963: 183 **E**: SP

sanzi Reitter, 1895b: 132 **E**: PT SP

#260

serranoi Zuzarte, 1985: 97 **E**: PT
strepens Fabricius, 1793: 297 (*Stenocorus*) **E**: FR IT
ligusticus Vitali, 2001: 149
litigiosus Mulsant, 1862: 443
xatarti Dufour, 1839: 219 **E**: FR SP
amori Mendizábal, 1939: 70
genus *Vesperus*, species incertae sedis
ocularis Mulsant & Rey, 1863: 172 **A**: TR

subfamily **Philinae** J. Thomson, 1861

tribe Philini J. Thomson, 1861

genus ***Heterophilus* Pu, 1988: 302** type species *Heterophilus scabricollis* Pu, 1988
dentitibialis Chiang, Chen & Zhang, 1996: 112 **A**: XIZ
punctulatus Chiang, Chen & Zhang, 1996: 111 **A**: XIZ
scabricollis Pu, 1988: 302 **A**: XIZ

genus ***Mantitheus* Fairmaire, 1889c: lxxxix** type species *Mantitheus pekinensis* Fairmaire, 1889
Paraphilus Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893
acuminatus Pic, 1946c: 155 **A**: CH
murzini Vives, 2005a: 244 **A**: SCH
pekinensis Fairmaire, 1889c: xc **A**: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX
duplex Gahan, 1893a: 255 (*Paraphilus*)
gracilis Pic, 1924e: 79
taiguensis Wu & S.-N. Jiang, 2000: 87 **A**: SHX

genus ***Philus* Saunders, 1853: 110** type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)
antennatus Gyllenhal, 1817: 180 (*Stenochorus*) **A**: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN
TAI ZHE **ORR**
inconspicuus Saunders, 1853: 110
stuposus Gyllenhal, 1817: 180 (*Stenochorus*)
curticollis Pic, 1930a: 15 **A**: CE SE SHA SW **ORR**
pallescens pallescens Bates, 1866a: 350 **A**: FUJ GUA GUI GUX HEN HKG HUN JA JIX SCH SHA TAI ZHE **ORR**
cantonensis Pic, 1930a: 14
pallescens tristis Gressitt, 1940b: 25 **A**: HAI

genus ***Spiniphilus* Lin & Bi, 2011: 54** type species *Spiniphilus spinicornis* Lin & Bi, 2011
spinicornis Lin & Bi, 2011: 55 **A**: YUN
xiaodongi Bi & Lin, 2015: 576 **A**: YUN

#87

family **DISTENIIDAE** J. Thomson, 1861

subfamily **Disteniinae** J. Thomson, 1861

tribe Cyrtonopini Gressitt, 1940

genus ***Cyrtonops* A. White, 1853: 32** type species *Cyrtonops punctipennis* A. White, 1853
Cladopalpus Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886
asahinai Mitono, 1947a: 77 **A**: GUI SCH SHX TAI **YUN**
caliginosus Holzschuh, 2016: 106 **A**: SHA
niger Gahan, 1906a: 60 **A**: XIZ "North India" "Himalaya" **ORR**
punctipennis A. White, 1853: 33 **A**: GUA NP YUN XIZ "Himalaya" **ORR**
hageni Lansberge, 1886: 36 (*Cladopalpus*)
simplicipes Holzschuh, 1991c: 6 **A**: UP
tonkineus Fairmaire, 1895: 176 **A**: GUX HAI **ORR** [according to M.-Y. Lin personal message, 2014]
oberthueri Clermont, 1935: 262
wuzhishanensis Z. Wang, 2014: 14, 1123

#348

tribe Disteniini J. Thomson, 1861

genus ***Clytomelegena* Pic, 1928: 11** type species *Clytomelegena postaurata* Pic, 1928
Noeconia Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988
kabakovi Murzin, 1988: 162 (*Noeconia*) **A**: GUA **ORR**
genus ***Distenia* Lepeletier & Audinet-Serville, 1828: 485** type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828
Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872
Basisvallis Santos-Silva & Hovore, 2007:23 type species: *Distenia agroides* Bates, 1870
Sakuntala Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890
Thelxiope J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864
Thomsonistenia Santos-Silva & Hovore, 2007:3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864

subgenus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828

ampliata Pu, 1985c: 429 **A:** ANH

dissimilis Chiang & Wu, 1987: 19 **A:** SCH

formosana Mitono, 1936: 420 **A:** TAI

gracilis Blessig, 1872: 168 (*Apheles*) **A:** FE HEI JIL LIA NC SC

japonica japonica Bates, 1873: 155 **A:** FE JA

japonica yakushimana Yokoyama, 1966: 54 **A:** JA (Yaku-shima)

kalidasae Lameere, 1890: ccxiv (*Sakuntala*) **A:** SD UP **ORR**

mellina Holzschuh, 1995: 5 **A:** YUN

nigrosarsa Pic, 1914e: 17 **A:** SCH YUN

notabilis Chiang & Wu, 1987: 17 **A:** XIZ

orientalis Bi & Lin, 2013: 84 **A:** FUJ GUA JIX SHX ZHE

perforans Holzschuh, 1995: 6 **A:** YUN

picea Chiang & Wu, 1987: 22 **A:** SCH

pici Villiers, 1958: 264 **A:** ~~B~~ SD

#400

punctulatoides Hubweber, 2010: 61 **A:** SHA

punctulata Chiang & Wu, 1987: 18 [HN]

rufobrunnea Holzschuh, 1995: 6 **A:** SCH

shennongjiaensis Pu, 1985c: 427 **A:** HUB

stenola Chiang & Wu, 1987: 21 **A:** YUN

tricastata Chiang & Wu, 1987: 20 **A:** SCH

tuberosa Pu, 1985c: 427 **A:** SCH

wolongensis Chiang & Wu, 1987: 20 **A:** SCH

genus *Melegena* Pascoe, 1869a: 656 type species *Melegena pubipennis* Pascoe, 1869

fulva Pu, 1990: 234 **A:** FUJ GUA **GUX**

genus *Nericonia* Pascoe, 1869a: 656 type species *Nericonia trifasciata* Pascoe, 1869

nigra Gahan, 1894a: 30 **A:** YUN **ORR**

genus *Noemia* Pascoe, 1857b: 111 type species *Noemia flavicornis* Pascoe, 1857

Nethinius Fairmaire, 1889d: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889

incompta Gressitt, 1935c: 181 **A:** TAI **ORR**

semirufa Villiers, 1958: 268 **A:** HAI **ORR**

submetallica Gressitt, 1940b: 29 **A:** 29 HAI **YUN ORR**

genus *Tengius* Matsushita, 1938: 204 type species *Tengius okuboi* Matsushita, 1938

ohkuboi kurosawai Makihara, 1986c: 275 **A:** JA

#411

ohkuboi ohkuboi Matsushita, 1938: 105 **A:** JA

#411

genus *Typodryas* J. Thomson, 1864: 227 type species *Typodryas callichromoides* J. Thomson, 1864

Psalanta Pascoe, 1869a: 656 type species *Psalanta chalybeata* Pascoe, 1869

brunnicollis Chiang & Wu, 1987: 23 **A:** GUX

callichromoides J. Thomson, 1864: 227 **A:** HAI **ORR**

tribe Dynamostini Lacordaire, 1868

genus *Dynamostes* Pascoe, 1857b: 90 type species *Dynamostes audax* A. White, 1853

audax Pascoe, 1857b: 90 **A:** NP SD **YUN ORR**

family CERAMBYCIDAE Latreille, 1802

subfamily Parandrinae Blanchard, 1845

tribe Parandrini Blanchard, 1845

genus *Parandra* Latreille, 1802: 160 type species *Attelabus glaber* DeGeer, 1774

subgenus *Archandra* Lameere, 1912a: 114 type species *Parandra caspia* Ménétriés, 1832

caspia Ménétriés, 1832: 225 **A:** AB IN

——*caspica* Faldermann, 1837: 261 [incorrect subsequent spelling] – not available!

#131

subgenus *Komiyandra* Santos-Silva, Heffern and Matsuda, 2010: 7 type species *Parandra janus* Bates, 1875

formosana Miwa & Mitono, 1939: 92 **A:** ~~JA (Ryukyus)~~ TAI

lanyuana Hayashi, 1981b: 27 **A:** TAI (Lan-Yu)

shibatai ogurai Fujita, 2019: 20 (*Komiyandra*) **A:** JA (Okinawa-honto Is.)

#411

shibatai shibatai Hayashi, 1963a: 50 **A:** JA (Amami-oshima Is.)

#411

shibatai hidaï Fujita, 2019: 20 (*Komiyandra*) **A:** JA (Amami Iss.: Tokuno-shima Is.).

#411

uenoi Santos-Silva, Heffern and Matsuda, 2010: 11-12, **36** (*Komiyandra*) **A:** JA (Ryukyus)

subgenus *Neandra* Lameere, 1912a: 114 type species *Tenebrio brunneus* Fabricius, 1798
brunnea Fabricius, 1798: 49 (*Tenebrio*) **Ei: GB GE NAR**
conformis J. Thomson, 1867: 115
dentata J. Thomson, 1867: 115
minuta J. Thomson, 1867: 116
purpurea Herbst, 1799: 21 (*Tenebrio*)
quadricollis J. Thomson, 1867: 114
sayi J. Thomson, 1867: 114

subgenus *Parandra* Latreille, 1802: 160 type species *Attelabus glaber* DeGeer, 1774
— *Gnathophorus* Kirby, 1837: 166 type species *Attelabus glaber* DeGeer, 1774
— *Hesperandra* Arigony, 1977: 163 type species *Parandra exspectata* Lameere, 1902
— *Zikandra* Santos-Silva, 2003: 120 type species *Attelabus glaber* DeGeer, 1774

subfamily **Prioninae** Latreille, 1802
tribe **Acanthophorini** J. Thomson, 1864

genus *Anthracocentrus* Quentin & Villiers, 1983: 82 type species *Tithoes arabicus* J. Thomson, 1877
arabicus J. Thomson, 1877a: 266 (*Tithoes*) **N: AG EG LB MO A: AE BA IS JO OM SA SI YE AFR**
rugosiceps Pic, 1925h: 404 (*Notophysis*)
vicarius Lameere, 1912a: 173 (*Acanthophorus*)
modicus Gahan, 1894b: 222 (*Acanthophorus*) **A: PA (Punjab)**
rugiceps Gahan, 1894b: 223 (*Acanthophorus*) **A: IN PA ORR**
harder Heyrovský, 1959: 2 (*Acanthophorus*)

genus *Tithoes* J. Thomson, 1864: 289 type species *Prionus maculatus* Fabricius, 1793
confinis Laporte, 1840: 395 (*Acanthophorus*) **A: SA YE N: EG AFR**
crassipes Quedenfeldt, 1882: 320 (*Tithoes*)
falcatus Kolbe, 1897: 350 (*Tithoes*)
gnatho Kolbe, 1897: 351 (*Tithoes*)
gularis Kolbe, 1897: 350 (*Tithoes*)
intermedius J. Thomson, 1877a: 266 (*Tithoes*)
longicornis Kolbe, 1897: 351 (*Tithoes*)
mandibularis J. Thomson, 1877a: 265 (*Tithoes*)

tribe **Aegosomatini** J. Thomson, 1861

genus *Aegolipton* Gressitt, 1940b: 22 type species *Cerambyx marginalis* Fabricius, 1775
marginalis Fabricius, 1775: 169 (*Cerambyx*) **A: ANH AP FUJ GUA GUI GUX HAI HKG HUN JIA JIX SCH TAI TIA YUN ORR**
javanicum L. Redtenbacher, 1868: 202 (*Aegosoma*)
yunnanense Feng & L. Chen, 2007: 718
meiyingae Drumont & Bi, 2014: 207 **A: HAI**
sauteri Lameere, 1913: 175 (*Megopis*) **A: TAI**

genus *Aegosoma* Audinet-Serville, 1832: 162 type species *Cerambyx scabricornis* Scopoli, 1763
george Do, 2015: 233 **A: YUN ORR**
guerryi Lameere, 1916a: 324 (*Megopis*) **A: GUX SCH YUN ORR**
hainanense hainanense Gahan, 1900d: 347 **A: FUJ GUA GUX HAI JIA SCH TAI YUN ORR**
mushense Kano, 1933a: 259 (*Megopis*)
ivanovi Danilevsky, 2011g: 2 **A: FE**
katsurai Z. Komiya, 2000: 419 (*Megopis*) **A: AP GUX YUN ORR**
ornaticolle A. White, 1853: 30 **A: AP BT FUJ GAN GUA GUI HAI HUB NP SCH SD SHA SHN TAI XIZ YUN ORR**
pseudornaticolle Ripaille & Drumont, 2017: 99 **A: SCH**
scabricorne Scopoli, 1763: 54 (*Cerambyx*) **E: AL AU BEi BH BU BY CR CZ FR GB GE GR HU IT MC MD NL RO SK SL SP ST**
SZ TR UK YU A: AB AR GG IN IQ LE SY TR
sinicum adachii Fujita, 2019: 20 **A: JA**
sinicum savoryi Kusui, 1973: 119 (*Megopis*) **A: JA (Bonin Is.)**
sinicum sinicum A. White, 1853: 30 **A: ANH BEI FE FUJ GAN GUA GUI HAI HEB HEI HEN HUB HUN LIA JIA JIL JIX LIA**
NC NMO SC SCH SHG SHN SHX TAI TIA XIZ YUN ZHE ORR
amplicolle Motschulsky, 1854a: 48
corniculum Yoshida, 1931: 273 (*Megopis*)
sinicum validicorne Gressitt, 1951b: 205 (*Megopis*) **A: JA (Ishigaki-shima, Iriomote-shima)**
ogurai Takakuwa, 1984: 9 (*Megopis*)

genus *Baraliphton* J. Thomson, 1857g: 341 type species *Baraliphton maculosum* J. Thomson, 1857
maculosum J. Thomson, 1857g: 342 **A: AP GUI GUX HAI HUN SD YUN ORR**

genus *Dinoprionus* Bates, 1875: 49 type species *Dinoprionus cephalotes* Bates, 1875
cephalotes Bates, 1875: 50 **A: AP BT SD XIZ YUN "India" ORR**

- genus *Megobaralipton* Lepesme & Breuning, 1952: 140** type species *Aegosoma bicoloripes* Ritsema, 1881
mandibulare mandibulare Fairmaire, 1900: 637 (*Aegosoma*) A: ~~FUJ~~ TAI
mandibulare choui Komiya & Drumont, 2014: 196 A: FUJ [Xiamen (Amoy) and Chinmen Tao Is.] #168
- genus *Metaeosoma* Komiya & Drumont, 2012b: 182** type species *Megopis pici* Lameere, 1915
pici Lameere, 1915b: 179 (*Megopis*) A: GUI YUN
- genus *Nepiodes* Pascoe, 1867c: 410** type species *Nepiodes cognatus* Pascoe, 1867
bowringi Gahan, 1894b: 226 (*Aegosoma*) A: AP NP PA SD ORR
costipennis costipennis A. White, 1853: 28 (*Megopis*) A: AP SCH SD XIZ YUN "Himalaya" ORR
lacertus Pascoe, 1867c: 413 (*Aegosoma*)
costipennis multicarinatus Fuchs, 1966: 19 (*Megopis*) A: AP FUJ GUA GUI GUX HAI SCH YUN ZHE ORR #177 #182
sulcipennis A. White, 1853: 31 (*Aegosoma*) A: FUJ NP TAI YUN "North India" ORR #177
lineatus Hüdepohl, 1994: 186 (*Megopis*)
- genus *Palaeomegopis* Boppe, 1911a: 29** type species *Palaeomegopis lameerei* Boppe, 1911
Steinke Hüdepohl, 1993: 321 type species *Steinke lehmanni* Hüdepohl, 1993 (= *Palaeomegopis lameerei* Boppe, 1911)
lameerei Boppe, 1911a: 30 A: GUX SD XIZ YUN ORR
lehmanni Hüdepohl, 1993: 322 (*Steinke*)
komiya Drumont, 2006b: 282 A: YUN
- genus *Rhineimegopis* Z. Komiya & Drumont, 2001: 392** type species *Eurypoda cordieri* Lameere, 1916
cordieri Lameere, 1916b: 234 (*Eurypoda*) A: HAI ORR
- genus *Spinimegopis* K. Ohbayashi, 1963: 7** type species *Megopis nipponica* Matsushita, 1935 #406
buckleyi Gahan, 1894b: 227 (*Aegosoma*) A: AP HP NP UP
curticornis Z. Komiya & Drumont, 2007: 374 A: GUA
delahaye Z. Komiya & Drumont, 2007: 358 A: AP YUN ORR
formosana formosana Matsushita, 1933a: 163 (*Megopis*) A: GAN GUX TAI #177
formosana lanhsuensis Hayashi, 1974a: 2 (*Megopis*) A: TAI (Lanyu Is.)
fujitai Z. Komiya & Drumont, 2007: 357 A: GUI GUX HUB YUN ORR #177
guangxiensis Feng & Chen, 2009: 38 (*Megopis*) A: GUX
huai Z. Komiya & Drumont, 2007: 373 A: FUJ HUB SCH SHA
ishigakiana Yoshinaga & Nakayama, 1972: 19 (*Megopis*) A: JA (Ishigaki-jima, Iriomote-jima)
lividipennis Lameere, 1920: 142 (*Megopis*) A: GUX SCH YUN ORR #177
nepalensis Hayashi, 1979: 83 (*Megopis*) A: BT NP SD XIZ YUN #177
nipponica hachijoana Fujita, 1980: 11 (*Megopis*) A: JA (Tokara-shoto, Hachijo-jima) #411
nipponica kawazoei Hayashi, 1961b: 36 (*Megopis*) A: JA (Amami Oshima) #411
nipponica nipponica Matsushita, 1935: 538 (*Megopis*) A: JA (Shikoku) #406
nipponica okinawana Fujita, 1980: 5 (*Megopis*) A: JA (Okinawa-honto, Tokashiki-jima) #411
nipponica yakushimana Fujita, 1980: 4 (*Megopis*) A: JA (Kumage-shoto: Yaku-shima, Tanega-shima, Kuchinoerabu-jima, Kyushu)
perroti Fuchs, 1966: 17 (*Megopis*) A: YUN ORR
piliventris antennalis Fuchs, 1966: 18 (*Megopis*) A: XIZ YUN ORR
piliventris piliventris Gressitt, 1950: 135 (*Megopis*) A: YUN ORR [see Feng & Chen, 2009]
tibialis A. White, 1853: 32 (*Aegosoma*) A: AP BT HP NP SD XIZ YUN ?ZHE ORR #177 #182
- tribe Anacolini J. Thomson, 1857**
- genus *Casiphia* Fairmaire, 1894a: 223** type species *Casiphia thibeticola* Fairmaire, 1894
subgenus *Casiphia* Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
Casiphioprionus Pic, 1916c: 2 type species *Casiphioprionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)
himalayaensis Li & Zhang, 2013: 53 A: NP #176
inopinata Hüdepohl, 1998: 210 A: GUX YUN ORR #177
thibeticola Fairmaire, 1894a: 223 A: SCH XIZ YUN ORR
limbatus Pic, 1916c: 2 (*Casiphioprionus*)
subgenus *Flabelloprionus* Heyrovský, 1933: 133 type species *Flabelloprionus szechuanus* Heyrovský, 1933
szechuana Heyrovský, 1933: 134 (*Flabelloprionus*) A: SCH YUN #177
yunnana Drumont & Z. Komiya, 2002: 31 A: SCH YUN
- genus *Drumontiana* Danilevsky, 2001d: 228** type species *Casiphia lacordairei* Semenov, 1927
amplipennis Gressitt, 1939b: 82 (*Psephactus*) A: ZHE
francotter Z. Komiya & Niisato, 2007: 562 A: YUN
lacordairei Semenov, 1927: 237 (*Casiphia*) A: XIZ YUN
- genus *Hystatoderes* Lameere, 1917: 146** type species *Hystatoderes vitalisi* Lameere, 1917

weissi Lameere, 1915a: 56 (*Emphiesmenus*) **A: HUN ORR**
vitalisi Lameere, 1917: 147 (*Hystatoderes*)

genus *Psephactus* Harold, 1879c: 367 type species *Psephactus remiger* Harold, 1879
remiger insularis Hayashi, 1961b: 37 **A: JA** (Amami-Ōshima)
remiger remiger Harold, 1879c: 368 **A: JA SC**
scabripennis chichijimensis Kusama, 1973: 119 **A: JA** (Chichi-jima)
scabripennis scabripennis Kusama, 1973: 118 **A: JA** (Haha-jima)
taiwanus Kano, 1933a: 260 **A: TAI**

genus *Sarmyds* Pascoe, 1867c: 410 type species *Sarmyds antennatus* Pascoe, 1867
antennatus Pascoe, 1867c: 410 **A: AP BT FUJ GUA GUX HAI HUN JIA NP SD SHA TAI UP YUN "India" ORR**
cheni Drumont & Bi, 2014: 268 **A: XIZ**
dulongensis Bi & Drumont in Drumont & Bi, 2017: 125 **A: YUN** **#301**
fujishiroi Drumont, 2006a: 220 **A: GUX SCH YUN ORR**
trichodes Feng & L. Chen, 2006: 610
loebli Drumont & Weigel, 2010: 67 **A: YUN**
panda Drumont & Bi, 2017: 128 **A: YUN** **#301**
subcoriaceus Hope, 1831: 27 (*Prionus*) **A: HP NP UP XIZ YUN** **#177 #379**

genus *Vietetropis* Z. Komiya, 1997: 39 type species *Vietetropis viridis* Z. Komiya, 1997
viridis Z. Komiya, 1997: 40 **A: GUX XIZ YUN ORR**

tribe Callipogonini J. Thomson, 1861

genus *Callipogon* Audinet-Serville, 1832: 140 type species *Prionus barbatus* Fabricius, 1781
subgenus *Eoxenus* Semenov, 1899c: 570 type species *Callipogon relictus* Semenov, 1899
relictus Semenov, 1899c: 563 **A: FE GAN HEB HEI JIL LIA NC NMO SC SHA SHX TIA** **#177**

tribe Cantharocnemini J. Thomson, 1861

genus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
subgenus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
Acmene Gistel, 1848a: 129 [unnecessary substitute name]
Cantharofedus Gilmour, 1956a: 219 type species *Cantharocnemis migsii* Gilmour, 1956 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
Hoploscelis Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
spondyloides Audinet-Serville, 1832: 132 **N: EG MO** (Western Sahara) **A: OM SA YE AFR**
arabicus Fuchs, 1969: 381
gahani Lameere, 1902: 312
grandidieri Lameere, 1912a: 124
latibula Fairmaire, 1882b: 94
lucanoides Audinet-Serville, 1832: 170 (*Hoploscelis*)
migsii Gilmour, 1956a: 219
modestus Fairmaire, 1897b: 150
obockianus Fairmaire, 1890: 549
variolosus Fairmaire, 1882c: liv
subgenus *Cantharoprion* Lameere, 1902: 314 type species *Cantharocnemis livingstonii* Westwood, 1866
downesii Pascoe, 1858: 236 **A: NP ORR**
subgenus *Paracantharocnemis* Plavilstshikov, 1933e: 114 type species *Cantharocnemis strandi* Plavilstshikov, 1933
strandi Plavilstshikov, 1933e: 113 **A: SA YE**

genus *Cantharoctenus* Westwood, 1866: 134 type species *Cantharocnemis burchellii* Westwood, 1866
filippovi Plavilstshikov, 1933h: 263 (*Cantharocnemis*) **A: YE**

tribe Ergatini Fairmaire, 1864

genus *Callergates* Lameere, 1904: 47 type species *Ergates gaillardoti* Chevrolat, 1854
gaillardoti Chevrolat, 1854: 481 (*Ergates*) **E: GR** (Rodos, Samos) **N: EG** **A: CY LE SY TR**
akbesianus Pic, 1900s: 81 (*Ergates*)

genus *Ergates* Audinet-Serville, 1832: 143 type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)
Cerambyx Gistel, 1848a: xi [unnecessary replacement name]
Caratambyx Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760
faber faber Linnaeus, 1760: 187 (*Cerambyx*) **E: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT NL PL PT**
SK SL SP ST SV SZ TR UK YU N: MO A: AR ?AB GG IQ SY TR
alkani Demelt, 1968a: 28
bulzanensis Laicharting, 1784: 1 (*Prionus*)
crenatus Fabricius, 1801b: 264 (*Prionus*)

grandiceps Tournier, 1872: 257
obscurus Olivier, 1795: 26 (*Prionus*)
portitor Schrank, 1781b: 312 (*Cerambyx*)
serrarius Panzer, 1793b: 6 (*Prionus*)
faber opifex Mulsant, 1851: 122 **E**: IT (Sicilia, Calabria) **N**: AG

tribe Eurypodini Gahan, 1906

genus *Eurypoda* Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853
subgenus *Eurypoda* Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853
Zarax Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)
antennata Saunders, 1853: 110 **A**: ANH GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX QIN SCH SHG TAI TIA YUN ZHE **#177**
da vidis Fairmaire, 1886b: 355
boninensis Hayashi & Kusama, 1973: 117 **A**: JA (Bonin Is.)
nigrita J. Thomson, 1865a: 577 **A**: GUI GUX YUN **ORR** **#177**
eurypodoides Pascoe, 1867c: 410 (*Zarax*)
unicolor ebiharai Fujita, 2019: 20 **A**: JA **#411**
unicolor kamakarii Fujita, 2019: 20 **A**: JA **#411**
unicolor unicolor Hayashi, 1956c: 11 **A**: JA **#411**
tsushimana K. Ohbayashi, 1963: 7
subgenus *Neoprion* Lacordaire, 1868: 131 type species *Neoprion parandraeformis* Lacordaire, 1868
batesi Gahan, 1894b: 225 **A**: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC SCH QIN YUN ZHE **ORR**
parandraeformis Lacordaire, 1868: 132 (*Neoprion*) **A**: QIN YUN **ORR**

tribe Macrotomini J. Thomson, 1861

genus *Anomophysis* Quentin & Villiers, 1981: 374 type species *Prionus spinosus* Fabricius, 1787
elliotti C. O. Waterhouse, 1884b: 379 (*Macrotoma*) **A**: NP SD YUN **ORR**
difformis Nonfried, 1892c: 377 (*Macrotoma*)
elongata Quentin & Villiers, 1981 **A**: XIZ **ORR** **#177**
hainana Gressitt, 1940b: 18 (*Macrotoma*) **A**: GUA GUI GUX HAI HUN YUN **ORR**
inscripta C. O. Waterhouse, 1884b: 380 (*Macrotoma*) **A**: AF AP NP PA UP **ORR**
katoi Gressitt, 1938b: 149 (*Macrotoma*) **A**: TAI
plagiata C. O. Waterhouse, 1884b: 381 (*Macrotoma*) **A**: AF AP HP KA NP PA SD UP **ORR**
vidua Lameere, 1903: 167 (*Macrotoma*)
?spinosus Fabricius, 1787: 130 (*Prionus*) **A**: NP **ORR** **#425**
genus *Bandar* Lameere, 1912a: 144 type species *Prinobius pascoei* Lansberge, 1884
pascoei formosae Gressitt, 1938b: 147 (*Macrotoma*) **A**: JA (Ryukyu) TAI
obscuribrunnea Hayashi, 1962c: 2 (*Macrotoma*)
pascoei gressitti Quentin & Villiers, 1981: 364 **A**: GUX SCH XIZ YUN
pascoei pascoei Lansberge, 1884: 144 [RN] (*Prinobius*) **A**: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN JIX LIA **#177**
NMO NP SCH SD SHA UP XIZ YUN ZHE **ORR**
fisheri C. O. Waterhouse, 1884b: 382 (*Macrotoma*)
~~—*luzonum* Pascoe, 1869a: 666 [HN] (*Macrotoma*)~~

genus *Macrotoma* Audinet-Serville, 1832: 137 [NP] type species *Prionus serrripes* Fabricius, 1781

Dapsilus Gistel, 1848a: ix [NO] type species *Prionus serrripes* Fabricius, 1781
palmata Fabricius, 1793: 249 (*Prionus*) **N**: AG EG LB MO **A**: SA YE **AFR**
boehmi Reitter, 1903a: 46 (*Macrotoma*)
brevipes Kolbe, 1894a: 49 (*Macrotoma*)
coelaspis A. White, 1853: 38 (*Macrotoma*)
humeralis A. White, 1853: 37 (*Macrotoma*)
rugulosa Kolbe, 1894a: 49 (*Macrotoma*)
senegalensis Olivier, 1795: 22 (*Prionus*)
spinipes Illiger, 1805: 107 (*Prionus*)
valida J. Thomson, 1877a: 271 (*Macrotoma*)

genus *Prinobius* Mulsant, 1842a: 207 type species *Prinobius myardi* Mulsant, 1842

Prionobius Chevrolat, 1854: 482 [unnecessary emendation]
myardi atropos Chevrolat, 1854: 482 **A**: CY IS JO LE SY **TR**
cedri Marseul, 1856: 48
myardi gaubilii Chevrolat, 1859b: cxxxv **N**: AG EG LB MO TU
goudotii Chevrolat, 1859c: cxxx
lethifer Fairmaire, 1859c: cxxxviii
myardi myardi Mulsant, 1842a: 207 **E**: FR PT SP
abscisus Gilmour, 1954: 27 (*Macrotoma*)
germari Mulsant, 1846: 291

myardi proksi Sláma, 1982: 203 **E**: GR (Kriti)
myardi slamorum Danilevsky, 2012: 698 [RN] **E**: AL BH BU CR GR IT TR UK YU **A**: GG IN TR
scutellaris Germar, 1817: 219 [HN] (*Prionus*)
samai Drumont & Rejzek, 2008: 4 **A**: IN

tribe Mallodontini J. Thomson, 1861

genus *Nothopleurus* Lacordaire, 1868: 125 type species *Nothopleurus ebeninus* Lacordaire, 1868 (= *Prionus subsulcatus* Dalman, 1823)
Opheltes J. Thomson, 1864: 306 [HN] type species *Opheltes auriculatus* J. Thomson, 1864 (= *Mallodon macrothorax* Montrouzier, 1861)
arabicus Buquet, 1843: 330 (*Mallodon*) **A**: YE (Suqutra)

tribe Meroscelisini J. Thomson, 1861

genus *Tragosoma* Audinet-Serville, 1832: 159 type species *Cerambyx depsarius* Linnaeus, 1767
depsarium Linnaeus, 1767: 624 (*Cerambyx*) **E**: AL AN AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LS LT MC NR NT PL
SK SL SP ST SV SZ UK YU **A**: ES FE WS

tribe Prionini Latreille, 1802

genus *Dorysthenes* Vigers, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
subgenus *Baladeva* G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840
sternalis Fairmaire, 1902a: 244 (*Cyrtognathus*) **A**: GAN HEB JIX ?LIA NP SCH YUN ZHE #177
walkeri G. R. Waterhouse, 1840: 226 **A**: FUJ GUA GUX HAI HUB JIX SCH YUN ORR #177
siamensis Nonfried, 1892c: 375 (*Cyrtognathus*)
subgenus *Cyrtognathus* Dejean, 1835: 316 type species *Prionus paradoxus* Faldermann, 1833
Cyrtognathus J. Thomson, 1861: 328 [unjustified emendation]
hydropicus Pascoe, 1857b: 91 (*Prionus*) **A**: ANH BEI GAN GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL JIX LIA NMO
SHA SHG SHN TAI TIA ZHE "China Borealis" #177
breviceps Fairmaire, 1900: 637 (*Cyrtognathus*)
chinensis J. Thomson, 1861: 328 (*Cyrtognathus*)
paradoxus Faldermann, 1833: 63 (*Prionus*) **A**: ANH FE GAN GUA GUI HAI HEB HEI HEN HKG HUB JIA JIL JIX LIA MG NC
NIN NMO QIN SC SCH SHA SHN SHX TAI TIA ZHE #177
aquilinus J. Thomson, 1865a: 577 (*Cyrtognathus*)
tippmanni Heyrovský, 1950: 127
subgenus *Dorysthenes* Vigers, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
dauidis Fairmaire, 1886b: 353 **A**: GUI SCH YUN
rostratus Fabricius, 1793: 243 (*Prionus*) **A**: PA ORR
subgenus *Lophosternus* Guérin-Ménéville, 1844: 209 type species *Lophosternus buquetii* Guérin-Ménéville, 1844
Cyrtosternus Guérin-Ménéville, 1844: 210 type species *Lophosternus hopei* Guérin-Ménéville, 1844
angulicollis Fairmaire, 1886b: 354 (*Cyrtognathus*) **A**: GUX ?TAI YUN #177
buquetii Guérin-Ménéville, 1844: 209 (*Lophosternus*) **A**: GUX JIX KA NP YUN ORR #177
similis Gahan, 1906a: 13 (*Lophosternus*)
dentipes Fairmaire, 1902a: 243 (*Cyrtognathus*) **A**: GUX YUN ORR
florentinii Fairmaire, 1895: 175 (*Cyrtognathus*) **A**: GUX ORR
gracilipes Lameere, 1915a: 58 **A**: XIZ YUN
huegeli L. Redtenbacher, 1844: 550 (*Cyrtognathus*) **A**: AF AP HP KA NP PA SD UP ORR
falco J. Thomson, 1877a: 262 (*Cyrtognathus*)
palpalis Gahan, 1906a: 12 (*Lophosternus*)
indicus Hope, 1831: 27 (*Prionus*) **A**: AP BT NP SD XIZ ORR
hopei Guérin-Ménéville, 1844: 210 (*Lophosternus*)
socius Gahan, 1906a: 11 (*Lophosternus*)
zivetta *zivetta* J. Thomson, 1877a: 263 (*Cyrtognathus*) **A**: NP SD XIZ YUN "Himalaya" "North India" ORR #177
[*zivetta laosensis* Gressitt & Rondon, 1970: 21 ORR] #177
subgenus *Paraphrus* J. Thomson, 1861: 330 type species *Cyrtognathus granulosus* J. Thomson, 1861
granulosus J. Thomson, 1861: 329 (*Cyrtognathus*) **A**: FUJ GAN GUA GUI GUX HAI HKG HUB JIX QIN SCH SD SHN TIA
YUN ZHE "India" ORR #177
subgenus *Prionomimus* Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857
elegans *elegans* N. Ohbayashi, 1981: 45 **A**: TAI
elegans ishigakiensis N. Ohbayashi, 1981: 46 **A**: JA (Ishigaki-jima)
fossatus Pascoe, 1857b: 90 (*Prionus*) **A**: ANH FUJ GAN GUA GUI HAI HEN HUB HUN JIX QIN SCH SHA YUN ZHE #177
igai Matsushita, 1941: 151 (*Prionus*) **A**: TAI
pici Lameere, 1912a: 176 **A**: TAI
genus *Lobarthron* Semenov, 1900b: 333 type species *Prionus balassogloi* Jakovlev, 1885
balassogloi *balassogloi* Jakovlev, 1885a: 91 (*Prionus*) **A**: KI KZ UZ
breve Semenov, 1888: 157 (*Prionus*)
nadari Fairmaire, 1892b: cxxiv (*Prionus*)

balassogloi brevispinum Jakovlev, 1885a: 92 (*Prionus*) A: KI KZ UZ

genus *Macroprionus* Semenov, 1900b: 324 type species *Prionus heros* Semenov, 1900
heros Semenov, 1900b: 320 (*Prionus*) A: GAN XIN

#177

genus *Mesoprionus* Jakovlev, 1887c: 323 type species *Prionus asiaticus* Faldermann, 1837
abaii Holzschuh, 2007: 177 A: IN

angustatus Jakovlev, 1887c: 327 (*Prionus*) A: AF IN KI KZ TD TM UZ

angheri Brancsik, 1899: 102 (*Prionus*)

bucharicus Semenov, 1900b: 328 (*Prionus*)

asiaticus Faldermann, 1837: 263 (*Prionus*) E: KZ ST A: AB AR GG IN KZ TR

areschanus Fairmaire, 1905: 79 (*Prionus*)

henkei Schaufuss, 1879: 475 (*Prionus*)

besikanus Fairmaire, 1855: 318 (*Prionus*) E: AL BU GR MC ~~MD~~ TR YU A: CY TR

batelkai Sláma, 1996: 75 (*Prionus*)

consimilis Holzschuh, 1981: 92 (*Prionus*) A: IN

lefebvrei Marseul, 1856: 47 (*Prionus*) A: IS JO LE SI SY TR

persicus L. Redtenbacher, 1850: 49 (*Prionus*) A: IN IQ TR

compressicornis Semenov, 1933: 293 (*Prionus*)

jakowlewii Semenov, 1899a: 105 (*Prionus*)

petrovitzi Holzschuh, 1981: 91 (*Prionus*) A: IN

? *tangerianus* Sláma, 1996: 76 (*Prionus*) N: MO

zarudnii Semenov, 1933: 292 (*Prionus*) A: TD

zarudnyi Plavilstshikov, 1936: 80 (*Prionus*) [unjustified emendation]

#110

genus *Microarthron* Pic, 1900b: 2 type species *Polyarthron komarowi* Dohrn, 1885

komaroffi Dohrn, 1885: 64 (*Polyarthron*) A: KZ TD TM UZ

komarovi Semenov, 1935b: 241, 246 (*Prionus*) [unjustified emendation]

komarowi Pic, 1898e: 33, 35 (*Prionus*) [unjustified emendation]

genus *Miniprionus* Danilevsky, 2000: 189 type species *Prionus pavlovskii* Semenov, 1935

pavlovskii Semenov, 1935b: 239 (*Prionus*) A: AF TD

#359

genus *Monocladum* Pic, 1898e: 28 type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844

aegyptiacum aegyptiacum Guérin-Méneville, 1844: 214 (*Polyarthron*) N: EG LB A: IS JO SI AFR

afrum Baudi di Selve, 1889b: 197 (*Polyarthron*)

baudii Pic, 1898f: 30 (*Polyarthron*)

unipunctatum A. White, 1853: 21 (*Polyarthron*)

aegyptiacum arabicum Villiers, 1961b: 449 A: SA YE

aegyptiacum granulipenne Holzschuh, 1993b: 112 [RN] A: SA YE

arabicum Fuchs, 1969: 381 [HN] (*Prionus*)

iranicum Villiers, 1961b: 449 A: IN

genus *Opisognathus* J. Thomson, 1861: 330 type species *Prionus forficatus* Fabricius, 1798

forficatus Fabricius, 1798: 141 (*Prionus*) N: MO

favieri Blanchard, 1842: 129 (*Prionus*)

genus *Parapsilotarsus* Danilevsky, 2018: 50 type species *Prionus potaninei* Lameere, 1912

potaninei Lameere, 1912b: 195 (*Prionus*) A: SCH

#372

#372

genus *Plumiprionus* Lin & Danilevsky, 2017: 50 type species *Prionus boppei* Lameere, 1912

boppei Lameere, 1912b: 195 (*Prionus*) A: XIX YUN

plumicornis Pu, 1987: 90 (*Prionus*) A: XIX

#269

#177 #222

#222

genus *Pogonarthron* Semenov, 1900a: 257 type species *Polyarthron bedeli* Semenov, 1900

subgenus *Multicladum* Danilevsky in Danilevsky & Komiya, 2014: 268 type species *Prionus semenovianus* Plavilstshikov, 1936
semenovianum Plavilstshikov, 1936: 92 (*Prionus*) A: AF TD

subgenus *Pogonarthron* Semenov, 1900a: 257 type species *Polyarthron bedeli* Semenov, 1900

bedeli Semenov, 1900a: 249 (*Polyarthron*) A: TD

petrovi ivanovae Pak & Skrylnik, 2014: 7 A: TD

petrovi petrovi Danilevsky, 2004c: 11 A: TD

tschitscherini brunnescens Danilevsky & Shapovalov, 2017: 854 A: KI ?UZ

tschitscherini pallidus Danilevsky & Shapovalov, 2017: 855 A: KI UZ

tschitscherini tschitscherini Semenov, 1889b: 225 (*Polyarthron*) A: KI

tschitscherini Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]

subgenus *Pseudomonocladum* Villiers, 1961b: 445 type species *Polyarthron minutum* Pic, 1905

minutum loeffleri Fuchs, 1956: 75 [= 1957: 289] (*Prionus*) A: IN

#119

#311

#311

minutum minutum Pic, 1905n: 300 (*Polyarthron*) **A: IN**
minutum obenbergeri Heyrovský, 1939a: 27 (*Prionus*) **A: IN**
semenowi Lameere, 1912b: 224 (*Prionus*) **A: IQ**
semenovi Semenov, 1935b: 247 (*Prionus*) [unjustified emendation]

genus *Polyarthron* Audinet-Serville, 1832: 189 type species *Prionus pectinicornis* Fabricius, 1793
pectinicornis desvauxii Fairmaire, 1868b: 499 **N: AG**

moissoni Pic, 1893f: cclx [= 1893b: 107]
pici Lameere, 1912b: 229 (*Prionus*)
pectinicornis fairmairei Pic, 1893b: 110 [RN] **N: AG LB TU AFR**
barbarum Fairmaire & Coquerel, 1866: 67 [HN]
chatanayi Lameere, 1915a: 59 (*Prionus*)
pectinicornis jolyi Pic, 1895l: ccclxxxv **N: AG MO**
filali Kocher, 1956a: 124
lothei Villiers, 1946: 35 (*Prionus*)
reymondi Kocher, 1956a: 124
saharensis Pic, 1898e: 27
pectinicornis pectinicornis Fabricius, 1793: 251 (*Prionus*) **N: MO (Western Sahara) AFR**
faurebigueti Pic, 1898q: 165
gaillardi Lameere, 1912b: 231 (*Prionus*)
philbyi Villiers, 1968: 846 **A: SA**

genus *Polylobarthron* Semenov, 1899: 258 type species *Polyarthron margelanicum* Théry, 1896
margelanicum Théry, 1896: 108 (*Polyarthron*) **A: KI KZ UZ**
semirufum Pic, 1900b: 3 (*Polyarthron*)
unionis Pic, 1898e: 34 (*Polyarthron*)

genus *Prionoblemma* Jakovlev, 1887b: 318 type species *Prionoblemma przewalskyi* Jakovlev, 1887
Usprion Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915
prezvalskyi Jakovlev, 1887b: 319 **A: XIN**
semenovianum Plavilstshikov, 1915e: 134 (*Usprion*)

genus *Prionomma* A. White, 1853: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratum* Gmelin, 1790)
subgenus *Ancyloprotus* A. White, 1853: 19 type species *Ancyloprotus bigibbosus* A. White, 1853
bigibbosus A. White, 1853: 19 **A: GUX HAI SD YUN ORR**
subgenus *Prionomma* White, 1853a: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratum* Gmelin, 1790)
atrata Gmelin, 1790: 1818 (*Prionus*) **A: AP ORR**

genus *Prionus* Geoffroy, 1762: 198 type species *Cerambyx coriarius* Linnaeus, 1758
Prionellus Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817
coriarius Linnaeus, 1758: 389 (*Cerambyx*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR GG IN KZ SY TR WS**
burdajewiczi Bodemeyer, 1927: 74
prionus DeGeer, 1775: 59 (*Cerambyx*)
schaufussi Jakovlev, 1887c: 326
tridentatus Linnaeus, 1758: 354 (*Scarabaeus*)
vicinus Jakovlev, 1887c: 325
corpulentus Bates, 1878b: 720 **A: AF KA NP PA**
delavayi delavayi Fairmaire, 1887a: 130 **A: SCH YUN**
delavayi lorenci Drumont & Z. Komiya, 2006: 11 **A: FUJ HUB GUA GUI JIX SCH SHA XIZ YUN ZHE #177**
elegans Demelt, 1972b: 89 **A: PA**
elliotti Gahan, 1906a: 16 **A: AF PA**
evae Demelt, 1972b: 89 **A: PA**
dacatrai Pesarini & Sabbadini, 1997: 98
gahani Lameere, 1912b: 189 **A: CHQ GAN SCH YUN #177**
galantorum Drumont & Z. Komiya, 2006: 27 **A: SCH YUN**
galantiorum Drumont & Z. Komiya, 2006: 27 [incorrect orig. spelling]
insularis insularis Motschulsky, 1858a: 36 **A: ANH BEI ES FE FUJ GAN HEB HEI HEN HKG ?HUB HUN JIA JIL JIX LIA NC NMO SC ?SCH SHA SHN SHX TAI TIA ?XIN ?YUN ZHE #177**
ichikii Nishiguchi, 1941: 31
teticus Pascoe, 1867c: 412
insularis yakushimanus K. Ohbayashi, 1964: 19 **A: JA (Yakushima)**
komiya Lorenc, 1999: 13 **A: LE SY TR**
kucerai Drumont & Z. Komiya, 2006: 22 **A: GAN HEN NIN SHA SHX**
lameerei Semenov, 1927: 235 **A: SCH YUN**
laminicornis Fairmaire, 1897e: 254 **A: HEB SCH SHA TIA "North China" #177 #350**
heterotarsus Lameere, 1915a: 58
mali Drumont, Xi & Rapuzzi, 2015: 104 **A: YUN #172**

murzini Drumont & Z. Komiya, 2006: 23 **A:** YUN
nakamurai N. Ohbayashi & Makihara, 1985: 11 **A:** TAI
puae Drumont & Z. Komiya, 2006: 20 **A:** GUX YUN
scabripunctatus Hayashi, 1971: 1 **A:** TAI
sejunctus Hayashi, 1959a: 4 **A:** JA
sifanicus Plavilstshikov, 1934f: 220 **A:** CHQ SCH #177
siskai Drumont & Z. Komiya, 2006: 15 **A:** SCH XIZ YUN ORR
vartianorum Fuchs, 1967: 431 **A:** AF PA #409
 genus *Prionus*, species incertae sedis
sterbai Heyrovský, 1950: 128 **A:** IN

genus *Priotyrrannus* J. Thomson, 1857b: 120 type species *Prionus mordax* A. White, 1853
subgenus *Chollides* J. Thomson, 1877a: 264 type species *Chollides closteroides* J. Thomson, 1877
Cnethocerus Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyrrannus closteroides* J. Thomson, 1877)
Derechinus Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyrrannus closteroides* J. Thomson, 1877)
Prionacus Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyrrannus closteroides* J. Thomson, 1877)
closteroides closteroides J. Thomson, 1877a: 265 (*Chollides*) **A:** ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX
 LIA NMO SCH SHA TAI TIA YUN ZHE ORR #177
delatouchii Fairmaire, 1902c: 317 (*Derechinus*)
messi Bates, 1878a: 273 (*Cnethocerus*)
rabieri Lameere, 1912a: 174
strigicornis Fairmaire, 1896a: 127 (*Prionacus*)
testaceus Kano, 1933b: 130
closteroides luteaensis N. Ohbayashi & Makihara, 1985: 13 **A:** TAI (Lutau Is.)
luteaensis N. Ohbayashi & Makihara, 1985: 13 [wrong spelling]
hueti Drumont, 2008: 4 **A:** YUN ORR

genus *Pseudoprionus* Pic, 1898e: 33 type species *Polyarthron bienerti* Heyden, 1885
altimontanus Kabakow & Dolin, 1996: 45 (*Prionus*) **A:** AF
bienerti Heyden, 1885c: 311 (*Polyarthron*) **A:** IN TM
banghaasi Pic, 1901i: 32 (*Polyarthron*)
pluschewskyi Jakovlev, 1887a: 157 (*Polyarthron*)
pluschtschewskii Semenov, 1899: 252 (*Polyarthron*) [unjustified emend.]
plustschewskyi Semenov, 1935b: 241 (*Prionus*) [unjustified emend.]
pluschtschewskii Plavilstshikov, 1936 (*Prionus*) [unjustified emend.]

genus *Psilotarsus* Motschulsky, 1860d: 537 type species *Prionus brachypterus* Gebler, 1830
Brachyprionus Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830
Otiartes J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)
Prionoxys Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus*, Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)
brachypterus alpherakii Semenov, 1900b: 324 (*Prionus*) **A:** XIN
brachypterus aralensis Danilevsky, 2000a: 8 **A:** KZ UZ
brachypterus brachypterus Gebler, 1830: 179 (*Prionus*) **A:** ?GAN KZ XIN #177
latidens Motschulsky, 1860d: 537 [1861: 443]
brachypterus hemipterus Motschulsky, 1845a: 90 (*Prionus*) **E:** ST **A:** KZ UZ
longipennis Motschulsky, 1860d: 537 [1861: 443]
brachypterus pubiventris Semenov, 1900b: 332 (*Prionus*) **A:** KI KZ #
hypogymna Semenov, 1900b: 331 (*Prionus*)
heydeni alataensis Danilevsky, 2014i: 54 **A:** KZ #29
heydeni arkitensis Danilevsky, 2000a: 27 **A:** KI
heydeni heydeni Ganglbauer, 1888d: 265 (*Prionus*) **A:** KI UZ
minusculus Semenov, 1935b: 249 (*Prionus*)
heydeni talassicus Danilevsky, 2000a: 29 **A:** KI
hirticollis auliensis Danilevsky, 2000a: 19 **A:** KI KZ UZ
hirticollis hirticollis Motschulsky, 1860d: 537 [1861: 443] **A:** KZ TD UZ
hirticollis nudicollis Danilevsky, 2000a: 19 **A:** KZ
lesnei Semenov, 1933: 293 (*Prionus*) **A:** IN
turkstanicus Semenov, 1888: 157 (*Prionus*) **A:** TD TM UZ
curticornis Ganglbauer, 1888d: 266 (*Prionus*)
ruficornis Fairmaire, 1892b: cxiii (*Prionus*)

genus *Unilaprionus* Lin & Danilevsky, 2017: 46 type species *Prionus unilamellatus* Pu, 1987 #269
unilamellatum Pu, 1987: 90 (*Prionus*) **A:** XIZ #222

tribe Remphanini Lacordaire, 1868

genus *Remphan* G. R. Waterhouse, 1836: 67 type species *Remphan hopei* G. R. Waterhouse, 1836

hopei G. R. Waterhouse, 1836: 67 **A: YUN ORR**
alteni Nonfried, 1892c: 376 (*Macrotoma*)
guineensis Lameere, 1893b: 39

genus *Rhaesus* Motschulsky, 1875: 153 [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)
Rhesus J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838
serricollis Motschulsky, 1838: 187 (*Prionus*) **E: AL BU GR MC ST TR YU N: EG i A: AB AR CY GG IN IS LE SY TR**
persicus Motschulsky, 1875: 154
robustus **C.H.G.** Heyden, 1844: 15 (*Aulacopus*)

genus *Rhaphipodus* Audinet-Serville, 1832: 168 type species *Rhaphipodus suturalis* Audinet-Serville, 1832
fatalis Lameere, 1912a: 137 **A: GUI GUX YUN ORR**
fruehstorferi Lameere, 1903: 74 **A: FUJ GUX HAI YUN ORR**
gahani Lameere, 1903: 72 **A: AP BT NP SD UP**
manillae Newman, 1842a: 247 (*Mallodon*) **A: TAI ORR**
subopacus Gahan, 1890a: 48 **A: AP**

#177
#182

subfamily Lepturinae Latreille, 1802

tribe Caraphiini N. Ohbayashi, Lin & Yamasako, 2016

#250

genus *Caraphia* Gahan, 1906a: 75 type species *Caraphia cribrata* Gahan, 1906
Neosalpinia Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933
Noctileptura Chemsak & Linsley, 1984: 281 type species *Noctileptura squamosa* Chemsak & Linsley, 1984
ebenina Holzschuh, 1989: 361 **A: GUX ORR**
granulifera Holzschuh, 1984a: 141 **A: NP**
huai N. Ohbayashi & Lin in N. Ohbayashi, Lin & Yamasako, 2016: 195 **A: GUA HAI**
laosica Gressitt & Rondon, 1970: 30 **A: HAI ORR**
laticeps Pic, 1922c: 10 (*Microrhabdium*) **A: YUN**
lepturoides babai Makihara, 1982b: 127 **A: JA (Ryukyus)**
lepturoides lepturoides Matsushita, 1933b: 304 (*Neosalpinia*) **A: JA**
paulastoni N. Ohbayashi & Lin, 2016: 199 **A: HKG**
sp. (close to *lepturoides*) Lin & Aston, 2014: 19
taiwana Chou & N. Ohbayashi, 2008: 136 **A: HAI TAI**
thailandica Hayashi & Villiers, 1987: 2 **A: HAI YUN ORR**

#250
#250
#250
#250
#250
#179 #250
#250
#250

tribe Encyclopini LeConte, 1873

genus *Encyclops* Newman, 1838a: 392 type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1827)
Microrhabdium Kraatz, 1879d: 99 type species *Microrhabdium macilentum* Kraatz, 1879
Microrrhhabdium Plavilstshikov, 1936: 108 [unjustified emendation]
concinnus Holzschuh, 1991c: 7 **A: SCH**
hubeiensis N. Ohbayashi & W.-K. Wang, 2004: 454 **A: HUB**
luteoscelis Chou & N. Ohbayashi, 2010: 360 **A: TAI**
macilentus Kraatz, 1879d: 99 (*Microrhabdium*) **A: FE NC SC**
parallelus Pic, 1914f: 17 (*Microrhabdium*)
ussuricus Tsherepanov, 1975b: 42
obscurellus Holzschuh, 2015a: 42 **A: YUN**
olivaceus Bates, 1884a: 211 **A: FE HUB JA**
jozanensis Matsushita, 1933b: 169 (*Microrhabdium*)
viridipennis Makihara, 1978: 49 **A: TAI**

#80
#143

tribe Enoploderini Danilevsky in Althoff & Danilevsky, 1997

genus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
subgenus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
Pyrotichus LeConte, 1862: 41 type species *Pyrotichus vitticollis* LeConte, 1862
Xylostylon Reitter, 1879b: 82 [1880: 484] type species *Xylostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)
sanguineus Faldermann, 1837: 310 **E: ST UK A: AB AR GG IN TR**
lederi Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)
subgenus *Pyrenoploderes* Hayashi, 1960: 12 type species *Enoploderes bicolor* K. Ohbayashi, 1941
bicolor K. Ohbayashi, 1941a: 1 **A: JA SC**

tribe Lepturini Latreille, 1802

genus *Acanthoptura* Fairmaire, 1894a: 224 type species *Acanthoptura spinipennis* Fairmaire, 1894
denticollis Holzschuh, 1993a: 17 **A: SCH**
impressicollis Pic, 1920f: 117 (*Leptura*) **A: SCH YUN**
sericeicollis Holzschuh, 1993a: 18 **A: SCH**

simplicicollis Holzschuh, 1993a: 16 **A**: SCH
spinipennis Fairmaire, 1894a: 224 **A**: SCH XIZ
truncatipennis Holzschuh, 1993a: 16 **A**: YUN

genus *Allosterna* Mulsant, 1863: 576 type species *Leptura tabacicolor* DeGeer, 1775

Allosterna Stierlin, 1898: 479 [unjustified emendation]

anatolica Adlbauer, 1992: 490 **A**: TR

barimani Danilevsky, 2010c: 3 **A**: IN

chalybeella Bates, 1884a: 216 (*Grammoptera*) **A**: FE JA SC

— ~~*debilis* Tamanuki, 1933: 73 (*Allosterna*)~~

japonica Pic, 1935d: 11 (*Grammoptera*)

diversipes Pic, 1929b: 9 (*Grammoptera*) **A**: FE HEI JIL NC

perpera Danilevsky, 1988c: 367

ingrica Baeckmann, 1902: 280 (*Grammoptera*) **E**: BY CT EN LA LT NT PL **SK** ST UK WS

libani Márkus & Németh, 2016: 24 **A**: LE

#278

pauli Pesarini, Rapuzzi & Sabbadini, 2004: 158 **E**: GR

scapularis Heyden, 1879a: 325 [1879b: 69] (*Strangalia*) **A**: AB IN TM TR

talyschensis Reitter, 1885: 391

tabacicolor azerbaijanica Danilevsky, 2014i: 386 **A**: AB

#29

tabacicolor erythropus Gebler, 1841b: 612 (*Leptura*) **A**: ES FE JA KZ MG NT WS

bivittis Motschulsky, 1860b: 146 (*Grammoptera*)

— ~~*fusca* Matsushita, 1930: 24 [Danilevsky, 2011h]~~

plavilstshikovi Podany, 1963b: 49

testacea Motschulsky, 1860b: 146 (*Grammoptera*)

#411

tabacicolor hirayamai Fujita, 2019: 21 **A**: JA (Central Honshu)

#411

tabacicolor sachalinensis Danilevsky, 2012m: 904 **A**: FE

tabacicolor subvittata Reitter, 1885: 391 **E**: ST **A**: AB AR GG IN TR

caucasica Plavilstshikov, 1936: 305

tabacicolor tabacicolor DeGeer, 1775: 139 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ

LA LS LT LU MC MD NE NL NR NT PL RO SK SL SP ST SV SZ TR UK YU **A**: KZ TR WS

bicoloripes Pic, 1914f: 65 (*Allosterna*)

chrysomeloides Schrank, 1781a: 158 (*Leptura*)

dispar Pic, 1892j: 140

genii Gmelin, 1790: 1877 (*Leptura*)

laevis Fabricius, 1793: 340 (*Leptura*)

solstitialis Herbst, 1784: 103 (*Leptura*)

tabacicolor tenebris Danilevsky, 2012m: 904 **A**: FE NC NE SC

tabacicolor tokatensis Pic, 1901n: 59 **A**: TR

genus *Anastrangalia* Casey, 1924: 280 type species *Leptura sanguinea* LeConte, 1859

Marthaleptura K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873

dissimilis dissimilis Fairmaire, 1900: 639 (*Leptura*) **A**: FUJ HUN JA QIN SCH SHA TAI YUN

dissimilis niitakana Kano, 1933a: 264 (*Leptura*) **A**: JA TAI

hirayamai Matsushita & Tamanuki, 1942: 80 (*Leptura*)

dubia dubia Scopoli, 1763: 47 (*Leptura*) **E**: AL AN AU BH BU **?BY** CR CZ FR GE GR HU IT LS **?LT** MC PL RO SK SL SP SZ

UK YU **N**: AG **A**: TR

basinotata Pic, 1932d: 31 (*Leptura*)

birubrosignata Pic, 1941b: 1 (*Leptura*)

chamomillae Fabricius, 1801b: 359 (*Leptura*)

cincta Fabricius, 1801b: 356 (*Leptura*)

curierensis Pic, 1945b: 6 (*Leptura*)

graeca Pic, 1932d: 31 (*Leptura*)

limbata Laicharting, 1784: 166 (*Leptura*)

luctuosa Mulsant, 1839: 278 (*Leptura*)

notata Olivier, 1795: 11 (*Leptura*)

planeti Pic, 1945b: 5

dubia moreana Pic, 1906h: 96 (*Leptura*) **E**: GR (Peloponnese)

atrovittata Pic, 1941b: 1 (*Leptura*)

birubrosignata Pic, 1941b: 1 (*Leptura*)

inbasalis Pic, 1917g: 4 (*Leptura*)

dubia melanota Faldermann, 1837: 315 (*Leptura*) **E**: ST **A**: AB AR GG IN TR

dereensis Pic, 1932d: 31 (*Leptura*)

distincta Tournier, 1872: 347 (*Leptura*)

circascutellaris Pic, 1945b: 6 (*Leptura*)

curierensis Pic, 1945b: 6 (*Leptura*)

curtelineata Pic, 1941e: 5 (*Leptura*)

— ~~*ratchaensis* Pic, 1911a: 4 (*Leptura*)~~

starcki Schilsky, 1892: 205 (*Leptura*)

triangulifera Reitter, 1898d: 195 (*Leptura*)

kasaharai Makihara, 2002: 339 **A:** JA
montana montana Mulsant & Rey, 1863: 179 (*Leptura*) **E:** GR (Samos) **A:** CY SY TR
bogasana Pic, 1932d: 31 (*Leptura*)
claudiusi Pic, 1941b: 1 (*Leptura*)
juliae Pic, 1941b: 1 (*Leptura*)
leuthneri Ganglbauer, 1886c: 516 (*Leptura*)
mulsanti Pic, 1941b: 1 (*Leptura*)
nigerrima Pic, 1892v: 415 (*Leptura*)
pernigra Reitter, 1898d: 193 (*Leptura*)
semiangustata Reitter, 1898d: 193 (*Leptura*)
victoris Pic, 1941b: 1 (*Leptura*)
montana steineri Sama, 1994a: 10 **E:** GR (Kriti)
renardi Gebler, 1848a: 420 (*Leptura*) **E:** NT **A:** ES FE KZ MG **NC** NMO **SC** WS XIN **#80**
mongolica Pic, 1922d: 18 (*Leptura*)
reyi Heyden, 1889a: 203 (*Leptura*) [RN] **E:** AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SP ST SV SZ UK
A: KZ
inexpectata Jansson & Sjöberg, 1928: 212 (*Leptura*)
ochracea Rey, 1885b: 277 (*Leptura*) [HN]
rubriola Bates, 1878b: 720 (*Leptura*) **A:** AF FUJ KA NP PA **ORR**
kashmirica Plavilstshikov, 1927b: 105
sanguinolenta Linnaeus, 1760: 196 (*Leptura*) **E:** AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC
MD NL NR NT PL RO SK SL SP ST SV SZ UK YU **A:** AB AR GG **KZ** TR **WS**
bonaerensis Burmeister, 1865: 177 (*Leptura*)
ignita Geoffroy, 1785: 89 (*Stenocorus*)
melanura Ström, 1765: 394 (*Leptura*) [HN]
sandoeensis Palm, 1953: 124 (*Leptura*)
variabilis DeGeer, 1775: 137 (*Leptura*)
scotodes continentalis Plavilstshikov, 1936: 371 (*Leptura*) **A:** FE NC NE SC **SCH** **SHA**
scotodes scotodes Bates, 1873: 194 (*Leptura*) **A:** **FE** JA
kongoensis Matsushita, 1933b: 201 (*Leptura*)
rufonotata Pic, 1953a: 14 (*Leptura*)
sequensi Reitter, 1898d: 194 (*Leptura*) **A:** ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
baicalensis Pic, 1907b: 6 (*Leptura*)
baicalica Pic, 1911a: 4 (*Leptura*)
diversenotata Pic, 1907b: 6 (*Leptura*)
pulchrina Reitter, 1898d: 194 (*Leptura*)
rufopaca Reitter, 1898d: 194 (*Leptura*)
sachalinensis Matsushita, 1933a: 104 (*Leptura*)
tristina Reitter, 1898d: 194 (*Leptura*)
genus Anoplodera Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
subgenus Anoplodera Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
atramentaria Ganglbauer, 1889a: 59 (*Leptura*) **A:** GAN NMO
corvina Holzschuh, 1993a: 11 **A:** GAN
fokiensis Pic, 1922a: 7 (*Leptura*) **A:** FUJ
kingana Pic, 1903e: 105 (*Leptura*) **A:** SCH
septemnotata Pic, 1928g: 143 (*Leptura*)
sexnotatipennis Pic, 1928g: 143 (*Leptura*)
peregrina Holzschuh, 1993a: 12 **A:** GAN
porphyrophora Fairmaire, 1889a: 64 (*Leptura*) **A:** SCH
przewalskii Miroshnikov, 2000c: 186 **A:** NMO
pubevirens Gressitt, 1935g: 568 (*Leptura*) **A:** XIZ
rufihumeralis Tamanuki, 1938b: 167 (*Leptura*) **A:** CH FE NC
rufipes astrabadensis Pic, 1900s: 82 **A:** AB IN **#214**
rufipes izzilloi Sama, 1999a: 45 **E:** IT (Basilicata)
rufipes krueperi Ganglbauer, 1882: 707 (*Leptura*) **E:** GR **#214**
rufipes lucidipes Sama, 1999a: 46 **A:** TR
rufipes rufipes Schaller, 1783: 296 (*Leptura*) [HN] **E:** AL AU BH BU BY CR CZ EN FR GE GB GR HU IT LA LT LU MC MD
?NT PL RO SK SL SP SV SZ YU UK **#11 #84 #214**
atra Fabricius, 1775: 197 (*Leptura*) [NO] **#214**
fuscipes Mulsant, 1839: 287
villosa Schoenherr, 1817a: 486 (*Leptura*)
rufipes ventralis Heyden, 1886a: 85 [RN] **E:** BY CT ST UK **A:** AB AR GG ES KZ TR **#214**
medea Pic, 1909b: 99 (*Leptura*)
rufiventris Tourmier, 1872: 348 (*Leptura*) [HN]
sergeii Miroshnikov, 2000c: 188 **A:** SCH
shamaevi Miroshnikov, 2000c: 188 **A:** QIN
sexguttata Fabricius, 1775: 198 (*Leptura*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD
MD NL NR NT PL PT RO SK SL SP ST SV SZ **TR** UK **A:** GG TR **N:** AG **#11 #200**

atrata Schilsky, 1889: 339
biguttata Mulsant, 1839: 285
~~*bipustulata* Rothenburg, 1909: 190 (*Leptura*)~~
~~*cineta* Panzer, 1804: 57 (*Leptura*)~~
exclamationis Fabricius, 1793: 343 (*Leptura*)
guttata Pic, 1898a: 4
punctomaculata Marsham, 1802: 357 (*Leptura*)
pyrenaica Pic, 1917a: 5 (*Leptura*)
semicolon Schrank, 1798: 694 (*Leptura*)
vastatorum Pic, 1917a: 5 (*Leptura*)
uddmanniana Harrer, 1784: 225 (*Leptura*)
subgenus *Anoploderomorpha* Pic, 1901m: 59 type species *Leptura excavata* Bates, 1884a
carbonaria Holzschuh, 1993a: 13 (*Anoploderomorpha*) A: SHA
cyanea Gebler, 1832: 70 (*Leptura*) A: ES FE HEB HEI HUB JA JIL MG NC NMO SC
densepunctata Hayashi & Villiers, 1994: 60 (*Anoploderomorpha*) A: TAI
diplosa Holzschuh, 2003a: 161 (*Anoploderomorpha*) A: YUN
excavata Bates, 1884a: 217 (*Leptura*) A: CE JA
formosana Matsushita, 1933b: 198 (*Leptura*) A: HAI TAI
izumii Tamanuki & Mitono, 1939: 209 (*Leptura*) A: FUJ GUA TAI YUN ZHE
monticola Nakane, 1955a: 11 (*Anoploderomorpha*) A: JA
kishii Nakane, 1955a: 12 (*Anoploderomorpha*)
sepulchralis Fairmaire, 1889a: 63 (*Leptura*) A: FUJ SCH ORR
tenebraria Holzschuh, 1995: 10 (*Anoploderomorpha*) A: YUN
villigera Holzschuh, 1991c: 17 (*Anoploderomorpha*) A: YUN ORR
subgenus *Falsojudolia* Pic, 1935c: 11 type species *Judolia lunatipennis* Pic, 1935
lunatipennis Pic, 1935c: 11 (*Judolia*) A: GAN
subgenus *Robustanoplodera* Pic, 1954a: 13 type species *Anoplodera bicolorimembris* Pic, 1954
Koichius Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935
Tamanukia Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935
bicolorimembris Pic, 1954a: 13 A: FUJ ORR
inauraticollis Pic, 1933b (*Leptura*): 26 A: SCH
lepesmei Pic, 1956b: 649 (*Leptura*) A: YUN
taiyal Shimomura, 1993: 228 (*Robustanoplodera*) A: TAI
tricolor Gressitt, 1935d: 258 A: TAI

genus *Carlandrea* Sama & Rapuzzi, 1999: 467 type species *Strangalia syriaca* Pic, 1891
syriaca Pic, 1891a: 1 (*Strangalia*) A: TR

genus *Corennys* Bates, 1884a: 224 type species *Corennys sericata* Bates, 1884a
Pseudocorennys Pic, 1952d: 41 type species *Pyrocalymma diversicornis* Pic, 1946 (= *Pyrocalymma conspicua* Gahan, 1906
~~*brevipennis prescutellaris* Pic, 1947c: 17 (*Pyrocalymma*)~~ A: CH ORR
caduca Holzschuh, 1998: 28 A: HUB
cardinalis Fairmaire, 1887a: 131 (*Ephies*) A: YUN
cellularis Holzschuh, 1992: 12 A: SCH
conspicua Gahan, 1906a: 89 (*Pyrocalymma*) A: BT HAI HEB SCH SHA XIZ YUN ORR
diversicornis Pic, 1946c: 17 (*Pyrocalymma*)
sanguinea Kano, 1933a: 271 A: HAI TAI
sensitiva Holzschuh, 1998: 29 A: YUN
sericata Bates, 1884a: 225 A: HEB FE JA NE SC #336
taiwana Hayashi, 1963d: 130 A: TAI

genus *Cornumutilla* Letzner, 1844: 173 type species *Leptura lineata* Letzner, 1844
Letzneria Kraatz, 1879b: 63 type species *Leptura lineata* Letzner, 1844
lineata Letzner, 1844: 173 (*Leptura*) E: AU CZ FR IT NT PL RO SK SZ UK A: ES WS
weisi Heyden, 1892c: 389 (*Letzneria*)
quadrivittata Gebler, 1830: 193 (*Leptura*) E: CT A: ES FE NC SE WS #80
semenovi Plavilstshikov, 1936: 313

genus *Dokhtouroffia* Ganglbauer, 1886a: 129 type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa*
Gebler, 1845)
Dokhturovia Jakobson, 1924c: 238 [unjustified emendation]
Dokhturovia Semenov, 1926: 48 [unjustified emendation]
baeckmanni Jankowski, 1934: 109 [= 1935b: 181] (*Dokhturovia*) A: KI UZ
nebulosa Gebler, 1845: 105 (*Stenura*) A: KI KZ MG SCH XIN XIZ
turkestanica Ganglbauer, 1886a: 129
vittata Pic, 1941b: 1 (*Dokhtouroffia*)

genus *Elacomia* Heller, 1916b: 298 type species: *Elacomia collaris* Heller, 1916

Acantholeptura Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)
michioi Tippmann, 1955: 95 A: FUJ
semiannulata Pic, 1916d: 5 A: YUN ORR

genus *Emeileptura* Holzschuh, 1991c: 22 type species *Emeileptura conspecta* Holzschuh, 1991

bicuspis N. Ohbayashi, Tichý & Bi, 2018: 32 A: YUN

#362

conspecta conspecta Holzschuh, 1991c: 22 A: SCH

conspecta fanjingshana N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI

#362

conspecta leishanica N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI

#362

conspecta nagahatai N. Ohbayashi, Tichý et Bi, 2018: 30 A: SCH

#362

genus *Ephies* Pascoe, 1866: 506d type species *Ephies cruentus* Pascoe, 1866

apicalis Kano, 1933a: 270 A: TAI

cardinalis Fairmaire, 1887a: 131 A: YUN

coccineus Gahan, 1906a: 87 A: BT FUJ GUX HAI TAI YUN ORR

gahani Gressitt, 1940b: 31 A: HAI

japonicus japonicus Nakane & K. Ohbayashi, 1961: 6 A: JA

japonicus okinawanus Hayashi, 1968a: 21 A: JA

schwarzeri Hayashi, 1968a: 22 A: TAI

sulcipennis Bates, 1891a: 22 A: HP (Kulu)

thailandensis Hayashi, 1989: 24 A: YUN ORR

genus *Etorofus* Matsushita, 1933a: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)

subgenus *Etorofus* Matsushita, 1933b: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)

nemurensis Matsushita, 1933a: 205 A: FE JA

circaocularis Pic, 1934c: 18 (*Strangalia*)

niger Matsushita, 1933a: 205

variicornis Matsushita, 1933a: 205 [HN]

pubescens Fabricius, 1787: 158 (*Leptura*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT MC NR NT PL RO SK SL

SP ST SV SZ UK YU A: ?GG TR

antemaculata Pic, 1933h: 5 (*Strangalia*)

— *auriflua* L. Redtenbacher, 1858: 874 (*Strangalia*)

carinthiaca Pic, 1933h: 16

holosericea Fabricius, 1801b: 358 (*Leptura*)

nigra DeGeer, 1775: 144 (*Leptura*)

obscura Thunberg, 1787: 56 (*Leptura*)

ottoi Pic, 1907b: 6 (*Leptura*)

perobscura Reitter, 1901b: 77 (*Strangalia*)

subgenus *Nakanea* K. Ohbayashi, 1963: 9 type species *Leptura vicaria* Bates, 1884a

vicarius adumbratus Bates, 1884: 220 (*Leptura*) A: JA

biluteomaculatus Pic, 1943c: 1 (*Strangalia*)

lajoyei Pic, 1943c: 1 (*Strangalia*)

vicarius vicarius Bates, 1884a: 218 (*Leptura*) A: FE JA

genus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a

aneipennis Fairmaire, 1889a: 63 (*Stenura*) A: SCH SHA YUN ORR

notaticollis Pic, 1927f: 8

anticereducta Hayashi, 1958b: 46 A: JA

distenioides Bates, 1884a: 222 A: FE JA

latericollis W.-K. Wang & S.-N. Jiang, 1994: 193 A: HUB SHA

#162

viridipennis Gressitt, 1935f: 380 A: TAI

genus *Formosopyrrhona* Hayashi, 1957a: 37 type species *Corennys cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)

hozanensis Matsushita, 1933a: 231 (*Pyrocalymma*) A: TAI

cinnabarina Gressitt, 1951a: 122 (*Corennys*)

longula Holzschuh, 1999: 20 A: HUB

satoi Hayashi, 1957b: 45 (*Pyrocalymma*) A: JA (Ryukyus)

semilaeticolor Hayashi, 1974a: 13 A: TAI

genus *Gahanaspia* N. Ohbayashi, 2014: 17 type species *Leptura miniacea* Gahan, 1906

Gahanaspia N. Ohbayashi, 2014: 18 (wrong subsequent spelling - not available)

miniacea Gahan, 1906a: 82 (*Leptura*) A: GUX NP ORR

#432

genus *Gnathostrangalia* Hayashi & Villiers, 1985a: 13 type species *Strangalia aurivillei* Pic, 1903

aurivillei Pic, 1903c: 29 (*Strangalia*) **A: GUX HAI ORR** #264
aurivillii, Aurivillius, 1912: 241 (*Strangalia*) [wrong spelling]
testaceipes Pic, 1943c: 1 (*Strangalia*)
valeria Pic, 1930b: 14 (*Parastrangalia*)
bilineatithorax Pic, 1922b: 22 (*Leptura*) **A: FUJ GUX HUN ZHE ORR** #264
tonkinea Murzin, 1988: 162 (*Strangalia*)
elliptica L. Chen & Chiang, 1996: 188, 191 **A: GUX**
rufovittata Pic, 1922c: 10 (*Strangalia*) **A: GUX ORR** #264
simianshana Chiang & L. Chen, 1993: 54 **A: CHQ SCH** #264

genus Gramera Holzschuh 2017d: 64 type species *Gramera amoena* Holzschuh 2017d
amoena Holzschuh 2017d: 66 **A: AP**

genus Grammoptera Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
subgenus Grammoptera Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
Fallaciomorpha Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892
abdominalis Stephens, 1831: 262 (*Leptura*) **E: AL AU BE BH BU BY CR CZ DE FR GB GE GR HU IR IT LU MC NL PL PT RO**
SK SL SP ST SV SZ TR UK A: AB AR GG IN TR
analisis Herrich-Schäffer, 1833: **Heft 118 (6) (*Leptura*)**
~~*femorata* Mulsant, 1863: 580~~
nigrescens Weise, 1884f: 424
variegata Germar, 1824: 522 (*Leptura*) [HN]
andrei Holzschuh, 1999: 10 **A: QIN**
angustata Pic, 1892k: 289 **N: AG**
bicoloricornis Pic, 1935d: 12
auricollis auricollis Mulsant & Rey, 1863: 183 **N: AG**
auricollis basicornis Pic, 1924c: 26 **E: GR (Kriti)**
auricollis bipustulata Steiner, 1975: 22 **E: GR**
auricollis samai Sláma, 1997: 512 **N: AG TU**
baudii baudii Sama, 1985c: 97 **A: CY**
baudii pistacivora Sama, 1996b: 94 **A: IS JO LE SY TR**
coerulea Jureček, 1933: 128 **A: FE NC SC** #80
fulgidipennis Holzschuh, 1991c: 16 **A: GAN**
gracilis Brancsik, 1914: 58 **A: FE NC NE SC**
semenovi Baeckmann, 1924: 231
grammopteroides Pic, 1892d: 44 [= 1892m: clxxxv] (*Leptura*) **A: LE SY**
matsudai Hayashi, 1974a: 8 **A: TAI**
merkli Frivaldszky, 1884: 4 **A: TR**
ruficornis flavipes Pic, 1892i: 139 **E: IT (Sicilia)**
ruficornis obscuricornis Kraatz, 1886: 234 **A: AB (Talysh) IN**
ruficornis ruficornis Fabricius, 1781: 247 (*Leptura*) [NP] **E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT**
LA LS LT MC MD NL NR PL PT RO SK SL SP ST SV SZ TR UK YU A: TR
~~*atra* Fabricius, 1775: 197 (*Leptura*) [NO]~~
clavipes Geoffroy, 1785: 87 (*Stenocorus*)
holomelina Donisthorpe, 1905: 182
laevis Herbst, 1784: 103 (*Leptura*)
pallipes Stephens, 1831: 263 (*Leptura*)
parisina Thunberg, 1784: 16 (*Leptura*)
pumila Schaller, 1783: 299 (*Leptura*)
rufipes Goeze, 1777: 501 (*Leptura*) [NO]
semimetallica Pic, 1939b: 2 **A: GAN**
solai Rapuzzi & Sama, 2014a: 2 **A: TR**
ustulata tibialis Kraatz, 1886: 234 **A: AB AR IN TR**
ustulata ustulata Schaller, 1783: 298 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA MC MD NL**
NR PL PT RO SK SL SP ST SV SZ TR UK YU A: TR
adusta Gmelin, 1790: 1872 (*Leptura*)
barrosi Pic, 1900c: 6
geniculata Kraatz, 1886: 234
praeusta Fabricius, 1787: 159 (*Leptura*)
splendida Herbst, 1784: 103 (*Leptura*)
viridipennis Pic, 1893c: 111 **E: IT (Sicilia)**
subgenus Neoencyclops Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933
brezinae Holzschuh, 1998: 18 (*Neoencyclops*) **A: GAN**
cyanea Tamanuki, 1933: 73 **A: FE NE NC**
plavilstshikovi Heyrovský, 1965a: 101
elongata Pic, 1941b: 1 **A: CH**
lenis Holzschuh, 1999: 10 (*Neoencyclops*) **A: SHA**
debilipes Holzschuh, 1991c: 15 (*Neoencyclops*) **A: SCH**

paucula Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
querula Danilevsky, 1993e: 476 A: NC

genus *Houzenzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzenzia cheni* N. Ohbayashi & Lin, 2012
cheni N. Ohbayashi & Lin, 2012: 18 A: SHA

genus *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia contracta* Bates, 1884a

akiyamae Hayashi, 1978a: 86 A: TAI
albopreterminalis Hayashi & Villiers, 1989: 2 A: TAI
angustissima Gressitt, 1935d: 261 (*Strangalina*) A: TAI
atrocineta Pic, 1928b: 17 (*Strangalina*) A: SE SW ORR
auricoma Holzschuh, 2007: 197 A: YUN ORR
contracta Bates, 1884a: 223 (*Strangalia*) A: JA JIX
mediolineata Pic, 1954a: 13 (*Strangalia*)
ohbayashii Matsushita, 1933b: 220 (*Strangalia*)
tamanukii Hayashi, 1959b: 61 (*Pygostrangalia*)
fukienensis Pic, 1957: 77 (*Strangalina*) A: FUJ
fukiensis Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ
hakonensis Matsushita, 1933b: 218 (*Strangalia*) A: JA
maruokai Hayashi, 1963a: 52 (*Pygostrangalia*) A: JA (Ryukyus)
nigrobaltea Holzschuh, 2016: 76 A: YUN #217
quadrisignata Hayashi & Makihara, 1981: 187 A: NP
rarasanensis Mitono, 1938: 19 (*Strangalia*) A: TAI
shimomurai N. Ohbayashi & Takahashi, 1985: 89 A: JA
shirakii Tamanuki & Mitono, 1939: 213 (*Strangalina*) A: TAI
sozanensis Mitono, 1938: 17 (*Strangalia*) A: FUJ GUA GUX HUN JIX TAI ZHE
lineatocollis Gressitt, 1937b: 319 (*Strangalina*)
simillima Hayashi & Villiers, 1989: 1 #204
vittatipennis Pic, 1914e: 16 (*Strangalia*) A: TAI
marginalis Kano, 1933a: 269 (*Strangalia*)
suturalis Gressitt, 1935d: 262 (*Strangalina*)

genus *Ischnostrangalis* Ganglbauer, 1889a: 53 type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)

antennalis Holzschuh, 1991c: 21 A: SCH
apicata Holzschuh, 1992: 8 A: SCH
davidi Pic, 1934g: 83 (*Leptura*) A: SCH
fasciolata Holzschuh, 2011: 273 A: XIZ
frugalis annulicornis Holzschuh, 2011: 274 A: SCH
frugalis frugalis Holzschuh, 1991a: 7 A: SCH
manipurensis Gahan, 1906: 86 (*Leptura*) A: YUN ORR
rhododendri Holzschuh, 2011: 271 A: YUN
semenowi Ganglbauer, 1889a: 53 (*Leptura*) A: SCH
stricticollis Fairmaire, 1889a: 62 (*Stenura*) A: NMO SCH
— *semenowi* Ganglbauer, 1889a: 53 (*Leptura*)
tibetensis Ohbayashi & Lin, 2013: 48 A: XIZ
wenhsini Ohbayashi & Lin, 2013: 45 A: XIZ

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura dentatipennis* Pic, 1901

basiplicata Fairmaire, 1889a: 60 (*Stenura*) A: FUJ GUA GUI HUB HUN JIX SCH SHA ZHE #350
argodi Théry, 1896: 109 (*Strangalia*)
elegans Tippmann, 1955: 94 (*Strangalia*)
dentatipennis Pic, 1901m: 60 (*Leptura*) A: JA
yamasakii Mitono, 1936: 421 (*Strangalia*) A: FUJ GUI HUN JIX TAI
miwai Mitono, 1943: 587 (*Strangalia*)

genus *Julodia* Mulsant, 1863: 496 type species *Leptura sexmaculata* Linnaeus, 1758

— *Julodia* Pic, 1891b: 12 type species *Leptura sexmaculata* Linnaeus, 1758
japonica Tamanuki, 1942: 179 (*Strangalia*) A: JA
dentatofasciata Mannerheim, 1852b: 308 (*Grammoptera*) E: NT A: ES FE JA MG NC SC WS "Korea" [see Danilevsky (2013g: 9)]
abbreviata Motschulsky, 1875: 143 (*Grammoptera*)
dentatofasciata Motschulsky, 1859a: 571 [1859c: 232] [HN]
multidisjuncta Pic, 1914c: 5
parallelopipeda Motschulsky, 1860b: 146 (*Grammoptera*)
rostiana Pic, 1902f: 19 (*Julodia*)
rufimembris Pic, 1917g: 3 (*Leptura*)
shirarakensis Matsumura, 1911a: 137 (*Leptura*)

sexmaculata Linnaeus, 1758: 398 (*Leptura*) E: AN AU BY CT CZ EN FI FR GB GE GR HU IR IT LA LT NR NT PL RO SK SP
 ST SV SZ UK A: KZ
alpestris Pic, 1914c: 5
helvetica Pic, 1914c: 5
milliati Pic, 1945b: 6
x-flava Roubal, 1937: 81
testaceofasciata DeGeer, 1775: 133 (*Leptura*)
trifasciata Fabricius, 1793: 349 (*Leptura*)
tyrolensis Pic, 1914c: 5

genus *Judolidia* Plavilstshikov, 1936: 399 type species *Judolidia znojko* Plavilstshikov, 1936
bangi bangi Pic, 1901v: 340 (*Leptura*) A: JA #411
akitensis Matsushita, 1931a: 42 (*Leptura*)
stygica Gressitt, 1935b: 168 (*Leptura*)
bangi kyushuensis Kusakabe & N. Ohbayashi, 1992: 28 A: JA #411
znojko Plavilstshikov, 1936: 400 A: FE HEI JIL NC SC

genus *Kanekoa* Matsushita & Tamanuki, 1942: 79 type species *Leptura azumensis* Matsushita & Tamanuki, 1942
Acmaeopidonia Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955
aerifera Tippmann, 1955: 92 (*Acmaeopidonia*) A: FUJ TAI
lalahana Shimomura, 1980: 115 (*Anoplodera*)
azumensis Matsushita & Tamanuki, 1942: 79 (*Leptura*) A: JA SC
lirata Holzschuh, 1991c: 17 A: SCH
lucidula Holzschuh, 1999: 12 A: XIZ
piligera Holzschuh, 2003a: 162 A: SCH SHA

genus *Katarinia* Holzschuh, 1991c: 18 type species *Katarinia cephalota* Holzschuh, 1991
belousovi Mirosnikov, 2015b: 289 A: YUN #145
cephalota Holzschuh, 1991c: 18 A: SCH
consanguinea Holzschuh, 2006a: 211 A: YUN
murzini Mirosnikov, 2015b: 287 A: SHA #145
teledapoides Holzschuh, 1998: 21 A: SCH

genus *Kirgizobia* Danilevsky, 1992c: 203 type species *Kirgizobia bohnei* Danilevsky, 1992
bohnei Danilevsky, 1992c: 204 A: KI

genus *Konoa* Matsushita, 1933b: 196 type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)
granulata Bates, 1884a: 217 (*Leptura*) A: FE JA
valida Matsushita, 1933b: 196 (*Nivellia*)

genus *Laoleptuta* N. Ohbayashi, 2008 type species *Laoleptuta phupanensis* N. Ohbayashi, 2008 #277
phupanensis N. Ohbayashi, 2008: 427, 434 A: GUX YUN ORR

genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64 type species *Strangalia hosohana* K. Ohbayashi, 1952
hosohana K. Ohbayashi, 1952: 414 (*Strangalia*) A: JA
nakamura Hayashi, 1960a: 17 A: TAI
marginipennis Hayashi & Villiers, 1989: 3 (*Strangalomorpha*) [HN] #204
rufithorax Huang & Vives, 2019: 433 A: GUX #434
shaanxiana Holzschuh, 1992: 10 A: SHA

genus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
subgenus *Bothrioleptura* Pesarini & Sabbadini, 2015: 27 type species *Leptura alticola* Gressitt, 1948a #277
alticola Gressitt, 1948a: 43 A: SCH YUN
gibbosa Pesarini & Sabbadini, 2015: 27 A: SCH #277

subgenus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
 — *Strangaliella* Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)
aethiops Poda von Neuhaus, 1761: 38 E: AL AU BE BH BY CH CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL
 RO SK SL SP ST SZ UK YU A: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC SHA WS YUN #350

adustipennis Solsky, 1871a: 404 (*Strangalia*)
aterrima Motschulsky, 1860b: 147 (*Stenura*)
atra Scopoli, 1772: 100 (*Prionus*)
beckeri Pic, 1911a: 4
coreana Matsushita, 1933a: 104 (*Strangalia*) [HN]
doi Matsushita, 1933a: 105 (*Strangalia*)
letzneri Gabriel, 1895: 437
 — *matsushitai* Heyrovský, 1934a: 75 (*Strangalia*) [RN]
melanaria Herbst, 1784: 101

semibicolor Pic, 1912j: 90
unicolor Olivier, 1797: 518
akitai akitai Fujita, 2019: 23 **A: FE JA** #411
akitai chihiroae Fujita, 2019: 24 **A: JA** #411
amamiana amamiana Hayashi, 1960d: 22 **A: JA (Ryukyus)** #411
amamiana watanabei Hayashi, 1962c: 2 **A: JA (Ryukyus)** #411
ambulatrix Gressitt, 1951a: 96 **A: FUJ GUA GUX HUN SCH YUN** #277
annularis annularis Fabricius, 1801b: 363 **E: AN AU BH BY CR CT CZ CZ EN FR GE HU IT LA LT MD NT PL RO SK ST SZ**
UK YU A: ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE #338
arcuata Panzer, 1793a: 12 [HN]
mediodisjuncta Pic, 1902d: 10 (*Strangalia*)
annularis mimica Bates, 1884a: 219 **A: FE JA** #338
harmandi Pic, 1901m: 61
annularis modicenotata Pic, 1901m: 61 (*Strangalia*) **A: JA** #411
infernalis Pic, 1901m: 61 (*Strangalia*)
kinhokuana Matsushita, 1932: 191 (*Strangalia*)
naganoensis Pic, 1956b: 650 (*Strangalia*)
onsenensis Pic, 1956b: 650 (*Strangalia*)
quadriluteonotata Pic, 1953a: 14 (*Strangalia*) #279
semisuturalis Pic, 1953a: 14 (*Strangalia*) #279
tokioensis Pic, 1915f: 11 (*Strangalia*)
tsumagurohana K. Ohbayashi, 1955: 61
annularis nagahatai Fujita, 2019: 24 **A: SC** #411
arcifera Blanchard, 1871: 812 (*Strangalia*) **A: GUI SCH YUN**
auratopilosa Matsushita, 1931a: 42 (*Strangalia*) **A: TAI**
piyanan Kano, 1933a: 267 (*Strangalia*)
quadranglithoracica Tamanuki, 1942: 145 (*Strangalia*)
segregata Tamanuki, 1942: 146 (*Strangalia*)
aurosericans Fairmaire, 1895: 177 **A: FUJ GUA GUI GUX HEN HUB HUN JA (Ryukyus) JIX SCH SHA ZHE ORR** #350
mausonensis Pic, 1903c: 29
meridiosinica Gressitt, 1951a: 99
rufimembris Pic, 1923a: 11 (*Parastrangalis*)
sericea Pic, 1903c: 29
aurulenta Fabricius, 1793: 348 **E: AL AN AU BE BH BY BU CR CT CZ EN FR GE GB GR IR HU IT ?LA ?LT LU MC PL PT RO**
SK SL SP ST SZ TR UK YU N: AG TU A: TR
algerica Pic, 1898a: 6 (*Strangalia*)
kitanensis Dayrem, 1922a: 17 (*Strangalia*)
lugdunensis Pic, 1916a: 2: (*Strangalia*)
mesmini Pic, 1916b: 5 (*Strangalia*)
subreducta Pic, 1915a: 5 (*Strangalia*)
viturati Pic, 1914f: 18 (*Strangalia*)
barkamica Holzschuh, 1998: 22 **A: SCH**
bocakorum Holzschuh, 1998: 23 **A: YUN**
bocakorum Pesarioni and Sabbadini, 2015: 41 [wrong spelling] #277
clytoides Pesarini & Sabbadini, 2015: 34 **A: GUX SCH ORR** #277
daliensis Holzschuh, 1998: 23 **A: YUN**
dimorpha Bates, 1873: 195 **A: JA**
duodecimguttata Fabricius, 1801b: 363 **A: BEI ES FE FUJ HEB HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE**
#74
bisbijuncta Pic, 1904d: 14
kupfereri Pic, 1912j: 89
mediojuncta Pic, 1902d: 10 (*Strangalia*)
mediosemijuncta Pic, 1927e: 13 (*Strangalia*)
subobliterata Pic, 1927e: 10 (*Strangalia*)
formosomontana Kano, 1933a: 268 (*Strangalia*) **A: TAI**
gradatula Holzschuh, 2006a: 216 **A: GAN GUX SCH SHA** #350
grahamiana Gressitt, 1938a: 46 **A: SCH XIZ YUN**
~~*inauraticollis* Pic, 1933b: 26 **A: SCH**~~
guerryi Pic, 1902i: 28 (*Strangalia*) **A: SCH** #277
kubani Holzschuh, 2006a: 214 **A: YUN XIZ** #277
kusamai keiichii Ohbayashi, 1999: 51 **A: JA**
kusamai kusamai K. Ohbayashi & Nakane, 1955: 17 **A: JA**
latipennis Matsushita, 1933b: 214 (*Strangalia*) **A: FE JA**
trigonata Hayashi, 1955: 33
la vinia Gahan, 1906a: 83 **A: NP XIZ YUN ORR**
linwenhsini Ohbayashi & Chou, 2013: 30 **A: TAI**
longeattenuata Pic, 1939b: 1 **A: YUN** #277
masegakii Kano, 1933a: 269 (*Strangalia*) **A: TAI**

naxi Holzschuh, 1998: 21 **A: XIZ YUN** #74
nigroguttata Pic, 1927b: 27 (*Parastrangalis*) **A: YUN ORR** #277
ochraceofasciata chuioi Hayashi, 1961a: 21 **A: JA**
ochraceofasciata iijimai Fujita, 2019: 25 **A: JA** #411
ochraceofasciata ochraceofasciata Motschulsky, 1862: 21 (*Stenura*) **A: FE FUJ GAN HEI JA JIL NC NMO ?SC XIN ZHE**
inintegra Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]
isolata Fujimura, 1956: 3
ochraceofasciata ochrotela Bates, 1873: 196 **A: HUB JA** #174
ochraceofasciata yokoyamai Hayashi, 1961a: 21 **A: JA**
aureopubescens Hayashi, 1974b: 12
quadrifasciata lederi Ganglbauer, 1882: 697 **E: ST A: AB AR GG IN TR**
caucasica Plavilstshikov, 1924: 226 (*Strangalia*)
notatipennis Pic, 1897b: 5 (*Strangalia*)
suramensis Pic, 1915e: 5 (*Strangalia*)
quadrifasciata quadrifasciata Linnaeus, 1758: 398 **E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES FE KZ MG QIN SCH SHA WS XIN "Korea"**
~~*amanusensis* Pic, 1955a: 14~~
apicalis Curtis, 1831: 362
apicata Stephens, 1839: 278
bidivisa G. Schmidt, 1951: 13 (*Strangalia*)
guillemoti Desbrochers des Loges, 1895: 130 (*Stenura*)
interrupta Heyden, 1877a: 397 (*Strangalia*)
martialis Pic, 1941c: 1 (*Strangalia*)
melgunowi Jakobson, 1895: 523 (*Strangalia*)
mosquensis Pic, 1915e: 5 (*Strangalia*)
notatipennis Pic, 1897b: 5
octomaculata DeGeer, 1775: 132
quadripustulata Fabricius, 1793: 345
suramensis Pic, 1915e: 5 (*Strangalia*)
rufoannulata Pic, 1933b: 26 (*Strangalia*) **A: FUJ HUB SCH**
fisheriana Gressitt, 1938a: 45
semicornis Holzschuh, 2003a: 166 **A: SCH**
spinosula Pesarini & Sabbadini, 2015: 32 **A: SCH** #277
subtilis Bates, 1884a: 219 **A: HUB JA** #174
ohishii Matsushita & Tamanuki, 1940: 5
taranan Kano, 1933a: 267 (*Strangalia*) **A: SCH TAI**
tattakana Kano, 1933a: 266 (*Strangalia*) **A: TAI**
horishana Matsushita, 1933b: 214
mushana Tamanuki, 1939a: 144 (*Strangalia*)
yakushimana Tamanuki, 1942: 153 (*Strangalia*) **A: JA**
yulongshana Holzschuh, 1991c: 20 **A: YUN**
zonifera Blanchard, 1871: 812 (*Stenura*) **A: FUJ GUI HUB NE SCH YUN ZHE**
subgenus *Macroleptura* Nakane & K. Ohbayashi, 1957: 241 type species *Leptura thoracica* Creutzer, 1799
thoracica obscurissima Pic, 1900i: 17 (*Strangalia*) **A: FE JA** #411
thoracica thoracica Creutzer, 1799: 125 **E: BH BY CT EN FI LA LT NT PL RO SK SL ST UK YU A: ES FE FUJ GUI HEB HEI**
HUB JA JIL KZ LIA MG NC NMO SC WS XIN ZHE "Korea" #80 #411
altaica Gebler, 1817: 331 (*Leptura*)
maculiceps G. Schmidt, 1951: 13 (*Strangalia*)
mixtepilosa G. Schmidt, 1951: 12 (*Strangalia*)
pliginskii G. Schmidt, 1951: 13 (*Strangalia*)
ussurica Pic, 1902c: 8 (*Strangalia*)
subgenus *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a
Nona Sama, 2002: 25 [HN] type species *Strangalia regalis* Bates, 1884
quadrizon Fairmaire, 1902a: 244 (*Strangalia*) **A: YUN ORR**
anticejuncta Pic, 1943c: 1 (*Strangalia*)
magdelainei Pic, 1937b: 6 (*Strangalia*)
regalis Bates, 1884a: 223 (*Strangalia*) **A: FE JA ?NC ?SC**
coreana Pic, 1907d: 20
maindroni Pic, 1901m: 61
subgenus *Rhytidoleptura* Pesarini & Sabbadini, 2015: 29 type species *Leptura christinae* Pesarini, P. Rapuzzi & Sabbadini, 2015: 29
christinae Pesarini, P. Rapuzzi & Sabbadini, 2015: 29 (in Pesarini & Sabbadini, 2015) **A: SCH** #277
dellabrunai Pesarini & Sabbadini, 2015: 30 **A: SCH** #277
tatsienlua Gressitt, 1948a: 45 **A: XIZ SCH** #74
genus *Lepturalia* Reitter, 1913a: 20 type species *Leptura nigripes* DeGeer, 1775
nigripes nigripes DeGeer, 1775: 136 (*Leptura*) **E: BY CT EN FI GI LA LT NR NT PL RO SK SL ST SV UK A: ES KZ WS**
intermedia Chevrolat, 1882: 59 (*Vadonia*)
nigripes rufipennis Blesig, 1873: 251 (*Strangalia*) **A: ES FE KZ MG NE WS XIN**

genus *Lepturobosca* Reitter, 1913a: 17 type species *Leptura virens* Linnaeus, 1758
virens Linnaeus, 1758: 397 (*Leptura*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA LT NR NT PL RO SK SL SP
ST SV SZ UK YU A: ES FE KZ MG NE NMO WS XIN
fuscopubens Reitter, 1890a: 164 (*Leptura*)
kenteiensis Pic, 1900a: 4 (*Leptura*)

genus *Metalloleptura* Gressitt & Rondon, 1970: 36 type species *Strangalia virescens* Aurivillius, 1911
gahani Playviltshikov, 1921: 110 (*Leptura*) [RN] A: YUN ORR
aureoviridis Gressitt, 1941: 332 (*Ocalemia*)
cribripennis Gahan, 1906a: 85 (*Leptura*) [HN]
laosensis Gressitt & Rondon, 1970: 36
viridescens Pic, 1923a: 12 (*Ocalemia*)
rahoarei Kano, 1933a: 264 (*Strangalia*) A: TAI

genus *Metastrangalis* Hayashi, 1960a: 16 type species *Eustrangalis albicornis* Tamanuki, 1942
albicornis Tamanuki, 1942: 119 (*Eustrangalis*) A: TAI
ochraceoventra Gressitt, 1935d: 256 (*Leptura*) A: TAI
plavilstshikoviana Heyrovský, 1934c: 171 (*Strangalia*) A: CHQ
thibetana Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HEN HUB HUN JIX SCH SHA XIZ YUN ZHE
apicicornis Pic, 1916k: 313 (*Strangalia*)
savioi Pic, 1936d: 16 (*Leptura*)
uenoi Chou & N. Ohbayashi, 2007: 231 A: TAI

genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia kurosonensis* K. Ohbayashi, 1936
Insularestrangalia Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935
cornix Holzschuh, 2007: 196 A: FUJ
dulcis Bates, 1884a: 222 (*Strangalia*) A: JA JIX SCH
kinoshitai Kano, 1933a: 265
kappanzanensis Kano, 1933a: 265 (*Strangalia*) A: SCH TAI
mitonoana Gressitt, 1953a: 28 (*Strangalia*) [RN]
mitonoi Gressitt, 1951a: 117 (*Strangalia*) [HN]
kiangsiensis Hayashi & Villiers, 1985a: 51 A: GUA JIX
kurosawai Hayashi, 1966a: 4 (*Pygostrangalia*) A: TAI
kurosonensis K. Ohbayashi, 1936a: 11 (*Strangalia*) A: HUN JA
lateripicta Fairmaire, 1895: 178 (*Leptura*) A: FUJ ORR
— *fukiensis* Tippmann, 1955: 98 (*Strangalia*)
loimailia Gressitt, 1940b: 33 (*Strangalia*) A: FUJ HAI JIL
longicornis longicornis Gressitt, 1935f: 382 (*Strangalia*) A: JA (Ryukyus)
longicornis obscuricolor Gressitt, 1951a: 117 (*Strangalia*) [RN] A: GUI HAI HUB ZHE
obscura Gressitt, 1940b: 34 (*Strangalia*) [HN]

genus *Munamizoa* Matsushita & Tamanuki, 1940: 4 type species *Nivellia maculata* Matsushita & Tamanuki, 1935
changbaishanensis Gao, Meng & Yan, 2011: 400 A: JIL
maculata Matsushita & Tamanuki, 1935: 1 (*Nivellia*) A: JA

genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65 type species *Strangalia chujoi* Mitono, 1938
abdominalis Pic, 1927b: 28 (*Strangalina*) A: FUJ ORR
atayai Chou & N. Ohbayashi, 2014: 347 A: TAI
binhana Pic, 1928a: 26 (*Leptura*) A: SCH ORR
binodula Holzschuh, 2016: 78 A: HAI #217
chujoi Mitono, 1938: 20 (*Strangalia*) A: TAI
comis Holzschuh, 1998: 27 A: SCH
emeishana Holzschuh, 1991c: 25 A: SCH
modicata Holzschuh, 2008: 153 A: YUN
semichujoi Hayashi, 1974a: 11 A: TAI
sternalis Holzschuh, 1992: 11 A: YUN
tenuecornis Holzschuh, 2016: 77 A: FUJ #217
torui Holzschuh, 1989a: 155 A: HUB NP #349
trinotata Pic, 1928: 26 (*Leptura*) A: YUN ORR

genus *Neopiciella* Sama, 1988: 32 type species *Leptura sicula* Ganglbauer, 1886
kabylia Pic, 1896e: 103 (*Leptura*) N: AG TU
chobauti Dayrem, 1924a: 28 (*Leptura*)
suberis Chobaut, 1900: 265 (*Leptura*)
sicula Ganglbauer, 1886c: 515 (*Leptura*) E: IT (Sicilia)

genus *Nivellia* Mulsant, 1863: 564 type species *Leptura sanguinosa* Gyllenhal, 1827

extensa extensa Gebler, 1833: 305 (*Leptura*) E: FI NT A: ES FE JA MG SC WS
extensa umbratilis Shimomura & Toyoshima, 1988: 130 A: FE JA
extensa yuzawai Shimomura & Toyoshima, 1988: 128 A: JA
sanguinosa Gyllenhal, 1827: 21 (*Leptura*) E: AU BY CT CZ EN FI GE LA ?LT NR NT PL RO SK SV UK A: ES FE GAN HEB
HEI HEN JA JIL KZ LIA MG NC NMO WS
kratteri Hampe, 1852a: 67 (*Leptura*)
rubripennis Matsumura, 1911a: 139 (*Leptura*)
sacheri Wolfner, 1852: 93 (*Grammoptera*)

genus *Nivelliomorpha* Boppe, 1921: 86 type species *Leptura inequalithorax* Pic, 1902
inequalithorax Pic, 1902i: 28 (*Leptura*) A: BEI HEB LIA NIN NMO SHA SHX
rufobasalis Pic, 1939b: 2 (*Leptura*)

genus *Nustera* Villiers, 1974b: 214 type species *Leptura distigma* Charpentier, 1825
distigma Charpentier, 1825: 227 (*Leptura*) E: FR PT SP N: AG MO TU
bimaculata Pic, 1891b: 15 (*Strangalia*)
diversesignata Pic, 1917g: 4 (*Strangalia*)
indistigma Pic, 1917g: 4 (*Strangalia*)
lopezbayoi Lauffer, 1904: 374 (*Leptura*)
medioconexa Pic, 1945b: 6 (*Strangalia*)
microstigma Rungs, 1947: 98 (*Strangalia*)
neglecta Chobaut, 1895a: cccx (*Strangalia*)
notata Pic, 1891b: 15 (*Strangalia*)
peyerimhoffi Dayrem, 1922a: 18 (*Strangalia*)
sedilloti Pic, 1937c: 6 (*Strangalia*)
subscutellaris Pic, 1901o: 67 (*Strangalia*)
talarahnensis Dayrem, 1922a: 17 (*Strangalia*)
tenietensis Pic, 1890c: 157 (*Strangalia*)
lindbergi Villiers, 1943: 233 (*Strangalia*) N: MO
baudoni Villiers, 1960a: 7 (*Strangalia*)

genus *Oedecnema* Dejean, 1835: 355 type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)
gebleri decemmaculata Matsumura, 1911a: 136 (*Leptura*) [Hokkaido] A: FE JA #411
gebleri gebleri Ganglbauer, 1889c: 470 [RN] E: CT NT ST UK A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN #411
dubia Fabricius, 1781: 249 (*Leptura*) [HN]

genus *Ohbayashia* Hayashi, 1958a: 4 type species *Strangalomorpha nigromarginata* Hayashi, 1953
fuscoaeenea Hayashi, 1974a: 7 A: TAI
nigromarginata nigromarginata Hayashi, 1953: 40 (*Strangalomorpha*) A: JA
nigromarginata rufollava Hayashi, 1968c: 12 A: JA

genus *Pachypidonia* Gressitt, 1935b: 166 type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)
bodemeyeri Pic, 1934c: 17 (*Leptura*) A: JA
crassicornis Gressitt, 1935b: 168
kochiana Matsushita, 1935: 308 (*Leptura*)
rubrida rubrida Hayashi, 1971: 4 A: TAI
tavakiliani Miroshnikov, 2015b: 285 A: YUN #145

genus *Pachytodes* Pic, 1891g: 65 type species *Leptura cerambyciformis* Schrank, 1781
bottcheri Pic, 1911a: 5 (*Leptura*) A: WS ES MG NMO
orthotrichus Plavilstshikov, 1936: 393 (*Judolia*)
cerambyciformis Schrank, 1781a: 154 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT
LU MC MD ME NL NT PL PT RO SB SK SL SP ST SZ UK YU
anticeundulatus Pic, 1915a: 29 (*Leptura*)
beskidicus Pic, 1915h: 18 (*Leptura*)
bisbistigma Pic, 1906g: 67 (*Leptura*)
bisquadristigmatus Pic, 1915a: 29 (*Leptura*)
breveseparatus Pic, 1953a: 9
decempunctatus Olivier, 1795: 26 (*Leptura*)
digoniensis Pic, 1915a: 29 (*Leptura*)
efasciatus Pic, 1916: 9 (*Leptura*) ["Hongrie"]
externeonotata Pic, 1923g: 13
hoverlanus Roubal, 1937: 81 (*Judolia*)
~~*fauconetti* Pic, 1916b: 4 (*Leptura*)~~
humerifer Pic, 1915h: 18 (*Leptura*)
lateseparatus Pic, 1953a: 9
~~*martialis* Pic, 1916b: 4 (*Leptura*)~~
multiinterruptus Pic, 1915a: 30 (*Leptura*)
octomaculatus Schaller, 1783: 297 [wrongly numbered as 299] (*Leptura*) [HN]
parvonotatus Pic, 1916: 10 (*Leptura*) ["Europe"]

quadrinaculatus Scopoli, 1763: 47 (*Leptura*) [HN]
salbachi Reitter, 1908a: 216 (*Pachyta*)
~~*sexmaculatus* Panzer, 1795: 272 (*Leptura*)~~
sexpunctatus Mulsant, 1839: 244 (*Pachyta*)
transylvanicus Pic, 1916: 9 (*Leptura*)
urbisensis Pic, 1915a: 29 (*Leptura*)
valesiacus Pic, 1915a: 29 (*Leptura*)
cometes Bates, 1884a: 218 (*Leptura*) A: FE JA SC
connectus Nishio, 1950: 20 (*Strangalia*)
erraticus Dalman, 1817a: 490 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SK SL SP ST SZ TR
 UK YU A: AB AR GG ES IN KZ SY TR WS XIN
akbesianus Pic, 1898a: 6
anticedivisus Pic, 1914d: 14 (*Leptura*)
anticonotatus Pic, 1914d: 13 (*Leptura*)
~~*atroapicalis* Pic, 1913c: 186 (*Leptura*)~~
atrosuturalis Pic, 1915a: 38 (*Leptura*)
eibesanus Pic, 1914d: 13 (*Leptura*)
erythrurus Küster, 1848c: 90 (*Pachyta*)
~~*gasturius* Pic, 1915a: 38 (*Leptura*)~~
heyrovskyi Pic, 1924c: 26 (*Leptura*)
hungaricus Pic, 1913c: 186 (*Leptura*)
italicus Pic, 1916b: 4
kalavritanus Pic, 1913c: 186 (*Leptura*)
quinquepunctatus Pic, 1915h: 18 (*Leptura*)
ragusai Pic, 1923d: 3
~~*roberti* Pic, 1915a: 38 (*Leptura*)~~
rosinae Pic, 1914d: 13 (*Leptura*)
rufopicalis Pic, 1913c: 186 (*Leptura*)
rufonotatus Pic, 1913c: 186 (*Leptura*)
russicus Pic, 1898h: 54
septemsignatus Küster, 1848c: 89 (*Pachyta*)
siculus Pic, 1916b: 4
subapicalis Pic, 1914d: 15 (*Leptura*)
testaceofasciatus Pic, 1913c: 186 (*Leptura*)
unijunctus Pic, 1914d: 14 (*Leptura*)
longipes Gebler, 1832: 67 (*Pachyta*) A: ES FE MG NC NE NO SC
amurianus Pic, 1902f: 19
bodoi Pic, 1914c: 5 (*Leptura*)
guttulatus Motschulsky, 1875: 141 (*Pachyta*)
nigrosuturalis Pic, 1917g: 3 (*Leptura*)
octoguttatus Pic, 1914c: 5 (*Leptura*)

genus *Paranaspia* Matsushita & Tamanuki, 1940: 5 type species *Leptura anaspidoidea* Bates, 1873
anaspidoidea Bates, 1873: 196 (*Leptura*) A: JA NE
mikadoi Pic, 1906d: 16 (*Leptura*)
coccinea Mitono, 1936: 423 (*Strangalia*) A: TAI
erythromelas Holzschuh, 2003a: 165 A: SHA
frainii Fairmaire, 1897d: 239 (*Strangalia*) A: BT SD
inadai N. Ohbayashi, 2001a: 95 A: JA (Okinawa)
reductipennis Pic, 1928h: 158 (*Leptura*) A: YUN ORR
ruficollis Pesarini & Sabbadini, 2015: 41 A: YUN
yayeyamensis Hayashi & Yokoyama, 1974: 12 A: JA (Ishigaki-jima, Iriomote-jima) #277

genus *Parastrangalis* Ganglbauer, 1889a: 57 type species *Leptura potanini* Ganglbauer, 1889
Strangaliella Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)
addenda Holzschuh, 2011: 274 A: FUJ HAI
andrei Holzschuh, 2007: 192 A: SCH
aurigena Holzschuh, 2007: 185 A: YUN ORR #277
bisbidentata Holzschuh, 2007: 190 A: SHA
communis Holzschuh, 1993a: 19 A: SCH ORR
congesta Holzschuh, 1995: 11 A: YUN
congruens Holzschuh, 2016: 73 A: YUN #217
crebrepunctata Gressitt, 1939b: 91 (*Strangalia*) A: FUJ GUX HUB HUN SCH YUN ZHE
dalihodi Holzschuh, 1999: 13 A: TAI
denticulata Tamanuki, 1939a: 145 (*Strangalomorpha*) A: TAI
diffuata Holzschuh, 1999: 15 A: SCH
emotoi Hayashi & Makihara, 1981: 186 (*Strangaliella*) A: NP
eucera Holzschuh, 1995: 12 A: YUN
holzschuhi Chou & N. Ohbayashi, 2014: 349 A: TAI

houhensis N. Ohbayashi & W.-K. Wang, 2004: 456 **A:** HUB
impressa Holzschuh, 1991a: 8 **A:** YUN
inarmata Holzschuh, 1991c: 27 **A:** CH **ORR**
insignis Holzschuh, 1998: 25 **A:** HUB
ishigakiensis Hayashi, 1971: 5 **A:** JA
jaroslavi Holzschuh, 2008: 158 **A:** TAI
lateristriata Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) **A:** TAI **ORR**
lesnei Pic, 1901m: 60 (*Leptura*) **A:** JA
batesi Tamanuki, 1942: 134 (*Strangalomorpha*)
lineigera Fairmaire, 1889a: 61 (*Stenura*) **A:** SCH XIZ **ORR**
meridionalis Gressitt, 1942h: 205 (*Strangalia*) **A:** FUJ GUA HUB
mitonoi Hayashi & Iga, 1951: 75 (*Strangalomorpha*) **A:** TAI
munda Holzschuh, 1992: 9 **A:** YUN
negligens Holzschuh, 1991c: 30 **A:** SCH
nymphula **Bates, 1884a:** 220 (*Leptura*) **A:** JA
palleago Holzschuh, 1998: 25 **A:** HUB
pallescens Holzschuh, 1993a: 20 **A:** GAN SHA
palpalis Holzschuh, 1991c: 29 **A:** SCH
phantoma Holzschuh, 1999: 15 **A:** TAI
potanini Ganglbauer, 1889a: 57 (*Leptura*) **A:** GAN
protensa Holzschuh, 1991c: 28 **A:** SCH
puliensis Hayashi, 1976: 4 (*Strangaliella*) **A:** TAI
sculptilis Holzschuh, 1991c: 30 **A:** SCH **TAI**
shaowuensis Gressitt, 1951a: 112 (*Strangalia*) **A:** FUJ GUA HUB SCH
subapicalis Gressitt, 1935d: 263 (*Strangalina*) **A:** TAI
taiwanensis Chou & N. Ohbayashi, 2010: 364 **A:** TAI
tenuicornis Motschulsky, 1862: 20 (*Strangalia*) **A:** JA
shikokensis Matsushita, 1935: 309 (*Strangalia*)
yanoi Tamanuki, 1939a: 146 (*Strangalina*) **A:** TAI

#279
 #279
 #204

genus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétériés, 1832)
subgenus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétériés, 1832)
~~— *Sphenaria* Pic, 1911d: 15 [HN] type species *Leptura revestita* Linnaeus, 1767~~
afghanistana Satô & N. Ohbayashi, 1976: 485 **A:** AF
imberbis Ménétériés, 1832: 231 (*Leptura*) **A:** AB IN TM
angulicollis Heyden, 1879a: 323 [1879b: 67] (*Strangalia*)
kassjanowi Sokolov, 1897: 461
muneaka Mitono & Tamanuki, 1939: 212 (*Strangalia*) **A:** TAI
quadrinaculata L. Chen & Chiang, 1996: 189, 191 **A:** SCH
revestita Linnaeus, 1767: 638 (*Leptura*) **E:** AL AU BE BH BU CR CZ DE FR GB GE GR HU IT MD NL PL PT RO SK SL SP SV SZ TR UK YU
barbanti Pic, 1933f: 5 (*Strangalia*)
bicoloraticeps Pic, 1911d: 17 (*Leptura*)
brevinotaticollis Pic, 1933d: 14 (*Strangalia*)
discicollis W. G. H. Scriba, 1867: 32 (*Strangalia*)
diversipennis Pic, 1911d: 16 (*Leptura*)
ferruginea Mulsant, 1839: 254 (*Strangalia*)
fulvilabris Mulsant, 1839: 254 (*Strangalia*)
fuscicornis Marsham, 1802: 357 (*Leptura*)
gabilloti Pic, 1911d: 18 (*Leptura*)
lectorica Dayrem, 1916: 17 (*Leptura*)
labiata Mulsant, 1839: 254 (*Strangalia*)
marsolanensis Dayrem, 1916: 17 (*Leptura*)
rubra Geoffroy, 1785: 89 (*Stenocorus*)
rufomarginata Mulsant, 1839: 254 (*Strangalia*)
rufonotata Pic, 1914f: 18 (*Strangalia*)
schleicheri Pic, 1934g: 38 (*Leptura*)
villica Fabricius, 1775: 196 (*Leptura*)
vitticollis Mulsant, 1839: 254 (*Strangalia*)
signifera Holzschuh, 1999: 13 **A:** HUB
tokatensis Sama, 1996c: 103 **A:** GG TR
tricolorata Holzschuh, 1991c: 19 **A:** SCH
ulmi Holzschuh, 1982b: 147 **A:** PA
subgenus *Neosphenalia* Löbl, 2010: 60 type species *Leptura verticalis* Germar, 1822
Sphenalia K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822

adaliae Reitter, 1885: 390 **A**: CY TR
ariadne K. Daniel, 1904b: 355 (*Leptura*) **E**: GR (Kriti)
emmpipoda Mulsant, 1863: 531 (*Strangalia*) **E**: ~~AR~~ ~~GG~~ GR (Rodas) **A**: LE SY TR
adanensis Pic, 1917a: 6 (*Strangalia*)
chehirensis Pic, 1933d: 6 (*Strangalia*)
insuturata Pic, 1891b: 15 (*Strangalia*)
~~—jaegeri Fairmaire, 1866b: 279 (*Leptura*)~~
perroudi Pic, 1933d: 6 (*Strangalia*)
subsignata Pic, 1901u: 235 (*Strangalia*)
tambei Pic, 1917a: 6 (*Strangalia*)
femorialis Motschulsky, 1861b: 40 (*Stenura*) **A**: ES FE JA JIL **NC** SC
diversipes Heyden, 1884: 298 (*Leptura*)
murayamai Matsushita, 1937: 102 (*Strangalia*)
xanthoma Bates, 1873: 195 (*Leptura*)
kurda Sama, 1996c: 104 **A**: ~~AR~~ ~~GG~~ ~~IN~~ ~~IQ~~ TR [for Iran by Villiers (1967) and available from Sanadadj and Marivan]
raggii Sama, 1992b: 300 **A**: CY
riccardoi carmelita Sama, 1996b: 94 **A**: IS **LE** #278
riccardoi riccardoi Holzschuh, 1984c: 344 **A**: JO SY
verticalis Germar, 1822a: 9 (*Leptura*) **E**: AL BH BU CR GR IT MC ~~?MD~~ RO SL YU **A**: TR
graeca Pic, 1901l: 52 (*Strangalia*)
taygetana K. Daniel, 1904b: 366 (*Leptura*)
verticenigra Pic, 1892v: 416 (*Leptura*) **E**: GR (Samos) **A**: GG TR
erinnys K. Daniel, 1904b: 356 (*Leptura*)

genus *Pseudalosterna* Plavilstshikov, 1934e: 131 type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)

Pseudalosterna Plavilstshikov, 1936: 257 [unjustified emendation]
aritari K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudalosterna*) **A**: JA
aureola Holzschuh, 2006a: 208 **A**: YUN
binotata binotata Gressitt, 1935d: 259 (*Anoploderomorpha*) **A**: SHA TAI
binotata tippmanni Hayashi, 1984: 17 [RN] **A**: FUJ
orientalis Tippmann, 1955: 93 (*Anoplodera*) [HN]
brevia Gressitt, 1935d: 260 (*Anoploderomorpha*) **A**: TAI
cyanea Tamanuki, 1942: 27 (*Pidonia*)
cuneata Holzschuh, 1999: 11 **A**: HUB **SHA** #350
discaelis Gressitt, 1935g: 569 (*Anoploderomorpha*) **A**: SCH
elegantula Kraatz, 1879d: 105 (*Grammoptera*) **A**: FE NC NE SC #411
orientalis Plavilstshikov, 1934e: 132
rufomaculata Pic, 1915e: 5 (*Leptura*)
fuscopurpurea N. Ohbayashi & Shimomura, 1986: 48 **A**: TAI
gorodinskii Holzschuh, 2003a: 160 **A**: GAN
imitata Holzschuh, 2003a: 157 **A**: GUI
longigena Holzschuh, 2003a: 159 **A**: SHA
misella **Bates, 1884a**: 216 (*Leptura*) **A**: JA #411
mupinensis Gressitt, 1935g: 570 (*Anoploderomorpha*) **A**: FUJ SCH TAI
obliquata Holzschuh, 1989b: 364 **A**: GUX **ORR** [see also: Holzschuh, 2017d: 63]
pullata Matsushita, 1933b: 198 (*Leptura*) **A**: TAI
submetallica Hayashi, 1974a: 9 (*Anoplodera*) **A**: TAI
takagii Hayashi, 1961b: 38 (*Pseudalosterna*) **A**: JA (Ryukyus)
tryznai Holzschuh, 1999: 11 **A**: SHA
wolongana Holzschuh, 2003a: 157 **A**: SCH

genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787 type species *Leptura livida* Fabricius, 1777

livida bicarinata N. Arnold, 1869: 137 (*Grammoptera*) **E**: BY CT EN KZ LA LT NT PL ST UK **A**: AB AR GG ES FE IN KI KZ TR WS XIN #398
livida desbrochersi Pic, 1891k: xvi (*Vadonia*) **A**: AB AR GG TR
corallipes Reitter, 1894f: 247 (*Leptura*)
livida hatayensis Özdikmen, 2015d: 319 **A**: TR #88
livida irakensis Özdikmen & Ali, 2017: 376 **A**: IQ #290
livida livida Fabricius, 1777: 233 (*Leptura*) **E**: AL AU BE BU BH BY CR CZ DE FR GB GE HU IR IT MC **ME** NL ?PL PT SK SL ?SP SZ TR UK YU
pastinacae Panzer, 1795: 275 (*Leptura*)
livida pecta K. Daniel & J. Daniel, 1891: 38 (*Leptura*) **E**: IT
livida setosa Danilevsky, 2013h: 29 **E**: BU GR MD RO TR UK **A**: ?IS ?LE TR ?SY

genus *Pygostrangalia* Pic, 1954: 13 type species *Strangalia vittaticollis* Pic, 1926a
brevioripennis Pic, 1955a: 10 (*Strangalia*) **A**: ??

castaneonigra Gressitt, 1935g: 567 (*Leptura*) **A:** FUJ GUA HUN ZHE
kurodai Hayashi, 1976: 5 **A:** TAI
kwangtungensis Gressitt, 1939b: 9 (*Strangalia*) **A:** FUJ GUA HAI HUN JIX
invittaticollis Pic, 1957: 76 (*Strangalina*)
silvestrii Tippmann, 1955: 99 (*Strangalia*) **A:** FUJ **HUB ZHE**
tienmushana Gressitt, 1939b: 93 (*Strangalia*) **A:** FUJ GUX ZHE
nigriventralis Chiang & W.-K. Wang, 1993: 55 (*Gnathostrangalia*)
vittaticollis Pic, 1926a: 22 (*Strangalia*) **A:** FUJ TAI **ORR**
phungi Pic, 1930a: 15 (*Strangalina*)
subbrevelineata Pic, 1928a: 27 (*Strangalia*)

#162

genus *Pyrocalymma* J. Thomson, 1864: 159 type species *Pyrocalymma pyrochroides* J. Thomson, 1864
pyrochroides J. Thomson, 1864: 160 **A:** NP SD TAI **ORR**

genus *Pyrocorennys* N. Ohbayashi & Niisato, 2009: 160 type species *Pyrocalymma latipennis* Pic, 1927
latipennis latipennis Pic, 1927b: 26 (*Pyrocalymma*) **A:** YUN **ORR**
brevipennis Pic, 1947c: 17 (*Pyrocalymma*)
latipennis taiwanensis Hayashi, 1969a: 61 (*Formosopyrrhona*) **A:** TAI

genus *Pyrrhona* Bates, 1884a: 224 type species *Pyrrhona laeticolor* Bates, 1884
laeticolor laeticolor Bates, 1884a: 224 **A:** JA
laeticolor takakuwai Kusama, 1971: 24 **A:** JA (Yakushima Is.)

genus *Rapuzziana* Danilevsky, 2006b: 2 type species *Rapuzziana hangaiensis* Danilevsky, 2006
hangaiensis Danilevsky, 2006b: 2 **A:** MG

genus *Rutpela* Nakane & K. Ohbayashi, 1957: 242 type species *Leptura maculata* Poda von Neuhaus, 1761
inermis K. Daniel & J. Daniel, 1898: 74 (*Strangalia*) **A:** AB **AF**(Heyrovský, 1971: 82) IN TM
elboursensis Pic, 1905o: 390 (*Strangalia*)
maculata irmanica Sama, 1996c: 105 **A:** TR
maculata maculata Poda von Neuhaus, 1761: 37 (*Leptura*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR
IT LA LT LU MC MD NL NR NT PL RO SK SL ST SV SZ TR UK YU **A:** KZ TR
alsatica Pic, 1906g: 67 (*Leptura*)
armata Herbst, 1784: 101 (*Leptura*)
bifenestrata Pic, 1933d: 2 (*Strangalia*)
binotata Mulsant, 1839: 258 (*Strangalia*)
calcarata Olivier, 1795: 14 (*Leptura*)
dayremi Pic, 1903a: 4 (*Strangalia*)
discoiniinterrupta Pic, 1945a: 13 (*Strangalia*)
disconotata Pic, 1908b: 3 (*Leptura*)
dromensis Pic, 1945a: 13 (*Strangalia*)
elongata DeGeer, 1775: 134 (*Leptura*)
externepunctata Mulsant, 1839: 258 (*Strangalia*)
fasciata Scopoli, 1763: 54 (*Cerambyx*)
impunctata Mulsant, 1839: 258 (*Strangalia*)
nicodi Pic, 1933d: 6 (*Strangalia*)
pacifica Pic, 1945a: 13 (*Strangalia*)
punctatofasciata Mulsant, 1839: 258 (*Strangalia*)
quinquemaculata Gmelin, 1790: 1868 (*Leptura*)
rubea Geoffroy, 1785: 86 (*Stenocorus*)
scopoliana Laicharting, 1784: 145 (*Leptura*)
sinuata Fabricius, 1793: 347 (*Leptura*)
subspinosus Fabricius, 1793: 347 (*Leptura*)
undulata Mulsant, 1839: 259 (*Strangalia*)
wuenschi Roubal, 1937: 81 (*Strangalia*)
maculata manca Schaufuss, 1863: 121 (*Strangalia*) **E:** BU FR IT PT SP ST **TR** UK **A:** AB AR GG IN TR SY
kricheldorffi Wagner, 1928: 121 (*Leptura*)
nigricornis Stierlin, 1864: 153 (*Strangalia*)
nigrofasciata V. Petagna, 1792: 247 (*Leptura*) [HN]

#200

#437

genus *Saligranta* Chou et Ohbayashi, 2011: 9 [RN] type species *Pseudostrangalia puyuma* Chou et Ohbayashi, 2010
Pseudostrangalia Chou et Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou et Ohbayashi, 2010
puyuma Chou & N. Ohbayashi, 2010: 368 (*Pseudostrangalia*) **A:** TAI
svihlai Holzschuh, 1989b: 368 (*Strangalia*) **A:** GUX **ORR**

genus *Sinostrangalis* Hayashi, 1960a: 13 type species *Strangalia ikedai* Tamanuki & Mitono, 1939
ikedai Tamanuki & Mitono, 1939: 211 (*Strangalia*) **A:** CHQ GUI GUX NE SCH TAI **ORR**
collaris Holzschuh, 1991c: 31 (*Elacomia*)
sinianshana L. Chen & Chiang, 2000: 33, 36

genus *Solaia* Sama, 2003: 69 type species *Solaia antonellae* Sama, 2003
antonellae Sama, 2003: 71 A: TR

genus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758

subgenus *Crassostenurella* Özdikmen, 2013: 526 type species *Strangalia approximans* Rosenhauer, 1856
approximans Rosenhauer, 1856: 305 (*Strangalia*) E: PT SP N: MO

purpuripennis Mulsant, 1863: 515 (*Strangalia*)

edmundi Pic, 1901u: 237 (*Strangalia*)

subgenus *Iberostenurella* Özdikmen, 2013: 527 type species *Strangalia hybridula* Reitter, 1902e
hybridula Reitter, 1902e: 188 (*Strangalia*) E: PT SP

atriventris Pic, 1905a: 8 (*Leptura*) [DA]

atronotata Pic, 1918d: 5

subgenus *Nigrostenurella* Özdikmen, 2013: 525 type species *Leptura nigra* Linnaeus, 1758

nigra maesta Danilevsky, 2013a: 172 E: ST A: AB AR GG ?IN TR

nigra nigra Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU
MC MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: TR #436

giraudi Pic, 1946a: 14 (*Strangalia*)

picea Geoffroy, 1785: 87 (*Stenocorus*)

varicollis Schaefer, 1932: 31 (*Stenura*)

subgenus *Priscostenurella* Özdikmen, 2013: 516 type species *Leptura bifasciata* O.F.Müller,

bifasciata bifasciata O. F. Müller, 1776: 93 (*Leptura*) E: AU BE BH BY CR CT CZ EN FR GE HU IT LA LS LT LU MD NL NT
PL PT RO SK SL SP ST SZ ?TR UK YU A: AB AR ES GG IN IQ KZ ?TR WS XIN

albarracina Wagner, 1927a: 45 (*Leptura*)

cruciata Olivier, 1795: 7 (*Leptura*)

immaculata Pic, 1889b: 55 (*Strangalia*)

nigriventris Pic, 1891b: 15 (*Strangalia*)

sedakovii Mannerheim, 1852b: 307 (*Stenura*)

ustulata Laicharting, 1784: 157 [HN] (*Leptura*)

bifasciata ferruginipes Pic, 1895d: 76 (*Strangalia*) ["Bitlis"] A: TR

bifasciata intermedia Holzschuh, 2006a: 219 E: AL BU GR MC

bifasciata lanceolata Mulsant & Rey, 1863: 177 (*Strangalia*) E: FR SP

bifasciata limbiventris Reitter, 1898a: 21 (*Strangalia*) A: GG TR

bifasciata nigrosuturalis Reitter, 1895a: 88 (*Strangalia*) A: LE SY TR

bifasciata sabineae Rapuzzi & Sama, 2012: 664 ["Hakkari"] A: IN TR #29

bifasciata safronovi Danilevsky, 2011b: 2 A: TR

bifasciata solaris Rapuzzi & Sama, 2012: 665 ["Bitlis: 35km E Tatvan"]

septempunctata latenigra Pic, 1915e: 5 (*Strangalia*) ["Asie Mineure"] E: BU ST TR A: AR GG TR

anatolica Heyrovský, 1961a: 45 (*Strangalia*)

roberti Pic, 1915a: 38 (*Leptura*) ["Transsylvanie et Turquie"]

septempunctata septempunctata Fabricius, 1793: 346 (*Leptura*) E: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SK SL ST
SZ UK YU

atrosuturalis Pic, 1915a: 38 (*Leptura*)

corcyrica Pic, 1915e: 5 (*Strangalia*)

dobiachi Pic, 1916b: 4 (*Strangalia*)

gasturica Pic, 1915a: 38 (*Leptura*)

holtzi Pic, 1916b: 5 (*Strangalia*)

montandoni Pic, 1915e: 5 (*Strangalia*)

notaticollis Pic, 1915e: 5 (*Strangalia*)

pallidicolor Pic, 1915e: 5 (*Strangalia*)

rubronotata Pic, 1916b: 5 (*Strangalia*)

semireducta Pic, 1915e: 5 (*Strangalia*)

suturata Reiche & Sauley, 1858: 22 (*Strangalia*) ["Péloponèse"]

velebitica Pic, 1916b: 4 (*Strangalia*)

vaucheri Bedel, 1900: 336 (*Leptura*) E: SP N: MO

subgenus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758

melanura melanura Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA
LS LT LU MC MD NL NT NR PL PT RO SK SL SP ST SV SZ YU UK MD A: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN

diversiventris Dufour, 1843: 103 (*Leptura*)

georgiana Pic, 1891g: 63 (*Strangalia*)

latesuturata Pic, 1891g: 63 (*Strangalia*)

melanurella Reitter, 1901b: 78 (*Strangalia*)

rubellata Reitter, 1901b: 77 (*Strangalia*)

semicrassa Pic, 1901n: 58 (*Leptura*)

sennii Sama, 2002: 40

similis Herbst, 1784: 101 (*Leptura*)

suturanigra DeGeer, 1775: 138 (*Leptura*)

melanura pamphyliae Rapuzzi & Sama, 2010: 182 A: IN TR

melanura samai Rapuzzi, 1995: 617 E: BU GR TR A: TR #29 #437

melanura zehrae Özdikmen, Mercan & Cihan, 2012a: 18 **A: TR** #29
subgenus *Stenurelloides* Özdikmen, 2013: 523 type species *Leptura jaegeri* Hummel, 1825;
jaegeri Hummel, 1825: 68 (*Leptura*) **E: ST UK A: AB AR GG TR**
fenestrata Reitter, 1901b: 79 (*Strangalia*)
jekeli Pic, 1901u: 236 (*Strangalia*)
mingrelia Tournier, 1872: 344 (*Strangalia*)
oxyptera Faldermann, 1837: 318 (*Stenura*)
novercalis Reitter, 1901b: 78 **E: ST A: GG TR**

genus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
subgenus *Aredolpona* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura rubra* Linnaeus, 1758
Corymbia Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758
dichroa Blanchard, 1871: 812 (*Leptura*) **A: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX ZHE**
muliebris Heyden, 1886d: 276 (*Leptura*)
succedanea Lewis, 1879b: 464 (*Leptura*)
rufonotaticollis Pic, 1915f: 12 (*Leptura*)
theryi Pic, 1915f: 12 (*Leptura*)
trisignaticollis Pic, 1915f: 12 (*Leptura*)
rubra numidica Peyerimhoff, 1918a: 331 (*Leptura*) **N: AG**
rubra rubra Linnaeus, 1758: 397 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: ES KZ WS**
maculiceps Gabriel, 1910: 556 (*Leptura*)
occipitalis Mulsant, 1839: 268 (*Leptura*)
planata Swaine & Hopping, 1928: 62 (*Anoploclera*)
rubrotestacea Illiger, 1805: 122 (*Leptura*)
salzmanni Hubenthal, 1902: 291 (*Leptura*)
sattleri Bickhardt, 1902: 362 (*Leptura*)
semimarginata Pic, 1916a: 22 (*Leptura*)
testacea Linnaeus, 1760: 196 (*Leptura*)
umbellatarum Laicharting, 1784: 161 (*Leptura*)

subgenus *Batesiata* Miroshnikov, 1998: 594 type species *Leptura tesserula* Charpentier, 1825
tesserula tesserula Charpentier, 1825: 227 (*Leptura*) **E: BU GR HU PL RO SK ST UK YU A: AB AR GG TR**
abchastica Rost, 1893: 344 (*Leptura*)
bisignata Ménétériés, 1832: 232 (*Leptura*)
bisignata Faldermann, 1837: 313 (*Leptura*) [HN]
dejeani Ganglbauer, 1889c: 469 (*Leptura*) [RN]
impunctata Heyden, 1877b: 420 (*Leptura*)
tesserula orientalis Vartanis, 2019a: 14 **A: TR** #407

subgenus *Cribroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1824
otini Peyerimhoff, 1949: 293 (*Leptura*) **E: SP N: MO**
~~— *peyerimhoffi* Reymond, 1953: 200 (*Leptura*) [unavailable]~~
tizifrensis Cobos, 1961b: 94 (*Leptura*)
stragulata Germar, 1824: 523 (*Leptura*) **E: FR PT SP**
hispanica Pic, 1910a: 27 (*Leptura*)
iberica Pic, 1950a: 15
nadari Pic, 1950a: 15
nigrina Schaufuss, 1863: 121 (*Leptura*)
variventris Schaufuss, 1863: 121 (*Leptura*)

subgenus *Maculileptura* Danilevsky, 2014i: 274 type species: *Leptura maculicornis* DeGeer, 1775
maculicornis DeGeer, 1775: 139 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD NR NT PL RO SK SL ST SV SZ TR UK YU A: ?GG** #113
maculosa Gmelin, 1790: 1874 (*Leptura*)
ondreji Sláma, 1993: 59 (*Brachyleptura*) **E: GR**
pallens Brullé, 1832: 264 (*Leptura*) **E: AL BU BH CR GR MC RO TR YU A: TR**
picticornis Reitter, 1885: 390 (*Leptura*) **E: GR**
simplonica Fairmaire, 1885b: 317 (*Leptura*) **E: FR IT SZ**

subgenus *Melanoleptura* Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781
scutellata inscutellata Pic, 1892u: 415 (*Leptura*) **A: TR**
scutellata maritima Sláma, 2015b: 1118 **E: FR** #110
maritima Sláma, 2015a: 39 – not available name #110
scutellata melas P. H. Lucas, 1847: pl. 43 (*Leptura*) **E: IT (Sicilia) N: AG TU**
scutellata miroshnikovii Danilevsky, 2012m: 915 **A: AB IN**
scutellata ochracea Faust, 1878: 135 (*Leptura*) **E: ST A: AB AR GG TR** #110
scutellata scutellata Fabricius, 1781: 247 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD PL PT RO SK SL SP ST SV SZ TR UK YU**
chrysothyreos Schrank, 1798: 697 (*Leptura*)
funerea Geoffroy, 1785: 89 (*Stenocorus*)
nigra V. Petagna, 1787: 17 (*Rhagium*)

ochraceipennis Pic, 1897c: 31 (*Leptura*)

subgenus *Miroshnikovia* Danilevsky, 2014i: 275 type species *Leptura deyrollei* Pic, 1895b
deyrollei Pic, 1895b: 40 (*Leptura*) **A:** GG TR

subgenus *Paracorymbia* Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775
benjamini benjamini Sama, 1993e: 470 (*Corymbia*) **A:** IS
benjamini ehdenensis Sama & Rapuzzi, 2000: 10 (*Paracorymbia*) **A:** LE SY
excisipes K. Daniel & J. Daniel, 1891: 6 (*Leptura*) **A:** SY TR
fulva DeGeer, 1775: 137 (*Leptura*) **E:** AL AU BE BH BU BY CR **CT** CZ FR GB GE GR HU IR IT LS LU MC NL **PL** PT RO SK
#78
SL SP ST SZ TR UK YU **A:** TR
affinis Marsham, 1802: 353 (*Leptura*)
apicalis Motschulsky, 1875: 142 (*Leptura*)
corsica Pic, 1894k: 206 (*Leptura*)
fulvoapicalis Plavilstshikov, 1932b: 174 (*Leptura*)
lutescens Geoffroy, 1785: 87 (*Stenocorus*)
tomentosa Fabricius, 1793: 340 (*Leptura*)
hybrida Rey, 1885b: 277 (*Leptura*) **E:** FR IT SP SZ
nadezhdae Plavilstshikov, 1932c: 182 (*Leptura*) **E:** ST
pallidipennis Tournier, 1872: 346 (*Leptura*) **E:** ST **A:** AB GG TR
circassica K. Daniel & J. Daniel, 1891: 31 (*Leptura*)
sambucicola Holzschuh, 1982a: 65 (*Brachyleptura*) **A:** SY TR
tonsa K. Daniel & J. Daniel, 1891: 31 (*Leptura*) **E:** ST UK **A:** AB AR GG IN TR
menetriesi Ganglbauer, 1889c: 469 [RN] [NO]
ustulata Ménétriés, 1832: 231 (*Leptura*) [HN]

subgenus *Pyrrholeptura* Lazarev, 2016d: 15 type species: *Leptura pyrrha* Bates, 1884
#203
pyrrha Bates, 1884a: 216 (*Leptura*) **A:** JA
bouvieri Pic, 1901m: 59 (*Leptura*)

subgenus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
cardinalis K. Daniel & J. Daniel, 1898: 76 (*Leptura*) **A:** KI TD UZ
rubidiventris Jankowski, 1934: 104
cordigera anojiaensis Sláma, 1982: 207 (*Brachyleptura*) **E:** GR (Kríti) **A:** TR
cordigera cordigera Fuessly, 1775: 14 (*Leptura*) **E:** BE BU DE FR **GB** GE GR (north-east) IT **NL** RO SP SZ RO **ST TR** UK **N:** LB
#175
A: AB AR CY GG IN IQ IS LE SY TR
auricollis Chobaut, 1895a: cccx (*Leptura*)
epipleuralis Schaefer, 1932: 31 (*Leptura*)
hastata Sulzer, 1776: 46 (*Leptura*)
immaculata Ragusa, 1889: 236 (*Leptura*)
inhastata Pic, 1902c: 8 (*Leptura*)
lamed Geoffroy, 1785: 86 [HN] (*Stenocorus*)
cordigera illyrica G. Müller, 1948: 63 (*Leptura*) **E:** AL BH CR GR IT (north-east) MC SL YU
eckweileri Holzschuh, 1989a: 154 (*Vadonia*) **A:** PA
erythroptera Hagenbach, 1822: 7 (*Leptura*) **E:** AL AU BH BU CR CZ FR GE GR HU IT RO SK SP ST SZ YU **A:** AB AR GG IN
TR
rufipennis Mulsant, 1839: 272 (*Leptura*)
fontenayi Mulsant, 1839: 271 (*Leptura*) **E:** AZ FR PT SP **N:** AG MO TU
erythrodera Chobaut, 1896b: 201 (*Leptura*)
nigrovittata Chobaut, 1896b: 201 (*Leptura*)
~~*hardenbergi* Bodemeyer, 1927: 70 (*Leptura*)~~
pici Chobaut, 1896b: 201 (*Leptura*)
gladiatrix Sama, 2008: 220 **N:** MO
heydeni Ganglbauer, 1889c: 469 (*Leptura*) **A:** IS LE SY TR
incipennis Reitter, 1895a: 85 (*Leptura*)
maceki Holzschuh, 1991c: 19
igai Tamanuki, 1942: 93 (*Leptura*) **A:** JA
ivoroberti Sama, 2010: 920 **E:** GR
oblongomaculata Buquet, 1840b: 396 (*Leptura*) **E:** IT (Sardegna, Sicilia) **N:** AG TU
biparadoxa Dayrem, 1922a: 17 (*Leptura*)
extrema Dayrem, 1930: 70 (*Leptura*)
latedecorata Pic, 1898i: 64 (*Leptura*)
obliterata Pic, 1898i: 64 (*Leptura*)
obscurithorax Pic, 1898a: 4 (*Leptura*)
trinotaticollis Pic, 1934e: 20 (*Leptura*)
uxoria Dayrem, 1927: 67 (*Leptura*)
palmi Demelt, 1972a: 74 **N:** CI
rufa attaliensis K. Daniel & J. Daniel, 1891: 11 (*Leptura*) **A:** TR
gevneensis Özdikmen & Turgut, 2008b: 549
rufa dimidiata K. Daniel & J. Daniel, 1891: 11 (*Leptura*) **A:** IQ TR
rufa excelsa A. Costa, 1863: 24 (*Leptura*) **E:** IT
rufa nigropicta Fairmaire, 1866b: 278 (*Leptura*) **A:** TR
rufa realis Danilevsky, 2012m: 912-913 **E:** ST **A:** AB AR GG TR

rufa rubromarginata Plavilstshikov, 1932b: 174 (*Leptura*) [«*rubromarginaia*» was a lapsus calami – Article 32.5.1] **A:** IN
rufa rufa Brullé, 1832: 263 (*Leptura*) **E:** AL BH BU CR GR IT MC RO YU **A:** TR
slamai Sama, 2010: 49 **E:** GR (Kríti)
martini Sláma, 1985: 17 (*Brachyleptura*) [HN]
tangeriana Tournier, 1875: 475 (*Leptura*) **N:** MO
atlasica Escalera, 1914a: 496
birufonotata Pic, 1919a: 22 (*Leptura*)
maroccana Heyden, 1886a: 85 (*Leptura*) [RN]
nigromaculata Pic, 1913c: 138 (*Leptura*)
olcese Pic, 1894g: 108
rufonotata Pic, 1913c: 138 (*Leptura*)
tangeriana Heyden, 1881b: 251 (*Leptura*) [HN]
tripartita Heyden, 1889b: 329 (*Leptura*) **A:** IN IQ TR
morgani Pic, 1905n: 300 (*Leptura*)
trisinata Fairmaire, 1852a: 92 (*Leptura*) **E:** FR PT SP
martini Pic, 1945b: 6 (*Leptura*)
semirufula Kraatz, 1880b: 376 (*Leptura*)
subgenus *Variileptura* Danilevsky, 2014i: 267 type species: *Leptura variicornis* Dalman, 1817
variicornis tsuyukii Fujita, 2019: 22 **A:** JA #411
variicornis variicornis Dalman, 1817a: 482 (*Leptura*) **E:** BY CT EN LA LT NT PL ST UK **A:** ES FE JA KZ MG NC NE NO SC
WS #411

genus *Stictoleptura* nomen dubium
silbermanni Lefebvre, 1835: 303 (*Leptura*) **A:** "Syrie Mont Liban"

genus *Strangalia* Dejean, 1835: 355 type species *Leptura luteicornis* Fabricius, 1775
Ophistomis J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861
Ophistomis Gemminger, 1872: 2875 [unnecessary emendation]
Strangalina Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758
Sulcatostrangalia K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935
attenuata Linnaeus, 1758: 398 (*Leptura*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IR IT LA LS LT LU MC MD
NL NR NT NE PL RO SK SL SP ST SV SZ TR UK **A:** AB AR ES FE HEB GG JA JIX KZ MG NC NE SC SW TR WS XIN
balcanica Pic, 1915e: 6 (*Typocerus*)
brunescens Balbi., 1892: 49
grenieri Pic, 1912c: 3 (*Leptura*)
imperfecta Gerhardt, 1910: 556 (*Leptura*)
— *maulicollis* Gerhardt, 1910: 556 (*Leptura*)
obscuriventris Pic, 1901n: 59 (*Typocerus*)
?ucranica Laxman, 1770: 596 (*Leptura veranica*)
bilineaticollis Pic, 1915c: 12 (*Strangalina*) **A:** XIZ
fortunei Pascoe, 1858: 265 **A:** ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH SHA ZHE #350
nigrocaudata Fairmaire, 1887a: 135
obscuricornis Pic, 1925f: 188
fujitai Shimomura, 1994: 345 **A:** TAI
gracilis gracilis Gressitt, 1935f: 381 **A:** JA
gracilis matsumurai Fujita, 2019: 25 **A:** JA #411
klapperichi Pic, 1957: 76 **A:** FUJ
koyaensis Matsushita, 1933b: 219 **A:** JA
haraguro K. Ohbayashi, 1958b: 18
linsleyi Gressitt, 1951a: 116 **A:** FUJ HUN JIX
mediolineata Pic, 1954a: 13 **A:** JA
takeuchii Matsushita & Tamanuki, 1935: 2 **A:** FE JA

genus *Strangalomorpha* Solsky, 1873: 253 type species *Strangalomorpha tenuis* Solsky, 1873
austera Holzschuh, 2003a: 164 **A:** YUN
cavernosa Holzschuh, 1998: 27 **A:** HUB
chekianga Gressitt, 1939b: 90 (*Strangalia*) **A:** FUJ SHA ZHE
multiguttata Pic, 1914e: 16 (*Strangalia*) **A:** YUN
senensis Pic, 1938: 134 (*Leptura*) [wrong record] #399
platyfasciata Chiang, 1963: 64 (*Strangalia*) **A:** YUN
signaticornis Ganglbauer, 1889a: 52 (*Leptura*) **A:** GAN SHA
tenuis aenescens Bates, 1884a: 221 **A:** JA
atricolor Kano, 1933b: 130
tenuis tenuis Solsky, 1873: 254 **A:** FE GAN HEI JA JIL NMO SC
tomentosa Tamanuki, 1942: 129 **A:** FUJ TAI
virididorsalis Chou & N. Ohbayashi, 2010: 362 **A:** GUX TAI

genus *Teratoleptura* N. Ohbayashi, 2008: 419 type species *Strangalia mirabilis* Aurivillius, 1902

mirabilis mirabilis Aurivillius, 1902: 207 (*Strangalia*) **A:** FUJ GUA GUX HAI **ORR**
carpo Pic, 1903c: 28 (*Ocalemia*)
gigantia Chiang, 1981: 78 (*Strangalia*)

genus *Thrangalia* Holzschuh, 1995: 10 type species *Thrangalia diabolliella* Holzschuh, 1995
diabolliella Holzschuh, 1995: 11 **A:** YUN

genus *Turnaia* Holzschuh, 1993a: 14 type species *Turnaia opaca* Holzschuh, 1993
furva Holzschuh, 2006a: 209 **A:** SCH
opaca Holzschuh, 1993a: 15 **A:** GAN

genus *Vadonia* Mulsant, 1863: 559 type species *Leptura unipunctata* Fabricius, 1787
Neovadonia Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787

bicolor L. Redtenbacher, 1850: 50 (*Leptura*) **A:** AB IN TR

tuerki Heyden, 1879a: 326 [1879b: 70] (*Leptura*)

bipunctata adusta Kraatz, 1859: 97 (*Leptura*) **E:** HU RO SK

litigiosa Mulsant, 1863: 564

rufonotata Pic, 1926d: 10 (*Leptura*)

bipunctata aralensis Danilevsky, 2019: 83 **A:** KZ

#413

bipunctata bipunctata Fabricius, 1781: 245 (*Leptura*) **E:** CT ST **A:** KZ WS

beckeri Pic, 1941d: 14 (*Leptura*) [HN]

fischeri Zubkov, 1829: 168 (*Leptura*)

bipunctata globicollis Desbrochers des Loges, 1870c: 127 (*Leptura*) **E:** MD RO ST UK

mulsantiana Plavilstshikov, 1936: 341 (*Leptura*)

bilitigiosa Pic, 1941d: 15

bipunctata laterimaculata Motschulsky, 1875: 141 (*Leptura*) **E:** UK (Crimea)

puchneri Holzschuh, 2007: 183

bipunctata sareptana Pic, 1941d: 15 **E:** KZ ST **A:** KZ

#29

bipunctata steveni Sperk, 1835: 158 (*Leptura*) **E:** HU MD RO ST UK

bipunctata teberdensis Danilevsky, 2014i: 247 **E:** ST

#29

bipunctata urdensis Danilevsky, 2014i: 244 **E:** KZ **A:** KZ

#29

bitlisiensis Chevrolat, 1882: 59 **A:** AB AR IN TR

armeniaca Pic, 1903a: 4 (*Leptura*)

bistigmata Pic, 1890e: clxxvi

cribricollis Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)

bolognai Sama, 1982: 207 **A:** TR

ciliciensis K. Daniel & J. Daniel, 1891: 13 **A:** TR

danielorum Holzschuh, 1984a: 142 **A:** TR

dojranensis dojranensis Holzschuh, 1984c: 343 **E:** AL BU GR

dojranensis mahri Holzschuh, 1986a: 121 **E:** GR MC

frater Holzschuh, 1981: 96 **A:** TR

grandicollis grandicollis Mulsant & Rey, 1863: 182 **E:** AL BU GR MC **A:** TR [see: Siering, 2014b]

#11

bisignata Brullé, 1832: 264 (*Leptura*) [HN]

inapicalis Pic, 1897c: 31 (*Leptura*) [DA]

grandicollis laurae Pesarini & Sabbadini, 2007a: 25 **E:** GR

gusmii Pesarini & Sabbadini, 2009: 16 **E:** GR

hirsuta K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) **E:** ?MD RO ?UK [see Danilevsky, 2014e]

imitatrix K. Daniel & J. Daniel, 1891: 6 (*Leptura*) **E:** CR IT

insidiosa Holzschuh, 1984a: 143 **E:** GR

instigmata Pic, 1890e: clxxvi **A:** TR

ispirensis Holzschuh, 1993a: 14 **A:** TR

klichai Vartanis, 2017: 341 **A:** GR

#233

mainoldii Pesarini & Sabbadini, 2004d: 162 **E:** GR

moesiaca K. Daniel & J. Daniel, 1891: 6 (*Leptura*) **E:** AL BU GR MC RO SB TR YU **A:** TR

beali Pic, 1926d: 13 [DA]

bipunctata Kraatz, 1859: 97 [HN]

monostigma Ganglbauer, 1882: 29 (*Leptura*) **A:** TR

parnassensis Pic, 1925d: 6 (*Leptura*) **E:** GR

aspoeckorum Holzschuh, 1975: 84az

persica Vartanis, 2017: 343 **A:** IN

#233

samosensis Vartanis, 2016: 678 **E:** GR

#195

saucia Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) **E:** RO UK (Krym) [see: Danilevsky, 2014e: 263]

soror soror Holzschuh, 1981: 95 **A:** TR

soror tauricola Holzschuh, 1993a: 14 **A:** TR

unipunctata albanica Vartanis, 2019b: 104 **E:** AL

#408

unipunctata dalmatina J. Müller, 1907: 662 (*Leptura*) **E:** CR

unipunctata gallica Podány, 1963a: 9 **E:** FR

#110

unipunctata ikariaensis Danilevsky & Vartanis, 2015: 225 **E**: GR #83

unipunctata makedonica Holzschuh, 1989a: 154 **E**: GR [“Lekanis-Gebirge”]

unipunctata occidentalis K. Daniel & J. Daniel, 1891: 17 (*Leptura*) **E**: FR IT SP **?N**: MO AG

—*jacqueti* Pic, 1900a: 3

xambeui Pic, 1931c: 6 (*Leptura*)

unipunctata ohridensis Holzschuh, 1989a: 154 **E**: **AL** GR MC #11

unipunctata syriicola Holzschuh, 1993a: 13 **A**: LE SY

unipunctata unipunctata Fabricius, 1787: 157 (*Leptura*) [NP] **E**: AU BH BU CR CT CZ FR GR HU IT KZ MD **?PL** RO SB SK SL

SP ST TR UK **A**: AB AR GG KZ TR

obscuripilosa Pic, 1892q: lxxxiv (*Leptura*)

pilosa Forster, 1771: 44 (*Leptura*) [NO]

uninstigmata Pic, 1891b: 9 (*Leptura*)

vartanisi Danilevsky, 2014e: 259 **A**: TR

genus *Xenoleptura* Danilevsky, Lobanov & Murzin, 1981: 787 type species *Leptura hecate* Reitter, 1896

hecate Reitter, 1896b: 48 (*Leptura*) **A**: KI KZ TD UZ XIN

auliensis Pic, 1901d: 19 (*Strangalia*)

genus *Xenophyrama* Bates, 1884a: 210 type species *Xenophyrama purpureum* Bates, 1884

purpureum Bates, 1884a: 210 **A**: JA

genus *Xestoleptura* Casey, 1913: 248 type species *Xestoleptura corusca* Casey, 1913

baeckmanni Plavilstshikov, 1936: 333 (*Leptura*) **A**: CH FE NC **SC** #80

nigroflava Fuss, 1852a: 75 (*Grammoptera*) **E**: RO

rufiventris Gebler, 1830: 193 (*Leptura*) [**HN**] **A**: ES **FE** KZ MG WS

jenseni Gressitt, 1951a: 83 (*Anoploclera*)

maculata Gebler, 1841b: 614 (*Leptura*) [**HN**]

theresae Pic, 1912c: 2 (*Leptura*)

tribe Lepturini, incertae sedis

Leptura miao Z. Wang & Zheng, 2003: 95, 398 **A**: JIL

tribe Oxymirini Danilevsky, 1997

genus *Neoxymirus* Miroshnikov, 2013b: 455 type species *Toxotus mirabilis* Motschulsky, 1838 #29

mirabilis Motschulsky, 1838: 183 (*Toxotus*) **E**: ST **A**: AR AB GG IN TR

atripes Pic, 1935d: 7

genus *Oxymirus* Mulsant, 1862: 464 type species *Cerambyx cursor* Linnaeus, 1758

cursor Linnaeus, 1758: 393 (*Cerambyx*) **E**: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IT LA LS LT **LU** MC MD

NL NR NT PL RO SK SL SP ST SV SZ UK YU **A**: SHX WS

—*fenestratus* Letzner, 1885: 346 [unavailable]

—*genuinus* Letzner, 1885: 346 [unavailable]

—*lineatus* Letzner, 1885: 346 [unavailable]

luctuosus Latreille, 1804a: 310 (*Leptura*)

niger Olivier, 1795: 19 (*Stenocorus*)

—*nigricollis* Letzner, 1885: 346 [unavailable]

noctis Linnaeus, 1767: 630 (*Cerambyx*)

semiobscurus Pic, 1900n: 62

spaceki Roubal, 1934c: 140

verneulii Mulsant, 1839: 233 (*Toxotus*)

vittatus Gmelin, 1790: 1865 (*Stenocorus*)

tribe Rhagiini Kirby, 1837

genus *Acapnolymma* Gressitt & Rondon, 1970: 34 type species *Capnolymma sulcaticeps* Pic, 1923

sulcaticeps Pic, 1923a: 12 (*Capnolymma*) **A**: YUN **ORR**

genus *Akimerus* Audinet-Serville, 1835b: 212 type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)

Acimerus Fairmaire, 1865: 184 [unjustified emendation]

ariannae Pesarini & Sabbadini, 2007a: 19 **E**: GR #332

berchmansii Breit, 1915: 353 **A**: TR

schaefferi ~~*schaefferi*~~ Laicharting, 1784: 130 (*Leptura*) **E**: AU BH BU CR CT CZ FR GE HU MD PL PT RO SK SP ST SZ UK

cinctus Fabricius, 1787: 146 (*Rhagium*)

dentipes Mulsant, 1842a: 209 [1842b: (3)] (*Toxotus*)

genus *Apiiocephalus* Gahan, 1898: 42 type species *Apiiocephalus punctipennis* Gahan, 1898

lichenus Gahan, 1906a: 74 **A**: UP

genus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758

subgenus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758 #29

amurensis Kraatz, 1879c: 69 (*Pachyta*) **A:** FE NC SC

bisbioculata Pic, 1910a: 18

inapicalis Pic, 1910a: 18

korbi Pic, 1910a: 18

semilunata Pic, 1910a: 18

danilevskyi Tshernyshev & Dubatolov, 2005: 49 **A:** FE JA

japonicus Fujimura, 1956: 2 (*Evodinus*) [HN]

interrogationis duodecimmaculata Fabricius, 1781: 248 (*Leptura*) [“Habitat in Sibiria”] **A:** FE NC NE SC #189

kraatzi Ganglbauer, 1889c: 468 #29

interrogationis ebenina Mulsant, 1839: 240 (*Pachyta*) **E:** FR #130

bimaculata Mulsant, 1839: 240 (*Pachyta*)

curvilineata Mulsant, 1839: 239 (*Pachyta*)

dorensis Pic, 1933d: 2 (*Evodinus*) [“France: Monte-Dore”.]

flavonotata Mulsant, 1839: 239 (*Pachyta*)

interrogationis eitschbergeri Danilevsky & Peks, 2015: 1085 **E:** GE CZ #130

interrogationis gabzdili Danilevsky & Peks, 2016: 178 **E:** PL SK ?UK #130

interrogationis interrogationis Linnaeus, 1758: 398 (*Leptura*) **E:** FI NR NT SV #189

interrogationis lederi Lazarev, 2011: 861 **E:** ST

interrogationis mannerheimii Motschulsky, 1860b: 148 (*Evodinus*) **A:** ES MG WS #29

bioculata Kraatz, 1879c: 68 (*Pachyta*)

cruciata Kraatz, 1879c: 69 (*Pachyta*)

crucifera Kraatz, 1879c: 68 (*Pachyta*)

externereducta Pic, 1926d: 10

marginalis Motschulsky, 1875: 139 (*Pachyta*)

mulstanti Pic, 1934f: 31 (*Evodinus*) [Fig. 117 by Plavilstshikov, 1932: 30 – East Siberia] #130

multiguttata Pic, 1934f: 31 (*Evodinus*) [Fig. 107 by Plavilstshikov, 1932: 30 – East Siberia] #130

obsidiana Motschulsky, 1875: 140 (*Pachyta*)

plavilstshikovi Pic, 1934f: 31 (*Evodinus*) [Fig. 97 by Plavilstshikov, 1932: 30 – East Siberia] #130

prescutellaris Pic, 1934f: 31 (*Evodinus*) [Fig. 115 by Plavilstshikov, 1932: 30 – East Siberia] #130

reducta Pic, 1926d: 10

suturalis Pic, 1926d: 10

interrogationis marginella Fabricius, 1793: 346 (*Leptura*) [“Habitat in Italia”] **E:** AU GE FR IT LS SZ #130

— *bernardinus* Pic, 1915a: 41 (*Evodinus*)

immaculata Pic, 1934f: 28 (*Evodinus*) [“Suisse: Lac Chambex”]

mesmini Pic, 1933d: 2 (*Evodinus*) [“Sarna”]

milliati Pic, 1934f: 24 (*Evodinus*) [“Hautes Alpes: Monétier”]

modanensis Pic, 1933d: 2 (*Evodinus*) [“France: Modane”]

perroudi Pic, 1933d: 2 (*Evodinus*) [“Chamonix”]

subinterrupta Pic, 1934f: 24 (*Evodinus*) [“Briançon”, “Monétier”]

— *theresae* Pic, 1915a: 41 (*Evodinus*)

interrogationis miroshnikovi Lazarev, 2011: 860 **E:** ST **A:** GG

interrogationis russica Herbst, 1784: 102 (*Leptura*) [“Rußland”] **E:** BY CT EN LA LT MD NT ST UK **A:** KZ WS #189

altaiensis Pic, 1900s: 82

interrogationis shapsugorum Lazarev, 2011: 860 **E:** ST

interrogationis zuberi Lazarev, 2016a: 196 **E:** NT **A:** WS #189

punctata lazarevi Danilevsky, 2014i: 137 **A:** FE NC #29

punctata punctata Faldermann, 1833: 67 (*Pachyta*) **A:** ES MG NMO

quadrinotatus Pic, 1916b: 3 (*Evodinus*)

reductemaculata Pic, 1915a: 41 (*Evodinus*)

sajanensis Pic, 1916b: 3 (*Evodinus*)

sochondensis Tshernyshev & Dubatolov, 2005: 45

subunicolor Pic, 1916b: 3 (*Evodinus*)

turanensis Pic, 1927e: 13

sachalinensis Matsumura, 1911: 135 **A:** FE JA **JIL**

subgenus *Fasciobrachyta* Danilevsky, 2014i: 113 type species: *Leptura bifasciata* Olivier, 1795

balcanica Hampe, 1871: 336 **E:** AL BU GR RO TR YU **A:** TR

bureschi Kantardjiewa-Minkowa, 1957: 542

bifasciata bifasciata Olivier, 1795: 23 (*Leptura*) [HN] **A:** ES FE GAN HEB HEI JIL LIA **MG NC** NMO QIN SC SCH XIZ

aurica Gebler, 1817: 329 (*Leptura*)

quadripunctata Schoenherr, 1817a: 491 (*Leptura*)

reducta Pic, 1907b: 6 (*Evodinus*)

ussurica Pic, 1913c: 98

bifasciata japonica Matsushita, 1933a: 178 (*Evodinus*) **A:** FE JA

bifasciata plasoni Breit, 1915: 353 (*Evodinus*) **A:** ?ES ?FE HEB ?MN NMO #1 #29

bifasciata tibetana Pic, 1907b: 5 (*Evodinus*) **A:** QIN [“Kuku-Nor”] #29

bifasciata wanga Z. Wang, 2014: 122, 1123 **A:** NMO #1 #29

caucasica caucasica Rost, 1892: 309 [1892b: 81] **A:** GG
conjuncta Rost, 1893: 344
caucasica kubanica Miroshnikov, 1990a: 26 **E:** ST
delagrangei Pic, 1891h: 102 **A:** TR
subgenus *Variobrachyta* Danilevsky, 2014i: 117 type species: *Leptura variabilis* Gebler, 1817 **#29**
borni Ganglbauer, 1903: 151 (*Evodinus*) **E:** FR (Alpes de Haute-Provence)
guerryi Pic, 1906h: 86 (*Evodinus*)
notatipennis Pic, 1906h: 86 (*Evodinus*)
rostri alexeevi Lazarev, 2010b: 193 **E:** ST
rostri baksaniense Lazarev, 2010b: 193 **E:** ST
rostri rostri Pic, 1900s: 82 **E:** ST **A:** GG
brevinotata Pic, 1901e: 16
causasicola Plavilstshikov, 1936: 197 (*Evodinus*)
variabilis aberrans Villiers, 1960a: 6 (*Evodinus*) **A:** FE NC NE [see Danilevsky (2013g: 7)]
variabilis basarukini Danilevsky, 2014i: 124 **A:** FE **#29**
variabilis chukotensis Danilevsky, 2014i: 123 **A:** FE **#29**
variabilis dongbeiensis Z. Wang, 2003: 127, 398 (*Evodinus*) **A:** HEI **#29**
variabilis ivlievi Danilevsky, 2014i: 123 **A:** FE **#29**
variabilis kurayensis Danilevsky, 2014i: 128 **A:** WS **#29**
variabilis phlaesa Z. Wang, 2003: 127, 398 (*Evodinus*) **A:** HEI
variabilis scapularis Mannerheim, 1849: 245 (*Pachyta*) **A:** ES FE MG NE NMO
cincta Villiers, 1960a: 6 (*Evodinus*)
comosa Solsky, 1871a: 400 (*Pachyta*)
heyrovskyi Pic, 1926d: 10
instriolata Pic, 1912c: 2 (*Evodinus*)
intermedia Pic, 1916b: 3 (*Evodinus*)
multisignata Pic, 1915a: 41 (*Evodinus*)
mutabilis Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]
obscuripennis Pic, 1900c: 6 (*Evodinus*)
pici Villiers, 1960a: 6 (*Evodinus*)
preapicalis Pic, 1902c: 8
prescutellaris Pic, 1902c: 8
reductesignatus Pic, 1915a: 41 (*Evodinus*)
semifulva Pic, 1900s: 82
sinuatosignata Pic, 1915e: 4 (*Evodinus*)
solskyi Kraatz, 1879c: 71 (*Pachyta*)
subfasciata Pic, 1926d: 10
subjuncta Pic, 1926d: 10
sublineata Pic, 1916b: 3 (*Evodinus*)
variabilis shapovalovi Lazarev, 2014a: 273 **A:** KZ
variabilis sinuatolineata Pic, 1915a: 41 (*Evodinus*) **A:** ES MG **#29**
breiti Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*)
discobilineata Pic, 1928c: 2
variabilis striatiformis Plavilstshikov, 1936: 196 (*Evodinus*) **A:** MG **#29**
variabilis striolata Gebler, 1817: 330 (*Leptura*) **A:** ES **#29**
brevilineata Pic, 1926d: 10
eurinensis Tsherepanov, 1978a: 97 (*Evodinus*)
variabilis testaceimembris Pic, 1916b: 2 (*Evodinus*) **A:** FE [see Danilevsky (2013g: 6)]
rufimembris Pic, 1926d: 13
variabilis tungusensis Danilevsky, 2014i: 121 **A:** ES **#29**
variabilis tuvensis Danilevsky, 2014i: 127 **A:** ES ?MG ?NMO WS **#29**
variabilis variabilis Gebler, 1817: 320 (*Leptura*) **E:** CT NT **A:** ES KZ WS
constricta Germar, 1824: 520 (*Leptura*)
variabilis yakutensis Danilevsky, 2014i: 122 **A:** ES **#29**

genus *Capnolymma* Pascoe, 1858: 265 type species *Capnolymma stygia* Pascoe, 1858
brunnea Gressitt & Rondon, 1970: 33 **A:** YUN **ORR**
laotica Gressitt & Rondon, 1970: 33 **A:** YUN **ORR**

genus *Carilia* Mulsant, 1863: 489 type species *Leptura virginea* Linnaeus, 1758
Neogaurotes Podaný, 1962: 225 type species *Leptura virginea* Linnaeus, 1758
adelpha Ganglbauer, 1889a: 47 **A:** NMO QIN SCH
aeneovirens Holzschuh, 1993a: 6 **A:** SCH
atricornis Pu, 1992b: 617 **A:** YUN
atripennis Matsushita, 1933: 76 **A:** JA
aureopurpurea Hayashi, 1955: 24
hayashii Podaný, 1962: 225
kurosawai Hayashi, 1951b: 75
tamanukii Ohbayashi, 1949: pl. 3

cuprifera Holzschuh, 1993a: 10 **A:** GAN
fairmairei Aurivillius, 1912: 193 [RN] **A:** SCH SHA
diversicollis Pic, 1939b: 1
donacioides Fairmaire, 1889a: 59
filiola Holzschuh, 1998: 5 **A:** SHA
glabratula Holzschuh, 1998: 6 [RN] **A:** SCH
glabricollis Holzschuh, 1993a: 8 [HN]
oligothrix Chiang, 2001: 77 [RN]
glabricollis Pu, 1992b: 618 **A:** YUN
latiuscula Holzschuh, 1993a: 8 **A:** SCH
lucidivirens Holzschuh, 1998: 6 **A:** SHA
otome *otome* K. Ohbayashi, 1959: 1 **A:** JA
flaviventris Hayashi, 1960a: 6
kinugasai Hayashi, 1960a: 6
otome wakejimai Fujita, 2019: 21 **A:** JA #411
perforata Holzschuh, 1993a: 11 **A:** GAN
pictiventris Pesarini & Sabbadini, 1997: 100 **A:** YUN
~~*piligera* Pu, 1992b: 617 **A:** SCH~~ [see in *Gaurotina*]
pilipennis Holzschuh, 2016: 73 **A:** SCH #217
spinipennis Pu, 1992b: 617 **A:** SCH
tibetana Podaný, 1962: 227 **A:** XIZ
tuberculicollis Blanchard, 1871: 812 (*Pachyta*) **A:** FUJ HEI HEN HUB NMO SCH SHA XIZ
davidis H. C. Deyrolle, 1878: 133
obscuripes Pic, 1939b: 1
virginea aemula Mannerheim, 1852b: 306 (*Pachyta*) **E:** CT ST **A:** ES FE HEI HUB JIL KZ MG NMO SHX WS
ruficollis Solsky, 1871: 403 (*Pachyta*)
virginea komensis Tamanuki, 1938b: 167 (*Gaurotetes*) **A:** HEI JIL NC SC
coreana Tamanuki, 1939b: 101 (*Gaurotetes*)
nigriventris Tamanuki, 1938b: 167 (*Gaurotetes*) [HN]
virginea kozhevnikovi Plavilstshikov, 1915c: 105 (*Gaurotetes*) **A:** FE HEI JIL
nigriventris Jureček, 1921: 25 (*Gaurotetes*)
sibirica Podaný, 1962: 236 (*Gaurotetes*)
virginea thalassina Schrank, 1781a: 160 (*Leptura*) **E:** AU FR IT SL
nupta Mulsant, 1839: 241 (*Pachyta*)
virginea virginea Linnaeus, 1758: 398 (*Leptura*) **E:** AL AU **BE** BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT **MC**
MD ME NR NT PL RO **SB** SK SL SV SZ ST UK YU **A:** WS
brunnescens G. Schmidt, 1951: 11 (*Gaurotetes*)
notaticollis Pic, 1916a: 10
sanguinaria Pic, 1917g: 4
vidua Mulsant, 1839: 242 (*Pachyta*).
violacea DeGeer, 1775: 144 (*Leptura*) [HN]
violacea Pallas, 1773: 724 (*Leptura*)

genus *Cortodera* Mulsant, 1863: 572 type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)
Acmaeopsilla Casey, 1913: 240 type species *Acmaeops falsus* LeConte, 1860
Leptacmaeops Casey, 1913: 219 type species *Leptura longicornis* Kirby, 1837
Taiwanocarilia Hayashi, 1983: 30 type species *Gaurotetes ater* Tamanuki, 1942 #18
alpina alpina Ménétriés, 1832: 230 (*Pachyta*) **E:** ST (Dagestan) **A:** **AB GG**
beckeri Desbrochers des Loges, 1875a: 51 (*Pachyta*)
confusa Reitter, 1891b: 34 (*Cartodera*)
alpina armeniaca Pic, 1898k: 114 **A:** AR TR [Artvin, Ardahan, Kars, Erzerum, Igdir]
alpina baksaniensis Danilevsky, 2014i: 199 **E:** ST #29
alpina fischensis Starck, 1894: 11 **E:** ST (Kavkaz)
alpina gudissensis Danilevsky, 2013h: 28 **A:** GG
alpina matusiaki Danilevsky, 2014i: 200 **E:** ST **A:** GG #29
alpina psebayensis Danilevsky, 2014i: 180 **E:** ST #29 #193
alpina rosinae Pic, 1902c: 8 **A:** TR [“Anatolie: Ak-Chehir”] #17 #129
alpina rosti Pic, 1892q: lxxxiii **E:** ST (Kavkaz)
parallela Pic, 1898k: 111
alpina starcki Reitter, 1888b: 280 **E:** ST (Kavkaz) **A:** GG
alpina svanorum Danilevsky, 2014i: 203 **A:** GG #29
alpina tatvanensis Danilevsky, 2015d: 1065 **A:** TR #129
alpina umbripennis Reitter, 1890e: 245 **E:** ST **A:** AB AR GG IN
alpina xanthoptera Pic, 1898k: 114 [RN] **A:** TR [Ankara]
~~*flavipennis* Ganglbauer, 1897a: 53~~ (unavailable – among several variations from one locality) #5
alpina zekarensis Danilevsky, 2014i: 203 **A:** GG #29
amanusensis Danilevsky, 2016d: 268 **A:** TR #209
analís Gebler, 1830: 189 (*Pachyta*) **A:** KZ WS XIN

<i>haemorrhoidalis</i> Pic, 1898k: 114	
<i>haemorrhoidalis</i> Aurivillius, 1912: 197 [unjustified emendation]	
<i>hirta</i> Gebler, 1830: 190 (<i>Pachyta</i>)	
<i>holosericea</i> Gebler, 1848a: 423 (<i>Leptura</i>)	
<i>ruficornis</i> Pic, 1926d: 6	
<i>atra</i> Tamanuki, 1942: 214 (<i>Gaurotos</i>) A: TAI	#18
<i>baltea</i> Holzschuh, 2003a: 154 A: NMO QIN [see: X.-L. Huang et al., 2014]	
<i>bamiyana</i> Danilevsky, 2014d: 256 A: AF	
<i>cartinii</i> Rapuzzi & Sama, 2018: 6 A: TR	#332
<i>ciliata ciliata</i> Danilevsky, 2001a: 13 A: KZ	
<i>ciliata milaenderi</i> Danilevsky, 2001a: 15 E: CT	
<i>ciliata sakmarensis</i> Danilevsky, 2006b: 3 E: ST	
<i>cirsii</i> Holzschuh, 1975: 82 A: TR	
<i>colchica aestiva</i> Sama & Rapuzzi, 1999: 466 A: TR (Kars)	#129
<i>colchica aishkha</i> Danilevsky, 2014i: 180 E: ST	#29
<i>colchica aksarayensis</i> Özdikmen & Özbek, 2012: 931 A: TR	#129
<i>colchica bulungensis</i> Danilevsky, 2014i: 181 E: ST	#29
<i>colchica colchica</i> Reitter, 1890e: 246 E: ST A: AB AR (IN LE SY) TR	#30
<i>atropyga</i> Pic, 1929h: 119 [DA]	
<i>distincta</i> Pic, 1933d: 6	
<i>lederi</i> Pic, 1933d: 6	
<i>ordubadensis</i> Reitter, 1890e: 246	
<i>pygidialis</i> Reitter, 1890e: 246	
<i>rutilipes</i> Reitter, 1890e: 246	
<i>truncatipennis</i> Pic, 1929h: 119 [DA]	
<i>colchica danczenkoi</i> Danilevsky, 1985: 139 [1987: 615] A: AB (Talysh) IN	
<i>colchica deyrollei</i> Pic, 1894a: 66 A: GG	#29
<i>colchica dilizhanica</i> Danilevsky, 2014i: 178 A: AR	#29
<i>colchica erevanica</i> Danilevsky, 2014i: 177 A: AR	#29
<i>colchica erzurumensis</i> Danilevsky, 2015d: 1058 A: TR	#129
<i>colchica libanensis</i> Danilevsky, 2017e: 838 A: LE	#278 #309
<i>colchica colchica</i> , Márkus & Németh, 2016: 27	#278
<i>colchica kalashiani</i> Danilevsky, 2000b: 39 A: AR	
<i>colchica murzini</i> Danilevsky, 2014i: 181 E: ST	#29
<i>colchica ossetica</i> Danilevsky, 2014i: 181 E: ST	#29
<i>colchica ponomarenkoi</i> Danilevsky, 2014i: 179 A: AB	#29
<i>colchica porsukensis</i> Danilevsky, 2015d: 1060 A: TR	#129
<i>colchica pseudalpina</i> Plavilstshikov, 1936: 278 A: GG	#29
<i>differeus differeus</i> Pic, 1898g: 50 E: GR RO	
<i>prescutellaris</i> Pic, 1933d: 5	
<i>steineri</i> Sama, 1997b: 112	
<i>differeus magdae</i> Danilevsky, 2012m: 916 E: BU RO TR	
<i>discolor ankarensis</i> Danilevsky, 2015d: 1063 A: TR	#129
<i>discolor bitlisiensis</i> Danilevsky, 2015d: 1065 A: TR	#129
<i>discolor discolor</i> Fairmaire, 1866b: 277 A: TR	
<i>testaceipes</i> Pic, 1898k: 112	
<i>variipes</i> Ganglbauer, 1897a: 53 (unavailable – among other variations) [?“Angora”]	#5
<i>discolor gumushanensis</i> Danilevsky, 2015d: 1064 A: TR	#129
<i>farsensis</i> Danilevsky, 2014d: 255 A: IN	
<i>femorata</i> Fabricius, 1787: 159 (<i>Leptura</i>) E: AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT NR NT PL RO SK SL ST SV SZ UK	
<i>affinis</i> Schilsky, 1892: 204	
<i>fusca</i> Gmelin, 1790: 1868 (<i>Leptura</i>)	
<i>fla vipennis</i> Reitter, 1890e: 243	
<i>griseipes</i> Pic, 1889b: 55 (<i>Grammoptera</i>)	
<i>monticola</i> Abeille de Perrin, 1870: 88	
<i>suturifera</i> Reitter, 1890e: 243	
<i>fla vimana angorensis</i> Danilevsky, 2015d: 1051 A: TR	#129
<i>neslihanae</i> Özdikmen, 2016a: 5	#147
<i>fla vimana corallipes</i> Pesarini & Sabbadini, 2009: 17 A: ?GG TR [type - Ascale in Erserum]	#6 #129
<i>fla vimana flavimana</i> Waltl, 1838: 471 (<i>Leptura</i>) E: AL AU BU GR HU MC RO SK TR YU A: TR [type – Istanbul env.]	#11
<i>fla vimana inonuensis</i> Danilevsky, 2015d: 1045 A: TR	#129
<i>fla vimana karsensis</i> Danilevsky, 2015d: 1052 A: TR	#129
<i>fla vimana oezdikmeni</i> Danilevsky, 2015d: 1053 A: TR	#129
<i>fla vimana rufipes</i> Kraatz, 1876b: 344 (<i>Grammoptera</i>) A: TR [type – Izmir env.]	
<i>brachialis</i> Ganglbauer, 1897a: 52 (unavailable) [?“Angora”]	#5
<i>fulvipes</i> Reitter, 1890e: 245 (unavailable) [?“Angora”]	#4
<i>limbata</i> Ganglbauer, 1897a: 52 (unavailable) [?“Angora”]	#5

flavimana schurmanni Sama, 1997b: 107 **E**: GR (Peloponnese) #2
flavimana sergeyi Danilevsky, 2015d: 1053 **A**: TR #129
flavimana sultanensis Danilevsky, 2015d: 1055 **A**: TR #129
flavimana torosensis Danilevsky, 2015d: 1055 **A**: TR #129
flavimana zoiai Pesarini & Sabbadini, 2009: 16 **A**: TR [type - north of Izmir vil., Kozak, about 39°15'N, 27°06'E]
goriensis Danilevsky & Hodek, 2016: 55 **A**: GG #218
hodeki Danilevsky, 2018: 584 **A**: IN #371
holosericea holosericea Fabricius, 1801b: 366 (*Leptura*) [HN – not *L. holosericea* Fabricius, 1801b: 358 = *Etorofus pubescens* (Fabricius, 1787)] **E**: AU BH BU CR GR HU IT RO SK SL ST UK YU
pilosa Pic, 1898g: 50
rubripes Pic, 1898k: 114
semitestacea Pic, 1898g: 50
holosericea pseudoholosericea Rapuzzi & Sama, 2018: 7 **E**: AL GR #332
holosericea velutina Heyden, 1876a: 318 **E**: **AL** AU BH CR GR IT SL YU #11
birnbacheri Pic, 1898k: 114
hroni Danilevsky, 2012f: 1 **E**: BU
humeralis aspromontana G. Müller, 1948: 61 **E**: IT-~~GR~~
humeralis humeralis Schaller, 1783: 297 (*Leptura*) **E**: AU BE BH BU CR CT CZ FR GE GR HU IT MC MD NL PL RO SK SP **ST**
SZ TR UK YU **A**: TR
apicenotata G. Schmidt, 1951: 12
discoidalis Pic, 1931c: 6
inhumeralis Pic, 1892j: 140
quadriguttata Herbst, 1786: 171 (*Leptura*)
quadrinotata Gmelin, 1790: 1873 (*Leptura*)
schalleri Gmelin, 1790: 1874 (*Leptura*)
spinosula Mulsant, 1839: 290 (*Grammoptera*)
suturalis Fabricius, 1787: 159 (*Leptura*)
humeralis moreensis Danilevsky, 2015d: 1035 **E**: GR #129
imrasanica Sama & Rapuzzi, 1999: 464 **A**: TR
ivanovi Danilevsky, 2013b: 218 **A**: KZ
kadleci Danilevsky, 2015d: 1061 **A**: TR #129
kaphanica Danilevsky, 1985: 137 **A**: AR IN
~~*kafanica* Danilevsky, 1987: 614 (unavailable name)~~
kareli Danilevsky, 2018: 588 **A**: IN #371
kazaryani Danilevsky, 2014i: 163 **A**: AR
khatchikovi Danilevsky, 2001b: 13 **E**: ST
kiesenwetteri gusakovi Danilevsky, 2013d: 425 **A**: KZ
kiesenwetteri kiesenwetteri Pic, 1898g: 49 **E**: ST
kiesenwetteri subtruncata Pic, 1934e: 19 **E**: CT
subtruncata Danilevsky, 2001a: 13 [HN]
kochi Pic, 1935d: 4 **A**: IS
kokpektensis Danilevsky, 2007d: 47 **A**: KZ
komarovi komarovi Danilevsky, 1996c: 63 **A**: KZ
komarovi romantzovi Danilevsky, 2013b: 213 **A**: KZ
komarovi sarysuensis Danilevsky, 2013b: 215 **A**: KZ
komarovi solodovnikov Danilevsky, 2013b: 213 **A**: KZ
longipilis Pic, 1898g: 50 **A**: TR
rubrofemorata Pic, 1898k: 113
tauricola Pic, 1908b: 3
lowlakanensis Danilevsky, 2018: 586 **A**: IN #371
metallica Holzschuh, 2003a: 152 **A**: SCH
moldovana Danilevsky, 1996c: 64 **E**: MD
napolovi Danilevsky, 2015d: 1061 **A**: TR #129
neali Danilevsky, 2004a: 2 **A**: IN IQ #129
obscurans Pic, 1894i: 116 [“Syrie. Akbès”] **A**: ?SY TR #3 #129
~~*obscurans* Pic, 1892s: exi [= 1893d: 415] (unavailable) [“le nord de la Syrie” and “Haute-Syrie”]~~ #3
~~*flavescens* Pic, 1894i: 116 (unavailable) [Akbès] (unavailable)~~ #3
~~*fulvipennis* Pic, 1898g: 50 (unavailable) [Akbès] (unavailable)~~ #3
omophloides Holzschuh, 1975: 77 **A**: TR [Namrun, İçel]
pseudomophlus Reitter, 1889a: 40 **A**: AR AB IN TM TR
pumila crataegi Holzschuh, 1986a: 121 **A**: IN
pumila meltemae Özdikmen, Mercan & Cihan, 2012d: 746 **A**: TR #2
pumila pumila Ganglbauer, 1882: 710 **E**: ST **A**: AB AR GG
caucasica Pic, 1898k: 79
nigripennis Pic, 1898g: 49
pumila sarigolensis Danilevsky, 2016d: 266 **A**: TR #209
pumila tournieri Pic, 1895d: 75 **A**: AR GG TR

ranunculi Holzschuh, 1975: 80 **A: TR** [Muş]
reitteri reitteri Pic, 1891d: 43 **E: CT ST UK**
alexandri Danilevsky, 1996c: 63
obscuripennis Pic, 1898g: 49
separata Pic, 1898k: 111
reitteri taurica Plavilstshikov, 1936: 280 **E: UK**
beckeriana Plavilstshikov, 1936: 285
rubenyani Danilevsky, 2018: 587 **A: IN** #371
rubripennis Pic, 1891h: 102 **A: TR**
obscura Pic, 1898g: 49
semilivida Pic, 1892n: cxiii ["Syria"] **A: ?SY TR** #2 #129
~~*diversipes*~~ Pic, 1898g: 49 (unavailable) [Akbès] #2 #129
~~*?orientalis*~~ Adlbauer, 1988: 264 #2 #129
sibirica shavrovi Danilevsky, 2001b: 3 **A: ES**
sibirica sibirica Plavilstshikov, 1915f: 347 (*Leptura*) **A: WS**
semenovi Plavilstshikov, 1936: 284
simulatrix Holzschuh, 1975: 83 **A: TR**
syriaca didemae Özdikmen, 2016a: 8 **A: TR** #147
syriaca nigroapicalis Holzschuh, 1981: 95 **A: IN TR**
syriaca syriaca Pic, 1901s: 90 **A: AB AR IN LE SY TR**
aureopubens Pic, 1913c: 178
korbi Pic, 1914c: 4 [DA]
takabensis Danilevsky, 2018: 585 **A: IN** #371
tatiana Miroshnikov, 2011: 53 **A: AB**
tibialis tibialis Marseul, 1876: cii (*Judolia*) **E: ST**
pallidipes Pic, 1898g: 49
tibialis rossica Danilevsky, 2001b: 7 **E: UK ST**
tibialis ruthena Plavilstshikov, 1936: 286 **E: ST KZ A: KZ**
transcaspica lobanovi Kaziutshitz, 1988: 583 **A: AB AR IN TU**
transcaspica persica Plavilstshikov, 1936: 291 **A: IN ?AF** [see Danilevsky (2013g: 9)]
transcaspica transcaspica Plavilstshikov, 1936: 290 **A: AB AR IN TM**
turgaica Danilevsky, 2001b: 9 **E: WS(Orenburg) A: KZ** #210
uniformis Holzschuh, 1975: 79 **A: TR**
ussuriensis Tsherepanov, 1978a: 101 **A: FE**
vicina Pic, 1914c: 4 **A: LE**
villosa aktolagaica Miroshnikov, 2007: 214 **A: KZ** [see Danilevsky, 2012b]
villosa circassica Reitter, 1890e: 245 **E: ST (Kavkaz)**
obscuripes Reitter, 1890e: 245
villosa chivilini Danilevsky, 2012b: 140 **E: ST**
villosa kazakorum Danilevsky, 2014i: 167 **E: ST** #29
villosa krasnobaei Danilevsky, 2010a: 58 **E: UK**
villosa kuvandykensis Danilevsky, 2012b: 139 **E: ST**
villosa magdeevi Danilevsky, 2011a: 42 **E: CT**
villosa major Miroshnikov, 2007: 211: **E: CT**
villosa mariae Danilevsky, 2010a: 59 **E: ST**
villosa mikhailevi Danilevsky, 2001a: 8 **A: WS**
villosa miroshnikov Danilevsky, 2010: 43 **A: GG**
villosa nakhichevanica Miroshnikov, 2007: 213: **A: AB**
villosa parfentjevi Miroshnikov, 2007: 215 **E: UK (Krym)** [see Danilevsky, 2012b]
villosa villosa Heyden, 1876a: 318 **E: BH BU CR HU MC MD RO SK UK YU**
frivaldszkyi Kraatz, 1876: 344 (*Grammoptera*)
nigrita Heyden, 1876a: 318 [DA]
umbriventris Roubal, 1931c: 131
villosa zhuravlevi Miroshnikov, 2007: 214 **E: ST A: KZ** [see Danilevsky, 2012b]
wewalkai Holzschuh, 1995: 9 **A: TR**
wittmeri akshehrensensis Danilevsky, 2015d: 1043 **A: TR** #129
wittmeri gevashensis Danilevsky, 2015d: 1046 **A: TR** #129
wittmeri malatyaensis Danilevsky, 2015d: 1045 **A: TR** #129
wittmeri sivasensis Danilevsky, 2015d: 1044 **A: TR** #129
wittmeri wittmeri Holzschuh, 1995: 9 **A: TR** [Niğde] #129
genus *Dinoptera* Mulsant, 1863: 494 type species *Leptura collaris* Linnaeus, 1758
anthracina Mannerheim, 1849: 246 (*Pachyta*) **A: FE MG NE NMO SC SE**
chrysomelina Holzschuh, 2003a: 151 **A: SHA**
collaris Linnaeus, 1758: 398 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NE NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG ES GAN IN KZ NMO TR WS**
carneola Schrank, 1798: 696 (*Leptura*)

morio Fabricius, 1793: 349 (*Leptura*)
nigricollis Mulsant, 1839: 247 (*Pachyta*)
ruficollis DeGeer, 1775: 143 (*Leptura*)
sylvestris Geoffroy, 1785: 88 (*Stenocorus*)
concolor Heyden & Faust, 1888: 45 (*Acmaeops*) **A: GG TR**
lota Holzschuh, 1998: 8 **A: GAN SHA** **#350**
minuta criocerina Bates, 1873: 194 (*Acmaeops*) **A: JA**
japonica Pic, 1907d: 20 (*Acmaeops*)
minuta minuta Gebler, 1832: 69 (*Pachyta*) **A: ES FE GUX HEB HEI HEN JIL JIX LIA NC NIN NMO SC SHA SHN SHX ZHE**

genus *Euracmaeops* Danilevsky, 2014i: 147 type species: *Leptura marginata* Fabricius, 1781 **#29**
Acmaeops auct., part. (not LeConte, 1850a)
angusticollis Gebler, 1833: 304 (*Pachyta*) **E: BY CT NT PL A: ES FE JIL JA MG NC NMO SC WS XIN**
amurensis Suvorov, 1915: 346
sachalinensis Tsherepanov, 1978a: 99
subbrachypterus Plavilstshikov, 1915c: 105
viridulus Matsumura, 1911a: 134
marginatus Fabricius, 1781: 247 (*Leptura*) **E: AU BH BY CR CT CZ EN FI FR GE GR HU IT LA LT NL NR NT PL SK SL SP ST SV SZ UK YU A: ES FE GAN KZ MG NMO TR WS**
annulicornis Pic, 1933f: 4
bicoloripes Pic, 1933f: 4
spadiceus Schilsky, 1888: 189
septentrionis C. G. Thomson, 1866: 61 (*Pachyta*) **E: AU BU BY CT CZ EN FI FR GE IT ?LA LS LT NR NT PL RO SK SL ST SV SZ UK A: ES FE KZ MG NC SC WS**
alpestris Pic, 1901f: 25
simplonicus Stierlin, 1880: 550 (*Leptura*)
smaragdulus Fabricius, 1793: 342 (*Leptura*) **[NP] E: BY CT FI FR LT NR NT SV SZ A: ES FE HEI JIL KZ LIA MG NC NMO ?SC SHA WS XIN** **#80**
smaragdinus Naezen, 1792: 173 (*Leptura*) **[NO]**

genus *Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827 **#29**
Evodinus auct. (nec LeConte, 1850b: 325 type species *Leptura monticola* Randall, 1838)
subgenus *Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827
borealis Gyllenhal, 1827: 36 (*Leptura*) **E: BY CT EN FI LA LT NR NT PL SK SV UK A: ES FE JA MG NC NE NMO SC WS**
brunneonotatus Pic, 1901b: 11 (*Brachyta*)
griseus Pic, 1889b: 78 (*Pidonia*)
interruptelunatus G. Schmidt, 1951: 11
lateobscurus Pic, 1901b: 11 (*Brachyta*)
obscurissimus Pic, 1904a: 3
pallens Fujimura, 1956: 2
pictus Mäklin, 1845: 549 (*Pachyta*)
schrammi Pic, 1945b: 6
separatus Pic, 1945b: 6

subgenus *Brachytodes* Planet, 1924: 96 type species *Rhagium clathratum* Fabricius, 1793 **#29**
clathratus Fabricius, 1793: 306 (*Rhagium*) **E: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK YU**
atromultiplicatus Pic, 1945b: 5
atroductus Pic, 1915a: 41
brunnipes Mulsant, 1839: 238
diversesignatus Pic, 1945b: 5
flecki G. Schmidt, 1958: 77
gallicus Pic, 1945b: 5
holobrunneus G. Schmidt, 1958: 77
leprieuri Pic, 1945b: 5
morginsius Pic, 1945b: 5
nigerrimus G. Schmidt, 1958: 74
nigrescens Gredler, 1873: 74 (*Pachyta*)
nigritus Pic, 1891b: 6 (*Brachyta*)
obscuratus G. Schmidt, 1958: 73
pedemontanus K. Daniel & J. Daniel, 1898b: 87 (*Brachyta*)
reticulatus Fabricius, 1794: 453 (*Leptura*)
semicinctus Drapiez, 1819a: 52 (*Leptura*)
signatus Panzer, 1793a: 13 (*Leptura*)
tricoloratus G. Schmidt, 1958: 77
vesubiensis Pic, 1945b: 5

genus *Fallacia* Mulsant & Rey, 1863: 180 type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)
elegans Faldermann, 1837: 319 (*Grammoptera*) **E: CT ST TR A: AB AR GG IN TR**
inapicalis Pic, 1901e: 16
lederi Kraatz, 1879i: 280

longicollis Mulsant & Rey, 1863: 180
mingrelia Kraatz, 1879i: 279
subnotata Pic, 1901e: 16

genus *Gaurotina* Ganglbauer, 1889a: 49 type species *Gaurotina superba* Ganglbauer, 1889
flavimarginata Pu, 1992b: 617 (*Gaurotina*) **A:** SCH
labrangica Danilevsky & Rapuzzi, 1996: 10 **A:** GAN
nigroantennata L. Chen & Chiang, 2000: 31, 35 **A:** JIL TIA
nitida Gressitt, 1951a: 62 **A:** GAN SHA
piligera Pu, 1992b: 591, 617 (*Gaurotina*) **A:** SCH
pulchra Holzschuh, 1991c: 8 **A:** SCH
sichotensis Danilevsky, 1988c: 372 **A:** FE **NC**
superba Ganglbauer, 1889a: 50 **A:** GAN SHA

#355

genus *Gnathacmaeops* Linsley & Chemsak, 1972: 135 type species *Leptura pratensis* Laicharting, 1784
brachypterus K. Daniel & J. Daniel, 1898: 73 (*Acmaeops*) **A:** KI KZ XIN
pratensis Laicharting, 1784: 172 (*Leptura*) **E:** AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT LA LT MC MD NR NT PL
RO SK SL SP ST SV SZ YU UK **A:** AB AR ES FE GG KI KZ MG **NC** NMO ?SC UZ WS XIN **NAR**
lateralis Estlund, 1796: 127 (*Leptura*)
obscuripennis Pic, 1901: 24 (*Acmaeops*)
spretus Lentz, 1857: 147 (*Pachyta*)
suturalis Mulsant, 1839: 246 (*Pachyta*)
strigilatus Fabricius, 1793: 341 (*Leptura*)
ustulatus Motschulsky, 1860b: 148 (*Pachyta*)

#80

genus *Japanocorus* Danilevsky, 2012m: 919 type species *Toxotus caeruleipennis* Bates, 1873
caeruleipennis Bates, 1873: 193 (*Toxotus*) **A:** ~~CH~~ FE JA
galloisi K. Ohbayashi, 1961a: 16 (*Toxotus*)

genus *Lemula* Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a

brunneipennis Shimomura, 1979: 271 **A:** TAI
coerulea Gressitt, 1939b: 84 **A:** FUJ **SHA** TAI ZHE
confusa Holzschuh, 2009a: 268 **A:** FUJ
crucifera Shimomura, 1979: 274 **A:** TAI
cyanipennis Hayashi, 1974a: 3 **A:** TAI
decipiens Bates, 1884a: 212 **A:** ~~FE~~ JA
densepunctata Hayashi, 1974a: 4 **A:** TAI
fracta Holzschuh, 1998: 7 **A:** SCH
gorodinskii *gorodinskii* Holzschuh, 1999: 8 **A:** GAN
gorodinskii *henanica* Holzschuh, 2009a: 269 **A:** HEN
inaequalicollis Pic, 1957: 75 **A:** FUJ TAI
lata Holzschuh, 2009a: 270 **A:** HEN
japonica Tamanuki, 1938b: 166 (*Lemura*) **A:** JA TAI
longipennis Shimomura, 1979: 278 **A:** TAI
nishimurai Seki, 1944a: 25 **A:** JA
hiratai Hayashi, 1944: 23
obscuripennis Shimomura, 1979: 276 **A:** TAI
par Holzschuh, 1998: 6 **A:** YUN
pilifera Holzschuh, 1991c: 8 **A:** SCH
rufithorax Pic, 1901m: 57 **A:** JA
setigera Tamanuki & Mitono, 1939: 207 **A:** TAI
testaceipennis Gressitt, 1939b: 85 **A:** FUJ ZHE
viridipennis Holzschuh, 1993a: 7 **A:** GAN

#350

#419

genus *Macropidonia* Pic, 1901v: 339 type species *Macropidonia ruficollis* Pic, 1901
ruficollis Pic, 1901v: 340 **A:** JA JIL

genus *Pachyta* Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758
Argaleus LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)
Linsleyana Podany, 1964b: 43 type species *Pachyta armata* LeConte, 1873
Neopachyta Bedel, 1906: 93 [RN]
bicuneata Motschulsky, 1860b: 147 **A:** FE GAN HEI JIL NC SC SHA WS
bisbimaculata Pic, 1900f: 17
bisbinotata Pic, 1907b: 5 (*Neopachyta*)
incolumis Heyden, 1886d: 273
degener Semenov & Plavilstshikov, 1936: 393 **A:** NMO
erebia Bates, 1884a: 212 **A:** JA

kusamai Hayashi, 1955: 22
uenoi Makihara, 1995: 451
felix Holzschuh, 2007: 182 **A: XIZ YUN** #74
gorodinski Rapuzzi, 2013: 466 **A: QIN**
lamed lamed Linnaeus, 1758: 391 (*Cerambyx*) **E: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL SV SZ UK A: ES FE GAN-JA JIL MG NC NMO QIN ?SC SHA WS XIN**
pedella DeGeer, 1775: 129 (*Leptura*)
spadicea Paykull, 1800: 103 (*Leptura*)
lamed sasaki Fujita, 2019: 21 **A: JA** #411
mediofasciata Pic, 1936d: 15 **A: HEB JIL NMO QIN SHA**
nigromarginalis Pic, 1939b: 2
subapicalis Pic, 1939b: 1
perlata Holzschuh, 1991a: 6 **A: KA NP**
quadrinaculata Linnaeus, 1758: 397 (*Leptura*) **E: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD NT PL RO SK SL SP ST SZ UK YU A: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN**
basinotata Roubal, 1937: 81
bimaculata Schoenherr, 1817a: 489 (*Leptura*)
mulsanti Pic, 1945b: 5
timida Scopoli, 1763: 53 (*Cerambyx*)

genus *Pachytella* Heyrovský, 1969b: 226 type species *Pachytella mongolica* Heyrovský, 1969
churkini Danilevsky, 2011: 253 **A: MG**
mongolica Heyrovský, 1969b: 227 **A: MG**

genus *Paktoxotus* Holzschuh, 1974a: 84 type species *Paktoxotus pallidus* Holzschuh, 1974
pallidus Holzschuh, 1974a: 86 **A: PA**

genus *Paragaurotes* Plavilstshikov, 1921: 116 type species *Gaurotes ussuriensis* Blessig, 1873
doris doris Bates, 1884a: 212 **A: JA SHA**
amagisana K. Ohbayashi, 1956a: 7
doris suvorovi Semenov, 1914: 17 **A: FE JA**
ussuriensis Blessig, 1873: 247 **A: ES FE HEB HEI JIL LIA NC SC**
donaeioides Kraatz, 1879d: 85 (*Aemaeops*) [unavailable name]

genus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
subgenus *Cryptopidonia* Kuboki, 1981: 530 type species *Pidonia lyra* Kuboki & Suzuki, 1978
aenipennis aenipennis Gressitt, 1935e: 253 (*Pseudopidonia*) **A: TAI**
aenipennis continentalis Tippmann, 1955: 90 (*Pseudopidonia*) **A: FUJ**
albomaculata Matsushita, 1931c: 401 (*Pseudopidonia*) **A: TAI**
amentata amentata Bates, 1884a: 215 (*Grammoptera*) **A: JA**
breuningi Pic, 1955: 12 (*Pseudopidonia*)
staudingeri Pic, 1901c: 12 (*Pseudopidonia*)
amentata awashimana Kuboki, 1993c: 235 **A: JA**
amentata kurosawai K. Ohbayashi & Hayashi, 1960: 13 **A: FE JA**
amentata sadoensis Kuboki, 1993d: 261 **A: JA** #411
anmashana Kuboki, 1993a: 33 **A: TAI**
approximata Kuboki, 1977b: 65 **A: JA**
chiaomui Kuboki, 1995b: 747 **A: TAI**
chui Chou, 1998: 434 **A: TAI**
dealbata Kuboki, 1981: 535 **A: JA**
fushani Kuboki, 1993a: 37 **A: TAI**
hamadryas Kuboki, 1977c: 268 **A: JA**
hayashii Koike, 1971: 25 **A: JA**
hohuanshana Chou, 1998: 438 **A: TAI**
hylophila affinis Kuboki, 1982b: 118 **A: JA**
hylophila hylophila Kuboki, 1977b: 67 **A: JA**
ohdaisana Mizuno, 1978: 39
insuturata Pic, 1901m: 59 **A: JA**
brevinotata Pic, 1902g: 24 (*Pseudopidonia*)
luna Chou & Wu, 2005: 407 **A: TAI**
lyra Kuboki & Suzuki, 1978: 297 **A: JA**
masakii Hayashi, 1955: 28 **A: JA**
hiurai K. Ohbayashi & Hayashi, 1960: 15
lepesmei Pic, 1956b: 647 (*Pseudopidonia*)
miwai Matsushita, 1933b: 190 (*Pseudopidonia*) **A: JA**
nobuoi Chou, 2009: 110 **A: GUX**
pilushana S. Saito, 1979: 211 **A: TAI**

simillima K. Ohbayashi & Hayashi, 1960: 14 **A:** JA
subaenea Gressitt, 1935e: 254 (*Pseudopidonia*) **A:** JIL TAI
taipingshana Kuboki, 1995b: 753 **A:** TAI
takahashii Kuboki, 1983: 25 **A:** TAI
takakuwai Chou, 2009: 113 **A:** GUX
yushana Chou & Wu, 2005: 403 **A:** TAI
subgenus *Mumon* Hayashi, 1968b: 15 type species *Grammoptera debilis* Kraatz, 1789
aegrota aegrota Bates, 1884a: 214 (*Grammoptera*) **A:** JA
aegrota kubokii Hayashi, 1984: 22 [RN] **A:** JA
spectabilis Kuboki, 1982b: 120 [HN]
aegrota telephia Kuboki, 1996b: 805 **A:** JA #411
aestivalis Kuboki, 1994a: 37 **A:** TAI
alsophila Kuboki, 1997a: 19 **A:** TAI
amabilis Kuboki, 1980: 58 **A:** TAI
binigrosignata Hayashi, 1974a: 5 **A:** TAI
chienhsingi Kuboki, 1995a: 5 **A:** TAI
confusa S. Saito, 1980: 294 **A:** TAI
debilis Kraatz, 1879d: 104 (*Grammoptera*) **A:** FE HEI NC SC
formosana Tamanuki & Mitono, 1939: 208 **A:** SCH TAI
pudica Kuboki, 1994a: 33 **A:** TAI
sacrosancta Kuboki, 1995a: 9 **A:** TAI
subgenus *Omphalodera* Solsky, 1873: 244 type species *Omphalodera puziloi* Solsky, 1873
changii Hayashi, 1971: 3 **A:** SHA
diversenotata Pic, 1956b: 648 (*Pseudopidonia*) **A:** JA
heudei Gressitt, 1939b: 86 (*Pseudopidonia*) **A:** SHA ZHE #350
nakabayashii Kuboki, 2014: 181 **A:** JA #167
ogasawarai Kuboki, 2015: 469 **A:** JA #255
puziloi Solsky, 1873: 245 (*Omphalodera*) **A:** FE HEI JA MG NC SC
flaviventris Bates, 1884a: 212 (*Omphalodera*)
sakimori Kuboki, 2015: 466 **A:** JA (Tsushima Is) #255
testacea Matsushita, 1933b: 184 (*Omphalodera*) **A:** JA
warusawadakensis K. Ohbayashi, 1959: 1 **A:** JA
subgenus *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971
chujoi K. Ohbayashi & Hayashi, 1960: 13 **A:** JA
fujisana Obika & Kusama, 1971: 233 **A:** JA
oyamae Oyama, 1908: 19 (*Grammoptera*) **A:** JA
quadrinaculata Matsushita, 1933b: 192 (*Pseudopidonia*)
subgenus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
lurida Fabricius, 1793: 343 (*Leptura*) **E:** AU BE BH BU BY CR CZ EN FR GE GR HU IT LA LS LT MD PL RO SK SL SZ UK
YU
ganglbaueri Ormay, 1888: 168
notaticollis Pic, 1941d: 15
rufithorax Pic, 1902g: 23
— *suturalis* Olivier, 1795: 33 [1797: 521] (*Leptura*) [not a new name]
subgenus *Pseudopidonia* Pic, 1900s: 81 type species *Pseudopidonia amurensis* Pic, 1900
alpina An & Kwon, 1991: 43 **A:** "Korea"
alticollis Kraatz, 1879d: 103 (*Grammoptera*) **A:** CH FE NC SC
rubricollis Pic, 1931f: 257 (*Pseudopidonia*)
rufiventris Plavilstshikov, 1932b: 87 (*Pseudopidonia*)
tristricula Kraatz, 1879d: 104 (*Grammoptera*)
amurensis Pic, 1900s: 81 (*Pseudopidonia*) **A:** FE JIL NC SC SHA
quelpartensis Hayashi, 1983: 32
unifasciata Plavilstshikov, 1915c: 106 (*Pseudopidonia*)
angustata Kuboki, 1994c: 185 **A:** TAI
armata Holzschuh, 1991c: 9 **A:** SCH
atripennis Hayashi, 1978a: 85 **A:** TAI
atritarsis Holzschuh, 2013b: 92 **A:** SCH #43
balteata Holzschuh, 2013b: 88 **A:** SCH #43
benesi Holzschuh, 1998: 15 **A:** SCH
bispina Holzschuh, 1998: 12 **A:** HUB
bivittata S. Saito, 1980: 291 **A:** TAI
bouvieri Pic, 1901v: 339 **A:** ~~TAI~~ JA
rufithorax Pic, 1956b: 647 (*Pseudopidonia*) [HN]
businskyorum Holzschuh, 1998: 13 **A:** HUB
chairi Tamanuki, 1942: 38 **A:** JA
chinensis Hayashi & Villiers, 1985a: 17 **A:** CH
compta Holzschuh, 1998: 16 **A:** GAN

cuprescens Holzschuh, 1991c: 10 **A**: SCH
dentipes Holzschuh, 1998: 8 **A**: SHA
deodara Kuboki, 1986: 63 **A**: TAI
determinata Holzschuh, 1998: 14 **A**: SCH
discoidalis Pic, 1901m: 58 **A**: JA
amagisanus Hayashi, 1953: 39
japonica Pic, 1953a: 14 (*Pseudopidonia*) [HN]
muneaka Hayashi, 1955: 26
tamanukii Hayashi, 1969b: 71
effracta Holzschuh, 1998: 17 **A**: SCH
elegans An & Kwon, 1991: 47 **A**: SC
erlangshana Holzschuh, 2013b: 91 **A**: SCH
exilis Holzschuh, 1991c: 13 **A**: SCH
falcata Kuboki, 1997b: 25 **A**: JA
flaccidissima Kuboki, 1994c: 181 **A**: TAI
formosissima Kuboki, 1980: 55 **A**: TAI
foveolata Holzschuh, 1998: 17 **A**: YUN
frivola Holzschuh, 1998: 14 **A**: SCH
fumaria Holzschuh, 2003a: 155 **A**: SCH
gibbicollis Blessig, 1873: 258 (*Leptura*) **A**: FE HEI JA JIL LIA NC SC
marginata Pic, 1931f: 258 (*Pseudopidonia*)
gloriosa Kuboki, 1993b: 155 **A**: TAI
gorodinskii Holzschuh, 1998: 13 **A**: GAN
grallatrix Bates, 1884a: 214 (*Grammoptera*) **A**: JA
harmandi Pic, 1901m: 58
hamifera Holzschuh, 1998: 10 **A**: SHA
hayakawai Kuboki, 2001: 23 **A**: JA
himehana S. Saito, 1992: 12 **A**: JA
ignobilis Holzschuh, 1991c: 14 **A**: SCH
indigna Holzschuh, 1991c: 12 **A**: SCH
infuscata Gressitt, 1939b: 88 (*Pseudopidonia*) **A**: FUJ ZHE
jasha S. Saito & A. Saito, 1989: 194 **A**: JA
kanwonensis Danilevsky, 1993d: 111 **A**: NC
kyushuensis Yamawaki, 1959: 85 **A**: JA
leucanthophila Kuboki, 1978a: 33 **A**: JA
limbaticollis limbaticollis Pic, 1902g: 27 (*Pseudopidonia*) **A**: JA
naganoensis Pic, 1956b: 648 (*Pseudopidonia*)
nikkokensis K. Ohbayashi & Hayashi, 1957: 7
limbaticollis ohbayashii Matsushita, 1933b: 191 (*Pseudopidonia*) **A**: JA
tokugoana Matsushita, 1933b: 194 (*Pseudopidonia*)
limbaticollis stephani Hayashi, 1982: 152 [RN] **A**: JA
breuningii K. Ohbayashi & Hayashi, 1957: 5 [HN]
longipalpis Kuboki, 1985: 115 **A**: TAI
longipennis An & Kwon, 1991: 50 **A**: SC
lucida Holzschuh, 1991c: 15 **A**: SCH
ludmilae Holzschuh, 1998: 12 **A**: HUB
luridaria Holzschuh, 1998: 16 **A**: SCH
maai Gressitt, 1951a: 73 **A**: FUJ
maculithorax Pic, 1901v: 338 **A**: JA SC
lineatocollis Pic, 1902g: 24
trilineata Pic, 1954a: 3 (*Pseudopidonia*)
major S. Saito, 1979: 214 **A**: TAI
malthinoides Kraatz, 1879d: 104 (*Grammoptera*) **A**: FE NC SC
koreana An & Kwon, 1991: 49
quercus Tsherepanov, 1975b: 38 (*Pseudopidonia*)
maoxiana Holzschuh, 2013b: 89 **A**: SCH
matsushitai K. Ohbayashi, 1958d: 62 [RN] **A**: JA
ruficollis Matsushita, 1933b: 193 (*Pseudopidonia*) [HN]
maura Danilevsky, 1996b: 19 **A**: SC
meridionalis Kuboki, 1978b: 85 **A**: TAI
michinokuensis Hayashi, 1981b: 28 [RN] **A**: JA
japonica K. Ohbayashi & Hayashi, 1960: 15 [HN]
satoi K. Ohbayashi & Hayashi, 1960: 16
mimica Holzschuh, 2017b: 3 **A**: SCH
misenina S. Saito & A. Saito, 1992: 19 **A**: JA
mitis Holzschuh, 1992: 8 **A**: SCH
moderata Holzschuh, 2017b: 4 **A**: SCH

#43

#74

#43

modesta Kuboki, 1997c: 421 **A: JA**
murzini Holzschuh, 2013b: 86 **A: SCH**
mutata Bates, 1884a: 215 (*Grammoptera*) **A: JA**
shikokensis K. Ohbayashi & Hayashi, 1957: 6 [HN]
shikokuana Hayashi, 1968b: 53 [RN]
neglecta hizenae Inasaka & Amano, 2001: 337 **A: JA** (Western Kyushu)
neglecta neglecta Kuboki, 1982a: 7 **A: JA** (Kyushu)
obfuscata Holzschuh, 1991c: 14 **A: SCH**
obscurior hakusana K. Ohbayashi & Hayashi, 1960: 14 **A: JA**
yokoyamai Hayashi, 1968b: 34
obscurior obscurior Pic, 1901v: 338 **A: JA**
bisignata Pic, 1935d: 12 (*Pseudopidonia*)
nagayamai Hayashi, 1968b: 37
occipitalis Gressitt, 1935e: 255 (*Pseudopidonia*) **A: TAI**
oculata Matsushita, 1933b: 191 **A: JA**
ohminesana Mizuno, 1987: 111 **A: JA**
orientalis Matsushita, 1933a: 103 **A: JA**
orophila Holzschuh, 1991a: 6 **A: YUN**
palleola Holzschuh, 1991c: 11 **A: SCH SHA**
pallida K. Ohbayashi & Hayashi, 1960: 14 **A: JA**
pallidicolor Hayashi, 1983: 31 **A: JA**
palligera Holzschuh, 1995: 8 **A: YUN**
palposa Holzschuh, 2017b: 2 **A: SCH**
paradisiacola Kuboki, 1977a: 31 **A: TAI**
pauperula Holzschuh, 1999: 8 **A: SCH**
picta Ganglbauer, 1889a: 51 **A: GAN NMO**
propinqua Danilevsky, 1993e: 477 **A: NC**
pullata Holzschuh, 1998: 11 **A: HUB**
qinlingana Holzschuh, 1998: 11 **A: SHA**
rutila Holzschuh, 1998: 9 **A: HUB**
semiobscura Pic, 1901v: 338 **A: FE JA**
nipponensis Matsushita, 1933b: 190
rufoscutellata Matsushita, 1933b: 192 (*Pseudopidonia*)
serosa Holzschuh, 1991c: 11 **A: SCH**
sertata Holzschuh, 1998: 18 **A: SCH**
seungmoi An & Kwon, 1991: 51 **A: SC**
shikokensis amanoi Hayashi, 1969b: 71 **A: JA**
shikokensis shikokensis Chûjô & Hayashi, 1951: 4 **A: JA**
sichuanica Holzschuh, 1992: 7 **A: SCH**
signata Matsushita, 1933b: 185 **A: JA**
signifera Bates, 1884a: 215 (*Grammoptera*) **A: JA**
similis Kraatz, 1879d: 102 (*Grammoptera*) **A: FE HEI JIL NC SC**
rostri Pic, 1954a: 3 (*Pseudopidonia*)
subobliterata Pic, 1954a: 3 (*Pseudopidonia*)
sororia Holzschuh, 1992: 6 **A: SCH**
straminea Holzschuh, 1992: 6 **A: SCH**
striolata Holzschuh, 2013b: 84 **A: SCH**
submetallica Hayashi, 1974a: 6 **A: TAI**
subsuturalis Plavilstshikov, 1915c: 107 (*Pseudopidonia*) **A: JIL**
suvorovi Baekmann, 1903a: 115 **A: FE NC SC**
suzukii Kuboki, 1983: 113 **A: JA**
sylvicola Kuboki, 1977c: 264 **A: JA**
takechii Kuboki, 1986: 297 **A: JA**
tsukamotoi Mizuno, 1978: 39 **A: JA**
tsushimana S. Saito & A. Saito, 1988: 120 **A: JA**
tsutsuii Kuboki, 1996a: 368 **A: JA**
tsuyukii Kuboki, 1994b: 132 **A: JA**
weolseonae An & Kwon, 1991: 55 **A: SC**
yamato Hayashi & Mizuno, 1953: 38 **A: JA JIL**
higeshiro Yamawaki, 1977: 61

#43

#350

#43

genus *Pseudodinoptera* Pic, 1900s: 82 type species *Acmaeops daghestanicus* Pic, 1897
daghestanica Pic, 1897o: 262 (*Acmaeops*) **E: ST**

genus *Pseudogaurotina* Plavilstshikov, 1958b: 722 type species *Gaurotes splendens* Jakovlev, 1893
splendens Jakovlev, 1893: 444 (*Gaurotes*) **A: ES ?MG**

magnifica Plavilstshikov, 1958b: 720 (*Gaurotus*) **A**: FE
excellens Brancsik, 1874: 230 (*Pachyta*) **E**: PL RO SK UK
robertae Pesarini & Sabbadini, 1997: 99 **A**: SCH

genus *Pseudosieversia* Pic, 1902f: 19 type species *Pidonia rufa* Kraatz, 1879

Macrorhabdium Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)
japonica amanoi Hayashi, 1971: 2 **A**: JA
japonica japonica K. Ohbayashi, 1937: 5 (*Microrhabdium*) **A**: JA
japonica shikokensis Hayashi, 1959b: 55 **A**: JA
rufa Kraatz, 1879d: 101 (*Pidonia*) **A**: FE JIL NC SC
bicolor Heyden, 1886d: 276 (*Pidonia*)
coreana Matsushita, 1935: 539 [HN] #406
coreana Okamoto, 1927: 67 (*Sieversia*)
matsushitai Tamanuki, 1943: 18 [RN]
ruficollis Plavilstshikov, 1915c: 104 (*Macrorhabdium*)
spectabilis Kraatz, 1879h: 228 (*Pidonia*)

genus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758

subgenus *Hagrium* Villiers, 1978: 85 type species *Rhagium bifasciatum* Fabricius, 1775

bifasciatum Fabricius, 1775: 183 **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD
NL NR PL PT RO SK SL SP ST SZ TR UK YU **A**: AB AR GG IN TR

anglicum Gmelin, 1790: 1844 (*Cerambyx*)
bicolor Olivier, 1795: 16 (*Stenocorus*) [69th genus]
bimaculatum Marsham, 1802: 343 (*Leptura*)
bistrinotatum Pic, 1914c: 3
deyrollei Pic, 1909b: 123
ecoffeti Mulsant, 1839: 222
fasciatum Pic, 1910d: 19
gravei Hubenthal, 1902: 291
infasciatum Pic, 1910d: 18
latefasciatum Pic, 1891b: 2
luratum Fügner, 1891: 201 (*Stenocorus*)
maculatum Goeze, 1777: 462 (*Cerambyx*)
medionotatum Pic, 1910d: 20
nigrolineatum Donovan, 1801: 73 (*Leptura*)
ornatum Fabricius, 1775: 183
parisium Geoffroy, 1785: 85 (*Stenocorus*)
rufum Pic, 1910d: 19
~~*sudetica* Plavilstshikov, 1915a: 46~~
unifasciatum Mulsant, 1839: 222

subgenus *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781

causicum causicum Reitter, 1889e: 287 **?E**: ?ST **A**: AB AR GG TR

causicum semicorne Holzschuh, 1974b: 118 **A**: AB IN

elmaliense Schmid, 1999: 157 **A**: TR

fasciculatum Faldermann, 1837: 304 **E**: ST **A**: AB AR GG TR

rufipes Motschulsky, 1838: 184

iranum Heller, 1940: 842 **A**: IN

mordax DeGeer, 1775: 124 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC
MD ME NL NR NT PL RO SK SL SP ST SV SZ UK YU **A**: ES KZ TM WS #126

altajense Podány, 1964a: 15
bifasciatum Schrank, 1781a: 137 (*Leptura*) [HN]
klenkai Pic, 1915e: 4
linnei Laicharting, 1784: 122
morvandicum Pic, 1927e: 10
subdilatum Pic, 1917g: 3
vulgare Samouelle, 1819: 210

pruinsum Pesarini & Sabbadini, 2011: 42 **E**: GR

pygmaeum Ganglbauer, 1882: 718 **A**: AB IN

pygmaeum Ganglbauer, 1886d: 234 (*Stenocorus*)
rostri Pic, 1898b: 18

sycophanta Schrank, 1781a: 137 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT MC MD

NL PL PT RO SK SL SP ST SV SZ TR UK YU **A**: WS

cephalotes Mulsant, 1839: 224

grandiceps C. G. Thomson, 1866: 50

scrutator Olivier, 1795: 10 (*Stenocorus*)

syriacum phrygium K. Daniel, 1906b: 176 **A**: TR

syriacum syriacum Pic, 1892s: cxi [= 1893d: 414] **A**: SY TR

subgenus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758

Allorhagium Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758

Allorhagium Semenov, 1898: 601 [unjustified emendation]

Hargium Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758
femorale N. Ohbayashi, 1994: 175 **A:** JA
fortecostatum Jureček, 1933: 129 **A:** SCH YUN
heyrovskyi hayaka wai Takakuwa, 1984: 9 **A:** JA
heyrovskyi heyrovskyi Podaný, 1964a: 28 **A:** JA
inquisitor cedri Reymond, 1953: 201 **E:** SP **N:** MO
inquisitor fortipes Reitter, 1898e: 357 **A:** TR
inquisitor inquisitor Linnaeus, 1758: 393 (*Cerambyx*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA
LS LT MD NE NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU **A:** ES KZ MG **TR** WS
exile Gmelin, 1790: 1844 (*Cerambyx*)
indagator Fabricius, 1787: 145
iberonis Ericson, 1916: 240
investigator Mulsant, 1839: 227
minutum Fabricius, 1787: 146
nubecula Bergsträsser, 1778: 26 (*Cerambyx*)
— *sudeticum* Plavilstshikov, 1915a: 35
inquisitor rugipenne Reitter, 1898e: 357 **A:** ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE
sibiricum Pic, 1905a: 5
inquisitor schtschukini Semenov, 1898: 601 **E:** ST **A:** AB AR GG TR
minimum Podaný, 1964a: 19
stschukini Plavilstshikov, 1927: 6 [unjustified emendation]
stshukini Plavilstshikov, 1915a: 35 [unjustified emendation]
japonicum Bates, 1884a: 209 **A:** FE JA
morrisonense Kano, 1933a: 262 **A:** TAI
pseudojaponicum Podaný, 1964a: 25 **A:** JA (Tsushima) SC
qinghaiense L. Chen & Chiang, 2000: 32, 36 **A:** QIN
sinense Fairmaire, 1900: 638 (*Hargium*) **A:** HEB SCH

genus *Rhondia* Gahan, 1906a: 79 type species *Leptura pugnax* Dohrn, 1878
Fairmairia Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889
Rhondiomorpha Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931
attelaboides Pesarini & Sabbadini, 1997: 101 **A:** YUN
bicoloripes Pic, 1957: 75 **A:** FUJ
bispinosa Holzschuh, 1998: 7 **A:** SCH
formosa Matsushita, 1931c: 400 **A:** TAI
cyanea Tamanuki & Mitono, 1939: 207
fragosa Holzschuh, 1998: 8 **A:** HUB
maculithorax Pu, 1992b: 618 **A:** SCH **SHA** #350
hubeiensis W.-K. Wang & S.-N. Jiang, 1994: 192
oxyoma Fairmaire, 1889a: 58 (*Pachyta*) **A:** SCH
placida Heller, 1923b: 72 **A:** HUB SCH SHA
pugnax Dohrn, 1878: 459 (*Leptura*) **A:** GUA SCH "North India" **XIZ** **ORR** #74

genus *Sinopidonia* Holzschuh, 1999: 9 type species *Sinopidonia splendida* Holzschuh, 1999
splendida Holzschuh, 1999: 9 **A:** SCH

genus *Sivana* E. Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887
Sieversia Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887
bicolor Ganglbauer, 1887a: 134 (*Sieversia*) **A:** FE HEB LIA NC SC

genus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
subgenus *Anisorus* Mulsant, 1862: 467 type species *Cerambyx quercus* Götze, 1783
brunnescens Holzschuh, 1991a: 5 (*Anisorus*) **A:** TR
heterocerus Ganglbauer, 1882: 139 (*Toxotus*) **A:** SY TR
nigripennis Pic, 1896f: 141 (*Anisorus*)
homocerus K. Daniel, 1900: 139 (*Toxotus*) **A:** TR
quercus aureopubens Pic, 1908b: 2 (*Stenochorus*) **A:** AB AR GG IN TR
aureopubescens Pic, 1912a: 26 [unnecessary RN]
quercus quercus Götze, 1783: 74 (*Cerambyx*) **E:** AU BE BH BU BY CR CT CZ DE FR GE GR HU IT MC MD PL RO SK SL SP ST
SZ UK YU **A:** ES MG TR WS
bajus Schrank, 1798: 692 (*Leptura*)
discolor Fleischer, 1887a: 237 (*Toxotus*)
dispar Panzer, 1794a: 2
humeralis Fabricius, 1787: 158 (*Leptura*) [HN]
magdaleneae Pic, 1891b: 4 (*Toxotus*)
punctipennis Reitter, 1914b: 178 (*Stenochorus*)
unicolor Fleischer, 1887b: 272 (*Toxotus*) [unnecessary RN]
subgenus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758

Endemus Gistel, 1848a: xi [unnecessary RN]
Minaderus Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758
Toxotus Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758
~~— *Toxotopsis* Casey, 1913: 206 type species *Leptura cinnamoptera* Randall, 1838~~
amurensis Kraatz, 1879d: 100 (*Toxotus*) **A:** BEI FE HEI JIL LIA NC SC #74
diversipennis Pic, 1915e: 4 (*Stenochorus*)
lateobscurus Pic, 1904d: 13
obscurissimus Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
sachalinensis Matsumura, 1911a: 133 (*Toxotus*)
auricomus auricomus Reitter, 1890f: 250 (*Toxotus*) **A:** TR
?auricomus latus Pic, 1892s: cxi [= 1893d: 414] (*Toxotus*) [“Haute Syrie”] **A:** TR #69
biformis Tournier, 1872: 342 (*Toxotus*) **A:** GG
fuscodorsalis L. Chen & Chiang, 1996: 189, 191 **A:** JIL
gorodinskii Holzschuh, 1999: 7 **A:** GAN
insitivus insitivus Germar, 1824: 520 (*Leptura*) **E:** ST UK **A:** AB AR GG IN TR
brevevittatus Pic, 1945b: 5 (*Stenochorus*)
? guveni Özdikmen, 2014: 702 [Osmaniye] #69
lividipennis Pic, 1945b: 5 (*Stenochorus*)
nigriventris Pic, 1908b: 2 (*Toxotus*)
? obscuripennis Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
rubriventris Pic, 1915e: 4 (*Stenochorus*)
insitivus persicus Faldermann, 1837: 307 (*Toxotus*) **A:** AB IN
bicoloratus Pic, 1915e: 4
lepturoides Reitter, 1914b: 181 (*Stenochorus*) **A:** FE NE
longevittatus Fairmaire, 1887c: 329 **A:** HEB QIN SHA SHX
meridianus Linnaeus, 1758: 398 (*Leptura*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU **A:** ES KZ WS
bilineatus Pic, 1908i: 58 (*Stenochorus*)
brevilineatus Pic, 1941e: 5
brevesignatus Pic, 1941e: 5
cantharinus Herbst, 1784: 93 (*Rhagium*)
chrysogaster Schrank, 1781a: 132 (*Cerambyx*)
geniculatus Geoffroy, 1785: 86
glabratus Latreille, 1804a: 311 (*Leptura*)
grandis Poda von Neuhaus, 1761: 38 (*Leptura*)
lacordairei Ganglbauer, 1882a (1882b): 715 (37) [unjustified emendation]
lacordairei Pascoe, 1867d: lxxxiv (*Toxotus*)
laevis Olivier, 1795: 21
luteolus L. Petagna, 1819: 37
postsignatus Pic, 1941a: 13
ruficrus Scopoli, 1763: 48 (*Leptura*)
rufiventris Marsham, 1802: 341 (*Leptura*)
sericeus Olivier, 1795: 20
splendens Laicharting, 137 (*Leptura*)
minutus Gebler, 1841a: 375 (*Toxotus*) **A:** KZ MG WS
obscuripes Pic, 1901e: 15 (*Toxotus*)
tataricus Gebler, 1841a: 375 (*Toxotus*)
schizotarsus L. Chen & Chiang, 2002: 125, 127 **A:** GAN
serratus Holzschuh, 1974a: 86 **A:** TR
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [HN – not *vittatus* Fabricius, 1801] [prevailing usage] **A:** KZ XIN #117
obliquus Motschulsky, 1845a: 86 (*Toxotus*)
suworovi Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]
suworovi Reitter, 1907a: 208 (*Toxotus*)
turkestanicus Ganglbauer, 1889b: 280 (*Toxotus*)
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [original spelling]
vittidorsum Reitter, 1890f: 250 (*Toxotus*) **A:** AB AR GG TR
obscurior Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
subgenus *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900)
validicornis alaiensis Pic, 1906b: 6 (*Toxotus*) **A:** KI #213
validicornis karatauensis Danilevsky, 2012m: 920 **A:** KZ
validicornis mediocris Danilevsky, 2012m: 920 **A:** KZ UZ KI
validicornis milkoii Danilevsky, 2014i: 106 **A:** KI #29
validicornis shapovalovi Danilevsky, 2019: 82 **A:** KI #213
validicornis tarbinskyi Danilevsky, 2014i: 106 **A:** KI #29
validicornis univittatus Reitter, 1914b: 183 **A:** KZ KI
validicornis validicornis Pic, 1900f: 16 (*Toxotus*) **A:** KI UZ
alaiensis Pic, 1906b: 6 (*Toxotus*)
genus *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)
reinii Heyden, 1879c: 359 (*Toxotus*) **A:** JA

longicornis Bates, 1884a: 213
nikkoensis Matsushita, 1933b: 175

tribe Rhamnusiini Danilevsky in Althoff & Danilevsky, 1997

genus *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976

melanocephalum Miroshnikov & Lin, 2015: 294 A: YUN

#145

rugosipenne Pic, 1939b: 2 (*Rhamnusium*) A: SHA SHX

#350

shaanxiense Miroshnikov & Lin, 2015: 298 A: SHA

#145

taiwanum Hayashi & Ando, 1976: 2 A: TAI

wuchaoi Miroshnikov & Lin, 2015: 300 A: BEI

#145

genus *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)

algericum Pic, 1896e: 102 N: AG TU

nigrum Pic, 1906e: 27

testaceum Pic, 1896a: 30

bicolor bicolor Schrank, 1781a: 132 (*Cerambyx*) E: AL AU BE BH BU CR CZ EN FI FR GE GR HU IT LU MC MD NL NT PL

RO SK SL SP SZ UK YU

— ~~*ambustum* Heyden, 1877a: 394~~

atripenne Bedel, 1897: 43

aubei Pic, 1929b: 9

capitale Pic, 1898a: 2

etruscum Rossi, 1790: 149 (*Rhagium*)

glaucopterum Schaller, 1783: 284 (*Cerambyx*)

gracilicorne Thérý, 1895: cclxv

humerales Bedel, 1897: 43

inapicale Pic, 1901h: 31

rubroviolaceum Geoffroy, 1785: 86 (*Cerambyx*)

ruficollis Herbst, 1784: 92 (*Stenocorus*)

rufotestaceum Pic, 1913c: 138

salicis Fabricius, 1787: 154 (*Callidium*)

schrunkii Laicharting, 1784: 118 (*Rhagium*)

bicolor constans Danilevsky, 2012e: 48 E: BY CT EN FI KZ LA LT NT ST UK A: KZ

bicolor demagii Tippmann, 1956: 484 E: IT

bicolor graecum Schauffuss, 1862: 311 E: GR

limbatum Pic, 1897c: 30

bicolor italicum G. Müller, 1966: 4 E: IT

bicolor juglandis Fairmaire, 1866b: 276 A: TR

anatolicum Pic, 1901a: 10

delagrangeri Pic, 1901a: 10

geniculatum Pic, 1901a: 10

obscuripes Pic, 1903p: 163

rufotibiale Pic, 1917g: 3

bicolor lenkoranum Danilevsky, 2012e: 53 A: AB AR IN

bicolor pesarinii Rapuzzi, Sama & Sabbadini, 2018: 4 A: TR

#332

bicolor praeustum Reitter, 1895a: 85 A: SY TR

#332

bicolor testaceipenne Pic, 1897p: 299 E: ST A: AR GG TR

mesmini Pic, 1931c: 6

tribe Sachalinobiini Danilevsky, 2010

genus *Sachalinobia* Jakobson, 1899b: 39 type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)

Pseudopachyta Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis* Newman, 1844 (= *Toxotus rugipennis* Newman, 1844)

koltzei Heyden, 1887c: 304 (*Brachyta*) A: ES FE GUA JA LIA NC NMO SC

relata Jakobson, 1899b: 40

tribe Teledapini Pascoe, 1871

genus *Teledapalpus* Miroshnikov, 2000a: 38 type species: *Teledapalpus murzini* Miroshnikov, 2000

cremarius Holzschuh, 1999: 6 (*Teledapus*) A: SHA

hospes Holzschuh, 1999: 6 (*Teledapus*) A: GAN SCH

murzini Miroshnikov, 2000a: 41 A: SCH

zamotajlovi Miroshnikov, 2000a: 41 A: SCH

zlotichini Miroshnikov, 2000a: 41 A: SHA

genus *Teledapus* Pascoe, 1871: 268 type species *Teledapus dorcadioides* Pascoe, 1871

celsicola Holzschuh, 1999: 5 A: XIZ

dorcadioides Pascoe, 1871: 269 A: UP

ocularis Holzschuh, 1981: 94 A: PA

pictus Holzschuh, 2003a: 149 A: SCH

pilosellus Holzschuh, 2007: 181 A: SCH
querceti Holzschuh, 2007: 180 A: UP

tribe Xylosteini Reitter, 1913

genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6 type species *Encyclops x-signata* Chiang, 1981
x-signata Chiang, 1981: 78 (*Encyclops*) A: HUN SCH

genus *Leptorhabdium* Kraatz, 1879e: 118 type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)
Leptorhabdium Ganglbauer, 1882: 686 [unjustified emendation]
Psilorhabdium Kraatz, 1879e: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879
caucasicum Kraatz, 1879e: 118 (*Psilorhabdium*) E: ST A: AB AR GG TR
illyricum Kraatz, 1871d: 415 (*Xylosteus*) E: AL BH CR GR MC SL YU
gracile Kraatz, 1873b: 202 (*Xylosteus*)
lividipenne Pic, 1906b: 4
nitidum Holzschuh, 1974a: 83 E: GR MC

genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283 type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986
bangzhui N. Ohbayashi & W.-K. Wang, 2004: 452 A: HEN HUB [Bi et N. Ohbayashi, 2014]
wenhshini Bi et N. Ohbayashi, 2014: 14 A: HAI

genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288 type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986
kuceraei Holzschuh, 2015c: 471 A: NP #109
kurosawai N. Ohbayashi & Shimomura, 1986: 288 A: SD
motuoensis Bi et N. Ohbayashi, 2014: 11 A: XIZ
yadongensis Bi et N. Ohbayashi, 2014: 10 A: XIZ

genus *Peithona* Gahan, 1906a: 71 type species *Peithona prionoides* Gahan, 1906
prionoides Gahan, 1906a: 72 A: FUJ GUA SD TAI ORR

genus *Xylosteus* Frivaldszky von Frivald, 1837: 180 type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837
bartoni bartoni Obenberger & Mařan, 1933: 131 [RN] E: BU GR MC
merkli Pic, 1913c: 178 [Rhilo Dag] [HN]
[?]*bartoni migliaccioi* Rapuzzi & Sama, 2018: 2 E: BU GR #332
caucasicola Plavilstshikov, 1936: 496 E: ST A: GG TR (Artvin)
kadlecii Miroshnikov, 2000a: 38 A: TR
spinolae Frivaldszky von Frivald, 1837: 180 E: AU BH BU CR IT MC RO SL TR YU
merkli Pic, 1910h: 66
rufiventris Germar, 1844: 16 (*Rhagium*)

subfamily Necydalinae Latreille, 1825

genus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
subgenus *Eonecydalis* Ohbayashi, 1961: 17 type species *Necydalis formosana* Kano, 1933
bicolor Pu, 1992a: 221 A: GUX
formosana formosana Kano, 1933a: 270 A: TAI
maculipennis Pu, 1992a: 221 A: XIZ
niimurai Hayashi, 1949b: 14 A: JA #411
matsudai Hayashi, 1949b: 16
subgenus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
Gymnopterion Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758
— *Necydalis* Gistel, 1856: 376 type species *Necydalis major* Linnaeus, 1758
choui Niisato, 2004: 430 A: GUX
christinae Rapuzzi & Sama, 2014a: 2 A: TR
esakii Miwa & Mitono, 1937: 161 A: TAI
fujianensis Niisato & Pu, 1998: 446 A: FUJ
gigantea akiyamae Hayashi, 1978a: 87 A: JA
gigantea gigantea Kano, 1933a: 271 A: FE JA
marginalis K. Ohbayashi, 1948: 14
hirayamae flava Niisato, 2008a: 261 A: YUN
hirayamae hirayamae K. Ohbayashi, 1948: 13 A: TAI
~~*hirayamae rufa* Niisato, 2008a: 261 A: YUN [never published!]~~
inermis Pu, 1992a: 221 A: GAN QIN
lateralis Pic, 1939b: 2 A: BEI HEB
major Linnaeus, 1758: 421 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NL NR NT PL RO
SK SP ST SV SZ UK YU A: AB GG ES FE ?IN JA KZ MG NC WS XIN

abbreviata Fabricius, 1775: 199 (*Leptura*)
aino Kusama, 1974: 54
altaica Pic, 1941b: 2
duponti Mulsant, 1839: 299 (*Molorchus*)
ichneumonea DeGeer, 1775: 148
majus Schrank, 1798: 688 (*Gymnopterion*)
populi Büttner, 1818: 245 (*Molorchus*)
rufiventris Pic, 1941b: 2
salicis Mulsant, 1839: 112
subnotata Pic, 1941b: 1
xantha Semenov, 1899b: 132
marginipennis Gressitt, 1948a: 47 A: SCH
mizunumai Kusama, 1974: 51 A: TAI
moriyai *moriyai* Kusama, 1970: 73 A: JA #411
moriyai tamakii Masafumi, 2014: 32 A: JA #169
nanshanensis Kusama, 1974: 52 A: TAI
niisatoi Holzschuh, 2003a: 167 A: SCH YUN
rufiabdominis S.-C. Chen, 1991: 345 A: HUB
sabatinellii Sama, 1994a: 10 A: TR
sericella Ganglbauer, 1889a: 46 A: SCH XIZ
shinborii hainana Niisato & Yagi, 2005: 143 A: HAI
[shinborii shinborii] Takakuwa & Niisato, 1996: 81 ORR (N. Vietnam)
sirexoides Reitter, 1902a: 82 A: IN
siricoides Semenov, 1902: 287 [unjustified emendation]
strnadi Holzschuh, 1989a: 156 A: GUA HAI ORR
nigra Pu, 1992a: 220
similis Pu, 1992a: 220
uenoi Niisato, 2004: 425 A: SCH
ulmi Chevrolat, 1838: 76 (*Molorchus*) [NP] E: AU BH BU BY CR CZ FR GE GR HU IT LA LT MC MD PL RO SK SP ST SZ TR
 UK YU A: AB AR GG ?IN TR
annulata L. Petagna, 1819: 19 (*Molorchus*) [NO]
mesembrina Plavilstshikov, 1936: 467
hadullai Szallies, 1994: 260
panzeri Harold, 1876c: 174
yakushimensis Kusama, 1975: 22 [RN] A: JA
brevicornis Yokoyama, 1971: 93 [HN]
subgenus *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)
harmandi *harmandi* Pic, 1901v: 340 A: JA #411
harmandi ogasawarai Fujita, 2019: 25 A: JA #411
indica Pic, 1912d: 19 A: PA
indicola Gardner, 1941: 57 [RN] A: UP
indica Gardner, 1936: 128 [HN]
kucerae Niisato, 2007a: 20, 23 A: UP
oblonga Niisato, 2008a: 257 A: YUN
odai Hayashi, 1951b: 76 A: JA
nepalensis Niisato & Weigel, 2006: 491 A: NP
pennata Lewis, 1879b: 464 A: FE JA NC NE SC
ebenina Bates, 1884a: 225
eo Plavilstshikov, 1936: 470
morio Kraatz, 1879d: 106
pacifica Plavilstshikov, 1936: 472
semenovi Plavilstshikov, 1936: 475
ussuriensis Plavilstshikov, 1936: 473
sachalinensis akitai Fujita, 2019: 25 A: JA #411
sachalinensis sachalinensis Matsumura & Tamanuki, 1927: 176 A: FE JA SC #411
solida Bates, 1884a: 225 A: JA
galloisi Matsumura & Tamanuki, 1927: 176
nikkoensis Matsumura & Tamanuki, 1927: 175
towadensis Matsumura & Tamanuki, 1927: 176
genus *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854
vacca Holzschuh, 1982a: 65 A: BT SCH SHA YUN XIZ [see: Lin & Tichý, 2014]
fulvus Pu, 1988: 303 [see: Lin & Tichý, 2014]

subfamily **Spondylidinae** Audinet-Serville, 1832

tribe **Anisarthrini** Mamaev & Danilevsky, 1973

genus *Anisarthron* Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781

Falsanoeme Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971

barbipes Schrank, 1781a: 148 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SZ UK YU

cyrus Villiers, 1971: 154 (*Falsanoeme*) **A**: AB IN

genus *Alocerus* Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiicum* Frivaldszky von Frivald, 1837)

Cyamophthalmus Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiicum* Frivaldszky von Frivald, 1837)
marcoi Sama, 1987: 46 **N**: MO

moesiicum Frivaldszky von Frivald, 1837: 177 (*Callidium*) **E**: BH BU CR GR ITi MC PT SP TR **N**: AG MO TU **A**: CY IN IQ IS
JO LE SY TR

ferrugineus Kraatz, 1863: 100 (*Cyamophthalmus*)

fulvus Mulsant, 1862: 128

nitidus Fairmaire, 1864b: 340 (*Cyamophthalmus*)

syriacus Chevrolat, 1882: 59 (*Smodicum*)

genus *Schurmannia* Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979

sicula Sama, 1979a: 369 **E**: IT (Sicilia)

tribe Asemini J. Thomson, 1861

genus *Arhopalus* Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758

Criocephalus Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758

Criocephalum Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758

Hylescopus Gistel, 1856: 376 [unnecessary substitute name]

angustus Gressitt, 1951a: 36 **A**: JIA SHA

biarcuatus Pu, 1981: 427 **A**: XIZ

brunneus Gardner, 1942: 67 (*Criocephalus*) **A**: UP

cavatus Pu, 1981: 428 **A**: XIZ

coreanus Sharp, 1905a: 153 (*Criocephalus*) **A**: JA NC NE SC

deceptor Sharp, 1905a: 151 (*Criocephalus*) **A**: XIZ

exoticus Sharp, 1905a: 159 (*Criocephalus*) **A**: NP SHA TAI YUN **ORR**

ferus Mulsant, 1839: 64 (*Criocephalus*) **E**: **AL** AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MA MC

MD NL NT PL PT RO SK SL SP ST SV SZ UK **N**: AG MO MR TU **A**: AB AR ES CY FE GG IS JO KZ **LE NO NE SY TR**

WS **AUSi**

[see: Siering, 2014a]

#285

dichrous Mandl, 1972: 159

epibatus Schiödt, 1864: 521 (*Criocephalum*)

polonicus Motschulsky, 1845a: 88 (*Criocephalum*)

foveatus Chiang, 1963: 64 **A**: FUJ XIZ YUN

pinetorum Wollaston, 1863: 103 **N**: CI

rusticus **rusticus** Linnaeus, 1758: 395 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS

LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ **TR** UK **A**: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI HUB **IN**

JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN **TD** TR WS YUN ZHE **N**: MO **AUSi NTRi**

#246

coriaceus Motschulsky, 1845a: 89 (*Criocephalum*)

lugubris Gmelin, 1790: 1847 (*Cerambyx*)

hispanicus Sharp, 1905a: 157 (*Criocephalus*)

pachymerus Mulsant, 1839: 64 (*Criocephalus*)

tristis Fabricius, 1787: 154 (*Callidium*)

tibetanus Sharp, 1905a: 159 (*Criocephalus*) **A**: **BT** NP PA XIZ [Holzschuh, 1977]

tobirensis Hayashi, 1968a: 20 **A**: JA

genus *Asemum* Eschscholtz, 1830: 66 type species *Cerambyx striatus* Linnaeus, 1758

Liasenum Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873

Onychoplectes Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758

arisanum Kano, 1930: 42 **A**: TAI

lucidulum Pesarini & Sabbadini, 1997: 99 **A**: SCH

punctulatum Blessig, 1872: 182 **A**: FE HEI JA **NC** SC XIN

striatum **striatum** Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA

LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ UK **A**: AB AR ES FE GG HEI **JA** JIL KI KZ **LIA** MG NC NMO SC

WS TR XIN ZHE **NAR NTR**

#74

agreste Fabricius, 1787: 152 (*Callidium*)

amputatum Casey, 1912: 259

amurense Kraatz, 1879d: 97

atrum Eschscholtz, 1830: 66

brevicorne Casey, 1912: 261

brunneum Haldeman, 1847: 35

buprestoides Savenius, 1825: 64 (*Callidium*)

carolinum Casey, 1924: 227

costulatum Casey, 1912: 260

curtipenne Casey, 1912: 258

dichroum Gmelin, 1790: 1846 (*Cerambyx*)

ebenum Casey, 1912: 258

- fulvipenne* Casey, 1912: 260
fuscum Haldeman, 1847: 36
gracilicorne Casey, 1912: 258
ishidai Fujita, 2019: 21 (Hokkaido) #411
japonicum Matsushita, 1933b: 235 (Honshu) #411
juvencum Haldeman, 1847: 36
limbatipenne Pic, 1916a: 10
moestum Haldeman, 1847: 35
obsoletum Haldeman, 1847: 35
parvicorne Casey, 1912: 260
pugetanum Casey, 1912: 261
stocktonense Casey, 1924: 227
substriatum Haldeman, 1847: 36
subsulcatum Motschulsky, 1860b: 152 (Nord de la Sibirie) #411
tomentosum Plavilstshikov, 1915c: 108
theresae Pic, 1945b: 6
tenuicorne **tenuicorne** Kraatz, 1879d: 97 **E:** GR IT SP ST SV (Gotska Sandön) UK **A:** ?GG ?TR
tenuicorne claricostulatum Özdikmen & Aytar, 2012c: 1253 **A:** TR
— *semilividum* Pic, 1893d: 417
- genus *Cephalallus* Sharp, 1905a: 148** type species *Cephalallus oberthueri* Sharp, 1905
oberthueri Sharp, 1905a: 148 **A:** AP FUJ GUX HUB JIX TAI XIZ YUN #182
unicolor ryukyuensis Makihara, 2003: 353 **A:** JA (Ryukyus) #411
unicolor unicolor Gahan, 1906a: 97 (*Criocephalus*) **A:** FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI
YUN ZHE **ORR**
projectus Okamoto, 1927: 63 (*Megasemum*)
sharpi Reitter, 1913a: 43 (*Megasemum*)
- genus *Cephalocrius* Sharp, 1905a: 148** type species *Criocephalus syriacus* Reitter, 1895
syriacus Reitter, 1895a: 86 (*Criocephalus*) **E:** AL AZ CR FR GR IT PT SP **N:** AG CI MO MR TU **A:** CY IS JO LE SY TR **AUS:**
NTRi
- genus *Megasemum* Kraatz, 1879d: 97** type species *Megasemum quadricostulatum* Kraatz, 1879
quadricostulatum Kraatz, 1879d: 98 **A:** FE FUJ HEI HUB JA JIX NC SC SHA TAI
brevior Pic, 1901c: 11
— *sharpi* Reitter, 1913a: 43
- tribe Atimiini LeConte, 1873
- genus *Atimia* Haldeman, 1847: 56** type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)
Myctus Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937
chinensis Linsley, 1939: 76 **A:** ZHE
esakii Hayashi, 1974a: 15 **A:** TAI
juniperi Holzschuh, 1984c: 340 **A:** NP
maculipuncta Semenov & Plavilstshikov, 1937: 253 (*Myctus*) **A:** MG NMO
nadezhdae Tsherepanov, 1973: 80 **A:** FE **NC SC** #80
okayamensis Hayashi, 1972: 26 **A:** JA
fujimurai Hayashi, 1972: 26
truncatella Holzschuh, 2007: 179 **A:** SHA YUN
- genus *Proatimia* Gressitt, 1951a: 41** type species *Proatimia pinivora* Gressitt, 1951
pinivora Gressitt, 1951a: 42 **A:** YUN
- tribe Nothorhinini Zagaikovich, 1991
- genus *Nothorhina* L. Redtenbacher, 1845: 109** type species *Callidium muricatum* Dalman, 1817
gardneri Plavilstshikov, 1934b: 1 **A:** UP
punctata Fabricius, 1798: 149 (*Callidium*) **E:** AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST
SV UK **A:** JA KZ TR WS
muricata Dalman, 1817b: 193 (*Callidium*)
scabricollis W. Redtenbacher, 1842: 24 (*Callidium*)
- tribe Saphanini Gistel, 1848
- Saphaninae, Burakovski, 1990: 104; Özdikmen, 2012a: 52
- genus *Drymochares* Mulsant, 1847d: 518** type species *Drymochares truquii* Mulsant, 1847
cavazzutii cavazzutii Sama & Rapuzzi, 1993: 288 **A:** AR GG TR
? pubescens Pic, 1907g: 111 (*Drymochares*) [Trébizonde]
cavazzutii ivani Sama & Rapuzzi, 1993: 287 **E:** TR
cylindraceus Fairmaire, 1849: 475 (*Saphanus*) **E:** PT SP

starcki Ganglbauer, 1888f: 398 **E**: ST **A**: GG
truquii Mulsant, 1847d: 519 **E**: FR IT
rufipes Pic, 1930c: 6

genus *Oxypleurus* Mulsant, 1839: 57 type species *Oxypleurus nodieri* Mulsant, 1839
nodieri Mulsant, 1839: 57 **E**: CR BH FR GR IT PT SP UK **N**: AG CI MO MR TU **A**: GG TR
bewickii Wollaston, 1857: 126 (*Blabinotus*)
pinicola Wollaston, 1863: 102
scutellaris A. Costa, 1855: 38

genus *Saphanus* Audinet-Serville, 1834b: 81 type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)

kadleci Rapuzzi & Sama, 2014a: 4 **A**: TR [Sakarya]
piceus bartolonii Sama & Rapuzzi, 1993: 283 **E**: GR
piceus ganglbaueri Brancsik, 1886: 71 **E**: AL BH BU MC TR YU
piceus piceus Laicharting, 1784: 56 (*Callidium*) **E**: AU BH BU CR CZ FR GE GR HU IT PL RO SK SL SZ UK YU
rufipes Pic, 1908l: 72
spinosus Fabricius, 1793: 320 (*Callidium*)
sudeticus C. F. W. Richter, 1820: pl. 10 (*Prionus*)

tribe Spondylidini Audinet-Serville, 1832

genus *Spondylis* Fabricius, 1775: 159 type species *Attelabus buprestoides* Linnaeus, 1758
Sphondyla Illiger, 1804: 115 [unjustified emendation]
Sphondylis Gistel, 1848a: 129 [unnecessary substitute name]
Spondylus C. G. Thomson, 1866: 17 [unjustified emendation]
buprestoides Linnaeus, 1758: 388 (*Attelabus*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU
MC MD NL NR NT PL PT RO SK ST SL SP SV SZ UK YU **N**: MO **A**: AB ANH AR ES FE FUJ GG GUA GUI HAI HEB
HEI HEN HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA TAI TR WS YUN ZHE
elongatum Latreille, 1829: 107
maxillosus DeGeer, 1775: 84 (*Cerambyx*)
sinensis Nonfried, 1892a: 92
zwerigi Bodemeyer, 1927: 43

tribe Tetropiini Seidlitz, 1891

genus *Tetropium* Kirby, 1837: 174 type species *Tetropium cinnamopterum* Kirby, 1837
Criomorphus Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)
aquilonium Plavilstshikov, 1940a: 37 **E**: FI NT SV **A**: WS
castaneum Linnaeus, 1758: 396 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
LU MD NL NR NT PL RO SK SL SP ST SV SZ UK YU **A**: AB **AR** ES FE FUJ GAN GG HEB HEI JA JIL KZ MG **NC** NIN
NMO QIN SC SHA SHX **TR** WS XIN YUN ZHE
atricorne Pic, 1931f: 258
aulicum Fabricius, 1775: 190 (*Callidium*)
curiale Panzer, 1789: 29 (*Callidium*)
fulcratum Fabricius, 1793: 320 (*Callidium*)
inpressum Paykull, 1800: 84 (*Callidium*)
luridum Linnaeus, 1767: 634 (*Cerambyx*)
parcum Sharp, 1905b: 272 **#252**
ruficrum Schrank, 1789: 77 (*Callidium*)
confragosum Holzschuh, 1981: 93 **A**: BT
danilevskyi Sláma, 2005: 1 **A**: ES
fusum *fusum* Fabricius, 1787: 154 (*Callidium*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR **GB** GE HU IT LA LS LT MD NL
NR NT PL RO SK SL ST SV SZ UK YU **A**: GG KZ **TR** WS XIN **NAR** **#37**
arvense Panzer, 1789: 30 (*Callidium*)
fusum lapponicum Sláma M. 2015c: 1126 **E**: FI **#132**
gabrielii Weise, 1905e: 136 **E**: AU BE BY **?CT**(Kaliningrad Reg.) CZ DE **FR** GB GE HU IT IR LS LU NL PL SL SV SK SZ UK
NARi
crawshayi Sharp, 1905b: 271
gracilicorne Reitter, 1889e: 287 **E**: CT NT **A**: ES FE JA KZ MG **NC** NE NMO **SC** WS XIN **#80**
altajense Pic, 1902c: 9
rubripes Pic, 1902c: 9
gracilicum Hayashi, 1983: 29 **A**: FE HEI JA
laticolle Podány, 1967: 38 **A**: SCH
morishimaorum Kusama & Takakuwa, 1984: 149 **A**: JA NC
oreinum Gahan, 1906a: 95 **A**: HP KA NP SCH **UP** XIN XIZ **ORR** **#183**
lobbichleri Harde, 1959: 1
scabriculum Holzschuh, 1993a: 7 **A**: SCH
staudingeri Pic, 1901b: 11 **A**: BT KI KZ UZ XIN

—*laticolle* Podany, 1967: 38
—*obscuripenne* Semenov, 1907c: 264
tjanshanicum Semenov, 1907c: 263
tauricum Shapovalov, 2007: 71 **E**: UK

subfamily **Apatophyseinae** Lacordaire, 1869

tribe **Apatophyseini** Lacordaire, 1869

genus *Agastophysis* Miroshnikov, 2014a: 25 type species *Toxotus griseopubens* Pic, 1957

griseopubens Pic, 1957: 75 (*Toxotus*) **A**: YUN

[*meiyingae* Miroshnikov, 2014a: 27 – unavailable (no materials published)]

[*meiyingae* Miroshnikov in Miroshnikov & Lin, 2014: 120 – unavailable (description not published)]

meiyingae Miroshnikov, 2014d: 196 **A**: XIZ

genus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

subgenus *Angustephysis* Pic, 1956a: 2 type species *Apatophysis richteri* Pic, 1956

danczenkoi Danilevsky, 2006c: 5 **A**: IN

farsicola Sama, Fallahzadeh & Rapuzzi, 2005: 124 **A**: IN

margiana Semenov & Shchegoleva-Barovskaya, 1936: 77 **A**: **AF** KZ TM UZ

#360

plavilstshikovi Miroshnikov, 1992: 392

modica Gahan, 1906a: 71 **A**: **AF** IN PA

richteri Pic, 1956a: 2 **A**: IN

subgenus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

anatolica Heyrovský, 1938: 93 **A**: TR

afghanica Miroshnikov, 2014a: 14 **A**: **AF** PA

#94

baeckmanniana Semenov, 1907a: 223 **A**: KI KZ UZ

barbara P. H. Lucas, 1858: clxxix (*Polyarthron*) **N**: AG TU

ocularis Pic, 1901b: 9

toxotoides Chevrolat, 1860a: 96

caspica Semenov, 1901: 31 **E**: ST **A**: AB **AF** GG IN KZ TM UZ

centralis Semenov, 1901: 32 **A**: XIN

hotanica Danilevsky, 2008b: 35 **A**: XIN

insolita Miroshnikov et Lin, 2017: 208 **A**: HEN HUN JIA SCH ZHE

#305

kadleci Danilevsky, 2008b: 29 **A**: TR

karsica Danilevsky, 2008b: 28 **A**: TR

kashgarica Semenov, 1901: 29 **A**: XIN

katbehi Rapuzzi & Sama, 2013: 682 **A**: JO SY

komarowi Semenov, 1889a: 401 **A**: AB TD TM

niisatoi Miroshnikov et Lin, 2017: 202 **A**: SCH

pavlovskii Plavilstshikov, 1954: 470 **A**: TD UZ

roborowskii Semenov, 1901: 29 **A**: XIN

serricornis Gebler, 1843: 39 (*Pachyta*) **A**: **GUA** KZ MG NMO XIN

#305

kadyrbekovi Kadlec, 2006a: 1

mongolica Semenov, 1901: 28

obtuscollis Motschulsky, 1860d: 538 [1861: 444] (*Psilotarsus*)

tomentosa Gebler, 1845: 105 (*Toxotus*)

sieversi Ganglbauer, 1887c: 21 **A**: BEI **HEB** HEN LIA SCH **SHN**

#305

sinica Semenov, 1901: 30 **A**: SCH

vedica Danilevsky, 2008b: 26 **A**: AR TR

xizangensis Miroshnikov et Lin, 2017: 188 **A**: XIZ

#305

genus *Formosotoxotus* Hayashi, 1960a: 1 type species *Artelida asiatica* Matsushita, 1933 (= *Toxotinus auripilosus* Kano, 1933)

auripilosus Kano, 1933a: 263 (*Toxotinus*) **A**: TAI

asiaticus Matsushita, 1933b: 172 (*Artelida*)

gressitty Miroshnikov & Lin, 2014: 117 **A**: XIZ

kucerai Rapuzzi & Sama, 2014a: 3 **A**: SHA

masatakai N. Ohbayashi, 2007: 200 **A**: SD

nobuoi Vives & Niisato, 2006: 273 **A**: NP

genus *Protapatophysis* Semenov & Stschegoleva-Barovskaia, 1936: 26 type species *Apatophysis kashmiriana* Semenov, 1901

kabakovi Danilevsky, 2011e: 102 **A**: **AF**

kashmiriana Semenov, 1901: 29 **A**: KA

montana Gahan, 1906a: 71 **A**: KA

vartianae Heyrovský, 1971: 81 **A**: **AF** PA

#258

genus *Trypogeus* Lacordaire, 1869: 236 type species *Trypogeus albicornis* Lacordaire, 1869

Paranthophylax Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951
aureopubens Pic, 1903i: 121 (*Toxotus*) **A: YUN ORR**
sericeus Gressitt, 1951a: 50 (*Paranthophylax*) **A: FUJ SCH** [see Vives, 2015]

subfamily Cerambycinae Latreille, 1802

tribe Achrysonini Lacordaire, 1868

genus *Crotchiella* Israelson, 1985: 475 type species *Crotchiella brachyptera* Israelson, 1985
brachyptera Israelson, 1985: 476 **E: AZ**

genus *Icosium* P. H. Lucas, 1854: viii type species *Icosium tomentosum* P. H. Lucas, 1854
Cluvia Stel, 1857b: 63 type species *Cluvia chevrolati* Stel, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)
tomentosum atticum Ganglbauer, 1882: 743 **E: BH BU CR CY FRi GR IT MA A: AB CY JO IS SY TR** #98
tomentosum tomentosum P. H. Lucas, 1854: ix **E: MA PT SP IT N: AG LB MO TU**
chevrolati Stel, 1857b: 63 (*Cluvia*)

genus *Nortia* J. Thomson, 1864: 252 type species *Nortia cavicollis* J. Thomson, 1864

afghanica Heyrovský, 1967b: 158 **A: AF**
carinicollis carinicollis Schwarzer, 1925a: 20 **A: FUJ GUX JA TAI** #411
carinicollis hanatanii Fujita, 2019: 26 **A: JA** #411
carinicollis kobayashii Fujita, 2019: 26 **A: JA** #411
carinicollis prunicollis Gressitt, 1965: 61 **A: JA** #411
fuscata Holzschuh, 2005: 1 **A: NP UP**
geniculata geniculata Pic, 1932e: 32 (*Falsostromatium*) **A: HAI ORR**
geniculata satsumana Niisato & N. Ohbayashi, 2005: 293 **A: JA**
kusuii Kusama & Nara, 1974: 121 **A: JA**
planicollis Gressitt, 1942h: 206 **A: HKG**

genus *Pufujia* Holzschuh, 1995: 16 type species *Nortia luteosignata* Pu, 1991
luteosignata Pu, 1991c: 281 (*Nortia*) **A: GAN**

tribe Anaglyptini Lacordaire, 1868

genus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758

subgenus *Aglaophis* J. Thomson, 1857f: 315 type species *Aglaophis fasciata* J. Thomson, 1857

Epodus Chevrolat, 1863b: 335 type species *Epodus humerosus* Chevrolat, 1863
Metaglaophis K. Ohbayashi, 1960b: 10 type species *Aglaophis colobotheoides* Bates, 1884a
colobotheoides Bates, 1884a: 235 (*Aglaophis*) **A: FE JA NC NE SC**
angustefasciatus Heyden, 1884: 297 (*Aglaophis*)
arakawai Kano, 1933a: 276
decemmaculatus Gressitt, 1935c: 185 (*Aglaophis*) **A: FUJ TAI**
fasciatus J. Thomson, 1857f: 316 (*Aglaophis*) **A: NP SD**
humerosus Chevrolat, 1863b: 336 (*Epodus*) **A: "India"**
nokosanus Kano, 1930: 46 (*Aglaophis*) **A: FUJ HUB TAI ZHE** #74
producticollis Gressitt, 1951a: 307 **A: FUJ TAI**
rufobasalis Tippmann, 1955: 115 (*Anaglyptus*) **A: FUJ**
subgenus *Akajimatora* Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933
bellus bellus Matsumura & Matsushita, 1933a: 105 **A: JA** #368
dentatipennis Pic, 1935b: 14 (*Oligoenoplus*)
isolatus Gressitt, 1951a: 304 **A: HUB SCH** #368
lizhigangi Bi & Niisato, 2018: 785 **A: ZHE** #368
meridionalis Matsushita, 1933b: 291 **A: TAI**
ikadaii Seki, 1939: 309
subgenus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758
abieticola Holzschuh, 2003b: 307 **A: BT NP**
ambiguus Holzschuh, 1992: 44 **A: YUN**
annulicornis Pic, 1933f: 6 (*Oligoenoplus*) **A: GUI SCH ?YUN** #33
arabicus Küster, 1847c: 95 (*Clytus*) **E: ST A: ?AB AR GG TR**
deyrollei Tournier, 1872: 277
arakawae amamiensis Fujita, 1980: 14 **A: JA**
arakawae arakawae Kano, 1933a: 276 (*Aglaophis*) **A: JA**
arakawae kumagensis Fujita, 1980: 14 **A: JA**
arcanus Miroshnikov, Bi et Lin, 2014: 256 **A: XIZ** #33
bicallosus Kraatz, 1882c: 335 (*Clytus*) **A: TD UZ**
confusus Holzschuh, 1999: 42 **A: XIZ**
croesus Pesarini & Sabbadini, 1997: 47 **A: TR**
danilevskii Miroshnikov, 2000b: 77 **A: AB AR GG IN TR**

dolosulus Holzschuh, 2006c: 484 **A**: UP
elegantulus Miroshnikov, Bi et Lin, 2014: 256 **A**: YUN #33
flavus Viktora, Tichý & Rapuzzi, 2013: 81 **A**: XIZ
ganglbaueri Reitter, 1886: 67 **A**: AB IN
natae Lobanov, 1994b: 868
persicus Pic, 1906b: 10
persicus Reitter, 1906b: 298 [HN]
gibbosus Fabricius, 1787: 156 (*Callidium*) **E**: BH CR FR GR HU IT SL SP SZ YU **N**: AG TU
immaturus Pic, 1898a: 12
mysticoides Wagner, 1927b: 96 [HN]
obscuricornis Pic, 1898a: 12
rufotinctus Pic, 1945b: 7
wagneri Pic, 1928c: 6 [RN]
gressitti Holzschuh, 1999: 42 **A**: FUJ GUA GUX HUB JIX SHX ZHE [see Viktora & Tichý, 2015a] #74
higashiyamai Makihara & Hayashi, 1987: 62 [RN] **A**: TAI
hirsutus Makihara & Hayashi, 1987: 5 [HN]
kanssuensis Ganglbauer, 1889a: 71 **A**: GAN HEN SCH [see Viktora & Tichý, 2015a]
longispinis Gardner, 1939: 9 (*Aglaophis*) **A**: SD
luteofasciatus Pic, 1905j: 153 **E**: GR
moreanus Demelt, 1970: 30
marmoratus Holzschuh, 1982b: 153 (*Aglaophis*) **A**: NP UP
matsushitai Hayashi, 1955: 52 **A**: JA
mysticoides *mysticoides* Reitter, 1894c: 128 [“Centralen Kaukasus”] **A**: AB AR GG TR
mysticoides obscurissimus Pic, 1901n: 59 [“Tokat”] #239
amasinus Pic, 1910a: 10 [“Amasya”]
anatolicus Demelt, 1970: 32 [“Samsun: Kavak”]
subimpressus Pic, 1901a: 9 [“Trébizonde”]
mysticus Linnaeus, 1758: 398 (*Leptura*) **E**: AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NL
NR PL RO SK SL SP SV SZ TR UK YU **A**: TR
albofasciatus DeGeer, 1775: 82 (*Cerambyx*)
bequarti Pic, 1910b: 3
hieroglyphicus Herbst, 1784: 99 (*Callidium*)
litteratus Gmelin, 1790: 1857 (*Cerambyx*)
quadricolor Scopoli, 1763: 56 (*Cerambyx*)
ruficornis Pic, 1908i: 35
niponensis Bates, 1884a: 234 **A**: JA SC
anticegritis Matsushita, 1933b: 292
kamiyai Kano, 1933a: 276
petrae Viktora & Liu, 2018a: 152 **A**: YUN #387
praecellens Holzschuh, 1981: 101 **E**: GR (Kriti)
qijumi Viktora & Liu, 2018a: 154 **A**: YUN #387
sericellus Holzschuh & Y.-L. Lin, 2015e: 105 **A**: TAI #149
simplicicornis Reitter, 1906b: 298 **E**: ST **A**: AB AR GG IN TR
abchasicus Pic, 1911c: 12
prolongatus Pic, 1911c: 12
subapicalis Pic, 1910a: 10
subfasciatus Pic, 1906d: 17 **A**: HEN JA
rufescens Hayashi, 1955: 49
tersus Viktora & Tichý, 2015a: 10 **A**: SCH #77
tichyi Miroshnikov, Bi et Lin, 2014: 257 **A**: YUN #33
ulmiphilus Holzschuh, 1982b: 153 (*Aglaophis*) **A**: KA PA
vicinulus Holzschuh, 1999: 41 **A**: BEI GAN HEN HUB SCH SHA SHX [see Viktora & Tichý, 2015a] #74
yakushimanus Hayashi, 1968c: 14 **A**: JA
zappii Rapuzzi & Sama, 2014a: 7 **E**: IT

genus *Hirticlytus* K. Ohbayashi, 1960b: 9 type species *Anaglyptus comosus* Matsushita, 1941
comosus Matsushita, 1941: 155 (*Anaglyptus*) **A**: JA

genus *Oligoenoplus* Chevrolat, 1863b: 337 type species *Oligoenoplus ventralis* Chevrolat, 1863
Borneoclytus Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006
gonggashanus Miroshnikov, 2013a: 239 **A**: SCH
modicus Holzschuh, 2011: 320 **A**: HEN
rostri iwatai Ikeda, 1987: 12 **A**: JA
rostri rostri Pic, 1911c: 15 (*Anaglyptus*) **A**: FE JA
sapporensis Matsushita, 1933: 100 (*Anaglyptus*)

genus *Paraclytus* Bates, 1884a: 234 type species *Paraclytus excultus* Bates, 1884a
albiventris Gressitt, 1937c: 455 (*Aglaophis*) **A**: GUX HUN JIX #127

apicicornis Gressitt, 1937a: 92 (*Aglaophis*) **A:** FUJ GAN GUI GUX HUN **JIX** SCH SHA **#74**
assamensis Viktora & Tichý, 2015b: 104 **A:** AP **#127**
emili Holzschuh, 2003a: 229 **A:** ?SCH YUN
excellens Miroshnikov et Lin, 2012: 248 **A:** YUN **ORR** **#127**
excultus Bates, 1884a: 234 **A:** FE JA
interruptus Pic, 1915f: 13
gongshanus Viktora & Liu, 2018a: 156 **A:** YUN **#387**
helenae Holzschuh, 1993a: 43 (*Anaglyptus*) **A:** ?SCH YUN
intermedius Viktora & Tichý, 2015a: 14 **A:** SCH **#77**
irenae Holzschuh, 1993a: 43 (*Anaglyptus*) **A:** YUN
jii Holzschuh, 1992: 43 (*Anaglyptus*) **A:** SCH
murzini Miroshnikov, 2014b: 82 **A:** SCH
ochrocaudus Gressitt, 1951a: 305 (*Anaglyptus*) **A:** FUJ
primus Holzschuh, 1992: 42 **A:** ?GAN SCH SHA
raddei Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) **A:** AB IN
bieberi Pic, 1920e: 21 (*Clytus*)
reitteri Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) **A:** AB IN
scolopax Holzschuh, 1999: 40 (*Anaglyptus*) **A:** GAN SCH
sexguttatus Adams, 1817: 308 (*Clytus*) **E:** BU ST TR **A:** AB AR GG TR
bruckii Kraatz, 1864: 389 (*Clytus*)
caucasicus Motschulsky, 1839: 54 (*Clytus*)
disjunctus Pic, 1909b: 123 (*Anaglyptus*)
shaanxiensis Holzschuh, 2003a: 228 **A:** HUB **SCH** SHA
thibetanus Pic, 1914g: 38 (*Anaglyptus*) **A:** XIZ YUN
wangi Miroshnikov et Lin, 2012: 250 **A:** SCH
yao Viktora & Tichý, 2015b: 106 **A:** GUX **#127**

genus *Yoshiakioclytus* Niisato, 2007c: 577 type species *Epiclytus taiwanus* Chang, 1960
breuningii Tippmann, 1955: 110 (*Epiclytus*) **A:** FUJ **HEN** **#227**
qiao Huang & Chen, 2016: 484 **A:** HEN **#227**
ruficaudus Gressitt, 1951a: 257 (*Epiclytus*) **A:** FUJ **GUA** **#227**
stigmaticus Holzschuh, 2003a: 210 (*Epiclytus*) **A:** GAN SHA **#227**
taiwanus Chang, 1960: 1 (*Epiclytus*) **A:** TAI

tribe Brachypteromatini Sama, 2008

genus *Dolocerus* Mulsant, 1862: 230 type species *Dolocerus reichii* Mulsant, 1862
Brachypteroma Heyden, 1863: 128 type species *Brachypteroma ottomanum* Heyden, 1863
holtzi Pic, 1905g: 114 (*Brachypteroma*) **A:** LE SY TR
magnanii Sama, 1987: 51 (*Brachypteroma*) **N:** AG
reichii Mulsant, 1862: 231 **E:** AL BU CR GR IT SZ **TR** **A:** AB AR GG TR **#200**
mulsanti Stierlin, 1866: 30 (*Molorchus*)
ottomanus Heyden, 1863: 128 (*Brachypteroma*)

tribe Callichromatini Swainson & Shuckard, 1840

genus *Anubis* J. Thomson, 1864: 177 type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)
bipustulatus *bipustulatus* J. Thomson, 1865a: 569 **A:** ~~SD~~ TAI YUN **ORR** [see Bentanachs, 2012b] **#138**
viridis Pic, 1923b: 9
bipustulatus fimbriatus Bates, 1879a: 412 **A:** SD **ORR** [see Bentanachs, 2012b]
cyaneus Pic, 1924a: 15 **A:** YUN **ORR**
rugetatus Pic, 1924: 15
inermis A. White, 1853: 171 (*Polyzonus*) **A:** **GUA** **GUX** NP PA SD SE SW **TAI** "North India" **ORR** **#138**
rostratus Bates, 1879a: 412 **A:** YUN TAI **ORR**
annamitus Pic, 1946a: 9 [see Podany, 1980: 221]
subobtus Pic, 1932c: 22 (*Chelidonium*) **A:** YUN
thoracicus Podany, 1980: 232 (*Polyzonus*)

genus *Aphrodisium* J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840 (= *Callichroma cantori* Hope, 1839)
subgenus *Aphrodisium* J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840
Tomentaromia Plavilstshikov, 1934a: 52 type species *Callichroma faldermannii* Saunders, 1853
Trichochelidonium Vives, 2017: 217 type species *T. niisatoi* Vives, 2017 (= *Aphrodisium schoenmanni* Skale & Weigel, 2017 [RN]) **#322**
attenuatum Gressitt, 1951a: 625 **A:** FUJ **GUA** **HUB** **#138**
basifemorale Pic, 1902i: 29 (*Aromia*) **A:** **HUB** SCH YUN **#138**
cantori Hope, 1839: 43 (*Callichroma*) **A:** **GUX** NP SD UP **YUN** **ORR** **#138**
cribricollis Neervoort van de Poll, 1890: 157 **A:** NP SD
delatouchei Fairmaire, 1886c: clxii **A:** FUJ **ORR**
distinctipes Pic, 1904c: 11 (*Aromia*) **A:** SCH YUN

faldermannii basale Pic, 1925b: 19 (*Aromia*) **A:** JIA
faldermannii faldermannii Saunders, 1853: 111 (*Callichroma*) **A:** ANH ES FUJ GUA GUI HAI HEN HUB HUN JIA JIL JIX MG NMO SC SCH SHA SHG TAI YUN ZHE [according to Lin (personal message, 2017)]
faldermannii obscurithorax Pic, 1925b: 19 (*Aromia*) **A:** YUN
faldermannii rufiventre Gressitt, 1940c: 174 (*Aromia*) **A:** FUJ GUX SCH YUN **XIZ ORR** [according to Lin (personal message, 2017)]
faldermannii subnigripenne Gressitt, 1937c: 452 (*Aromia*) **A:** FUJ JIX **TAI**
faldermannii yugaii Kano, 1933a: 272 **A:** **GUA SCH** TAI YUN #138
insulare Gressitt, 1936: 90 (*Aromia*)
gibbicolle A. White, 1853: 160 (*Callichroma*) **A:** ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH **SHA SHN** TAI YUN ZHE **ORR** #138
rubrofemorale Pic, 1932c: 24 (*Chelidonium*)
gregoryi Podaný, 1971: 265 (*Tomentaromia*) **A:** YUN
hardwickianum A. White, 1853: 162 (*Callichroma*) **A:** NP SD
inexpectatum Podaný, 1971: 293 **A:** NO **GUX** #138
metallicolle Gressitt, 1939b: 97 (*Aromia*) **A:** FUJ **HEB** HUB HUN JIX TAI YUN ZHE **ORR** #138
muelleri Tippmann, 1955: 105 **A:** FUJ GUA
neoxenum A. White, 1853: 154 (*Callichroma*) **A:** **GUX** HAI HUB **SCH** SD TAI XIZ ZHE **ORR** #138
niisatoi Vives & Bentanachs, 2007: 635 **A:** YUN **ORR**
planicolle Neervoort van de Poll, 1890: 155 **A:** SD
robustum Bates, 1879a: 408 (*Leontium*) **A:** SD YUN **ORR**
sauteri Matsushita, 1933b: 256 (*Chelidonium*) **A:** ANH FUJ **GUX** HEN HUN JIX SHN SCH TAI ZHE #138
saxosicolle Fairmaire, 1902a: 245 **A:** YUN **ORR**
bicoloripes Pic, 1925b: 18
notatipes Pic, 1925b: 18
schwarzeri Podaný, 1971: 292 **A:** YUN
semipurpureum Pic, 1920a: 2 **A:** YUN **ORR** [according to Lin (personal message, 2017)]
sinicum major Gressitt & Rondon, 1970: 148 **A:** GUX YUN **ORR** #322
sinicum sinicum A. White, 1853: 159 (*Callichroma*) **A:** FUJ GUA **GUX** HUB SCH YUN **ZHE ORR** #74 #138
implicatum Pic, 1920a: 2 (*Chloridolum*) #322
subgibbicolle Pic, 1925b: 17 (*Chelidonium*) #423
thibetanum Pic, 1925b: 18 **A:** XIZ **ORR** [see Bentanachs, 2012b]
tricoloripes Pic, 1925: 18 **A:** GUI YUN **ORR** [according to Lin (personal message, 2017)]
vermiculosum Gressitt, 1942d: 1 **A:** XIZ
viridescens Hayashi, 1974a: 26 **A:** TAI
subgenus *Opacaphrodisium* Pic, 1932c: 24 type species *Callichroma griffithii* Hope, 1839
griffithii Hope, 1839: 43 (*Callichroma*) **A:** GUA GUX SD **YUN ORR** #138
zonopteroides Fleutiaux, 1887: 66 (*Pachyteria*)
genus *Aromia* Audinet-Serville, 1834a: 559 type species *Cerambyx moschatus* Linnaeus, 1758
Terambus Gistel, 1848b: [2] [unnecessary substitute name]
bungii Faldermann, 1835c: 433 (*Cerambyx*) **Ei:** GE IT **A:** ANH **BEI CHQ** FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JIA JIL JIX LIA NC **NIN NMO QIN** SC SCH SHA **SHG** SHN SHX **TAI TIA XIN** YUN ZHE
cyanicornis Guérin-Ménéville, 1845: 222 (*Callichroma*)
ruficollis L. Redtenbacher, 1868: 149
moschata ambrosiaca Steven, 1809: 40 (*Cerambyx*) **E:** IT PT SP ST **TR** **A:** AB AR GG IN IQ JO LE SY **TR** #200
melancholica Reitter, 1895d: 210
notaticollis Pic, 1928c: 9
rosara A. Costa, 1855: 26 [HN] [“propria della Sicilia”, “regno di Napoli”]
thoracica Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)
moschata cruenta Bogatchev, 1962: 96 **A:** KI TD
moschata jankovskyi Danilevsky, 2007d: 48 **A:** KI
moschata malukhini Danilevsky, 2019: 84 **E:** ST #413
moschata moschata Linnaeus, 1758: 391 (*Cerambyx*) **E:** AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU **A:** ES GG KZ MG WS
alata A. Costa, 1855: 25
auctumnalis Westhoff, 1882: 241
chlorophana Fischer von Waldheim, 1823: pl. xlviii [= 1824: 237] (*Cerambyx*)
cupricollis Pic, 1941e: 5
odorata DeGeer, 1775: 63 (*Cerambyx*)
perroudi Pic, 1941e: 5
thea Reitter, 1894g: 306
moschata rosara P. H. Lucas, 1847: pl. 41 [1849: 488 - Algérie: “lac Tonga”, “cercle de Lacalle”] **N:** AG MO TU #435
moschata sumbarensis Danilevsky, 2007d: 48 **A:** TM
moschata vetusta Bogatchev, 1962: 98 **A:** KZ
orientalis Plavilstshikov, 1932a: 114 **A:** **CHQ** ES FE FUJ GAN HEB HEI HEN HUB JA JIL **JIX** LIA MG NC **NIN** NMO SC **SCH** SHA **SHN** ZHE #138

genus *Aromiella* Podaný, 1971: 303 type species *Aromiella fruhstorferi* Podaný, 1971
fruhstorferi Podaný, 1971: 303 A: CH ORR

genus *Cataphrodismus* Aurivillius, 1907: 8 type species *Purpuricenus rubripennis* Hope, 1842
Asiodiphrum Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1842)
castaneae Gressitt, 1951a: 192 A: YUN
rubripenne Hope, 1842b: 128 (*Purpuricenus*) A: FUJ GAN GUA GUI HUB JIA SCH SHN TAI YUN ZHE ORR #138 #277
fujianensis Hua & She, 1987: 54 (*Embriksstrandia*) #277
latemaculatum Pic, 1902i: 29 (*Pachyteria*) [see Bentanachs, 2012b] #277
magnificum Pic, 1902i: 29 (*Pachyteria*)
nigrofasciatum Plavilstshikov, 1934f: 224 (*Asiodiphrum*)
simile Podaný, 1971: 256 A: SCH

genus *Chelidonium* J. Thomson, 1864: 175 type species *Cerambyx argentatus* Dalman, 1817
Gracilichroma Vives, Bentanachs & Chew, 2008: 5 type species *Chelidonium bryanti* Podany, 1974 #384
Malayanochroma Bentanachs & Drouin, 2013: 97 type species *Malayanochroma cheongae* Bentanachs & Drouin, 2013 #384
argentatum Dalman, 1817b: 151 (*Cerambyx*) A: ANH CHQ FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIA JIX NIN SCH
SD SHA TAI YUN ZHE ORR
binotaticolle Pic, 1937d: 108 A: GUA GUI GUX YUN ORR
buddleiae Gressitt & Rondon, 1970: 154 A: GUX YUN ORR
cinctum Guérin-Méneville, 1844: 220 (*Callichroma*) A: SCH TAI YUN ORR #138 #401 #423
binotatum Brongniart, 1892: 245 (*Leontium*) [see Weigel, Meng & Lin, 2013] #401
flavofasciatum Blanchard, 1834: pl.12, fig.4 (*Callichroma*) #396 #401
uninotatum Pic, 1928b: 17 #401
venereum J. Thomson, 1865a: 568 #401
citri Gressitt, 1942b: 2 A: CHQ GUI HAI HUB HUN JIX SCH ORR #138
impressicolle Plavilstshikov, 1934f: 223 A: GAN GUA SCH YUN #138
nepalense Hayashi, 1976: 9 A: NP
purpureipes Gressitt, 1939a: 27 A: GUA GUX HAI HUB YUN ORR #115 #138 #384
violaceimembris Gressitt & Rondon, 1970: 151 #384
robusticolle Pic, 1946a: 10 (*Leontium*) A: CH ORR #423
herteli Podaný, 1974: 24
~~*siamense* Podaný, 1974: 40 A: YUN ORR [see: Bentanachs, 2012a: 18]~~
sifanicum Plavilstshikov, 1934f: 224 A: SCH
~~*sinense* Hope, 1843: 66 (*Promeces*) A: SD [see: Bentanachs, 2012a: 48]~~
~~*testaceicornis* Pic, 1946a: 7 A: JA [= *Hybunca chrysogramma barombana* Schmidt, 1922 – Africa] [see Bentanachs et al., 2011]~~
~~*yunnanum* Podaný, 1974: 39 A: YUN [see it in *Polyzonus*]~~
zaitzevi Plavilstshikov, 1933b: 107 A: FE HEB LIA #138

genus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* A. White, 1853
subgenus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* A. White, 1853
accensum Newman, 1842a: 246 (*Callichroma*) A: TAI ORR
accensum kazuo Hayashi, 1984: 22 A: TAI
addictum Newman, 1842a: 245 (*Callichroma*) A: TAI YUN ORR #138
sibuyanum Schwarzer, 1929: 359
violacipes Schwarzer, 1926b: 97
alcme J. Thomson, 1865a: 568 A: SD YUN #138
bivittatum A. White, 1853: 162 (*Callichroma*) A: BT ORR
violaceicolle Pic, 1925: 19 [see Plavilstshikov, 1934a: 60]
cinnyris Pascoe, 1866d: 518 A: YUN ORR #140
grossepunctatum Gressitt & Rondon, 1970: 170 A: YUN ORR [according to Lin (personal message, 2017)]
hainanicum Gressitt, 1940b: 60 A: HAI
kurosawae kurosawae Hayashi, 1956: 13 A: JA
kurosawae ohsumiense Ohbayashi, 1992: 7 A: JA
kwangtungum kwangtungum Gressitt, 1939a: 21 A: GUA GUX ZHE #138
kwangtungum szechuanum Gressitt, 1951a: 205 A: GUX SCH
lanyuanum Hayashi, 1984: 20 A: TAI
laotium Gressitt & Rondon, 1970: 169 A: HAI TAI YUN ORR #138
leei Bentanachs, Vives & Chew, 2012: 12, 15, 33 A: CH ORR
loochooanum chujoi Makihara, 2005: 121 A: JA (Ryukyus)
loochooanum loochooanum Gressitt, 1934: 163 A: ANH GUA JA TAI #138
nadleri Skale, 2018a: 234 A: CH ORR
jeanvoinei Pic, 1937d: 108 (*Chelidonium*) [HM - not *Chloridolum* (*Leontium*) *jeanvoinei* (Pic, 1932e)] #384
nympha A. White, 1853: 161 (*Callichroma*) A: AP SD
ohbayashii Hayashi, 1971: 8 A: TAI

perlaetum A. White, 1853: 161 **A: GUX SD TAI ORR**
plicaticolle Pic, 1932c: 24 **A: CHQ GUX SCH YUN** #138
bicoloratum Pic, 1932c: 24
plicovelutinum Gressitt & Rondon, 1970: 171 **A: YUN ORR** #141
scutellatum Gressitt, 1939a: 22 **A: GUA**
semipunctatum Gressitt & Rondon, 1970: 171 **A: YUN ORR**
shibatai Hayashi, 1971: 7 **A: TAI**
sieversi Ganglbauer, 1887a: 135 (*Aromia*) **A: FE HEI HEN HUB JIL NC SC SHA** #138 #350
bangi Reitter, 1895d: 209 (*Aromia*)
coreanum Fairmaire, 1897c: 232 (*Aromia*)
splendidulum Gressitt, 1940c: 176 **A: ANH HAI TAI** #138
taiwanum Gressitt, 1936: 91 **A: HAI TAI** #138
thomsoni Pascoe, 1859: 24 (*Callichroma*) **A: TAI ORR**
thoracicum Gressitt, 1942b: 1 **A: SCH**
tonguanum Chiang, 1981: 80 **A: JIX**
variabile Schwarzer, 1926b: 100 **A: CH ORR**
subgenus *Leontium* J. Thomson, 1864: 175 type species *Leontium viride* J. Thomson, 1864
cupreoviride Gressitt, 1942d: 2 (*Leontium*) **A: FUJ YUN** #138
cyaneonotatum Pic, 1925b: 18 **A: GUA GUI GUX SCH YUN ORR** [see Bentanachs, 2012a: 56] #138
jeanvoinei Pic, 1932e: 24 (*Leontium*) **A: GUX HAI ORR**
lameeri Pic, 1900i: 18 (*Leontium*) **A: ANH FUJ GAN GUX HEN HUB HUN JIX SC SHA SHG SHN TAI YUN ZHE** [see Oh, 2013] #74
bicolor Kano, 1930: 44 (*Leontium*)
laosense Pic, 1932c: 23 (*Leontium*) **A: HAI YUN ORR** #138
nigroscutellatum Gressitt, 1940b: 62 (*Leontium*) **A: GUX HAI** #138
punctulatum Pic, 1920f: 119 (*Leontium*) **A: YUN ORR**
tenuipes Fairmaire, 1889a: 64 (*Leontium*) **A: GUI YUN**
implicatum Pic, 1925b: 17 (*Leontium*)
touzalini Pic, 1920f: 118 (*Leontium*) **A: SHA YUN** #138
viride J. Thomson, 1864: 175 **A: CHQ FE HUB JA JIL LIA NC SC SCH TAI YUN** #80 #138
cyaneum Fujimura, 1956: 4 (*Leontium*)
multiplicatum Pic, 1946a: 14 (*Leontium*) [see Bentanachs et al., 2011]
tenuatum Bates, 1873: 197 (*Callichroma*)
subgenus *Parachloridolum* Plavilstshikov, 1934a: 67 type species *Callichroma japonica* Harold, 1879
japonicum Harold, 1879b: 335 (*Callichroma*) **A: GUI HEI HUB HUN JA JIL LIA NC NE SC SCH SHN** #138
achardi Pic, 1911e: 19 (*Callichroma*)
coreanum Okamoto, 1924: 190 [HN]
thaliodes Bates, 1884a: 226 **A: GUX HEI HUB JA JIL LIA NE SC** #138
japonicum Podány, 1971: 302 (*Aromia*) [see Bentanachs et al., 2011]
genus *Embrikstrandia* Plavilstshikov, 1931c: 278 type species *Callichroma bimaculatum* A. White, 1853
bimaculata A. White, 1853: 165 (*Callichroma*) **A: CHQ FUJ GAN GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA** #138
SHN TAI YUN ZHE
angustefasciata Pic, 1933a: 12 (*Callichroma*)
dauidis H. C. Deyrolle, 1878: 132 (*Callichroma*)
diversicornis Pic, 1925b: 19 (*Callichroma*)
reducta Pic, 1950b: 3
unifasciata Ritsema, 1896: 376 (*Zonopterus*) **A: ANH FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX TAI ZHE** #138
ORR
vivesi Bentanachs, 2005: 2-3 **A: YUN ORR**
genus *Gestriana* Podány, 1971: 306 [RN] type species *Pachyteria superba* Gestro, 1888
Tarsalia Podány, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888
superba Gestro, 1888a: 128 (*Pachyteria*) **A: GUX ORR**
pubemaculata Huang, Zhou & Chen, 2006: 62 (*Embrikstrandia*)
genus *Helymaeus* J. Thomson, 1866: 179 type species *Helymaeus cyanipennis* J. Thomson, 1866
pedestris Pascoe, 1878: 370 **A: YE**
signaticollis Pascoe, 1878: 370 **A: YE**
genus *Ipothalia* Pascoe, 1867a: 314 type species *Ipothalia femorata* Pascoe, 1867
bicoloripes Pic, 1920f: 118 **A: FUJ GUX JIX SCH YUN ORR** #138
esmeralda Bates, 1879a: 418 **A: YUN ORR**
micaria Holzschuh, 1990: 188 **A: SD**
plicicollis Pu, 1981: 428 **A: XIZ**
genus *Laosaphrodisium* Bentanachs, 2012a: 71 type species *Leontium optimum* Bates, 1879

amadori Bentanachs, 2012a: 75 **A: GUX YUN XIZ ORR**
crassum Gressitt, 1939a: 24 (*Aphrodisium*) **A: FUJ HUB GUA YUN** #138
subplicatum Pic, 1937a: 11 (*Chelidonium*) **A: GUI [?]**YUN **ORR**
watsoni Gahan, 1906: 218 (*Polyzonus*) **A: GUX YUN ORR**

genus *Leptochroma* Vives, 2013b: 86 type species *Leptochroma lini* Vives, 2013
lini Vives, 2013b: 88 **A: YUN**
paralleloelongatum Hayashi, 1974: 27 (*Chloridolum*) **A: JA TAI**
shanxianum Vives, 2013b: 90 **A: SHX**

genus *Mimochelidonium* Bentanachs & Drouin, 2013: 95 type species *Mimochelidonium sinense* Bentanachs, 2013
sinense Bentanachs & Drouin, 2013: 96 **A: GUI**

genus *Osphranteria* L. Redtenbacher, 1850: 50 type species *Osphranteria suaveolens* L. Redtenbacher, 1850
Quettania Schwarzer, 1931a: 62 type species *Quettania coeruleipennis* Schwarzer, 1931
coerulescens L. Redtenbacher, 1850: 50 **A: IN IQ PA TR** #39
inaurata Holzschuh, 1981: 98
coeruleipennis Schwarzer, 1931a: 63 (*Quettania*)
mirabilis Podany, 1980: 231 (*Polyzonus*)
lata Pic, 1956a: 3 **A: AF IN PA** #409
richteri Heyrovský, 1959: 4
sua veolens L. Redtenbacher, 1850: 50 **A: AF IN**

genus *Pachyteria* Audinet-Serville, 1834a: 553 type species *Cerambyx fasciatus* Fabricius, 1775
dimidiata Westwood, 1848: 60 **A: GUX TAI ORR**
luteofasciata Pic, 1946a: 7
obertheri Ritsema, 1888a: 190
scheepmakeri Ritsema, 1881b: 38
timorensis Hayashi, 1994: 65
equestris Newman, 1841: 79 (*Niraeus*) **A: YUN ORR**
fasciata Fabricius, 1775: 168 (*Cerambyx*) **A: CH NP "Himalaya" ORR**
populnea Schröter, 1776: 349 (*Cerambyx*)
voluptosa J. Thomson, 1865a: 568
semiplicata Pic, 1927: 4 **A: YUN ORR** [see: Hua, 2002: 222]

genus *Paraphrodisium* Bentanachs & Drouin, 2013: 91 type species *Paraphrodisium sinense* Bentanachs, 2013
sinense Bentanachs & Drouin, 2013: 92 **A: YUN**

genus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
subgenus *Parapolyzonus* Bentanachs, 2012a: 11 type species *Promeces prasinus* White 1853 #402
drumonti Bentanachs, 2010: 306 **A: YUN ORR**
prasinus A. White, 1853: 170 (*Promeces*) **A: FUJ GUA GUX HAI HUB HUN JIX SCH TAI YUN ZHE ORR** #138
polyzonoides J. Thomson, 1865a: 568 (*Chelidonium*)
siamense Podany, 1974: 6, 40 (*Chelidonium*)
trocolii Bentanachs, 2012a: 21 **A: YUN ORR**
subgenus *Polyzonides* Podany, 1980: 230 type species *Polyzonus obtusus* Bates, 1879
obtusus Bates, 1879a: 413 **A: ?TAI YUN ORR** #138
interruptus Pic, 1946a: 14
opacus Pic, 1946: 9
reductus Pic, 1946a: 14
subgenus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
Calliblepharus Gistel, 1848a: x [unnecessary substitute name]
auroviridis Gressitt, 1942b: 3 **A: GUX SCH YUN ORR**
balachowskii Gressitt & Rondon, 1970: 157 **A: YUN XIZ ORR**
barclayi Skale, 2018b: 335 **A: XIZ ORR** #402
bizonatus A. White, 1853: 171 **A: GUX SD YUN ZHE ORR** #74
brevipes Gahan, 1906a: 217 **A: SD ORR**
cuprarius Fairmaire, 1887a: 132 **A: SCH XIZ YUN ORR** #402
fasciatus Fabricius, 1781: 232 (*Saperda*) **A: ANH BEI CHQ ES FE FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB**
HUN JIA JIL JIX LIA MG NC NIN NMO QIN SC SHA SHN SHX YUN ZHE #138
bicinctus Olivier, 1795: no. 67: 46 (*Cerambyx*)
fupingensis Xie & W.-K. Wang, 2009: 58
meridionalis Bates, 1879a: 413
sibiricus Gmelin, 1790: 1840 (*Cerambyx*)
flavocinctus Gahan, 1894a: 17 **A: FUJ YUN ORR** #138
geiseri Skale, 2018b: 342 **A: SD ORR** #402
laurae Fairmaire, 1887a: 132 **A: YUN ORR**

pakxensis Gressitt & Rondon, 1970: 159 **A: YUN ORR**

russoi Tippmann, 1955: 106 (*Chelidonium*) **A: FUJ GUA** [see: Bentanachs, 2012b] **#402**

saigonensis Bates, 1879a: 413 **A: YUN ORR**

laosensis Pic, 1923b: 9

sinense Hope, 1842a: 63 (*Promeces*) **A: CHQ FUJ GUA GUX HEI HKG JIL LIA NO SCH SD TAI YUN ORR** **#138**

subtruncatus Bates, 1879a: 408 (*Leontium*) **A: GUA HAI HKG SCH SHG YUN ORR** **#138 #402**

~~*testaceipennis* Pic, 1922a: 8 **A: CH**~~

tichyi Skale, 2018b: 352 **A: SCH** **#402**

violaceus Plavilstshikov, 1933c: 111 **A: YUN ORR**

yunnanum Podaný, 1974: 39 (*Chelidonium*) **A: YUN ORR**

subgenus *Striatopolyzonus* Bentanachs, 2012a: 58 type species *Cerambyx tetraspilotus* Hope, 1835

nitidicollis Pic, 1932: 22 **A: YUN ORR**

tetraspilotus Hope, 1835: 71 (*Cerambyx*) **A: BT SD TAI YUN ORR** [Bentanachs, 2012b]

latemaculatus Gressitt & Rondon, 1970: 161,

macrospilus Gahan, 1906: 216;

megaspilus Gahan, 1906a: 215

microspilus Gahan, 1906a: 215

quadrimaculatus A. White, 1853: 170

genus *Pseudopolyzonus* Bentanachs, 2012a: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998

latefasciatus Hüdepohl, 1998: 225 (*Polyzonus*) **A: FUJ YUN ORR** **#138**

genus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1795

subgenus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1795

Coloborhombus J. Thomson, 1865a: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1795

Colobus Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1795

Nothopeus Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1795

fulvus Bates, 1879a: 395 (*Coloborhombus*) **A: GUA SD ORR**

hemipterus Olivier, 1795: 127 (*Cerambyx*) **A: FUJ GUA HAI TAI ORR**

ater Fisher, 1936: 176 (*Coloborhombus*)

sericeus Saunders, 1853: 111 (*Colobus*) **A: FUJ GUA JIA SHG** **#138**

subgenus *Coloborhomboides* Hüdepohl, 1983: 117 type species *Coloborhomboides schereri* Hüdepohl, 1983 [see: Bentanachs & Jiroux, 2018]

drescheri Fisher, 1936: 176 (*Coloborhombus*) **A: GUX ORR** [see: Bentanachs & Jiroux, 2018]

ater Fisher, 1936: 176 (*Coloborhombus*)

flavipes Fisher, 1936: 176 (*Coloborhombus*)

schereri Hüdepohl, 1983: 117 (*Coloborhomboides*)

tibialis Ritsema, 1895: 159 (*Aphrodisium*) **A: SD ORR**

genus *Schmidtiana* Podaný, 1971: 306 [RN] type species *Pachyteria ilocana* Schultze, 1920

Luzonia Podaný, 1968: 53 [HN] type species *Pachyteria ilocana* Schultze, 1920

violaceothoracica Gressitt & Rondon, 1970: 139 (*Pachyteria*) **A: SCH YUN ORR** **#138**

genus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925

subgenus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925

Schwarzeriella Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925

cyaneipes Pic, 1946a: 9 **A: SC** **#423**

provostii Fairmaire, 1887d: liv (*Callichroma*) **A: BEI HEB HEI HEN HUB JIL LIA NE NMO SC SHA SHN YUN ORR** **#138**

manchuricum Matsushita, 1943: 574

quadricolle Bates, 1884a: 226 (*Chelidonium*) **A: HEN HUN JA JIL SC TAI** **#138**

semivelutinum Schwarzer, 1925a: 24 (*Aphrodisium*) **A: TAI**

horishanense Kano, 1933a: 272 (*Aphrodisium*) [see: Bentanachs, 2012b]

viridicyaneum Hayashi, 1956c: 14 (*Chelidonium*) **A: JA**

purpureoviolaceum Hayashi, 1956: 14 (*Chelidonium*)

subgenus *Rugosochroma* Vives & Lin, 2013: 68 type species *Schwarzerium yunnanum* Vives & Lin, 2013

yunnanum Vives & Lin, 2013: 68 **A: YUN**

genus *Sinochroma* Bentanachs & Drouin, 2013: 93 type species *Sinochroma sinensise* Bentanachs & Drouin, 2013

sinensis Bentanachs & Drouin, 2013: 94 **A: YUN**

genus *Turkaromia* Danilevsky, 1993a: 38 type species *Aromia pruinosa* Reitter, 1903

gromenkoi Danilevsky, 2000c: 289 **A: UZ TD**

pruinosa Reitter, 1903c: 233 (*Aromia*) **A: KZ XIN**

genus *Zonopterus* Hope, 1842b: 128 type species *Zonopterus flavitarsis* Hope, 1842

consanguineus Ritsema, 1889: 10 **A: "Himalaya" XIZ ORR** **#138**

flavitarsis Hope, 1842b: 128 **A: AP SD YUN ORR**

tribe Callidiini Kirby, 1837

genus *Callidiellum* Linsley, 1940: 254 type species *Semanotus cupressi* Van Dyke, 1923

rufipenne Motschulsky, 1861a: 19 (*Callidium*) **Ei**: BE CR **FR** IT SP ST **A**: GG FE GAN HEB HEN JA JIX **NC** SC SHA TAI **NARi**
NTRi **#51**

japonicum Plavilstshikov, 1933f: 126 (*Callidium*) [HN]

plavilstshikovi Matsushita, 1933b: 439 (*Semanotus*) [RN]

villosulum arisanum Kano, 1930: 44 **A**: TAI

villosulum villosulum Fairmaire, 1900: 639 **Ei**: MA **A**: FUJ HEN JIA ZHE **NARi** **#45**

genus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758

subgenus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758

Meridion Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758

cedri Peyerimhoff, 1918a: 332 **N**: AG MO

flavosignatum Pu, 1991d: 343 **A**: QIN

hengduanum Holzschuh, 1999: 39 **A**: SCH YUN

libani Sama & Rapuzzi, 2002: 111 **A**: LE

piceonotatum Pic, 1933f: 5 **A**: HUB

przevalskii Semenov & Plavilstshikov, 1936: 389 **A**: NMO

syriacum Pic, 1892s: cxi **A**: SY TR

orientale Pic, 1893d: 417

violaceum ~~Fabricius, 1775~~ Linnaeus, 1758: 395 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT
LA LS LT LU MD NL NR NT PL RO SK SL **SP** ST SV SZ UK YU **A**: AB AR ES FE GG HEI JA JIL KZ MG NC NMO **SC**
TAI **TR** WS XIN **#80**

janthinum LeConte, 1851: 34

salessei Pic, 1933d: 1

subgenus *Callidostola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775

aeneum aeneum DeGeer, 1775: 89 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT **LU** NL
NR NT PL RO SK SL ST SV SZ UK YU **A**: ES FE HEI JA **KZ** MG WS

aurichalceum Gmelin, 1790: 1857 (*Cerambyx*)

cognatum Laicharting, 1784: **58**

dilatatum Paykull, 1800: 91

semitestaceum Pic, 1945b: 6

variabile Fabricius, 1775: 188

venosum **Eschscholtz**, 1818: 483

viride Schoenherr, 1817a: 459

viridans Gmelin, 1790: 1846 (*Cerambyx*)

aeneum longipenne Plavilstshikov, 1940: 300 **E**: ST **A**: AB GG **TR**

aeneum pilosicollis Özdikmen & Aytar, 2014: 599 **A**: TR

subgenus *Palaeocallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800

chlorizans Solsky, 1871a: 384 (*Semanotus*) **A**: ES FE MG "Korea"

viridescens Motschulsky, 1875: 148

coriaceum Paykull, 1800: 91 **E**: AU BH **BU** BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU NR NT PL RO SK SL ST SV
SZ UK YU **A**: ES FE HEI HEN JA MG NMO WS **#111**

aeneipenne Kriechbaumer, 1862: 107

cupripenne Kriechbaumer, 1862: 208

—*lucidum* Scopoli, 1772: 98 (*Stenocorus*) [NO]

kuratai Yokoyama, 1972: 11 (*Palaeocallidium*) **A**: JA

genus *Dundaia* Holzschuh, 1993a: 33 type species *Dundaia nitens* Holzschuh, 1993

subtuberculata Pu, 1992b: 619 (*Callidium*) **A**: SCH SHA [see Lin & Tichý, 2014]

nitens Holzschuh, 1993a: 33

genus *Gerdberndia* Holzschuh, 1982a: 71 type species *Gerdberndia atricolor* Holzschuh, 1982

atricolor Holzschuh, 1982a: 71 **A**: NP

ferrocyanea Hayashi, 1979: 87 (*Prosemanotus*) **A**: BT NP

nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) **A**: NP

genus *Leioderes* L. Redtenbacher, 1845: 482 type species *Leioderes kollari* L. Redtenbacher, 1849

kollari jacopoï Rapuzzi & Sama, 2010a: 129 **E**: IT (Sicilia)

kollari kollari L. Redtenbacher, 1849: 482 **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SK SL
SP ST SV SZ UK YU **A**: GG

tuerki Ganglbauer, 1886c: 517 (*Callidium*) **A**: LE SY TR

bodemeyeri Reitter, 1903a: 46 (*Callidium*)

karsantianus Pic, 1910b: 2 (*Lioderes*)

lateniger Pic, 1917g: 5 (*Lioderes*)

nigripes Pic, 1891h: 102 (*Lioderes*)

genus *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871
linearis Hampe, 1871: 335 (*Callidium*) E: AU BH BU CR GR HU MC SK A: TR
henschi Puton, 1888: 23 (*Callidium*)

genus *Oupyrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872
Oupyrhidium Plavilstshikov, 1940a: 285 [unjustified emendation]
cinnabarinum Blessig, 1872: 179 (*Callidium*) A: FE HEI HEN JIL LIA NC SC SHA #350
chinense Li, 1992: 178 #350
flavum Z. Wang, 2003: 203

genus *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009
testaceus Niisato, 2009: 208 A: FE
verigai Danilevsky, 2012h: 4 A: FE

genus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
subgenus *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménétériés, 1832
femorale demelti Heyrovský, 1962a: 41 E: TR A: TR #200
femorale femorale Ménétériés, 1832: 228 (*Callidium*) E: ST A: AB AR GG IN
utschderensis Starck, 1889: 312 (*Callidium*)

subgenus *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789
albicinctus Bates, 1873: 198 A: JA SC #80
albofasciatus Motschulsky, 1866a: 174 (*Callidium*) [HN]
fasciatus Villers, 1789: 257 (*Cerambyx*) E: AU BH BU CR CZ FR GR HU IT ?LA MD PL RO SK SP SZ UK YU A: CY IS SY TR #98

unifasciatus Olivier, 1790b: 269 (*Callidium*)
unifasciatus Rossi, 1790: 343 (*Callidium*)
hauseri Pic, 1907f: 104 (*Callidium*) A: KZ XIN
mediofasciatus Pic, 1933b: 29 A: FE GUI JIA JIX NC SC SHA #80

subgenus *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777
Microcallidium Casey, 1912: 283 type species *Callidium amoenus* Say, 1824
Phymatodina Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874
Pseudopoecilium Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777
infasciatus Pic, 1935b: 36 (*Poecilium*) A: FE FUJ JA JIX NC SC SHG
ussuricus Plavilstshikov, 1940a: 318
vandykei Gressitt, 1935b: 172

jiangi Z. Wang & Zheng, 2003: 207, 395 A: JIL SC [Lim et al., 2013]
kozlovi Semenov & Plavilstshikov, 1936: 390 A: NMO
magnanii Sama & Rapuzzi, 1999: 468 (*Poecilium*) A: TR
murzini Danilevsky, 1993d: 113 A: FE NC SC [Lim et al., 2013] #334
rufipes rufipes Fabricius, 1777: 232 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SK SL SP ST SZ
UK YU A: TR
amethystinus Fabricius, 1793: 321 (*Callidium*)
coeruleus Goetze, 1777: 507 (*Leptura*)
cyaneus Geoffroy, 1785: 82 (*Leptura*)
cyanochrysos Gmelin, 1790: 1846 (*Cerambyx*)
erythropus Gmelin, 1790: 1846 (*Cerambyx*)
gallicus Gmelin, 1790: 1877 (*Leptura*)

rufipes syriacus Pic, 1891i: 118 (*Callidium*) A: IS LE SY TR #374
semenovi Plavilstshikov, 1935a: 18 A: GUI
sinensis Pic, 1900i: 17 (*Callidium*) A: JIA SHG
zemlinae Plavilstshikov & Anufriev, 1964: 1565 A: FE HEI NC SC [Lim et al., 2013] SHA #350

subgenus *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787
Reitteroderus Sama, 1991: 124 [unnecessary substitute name]

abietinus Plavilstshikov & Lurie, 1960: 124 E: CT A: WS
ahenus Holzschuh, 2007: 242 (*Poecilium*) A: SCH
glabratus Charpentier, 1825: 225 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SK SP ST SZ UK YU A: GG #164
castaneus L. Redtenbacher, 1848: 483 (*Callidium*)
delti Chevrolat, 1856b: 435 (*Callidium*)

gudenzii Sama, 1987: 57 (*Poecilium*) N: AG MO
lividus Rossi, 1794: 98 (*Callidium*) E: BH BU CR CT CZ CZ FR GR IT RO SL SP ST SZ UK YU A: AB GG IS LE SY TR N: AG #164

asperipennis Fairmaire, 1879: 217 (*Callidium*)
brevicollis Dalman, 1817b: 191 (*Callidium*)
melancholicus Fabricius, 1798: 151 (*Callidium*)
thoracicus Comolli, 1837: 44 (*Callidium*)
tristis Pic, 1891b: 20
puncticollis Mulsant, 1862: 99 E: BU CT GR HU MC MD RO SK ST UK YU A: KZ #282

macedonicus Pic, 1909b: 130
pusillus barbipes Küster, 1847a: 78 (*Callidium*) **E:** CZ GR HU SK
pusillus inopinatus Sláma, 2010: 82 (*Poecilium*) **E:** GR
pusillus pusillus Fabricius, 1787: 155 (*Callidium*) **E:** AU BE BH BU CR CZ FR GE GR HU IT **LU** MD NR PL RO SL SP SV SZ
TR UK A: TR
abdominalis Bonelli, 1812: 180 (*Callidium*)
humeralis Comolli, 1837: 44 (*Callidium*)
luridus Olivier, 1795: 23 (*Calidium*)
pusillus rufipennis Starck, 1889: 312 (*Callidium*) **E:** ST UK **A:** AB AR GG IN
vandae Danilevsky, 2010d: 67 **E:** GR
wrzecionkoi Rapuzzi & Sama, 2010b: 183 (*Poecilium*) **A:** SY
subgenus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
Merium Kirby, 1837: 172 type species *Merium testaceus* Linnaeus, 1758 [suppressed]
testaceus Linnaeus, 1758: 396 (*Cerambyx*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR CY FE GG IQ IS JA KZ **LI NC TR SC SY WS N:**
AG MO MR TU NAR [see Oh, 2013] **#84 #278**
analisis L. Redtenbacher, 1848: 481
barbarorus Pic, 1917g: 5
carniolicus Gmelin, 1790: 1858 (*Cerambyx*)
crassipes Goeze, 1777: 507 (*Leptura*)
deustus Gmelin, 1790: 1850 (*Cerambyx*)
dimidiatipennis Chevrolat, 1882: 58
elongatus Iablokoff-Khnzorian, 1953: 60
fallax Villers, 1789: 276 (*Leptura*)
femoratus Geoffroy, 1785: 83 (*Leptura*)
fennicus Linnaeus, 1758: 396 (*Cerambyx*)
fulvipennis Reitter, 1901d: 101 (*Phymatodes*)
italicus Gmelin, 1790: 1851 (*Cerambyx*)
luridus Paykull, 1800: 87 (*Callidium*)
melanocephalus Ponza, 1805: 71 (*Cerambyx*)
nigricollis Mulsant, 1839: 49
nigrinus Mulsant, 1839: 47
praeustus Fabricius, 1782: 500 (*Callidium*)
rufipes A. Costa, 1855: 34
sellae Kraatz, 1868: 338 (*Callidium*)
similaris Küster, 1844: 54 (*Callidium*)
variabilis Linnaeus, 1760: 192 (*Cerambyx*)
ventralis Haldeman, 1847: 375 (*Tessaropa*)
violaceus Rossi, 1790: 154 (*Callidium*)
subgenus *Poecilium* Fairmaire, 1864a: 134 type species *Leptura alni* Linnaeus, 1767
alni alni Linnaeus, 1767: 639 (*Leptura*) **E:** AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR LA LT LU MC MD NL
NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: KZ TR
apicalis Pic, 1915a: 1 (*Poecilium*)
biarcuatus Piller & Mitterpacher, 1783: 112 (*Leptura*)
fauconneti Pic, 1915a: 1 (*Poecilium*)
infuscatus Chevrolat, 1866: 107 (*Poecilium*)
nitidus Chevrolat, 1882: 58 (*Callidium*)
notaticollis Pic, 1945b: 6 (*Poecilium*)
turcicus Geoffroy, 1785: 83 (*Leptura*)
alni lateniger Pic, 1945b: 6 (*Poecilium*) **A:** AB IN
elburzense Holzschuh, 1977a: 128 (*Poecilium*)
alni pici Aurivillius, 1912: 349 **E:** ST **A:** AB AR GG IN
alnoides Reitter, 1913a: 40
antonini Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) **A:** SY
ermolenkoi Tsherepanov, 1980: 88 **A:** FE **?NC SC** **#135**
eximius Holzschuh, 1995: 35 (*Poecilium*) **A:** YUN
kasnaki Sama, 2011: 826 (*Poecilium*) **A:** TR
latefasciatus Sh. Yang, 2013: 12 **A:** GUI
maaki maaki Kraatz, 1879d: 106 (*Callidium*) **A:** FE HEI JIX **NC SC TAI**
maaki sylvaticus Z. Wang, 2003: 206, 394 **A:** NE (Neimenggu)
maaki viarius Danilevsky, 1988c: 371 **A:** FE JA
mizunumai Hayashi, 1974a: 28 **A:** TAI
quadrinaculatus Gressitt, 1935b: 171 **A:** JA
savioi Pic, 1935b: 35 **A:** JIA **SHA SHG** **#350**
genus *Pronocera* Motschulsky, 1859b: 494 type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)
Gonocallus LeConte, 1873a, 171 type species: *Callidium collare* Kirby, 1837
Protocallidium Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844

Pseudophymatodes Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)
angusta Kriechbaumer, 1844: 8 (*Callidium*) **E**: AU BH CZ GE HU IT PL RO SK UK
sibirica Gebler, 1848a: 391 (*Callidium*) **A**: ES **FE MG NC** NE NMO **SC WS** XIN
altaiensis Pic, 1901c: 12 (*Phymatodes*)
brevicollis Gebler, 1833: 302 (*Callidium*) [HN]
daurica Motschulsky, 1859b: 494

genus *Prosemanotus* Pic, 1933f: 5 type species *Prosemanotus elongatus* Pic, 1933
elongatus Pic, 1933f: 5 **A**: CH
subnotatus Pic, 1933f: 5

genus *Pyrrhidium* Fairmaire, 1864a: 133 type species *Cerambyx sanguineus* Linnaeus, 1758
sanguineum Linnaeus, 1758: 396 **E**: AL AU BE BH BU BY CR CT CZ DE **?EN** FI FR GB GE GR HU IR IT **?LA** LS LT LU MD
 NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU **N**: AG TU **A**: AB AR GG IN SY TR

genus *Rejzekius* Adlbauer, 2008: 17 type species *Rejzekius bicolor* Adlbauer, 2008
bicolor Adlbauer, 2008: 17 **A**: YE

genus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775
subgenus *Pronocerodes* Plavilstshikov, 1940a: 248 type species *Rhopalopus ruficollis* Matsumura, 1911
auranticollis Plavilstshikov, 1940a: 250 (*Rhopalopus*) **A**: FE **NC SC** #101

ruficollis Matsumura, 1911a: 138 (*Rhopalopus*) **A**: FE
subgenus *Prorhopalopus* Plavilstshikov, 1921: 121 type species *Rhopalopus signaticollis* Solsky, 1873
signaticollis Solsky, 1873: 177 (*Rhopalopus*) **A**: FE JA **NC NE SC** #80
speciosus Plavilstshikov, 1915c: 108 (*Rhopalopus*) **A**: FE JIL **?NC SC SHA** #135 #350

subgenus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775
Calliopedia Binder, 1915: 186 type species *Rhopalopus reitteri* Binder, 1915 (= *Callidium ungaricum* Herbst, 1784)
Euryoptera Horn, 1860: 571 type species *Euryoptera sanguinicollis* Horn, 1860
Rhopalopus L. Redtenbacher, 1845: 110 [unjustified emendation]

boreki Rapuzzi, 2017: 865 **E**: GR #319
clavipes Fabricius, 1775: 188 (*Callidium*) **E**: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT LA LT **LU** MA MC MD NL
 NT PL RO SK SL SP ST SZ TR UK YU **A**: AB AR GG **FE IN KZ IQ TR WS** #290 #398

nigricans Gmelin, 1790: 1857 (*Cerambyx*)
nigroplanus DeGeer, 1775: 88 (*Cerambyx*)
viduus Geoffroy, 1785: 82 (*Leptura*)

eleonora Sama & Rapuzzi, 2002: 114 **A**: LE SY

femoratus Linnaeus, 1758: 395 (*Cerambyx*) **E**: AU BE BH BU CR CT CZ FR GE HU IT LA **LU** MD PL RO SK SL SP SV SZ TR
 UK

castaneipennis Roubal, 1934b: 43

~~*punctatus* Fabricius, 1798: 149 (*Callidium*)~~

punctuosus Geoffroy, 1785: 83 (*Leptura*)

hanae Sama & Rejzek, 2002: 105 **A**: TR

insubricus fischeri Krynicki, 1829: 197 (*Callidium*) **E**: CT ST UK

insubricus gallicus Vartanis, 2018b: 55 **E**: FR #330

insubricus insubricus Germar, 1824: 154 (*Callidium*) **E**: AL AU BH BU CR FR HU IT RO SL SP **TR** YU **A**: TR
viridipennis Pic, 1926d: 6 (*Rhopalopus*)

lederi ledereri Fairmaire, 1866b: 269 (*Rhopalopus*) **A**: IS JO TR

lederi wittmeri Demelt, 1970: 31 **A**: SY TR

lederi Ganglbauer, 1882: 747 (*Rhopalopus*) **E**: ST UK **A**: AB AR GG **TR**

nigripes Pic, 1926d: 6 (*Rhopalopus*)

macropus Germar, 1824: 514 (*Callidium*) **E**: AU BH BU BY CR CT CZ GE HU LA **LT** MD PL RO SK SL ST SZ TR UK YU **A**:
 AB AR GG IN TR

caucasicus Desbrochers des Loges, 1873b: cxxxvi (*Callidium*)

pilicollis C. G. Thomson, 1866: 29 (*Callidium*)

mali Holzschuh, 1993a: 34 **A**: KI KZ UZ

nadari Pic, 1894k: 207 (*Rhopalopus*) **A**: KI TD UZ

nataliyae Danilevsky & Skrylnik, 2014: 690 **A**: IN #23

nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) **A**: XIX

ruber Gressitt, 1939f: 212 (*Rhopalopus*) **A**: CE

sculpturatus Pic, 1931c: 9 (*Rhopalopus*) **A**: TR **IN**

siculus Stierlin, 1864: 152 (*Callidium*) **E**: GR IT (Sicilia) #318

ungaricus Herbst, 1784: 96 (*Callidium*) **E**: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SL SZ YU UK **N**: AG

annulus A. Costa, 1855: 30

cognatus Laicharting, 1784: 58 (*Callidium*)

pannonicus Gmelin, 1790: 1856 (*Cerambyx*)

reitteri Binder, 1915: 186 (*Rhopalopus*)

vogti Guerry, 1911: 99

varini Bedel, 1870: 94 (*Callidium*) **E**: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SK SL SP SZ UK YU

spinicornis Abeille de Perrin, 1869a: 42 (*Callidium*)

genus *Semanotus* Mulsant, 1839: 54 type species *Cerambyx undatus* Linnaeus, 1758

Anocomis Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787

Hemicallidium Casey, 1912: 273 type species *Physocnenum amethystinum* LeConte, 1853

Sympiezocera P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852

Xenodorum Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)

algiricus Pic, 1905e: 99 **N**: AG MO

magnificus Bedel, 1921: 60

bifasciatus Motschulsky, 1875: 148 (*Hylotrupes*) **A**: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX **NC** NMO
QIN SC SCH SHA SHN SHX TAI YUN ZHE

latifasciatus Matsushita, 1933b: 262

sinensis Gahan, 1888b: 61 (*Sympiezocera*)

watanabei Kano, 1933a: 273

japonicus Lacordaire, 1869: 47 (*Sympiezocera*) **A**: JA TAI ZHE

laurasii corsicus Croissandeau, 1890: 38 (*Sympiezocera*) **E**: FR (Corse) IT (Sardegna)

laurasii laurasii P. H. Lucas, 1852: cvii (*Sympiezocera*) **E**: FR SP **N**: AG MO

bonvouloiri Marseul, 1856: 48 (*Xenodorum*)

verneti Pellet, 1871: 164 (*Callidium*)

nigroalbus Holzschuh, 1984c: 355 **A**: NP

russicus russicus Fabricius, 1777: 232 (*Callidium*) **E**: AL AU BU CR GB GR HU IT RO SK ST UK YU **A**: AB AR GG JO LE SY
TR

russicus persicus Solsky, 1876: 296 (*Sympiezocera*) **A**: IN TM

semenovi Okunev, 1933: 135 **A**: KI KZ TD UZ

sinoauster Gressitt, 1951a: 222 **A**: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE **ORR**

undatus Linnaeus, 1758: 396 (*Cerambyx*) **E**: AU BH BU BY CT CZ EN FI FR **GE** HU IT LA LS LT NR NT PL RO SK SL ST SV
SZ UK YU **A**: ES FE MG NE NMO WS XIN

yakushimensis Makihara, 2004a: 15 **A**: JA

genus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

subgenus *Chalcoturanium* Jankowski, 1934: 100 [= 1935a: 60] type species *Turanium johannis* Baeckmann, 1922

badenkei Danilevsky, 2001e: 587 **A**: KZ

johannis johannis Baeckmann, 1922: 24 **A**: KI

johannis juglandis Jankowski, 1934: 100 [= 1935a: 59] **A**: KI

subgenus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

hladili Kratochvíl, 1985b: 65 **A**: UZ

pilosum Reitter, 1891a: 33 (*Pronocera*) **A**: KI KZ TD UZ XIN

rauschorum Holzschuh, 1998: 44 **A**: KI KZ

scabrum Kraatz, 1882a: 115 (*Callidium*) **E**: ST **A**: KI KZ TD TM UZ WS XIN

simplarium Heyden, 1885a: 296 (*Callidium*)

tekeorum Danilevsky, 2001e: 584 **A**: IN TM

tribe Callidiopini Lacordaire, 1868

genus *Becvarium* Holzschuh, 2011: 287 type species *Becvarium bioculatum* Holzschuh, 2011

bioculatum Holzschuh, 2011: 288 **A**: YUN

genus *Ceresium* Newman, 1842d: 322 type species *Ceresium raripilum* Newman, 1842

Diatomocephala Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853

Paraceresium Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932

— ~~*Pneumida* J. Thomson, 1864a: 191 type species *Pneumida argenteofasciata* J. Thomson, 1864~~

Raphidera Perroud, 1855b: 336 type species *Raphidera gracilis* Perroud, 1855

Raphidodera Gemminger, 1872: 2831 [unjustified emendation]

albomaculatum Pic, 1926a: 23 **A**: HAI **ORR**

declaratum Holzschuh, 1990: 186 **A**: SD

elongatum elongatum Matsushita, 1933b: 301 **A**: JA TAI

#411

elongatum tsuchiya Fujita, 2019: 26 **A**: JA

#411

fallaciosum Holzschuh, 1995: 19 **A**: YUN **ORR**

fla vipes Fabricius, 1793: 327 (*Callidium*) **A**: GUA HKG **NC** TAI **AFR** AUR NTR **ORR**

#80

ambiguum Newman, 1842a: 246 (*Arhopalus*)

simplex Gyllenhal, 1817: 178 (*Stenocorus*)

fuscum fuscum Matsumura & Matsushita, 1932: 67 **A**: HAI JA

fuscum hachijoense Matsumura & Matsushita, 1932: 68 [Is. Hachijo]

#411

fuscum shirakii Hayashi, 1963a: 53 **A**: JA (Ryukyus)

geniculatum A. White, 1855: 245 **A**: HAI YUN **ORR**

rufipes Pascoe, 1869a: 537

holophaeum Bates, 1873: 153 **A**: JA SC TAI

yuasai Matsushita, 1937: 312

inaequalicolle Pic, 1933b: 28 **A: YUN**
joannisi Pic, 1935f: 171
lepidulum Holtschuh, 1982b: 150 **A: SD YUN**
leucosticticum A. White, 1855: 245 **A: AP HAI NP PA SD UP TAI YUN ORR**
longicorne Pic, 1926a: 24 **A: HKG HUB JA JIX SC TAI ORR**
japonicum Matsushita, 1932: 68
tsushimanum K. Ohbayashi, 1961a: 17
lucifugum Holtschuh, 1982b: 150 **A: NP UP**
manchuricum Hayashi, 1957a: 39 **A: HEI**
nilgiriense Gahan, 1906a: 161 **A: YUN ORR**
particulare Pic, 1926a: 24 **A: CH**
propinquum Holtschuh, 1982b: 149 **A: NP SD**
quadrinaculatum Gahan, 1900b: 121 **A: GUX YUN ORR**
sculpticolle Gressitt, 1942b: 1 **A: SCH**
senile Holtschuh, 1998: 32 **A: YUN**
signaticolle Matsumura & Matsushita, 1932: 69 **A: JA**
simile flavopubescentis Kusama & Takakuwa, 1984: 9 **A: JA**
simile miyamotoi Fujita, 2019: 26 **A: JA** #411
simile simile Gahan, 1890b: 169 **A: JA**
sinicum innotaticolle Pic, 1926a: 24 **A: CH**
sinicum ornaticolle Pic, 1907d: 20 **A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN ORR**
sinicum sinicum A. White, 1855: 245 **A: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX SC SCH SHA SHG TAI XIZ**
YUN ZHE ORR #80
sakaiense Matsushita, 1933b: 302
subuniforme Schwarzer, 1925a: 22 **A: TAI**
swatense Holtschuh, 1974a: 82 **A: PA**
unicolor pseudounicolor Kusama & Komiya, 1972: 42 **A: JA**
unicolor unicolor Fabricius, 1787: 147 (*Saperda*) **A: JA UP "North India" AUS** #183
ambiguum Newman, 1842a: 246 (*Arhopalus*)
palauense Matsushita, 1932: 169
simplex Gyllenhal, 1817: 178 (*Stenochorus*)

genus *Curtomerus* Stephens, 1839: 275 [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)
Cylindera Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Cylindrodera Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Lampromerus J. Thomson, 1860: 202 type species *Callidium pilicornis* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Onchomerus Dejean, 1835: 332 [NO] type species *Callidium pilicornis* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Sotenus Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)
flavus Fabricius, 1775: 191 (*Callidium*) **A: JA NAR NTR ORR**
barbatus Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)
boninensis Matsumura & Matsushita, 1932: 72 (*Trinophylum*)
impuncticollis Fairmaire, 1881: 473 (*Ceresium*)
luteus Stephens, 1831: 249 (*Callidium*)
pallidus Newman, 1833: 510 (*Cylindera*)
pilicornis Fabricius, 1793: 327 (*Callidium*)
setigerus Sharp, 1878: 203 (*Sotenus*)
subflavus Chemsak, 1966: 213

genus *Falsoibidion* Pic, 1922: 24 type species *Falsoibidion fasciatum* Pic, 1922
bipunctatum Lee Seunghyun & Lee Seunghwan, 2016: 64 **A: SC** #242

genus *Gelonaetha* J. Thomson, 1878: 12 type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)
hirta Fairmaire, 1850: 60 (*Stromatidium*) **A: TAI YUN ZHE ORR**
curtipes J. Thomson, 1878: 13
obscura Sharp, 1878: 204 (*Astrimus*)

genus *Parasalpinia* Hayashi, 1962c: 4 type species *Parasalpinia kojimai* Hayashi, 1962
kojimai Hayashi, 1962c: 4 **A: JA (Ryukyus) TAI**
laosensis Gressitt & Rondon, 1970: 102 (*Salpinia*) **A: HAI YUN ORR**

~~**genus *Salpinia* Pascoe, 1869a: 536** type species *Salpinia diluta* Pascoe, 1869~~
~~*laosensis* Gressitt & Rondon, 1970: 102 **A: HAI YUN ORR**~~

genus *Stenodryas* Bates, 1873: 153 type species *Stenodryas clavigera* Bates, 1873
apicalis Gahan, 1906a: 161 (*Ceresium*) **A: NP**
clavigera clavigera Bates, 1873: 154 **A: JA JIX SC TAI**
clavigera impuncticollis Hayashi, 1974a: 17 **A: TAI**

clavigera insularis Yokoyama, 1966: 55 **A:** JA TAI
cylindricollis Gressitt, 1951a: 159 **A:** SHA TAI YUN
fascipennis Holzschuh, 1984c: 347 **A:** BT SD
nigromaculata Gardner, 1942: 69 (*Ceresium*) **A:** BT YUN NP **ORR** #53
tripunctata Gressitt & Rondon, 1970: 104
punctatella Holzschuh, 1999: 25 **A:** HUB SHA #350
suaavis Holzschuh, 1998: 33 **A:** SCH
ventralis Gahan, 1906: 160 **A:** YUN **ORR** [see: Xiong, Tian & Chen, 2012]

genus *Stenygrinum* Bates, 1873: 154 type species *Stenygrinum quadrinotatum* Bates, 1873
quadrinotatum Bates, 1873: 154 **A:** ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO
 SC SCH SHA SHN TAI YUN ZHE **ORR**

genus *Teladum* Holzschuh, 2011: 289 type species *Lasiophanes comosus* Holzschuh, 1989
angustior Holzschuh, 2011: 292 **A:** YUN

genus *Trinophylum* Bates, 1878b: 720 type species *Trinophylum cribratum* Bates, 1878
cribratum Bates, 1878b: 720 **Ei:** GB **A:** KA PA
impressipenne Pic, 1948: 6 (*Callidium*)

tribe Cerambycini Latreille, 1802

genus *Anarchambyx* Sama, 2007b: 101 type species *Anarchambyx pipposamai* Sama, 2007
pipposamai Sama, 2007b: 103 **A:** YE

genus *Carinolesthes* Vitali, Gouverneur & Chemin, 2017: 53 type species: *Aeolesthes (Pseudaolesthes) pericalles* Gressitt & Rondon, 1970 #326
aurosignata Pic, 1916l: 325 (*Aeolesthes*) **A:** FUJ TAI XIZ YUN
ningshanensis Chiang, 1981: 79 (*Aeolesthes*) **A:** SHA
pericalles Gressitt & Rondon, 1970: 61 (*Aeolesthes*) **A:** YUN **ORR**

genus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
subgenus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
Hamaticherus Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)
Hammatocerus Gistel, 1848a: 130 [unjustified emendation] [HN]
apiceplicatus Pic, 1941b: 2 **A:** IN IQ
carinatus Küster, 1845a: 46 (*Hammaticherus*) **E:** AL BH BU CR GR IT MA MC YU **A:** TR #166
landrieui Pic, 1927l: 158
minor Pic, 1926d: 13
cerdo acuminatus Motschulsky, 1853: 79 ["De la Georgie et des pays limitrophes de la mer Caspienne"] **E:** ST UK **A:** AB AR GG
 IN IQ IS JO LE SY TR #414
klinzigi Podaný, 1964c: 88 #414
cerdo iranicus Heyrovský, 1951: 156 **A:** IN
cerdo cerdo Linnaeus, 1758: 392 ["Habitat in Italya. M. Kaehler. in Germania."] **E:** AL AU BE BH BU BY CR CT CZ FR GBi GE
 GR HU IR IT LA LU MA MC MD NL PL RO SK SL ST SV SZ TR UK YU **N:** MO **A:** TR
heros Scopoli, 1763: 51
cerdo manderstjernae Mulsant & Godart, 1855b: 280 [= 1855a: 180] ["la Crimée"] **E:** ST UK
cerdo masaryki Vartanis, 2018c: 76 **E:** BU #329
cerdo mirbeckii P. H. Lucas, 1842: 184 (*Hamaticherus*) **N:** AG MO **PT SP TU**
tunicus Pic, 1891b: 18 [DA]
cerdo pfisteri Stierlin, 1864: 152 (*Hammaticherus*) **E:** IT GR
dux Faldermann, 1837: 264 (*Hammaticherus*) **E:** BU MC ST UK **A:** AB AR GG IN IS JO LE SY
?intricatus Fairmaire, 1848: 167 (*Hammaticherus*)
nodosus Mulsant & Rey, 1863: 144
orientalis Küster, 1845a: 45 (*Hammaticherus*)
thirkii Küster, 1845a: 47 (*Hammaticherus*)
heinzianus Demelt, 1976: 65 **A:** TR
kodymi Sláma, 2015c: 1122 **A:** SY TR #132
miles Bonelli, 1812: 178 **E:** AL AU BH BU CR **CZ** FR GR HU IT MC PT RO SK SL SP ST SZ TR UK YU **A:** AB AR GG TR #323
militaris Latreille, 1829: 116 (*Hamaticherus*)
nodulosus hermoniacus Sláma, 2015c: 1121 **A:** SY #132
nodulosus nodulosus Germar, 1817: 220 **E:** AL BH BU CR GR IT MA MC RO SL ST TR UK YU **A:** AB AR CY GG LE **TR**
nodicornis Küster, 1845a: 43 (*Hammaticherus*)
welensii centurio Czwalińska, 1891: 99 **A:** IS JO LE SY
welensii welensii Küster, 1845a: 44 (*Hammaticherus*) **E:** AL BH BU CR FR GR HU IT PT RO SK SL SP **TR** UK YU **A:** AB CY

GG IN **IQ** TR #39
velutinus Brullé, 1832: 252 [HN]

subgenus *Microcerambyx* Mikšić & Georgijevic, 1973: 22 type species *Cerambyx scopolii* Fuessly, 1775 #206
elegans Dohrn, 1873: 74 **A: IN**
elbursi Jureček, 1924a: 47

multiplicatus Motschulsky, 1860a: 142 **A: AB IN**
paludivagus P. H. Lucas, 1842: 185 (*Hammaticherus*) **N: AG TU**
scopolii scopolii Fuessly, 1775: 12 **E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT ?LA LT LU MC MD NL**
NR NT PL PT RO SK SL SP ST SV SZ TR UK YU **A: AB AR GG SY TR**
helveticus Stierlin, 1878b: 442
nitidus Pic, 1892s: cxi [= 1893d: 417]
piceus Geoffroy, 1785: 74
scopolii siculus Rapuzzi & Sama, 2010a: 129 **E: IT (Sicilia)**

genus *Derolus* Gahan, 1891a: 26 type species *Hammaticherus mauritanicus* Buquet, 1840
Capnocerambyx Reitter, 1894h: 356 type species *Hammaticherus mauritanicus* Buquet, 1840 #326
Mimoderolus Pic, 1933a: 11 type species *Aeolesthes (Mimoderolus) uniformis* Pic, 1933
abaii Holzschuh, 2009a: 288 **A: IN**
argenteus *argenteus* Pic, 1904c: 11 **A: YUN**
argenteus diversithorax Pic, 1946b: 109 **A: CH**
asiricus Holzschuh, 1993b: 117 **A: SA**
brevicornis Holzschuh, 1981: 97 **A: IN**
bulbicornis Gressitt, 1951a: 142 **A: XIZ**
discicollis Gahan, 1906a: 136 **A: IN PA ORR**
[incultus incultus] Gerstaecker, 1855: 265 (*Cerambyx*) **AFR**
incultus yemenensis Villiers, 1977: 167 **A: YE**
iranensis arabicus Sama, 2007d: 301 **A: AE OM**
iranensis iranensis Pic, 1956a: 3 **A: AF IN PA**
iranensis Lepesme & Breuning, 1958: 179 [HN]
janae Holzschuh, 2009: 286 **A: IN**
[martini martini] Lepesme & Breuning, 1958: 178 - Djibouti]
martini hajekae Villiers, 1968: 847 **A: AE SA YE**
mauritanicus Buquet, 1840b: 395 ["295"] (*Hammaticherus*) **N: AG LB MO TU**
nerii Erichson, 1841: 188 (*Hammaticherus*)
pakistanus Holzschuh, 1974a: 81 **A: PA**
thesigeri Villiers, 1968: 848 **A: SA**
vastus Holzschuh, 1993b: 118 **A: SA YE**
volvulus Fabricius, 1801b: 271 (*Cerambyx*) **A: FUJ GUA HAI NP ZHE "India" ORR**
demissus Pascoe, 1859: 21 (*Cerambyx*)
strigicollis Dalman, 1817b: 158 (*Cerambyx*)

genus *Dialeges* Pascoe, 1856: 46 type species *Dialeges pauper* Pascoe, 1856
pauper Pascoe, 1856: 47 **A: AP NP PA SD YUN AFR ORR**
tenuicornis Pascoe, 1869a: 522
undulatus Gahan, 1891a: 23 **A: HAI TAI YUN ORR**

genus *Diorthus* Gahan, 1891a: 27 type species *Hammaticherus simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)
cinereus Fabricius, 1793: 265 (*Cerambyx*) [NP] **A: AE AF IN NP PA UP YE AFR ORR** #183
holosericeus Olivier, 1795: 14 (*Cerambyx*)
inclemens J. Thomson, 1865a: 576 (*Pachydissus*)
simplex A. White, 1853: 130 (*Hammaticherus*) [W. Africa]
sordidus Pascoe, 1888: 491 (*Neocerambyx*)
vernicosus Pascoe, 1859: 19 (*Cerambyx*)
intricarius Holzschuh, 1984a: 145 **A: KA PA** #409
pellitulus Holzschuh, 1984a: 144 **A: NP**

genus *Dissopachys* Reitter, 1886: 68 type species *Dissopachys pulvinatus* Reitter, 1886
pulvinatus Reitter, 1886: 68 **A: AB IN TM**

genus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)
subgenus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)
aureofulvescens Gressitt & Rondon, 1970: 80 **A: JIX YUN ORR**
duplus Holzschuh, 2017b: 9 **A: YUN**
gracilicornis Gressitt, 1951a: 147 (*Zegriades*) **A: FUJ YUN ORR**
miser Holzschuh, 2005: 14 **A: SHA**
querceus Holzschuh, 2015a: 44 **A: SCH** #143

subvestitus Holzschuh, 1984a: 146 **A**: NP UP

subgenus *Elydnus* Pascoe, 1869a: 509 type species *Elydnus amictus* Pascoe, 1869

hirayamai Matsushita, 1941: 153 **A**: JA TAI

kisanus Matsushita, 1935: 540 **A**: TAI

minutus Gressitt, 1935f: 379 (*Cerambyx*)

#406

genus *Falsoleanodera* Pic, 1923e: 8 type species *Falsoleanodera maculata* Pic, 1923

maculata Pic, 1923e: 8 **A**: FUJ **ORR**

genus *Gibbocerambyx* Pic, 1923e: 12 type species *Gibbocerambyx aureovittatus* Pic, 1923

aureovittatus Pic, 1923e: 12 **A**: XIX YUN **ORR**

#277

aurovirgatus Gressitt, 1939b: 96 (*Zegriades*) **A**: ANH GUX HEN HUB HUN SCH ZHE

maculicollis Matsushita, 1933b: 248 (*Zegriades*) **A**: TAI

unitarius Holzschuh, 2003a: 173 **A**: SHA

genus *Hemadius* Fairmaire, 1889a: 57 type species *Hemadius oenochrous* Fairmaire, 1889

oenochrous Fairmaire, 1889a: 57 **A**: ANH FUJ GUX HUB HUN JIX SCH TAI XIX YUN ZHE **ORR**

mushaensis Kano, 1928: 224 (*Neocerambyx*)

stoetzeri Heller, 1923b: 72 (*Neocerambyx*)

genus *Hoplocerambyx* J. Thomson, 1864: 229 type species *Hammaticherus spinicornis* Newman, 1842

spinicornis Newman, 1842a: 245 (*Hammaticherus*) **A**: AF **AP** BT NP PA **SD** UP **ORR**

#182

minor Pic, 1923e: 8 (*Haplocerambyx*)

mosus Pascoe, 1857b: 92 (*Cerambyx*)

relictus Pascoe, 1866d: 528

genus *Lachnopterus* J. Thomson, 1864: 231 type species *Hammaticherus auripennis* Newman, 1842

auripennis Newman, 1842a: 245 (*Hammaticherus*) **A**: TAI **ORR**

socius Gahan, 1891a: 24 (*Hammaticherus*) **A**: TAI **ORR**

genus *Lamellocerambyx* Pic, 1923e: 8 type species *Lamellocerambyx laosensis* Pic, 1923e

#412

laosensis Pic, 1923e: 8 **A**: YUN **ORR**

genus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858

subgenus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858

auratonotatus Pic, 1923e: 7 **A**: FUJ GUA GUI HEN HUB HUN JIA JIX SCH TAI

egenus Pascoe, 1858: 236 (*Cerambyx*) **A**: GUA NO SCH

fulvidus Pascoe, 1858: 236 (*Pachydissus*) **A**: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN

coreanus K. Saito, 1932: 440 (*Ceresium*)

lajoyei Pic, 1926f: 76 **A**: YUN **ORR** [**“Coehinehine: Cap Saint Jacques”**] no records from China known

luteopubens Pic, 1926a: 23 **A**: YUN **ORR**

modicus Gahan, 1906a: 138 **A**: NP UP **ORR**

genus *Massicus* Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857

Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857

Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946

dierli Heyrovský, 1976: 181 **A**: NP

taiwanus Makiyara & Niisato, 2014: 24 **A**: TAI

theresae Pic, 1946a: 7 (*Falsomassicus*) **A**: CH

trilineatus Pic, 1933a: 12 (*Dymasius*) **A**: AP FUJ HAI JIX TAI YUN **ORR**

fasciatus Matsushita, 1933b: 243 (*Mallambyx*) [see: Makiyara & Niisato, 2014]

venustus Pascoe, 1859: 19 (*Cerambyx*) **A**: GUI HAI TAI **ORR**

cicatricatus Gardner, 1926: 198 (*Hoplocerambyx*) [see Gardner, 1939: 13]

genus *Nadezhdiella* Plavilstshikov, 1931a: 71 type species *Hammaticherus cantori*, Hope, 1845 (= *Hammaticherus cantori*, Hope, 1842)

cantori Hope, 1842a: 61 (*Hammaticherus*) **A**: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR**

lucasi Brongniart, 1892: 238 (*Cerambyx*)

scabricollis Chevrolat, 1852: 416 (*Hammaticherus*)

fulvopubens Pic, 1933b: 27 (*Plocaederus*) **A**: CH

aurea Gressitt, 1937a: 91

conica Chiang, 1942: 254

japonica Hayashi, 1972: 27 **A**: JA (Ryukyu)

genus *Neocerambyx* J. Thomson, 1861: 194 type species *Cerambyx paris* Wiedemann, 1821

Mallambyx Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blessig, 1872)

grandis Gahan, 1891a: 20 A: AP FUJ GUA HAI UP YUN ORR #182 #258
katarinae Holzschuh, 2009: 285 A: AP GUA GUX ORR #352
paris Wiedemann, 1821: 167 (*Cerambyx*) A: NP "North India"
raddei Blesig, 1872: 170 A: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX TAI YUN
ZHE ORR
japonicus Bates, 1873: 152 (*Mallambyx*)
vitalisi Pic, 1923e: 12 A: FUJ ORR

genus *Neoplocaederus* Sama, 1991: 123 [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus Gemminger, 1872: 2799 [HN]
bicolor Gressitt, 1942a: 1 (*Plocaederus*) A: GUI HAI HEB HUB HUN JIX SHA TAI XIZ YUN #350
caroli Leprieur, 1876: viii (*Plocaederus*) N: AG LB MO TU AFR
jaffæuxi Vuillet, 1911b: 217 (*Plocaederus*)
danilevskyi Lazarev, 2009a: 73: A: UZ
denticornis Fabricius, 1801b: 271 (*Cerambyx*) A: OM SA YE
atlanticus Rungs, 1952: 146 (*Plocaederus*)
cribrithorax Kolbe, 1897: 297 (*Plocaederus*)
serraticornis Bertoloni, 1855: 440 (*Hammaticherus*)
elongatulus Holzschuh, 1993: 113 (*Plocaederus*) A: SA
laszlokotani Kotán & Sama, 2011 A: SY
luristanicus Holzschuh, 1977a: 127 (*Plocaederus*) A: IN
obesus Gahan, 1890a: 51 (*Plocaederus*) A: AP BT GUA GUI GUX HAI HKG JIX PA SD TAI UP YUN ORR #74
pedestris Cotes, 1889: 91 (*Plocaederus*) [HN]
pedestris A. White, 1853: 127 (*Hammaticherus*) A: KA "Northern India" ORR #409
humeralis A. White, 1853: 127
ruficornis Newman, 1842a: 245 (*Hammaticherus*) A: NP YUN ORR
scapularis Fischer von Waldheim, 1821: 15 (*Cerambyx*) A: AF IN KI KZ TD TM UZ XIN
tataricus Gebler, 1841a: 375 (*Hammaticherus*)
spinicornis Fabricius, 1781: 224 (*Lamia*) A: OM SA YE AFR

genus *Pachydissus* Newman, 1838b: 494 type species *Pachydissus sericus* Newman, 1838
argentatus Pic, 1923b: 8 A: XIZ
murzini Miroshnikov, 2018c: 212 A: YUN #412
parvicollis Gahan, 1891a: 29 A: NP "North India"
schmutzenhoferi Holzschuh, 1990: 185 A: BT SD
thibetanus Pic, 1946c: 108 A: XIZ

genus *Parolesthes* Vitali, Gouverneur & Chemin, 2017: 58 type species: *Aeolesthes laosensis* Gressitt & Rondon, 1970 #326
laosensis Gressitt & Rondon, 1970: 64 A: YUN ORR #326

genus *Plavichydissus* Pic, 1946b: 107 type species: *Pachydissus semiplicatus* Pic, 1926 #412
decipiens Holzschuh, 1989c: 393 (*Margites*) A: BT

genus *Pseudaolesthes* Plavilstshikov, 1931a: 73 type species *Neocerambyx chrysothrix* Bates, 1873 #326
Niphocerambyx Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873
chrysothrix chrysothrix Bates, 1873: 152 (*Neocerambyx*) A: GUI HUB JA SC SHA SHG SHN TAI ZHE
batesi Harold, 1875d: 295 (*Neocerambyx*)
chrysothrix fukidai Fujita, 2019: 26 A: JA #411
chrysothrix kurosa wai Gressitt, 1965: 62 A: JA (Ryukyus)
chrysothrix nakamurai Kusama & Takakuwa, 1984: 9 (*Aeolesthes*) A: JA (Ryukyus)
chrysothrix tibetana Gressitt, 1942a: 2 A: GUI GUX HAI XIZ YUN
chrysothrix yonaguniensis K. Ohbayashi & N. Ohbayashi, 1965: 1 A: JA
mutabiliaurea Chiang, 1951: 21 A: GUI GUX
taiwanensis Hayashi, 1974a: 16 A: TAI #411

genus *Pseudopachydissus* Pic, 1933: 11 type species *Pseudopachydissus rufofemoralis* Pic, 1933 [Tonkin] #90
rufofemoralis Pic, 1933a: 11 A: GUX ORR
taiwanensis Hayashi, 1992: 138 (*Neocerambyx*) A: TAI #90

genus *Rhytidodera* A. White, 1853: 132 type species *Rhytidodera bowringii* A. White, 1853
bowringii A. White, 1853: 133 A: ANH AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN ORR
consona Holzschuh, 1995: 18 A: AP NP SD #182
griseofasciata Pic, 1912l: 16 A: AP CH #258
integra Kolbe, 1886: 237 A: FUJ GUA GUX HKG HUB HUN SC SCH TAI YUN ORR
nebulosa Brongniart, 1892: 240 (*Zatrephus*) [DA]
simulans A. White, 1853: 132 (*Hammaticherus*) A: NP TAI ORR

genus *Sinopachys* Sama, 1999b: 48 type species *Neocerambyx mandarinus* Gressitt, 1939
mandarinus Gressitt, 1939f: 209 (*Neocerambyx*) A: HEN HUB HUN SCH SHA SHX

genus *Taurotagus* Lacordaire, 1868: 249 type species *Taurotagus klugi* Lacordaire, 1868
Lacordairesius Travassos Santos-Dias, 1960: 237 type species *Taurotagus klugi* Lacordaire, 1969
griseus Guérin-Ménéville, 1844: 227 (*Cerambyx*) N: EG A: YE
auberti Fairmaire, 1892a: 118 [DA]
greenfieldi Gahan, 1894c: 408

genus *Trachylophus* Gahan, 1888b: 59 type species *Trachylophus sinensis* Gahan, 1888
rugicollis Gressitt, 1948a: 48 A: SCH
sinensis Gahan, 1888b: 60 A: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE ORR
piyananensis Kano, 1933a: 261

genus *Trirachys* Hope, 1843: 63 type species *Trirachys orientalis* Hope, 1843 #326
Trirhachis Agassiz, 1846b: 378 [unjustified emendation]
Trirrhachys Gemminger, 1872: 2801 [unjustified emendation]

genus *Aeolesthes* Gahan, 1890c: 250 type species *Hammaticherus aurifaber* A. White, 1853 #326
subgenus *Aeolesthes* Gahan, 1890c: 250 type species *Hammaticherus aurifaber* A. White, 1853
holosericeus Fabricius, 1787: 135 (*Cerambyx*) A: A: AP FUJ GUA GUX HAI HEN HKG HP KA PA SCH SD SHA TAI UP YUN
ORR #183

similis Gahan, 1890a: 52 (*Pachydissus*)
velutina J. Thomson, 1865a: 576 (*Pachydissus*)
indicolus Bates, 1891a: 21 (*Neocerambyx*) A: AF HP NP SD
indutus Newman, 1842a: 245 (*Hammaticherus*) A: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE ORR
inexpectatus Holzschuh, 1982b: 148 A: UP
orientalis Hope, 1843: 64 A: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE ORR
formosanus Schwarzer, 1925a: 21
sartus Solsky, 1871b: 150 (*Pachydissus*) A: AF AP IN KI KZ PA TD TM UZ XIZ
sinensis Gahan, 1890c: 255 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya"
ORR

genus *Xenoderolus* Sama, 2007b: 98 type species *Microderolus arabicus* Villiers, 1968
arabicus Villiers, 1968: 848 (*Microderolus*) A: OM SA YE [see Danilevsky, 2014b: 208]

genus *Xenopachys* Sama, 1999b: 46 type species *Dissopachys matthiesseni* Reitter, 1907
matthiesseni Reitter, 1907b: 218 (*Dissopachys*) A: AF IN TM
schurmanni Sama, 1999b: 46 A: AF

genus *Xoanodera* Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
subgenus *Xoanodera* Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
Falsoxeanodera Pic, 1923e: 8 type species *Falsoxeanodera maculata* Pic, 1923e #71
maculata Pic, 1923e: 8 (*Falsoxeanodera*) A: FUJ GUX HAI HUN SCH TAI YUN ORR #71 #74
maculata Schwarzer, 1925a: 21
regularis Gahan, 1890a: 52 A: NP YUN "North India" ORR

genus *Zatrephus* Pascoe, 1857b: 94 type species *Zatrephus pannosus* Pascoe, 1857
longicornis Pic, 1930a: 15 A: GUA ORR

genus *Zegriades* Pascoe, 1869a: 509 type species *Xoanodera magister* Pascoe, 1857
gracilicornis Gressitt, 1951a: 147 A: FUJ YUN
maculicollis Matsushita, 1933b: 248 A: TAI

tribe Certallini Fairmaire, 1864

genus *Certallum* Dejean, 1821: 111 type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)
Cartallum Audinet-Serville, 1834b: 94 [unjustified emendation]
ebulinum Linnaeus, 1767: 637 (*Cerambyx*) E: AL BU FR GR MA MC PT SP ST TR UK A: AB AR CY GG IN IQ IS JO LE SY TR
N: AG EG LB MO TU #11 #84
monspeliense Gmelin, 1790: 1842 (*Cerambyx*)
nigricolle Pic, 1891b: 17 (*Cartallum*)
ruficolle Fabricius, 1781: 236 (*Callidium*)
tricolor Chevrolat, 1882: 57 (*Obrium*)
martini Sama, 1990: 287 N: AG TU
nigricorne Holzschuh, 1991a: 10 (*Cartallum*)
thoracicum Sharp, 1880: 247 (*Cartallum*) A: IN IQ IS JO LE SY TR
diversipes Pic, 1928c: 9 (*Cartallum*)

laevicolle Pic, 1895d: 76 (*Cartallum*)

tribe Cleomenini Lacordaire, 1868

genus *Artimpaza* J. Thomson, 1864: 160 type species *Artimpaza odontoceroideus* J. Thomson, 1864

Cleomenida Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925

Falsodebilia Pic, 1918a: 9 type species *Falsodebilia metallica* Pic, 1918

Mimistena Pascoe, 1866d: 513 type species *Mimistena femorata* Pascoe, 1866

argenteonotata Pic, 1922c: 10 **A: GUA GUX YUN ORR**

biplagiata Gahan, 1906b: 113 (*Mimistena*) **A: TAI ORR**

brevilineata Tian & Chen, 2012: 43 **A: YUN**

curtelineata Pic, 1922b: 23 (*Falsodebilia*) **A: GUX YUN ORR**

dehra Gardner, 1939: 13 **A: NP UP**

lineata Pic, 1927a: 24 (*Falsodebilia*) **A: GUX YUN ORR**

metallica Pic, 1918a: 10 (*Falsodebilia*) **A: YUN ORR**

mimetica Holzschuh, 1989b: 385 **A: YUN ORR**

obscura Gardner, 1926: 207 **A: NP SD "India"**

patruelis Holzschuh, 1989b: 383 **A: YUN ORR**

pulchella Gressitt, 1935c: 187 (*Cleomenida*) **A: TAI**

pulchra Gressitt & Rondon, 1970: 292 **A: HAI ORR**

punctigera Holzschuh, 1982a: 72 **A: NP ORR**

sausai Holzschuh, 1995: 31 **A: YUN**

setigera japonica Pic, 1928a: 27 (*Falsodebilia*) **A: JA**

nipponica Hayashi, 1956c: 40

setigera setigera Schwarzer, 1925a: 29 (*Cleomenida*) **A: TAI**

ruficollis Matsushita, 1933a: 107 (*Mimistena*)

genus *Camelocerambyx* Pic, 1922: 32 type species *Camelocerambyx singularis* Pic, 1922

singularis Pic, 1922: 32 **A: YUN ORR** [see Pu, 1991b: 250]

genus *Cleomenes* J. Thomson, 1864: 161 type species *Cleomenes diammaphoroides* J. Thomson, 1864

apicalis Holzschuh, 1977b: 340 **A: BT NP ?XIZ**

#75

atricornis Holzschuh, 1995: 33 **A: BT**

auricollis Kano, 1933a: 277 **A: TAI**

diversevittatus Fuchs, 1961: 21 **A: YUN**

giganteus Holzschuh, 1995: 34 **A: YUN**

longipennis longipennis Gressitt, 1951a: 313 **A: HUB SCH SHA TAI ~~XIZ~~ YUN**

#74

#75

longipennis trilineatus Holzschuh, 2006a: 264 **A: YUN**

#75

modicatus Holzschuh, 1995: 33 **A: YUN**

multiplagatus Pu, 1992b: 599 **A: YUN**

nigricollis Fairmaire, 1895: 148 **A: GUX YUN ORR**

ornatus Holzschuh, 1981: 102 **A: NP SD YUN**

rufofemoratus Pic, 1914e: 17 **A: FUJ YUN**

semiargentens Gressitt, 1945a: 127 **A: SCH**

semilineatus Pic, 1957: 77 **A: FUJ**

takiguchii K. Ohbayashi, 1936a: 14 **A: JA SC**

tenuipes Gressitt, 1939b: 106 **A: GUX HUB TAI YUN ZHE ORR**

trinotatithorax Mitono, 1944: 249 **A: HAI**

genus *Dere* A. White, 1855: 248 type species *Dere thoracica* A. White, 1855

affinis macilenta Gressitt, 1940b: 87 **A: GUA HAI SCH ORR**

femoralis Holzschuh, 1998: 41 **A: YUN**

grahami Gardner, 1942: 70 **A: NP UP**

khatrii Holzschuh, 1984c: 367 **A: NP SD**

kirai Mitono, 1943: 588 **A: TAI**

nigripennis Holzschuh, 2015d: 59 **A: SHA**

#148

opacula Holzschuh, 1984a: 151 **A: NP**

punctifrons Holzschuh, 1991b: 63 **A: YUN ORR**

reticulata Gressitt, 1942a: 4 **A: BEI HEN HUB SCH SHA XIZ YUN ZHE ORR**

#74

rufeola Holzschuh, 1998: 40 **A: HUN**

subtilis Holzschuh, 1991b: 63 **A: YUN**

thoracica A. White, 1855: 249 **A: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE ORR**

genus *Diplothorax* Gressitt & Rondon, 1970: 312 type species *Diplothorax paradoxus* Gressitt & Rondon, 1970

brevis Niisato, 2008b: 283 **A: HUB**

fasciatus Holzschuh, 1982a: 74 **A: NP UP**

ishihamai Niisato, 1998: 208 A: YUN
kaiyuni Niisato & Chou, 2014: 159 A: TAI
lucens Holzschuh, 1995: 28 A: SCH
punctator Holzschuh, 2003a: 189 A: SHA
sangayi Holzschuh, 1989c: 394 A: BT CH ORR

#28

genus *Kurarua* Gressitt, 1936: 92 type species *Kurarua constrictipennis* Gressitt, 1936
Cleomenella Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940
Sikimpaza Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961
angustissima Pic, 1903e: 105 (*Debilis*) A: SCH YUN
bicolorata Gressitt & Rondon, 1970: 303 A: YUN ORR
brevipes Holzschuh, 1984: 152 A: NP SD
chujoi Makihara, 1982b: 129 A: JA (Ryukyus) TAI
constrictipennis Gressitt, 1936: 93 A: GUX TAI
nacerdoides Pesarini & Sabbadini, 1997: 113 A: YUN
nigrescens Holzschuh, 1999: 31 A: YUN ORR
pedongensis Heyrovský, 1961b: 140 (*Sikimpaza*) A: SD
rhopalophoroides Hayashi, 1951b: 78 A: JA
ruficeps Holzschuh, 1991a: 25 A: CH ORR

genus *Nida* Pascoe, 1867a: 312 type species *Nida flavovittata* Pascoe, 1867
championi Gardner, 1926: 208 A: NP SD UP
flavovittata Pascoe, 1867a: 312 A: GUX TAI YUN ORR
vittidorsa Pic, 1904c: 10 (*Ceresium*)
kala Gardner, 1936: 136 A: UP

genus *Paramimistena* Fisher, 1940: 204 type species *Paramimistena polyalthiae* Fisher, 1940
assimilata Holzschuh, 1999: 38 A: SD
enterolobii Gressitt & Rondon, 1970: 308 A: SHA ORR
gracilicornis Holzschuh, 1999: 38 [39] A: NP
polyalthiae Fisher, 1940: 205 A: SD
subglabra Gressitt & Rondon, 1970: 306 A: SD YUN ORR

#421

genus *Procleomenes* Gressitt & Rondon, 1970: 309 type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970
jianfenglingensis Hua, 1986b: 204 A: HAI
mioleucus Holzschuh, 1998: 39 A: YUN
robustus Niisato, 1981b: 71 A: TAI

tribe Clytini Mulsant, 1839

genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110 type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997
felicisrosettae Pesarini & Sabbadini, 1997: 111 A: SCH
ventripennis Pic, 1908k: 61 (*Clytus*) A: SCH YUN

genus *Amamicyltus* K. Ohbayashi, 1964: 21 type species *Amamicyltus nobuoi* Ohbayashi, 1964
~~*elegantulus* Gahan, 1906a: 279 (*Rhaphuma*) A: ?TAI ORR~~
hirtipes Matsushita, 1940: 52 (*Rhaphuma*) A: TAI
juni Niisato & Han, 2011: 40 A: TAI
limaticollis Gressitt, 1939b: 101 (*Rhaphuma*) A: FUJ ZHE
nobuoi akusekianus Niisato, 2005: 383 A: JA (Ryukyus)
nobuoi nobuoi K. Ohbayashi, 1964: 21 A: JA
nubilus Niisato & Han, 2011: 37 A: TAI
setiger Niisato & Han, 2011: 35 A: TAI
subnitidus Holzschuh, 1984c: 357 A: TAI
wenshuani Niisato & Han, 2013: 165 A: YUN
yulongi Niisato & Han, 2011: 43 A: TAI

#356

#47

#47

genus *Brachyclytus* Kraatz, 1879d: 107 type species *Brachyclytus singularis* Kraatz, 1879
singularis Kraatz, 1879d: 107 A: FE HEN JA NC SC SHG
fukukii Seki, 1935: 224

genus *Calloides* LeConte, 1873b: 319 type species *Clytus nobilis* Harris, 1837
bicolor Pu, 1991b: 248, 252 A: SCH
magnificus Pic, 1916j: 181 (*Clytus*) A: HEB SHN SHX
yunnanensis J.-X. Zhang & Chen, 2006: 47 A: YUN

genus *Chaetopsilomerus* Niisato et Han, 2017: 202 type species *Chaetopsilomerus hainanensis* Niisato et Han, 2017
hainanensis Niisato et Han, 2017: 202 A: HAI

#366

genus *Chlorophorus* Chevrolat, 1863b: 290 type species *Callidium annulare* Fabricius, 1787

subgenus *Chlorophorus* Chevrolat, 1863b: 290 type species *Callidium annulare* Fabricius, 1787

acrocarpi Gardner, 1942: 71 A: NP SD

annularis Fabricius, 1787: 156 (*Callidium*) A: ANH AP FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIL JIX LIA

NP SC SCH SD SHA TAI UP XIZ YUN ZHE NARi NTRi ORR

#183 #427

bidens Weber, 1801: 90 (*Callidium*)

bisbiinterruptus Pic, 1953b: 11

griseopubens Pic, 1943b: 3

reducticollis Pic, 1953b: 11

subnebulosus Pic, 1953b: 11

annularoides Holzschuh, 1983: 372 A: NP SD YUN ORR

anulifer Heller, 1926: 26 A: NP UP

lepesmei Pic, 1950f: 507 A: BT

rufimembris Gressitt & Rondon, 1970: 221, 223 A: YUN ORR

#50

shoreae Gardner, 1941: 55 A: NP UP

#433

subgenus *Crassofasciatus* Özdikmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781

adelii Holzschuh, 1974a: 93 A: IN

aegyptiacus Fabricius, 1775: 194 (*Callidium*) E: BU GR MC A: TR

macedonicus Pic, 1935d: 15

magdalenae Théry, 1895: cclxvi (*Clytus*)

nigripes Brullé, 1832: 255 (*Clytus*)

rufifrons Pic, 1917g: 5

convexifrons Holzschuh, 1981: 100 E: GR (Samos) A: TR

cursor Rapuzzi & Sama, 1999: 331 A: TR

favieri Fairmaire, 1873b: 351 (*Clytus*) N: MO

grosseri Sama & Rapuzzi, 2011: 85 A: TR

hungaricus Seidlitz, 1891b: 828 E: AL AU BH BU CR CZ GR HU MC MD RO SK YU A: TR

niehuisi Adlbauer, 1992: 497 A: TR

oezdikmeni Sama & Rapuzzi, 2011: 87 A: TR

ringenbachi Sama, 2004: 148 N: LB

robustior Pic, 1900e: 11 (*Clytanthus*) A: TR

ruficornis Olivier, 1790b: 267 (*Callidium*) E: FR PT SP

feneoni Chobaut, 1895b: cccxlv (*Clytanthus*)

obscuriceps Pic, 1917g: 5

sexguttatus P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU

trifasciatus Fabricius, 1781: 244 (*Callidium*) E: AL BH BU CR FR GR HU IT PT RO SL SP SZ N: AG MO TU A: IS SY TR #11

balearicus Pic, 1908i: 91 (*Clytanthus*)

nigrofasciatus Goeze, 1777: 507 (*Leptura*)

ornatus Herbst, 1784: 98 (*Callidium*)

perfidus Breit, 1915: 355 [DA]

paradoxus Dayrem, 1924b: 78 (*Clytanthus*)

portugallus Gmelin, 1790: 1854 (*Cerambyx*)

subgenus *Humeromaculatus* Özdikmen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763

annulatus Hope, 1831: 28 (*Clytus*) A: NP SD YUN ORR

nigroannularis Villiers & Chûjô, 1966: 552

anticemaculatus Schwarzer, 1925a: 27 A: TAI

chiuae Nakamura, 1974: 14 A: TAI

diadema diadema Motschulsky, 1854a: 48 (*Clytus*) A: ANH FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG

NC NMO SC SCH SHA SHN SHX YUN ZHE

artemisiae Fairmaire, 1888b: 143 (*Clytus*)

breuningii Heyrovský, 1938: 93

herzianus Ganglbauer, 1887a: 134 (*Clytus*)

itoi Matsushita, 1934a: 240

diadema inhirsutus Matsushita, 1934a: 240 A: FE JA

kurotora Hayashi, 1961a: 26

dinae Rapuzzi & Sama, 1999: 329 A: SY TR

dominici Sama, 1996c: 110 A: TR

doueii Chevrolat, 1863b: 294 (*Anthoboscus*) A: FUJ GUA GUI GUX HAI HUN NP SCH SHA YUN ORR

#350

aei Hayashi, 1979: 90

laharae Gardner, 1942: 72

reductus Pic, 1922c: 13

durelle Pic, 1950f: 507 A: BT NP "India"

athatodae Chatterjee & Misra, 1971: 91

pseudofiguratus Heyrovský, 1976: 182

figuratus Scopoli, 1763: 55 (*Cerambyx*) E: AL AU BH BU BY CD CR CT CZ EN FR GE GR HU IT LA LS LT LU MC MD NT PL

PT RO SK SL SP ST SZ **TR** UK YU **A:** AB AR ES GG IN KZ **TR** **WS**
conglobatus Fügner, 1891: 201 (*Clytus*)
cordiger Aragona, 1830: 26 (*Clytus*)
funebis Laicharting, 1784: 111 (*Clytus*)
latifasciatus Fischer von Waldheim, 1832: 439 (*Clytus*)
leucozonias Gmelin, 1790: 1846 (*Cerambyx*)
plebejus Fabricius, 1781: 243 (*Callidium*)
rusticus O. F. Müller, 1776: 93 (*Leptura*) [HN]
tapaensis Pic, 1924c: 22 (*Clytanthus*)
graphus Holzschuh, 1998: 47 **A:** TAI
henriettae Holzschuh, 1984c: 358 **A:** NP SD
hircanus Pic, 1905g: 114 (*Clytanthus*) **A:** IN
persicus Breit, 1915: 355 [DA]
japonicus Chevrolat, 1863b: 298 (*Anthoboscus*) **A:** FE GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX ZHE **ORR**
griseobimaculatus Pic, 1924a: 16 (*Clytanthus*)
latepubens Pic, 1924a: 15 (*Clytanthus*)
rufotinctus Pic, 1924a: 16 (*Clytanthus*)
kanekoi Matsushita, 1941: 134 **A:** TAI
motschulskyi Ganglbauer, 1887a: 135 (*Clytus*) **A:** ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE
chasanensis Tsherepanov, 1982a: 175
latofasciatus Motschulsky, 1861b: 41 (*Clytus*) [HN]
navratili Holzschuh, 1981: 99 **A:** UZ TD
nivipictus Kraatz, 1879d: 91 (*Clytus*) **E:** GR (Samos) **A:** IN SY TR
cinctiventris Chevrolat, 1882: 58 (*Clytus*)
obliteratus Ganglbauer, 1889a: 70 (*Clytanthus*) **A:** ES MG NMO
kaszabi Heyrovský, 1970b: 140
mongolicus Pic, 1943a: 1
ubsanurensis Tsherepanov, 1971: 14
quatuordecimmaculatus Chevrolat, 1863b: 295 (*Anthoboscus*) **A:** AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN **ORR**
~~— *afghanicus* Tippmann, 1958a: 54~~
~~guerryi~~ Pic, 1902i: 30 (*Clytanthus*)
~~— *variabilissimus* Tippmann, 1958a: 54~~
~~— *valdereductus* Tippmann, 1958a: 54~~
separatus Gressitt, 1940b: 78 **A:** FUJ GUA GUI GUX HAI HEN HUB JIX SCH SHA YUN ZHE
taihorensis Schwarzer, 1925a: 27 **A:** TAI
tohokensis Hayashi, 1968a: 23 **A:** FE JA **NC** SC
verus Holzschuh, 1998: 46 **A:** TAI
yachovi Sama, 1996b: 97 **A:** IS LE
subgenus *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963
alni Holzschuh, 1982b: 152 **A:** UP
amami Hayashi, 1968a: 24 **A:** CH JA
apertulus Holzschuh, 1992: 25 **A:** SCH
arciferus Chevrolat, 1863b: 330 (*Amauresthes*) **A:** ANH BT HAI JIX NP SCH SD YUN ZHE **ORR**
pieli Pic, 1924a: 15 (*Clytanthus*)
rectefasciatus Pic, 1937a: 14 (*Clytanthus*)
aritai K. Ohbayashi, 1964: 22 (*Rhaphuma*) **A:** JA (Ryukyus)
assimilis Hope, 1831: 28 (*Clytus*) **A:** BT NP
boninensis Kano, 1933b: 135 **A:** JA (Ogasawara)
brevenotatus Pic, 1922c: 13 **A:** GUA **ORR**
caragana Xie & W.-K. Wang, 2012: 55 **A:** NIN NMO **#74**
copiosus Holzschuh, 1991b: 46 **A:** GUI YUN **ORR**
crasipes Pesarini & Sabbadini, 2015: 49 **A:** XIZ **ORR** **#277**
eckweileri Holzschuh, 1992: 24 **A:** GAN SCH
elaeagni Plavilstshikov, 1956: 818 **E:** KZ ST **A:** AB KI KZ TD TM UZ
eleodes Fairmaire, 1889a: 65 (*Clytus*) **A:** GUI GUX HUB SCH SHA XIN XIZ YUN
insignifer Pic, 1902i: 31 (*Clytanthus*)
faldermanni Faldermann, 1837: 269 (*Clytus*) **E:** ST **A:** AB AF AR GG IN KI KZ TD TM UZ XIN **ORR**
caucasicus Pic, 1897o: 262 (*Clytanthus*)
mesmini Pic, 1908b: 3 (*Clytanthus*)
punctomaculatus Pic, 1893a: 26 (*Clytus*)
quinquemaculatus Gebler, 1845: 104 (*Clytus*)
flavopubescens Hayashi, 1968c: 14 **A:** JA (Ryukyus)
fraternus Holzschuh, 1992: 23 **A:** CH **ORR**
furcillatus Holzschuh, 1989a: 166 **A:** NP SD
gaudens Holzschuh, 1992: 26 **A:** SCH
glabromaculatus *glabromaculatus* Goeze, 1777: 507 (*Leptura*) **E:** BEi BH CR FR GEi GR IT **LUi** MA SL SP SZ **#437**
naevius Gmelin, 1790: 1877 (*Leptura*)
quadripunctatus Fabricius, 1793: 337 (*Callidium*)
sexpunctatus Olivier, 1790b: 264 (*Callidium*)

uniformis Pic, 1945b: 7 [HN]
villosus Geoffroy, 1785: 80 (*Leptura*)
glabromaculatus glaucus Fabricius, 1781: 236 (*Callidium*) **E:** AZ FRi ITi (Sardegna) SP PT **N:** AG CI MO TU #437
consobrinus P. H. Lucas, 1851a: xxxi (*Clytus*)
griseus Laporte & Gory, 1841: 80 (*Clytus*)
indus Gmelin, 1790: 1854 (*Cerambyx*)
lugens Küster, 1848c: 76 (*Clytus*)
nigrosignatus Fairmaire, 1856b: 531 (*Clytus*)
pilosus, auct.(not Forster, 1771)
quinquepunctatus P. H. Lucas, 1848: xlviii (*Clytus*)
unifasciatus Pic, 1898a: 11 (*Clytanthus*)
vittatus Rungs, 1947: 99
webbii Brulle, 1839: 63 (*Clytus*) #437
webbei Laporte & Gory, 1841: 80 (*Clytus*) [HN]
hainanicus Gressitt, 1940b: 75 **A:** HAI
hederatus Heller, 1926: 25 **A:** GUX YUN ORR
herbstii Brahm, 1790: 148 (*Leptura*) **E:** AU BH BU BY CR CT CZ EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SP ST
SV SZ TR UK YU **A:** ES KZ TR WS
sulphureus Schaum, 1862: 103 (*Clytus*) [RN]
verbasci Fabricius, 1775: 194 (*Callidium*) [HN]
hrabovskyi Kratochvíl, 1985b: 66 **A:** TM IN #271
ictericus Holzschuh, 1991b: 45 **A:** YUN ORR
inhumeralis Pic, 1918b: 4 **A:** FUJ YUN ORR
insidiosus Holzschuh, 1986a: 124 **A:** NP SD YUN
intactus Holzschuh, 1992: 25 **A:** YUN
kabateki Holzschuh, 1998: 46 **A:** SCH
kanoi Hayashi, 1963d: 134 **A:** JA (Ryukyus)
kobayashii Komiya, 1976: 31 **A:** JA (Ogasawara)
kusamai Satô, 1999: 47 **A:** JA (Ogasawara)
lingnanensis Gressitt, 1951a: 626 **A:** FUJ GUA HUB HUN
macaumensis macaumensis Chevrolat, 1845: 98 (*Clytus*) **A:** GUA GUX HAI HKG SHA
masataakai Niisato & Karube, 2006: 222 **A:** JA (Ogasawara)
minamiwo kitaiwo Niisato & Karube, 2002b: 250 **A:** JA (Ogasawara)
minamiwo minamiwo Satô & N. Ohbayashi, 1982: 50 **A:** JA (Ogasawara)
miwai Gressitt, 1936: 100 **A:** ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE
shirozui Hayashi, 1965: 110
moupinensis Fairmaire, 1888a: 33 (*Clytus*) **A:** GUI GUX HUB SCH YUN ZHE
immaculatithorax Pic, 1933a: 12
muscosus Bates, 1873: 198 (*Clytanthus*) **A:** JA SC
bifasciatus Kano, 1933b: 135
mushanus Matsushita, 1931a: 44 **A:** TAI
nepalensis Hayashi, 1979: 89 **A:** NP
nodai Makihara, 1986c: 279 **A:** JA
praecanus Holzschuh, 2006b: 289 **A:** YUN
proannulatus Gressitt & Rondon, 1970: 220, 225 **A:** YUN ORR #53
probsti Holzschuh, 1989b: 380 **A:** TAI
quinquefasciatus Laporte & Gory, 1841: 101 (*Clytus*) **A:** JA SC TAI
salicicola Holzschuh, 1993a: 36 **A:** YUN
semikanoi Hayashi, 1974a: 29 **A:** TAI
seniculus Holzschuh, 2006b: 287 **A:** YUN
siegriedae Holzschuh, 1993a: 36 **A:** YUN ORR
signaticollis Laporte & Gory, 1841: 103 (*Clytus*) **A:** FUJ GUA HUB JA (Ryukyus) JIX SHA TAI ZHE ORR
fainanensis Pic, 1918b: 4
oppositus Chevrolat, 1863b: 303 (*Anthoboscus*)
simillimus Kraatz, 1879d: 91 (*Clytus*) **A:** ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH
SHA SHN XIN YUN ZHE
duodecimmaculatus Kraatz, 1879d: 91 (*Clytus*) [RN]
griseopubens Pic, 1904d: 17 (*Clytanthus*)
joannisi Théry, 1896: 108 (*Clytanthus*)
sexmaculatus Motschulsky, 1859b: 494 (*Clytus*) [HN]
taiwanus Matsushita, 1933b: 285 **A:** FUJ GUA HUB SCH TAI YUN
tredecimmaculatus Chevrolat, 1863b: 305 (*Anthoboscus*) **A:** FUJ GUA NO
trivialis Holzschuh, 2010: 189 **A:** SCH YUN XIZ
vageapicatus Pesarini & Sabbadini, 2015: 48 **A:** XIZ #277
varius damascenus Chevrolat, 1854: 483 (*Clytus*) **E:** GR (Rodas) **N:** EG **A:** CY ?IN IS IQ JO LE SY TR #247 #271
varius varius O. F. Müller, 1766: 188 (*Leptura*) **E:** AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT LS LT MA MC MD NL
PL RO SK SL SP ST SZ TR UK YU **A:** AB AR GG KZ TR WS
c-duplex Scopoli, 1786: 46 (*Stenocorus*)

ferrugineus Mulsant, 1839: 87 (*Clytus*)
gammoides Geoffroy, 1785: 81 (*Leptura*)
incanus Plavilstshikov, 1924: 229 #72
mixtornatus Fleischer, 1908: 211 (*Clytanthus*)
strigosus Gmelin, 1790: 1877 (*Leptura*)
venustus Gmelin, 1790: 1856 (*Cerambyx*)
viridicollis Kraatz, 1871b: 410 (*Clytus*)
vartianae Holzschuh, 1974a: 91 A: PA
viridulus Kano, 1933b: 136 A: TAI
parvus Matsushita, 1933b: 284
viticis Gressitt & Rondon, 1970: 225 A: SE SW ORR
yakitai Niisato, 2005: 384 A: JA (Ryukyus)
yayeyamensis Kano, 1933b: 137 A: JA TAI
dubius Matsushita, 1933b: 281
yedoensis Kano, 1933b: 133 (*Clytus*) A: JA
zelus Holzschuh, 1989a: 166 A: TAI
subgenus *Perderomaculatus* Özdikmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766
golestanicus Vorišek, 2012: 2 A: IN
gratiosus *gratiosus* Marseul, 1868: 203 (*Clytus*) A: IS LE TR #247
gratiosus *sparsus* Reitter, 1886: 67 (*Clytus*) E: GR A: SY TR #247
pelletieri Laporte & Gory, 1841: 93 (*Clytus*) N: AG MO TU
lepeletieri Pic, 1891j: 145
solutus Dayrem, 1922a: 18 (*Clytanthus*)
pseudoswatensis Holzschuh, 1983: 373 A: PA
sartor O. F. Müller, 1766: 188 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ ?LA LU MC MD PL PT RO
SK SL SP ST SZ TR UK YU A: AB AR CY ?ES GG IN IS JO KZ LE IQ SY TM TR WS #39 #84
achilleae Brahm, 1790: 141 (*Leptura*)
angusticollis Mulsant, 1851: 123 (*Clytus*)
corsicus Chevrolat, 1882: 58 (*Clytus*)
fulvicollis Mulsant, 1862: 181 (*Clytus*)
griseus Gabriel, 1910: 556 (*Clytanthus*)
lineola Scopoli, 1786: 44 (*Stenocorus*)
massiliensis Linnaeus, 1767: 1067 (*Leptura*)
mequignoni Pic, 1945a: 13
ruficeps Pic, 1917g: 5
rusticus Geoffroy, 1785: 81 (*Leptura*)
spinosulus Mulsant, 1862: 182 (*Clytus*)
swatensis Holzschuh, 1974a: 92 A: PA
wewalkai Holzschuh, 1969: 77 A: TR
subgenus ???
albopunctatus Pic, 1916h: 13 (*Clytanthus*) A: YUN
biinterruptus Pic, 1943a: 1 A: CH
capensis Laporte & Gory, 1841 90 (*Clytus*) A: SA YE AFR
caffèr Fähræus, 1872a: 66 (*Xylotrechus*)
curvatofasciatus Aurivillius, 1922a: 6 A: TAI ORR
duo Fairmaire, 1888a: 33 (*Clytus*) A: JIA JIX
externesignatus Pic, 1936b: 13 A: YUN
hauseri Pic, 1931r: 258 A: YUN
ignobilis Bates, 1878b: 721 (*Clytanthus*) A: KA PA
impressithorax Pic, 1950c: 6 A: "Kashmir"
kinganus Pic, 1903e: 105 (*Clytanthus*) A: CH
innotatus Pic, 1920a: 2
uniformis Pic, 1920d: 16
micheli Pic, 1950c: 11 A: CH ORR
rubricollis Laporte & Gory, 1841: 88 (*Clytus*) A: YUN ORR
semiformosus Pic, 1908f: 14 (*Clytanthus*) A: YUN
semisinuatus Pic, 1949b: 54 A: SD
socius Gahan, 1906a: 264 (*Caloclytus*) A: SD
sulcaticeps Pic, 1924a: 16 (*Clytanthus*) A: ANH FUJ HUB JIA YUN ZHE
tixieri Pic, 1902i: 31 (*Clytanthus*) A: CH ORR
touzalini Pic, 1920g: 198 A: YUN
ziczac Holzschuh, 2017c A: UP ORR

genus *Chlorophorus*, nomen dubium
minomensis Seki & Suematsu, 1935: 203 A: JA

genus *Clytobius* Gressitt, 1951a: 261 type species *Clytus davidis* Fairmaire, 1878
davidis Fairmaire, 1878: 132 (*Clytus*) A: BEI CE SHN

genus *Clytocera* Gahan, 1906a: 279 type species *Clytocera chionospila* Gahan, 1906
montensis Gressitt & Rondon, 1970: 253 **A: YUN ORR** (personal message by Lin Meiying, 2018)
taiwanensis Hayashi, 1974a: 30 **A: TAI**

genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864
siamensis Jordan, 1894b: 497 **A: HAI YUN ORR**
signaticollis Pic, 1922a: 8 (*Xylotrechus*)

genus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758
subgenus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758
Clytumnus J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758
Europa J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758
Sphegesthes Chevrolat, 1863b: 333 type species *Leptura arietis* Linnaeus, 1758

ambigenus Chevrolat, 1882: 58 **N: AG TU**

biinterruptus Pic, 1895k: cclxxiv
externeinterruptus Pic, 1934c: 22
lebouli Pic, 1932d: 25
leprieuri Pic, 1934e: 20

arietis Linnaeus, 1758: 399 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE ES FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: TR N: MR**

arcuatus Sulzer, 1761: 12 (*Leptura*)
bickhardtii Pic, 1913c: 98
bourdilloni Mulsant, 1839: 81
chapmani Pic, 1937c: 13
cloueti Théry, 1893: ccxiii
gazella Fabricius, 1793: 333 (*Callidium*)
heyrowskyi Pic, 1931c: 14
quadrifasciatus DeGeer, 1775: 81 (*Cerambyx*)

arietis lederi Ganglbauer, 1882: 730 [= 1886: 232] **A: AB IN TM**

arietis oblitus Roubal, 1932: 17 **E: ST A: AB AR GG TR**

arietoides Reitter, 1900f: 281 **E: CT ST A: ES FE JA KZ MG NC NE NMO SC-WS XIN**

sachalinensis Matsushita, 1933a: 274
sibiricus Pic, 1900d: 11
venustus Plavilstshikov, 1940a: 412

auripilis Bates, 1884a: 230 **A: HUB JA**

bellus Holzschuh, 1998: 45 **A: HAI ORR**—(see Hua et al, 2009: 299)

buglanicus Kadlec, 2005: 106 **A: TR**

ciliciensis Chevrolat, 1863b: 334 (*Sphegesthes*) **A: SY TR**

bifarius Heyden, 1889b: 329
delagrangeri Pic, 1945b: 6
griseofasciatus Pic, 1908b: 3
reitteri Théry, 1892: xcvi

clavicornis Reiche, 1860: 734 **E: IT (Sicilia)**

crassicornis Mulsant, 1862: 159

famosus Viktora & Liu, 2018c: 82 **A: HAI** [*bellus*, sensu Hua et al, 2009: 299]

fibularis Holzschuh, 2003a: 207 **A: HEB NMO**

gulekanus Pic, 1904k: 65 **A: TR**

insignitus Fairmaire, 1866b: 269 [DA] **A: TR**

signifer Marseul, 1875a: 396

kabateki Sama, 1998: 49 **A: LE SY**

kumalariensis Johanides, 2001: 219 **A: TR**

lama Mulsant, 1847c: 421 **E: AU BU BY CR CZ FR GE GR HU IT LS PL RO SK SL SZ UK YU**

bifasciatus Nicolas, 1901: 29
maritimus Pic, 1945b: 6
vesubiensis Pic, 1900w: 110

larvatus Gressitt, 1939b: 99 **A: ANH JIX SHA ZHE**

madoni Pic, 1891n: ccxi **A: IS LE SY TR**

preapicalis Pic, 1939c: 17

mayeti Théry, 1892: xcvi **A: "Siberia"**

melaenus Bates, 1884a: 220 **A: FE JA JIX NC SC**

montanus Nonfried, 1893: 337 **A: "Himalaya"**

monticola Gahan, 1906a: 251 **A: KA PA XIZ YUN**

nigritulus Kraatz, 1879d: 109 **A: ES FE HEI JIL NC SC**

fulvohirsutus Pic, 1904e: 18

orientalis Kano, 1933b: 133 **A: TAI**

paradisiacus Rapuzzi & Jeniř, 2015b: 767 **E: GR**

parvigranulatus Holzschuh, 2006b: 285 **A: SHA**

#80

#394

#394

#350

#123

peyroni Pic, 1899c: 209 **A**: LE
planiantennatus Lim & Han, 2012: 193 **A**: SC
quadraticollis Ganglbauer, 1889a: 66 **A**: GAN
raddensis Pic, 1904e: 18 **A**: FE GUI HUB JA NC NE SC SHN
hypocrita Plavilstshikov, 1940a: 416
rhamni rhamni Germar, 1817: 223 **E**: AL BH CR GR IT MC SL YU
innormalis Pic, 1927e: 11
paliuri Depoli, 1940: 304
rhamni bellieri Gautier des Cottés, 1862: 77 **E**: FR GE IT PT SP SZ
ferruginipes Pic, 1891b: 26
siculus Wagner, 1927b: 93 [HN]
rhamni temesiensis Germar, 1824: 519 (*Callidium*) **E**: AU BU CT CZ GE HU MD RO SK SL ST TR UK **A**: AB AR CY GG IN IQ
IS KZ LE SY TR #290
ferruginipes Pic, 1891b: 26
longicollis Reitter, 1904: 82
robertae Mineau & Teocchi, 1986: 12 **E**: FR
rufopicalis Pic, 1917d: 7 **A**: XIZ YUN
subinterruptus Pic, 1920g: 197
rufobasalis Pic, 1917j: 353 **A**: YUN
schneideri inapicalis Pic, 1895b: 38 **A**: TR
schneideri schneideri Kiesenwetter, 1879: 313 [= 1879: 57] **A**: AR AB GG IN TR
schurmanni Sama, 1996c: 108 **A**: TR
taurusiensis Pic, 1903m: 139 (*Chlorophorus*) **A**: IS TR
bytinskii Heyrovský, 1954: 395
triangulimacula A. Costa, 1847: 110 **E**: IT
tropicus Panzer, 1795: 265 (*Callidium*) **E**: AU BH BU BY CR CZ FR GE GR HU **IT** MC MD PL RO SK SL SP ST SZ TR UK YU
#123
interruptus Pic, 1931c: 14
mucronatus Laporte & Gory, 1841: 52
prescutellaris Pic, 1931c: 14
unicolor Kano, 1933b: 132 (*Xylotrechus*) **A**: TAI
validus Fairmaire, 1896a: 128 **A**: HEN SCH SHX XIZ YUN
viridescens Matsushita, 1933b: 274 **A**: TAI
subgenus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985
stepanovi Danilevsky & Miroshnikov, 1985: 272 **E**: ST **A**: GG
vesparum Reitter, 1889f: 375 **A**: AB IN

genus *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1824
agathus Holzschuh, 1999: 40 **A**: GAN SHA
capra Germar, 1824: 518 (*Callidium*) **E**: AU BH BY CT CZ EN FR GE LA LT MD NT PL RO SK ST SZ UK **A**: AB ES FE HEI
IN JIL KZ LIA MG NC NMO SC SCH WS
obliteratus Pic, 1943b: 1
sachalinensis Kano, 1933b: 134
zenobia Z. Wang, 2003: 191, 399
caproides caproides Bates, 1873: 200 (*Clytus*) **A**: FE HEI JA JIL LIA SC
caproides kamakarii Yokoyama, 1971: 94 **A**: JA
elegans Pesarini & Sabbadini, 2015: 44 **A**: YUN #277
elegantissimus Niisato & Chou, 2009: 222 **A**: GUI
formosanus Gressitt, 1934: 167 **A**: TAI
kusamai Niisato, 1988b: 138 **A**: TAI
luteomarginatus Pic, 1914e: 18 (*Clytus*) **A**: YUN
monticallius Komiya, 1980: 33 **A**: GUX JA SC
multizonus Gressitt, 1951a: 260 **A**: FUJ
ohbayashii Niisato & Chou, 2009: 226 **A**: GUX
petrae Viktora, 2015a: 31 **A**: SCH #171
yunamensis Pic, 1906d: 18 (*Clytus*) **A**: YUN **ORR**
keiichii Niisato, 1999: 43

genus *Demonax* J. Thomson, 1861: 226 type species *Demonax nigrofasciatus* J. Thomson, 1861
Elezira Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859
acanthocerus Ganglbauer, 1889a: 68 (*Clytanthus*) **A**: GAN
albicinctus Hope, 1831: 28 (*Clytus*) **A**: BT NP SD
filiformis Laporte & Gory, 1841: 95 (*Clytus*)
alcanor Gressitt & Rondon, 1970: 270 **A**: GUX HAI **YUN** **ORR** #428
angulifascia Aurivillius, 1922a: 11 **A**: TAI **ORR**
kotoensis Kano, 1938: 117
annamensis Pic, 1943a: 2 [RN] **A**: YUN **ORR** #428

diversefasciatus Pic, 1937b: 8 [HN]
anticereductus Pic, 1935a: 15 A: CH
ascendens Pascoe, 1859: 27 (*Clytus*) A: NP UP **ORR**
geniculatus Chevrolat, 1863b: 280 (*Rhaphuma*)
balyi Pascoe, 1859: 27 (*Clytus*) A: NP "India"
bicinctus Hope, 1831: 28 (*Clytus*) A: NP
bidenticornis Hayashi, 1974a: 34 A: TAI
bimaculicollis Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI
kotahirai Mitono, 1942: 103
blairi Gardner, 1940: 215 A: SD [Kalimpong] **ORR**
bowringii Pascoe, 1859: 28 (*Clytus*) A: FUJ GUA HAI HKG JIX **ORR**
breveapicalis Pic, 1927b: 33
gracilipes Pic, 1935a: 15
breveluteobasalis Pic, 1943a: 2 A: NP
buteae Gardner, 1940: 217 A: NP PA UP
christinae Holzschuh, 1983: 387 A: NP
confidens Holzschuh, 1993a: 39 A: YUN
contrarius Holzschuh, 1991: 52 A: YUN **ORR** #53
corallipes Pic, 1920a: 1 A: YUN
bisbinotatus Pic, 1920a: 1
implicatus Pic, 1920a: 1
curvofasciatus Gressitt, 1939a: 39 (*Rhaphuma*) A: FUJ JIA GUA GUI HUN SCH SHA SHX TAI ZHE
triarticulodilatatus Hayashi, 1974a: 35 (Taiwan) #149
determinatus Holzschuh, 2013a: 11 A: GUI SCH SHA
dignus Gahan, 1894a: 26 A: YUN **ORR**
rubricollis Pic, 1923b: 10
diversefasciatus Pic, 1920a: 1 A: YUN **ORR**
donaubaueri Holzschuh, 1996: 8 A: YUN
dorotheae Holzschuh, 1983: 385 A: NP
elongatus Gressitt & Rondon, 1970: 263 A: YUN **ORR** #428
ferrugatus Holzschuh, 2013a: 12 A: SCH
fimbriatulus Holzschuh, 2006b: 296 A: YUN
flavicomus Holzschuh, 2016: 98 A: XIZ #217
flavicomis Holzschuh, 2016: 72, 100 [wrong spelling] #217
formosomontanus Ikeda & Niisato, 1984: 9 A: TAI
fugongensis Guo & L. Chen, 2005: 408 A: YUN
funeris Lameere, 1890: ccxii (*Clytus*) A: "Hindostan"
gemellus Holzschuh, 2017: 100 A: SCH
gertrudae Holzschuh, 1983: 395 A: BT NP **YUN**
gunjii Holzschuh, 1983: 387 A: NP
hengduanus Holzschuh, 2006b: 298 A: YUN
himalayanus Pic, 1912l: 94 (*Chlorophorus*) A: HP NP
ingridae Holzschuh, 1983: 386 A: NP SD
inhumeralis Pic, 1916j: 181 A: SCH
iniquus Holzschuh, 1993a: 38 A: YUN
inops Holzschuh, 1991b: 58 A: YUN **ORR**
izumii Mitono, 1942: 102 A: TAI
jamesi Holzschuh, 1986a: 125 A: SD
jendeki Holzschuh, 1995: 41 A: YUN
josefinae Holzschuh, 1983: 383 A: NP SD
katarinae Holzschuh, 1983: 384 A: NP YUN
kezukai Holzschuh, 1984c: 365 A: TAI
kheoe Gressitt & Rondon, 1970: 272 A: YUN **ORR**
kucerai Holzschuh, 2006b: 295 A: SCH SHA
langsonius Fairmaire, 1895: 181 (*Clytus*) A: YUN **ORR**
languidus Holzschuh, 1992: 37 A: YUN **ORR** #428
leucophaeus Holzschuh, 1993a: 40 A: SCH
leucoscutellatus Hope, 1831: 28 (*Clytus*) A: AP GUX NP SD **ORR**
levipes Holzschuh, 1991c: 51 A: YUN **ORR** #428
lineatus Chevrolat, 1863b: 286 (*Grammographus*) A: BT "India"
literatus hainanensis Mitono, 1944: 248 A: HAI
literatus literatus Gahan, 1894a: 27 A: YUN **ORR**
longissimus Pic, 1914e: 18 A: XIZ YUN
longissimus Gressitt, 1935g: 572
longithorax Pic, 1950f: 508 A: BT
luridicornis Chevrolat, 1863b: 270 A: HKG

mali Gressitt, 1951a: 297 **A: GUX YUN**
mariae Holzschuh, 1983: 382 **A: BT NP**
marnei Pic, 1918c: 7 **A: GUI YUN**
martialis Gressitt et Rondon, 1970: 273 **A: GUI ORR** (personal message by Lin Meiying, 2018)
masaioi Niisato, 1984a: 13 **A: TAI**
masatakai K. Ohbayashi, 1964: 25 **A: JA (Ryukyus)**
matyasi Viktora, 2016: 67 **A: YUN** #232
maximus Pic, 1922b: 25 **A: GUX ORR**
multireductus Pic, 1935a: 16 **A: YUN**
nansenensis Pic, 1903b: 21 **A: YUN ORR**
lineaticollis Schwarzer, 1931: 64
narayani Holzschuh, 1984c: 366 **A: NP SD**
nebulosus Gressitt & Rondon, 1970: 262 **A: YUN ORR** #385
nigromaculatus Gahan, 1906a: 284 **A: BT NP SD**
nishiyamai Niisato, 1984a: 11 **A: FUJ TAI**
occultus Gressitt & Rondon, 1970: 268 **A: YUN ORR**
ohbayashii Samuelson, 1965a: 79 **A: JA**
okunii Mitono, 1942: 104 **A: TAI**
olivaceus Gressitt, 1951a: 299 **A: FUJ**
palleolus Holzschuh, 2006b: 291 **A: SCH SHA**
parilis Holzschuh, 1995: 39 **A: YUN**
pilipes Holzschuh, 2016: 101 **A: XIZ** #217
probus Holzschuh, 1991b: 52 **A: YUN**
proculscuti Li, Tian & Chen, 2013a: 455 **A: YUN**
pseudonotabilis Gressitt & Rondon, 1970: 262 **A: SCH ORR**
pseudopsilomerus Gressitt & Rondon, 1970: 272 **A: YUN ORR** #48
pseudotristiculus Gressitt & Rondon, 1970: 266 **A: HAI ORR**
puerilis Holzschuh, 1991b: 57 **A: CH ORR**
pumilio Holzschuh, 1991c: 48 **A: YUN ORR** #428
ravus Holzschuh, 1992: 37 **A: SCH**
reductispinosus Gressitt, 1942c: 30 [RN] **A: FUJ HAI**
brevespinosus Gressitt, 1940b: 81 [HN]
hainanensis Gressitt & Rondon, 1970: 263 [RN]
reticollis Gahan, 1894a: 28 **A: GUX HAI YUN ORR** #428
alboantennatus Gressitt & Rondon, 1970: 271
mongtsenensis Pic, 1904c: 12 #229
reticulicollis Gressitt, 1940b: 82 **A: GUA GUX HAI**
rosae Holzschuh, 1983: 393 **A: NP SD YUN**
rosicola Holzschuh, 2006b: 294 **A: YUN**
rufus Guo & L. Chen, 2005: 407 **A: YUN**
sabinae Holzschuh, 1983: 390 **A: NP UP**
salvazai Pic, 1923b: 10 **A: YUN ORR**
nousophi Gressitt & Rondon, 1970: 270
sausai Holzschuh, 1995: 40 **A: YUN**
sauteri Matsushita, 1933b: 290 [RN] **A: TAI**
matsushitai Gressitt, 1936: 97
savioi Pic, 1924a: 16 (*Clytanthus*) **A: FE GUI HEB NC SC SHA SHG SHX**
sawaii Ikeda, 1990: 7 **A: JA**
semiluctuosus A. White, 1855: 283 (*Clytus*) **A: NP YUN ORR**
albobifasciatus Pic, 1920a: 1
mouhouti Pascoe, 1869a: 604 (*Clytanthus*)
praecanus Chevrolat, 1863b: 277 (*Rhaphuma*)
semixenicus Hayashi, 1962a: 12 **A: JA (Ryukyus)**
seoulensis Mitono & Cho, 1942: 3 **A: SC SHA** #350
siccus Holzschuh, 1991b: 57 **A: CH ORR**
sikangensis Gressitt, 1945a: 126 **A: SCH**
simillimus Gressitt, 1939b: 103 **A: FUJ JIA ZHE**
spinifer Pic, 1920g: 197 **A: YUN**
stabilis Holzschuh, 2003a: 222 **A: SHA**
subai Holzschuh, 1989c: 399 **A: BT**
subobscuricolor Pic, 1918b: 5 **A: YUN**
substitutus Gressitt, 1951a: 300 **A: TAI**
sulinensis Niisato, 1984a: 12 **A: TAI**
tenuiculus Holzschuh, 1991b: 52 **A: YUN ORR** #428
testaceoannulatus Pic, 1935a: 15 **A: YUN ORR** #428
testaceus Hope, 1831: 28 (*Clytus*) **A: NP SD**

transilis Bates, 1884a: 229 A: JA
traudae Holzschuh, 1983: 391 A: SD YUN
triaculeatus Aurivillius, 1922a: 13 A: TAI ORR
trudae Holzschuh, 1983: 392 A: BT NP SD YUN
tsitoensis Fairmaire, 1888b: 144 (*Clytus*) A: FUJ JIX SCH ZHE
unidenticornis Hayashi, 1974a: 33 A: TAI
uniformis Pic, 1925b: 21 A: "India"
vendibilis Viktora & Liu, 2018c: 86 A: HAI #394
venosulus Holzschuh, 2006b: 292 A: SCH
viduatus Holzschuh, 2009: 343 A: YUN ORR #277
xiaozhaizigouensis Viktora, Liu & Zhang, 2017: 158 A: SCH SHA #328

genus *Echinocerus* Mulsant, 1862: 143 type species *Cerambyx floralis* Pallas, 1773

Paraplagionotus Kasatkin, 2005: 51 [unnecessary RN]
floralis Pallas, 1773: 724 (*Cerambyx*) E: AL AU BH BU CR CT CZ FR GE GR HU IT LA LT MC MD NT PL RO SK SL SP ST SZ
 TR UK YU A: AB AR ES GG IN IQ IS JO KI KZ LE TD TM TR UZ WS XIN #39 #285
abruptus Kraatz, 1871b: 408 (*Clytus*)
araratensis Pic, 1901b: 11 (*Clytus*)
arcuatus Scopoli, 1772: 97 (*Stenocorus*)
armeniacus Reitter, 1890c: 213 (*Plagionotus*)
aulicus Laicharting, 1784: 103 (*Clytus*)
basicornis Reitter, 1890c: 213 (*Plagionotus*)
clermonti Pic, 1913c: 121 (*Plagionotus*)
controversus Schrank, 1798: 679 (*Clytus*)
fasciatus Herbst, 1784: 98 (*Callidium*)
indicus Gmelin, 1790: 1856 (*Cerambyx*)
massiliensis Pic, 1951a: 1 (*Plagionotus*)
pilifer Reitter, 1890c: 213 (*Plagionotus*)
pruinus Kraatz, 1871b: 409 (*Clytus*)
variabilis Motschulsky, 1860a: 144 [=1860e: 305] (*Clytus*)
zebra Dalman, 1817b: 194 (*Clytus*)

genus *Epicyltus* Gressitt, 1935b: 173 type species *Clytus yokoyamai* Kano, 1933

Eoclytus Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933
insolitus Holzschuh, 1991: 45 A: YUN ORR #46
itoi Niisato, 1981a: 33 A: TAI
ussuricus Pic, 1933d: 10 (*Clytus*) A: FE HEI NC SC
veceri Viktora et Tichý, 2016: 66 A: HEN
velaris Holzschuh, 1998: 46 A: SCH
yokoyamai Kano, 1933a: 275 (*Clytus*) A: JA

genus *Grammographus* Chevrolat, 1863b: 285 type species *Grammographus lineatus* Chevrolat, 1863

Elezira Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859
arcuatus Matsushita, 1939: 57 (*Demonax*) A: TAI
flavicolis Matsushita, 1931c: 403 (*Demonax*) A: TAI
granulicollis Hayashi, 1974a: 31 A: TAI
jezoensis Matsushita & Tamanuki, 1935: 3 (*Demonax*) A: JA
kanoi Hayashi, 1963d: 133 [RN] A: TAI
monticola Kano, 1933b: 136 (*Chlorophorus*) [HN]
notabilis cuneatus Fairmaire, 1888a: 35 (*Clytus*) A: GUA HEN HUB SCH SHA YUN
semiobliteratus Pic, 1902i: 31 (*Clytanthus*)
~~—subobliteratus Pic, 1918b: 4 (*Chlorophorus*) [RN]~~
notabilis notabilis Pascoe, 1862a: 360 (*Clytus*) A: FUJ GUA GUX HUB JA SHA TAI "Korea"
alphabeticus Chevrolat, 1863b: 308 (*Anthoboscus*)
spadiceus Matsushita, 1933b: 285 (*Chlorophorus*)
submaculatus Hayashi, 1974a: 32 A: TAI
taiwanensis Hayashi, 1966a: 6 A: TAI

genus *Hesperoclytus* Holzschuh, 1986a: 123 type species *Hesperoclytus katarinae* Holzschuh, 1986

bozanoi Pesarini & Sabbadini, 1997: 107 A: SCH SHA #350
katarinae Holzschuh, 1986a: 123 A: BT NP

genus *Ischnodora* Chevrolat, 1863b: 332 type species *Ischnodora macra* Chevrolat, 1863

decolorata Holzschuh, 1995: 38 A: YUN
macra Chevrolat, 1863b: 332 A: SD
angustula Holzschuh, 1983: 371
munda Holzschuh, 1990: 191 A: SD
sanci Viktora & Tichý, 2017: 66 A: XIZ #294

sejugata Holzschuh, 1991a: 11 **A: YUN ORR**
separanda Holzschuh, 1983: 370 **A: NP**
ugyeni Holzschuh, 1989c: 397 **A: BT**

genus *Isotomus* Mulsant, 1862: 183 type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
Caloclytus Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
comptus comptus Mannerheim, 1825: 36 (*Clytus*) **E: ST UK A: AB AR GG IN TR #332**
insularis Laporte & Gory, 1841: 74 (*Clytus*)
perspicillus Fischer von Waldheim, 1832: 438 (*Clytus*)
pubicollis Laporte & Gory, 1841: 73 (*Clytus*)
comptus gilanus Pic, 1911a: 6 (*Caloclytus*) **A: IN #332**
maculicollis Holzschuh, 1989a: 169
comptus syriacus Pic, 1902h: 25 [“Syrie”] (*Caloclytus*) **A: TR #332**
meridionalis Özdikmen & Aytar, 2012b: 691 [Osmaniye prov.: Karatepe, Gündoğan] **#332**
jarmilae Sláma, 1982: 209 **E: GR (Kriti) #332**
speciosus barbarae Sama, 1977: 66 **E IT #332**
speciosus eggeri Rapuzzi & Sama, 2018: 19 **E: GR #332**
speciosus ganglbaueri Pic, 1900f: 64 (*Caloclytus*) **E: BH CR ME ?SL #14 #332**
speciosus speciosus D. H. Schneider, 1787: 125 (*Callidium*) **E: AL AU BU CR CZ GE GR HU MD PL RO SK SL SK ST UK YU #332**
A: ?AB ?AR ?GG ?TR
semipunctatus Fabricius, 1798: 151 (*Callidium*)
stierlinii Tournier, 1872: 276 (*Clytus*)
theresae Pic, 1897n: 221 (*Clytus*) **N: AG TU #332**

genus *Kazuoclytus* Hayashi, 1968a: 23 type species *Xylotrechus lautoides* Hayashi, 1950
fukienensis Gressitt, 1951a: 254 (*Clytus*) **A: FUJ JA TAI**
yukawai Makihara, 2004b: 222 (*Xylotrechus*)
lautoides Hayashi, 1950b: 25 (*Xylotrechus*) **A: JA SC**

genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164 type species *Libanoclytus tommasoï* Sama, Rapuzzi & Kairouz, 2010
tommasoï Sama, Rapuzzi & Kairouz, 2010: 166 **A: LE**

genus *Neoclytus* J. Thomson, 1860: 67 [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum* Fabricius, 1775)
Rhopalopachys Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860
Rhopalomerus Chevrolat, 1860d: 457 [HN] type species *Clytus cacticus* Chevrolat, 1860
acuminatus acuminatus Fabricius, 1775: 194 (*Callidium*) **Ei: CR FR HU IT SK SL SZ YU NAR NTRi**
americanus Gmelin, 1790: 1854 (*Cerambyx*)
aspericollis Germar, 1824: 517 (*Callidium*)
erythrocephalus Fabricius, 1787: 156 (*Callidium*)

genus *Neoplacionotus* Kasatkin, 2005: 51 type species *Clytus bobelayei* Brullé, 1832
andreui Fuente, 1908a: 21 (*Plagionotus*) **E: PT SP #254**
marcae López-Colón, 1997: 219 (*Plagionotus*) [incorrect orig. spelling]
marcaorum López-Colón, 1997: 219 (*Plagionotus*)
marcorum Vives, 2000: 190 [unjustified emendation]
bobelayei bobelayei Brullé, 1832: 253 (*Clytus*) **E: AL BU GR MC RO TR #39 #196**
bobelayei huseyini Lazarev, 2016d **A: AB AR GG IN ST TM TR UK #196**
speciosus Adams, 1817: 309 (*Callidium*) [HN]
bobelayei mouzaïfferi Pic, 1905g: 114 (*Plagionotus*) **A: IN IQ IS JO SY TR #196**
luristanicus Pic, 1911a: 6 (*Plagionotus*)
persicus Pic, 1951a: 1 (*Plagionotus*)
scalaris Brullé, 1832: 254 (*Clytus*) **E: AL BU GR IT MC A: TR N: AG MO TU [see: López-Colón, 1997] #84**
interruptus Dayrem, 1928b: 77 (*Plagionotus*)
siculus Laporte & Gory, 1841: 46 (*Clytus*)
vivesi López-Colón, 1997: 221 (*Plagionotus*)

genus *Perissus* Chevrolat, 1863b: 262 type species *Perissus x-littera* Chevrolat, 1863
aemulus Pascoe, 1869a: 618 **A: YUN ORR**
angusticinctus Gressitt, 1942g: 81 **A: HUB ZHE**
arisanus Seki & Suematsu, 1935: 203 **A: TAI**
asperatus Gressitt, 1951a: 266 **A: GUA HAI TAI**
atronotatus Pic, 1937a: 12 **A: CH ORR**
bauhiniae Gardner, 1936: 135 **A: UP**
cinericius Holzschuh, 2009a: 337 **A: YUN ORR #46**
[? *clavicornis clavicornis* Pic, 1927b: 34 (*Xylotrechus*) - Vietnam] **#100**
clavicornis luteopubescens Pic, 1943b: 1 **A: CH**

copei Viktora & Tichý, 2017: 68 **A: XIZ** #294
crassicolis Pesarini & Sabbadini, 1997: 112 **A: FUJ**
dalbergiae Gardner, 1930: 155 **A: PA UP**
declaratus Holzschuh, 2003a: 204 **A: GUI HUN**
delectus Gressitt, 1951a: 267 **A: SHA**
delerei Tippmann, 1958a: 49 **A: AF**
demonacoides Gressitt, 1936: 98 (*Chlorophorus*) **A: TAI**
divinus Viktora & Liu, 2018c: 91 **A: GUX** #394
expletus Viktora & Liu, 2018c: 92 **A: YUN** #394
fairmairei Gressitt, 1940c: 180 [RN] **A: HEB NC NMO SC SE SHA**
fuliginosus Fairmaire, 1888b: 145 [HN]
semifulvus Pic, 1916h: 13 [HN]
sinho Danilevsky, 1993d: 114
fuliginosus Chevrolat, 1863b: 328 (*Amauresthes*) **A: BT NP TAI UP XIZ ORR**
basalis Plavilstshikov, 1927b: 106
fulvopictus Matsushita, 1933b: 276 **A: TAI**
funicatus Viktora & Liu, 2018c: 94 **A: YUN** #394
griseus Gressitt, 1936: 95 **A: TAI**
hooraianus Matsushita, 1943: 573 (*Rhaphuma*) **A: TAI**
indistinctus Gressitt, 1940b: 72 **A: HAI**
intersectus Holzschuh, 2003a: 203 **A: SCH SHA XIZ**
jiuzhaigouensis Viktora, 2016: 72 **A: SCH** #232
kankauensis Schwarzer, 1925a: 26 **A: TAI**
kiangsuensis Gressitt, 1940c: 180 **A: JIA**
kimi Niisato & Koh, 2003: 292 **A: SC**
kiusiuensis hisamatsui K. Ohbayashi, 1958a: 12 **A: JA**
kiusiuensis kiusiuensis K. Ohbayashi, 1944: 4 **A: JA**
kiusiuensis yamadai Hayashi, 1962a: 11 **A: JA**
laetus Lameere, 1893a: 283 **A: HAI YUN ORR**
chungkonensis Gressitt, 1940b: 73
proprius Gahan, 1894a: 21
latepubens Pic, 1950b: 4 **A: CH**
luteonotatus Pic, 1943b: 2 **A: CH**
magdalena Holzschuh, 1990: 189 **A: NP**
mimicus Gressitt & Rondon, 1970: 215 **A: FUJ HAI HUB YUN ORR**
multifenestratus Pic, 1926b: 1 (*Amauresthes*) **A: SCH SHA** #232 #350
mutabilis mutabilis Gahan, 1894a: 23 **A: NP SD YUN ORR**
ogasawarensis Endo, 2000: 193 **A: JA** (Ogasawara)
paulonotatus Pic, 1902i: 30 (*Clytus*) **A: SCH YUN**
persimilis Gahan, 1894: 23 **A: YUN ORR**
petrae Viktora, 2016: 69 **A: YUN** #232
quercus Gardner, 1940: 218 **A: NP UP**
rayus Gressitt & Rondon, 1970: 212 **A: GUA HAI ORR**
rhaphumoides Gressitt, 1940c: 181 **A: JIA SHA** #350
rubricollis Gressitt, 1937c: 453 **A: FUJ**
thibetanus Pic, 1918b: 5 **A: XIZ**
trabealis Holzschuh, 2003: 205 **A: SCH**
tristiculus Fairmaire, 1895: 183 (*Clytus*) **A: GAN GUI ORR** [see: Viktora & Tichý, 2017: 68]
tsutsumii Makihara, 1979: 161 **A: JA** (Ryukyus)
wenroncheni Niisato, 1986a: 4 **A: TAI**

genus *Petraphuma* Viktora, 2018b: 144 type species *Rhaphuma sulphurea* Gressitt, 1941 #386
huangjianbini Viktora & Liu, 2018c: 97 **A: YUN** #394
meridiosinica Viktora & Tichý, 2017: 226 (*Rhaphuma*) **A: GUX HAI** #281 #386
pompa Viktora & Liu, 2018c: 99 **A: HAI** #394
sulphurea Gressitt, 1941: 336 (*Rhaphuma*) **A: YUN ORR** #386

genus *Plagionotus* Mulsant, 1842b: 1 type species *Leptura detrita* Linnaeus, 1758
Plagyonotus Thomson, 1861: 220 [unjustified emendation]
Platynotus Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758
arcuatus arcuatus Linnaeus, 1758: 399 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IR IT LA LT LU**
MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG MO TU A: GG IN KZ SY TR #84
apicalis Hampe, 1863: 289 (*Clytus*)
buyssoni Dauphin, 1924: 42
interrupteconnatus G. Schmidt, 1951: 16
lunatus Fabricius, 1782: 500 (*Callidium*)
martialis Pic, 1918d: 15

milliati Pic, 1934e: 20
multiinterruptus Pic, 1933d: 6
pagnioni Pic, 1925d: 10
plavilstshikovi G. Schmidt, 1951: 15
reichei J. Thomson, 1861: 220 (*Plagyonotus*)
salicis Schrank, 1798: 677 (*Clytus*)
stauropolibus Pic, 1915e: 7
arcuatus ghidottii Pesarini & Sabbadini, 2011: 47 **E: GR**
arcuatus kirgizicus Lazarev, 2010c: 161 **A: KI**
arcuatus lugubris Ménétériés, 1832: 229 (*Clytus*) **A: AB AR IN TM**
flavicornis Pic, 1898b: 19
henoni Pic, 1933d: 6
lenkoranus Pic, 1933d: 6
arcuatus multiinterruptus Pic, 1933: 6 **A: AB AR TR**
?arcuatus tastani Özdikmen, Atak & Uçkan, 2017b: 89 **E: TR A: TR** #240
bartholomei Motschulsky, 1860a: 142 (*Clytus*) **A: AB IN**
admirabilis Heyden, 1879a: 314 [1879b: 58] (*Clytus*)
?bieberi Bodemeyer, 1927: 93 **A: IN**
bisbifasciatus Pic, 1915f: 13 **A: YUN**
christophi Kraatz, 1879d: 108 (*Clytus*) **A: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA**
detritus africaeseptentrionalis Tippmann, 1952a: 143 **A: SY TR N: EG** #215 #332 #438
detritus caucasicola Plavilstshikov, 1940: 435 **E: ST A: AB AR GG SY TR** #438
detritus cebecii Rapuzzi & Sama, 2018: 17 **A: TR** #332
detritus detritus Linnaeus, 1758: 399 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT LA LT LU MC MD NL**
NT PL PT RO SK SL SP ST SV SZ TR UK YU **A: KZ TR** #438
anticereductus G. Schmidt, 1951: 14
apicebimaculatus G. Schmidt, 1951: 14
convertini L. Petagna, 1819: 38 (*Callidium*)
obscuribasalis Pic, 1942b: 2
rufescens Pic, 1891b: 24
uralensis Tippmann, 1952a: 144
pulcher Blessig, 1872: 184 (*Clytus*) **A: FE HEB HEI JA JIL NC NIN SC SHA SHX**
lignatorum Thiemé, 1881: 100 (*Clytus*)
maculithorax Pic, 1904d: 15

genus *Pseudosphegistes* Reitter, 1913a: 50 type species *Clytus cinereus* Laporte & Gory, 1841
bergeri Sláma, 1982: 207 **E: GR** (Kriti)
brunnescens Pic, 1897o: 262 (*Clytus*) **E: ST A: AB AR GG ?IN TR**
circassica Pic, 1905a: 10 (*Clytus*)
bubeniki Rapuzzi & Jeniš, 2015a: 749 **E: GR** #122
cinerea Laporte & Gory, 1841: 68 (*Clytus*) [**nomen protectum**] **E: FR GE IT SP UK**
auboueri Desbrochers des Loges, 1873a: 429 (*Clytus*)
duponti Mulsant, 1839: 84 (*Clytus*) [**nomen oblitum**]
sternii Kraatz, 1870b: 219 (*Clytus*)
giglii Rapuzzi & Jeniš, 2015a: 751 **A: TR** #122
longitarsus Holzschuh, 1974a: 90 **A: TR**
samai Danilevsky, 2000b: 44 **A: TR**

genus *Psilomerus* Chevrolat, 1863b: 257 type species *Psilomerus angustus* Chevrolat, 1863
laosensis Gressitt & Rondon, 1970: 277 **A: CH ORR**

genus *Rhabdoclytus* Ganglbauer, 1889c: 479 type species *Clytus acutivittis* Kraatz, 1879
Hayashiclytus K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879
acutivittis acutivittis Kraatz, 1879d: 111 (*Clytus*) **A: FE HEI JIL LIA NC SC**
acutivittis inscriptus Bates, 1884a: 229 (*Clytanthus*) **A: JA**
alternans Holzschuh, 2003: 219 (*Hayashiclytus*) **A: SHA**

genus *Rhaphuma* Pascoe, 1858: 240 [RN] type species *Clytus quadricolor* Laporte & Gory, 1841
Arcyphorus Gemminger, 1872: 2938 [unjustified emendation]
Arcyphorus Chevrolat, 1863b: 287 type species *Arcyphorus histrio* Chevrolat, 1863
Rhaphium A. White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1841
Raphuma J. Thomson, 1864: 192 [unjustified emendation]
acrocarni Gardner, 1940: 224 **A: SD** [Kalimpong]
aequalis Holzschuh, 1991b: 49 **A: YUN ORR**
albicolon Holzschuh, 2006b: 300 **A: SHA**
albonotata Pic, 1915f: 12 **A: YUN**
afflata Holzschuh, 1983: 374 **A: NP**
amamiensis Hayashi, 1983: 38 **A: JA**

angustata Pic, 1920a: 1 (*Chlorophorus*) **A: YUN** #42
anongi Gressitt & Rondon, 1970: 247 **A: HAI YUN ORR**
anopla Holzschuh, 1983: 377 **A: NP SD**
aperta Gressitt, 1951a: 287 **A: FUJ SCH**
aranea Holzschuh, 1984c: 359 **A: NP SD**
asellaria Holzschuh, 2017c: 116 **A: YUN**
baibarae Matsushita, 1931c: 401 **A: TAI**
bhaktai Holzschuh, 1983: 376 **A: NP SD**
bicolorifemoralis Gressitt & Rondon, 1970: 249 **A: HAI YUN XIZ ORR** #277
bii Holzschuh, 2016: 94 **A: XIZ** #217
bimaculata Schwarzer, 1931a: 63 **A: UP**
binhensis Pic, 1922c: 13 (*Chlorophorus*) **A: HAI ORR**
binotata Hua, 1989a: 113 [RN] **A: YUN ORR** (according to Tavakilian & Chevillotte, 2018)
elongata Gressitt & Rondon, 1970: 240 [HN]
brigitiae Holzschuh, 1991b: 47 **A: NP**
brodskyi Holzschuh, 1992: 28 **A: YUN ORR** #277
caraganicola Viktora & Liu, 2018c: 102 **A: XIZ** #394
chatterjeei Gardner, 1940: 219 **A: NP UP**
circumscripta Schwarzer, 1925a: 28 (*Chlorophorus*) **A: TAI**
clarina Gressitt & Rondon, 1970: 250 **A: YUN ORR**
comosella Holzschuh, 2006b: 301 **A: XIZ**
constricta Gressitt & Rondon, 1970: 243 **A: YUN ORR**
decora Holzschuh, 1995: 39 **A: YUN**
delicata Kano, 1933b: 138 **A: TAI**
desaii Gardner, 1940: 220 **A: YUN ORR**
diana Gahan, 1906a: 271 **A: GUX YUN ORR**
diminuta *diminuta* Bates, 1873: 199 (*Clytanthus*) **A: FE JA NC SC**
misella Bates, 1884a: 228 (*Clytanthus*)
diminuta nitens Hayashi, 1962a: 12 **A: JA**
disconotata Pic, 1908f: 15 (*Clytanthus*) **A: YUN** (according to Tavakilian & Chevillotte, 2018)
diversevittata Pic, 1943b: 1 **A: CH**
diversipennis Pic, 1920d: 18 **A: CH**
eleodina Gressitt & Rondon, 1970: 244 **A: YUN ORR**
elongata Gressitt, 1940c: 184 **A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE**
encausta Holzschuh, 1991a: 12 **A: YUN ORR**
falx Holzschuh, 1991b: 51 **A: YUN ORR**
familiaris Holzschuh, 2017c: 116 **A: SHA**
filipedes Holzschuh, 2016: 97 **A: NP XIZ** #217
frustrata Holzschuh, 1993a: 37 **A: YUN**
fulgurata bhutanica Holzschuh, 2003b: 306 **A: BT**
fulgurata fulgurata Gahan, 1906a: 274 **A: NP SD**
gracilipes Faldermann, 1835c: 436 (*Clytus*) **E: BY CT ?LT NT PL ?RO ST ?UK A: BEI ES FE HEI JIL KZ MG NC SC WS**
angusticollis Mulsant, 1851: 123 (*Clytus*)
rosinae Pic, 1935d: 15 (*Chlorophorus*)
sachalinensis Matsumura, 1911a: 139 (*Clytanthus*)
tenuicornis Fairmaire, 1888b: 142 (*Clytus*)
herminae Holzschuh, 1984c: 363 **A: NP**
horsfieldi A. White, 1855: 284 (*Clytus*) **A: AP GUX NP SCH SD SHA TAI YUN ORR**
laosensis Pic, 1923b: 9
illicata Holzschuh, 1991: 50 **A: YUN ORR**
ilsae Holzschuh, 1983: 379 **A: NP SD**
impressiceps Pic, 1943b: 1 **A: CH**
improvisa Holzschuh, 1991a: 48 **A: YUN ORR**
indifferens Holzschuh, 1992: 33 **A: YUN ORR**
intaminata Holzschuh, 2017c: 121 **A: UP**
jianfenglingensis Viktora & Liu, 2018c: 105 **A: HAI** #394
joshii Holzschuh, 1984c: 361 **A: NP SD**
klapperichi Tippmann, 1955: 113 **A: FUJ**
lanzhui Holzschuh, 1991: 48 **A: YUN ORR**
laojunensis Tavakilian, 2018: 40 **A: YUN** #373
interrupta Pesarini & Sabbadini, 2015: 52 #277 #373
laosica Gressitt & Rondon, 1970: 241 **A: SCH SD YUN ORR**
liyinghuii Viktora & Liu, 2018c: 108 **A: YUN** #394
lubricula Holzschuh, 2003b: 306 **A: SD**
luteopubens Pic, 1937a: 13 **A: YUN ORR**
maceki Holzschuh, 1992: 29 **A: YUN ORR** #277

maculicollis Gressitt & Rondon, 1970: 237 **A: GUX HAI YUN ORR**
manipurensis kantiae Holzschuh, 1989c: 398 **A: BT**
[manipurensis manipurensis] Gahan, 1906: 274 - India: Manipur]
minima Gressitt & Rondon, 1970: 242 **A: GUX HAI ORR**
moerens Holzschuh, 1983: 378 **A: KA NP**
mushana Matsushita, 1936: 147 **A: TAI**
nigrocincta Matsushita, 1931c: 401 **A: TAI**
nigrolineata Pic, 1915b: 11 **A: XIZ ORR**
reducta Pic, 1927b: 31
niisatoi Han, 2017: 221 **A: TAI** #316
nishidai Hayashi & Makihara, 1981: 196 **A: NP SD**
~~*notabiloides* Gressitt, 1936: 96 **A: TAI**~~
obscurata Pesarini & Sabbadini, 2015: 51 **A: YUN** #277
ogatai Mitono, 1942: 91 **A: TAI**
patkaina Gahan, 1906a: 272 **A: GUX HAI YUN ORR**
multiinterrupta Pic, 1923b: 10
paucis Holzschuh, 1992: 34 **A: YUN ORR**
phiale Gahan, 1906a: 273 **A: HAI ORR**
pieli Gressitt, 1940b: 79 **A: HAI**
pingana Pic, 1926b: 1 **A: CH**
placida Pascoe, 1858: 240 **A: GUA HAI SCH SD YUN ORR**
pictiventris Gressitt, 1939a: 40
praeusta Lameere, 1890: ccxii **A: NP**
pseudobinhensis Gressitt & Rondon, 1970: 249 **A: YUN ORR**
puncticollis Holzschuh, 1992: 34 **A: YUN ORR** (personal message by Lin Meiying, 2018)
quadrinaculata quadrinaculata Pic, 1923b: 10 **A: NP YUN ORR**
quadrinaculata subobliterata Pic, 1930b: 17 **A: YUN**
querciphaga Holzschuh, 1984c: 364 **A: NP SD YUN** (personal message by Lin Meiying, 2018)
quercus Gardner, 1940: 222 **A: YUN ORR** #428
ruficollis Mitono, 1942: 92 **A: TAI**
rybniceki Holzschuh, 1992 **A: YUN ORR** #277
seminuda Viktora, 2015: 140 **A: SCH** #184
sharmai Holzschuh, 1990: 192 **A: NP**
squamulifera Holzschuh, 2016: 93 **A: SCH SHA** #217
steinkae Holzschuh, 1991a: 16 **A: YUN ORR**
tenerrima Holzschuh, 1991a: 13 **A: YUN ORR**
testaceiceps Pic, 1915b: 11 **A: TAI**
araneipes Schwarzer, 1925a: 28
pallida Schwarzer, 1925a: 29
testaceicolor Pic, 1920d: 16 **A: TAI**
theryi Pic, 1900i: 18 (*Clytus*) **A: HEB SHG** (see also Gressitt, 1940c)
unigena Holzschuh, 1993: 37 **A: YUN ORR** #53
ustulatula Holzschuh, 2006b: 299 **A: SHA**
virens Matsushita, 1931c: 402 **A: FUJ TAI**
formosana Mitono, 1936: 424
notabiloides Gressitt, 1936: 96
virgo Viktora et Tichý, 2016: 66 **A: YUN**
weigeli Holzschuh, 2003b: 306 **A: NP**
xenisca Bates, 1884a: 229 (*Clytanthus*) **A: JA**
zonalis Holzschuh, 2016: 96 **A: XIZ** #217

genus *Sclethrus* Newman, 1842a: 247 type species *Ibidion amoenum* Gory, 1833
Neocollyroides Schultze, 1920:196 type species *Neocollyroides macgregory* Schultze, 1920
stenocylindrus Fairmaire, 1895: 184 **A: CHQ GUA GUX HAI HUN SHA YUN ORR** #74 #350

genus *Sinoclytus* Holzschuh, 1995: 37 type species *Sinoclytus emarginatus* Holzschuh, 1995
emarginatus Holzschuh, 1995: 37 **A: YUN**

genus *Teratoclytus* Zaitzev, 1937: 213 type species *Teratoclytus plavilstshikovi* Zaitzev, 1937
changi Hayashi, 1983: 38 **A: TAI**
plavilstshikovi Zaitzev, 1937: 213 **A: FE JA NC NE SC SHX**
hasegawai K. Ohbayashi, 1941b: 221 (*Epiclytus*)
simplicior Holzschuh, 1992: 20 **A: SHA**

genus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860
subgenus *Kostinicytus* Danilevsky, 2009: 211 type species: *Xylotrechus zaisanicus* Plavilstshikov, 1940

alakolensis Karpiński & Szczepański, 2018: 256 **A: KZ** #333
arnoldii *arnoldii* Kostin, 1974: 647 **A: KZ** #34
arnoldii tenebrosus Shapovalov, 2014: 246 **A: KZ** #34
katerinae Shapovalov, 2014: 249 **A: KZ** #34
medvedevi Danilevsky, 2009c: 216 **A: MG**
volkovitshi Shapovalov, 2014: 251 **A: TR** #34
zaianicus Plavilstshikov, 1940a: 354 **A: KZ**
subgenus *Ootora* Niisato & Wakejima, 2008: 442 type species *Clytus villioni* Villard, 1892
[khampanseuthi khampanseuthi Holzschuh, 2007: 244 – Laos]
khampanseuthi shibatai Niisato & Wakejima, 2008: 457 **A: GUX**
magnificus Pic, 1922c: 12 **A: YUN ORR**
multiimpressus Pic, 1911e: 19 **A: YUN**
villioni Villard, 1892: li (*Clytus*) **A: FE JA**
nipponicus Seki, 1935a: 92
subgenus *Rusticoclytus* Vives, 1977: 130 type species *Leptura rustica* Linnaeus, 1758
adpersus Gebler, 1830: 181 (*Clytus*) **A: ES FE HEI JA KZ MG NC NMO SC WS XIN** #80
decemmaculatus Pic, 1917g: 5
pantherinus Savenius, 1825: 65 (*Clytus*) **E: AU BY CT CZ FI FR GE HU IT LT NT PL RO SK ST SV SZ A: ES FE KZ MG WS**
XIN
apicenotatus Pic, 1902e: 16
jakowlewi Semenov, 1899b: 134 (*Clytus*)
moei C. G. Thomson, 1874: 552 (*Platynotus*)
rusticus Linnaeus, 1758: 398 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MC MD NR**
NT PL PT RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG IN KZ MG NC SC TD TM TR WS N: AG MO
apiceocellatus G. Schmidt, 1951: 13
atomarius Fabricius, 1793: 332 (*Callidium*)
basinotatus Pic, 1934e: 20
brevetestaceus Pic, 1934e: 20
confusus Herbst, 1784: 98 (*Callidium*)
fauconneti Pic, 1934e: 20
hafniensis Fabricius, 1775: 190 (*Callidium*)
heros Ganglbauer, 1882: 138 (*Clytus*)
liciatu Linnaeus, 1767: 636 (*Cerambyx*)
longipes Villers, 1789: 256 (*Cerambyx*)
maculatus Gmelin, 1790: 1877 (*Leptura*)
octonotatus Gmelin, 1790: 1846 (*Cerambyx*)
omega Rossi, 1790: 154 (*Callidium*)
oo Schrank, 1781a: 162 (*Leptura*)
signatus Geoffroy, 1785: 81 (*Leptura*)
subuniformis Pic, 1902e: 15
variegatus Geoffroy, 1785: 79 (*Leptura*)
villosiflavomaculatus Goeze, 1777: 507 (*Leptura*)
viturati Pic, 1934e: 20
salicis Takakuwa & Oda, 1978: 49 **A: ES FE JA ?MG NC NE SC**
nadezhdae Tsherepanov, 1982a: 63
subgenus *Turanoclytus* Sama, 1994e: 325 type species *Clytus namanganensis* Heyden, 1885
asellus Thieme, 1881: 99 (*Clytus*) **A: KI KZ TD TM UZ XIN**
grumi Semenov, 1889a: 402 (*Clytus*)
ilamensis campadellii Sama & Rapuzzi, 2003: 92 **A: AB IN**
ilamensis hadullai Danilevsky, 2010c: 4 **A: AR IN** #7
ilamensis ilamensis Holzschuh, 1979a: 115 **A: IN**
ilamensis magnanii Rapuzzi & Sama, 2018: 14 (*Turanoclytus*) **A: TR** #332
ilamensis ozdikmeni Rapuzzi & Sama, 2018: 16 (*Turanoclytus*) **A: TR** #332
ilamensis zuvandiensis Lazarev, 2016d: 13 **A: AB IN** #7
namanganensis Heyden, 1885a: 297 (*Clytus*) **A: AF KI KZ TD TM UZ XIN** [see Gressitt, 1951]
bucharensis Semenov, 1893: 501 (*Clytus*)
namanganensis Heyden, 1885a: 297 (*Clytus*) [wrong original spelling]
subcrucifer Pic, 1903a: 4
sieversii baiocchii Rapuzzi & Sama, 2018: 11 [Şirnak] (*Turanoclytus*) **A: TR** #332
sieversii deyrollei Pic, 1897m: 219 (*Clytus*) **A: TR** [Trebizonde] #332
akbesianus Pic, 1902e: 17 [Akbes] #332
sieversii sieversii Ganglbauer, 1890: 429 [Kasikoporan] (*Clytus*) **A: AB AR GG IN TR**
raghidae Sama & Rapuzzi, 2000: 14 **A: IS LE**
subgenus *Xyloclytus* Reitter, 1913a: 46 type species *Clytus chinensis* Chevrolat, 1852
altaicus Gebler, 1836: 342 (*Clytus*) **E: CT A: ES FE KZ MG NE NC NMO SC WS** #80
popovii Mannerheim, 1849: 241 (*Clytus*)
chinensis chinensis Chevrolat, 1852: 416 (*Clytus*) **A: ANH FUJ GAN GUA GUX HEB HEN HKG HUB JIA JIX LIA NC SC SCH**
SHA SHN SHX XIZ ZHE #74

griseofasciatus Pic, 1943b: 1
laterufescens Pic, 1913a: 19 (*Xylodyctus*)
sekii Matsushita, 1936: 146
chinensis kobayashii Fujita, 2010: 34 **A: JA**
chinensis kurosawai Fujita, 2010: 34 **A: ?FE JA**
sauteri Schwarzer, 1925a: 26 **A: TAI**
subgenus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860
albolatitasciatus Makihara, 1979: 152 **A: JA** (Ryukyus)
antilope antilope Schoenherr, 1817a: 465 (*Clytus*) **E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LT MD NL NR PL PT RO SK SL SP ST SV SZ TR UK YU A: CY TR**
lento Paulian, 1986: 96
hieroglyphicus Drapiez, 1819b: 294 (*Callidium*) [HN]
sekerai Paulian, 1986: 95
antilope bilisiensis S. Marklund & D. Marklund, 2013: 7 **A: AB AR GG TR** [see Danilevsky (2013g: 10)] **#152**
antilope obliquefasciatus Pic, 1890a: 3 (*Clytus*) **N: AG MO TU**
arunensis Holzschuh, 1982b: 151 **A: NP**
arvicola arvicola Olivier, 1795: 64 (*Callidium*) **E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT KZ LA LT LU MC MD NL PL PT RO SK SL SP ST SZ TR UK YU N: AG MO** **#150**
abbreviatus G. Schmidt, 1951: 14
herzegovinus Pic, 1913c: 98
heydeni Stierlin, 1864: 152 (*Clytus*)
inbasalis Pic, 1911a: 6
kraatzii Lederer, 1864: 485 (*Clytus*)
subangulosus Pic, 1934e: 21§
tridentatus Bleuse, 1905: 21 (*Clytus*)
arvicola iranicus Rapuzzi & Sama, 2014a: 7 **A: AB IN** **#150**
arvicola lazarevi Danilevsky, 2016b: 171 **E: ST A: AB AR GG IN ?SY TR** **#150**
arvicola planarius Danilevsky, 2016b: 169 **E: ST UK A: KZ WS** **#150**
atronotatus angulithorax Gressitt, 1934: 165 **A: HUB JA**
atronotatus atronotatus Pic, 1917h: 11 **A: FUJ HAI TAI**
basalis Schwarzer, 1925a: 25
cinerascens Matsushita, 1933b: 268
atronotatus bandaishanus Mitono, 1941: 92 **A: TAI**
atronotatus draconiceps Gressitt, 1951a: 240 **A: GUA JIX**
atronotatus generosus Matsushita, 1933b: 270 **A: JA**
atronotatus subscalaris Pic, 1917h: 11 **A: SC**
badachschanicus Tippmann, 1958a: 48 **A: AF**
basifuliginosus Heller, 1926: 23 **A: HP NP**
bifenestratus Pic, 1916j: 180 **A: CH**
bilyi Holzschuh, 2003a: 199 **A: YUN ORR**
binotaticollis Gressitt, 1939a: 36 **A: GUA**
boreosinicus Gressitt, 1951a: 241 **A: HUB SHA**
brevicillus Chevrolat, 1863b: 323 **A: CH**
buqueti Laporte & Gory, 1841: 86 (*Clytus*) **A: FUJ GUA GUX HAI HUN JIX NP SHA XIZ YUN ORR** **#427**
brevicornis Pascoe, 1869a: 608
phidias Newman, 1842a: 246 (*Clytus*)
siamensis Chevrolat, 1863b: 318
chhetrii Holzschuh, 1989c: 396 **A: BT**
capricornus Gebler, 1830: 182 (*Clytus*) **E: CT KZ PL SK ST UK A: KZ WS**
capricornis Chevrolat, 1863b: 325 (*Clytus*)
chujoi chujoi Hayashi, 1960d: 24 **A: JA** (Ryukyus)
chujoi ishigakianus Ohbayashi, 1964: 22 (*Perissus*) **A: JA** (Ryukyus)
tinsunshi K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)
clarinus Bates, 1884a: 231 **A: FE FUJ GAN HEI HUN JA JIL LIA NC NIN NMO SC SHA**
cuneipennis Kraatz, 1879d: 110 (*Clytus*) **A: ES FE HEB HEI HUB JA LIA NC SC XIN**
albifilis Bates, 1884a: 232
decolor Thieme, 1881: 101 (*Clytus*)
jilinensis Z. Wang, 2003: 237, 395
pallidipennis Matsumura, 1906: 154
dao Gressitt & Rondon, 1970: 206 **A: GUX YUN ORR**
deletus Lameere, 1893a: 282 **A: CH ORR**
difformis Holzschuh, 1983: 369 **A: NP**
diversesignatus Pic, 1908f: 15 **A: XIZ YUN**
djoukoulanus Pic, 1920d: 18 **A: YUN**
dominulus A. White, 1855: 261 (*Clytus*) **A: GUA NO ZHE**
emaciatus Bates, 1884a: 231 **A: CH JA**
nijimai Matsushita, 1933b: 277 (*Perissus*)
formosanus Schwarzer, 1925a: 26 **A: TAI**

aureobrunneus Gressitt, 1934: 166
[gestroi gestroi Gahan, 1894: 19 – Burma]
gestroi laosensis Gessitt & Rondon, 1970: 201 **A: NP ORR**
goetzi Heyrovský, 1970a: 131 **A: GAN**
grayii bisiniapicalis Takakuwa, 1984: 317 **A: TAI**
grayii grayii A. White, 1855: 261 **A: FUJ GAN GUA GUI HEB HEN HUB HUN JA JIA NE SC SCH SHA SHN TAI XIZ YUN**
grayii hachijoensis Takakuwa, 1984: 10 **A: JA**
grayii yaeyamanus Takakuwa, 1984: 10 **A: JA (Ryukyus)**
hampsoni Gahan, 1890a: 54 **A: BT UP ORR [Gahan, 1906: 247]**
unicarinatus Pic, 1917b: 20
hircus Gebler, 1825: 54 (*Clytus*) **A: ES FE HEB JA JIL KZ MG NMO WS "Korea"**
decolor Thieme, 1881: 101 (*Clytus*)
ibex Gebler, 1825: 53 (*Clytus*) **E: CT FI NT PL ST A: ES FE FUJ GAN HEI HUN JIL KZ LIA MG NC NE NIN NMO SC SHA WS XIN**
angulosus Motschulsky, 1875: 150 (*Clytus*)
fugitivus Thieme, 1881: 100 (*Clytus*)
rectangulus Motschulsky, 1875: 149 (*Clytus*)
incurvatus contortus Gahan, 1906a: 249 **A: BT FUJ GUA GUX HUB HUN NP SCH SD SHA TAI ORR [Gahan, 1906: 249]**
unicarinatus Pic, 1917b: 20
biarcuatus Pic, 1917d: 6
incurvatus incurvatus Chevrolat, 1863b: 331 (*Amauresthes*) **A: ?BT FUJ GAN GUA HEB HKG HUN ?NP SC SCH ?SD TAI XIZ YUN ORR #74 #80 #394**
inflexus Viktora & Liu, 2018c: 110 **A: GUX**
janbar Niisato & N. Ohbayashi, 2002: 34 **A: JA (Ryukyus)**
javanicus Laporte & Gory, 1841: 87 (*Clytus*) **A: AP GUA GUX HAI HEN HUB HUN JIA NP SCH TAI YUN ZHE ORR**
coffeophagus G. Richter, 1876: 250 (*Cucujus*)
lyratus Pascoe, 1869a: 610
quadripes Chevrolat, 1863b: 315
sappho Pascoe, 1858: 239 (*Clytus*)
kayoensis Mitono & Kira, 1934: 589 **A: TAI**
klapperichi Gressitt, 1951a: 245 **A: FUJ**
kosempoensis Heyrovský, 1955b: 259 **A: TAI**
kuatunensis Gressitt, 1951a: 246 **A: FUJ GUI YUN**
latefasciatus latefasciatus Pic, 1936c: 4 **A: FUJ HUN JIX TAI ZHE**
serraticornis Mitono, 1941: 101
latefasciatus ochroceps Gressitt, 1951a: 247 **A: SCH XIN**
lateralis fracturis Guo & L. Chen, 2002: 256 **A: YUN**
[lateralis lateralis Gahan, 1906: 244 – Burma]
lautus fujitai Takakuwa, 1984: 10 **A: JA**
lautus lautus Matsushita, 1933b: 273 (*Clytus*) **A: JA**
lepesmei Pic, 1950f: 508 **A: BT**
liciatulus Holzschuh, 2006c: 483 **A: SD**
longithorax Pic, 1922c: 13 **A: NP YUN ORR**
marketae Viktora & Liu, 2018c: 112 **A: YUN #394**
mixtus Plavilstshikov, 1940a: 360 **A: FE**
monticola Gahan, 1906a: 251 (*Clytus*) **A: KA PA "Western Tibet"**
mucidulus Holzschuh, 2009a: 330 **A: SHA ORR #350**
multinotatus Pic, 1904c: 11 **A: YUN**
multisignatus Pic, 1916k: 314 **A: YUN**
nigrosulphureus Gressitt, 1940b: 69 **A: HAI**
ogasawarensis Matsushita, 1933: 43 **A: JA (Ogasawara)**
pavlovskii Plavilstshikov, 1954: 471 **A: FE NC SC**
pici Heyrovský, 1935b: 115 **A: CHQ**
polyzonus Fairmaire, 1888b: 143 (*Clytus*) **A: FE GUA HEB HUB NC SC**
jeholensis Kano, 1935: 5
pyrrhoderus nigrosternus Gressitt, 1939a: 38 **A: GUA HEN**
pyrrhoderus pyrrhoderus Bates, 1873: 200 **A: FUJ GUA GUI HUB JA JIA NC SC SHA SHN SHX ZHE**
quattuordecimmaculatus Guo & L. Chen, 2002: 256 **A: YUN**
reductemaculatus ohtsuboi Fujita, 2010: 35 **A: JA**
reductemaculatus reductemaculatus Hayashi, 1968c: 14 **A: JA**
retractus Holzschuh, 1998: 44 **A: SHA**
robusticollis Pic, 1936c: 4 (*Clytus*) **A: GUI HUB JIX SCH**
rufilius kadowakii Nakane, 1981: 39 **A: JA (Is. Oki)**
rufilius rufilius Bates, 1884a: 233 **A: FE FUJ GUX HAI HEB HEI HEN HUB HUN JA JIX NC SC SCH SHA SHN TAI YUN ZHE ORR**
atrithorax Pic, 1910g: 30
decoloratipes Pic, 1910g: 30

gahani Stebbing, 1914: 352
irinae Plavilstshikov, 1925: 360
magnicollis Fairmaire, 1888a: 34 (*Clytus*)
renominatus Beeson, 1919: 151
rufoapicalis Pic, 1926b: 1 A: YUN
rufobasalis Pic, 1937b: 7 A: YUN ORR
rufonotatus Gressitt, 1936: 94 A: TAI
savioi Pic, 1935g: 177 A: HUN ZHE
shimomurai Ikeda, 1994: 353 A: TAI
sikangensis Gressitt, 1942b: 3 A: SCH
smei Laporte & Gory, 1841: 37 (*Clytus*) A: AF BT NP PA SD ORR #409
stebbingi Gahan, 1906a: 244 E: AL FR GR IT SL SZ N: TU A: AF BT IS NP PA SD SY TD TR UP XIZ ORR #98#166 #183 #293
subcarinatus Gardner, 1939: 8 A: NP UP
subdepressus Chevrolat, 1863b: 329 (*Amauresthes*) A: NP SD
subditus Chevrolat, 1863b: 314 A: KA
subscutellatus Chevrolat, 1863b: 317 A: HP UP ORR #183
insipiens Chevrolat, 1863b: 321
putzeysi Chevrolat, 1863b: 320 #183
suzukii Holzschuh, 1984c: 356 A: TAI
takakuwai Kusama, 1977: 17 A: JA (Ogasawara)
tanoni Gressitt & Rondon, 1970: 208 A: YUN ORR
triangulifer Pesarini & Sabbadini, 2015: 46 A: XIZ #277
tristisfases Sh.Yang & W.Yang, 2017: 82 A: GUI #325
vinnulus Holzschuh, 1993a: 35 A: YUN
vomeri Pesarini & Sabbadini, 2015: 47 A: YUN XIZ ORR #277
wenii Han & Niisato, 2010: 249 A: TAI
yanoi Gressitt, 1934: 164 A: BEI JA NMO SC ORR
pekingensis Pic, 1939b: 3
zebratus Matsushita, 1938a: 93 A: JA
zhouchaoi Viktora & Liu, 2018c: 114 A: YUN #394

tribe Compsocerini Thomson, 1864: 260

#395

= Rosaliini Fairmaire, 1864: 137

genus *Acrocyrtidus* Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894

Lautitia Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933

Mausaridaeus Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903

argenteofasciatus Pic, 1903c: 29 (*Mausaridaeus*) A: HAI ORR

argenteus Gressitt & Rondon, 1970: 189 A: HUN YUN ORR

avarus Holzschuh, 1989a: 165 A: YUN ORR

aurescens Gressitt & Rondon, 1970: 186 A: YUN ORR (see: Wang & Zheng, 2001)

auricomus Holzschuh, 1982a: 70 A: NP

diversinotatus Pic, 1903c: 30 (*Mausaridaeus*) A: HAI ORR

elegantulus elegantulus Matsushita, 1933b: 226 (*Lautitia*) A: TAI

elegantulus longicornis Hayashi, 1962a: 10 A: JA

fulvus Gressitt & Rondon, 1970: 186, 188 A: HAI ORR #393

jianfeng Viktora & Liu, 2018: 122 A: HAI #393

longipes Matsushita, 1941: 152 (*Mausaridaeus*) A: TAI

simianshanensis Chiang & L. Chen, 1994: 107 A: SCH

genus *Eduardiella* Holzschuh, 1993a: 32 type species *Eduardiella pretiosa* Holzschuh, 1993

dayaoshana Niisato & Liu, 2018: 275 A: GUX #417

pretiosa Holzschuh, 1993a: 32 A: YUN

genus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861

subgenus *Eurybatodes* Semenov, 1911: 121 type species *Rosalia bouvieri* Boppe, 1910

bouvieri Boppe, 1910: 235 A: SCH XIZ YUN

subgenus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861

Eurybatorosalia Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911

~~*binotata* Heyrovský, 1952: 73 A: XIZ~~ [described as *gravidula* ab. *binotata*]

decempunctata Westwood, 1848: 59 (*Purpuricenus*) A: AP GUA GUI GUX HAI HUB SD TAI XIZ YUN "North India" ORR

insulana Kriesche, 1920b: 112

dejeani Vuillet, 1911b: 247 A: SCH

ferriei Vuillet, 1911a: 79 A: JA

formosa conviva Csiki, 1911: 612 A: TAI

formosa formosa Saunders, 1839: 178 (*Cerambyx*) A: AP NP SD TAI XIZ ORR

formosa nigroapicalis Pic, 1910g: 36 (*Eurybatus*) **A**: CE SE SW
formosa pallens Gressitt, 1945a: 124 **A**: GUI HUB HUN **ORR**
gravida Lameere, 1887: 166 **A**: **XIZ** SD "Himalaya" **ORR**
hariola J. Thomson, 1861: 250 (*Eurybatus*) **A**: BT NP SD
nananishii Hayashi & Makihara, 1981: 189
kubotai Takakuwa, 1994: 2 **A**: GUX **ORR**
lateritia Hope, 1831: 27 (*Lamia*) **A**: **AP** NP SD XIZ **ORR**
lesnei Boppe, 1911b: 103 **A**: JA TAI
asahinai Mitono, 1943: 587 (*Eurybatus*)
pachycornis Takakuwa & Karube, 1997: 8 **A**: YUN **ORR**

genus *Luteicenus* Pic, 1922: 25 type species *Purpuricenus atromaculatus* Pic, 1922
Latecyrtidus Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011
atromaculatus Pic, 1922: 25 (*Purpuricenus*) **A**: YUN **ORR**
yamasakoi Vives & Niisato, 2011: 105
magnificus Rapuzzi & Sama, 2014a: 6 **A**: GUX

genus *Platycyrtidus* Vives & Niisato, 2011: 364 type species *Acrocyrtidus delicatulus* Holzschuh, 2009
yinghuii Viktora & Liu, 2018: 139 **A**: HAI

#393

genus *Pseudocallidium* Plavilstshikov, 1934f: 226 type species *Pseudocallidium violaceum* Plavilstshikov, 1934
obscuriaeneum Hayashi, 1969a: 62 **A**: TAI
violaceum Plavilstshikov, 1934f: 226 **A**: SCH **SHA**

#350

genus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758
Charmides Gistel, 1848b: [2] [unnecessary substitute name]
alpina alpina Linnaeus, 1758: 392 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ FR GE GR HU **IT** LS MC PL RO SK SL SP ST
SV SZ **TR** UK YU **A**: AB AR GG TR
bifasciata Reitter, 1900b: 131
brancsiki Pic, 1911a: 5
bystricensis Roubal, 1937: 82
cepelaki Pic, 1933d: 6
connexa Reitter, 1900b: 131
croissandeaui Pic, 1891b: 22
gelineki Zoufal, 1906: 264
geminata Reitter, 1900b: 131
interrupta Reitter, 1900b: 131
korbelyi Roubal, 1937: 82
kyseleyi Zoufal, 1906: 264
latemaculata T. Pic, 1908h: 33
multimaculata T. Pic, 1900a: 12
obliterata T. Pic, 1900a: 12
parvonotata Reitter, 1900b: 132
prolongata Reitter, 1900b: 131
pilosa Poda von Neuhaus, 1761: 32 (*Cerambyx*)
quadrinaculata Ragusa, 1905: 8
quadrupunctata Reitter, 1901h: 202
transsylvanica Pic, 1908g: 20
triformis Roubal, 1937: 81
v-notata T. Pic, 1908h: 33
uzunkumensis Podany, 1963a: 10
alpina syriaca Pic, 1895i: cclxxxv **A**: TR
batesi Harold, 1877b: 360 **A**: JA SCH SHA TAI
coelestis Semenov, 1911: 118 **A**: FE GUX HEB HEI HEN JIL NC SC SHN
houlberti Vuillet, 1911b: 215 **A**: XIZ
lameerei Brongniart, 1890: cxxi **A**: GUX SCH TAI YUN **ORR**
bireducta Dayrem, 1935: 25
quadrinotata Dayrem, 1935: 25
semireducta Pic, 1910g: 30
unireducta Pic, 1937a: 11

tribe Deilini Fairmaire, 1864

genus *Deilus* Audinet-Serville, 1834b: 73 type species *Callidium fugax* Olivier, 1790
Dilus Agassiz, 1846b: 124 [unjustified emendation]
fugax Olivier, 1790b: 253 (*Callidium*) **E**: **AL** AU BE BH BU CR CT CZ FR GR HU IT LU MD PL PT RO SK SL SP ST SZ **A**: AB
AR CY GG IS KZ LE SY TR **N**: AG MO LB TU
ceramboides Rossi, 1794: 99 (*Necydalis*)
rugosicollis kadleci Rapuzzi & Sama, 2012: 667 **A**: CY
rugosicollis rugosicollis Rapuzzi & Sama, 2012: 667 **A**: LE TR SY IS

#11

#215

#215

genus *Delagrangeus* Pic, 1892r: xciii type species *Delagrangeus angustissimus* Pic, 1892
subgenus *Delagrangeus* Pic, 1892r: xciii type species *Delagrangeus angustissimus* Pic, 1892
Edithia Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangeus angustissimus* Pic, 1892)
Mimophymatodes Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangeus angustissimus* Pic, 1892)
angustissimus angustissimus Pic, 1892r: xciii **A: TR**
asiaticus Pic, 1920e: 21 (*Mimophymatodes*)
carbonarius Reitter, 1899: 160 (*Edithia*)
angustissimus liviae Pesarini & Sabbadini, 2004a: 93 **A: E: GR** (Rodas)
angustissimus troodi Sama, 1994f: 556 **A: CY LE**
subgenus *Gertius* Sama, 1994f: 557 type species *Delagrangeus schurmanni* Sama, 1985
schurmanni Sama, 1985c: 97 **N: CI**

genus *Prosype* J. Thomson, 1864: 248 type species *Oeme filiformis* Buquet, 1859
juniperi Holzschuh, 1993b: 120 **A: SA YE**

tribe Graciliini Mulsant, 1839

genus *Axinopalpis* Dejean, 1835: 332 type species *Obrium gracile* Krynicki, 1832
Axinuchus Gemminger, 1872: 2840 [unnecessary RN]
alberti Sama, Rapuzzi & Kairouz, 2010: 148 **A: LE**
barbarae barbarae Sama, 1992b: 303 **A: CY**
barbarae consobrinus Sama, 1992b: 303 **A: CY**
gracilis christinae Rapuzzi, 1995: 618 **E: GR**
gracilis gracilis Krynicki, 1832: 162 (*Obrium*) **E: AL AU BH BU CR CT CR CZ GE GR HU IT LA LT MC MD PL RO SK SL ST**
UK YU A: GG IS SY TR **#436**
latior Pic, 1896b: 35

genus *Gracilia* Audinet-Serville, 1834b: 81 type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
Aphelocera Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)
Nothrus Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)
Oesyophila Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
minuta Fabricius, 1781: 235 (*Saperda*) **E: AL AU AZ BE BH BU CR CT CZ DE ?EN FI FR GB GE GR HU IR IT KZ ?LA LT LU**
MA MD NL NT NR PL PT RO SK SL SP ST SV SZ TR UK YU N: AG CI EG MO MR TU A: AB AR GG HEN IN NE NO
NW SHA TR WS AURi NARi NTRi ORR
albanica Csiki, 1931: 278
approximata Fairmaire, 1883c: clx
fusca Haldeman, 1847: 43 (*Nothrus*)
obliquata Horn, 1885b: 174
picea Fabricius, 1793: 317 (*Saperda*)
pygmaea Fabricius, 1793: 323 (*Callidium*)
vini Panzer, 1799b: 10 (*Callidium*)

genus *Hybometopia* Ganglbauer, 1889b: 282 type species *Hybometopia starcki* Ganglbauer, 1889
starcki ivani Sama, 1996c: 106 **A: TR**
starcki starcki Ganglbauer, 1889b: 285 **E: ST A: GG TR**

genus *Ischnorrhabda* Ganglbauer, 1889a: 61 type species *Ischnorrhabda macilenta* Ganglbauer, 1889
macilenta Ganglbauer, 1889a: 64 **A: GAN SCH**

genus *Lucasianus* Pic, 1891b: 42 type species *Cerambyx levaillantii* P. H. Lucas, 1847 **#107**
levaillantii P. H. Lucas, 1847: pl. 41 (*Cerambyx*) **E: FR PT SP N: AG MO**

genus *Nisibistum* J. Thomson, 1878: 29 type species *Nisibistum kaisanum* J. Thomson, 1878
kaisanum J. Thomson, 1878: 30 **A: CH**

genus *Penichroa* Stephens, 1839: 270 type species *Callidium fasciatum* Stephens, 1839
Exilia Mulsant, 1862: 195 type species *Callidium timidum* Ménétériés, 1832 (= *Callidium fasciatum* Stephens, 1831)
Graecoeme Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006
Liagrica A. Costa, 1855: 59 type species *Callidium timidum* Ménétériés, 1832 (= *Callidium fasciatum* Stephens, 1831)
fasciata Stephens, 1831: 250 (*Callidium*) **E: AL BH BU CR FR GR IT MA MC PT SL SP ST TR UK YU A: AB AR CY GG IN IS**
SY TR N: AG LB MO TU
bipunctata Zubkov, 1833: 336 (*Callidium*)
brunnea Tournier, 1872: 280 (*Exilia*)
eggeri Adlbauer, 2006: 381 (*Graecoeme*)
fagnezi Pic, 1945b: 6
fasciolata Krynicki, 1834: 170 (*Callidium*)
lugubris Ragusa, 1884: 333 (*Exilia*)
timida Ménétériés, 1832: 228 (*Callidium*)

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

genus **Daramus** Fairmaire, 1892a: 121 type species *Daramus serricornis* Fairmaire, 1892
major macrops Peyerimhoff, 1943: 27 (*Tetropiopsis*) **N: AG LB MO**
mehennii Sama, 1994d: 176
sahrawi Sama & Rapuzzi, 2008: 224
major major Pic, 1924c: 30 (*Tetropiopsis*) **A: SI**
serricornis Fairmaire, 1892a: 121 **N: EG A: YE OM AFR**

subtribe Hesperophanina Mulsant, 1839

genus **Blabinotus** Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854
~~*Blabinotus*~~ *spinicollis* Wollaston, 1854: 426 **N: CI MR**

genus **Gnatholea** J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thomson, 1861
biseburata Mitono, 1939: 148 **A: JA** (Ryukyus) **TAI**
loochooana K. Ohbayashi & N. Ohbayashi, 1965: 1
eburifera J. Thomson, 1861: 375 **A: GUI GUX HAI YUN ORR**
simplex Gahan, 1890a: 53 **A: AP SD TAI ORR**
subnuda Lacordaire, 1868: 284 **A: YUN ORR**

genus **Hesperoferus** Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)
machadoi Sama & Schurmann, 1983: 61 (*Trichoferus*) **N: CI**
artemisiphagus Leiler, 1984: 155 (*Hesperophanes*)
roridus Brullé, 1839: 62 (*Callidium*) **N: CI**
canariensis Demelt, 1971: 5

genus **Hesperophanes** Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787
andresi Sama & Rapuzzi, 2006: 183 **N: EG**
heydeni Baeckmann, 1923: 66 **A: KZ MG NMO XIN**
melonii Fancello & Cillo, 2012: 255 **E: IT** (Sardagna)
pilosus Bodungen, 1908: 179 **A: AB**
sericeus Fabricius, 1787: 152 (*Callidium*) **E: AL BH CR FR GR MA MC PT SP ST SZ UK YU A: AB AR CY GG IN IQ IS JO SY**
TM TR N: AG EG LB MO TU #98
latreillei Brullé, 1832: 256 (*Callidium*)
rotundicollis P. H. Lucas, 1842: 185

genus **Jebusaea** Reiche, 1878b: cliii type species *Jebusaea hammerschmidtii* Reiche, 1877
Bagdatocerambyx Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901
Pseudophilus Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893
hammerschmidtii Reiche, 1878b: clii **A: AE IN IQ OM QA SA**
drurei Pic, 1901c: 11 (*Bagdatocerambyx*)
persica Reitter, 1907b: 217
testacea Gahan, 1893a: 256 (*Pseudophilus*)

genus **Stromatium** Audinet-Serville, 1834b: 80 type species *Callidium barbatum* Fabricius, 1775
Solenophorus Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1795)
auratum Böber, 1793: 135 (*Saperda*) **E: AL BH BU CR FR GR HU IT MA MC PT RO SP ST TR UK YU A: AB AR CY GG IN**
IQ IS JO LE SY TM TR N: AG MO TU LB [see: Lazarev, 2014a: 274]
fulvum Villers, 1789: 256 (*Cerambyx*) [HN]
inermis Tourmier, 1872: 260
pallidum Zubkov, 1833: 336 (*Callidium*)
platyfemur Chevrolat, 1882: 57 (*Hesperophanes*)
strepens Fabricius, 1798: 150 (*Callidium*)
unicolor Olivier, 1795: no. 70: 58 (*Callidium*)
barbatum Fabricius, 1775: 189 (*Callidium*) **A: AP BT NP OM PA YE AFR [see Danilevsky, 2014b: 213] #182**
funestum Boisduval, 1835: 481 (*Callidium*)
tranquebaricum Gmelin, 1790: 1848 (*Cerambyx*)
variosum Fabricius, 1798: 149 (*Callidium*)
longicorne Newman, 1842a: 246 (*Arhopalus*) **A: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO SHN TAI YUN ZHE "North India" NARi ORR**
abeillei Pic, 1891b: 44 (*Hesperophanes*)
asperulum A. White, 1855: 300
granulatum Matsumura, 1927: 21 (*Criocephalus*)

genus **Tetropiopsis** Chobaut, 1899a: 356 type species *Tetropiopsis numidica* Chobaut, 1899
numidica Chobaut, 1899a: 357 **N: AG MO TU**
guldei Chobaut, 1905: 157

genus *Trichoferus* Wollaston, 1854: 427 type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus senex* Wollaston, 1854)
Hesperandrius Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793
antonioui Sama, 1994c: 40 **A:** CY
arenbergeri Holzschuh, 1995: 14 **E:** IT (Sardegna)
basalis A. White, 1855: 304 (*Hesperophanes*) **A:** TAI **ORR**
berberidis Sama, 1994c: 40 **E:** GR (Kriti)
bergeri Holzschuh, 1982a: 66 **E:** GR (Kriti)
campestris Faldermann, 1835c: 435 (*Callidium*) **E:** CT **CZ HU MD PL RO SK ST UK A:** AB AR ANH ES FE GAN GUI HEB HEI HEN HUB HUN IN JA JIA JIL JIX KI KZ LIA MG NC NMO QIN SC SCH SHA SHN SHX TD TM UZ XIN XIZ YUN ZHE **NARi ORR** **#40**
flavopubescens Kolbe, 1886: 219 (*Hesperophanes*)
rusticus Ganglbauer, 1887a: 133 (*Hesperophanes*)
turkestanicus Heyden, 1886c: 193 (*Stromatium*)
cisti Sama, 1987: 50 **N:** MO
cribricollis Bates, 1878b: 720 (*Hesperophanes*) **A:** KA PA SD
fasciculatus fasciculatus Faldermann, 1837: 266 (*Hesperophanes*) **E:** AL BU CR FR GR IT MA PT RO SP UK YU **N:** AG EG LB MO TU **A:** AB AR CY GG IN IQ IS JO LE SY TR
affinis P. H. Lucas, 1842: 186 (*Hesperophanes*)
elongatulus Pic, 1896b: 35 (*Hesperophanes*)
pulverulentus Erichson, 1841: 188 (*Callidium*)
subnudus Dayrem, 1928a: 67 (*Hesperophanes*)
tommentosus P. H. Lucas, 1842: 186 (*Hesperophanes*)
fasciculatus senex Wollaston, 1854: 428 **N:** CI MR
fissitarsis Sama, Fallahzadeh & Rapuzzi, 2005: 125 **A:** IN IQ **TR**
georgioui Sama & Makris, 2001: 166 **A:** CY
griseus Fabricius, 1793: 325 (*Callidium*) **E:** AL BH BU CR FR GR IT MA PT RO SP **?ST TR** YU UK **N:** AG EG LB MO TU **A:** CY **?GG IQ IS JO LE SY TR** **#200**
decolor Pic, 1937c: 14 (*Hesperophanes*)
guerryi Pic, 1916k: 314 (*Hesperophanes*) **A:** HEB HUB SCH SHA SHN YUN
holosericeus Rossi, 1790: 153 (*Callidium*) **E:** AL BH BU CR FR GR IT MA SB SL SP ST SZ UK **A:** AB AR GG **TR** **N:** AG LB MO TU **#164**
cinereus Villers, 1789: 256 (*Cerambyx*) [HN]
gayi Winkler, 1929: 1143 [RN]
nebulosus Olivier, 1790b: 257 (*Callidium*)
ilicis Sama, 1987: 50 **N:** MO
ivoi Kadlec, 2005: 103 **A:** IN
kotschyi Ganglbauer, 1883b: 300 (*Hesperophanes*) **E:** GR (Samos) **A:** LE SY TR
lunatus Szallies, 1994: 261 (*Hesperophanes*) **A:** IN TR
magnanii Sama, 1992c: 398 **E:** PT SP
maculatus Pu, 1991b: 249, 252 **A:** SCH
pallidus Olivier, 1790b: 256 (*Callidium*) **E:** AU BH BU CR CZ GE GR HU **IT** PL PT RO SK SP ST UK YU **#49**
mixtus Fabricius, 1798: 150 (*Callidium*)
sempustulatus Companyo, 1858: 571 (*Vesperus*)
sempustulatum Companyo, 1863: 792 (*Stromatium*)
preissi Heyden, 1894b: 85 (*Hesperophanes*) **A:** TR
samai Kadlec & Rejzek, 2001: 296 **A:** TR
sbordonii Sama, 1982: 217 **A:** TR
robustipes Holzschuh, 2003: 169 **A:** SHA
semipunctatus Holzschuh, 2003: 170 **A:** GAN **SHA** **#350**
spartii G. Müller, 1948: 67 (*Hesperophanes*) **E:** AL CR GR IT

genus *Turcmenigena* Melgunov, 1893: 155 [= 1894: 35] type species *Turcmenigena warentzowi* Melgunov, 1894
warentzowi Melgunov, 1893: 155 [= 1894: 35] **A:** KZ TM UZ XIN
varentzovi Plavilstshikov, 1940a: 54 [unjustified emendation]
warentzovi Aurivillius, 1912: 38 [unjustified emendation]
warentzowi Winkler, 1929: 1141 [unjustified emendation]

genus *Zoodes* Pascoe, 1867a: 319 type species *Stromatium maculatum* A. White, 1855
Cornutaemospila Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927
basalis A. White, 1855: 304 (*Hesperophanes*) **A:** NP "Himalaya"
compressus Fabricius, 1787: 153 (*Callidium*) **A:** AE AF IN **PA ORR** **#409**
soraya Villiers, 1974a: 131 (*Gnatholea*)
formosanus Niisato, 1982: 41 **A:** TAI **ORR**
fulguratus Gahan, 1906a: 117 **A:** YUN **ORR**
piceosignatus Pic, 1927b: 20 (*Cornutaemospila*)

japonicus Hayashi, 1963b: 56 **A:** JA
liturifer Walker, 1871: 18 (*Hesperophanes*) **N:** EG **A:** SA YE **AFR**
denticollis Fairmaire, 1891a: 269 (*Gnatholea*)
picicornis Fairmaire, 1888c: 200 (*Gnatholea*)
maculatus A. White, 1855: 301 (*Stromatium*) **A:** HAI **ORR**

genus *Zygoferus* Sama, 2008: 223 type species *Trichoferus pubescens* Sama, 1987
pubescens Sama, 1987: 49 (*Trichoferus*) **N:** AG TU

tribe Hesperophanini, species incertae sedis
Callidium viridicolle Pic, 1926a: 23 **A:** SD

tribe Hylotrupini Zagajkevitch, 1991

genus *Hylotrupes* Audinet-Serville, 1834b: 77 type species *Cerambyx bajulus* Linnaeus, 1758

Hylotrupes Gistel, 1856: 376 [unnecessary substitute name]
bajulus Linnaeus, 1758: 396 (*Cerambyx*) **E:** AL AU BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MA MC MD NL NR NT PL PT RO SK SP ST SV SZ TR UK YU **N:** AG CI EG LB MO MR TU **A:** AB AR CY GG **IQ IS**
JO JIA LE SHG SY TR WS **AFR AUR NAR NTR ORR** **#290**
affinis Savenius, 1825: 63 (*Callidium*)
bullatus Haldeman, 1847: 36
caudatus DeGeer, 1775: 86 (*Cerambyx*)
inaequalis Casey, 1924: 233
incertus Casey, 1924: 234
koziorowiczii Desbrochers des Loges, 1873a: 429
latus Casey, 1924: 233
linneianus Laicharting, 1784: 69 (*Callidium*)
lividus Mulsant, 1839: 56
minutus Casey, 1924: 235
nematocerus Casey, 1924: 234
pedicellatus Casey, 1924: 235
puellus A. Villa & G. B. Villa, 1833: 36 (*Callidium*)
puncticollis Casey, 1924: 234
quadripunctatus Geoffroy, 1785: 82 (*Leptura*)
similis Marsham, 1802: 335 (*Cerambyx*)
syriacus Théry, 1896: 110
theresae Pic, 1924c: 26

tribe Molorchini Gistel, 1848

genus *Berndgerdia* Holzschuh, 1982a: 68 type species *Berndgerdia balteata* Holzschuh, 1982
balteata Holzschuh, 1982a: 68 **A:** NP UP

genus *Epania* Pascoe, 1858: 237 type species *Odontocera singaporensis* J. Thomson, 1857

abdominalis Holzschuh, 1984c: 350 **A:** NP
amoorae Gardner, 1926: 200 **A:** UP
arisana Matsushita & Tamanuki, 1942: 81 **A:** TAI
atra Hayashi, 1978a: 88 **A:** TAI
atramentaria Holzschuh, 2010: 164 **A:** SCH
brevipennis Pascoe, 1869a: 567 **A:** TAI **ORR**
calophylli Gardner, 1926: 201 **A:** UP
dilaticornis dilaticornis Hayashi, 1950a: 5 **A:** JA
dilaticornis kumatai Hayashi, 1961b: 45 **A:** JA
morimotoi Makihara, 2004b: 219
shibatai Hayashi, 1976: 8
discisa Holzschuh, 2006b: 277 **A:** GUI
ignota Holzschuh, 2015d: 46 **A:** YUN
immaculata Kano, 1933b: 131 **A:** TAI
iriei Takakuwa, 1981: 6 **A:** JA (Ryukyus)
mundali Gardner, 1936: 132 **A:** NP UP
picipes Holzschuh, 1984a: 148 **A:** NP
pudens Holzschuh, 1993a: 28 **A:** YUN
septemtrionalis Hayashi, 1950a: 3 **A:** JA SC
shikokensis maruokai Hayashi, 1968c: 13 **A:** JA (Ryukyus)
shikokensis shikokensis K. Ohbayashi, 1936a: 13 **A:** FUJ JA
densepunctata Hayashi, 1968c: 13
okinawana Hayashi, 1976: 7
subchalybeata Miwa, 1931: 227 **A:** TAI

#148

genus *Leptepania* Heller, 1924a: 30 type species *Epania longicollis* Heller, 1915
Helio manes Newman, 1840a: 17 [HN] type species *Helio manes sidus* Newman, 1840
Molorchinus Shabliovsky, 1936: 185 type species *Molorchinus okunevi* Shabliovsky, 1936
insularis A. White, 1855: 179 (*Helio manes*) A: FUJ GUA HKG
japonica Hayashi, 1949c: 29 (*Molorchus*) A: HUB JA SC
lanta uensis Hayashi, 1982: 71 A: HKG
minuta Gressitt, 1935d: 265 A: TAI
kukuanana Chang, 1978: 61
okunevi Shabliovsky, 1936: 186 (*Molorchinus*) A: FE MN
incognita Tsherepanov, 1975d: 83 (*Molorchus*)
ryukyuana Hayashi, 1963a: 54 A: JA
sakaii Hayashi, 1974a: 23 A: TAI ORR

genus *Molorchoepania* Pic, 1949a: 9 type species *Epania barbieri* Pic, 1949
Kobaneus Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955
mizoguchii Hayashi, 1955: 51 (*Molorchus*) A: JA
simplexa Matsushita, 1933b: 228 (*Molorchus*) A: TAI
viticola Holzschuh, 1998: 35 A: SHA

genus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759
subgenus *Caenoptera* C. G. Thomson, 1859: 150 type species *Necydalis minor* Linnaeus, 1758
abieticola Holzschuh, 2007: 218 A: TR
akbesianus Rapuzzi & Sama, 2018: 9 A: TR #332
carus Holzschuh, 1999: 28 A: GAN
changi Gressitt, 1951a: 171 A: SCH SHA
foveolus Holzschuh, 1998: 34 A: YUN
fraudator Pesarini & Sabbadini, 1997: 104 A: SCH SHA #350
ikedai Takakuwa, 1984: 10 A: JA
juglandis Sama, 1982: 219 A: IS LE SY TR #98
minor fuscus Hayashi, 1955: 164 A: JA
minor minor Linnaeus, 1758: 421 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
LU MD NL NR NT PL RO SK SL ST SV SZ UK YU A: BEI ES FE GAN GG HEI LIA KZ MG NC QIN SC SHA TR WS XIN
NTRi #74 #79
ceramoides DeGeer, 1775: 151 (*Necydalis*)
dimidiatus Fabricius, 1775: 199 (*Leptura*)
medius Schrank, 1798: 688 (*Gymnopterion*)
rufescens Kiesenwetter, 1879: 316 [= 1879: 60]
monticola Plavilstshikov, 1931: 38 A: AB AR GG IN TM
pallidipennis Heyden, 1887d: 321 (*Gymnopterion*) A: KI KZ UZ XIN
pinivorus Takakuwa & Ikeda, 1980: 35 A: JA
relictus Niisato, 1996: 376 A: SCH #350
tjanschanicus Plavilstshikov, 1959: 1678 A: KZ KI
subgenus *Epanioglaphyra* Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986
kurosawai Niisato, 1986b: 305 (*Glaphyra*) A: TAI
subgenus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759
Conchopterus Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759
Glaphyra Newman, 1840c: 19 type species *Glaphyra semiusta* Newman, 1840
Glaphyra Newman, 1842f: 418 [RN] type species *Glaphyra semiusta* Newman, 1840
Linomius Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759
Sinolus Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861
aceris Holzschuh, 2009a: 300 (*Glaphyra*) A: SCH
aureomaculatus Gressitt & Rondon, 1970: 109 A: NP YUN ORR
shimai Hayashi & Makihara, 1981: 191 (*Glaphyra*)
baiocchii Rapuzzi & Sama, 2012: 667 (*Glaphyra*) A: IN PA TR #409
bassetii Sama, 1992b: 302 (*Glaphyra*) A: CY
cobaltinus Hayashi, 1963a: 53 (*Glaphyra*) A: JA
concolor Niisato, 1995: 444 (*Glaphyra*) A: TAI
congruus Holzschuh, 1998: 39 (*Glaphyra*) A: GUI
contristatus Holzschuh, 1991c: 44 (*Glaphyra*) A: SCH
cordigerus Holzschuh, 1992: 14 (*Glaphyra*) A: SCH
cupreoviridis Hayashi, 1966a: 5 A: TAI
cyanescens Gressitt, 1951a: 173 A: FUJ TAI
cyanescens Plavilstshikov, 1952: 287 [HN]
darjeelingensis Gardner, 1936: 129 A: NP SD
densepunctatus Holzschuh, 1977b: 338 A: BT
frivulus Holzschuh, 1998: 38 (*Glaphyra*) A: SCH
gilvitaris Holzschuh, 2006a: 239 (*Glaphyra*) A: SHA

gracilis Hayashi, 1949c: 29 **A: JA**
fuscipennis Hayashi, 1963d: 132
grandinotatus Holzschuh, 1992: 15 (*Glaphyra*) **A: SCH**
grosseri Voříšek, 2012: 1 **A: IN**
hederae Gardner, 1936: 130 **A: HP KA PA** #409
ishiharai K. Ohbayashi, 1936a: 12 **A: FE JA NC SC**
kunashiricus Tsherepanov, 1981: 72
tsutsuii Hayashi, 1958b: 47
jiuyuehtanus Hayashi, 1984: 89 **A: TAI**
kiesenwetteri hircus Abeille de Perrin, 1881: 133 **E: ST A: AB AR GG IN TR**
anatolica Adlbauer, 1988: 275
angorensis Pic, 1912b: 3 (*Caenoptera*)
kiesenwetteri kiesenwetteri Mulsant & Rey, 1861a: 189 **E: AU BH BU CR CZ GE GR HU IT MC ?PL RO SK SL ST SZ UK YU**
kiyoyamai Hayashi, 1974a: 21 **A: TAI**
kobotokensis K. Ohbayashi, 1963: 10 **A: FE JA NC SC**
kojimai Matsushita, 1939: 56 (*Epania*) **A: JA SC**
lectus Holzschuh, 2006b: 281 (*Glaphyra*) **A: SHA**
lishanensis Hayashi, 1974a: 22 **A: TAI**
liukueiensis Hayashi, 1984: 90 (*Glaphyra*) **A: TAI**
macella Holzschuh, 2015d: 53 (*Glaphyra*) **A: YUN** #148
malmusii Sama, 1995a: 370 (*Glaphyra*) **A: TR**
marmottani andalusica Sláma, 2015b: 1118 (*Glaphyra*) **E: SP** #110
andalusica Sláma, 2015a: 44 (*Glaphyra*) – not available #110
marmottani crovatoi Sama, 1995a: 373 (*Glaphyra*) **E: IT**
marmottani frischi Sama, 1995a: 373 (*Glaphyra*) **A: TR**
marmottani marmottani Brisout de Barneville, 1863: 118 **E: AU BU CT CZ FR GE IT PL SK SP ST SZ A: TR**
discicollis Heyden, 1876b: 383
modestus Holzschuh, 2006b: 283 (*Glaphyra*) **A: GUI**
molorchoides Holzschuh, 1984c: 351 (*Epania*) **A: NP**
moraveci Holzschuh, 2006b: 238 (*Glaphyra*) **A: TAI**
morii Makihara, 1984: 13 (*Glaphyra*) **A: JA**
nitidus adachii Takakuwa & Fujita, 1981: 29 **A: JA**
nitidus nitidus Obika, 1973: 205 **A: JA NC SC**
perfuga Holzschuh, 1998: 37 (*Glaphyra*) **A: YUN**
plagiatus Reiche, 1877a: cxxii **E: ST A: AB AR GG IN KZ**
planicollis Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) **A: HUB**
plavilstshikovi Gressitt, 1951a: 174 **A: FUJ TAI**
fukiensis Plavilstshikov, 1952: 288
prolixus Holzschuh, 1999: 29 (*Glaphyra*) **A: GAN**
rufosternalis Hayashi, 1984: 87 **A: TAI**
rugatus Holzschuh, 2015d: 50 (*Glaphyra*) **A: YUN** #148
sabatinellii Rapuzzi & Sama, 2018: 10 **A: PA** #332
saltinii Pesarini & Sabbadini, 2015: 42 **A: YUN** #277
satoi Niisato, 2003: 376 (*Glaphyra*) **A: TAI**
schmidti Ganglbauer, 1883b: 300 **E: CT CZ GR HU MD ?PL SK ST UK A: AB GG KI KZ TM UZ**
salicicola Stiller, 1935: 37 (*Caenoptera*)
semenovi Plavilstshikov, 1940a: 167
semitaiwanus Hayashi, 1984: 88 **A: TAI**
serra Holzschuh, 2006b: 279 (*Glaphyra*) **A: SCH SHA**
shibatai okinawana Hayashi & Matsuda, 1976: 34 **A: JA (Ryukyus)**
shibatai shibatai Hayashi, 1961b: 44 **A: CHQ JA**
sikkimanus Holzschuh, 2003b: 306 (*Glaphyra*) **A: SD**
starki Shabliovskiy, 1936: 184 **A: FE NC SC**
ichikawai Niisato, 1988a: 89 (*Glaphyra*)
ussuriensis Plavilstshikov, 1940a: 160
sterbai Adlbauer, 1988: 277 **A: LE**
azri Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)
subglaber Gressitt, 1938b: 150 (*Epania*) **A: TAI**
sungkangensis Hayashi, 1992: 140 (*Glaphyra*) **A: TAI**
taiwanus Hayashi & Matsuda, 1976: 32 **A: TAI**
takeuchii ebenina Hayashi, 1961b: 45 **A: JA**
takeuchii takeuchii K. Ohbayashi, 1937: 6 **A: JA**
tenuitarsis Holzschuh, 1981: 97 **A: TR**
terminatus Holzschuh, 2015d: 52 (*Glaphyra*) **A: FUJ** #148
uenoi Niisato, 1995: 441 **A: TAI (Glaphyra)**
umbellatarus umbellatarus Schreber, 1759: 9 (*Necydalis*) **E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT**

LA LS LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU **A:** AB AR GG TM TR
depressus Motschulsky, 1845a: 85
diversipes Pic, 1897c: 31
minimus Scopoli, 1763: 57 (*Necydalis*)
umbellatarus obscuripes G. Müller, 1948: 66 (*Caenoptera*) **E:** IT
unanimis Holzschuh, 1995: 26 (*Glaphyra*) **A:** SCH
viridescens Hayashi & Matsuda, 1976: 36 **A:** TAI
watani Kano, 1933b: 131 (*Epania*) **A:** TAI
subplana Gressitt, 1951a: 175
yui yui Hayashi, 1984: 88 **A:** TAI
subgenus *Nathrioglaphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940 **#56**
alashanicus Semenov & Plavilstshikov, 1936: 392 **A:** NMO
heptapotamicus Plavilstshikov, 1940a: 163 **E:** ST **A:** KI KZ NIN UZ
amygdali Holzschuh, 1979a: 114
kucerai Holzschuh, 1998: 36 (*Glaphyra*) **A:** GAN
liui Gressitt, 1948a: 51 [Yunnan] **A:** **A:** GAN HUB HUN SHA YUN ZHE **#56**
smetanai Danilevsky, 2011f: 105 [Zhejiang]
subgenus *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989 **#350**
asperanus Holzschuh, 1989a: 161 **A:** PA
subgenus *Yamatoglaphyra* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1953
aemulatus Holzschuh, 1998: 38 **A:** GAN SCH **SHA**
chalybeellus Holzschuh, 2007: 225 **A:** HEN
hattorii K. Ohbayashi, 1953: 13 (*Molorchus*) **A:** JA SC

genus *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976
villosa Tsherepanov, 1976a: 67 **A:** FE

genus *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001
itoi Ikeda, 2001: 3 **A:** JA

tribe Mythodini Lacordaire, 1868

genus *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871
concinna Pascoe, 1871: 273 **A:** BT GUX HAI SD **UP** YUN **ORR** **#183**

tribe Oabriini Mulsant, 1839

genus *Anatolobrium* Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004
eggeri Adlbauer, 2004b: 421 **A:** TR

genus *Anisogaster* A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862
kabateki Adlbauer, 2005: 1009 **A:** YE (Suqutra)

genus *Bolivarita* Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914
oculata Escalera, 1914a: 499 **N:** MO

genus *Chinobrium* Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937
mediofasciatum Gressitt, 1937c: 449 **A:** JIX **ORR**
opacum Holzschuh, 1984c: 348 (*Stenhomalus*) **A:** BT **ORR**

genus *Comusia* J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864
Chapaon Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922
Ciopera Pascoe, 1866d: 510 type species *Ciopera decolorata* Pascoe, 1866
Oemospiloides Fisher, 1940: 197 type species *Oemospiloides bengalensis* Fisher, 1940
Ogasawara Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937
bengalensis Fisher, 1940: 198 (*Oemospiloides*) **A:** SD
bicoloricornis Pic, 1927: 455 (*Chapaon*) **A:** YUN **ORR**
testacea Gressitt, 1937b: 321 (*Ogasawara*) **A:** JA (Ogasawara) **TAI**
thailandica Hayashi, 1986: 267 **A:** NP **ORR**

genus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894
subgenus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894
corbetti corbetti Gahan, 1894a: 15 **A:** HAI YUN **ORR**
longithoracicum Chiang, 1963: 65 (*Obrium*) **A:** YUN

genus *Iranobrium* Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967
abbreviatum Adlbauer, 2004c: 431 **A:** YE (Suqutra)

brancuccii Holzschuh, 1993b: 122 **A**: OM SA YE
buettikeri Holzschuh, 1993b: 123 **A**: AE SA YE
darwini Lo Cascio & Grita, 2009: 123 **A**: YE (Suqutra)
davatchii Villiers, 1967: 338 **A**: AE IN QA YE
grande Holzschuh, 2015d: 36 **A**: OM

#148

genus *Longipalpus* Montrouzier, 1861: 275 type species *Longipalpus palazyanus* Montrouzier, 1861
Iphrobium Gressitt, 1935a: 150 type species *Iphrobium dilatipenne* Gressitt, 1935
Nerida McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940
dilatipennis Gressitt, 1935a: 151 (*Iphrobium*) **A**: JA (Ryukyus)
shigarorogi Kano, 1939: 29 (*Pseudiphra*) **A**: TAI
tahuensis Chang, 1978: 59 **A**: TAI
wenhsini Niisato, 2013: 63 **A**: TAI

genus *Obrium* Dejean, 1821: 110 type species *Cerambyx cantharinus* Linnaeus, 1767
Diozodes Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1824 (= *Cerambyx maculatus* Olivier, 1795)
Phyton Newman, 1840c: 19 type species *Phyton linum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1795)

aegetum Holzschuh, 1982a: 67 **A**: NP

anmashanum Niisato & Chou, 2018: 78 **A**: TAI

#367

brevicorne Plavilstshikov, 1940a: 138 **A**: FE JA NC SC

brunneum Fabricius, 1793: 316 (*Saperda*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU
MD NL NT PL RO SK SL SP ST SV SZ UK YU **A**: AB AR GG TR
caucasicum Tournier, 1872: 279

cantharinum cantharinum Linnaeus, 1767: 637 (*Cerambyx*) **E**: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA
LT LU MD NE NL NT PL PL RO SK SP ST SV SZ TR UK YU **A**: AB AR ES FE GG KZ MG TR WS XIN NTRi #200
ferugineum Fabricius, 1781: 235 (*Saperda*)
fuscicorne Gmelin, 1790: 1837 (*Cerambyx*)

cantharinum shimomurai Takakuwa, 1984: 9 **A**: JA

complanatum Gressitt, 1942h: 208 **A**: GUA GUI GUX JIX

coreanum Niisato & Oh, 2016: 34 **A**: SC

#194

formosanum Schwarzer, 1925a: 22 **A**: TAI

fractum Holzschuh, 2003: 178 **A**: SHA

fumigatum Holzschuh, 1995: 23 **A**: YUN

fuscoapicale Hayashi, 1974a: 17 **A**: TAI

hainanum Niisato & Hua, 1998: 452 **A**: HAI

hattai K. Ohbayashi & N. Ohbayashi, 1965: 2 **A**: JA (Ryukyus)

[*huae huae* Niisato, 1998: 273 **ORR**]

huae jianbini Niisato & Chou, 2018: 80 **A**: FUJ

#367

kusamai Takakuwa, 1984: 10 **A**: JA

mendosum Holzschuh, 2010: 156 **A**: HEN

nakanei K. Ohbayashi, 1959: 2 **A**: JA

nitidum Niisato & Chou, 2018: 73 **A**: TAI

#367

obscuripenne obscuripenne Pic, 1904e: 17 **A**: FE JA JIL NC SC

gracile Plavilstshikov, 1933g: 167 [HN]

graciliforme Lipp, 1939: 225 [RN]

tsushimanum Hayashi, 1974b: 14

obscuripenne takakuwai Niisato, 2006c: 383 **A**: JA

oculatum Niisato & Hua, 1998: 454 **A**: YUN

posticum Gahan, 1894a: 14 **A**: BT NP

prosperum Holzschuh, 2008: 182 **A**: YUN

randiae Gardner, 1926: 199 **A**: UP

rufograndum Gressitt, 1937c: 448 **A**: JIX TAI

#367

schwarzeri Hayashi, 1974a: 19 **A**: TAI

semiformosanum abirui Niisato & Takakuwa, 1996: 142 **A**: JA

semiformosanum semiformosanum Hayashi, 1974a: 18 **A**: TAI

takahashii Kusama & Takakuwa, 1984: 278 **A**: JA (Ryukyus)

yamasakoi Niisato & Chou, 2018: 74 **A**: TAI

#367

yueyunae Niisato & Chou, 2018: 79 **A**: TAI

#367

genus *Ossibia* Pascoe, 1867a: 311 type species *Obrium fuscatum* Chevrolat, 1856

Obriaccum J. Thomson, 1878: 24 type species *Obrium fuscatum* Chevrolat, 1856

fuscata Chevrolat, 1856c: 570 (*Obrium*) **N**: EG MO **A**: YE **AFR**

crinita Fähræus, 1872a: 55

picata Holzschuh, 1993b: 124 **A**: SA

genus *Oxilus* Buquet, 1859: 619 type species *Oxilus terminatus* Buquet, 1859

Metobrium Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887

elegans Fairmaire, 1887b: 334 (*Obriacum*) N: EG AFR
manzonii Gestro, 1889: 68 (*Ossibia*) A: YE

genus *Pseudiphra* Gressitt, 1935a: 152 [RN] type species *Iphra apicalis* Schwarzer, 1925
Iriomoteus Villiers & Chûjô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chûjô, 1970
Obriomorpha Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925
apicalis Schwarzer, 1925a: 23 (*Iphra*) A: JA TAI ORR
bicolor *bicolor* Nara & Kusui, 1974: 123 A: JA (Ogasawara)
bicolor nigripennis Takakuwa, 1984: 9 A: JA (Ogasawara)
elegans Villiers & Chûjô, 1970: 55 (*Iriomoteus*) A: JA (Ryukyus)
obscura Gressitt, 1951b: 210 A: JA (Ryukyus)

genus *Pseudobolivarita* Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003
negevensis Sama & Orbach, 2003: 66 A: IS

genus *Uenobrium* Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970
laosicum Gressitt & Rondon, 1970: 107 (*Obrium*) A: HAI YUN ORR
paceorubrum Hayashi, 1971: 5 (*Obrium*) A: TAI
takeshitai Niisato & Ohmoto, 1994: 350 (*Obrium*) A: JA (Ryukyus)

genus *Yemenobrium* Adlbauer, 2005: 1008 type species *Yemenobrium velutinum* Adlbauer, 2005
velutinum Adlbauer, 2005: 1008 A: YE

tribe Oemini Lacordaire, 1868

genus *Afroeme* Adlbauer, 2004a: 3 type species *Afroeme kenyensis* Adlbauer, 2004
fusca Gahan, 1900a: 12 (*Oeme*) A: YE (Suqutra) AFR

genus *Dorjia* Holzschuh, 1989c: 391 type species *Dorjia tenzingi* Holzschuh, 1989
tenzingi Holzschuh, 1989c: 392 A: BT

genus *Entetraommatus* Fischer, 1940: 199 type species *Entetraommatus quercicola* Fischer, 1940
quercicola Fischer, 1940: 199 A: UP

genus *Fragiliella* Holzschuh, 2013a: 8 type species: *Oemospila callidioides* Gressitt & Rondon, 1970
callidioides Gressitt & Rondon, 1970: 46 (*Oemospila*) A: YUN ORR

genus *Hypoechrus* J. Thomson, 1864: 249 type species *Hypoechrus strigosus* Gyllenhal, 1817
subgenus *Tibestia* Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935
dallonii Peyerimhoff, 1935: 78 (*Tibestia*) N: AG LB MO AFR
gyllenhalii Lepesme & Breuning, 1955: 43
mirei Lepesme & Breuning, 1955: 43
pallidipes Quentin, 1956: 40
peyerimhoffii Lepesme & Breuning, 1955: 42
rungsii Lepesme & Breuning, 1955: 42
wittei Lepesme & Breuning, 1955: 44

genus *Kabatekiella* Holzschuh, 2008: 174 type species *Kabatekiella dalihodi* Holzschuh, 2008
dalihodi Holzschuh, 2008: 175 A: OM YE (Suqutra)

genus *Meiyingia* Holzschuh, 2010: 144 type species *Meiyingia paradoxa* Holzschuh, 2010
holzschuhi Liu & Wang, 2016: 293 A: GUX
jinyunensis Li & Chen, 2015: 596 A: CHQ
paradoxa Holzschuh, 2010: 145 A: HEN SCH

#249
#161

genus *Neocarolus* Sama, 2008: 222 type species: *Neomarius thomasi* Holzschuh, 1993
thomasi Holzschuh, 1993a: 24 (*Neomarius*) A: NP PA

genus *Neomarius* Fairmaire, 1872: 60 type species *Neomarius gandolphii* Fairmaire, 1872
gandolphii Fairmaire, 1872: 60 N: AG TUI

genus *Noserius* Pascoe, 1857b: 95 type species *Noserius tibialis* Pascoe, 1857
gardneri Martins, 1980: 116 [RN] A: NP
indicus Gardner, 1939: 1 [HN]
indicus Gahan, 1906a: 104 (*Hypoechrus*) A: AE AF IN NP PA

genus *Oemospila* Gahan, 1906a: 104 type species *Oemospila maculipennis* Gahan, 1906

Falsostromatium Pic, 1926l: 455 type species *Falsostromatium elongatum* Pic, 1926
maculipennis Gahan, 1906a: 105 A: BT GUX NP YUN **ORR**
elongata Pic, 1926l: 455 (*Falsostromatium*)

genus *Oplatocera* A. White, 1853: 121 type species *Oplatocera callidioides* A. White, 1853
Hoplitocera Gemminger, 1872: 2795 [unjustified emendation]
subgenus *Epioplatocera* Gressitt, 1951a: 131 type species *Oplatocera oberthuri* Gahan, 1906
mandibulata Miwa & Mitono, 1935: 404 A: **CHQ** TAI
mitonoi Hayashi, 1981b: 30 A: TAI **ZHE**
oberthuri Gahan, 1906a: 108 A: **AP** BT GUA GUX HUN NP SCH SD SHA TAI YUN **ORR**
subgenus *Oplatocera* A. White, 1853: 121 type species *Oplatocera callidioides* A. White, 1853
callidioides A. White, 1853: 121 A: SCH TAI "North India" **ORR**
grandis Gressitt, 1951a: 131 A: SCH **ORR**

#74
#74

genus *Tetraommatus* Perroud, 1855b: 390 [= 1855a: 70] type species *Tetraommatus filiformis* Perroud, 1855
Deuteromma Pascoe, 1857b: 98 type species *Deuteromma callidioides* Pascoe, 1857
fragilis Holzschuh, 1984a: 144 A: NP
kuantaoshanensis Chang, 1978: 62 (*Tetrops*) A: TAI
ocularis continentalis Heller, 1926: 22 A: UP
[*ocularis ocularis* Pascoe, 1869a: 504 – Moluques]
taiwanus Hayashi, 1978a: 87 A: TAI

genus *Yementallyrama* Adlbauer, 2007: 7 type species *Yementallyrama nasheri* Adlbauer, 2007
nasheri Adlbauer, 2007: 7 A: **OM** YE

tribe Opsimini LeConte, 1873

genus *Japonopsimus* Matsushita, 1935: 310 [RN] type species *Paraopsimus orientalis* Matsushita, 1933
Paraopsimus Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933
exocentroides Holzschuh, 1984c: 342 A: BT
orientalis Matsushita, 1933b: 238 (*Paraopsimus*) A: TAI
simplex Gressitt & Rondon, 1970: 44 (*Hypoeshrus*) A: HAI **ORR**

#347

tribe Pelossini Tavakilian, 2013

genus *Pelossus* Thomson, 1864: 222 type species *Corethrogaster ruber* J. Thomson, 1858
Alloeme Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)
Ceresida Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)
Digonium Pic, 1895d: 76 type species *Digonium longicorne* Pic, 1895
Leptosalphina Gressitt, 1951a: 624 type species *Leptosalphina unicolor* Gressitt, 1951
Lygrus Fähræus, 1872a: 55 type species *Lygrus apicalis* Fähræus, 1872
Nosoeme Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894
Zoolygrus Fähræus, 1872b: 194 [RN] type species *Lygrus apicalis* Fähræus, 1872
becvari Sama, 1999c: 178 (*Lygrus*) A: IS JO SI
longicornis Pic, 1895d: 77 (*Digonium*) A: **OM** SA YE
unicolor Gressitt, 1951a: 625 (*Leptosalphina*) A: HUB

tribe Phoracanthini Newman, 1840

genus *Allotraeus* Bates, 1877: 36 type species *Allotraeus sphaerioninus* Bates, 1877
— *Neosphaerion* Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
orientalis A. White, 1853: 110 (*Sphaerion*) A: YUN **ORR**
pallidipennis K. Ohbayashi, 1958c: 36 A: HUB **JA**
sphaerioninus Bates, 1877: 37 A: JA SC TAI

genus *Cordylomera* Audinet-Serville, 1834b: 23 type species *Cordylomera nitipennis* Audinet-Serville, 1834 = *Cerambyx*
spiniornis Fabricius, 1775 **#293**
Acanthinomomus Hope, 1835: 107
spiniornis Fabricius, 1775: 167 (*Cerambyx*) **Ei**: CZ DE FR GB GE IR IT MA SP SV **AFR** **#293**
angolensis Veiga-Ferreira, 1971: 7
sansibarica Kolbe, 1893: 248
suturalis Chevrolat, 1858: 242
testacea Buquet, 1844: 233
torrida Olivier, 1795: 31 (*Cerambyx*)

genus *Nyphasia* Pascoe, 1867a: 313 type species *Nyphasia torrida* Pascoe, 1867
apicalis Gahan, 1893b: 378 A: NP
fuscipennis Gahan, 1890a: 53 A: NP

pascoei Lacordaire, 1868: 309 A: BT YUN NP SD ORR

#50

genus *Nysina* Gahan, 1906a: 153 type species *Sphaerion orientale* A. White, 1853
Neosphaerion Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
Pseudallotraeus Pic, 1923a: 13 type species *Pseudallotraeus rufescens* Pic, 1923

baibarana Matsushita, 1933b: 297 A: TAI

boninensis Gressitt, 1937b: 319 (*Pseudallotraeus*) A: JA (Ogasawara)

gracillima Mitono, 1947b: 24 (*Pseudallotraeus*) A: TAI

grahami Gressitt, 1939a: 68 A: FUJ GUA GUX HEN HUN JIX SCH XIZ YUN

insularis amamiensis Hayashi, 1961b: 42 A: JA

insularis insularis Mitono, 1947b: 25 (*Pseudallotraeus*) A: JA (Ryukyus) SC TAI

#80

insularis yamagami Fujita, 1980: 12 A: JA (Izu)

orientalis A. White, 1853: 110 (*Sphaerion*) A: "Korea" YUN ORR

rubriventris Gressitt, 1937a: 90 A: HAI HUN YUN ORR

rufescens asiatica Schwarzer, 1925a: 22 (*Neosphaerion*) A: FUJ GUX HAI TAI ORR

#411

rufescens rufescens Pic, 1923a: 13 (*Pseudallotraeus*) A: JA SC TAI

#411

japonica K. Ohbayashi, 1936a: 13

sauteri Matsushita, 1931c: 399 (*Neosphaerion*) A: TAI

subtuberculata Pic, 1933b: 27 (*Pseudallotraeus*) A: CH

genus *Phoracantha* Newman, 1840a: 19 type species *Stenocorus semipunctatus* Fabricius, 1775

recurva Newman, 1840b: 4 E: GR IT MA PT SP N: LB MO TU A: IS LE SY TR AFR AUR NAR NTR #98 #297

papua Gressitt, 1959: 93

semipunctata Fabricius, 1775: 180 (*Stenocorus*) E: FR GR IT MA PT SP A: CY GG IS JO LE SY TR N: AG CI EG LB MO MR
TU AFR AUR NAR NTR #297

hospita Pascoe, 1864b: 232

inscripta Germar, 1848: 226

tribe Prothemini Lacordaire, 1868

genus *Prothema* Pascoe, 1856: 43 type species *Prothema signatum* Pascoe, 1856

Sigeum Pascoe, 1866d: 523 type species *Blemmya humerale* Pascoe, 1857

astutum Holzschuh, 2011: 305 A: YUN

auratum auratum Gahan, 1906a: 235 A: GUA GUI GUX HAI HUN ?NP ?SD YUN ORR

auratum cariniscapum Gressitt, 1937c: 451 A: GUA GUI HUN ORR

auratum interruptum Pic, 1927h: 109 A: XIZ

auratum brunnipenne Holzschuh, 2015d: 305 A: NP SD

cakli Heyrovský, 1967c: 201 A: HAI YUN ORR

— *simile* Gressitt & Rondon, 1970: 132 [Laos, Thailand - see Holzschuh, 2017d: 73]

exclamationis Pesarini & Sabbadini, 2000: 58 A: SCH

lineatum Pic, 1920a: 2 A: XIZ

ochraceosignatum Pic, 1915b: 10 A: TAI

nigrum Kano, 1930: 42

signatum Pascoe, 1856: 43 A: FUJ GUA GUI GUX HAI HUN JIX NE NO SHA XIZ ZHE ORR

#350

funereum Pascoe, 1856: 43

tribe Psebiini Lacordaire, 1868

genus *Kabatekiipsebium* Rapuzzi, 2015: 583 type species *Kabatekiipsebium yemenensis* Rapuzzi, 2015

#121

yemenensis Rapuzzi, 2015: 754 A: OM YE

genus *Mourglia* Holzschuh, 1993b: 125 type species *Mourglia conspicua* Holzschuh, 1993

subgenus *Mourglia* Holzschuh, 1993b: 125 type species *Mourglia conspicua* Holzschuh, 1993

conspicua Holzschuh, 1993b: 125 A: SA

subgenus *Pseudomourglia* Sama, 2006: 174 type species *Pseudomourglia vanharteni* Sama, 2006

mollina Holzschuh, 2006a: 235 A: AE OM

vanharteni Sama, 2006: 175

genus *Nathrius* Bréthes, 1916: 76 type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839)

Deuteroleptidea Paclt, 1946: 169 [unnecessary substitute name]

Leptidea Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839

Leptideella E. Strand, 1936: 169 [unnecessary substitute name]

berlandi Villiers, 1946: 68 (*Leptidea*) E: SP N: MO

#110

brevipennis Mulsant, 1839: 105 (*Leptidea*) E: AU AZ BE BH BU CR CZ DEi Fli GB GE HU IR IT MA MC MD NL NRi PL PT

RO SK ST SL SP SVi SZ TR UK YU A: AB AR GG IN IS KZ LE SHX SY TR N: AG EG LB MO TU NARi NTRi

manca LeConte, 1851: 24 (*Gracilia*)

minutus Motschulsky, 1845a: 84 (*Leptidea*)

porteri Bréthes, 1916: 77

rufipennis Dufour, 1851: 351 (*Gracilia*)

tribe Purpuricenini J. Thomson, 1861

genus *Afghanicenus* Heyrovský, 1941a: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936

aulicus Holzschuh, 1981: 101 A: PA

dreesi Tippmann, 1958a: 57 A: AF

nuristanicus Heyrovský, 1936: 212 (*Purpuricenus*) A: AF

genus *Amarysius* Fairmaire, 1888b: 140 type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)

Asiates Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770

altajensis allrina Z. Wang, 2003: 394 A: HEI

altajensis altajensis Laxmann, 1770: 597 (*Leptura*) A: CH KZ WS

affinis Motschulsky, 1853: 79 (*Anoplistes*)

basilaris Pic, 1906b: 10 (*Anoplistes*)

sellatus Germar, 1824: 498 (*Cerambyx*)

altajensis coreanus Okamoto, 1924: 191 (*Anoplistes*) A: ES FE HEI LIA MG NC SC

album Z. Wang, 2003: 160, 394

ausinia Z. Wang, 2003: 160

ussuricus Tsherepanov, 1975d: 123

duplicatus Tsherepanov, 1980: 91 A: ES FE KZ MG WS

minax Holzschuh, 1998: 43 A: GAN HEN SCH SHA

#288 #350

sanguinipennis Blessig, 1872: 175 (*Anoplistes*) E: CT A: ES FE HEB HUB JA KZ MG NC NMO SC SHA WS ZHE

dilatatus Fairmaire, 1888b: 141

suturalis Pic, 1906d: 16 (*Anoplistes*) A: FE HEB

grallator Baeckmann, 1924: 233 (*Purpuricenus*)

genus *Anoplistes* Audinet-Serville, 1834a: 570 type species *Cerambyx halodendri* Pallas, 1773

Asias Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1776

agababiani Danilevsky, 2000b: 41 (*Asias*) A: AR

degener Semenov, 1907b: 255 (*Purpuricenus*) A: MG-NMO

diabolicus Reitter, 1915: 170 A: KZ XIN

forticornis Reitter, 1901c: 84 A: CH IN KZ KI UZ

maculibasis Reitter, 1901c: 84

galusoi Kostin, 1974: 648 (*Asias*) A: KZ

gobiensis Namkhaidorzh, 1973: 377 (*Asias*) A: MG

halodendri balcanicus Sláma, 2010: 75 E: AL BU RO

#208

halodendri ephippium Steven & Dalman, 1817: 157 (*Cerambyx*) E: ST UK KZ A: KZ

elaegni Fischer von Waldheim, 1823: pl. il [= 1824: 238] (*Purpuricenus*)

humeralis Olivier, 1795: 38 (*Cerambyx*)

halodendri halodendri Pallas, 1773: 724 (*Cerambyx*) A: KZ WS

nigromaculatus Pic, 1915e: 6 (*Asiates*)

halodendri heptapotamicus Semenov, 1926: 48 (*Purpuricenus*) A: ES KZ WS

halodendri kasatkini Lazarev, 2014a: 275 E: ST

halodendri minutus Hammarström, 1892: 191 A: ES MG

halodendri pirus Arakawa, 1932: 18 (*Purpuricenus*) A: ES FE GAN GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA NC

NIN NMO QIN SC SCH SHA SHN SHX TAI XIN ZHE

#288

jacobsoni Baeckmann, 1904: 311 A: KZ

jomodorum Plavilstshikov, 1940a: 606 (*Asias*) A: IN TM

chodjaui Holzschuh, 1974a: 94 (*Asias*)

kozlovi Semenov & Znoiko, 1934: 211 (*Asias*) A: MG NMG

mongolicus amoenus Reitter, 1898b: 126 A: XIN

francisci Reymond, 1933: 139

procerus Semenov, 1907b: 256 (*Purpuricenus*)

mongolicus mongolicus Ganglbauer, 1889a: 75 A: MG NMO

tuvensis Tsherepanov, 1978b: 138 (*Asias*) A: ES MG

? genus *Brototyche* Pascoe, 1867a: 317 type species *Brototyche adamsii* Pascoe, 1867

? *adamsii* Pascoe, 1867a: 318 A: [Korea]

#327

genus *Calchaenesthes* Kraatz, 1863: 97 type species *Callidium oblongomaculatum* Guérin-Méneville, 1844

diversicollis Holzschuh, 1977a: 129 A: IN IQ TR

oblongomaculata Guérin-Méneville, 1844: 234 (*Callidium*) E: BU GR RO A: CY JO TR

nogeli Frivaldszky von Frivald, 1845: 183 (*Callidium*)

quadrinaculata Pic, 1912f: 13

subjuncta Pic, 1945b: 6

pistacivora Holzschuh, 2003a: 195 A: IN

primis Özdikmen, 2013: 150 in Özdikmen et al., 2013 **A:** CY TR (see: Ambrus et al., 2014: 182)

sexmaculata Reiche, 1861: 91 (*Anoplistes*) **E:** SP **N:** AG MO TU

juncta Pic, 1922d: 27

parvimaculata Rungs, 1947: 100 (*Purpuricenus*)

genus *Dicelosternus* Gahan, 1900c: 308 type species *Dicelosternus corallinus* Gahan, 1900

corallinus Gahan, 1900c: 309 **A:** FUJ GUA GUI **GUX** HAI HUB HUN JIX TAI ZHE

#288

genus *Euryphagus* J. Thomson, 1864: 196 type species *Cerambyx lundii* Fabricius, 1793

Eurycephalus Dejean, 1835: 323 [HN] type species *Cerambyx maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)

lundii Fabricius, 1793: 258 (*Cerambyx*) **A:** FUJ GUI GUX HAI HP NP SCH TAI YUN **ORR**

? *bipunctatus* Schönherr, 1817a: 459 (*Callidium*)

? *maxillosus* Olivier, 1795: 52 (*Cerambyx*)

#288

? *nigricollis* Heller, 1913: 155

#288

nigripes Olivier, 1795: 52 (*Cerambyx*)

? *variabilis* Pascoe, 1860: 120 (*Eurycephalus*)

#288

miniatus Fairmaire, 1904a: 145 (*Purpuricenus*) **A:** FUJ GUA GUI GUX HAI HKG JIX YUN **ORR**

caputorubeus S. T. Yu, 1935: 10 (*Purpuricenus*)

carinifer Pic, 1910f: 24 (*Purpuricenus*)

chinensis Gressitt, 1939a: 47

genus *Falsanoplistes* Pic, 1915g: 27 type species *Falsanoplistes guerrii* Pic, 1915

Bunothorax Gressitt, 1936: 101 type species *Sternoplistes takasagoensis* Kano, 1933

guerrii Pic, 1915g: 27 **A:** YUN XIZ

takasagoensis Kano, 1933a: 278 (*Sternoplistes*) **A:** ~~SCH~~-TAI **ORR**

#288

genus *Parabunothorax* Pu, 1991b: 247 type species *Parabunothorax rubripennis* Pu, 1991

rubripennis Pu, 1991b: 248, 251 **A:** GUI **YUN** **ORR**

#288

genus *Peyeremoceras* Sama, 2009: 22 [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920

Eremoceras Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920

surcoufi Peyerimhoff, 1920a: 22 (*Eremoceras*) **N:** AG

genus *Purpuricenus* Dejean, 1821: 105 type species *Cerambyx kaehlerii* Linnaeus, 1758

Acanthoptera Latreille, 1829: 114 type species *Cerambyx budensis* Götze, 1783

Cyclodera A. White, 1846: 510 type species *Cyclodera quadrinotata* A. White, 1846

Hamadrias Gistel, 1848a: 130 [unnecessary substitute name]

Philagathes J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864

Porphyrocenus Reitter, 1913a: 34 type species *Purpuricenus spectabilis* Motschulsky, 1858

Sternoplistes Guérin-Ménéville, 1844: 224 type species *Purpuricenus temminckii* Guérin-Ménéville, 1844

apicalis Pic, 1905k: 163 **A:** IN IQ TR

tommasoi Sama, 2001: 390

apiceniger Pic, 1914c: 7 **E:** BH CR GR IT ME

baeckmanni Danilevsky, 2007c: 38 **E:** UK

#136

barbarus P. H. Lucas, 1842: 185 **N:** AG MO TU

dumerilii P. H. Lucas, 1847: pl. 41

interruptus Pic, 1891b: 23

limbatus Pic, 1891b: 23

bitlisiensis T. Pic, 1902: 27 **A:** TR

budensis Götze, 1783: 72 (*Cerambyx*) **E:** BH BU CT CR FR GR HU IT MC MD RO SK SL SP ST TR UK YU **A:** AB AR CY GG IS
LE SY TR WS

affinis Brullé, 1832: 251

ungaricus Herbst, 1784: 90 (*Lamia*)

wredii Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]

caucasicola Danilevsky, 2015e: 386 **E:** ST **A:** AB ?AR GG IN

#136

coccineus Breit, 1917: 73 **E:** IT

#357

comenius Vartanis & Ambrus, 2015: 315 **E:** GR

#85

cornifrons Sabbadini & Pesarini, 1992b: 58 **A:** TR [type-Bingöl]

dalmatinus Sturm, 1843: 353 **E:** BH BU CR GR IT MC SL **A:** IS JO LE SY TR

biinterruptus Pic, 1901b: 11

bonvouloiri Pic, 1945b: 6

disjunctus Pic, 1916a: 13

hirsutus Heyrovský, 1969a: 34

desfontainii *desfontainii* Fabricius, 1793: 258 (*Cerambyx*) **E:** GR (Kríti) **N:** AG LB MO TU

nigricollis Pic, 1892g: 114

v-signatis Pic, 1922d: 27

desfontainii inhumeralis Pic, 1891b: 24 **E:** GR TR **A:** JO IS SY TR

deyrollei J. Thomson, 1867: 164 **A:** IN TM

ledererii Ferrari, 1869: 199
medijunctus Pic, 1921a: 4
ferrugineus Fairmaire, 1851a: 528 **E: PT SP**
fettingi Schaufuss, 1871c: 209
hispanicus K. Daniel & J. Daniel, 1898b: 88
foraminifer Pesarini & Sabbadini, 1997: 106 **A: SCH**
globiger ambrusi Danilevsky, 2012d: 11 **A: GAN**
globiger globiger Fairmaire, 1888b: 139 **A: HEB JIX LIA SHA SHX** #288
globulicollis globulicollis Dejean, 1839: 34 **E: AU BH BU CR CT CZ EN FR GR HU IT ME RO SK SL SP ST SZ UK YU A: KZ**
WS #304
grabowskii Heyrovský, 1913: 35
tsherepanovae Tsherepanov, 1980: 89
globulicollis skypetarum Rapuzzi & Sama, 2014b: 164 **E: AL MC GR** #84
graecus Sláma, 1993: 56 **E: GR** #136
hummeli Pic, 1935c: 11 **A: GAN SCH** #288
foraminifer Pesarini & Sabbadini, 1997: 106 #288
indus Semenov, 1908: 261 [RN] **A: AF KA PA "Punjab"** #317
hausknechti Gahan, 1906a: 186
innotatus Pic, 1910f: 24 **A: XIZ YUN ORR**
interscapillatus barbarae Rapuzzi & Sama, 2014b: 145 **A: IS**
interscapillatus hermonensis Rapuzzi & Sama, 2014b: 147 **A: IS SY**
interscapillatus interscapillatus Plavilstshikov, 1937b: 247 [RN] **A: SY TR [type-"Syria"]**
humeralis Pic, 1891b: 23 [HN]
interscapillatus longevitatus Pic, 1941b: 2 **A: LE [Rapuzzi & Sama, 2014b: 144]**
interscapillatus nabateus Sama, 1999c: 178 **A: JO [Rapuzzi & Sama, 2014b: 148]**
interscapillatus nudicollis Demelt, 1968b: 65 **A: ?CY TR [type-Antalya]**
kabakovi Miroshnikov & Lobanov, 1990: 15 **A: AF KA PA** #317
kaehlerii boryi Brullé, 1832: 251 [Morée: "de Péralidi, dans le golfe de Messénie"] **E: GR**
kaehlerii carbonarius Reitter, 1901d: 101 [dalmatinischen Insel Meleda] **E: BH CR**
kaehlerii cinctus A. Villa & G. B. Villa, 1833: 36 - ["Italya"] **E: IT ["The melanistic forms are dominant in Sicily" (Vitaly, 2018: 43)]**
aetnensis Bassi, 1834: 471 [Nicolosi, Sicile]
tournieri Pic, 1945b: 6 [Sicile]
kaehlerii corsicus Vartanis, 2018a **E: FR** #331
kaehlerii kaehlerii Linnaeus, 1758: 393 (*Cerambyx*) [Italia] **E: AU BE BU BY CT CZ FR GE GR HU IT LU MC MD PL PT RO SK**
SP ST SZ TR UK YU A: TR #413
bilineatus Mulsant, 1839: 34 [aux entours de Lyon, les environs de Paris et de Bordeaux]
bipunctatus A. Villa & G. B. Villa, 1833: 36 ["Italia"]
ferrarioi Pic, 1941b: 2 ["Italie"]
ruber Geoffroy, 1785: 75 (*Cerambyx*) ["circa Parisios"]
servillei Audinet-Serville, 1834a: 569 ["environs de Paris"]
kaehlerii litoralis Depoli, 1913: 22 ["Liburnischen Karst"] **E: AL BH CR GR SL YU**
kaehlerii menetriesi Motschulsky, 1845a: 87 **E: ST A: AB AR GG IN TR**
astrabadensis Pic, 1915e: 6
caucasicus T. Pic, 1902: 27 [Rapuzzi & Sama, 2014b: 158]
kaehlerii rossicus Danilevsky, 2019: 86 **E: AU BU CT CZ GE HU PL RO SK ST TR UK A: TR** #413
katerinae Danilevsky, 2012d: 12 **A: GAN**
lituratus Ganglbauer, 1887a: 136 **A: FE GAN GUI GUX HEB HEN HUB HUN JA JIA JIL JIX LIA NC SC SCH SHA SHX YUN** #288
komarovi Semenov, 1908: 260
petasifer Fairmaire, 1888b: 140
ritsemai Villard, 1913: 237
rostri Pic, 1913e: 135
malaccensis Lacordaire, 1869: 176 (*Philagathes*) **A: GUX HAI SHA YUN ORR** #288
fasciatus Brongniart, 1892: 241
mesopotamicus Al-Ali & Ismail, 1987b: 536, 543 **A: IQ**
montanus A. White, 1853: 138 **A: AF HP KA PA UP XIZ "Tibet"** #183 #288
kashmirensis Pic, 1906b: 10 (*Sternoplistes*)
nanus Semenov, 1907b: 254 **A: IN ["Gilan: pr. pag. Molla-ali"]**
notatithorax Pic, 1919a: 22 ["Perse"]
neocaucasicus Rapuzzi & Sama, 2014b: 156 **A: TR** #136
nicocles Schaufuss, 1871c: 209 **A: CY**
nigropunctatus Pic, 1916a: 13
nigronotatus Pic, 1907i: 169 **A: TR [type - Hatay]**
konradi Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]
optabilis Holzschuh, 1984a: 149 **A: NP**
renyvona Sláma, 2001: 225 **E: BU CR MC TR YU A: TR** #136
robusticollis Pic, 1905a: 9 **A: IN ["Perse"]**
sanguinolentus Olivier, 1795: 93 (*Cerambyx*) **A: TAI "North India" ORR**
sasanus Kadlec, 2006a: 3 **A: IN ?IQ**

schurmanni Sláma, 1985: 18 **E** GR (Kríti)
creticus Bernhauer, 1985: 104
sideriger richardi Danilevsky, 2012d: 15 **A**: GAN
sideriger sideriger Fairmaire, 1888b: 139 **A**: FE FUJ **GUX** HEB HEN HUB HUN JIA **NC** SC SCH SHA **#288**
coreanus K. Saito, 1932: 441
pratti Gahan, 1888b: 61
spectabilis Motschulsky, 1858a: 36 **A**: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA **SC** SCH SHA TAI YUN ZHE **#80 #288**
bijunctus Pic, 1923b: 8 (*Sternoplistes*)
subnotatus Pic, 1910f: 24 **A**: YUN
basipennis Pic, 1916h: 13
talyschensis Reitter, 1891c: 240 **A**: AB IN
temminckii oliveri Danilevsky, 2012d: 19 **A**: GAN
temminckii sinensis A. White, 1853: 139 **A**: AP FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI
YUN ZHE **ORR** **#288**
similis Pic, 1923b: 8 (*Sternoplistes*)
temminckii temminckii Guérin-Méneville, 1844: 224 **A**: JA
japanus Motschulsky, 1858a: 37
kiotensis Matsushita, 1933b: 312 (*Sternoplistes*)
wachanrui Levrat, 1858: 261 [**Turquie**] **A**: AB **CY** IN IQ **SY** TR
aleppensis Witte, 1872: 208
atricolor Pic, 1912c: 4
bilunatus Schaufuss, 1871c: 210 [**Cyprum**]
diversipennis Pic, 1915e: 6 [**Aleppo**]
haussknechti Witte, 1872: 207 [**Kurdistan**]
quadrinotatus Pic, 1912a: 35 [**Luristan**]
schoenfeldti Heyden, 1890: 79 [**Sultanabad**]
zarudnianus Semenov, 1903c: 358 **A**: IN PA
schauffelei Pic, 1956a: 3
genus *Quentinius* Vives, 2013a: 105 type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)
lameerei Plavilstshikov, 1921: 110 (*Purpuricenus*) [RN] **A**: SCH XIZ YUN **ORR** **#288**
cinctus Lameere, 1890: ccxiii (*Philagathes*) [HN]

tribe Pseudolepturini J. Thomson, 1861

genus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrur bowringii* Pascoe, 1863
subgenus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrur bowringii* Pascoe, 1863
bowringii Pascoe, 1863a: 52 (*Erythrur*) **A**: ANH GUA GUX HKG **HUB** HUN JIX ZHE **#74**
eximius Holzschuh, 2009a: 314 **A**: GUX **ORR** **#243**
genus *Erythrur* A. White, 1853: 142 type species *Erythrur championi* A. White, 1853
Disidaema J. Thomson, 1860: 142 type species *Erythrur fortunei* A. White, 1853
Pseudoleptura J. Thomson, 1860: 142 [RN] type species *Erythrur championi* A. White, 1853
angustatus Pic, 1916h: 19 **A**: GUA
apicalis Pic, 1922b: 25 **A**: GUA GUX **ORR**
atripennis Pic, 1926g: 143
bicolor Westwood, 1848: 60 (*Saperda*) **A**: BT JIA SD **ORR**
biimpressus Pic, 1943c: 5 **A**: CH
blairi Gressitt, 1939a: 33 **A**: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA TAI YUN ZHE
championi A. White, 1853: 142 **A**: **CE** FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH **SE SW** TAI YUN ZHE **ORR**
lineatus Pic, 1916h: 12
schaiblei Nonfried, 1892a: 92 (*Sternoplistes*)
coccineus Gahan, 1906a: 231 **A**: FUJ NP "North India" **ORR**
congruus Pascoe, 1863a: 51 **A**: GUA HKG HUB JIA TAI
formosanus Bates, 1866a: 350 **A**: TAI
fortunei A. White, 1853: 142 **A**: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE
bijunctus Pic, 1943c: 5
multiplicatus Pic, 1943c: 5
lineatus Pic, 1943c: 4 **A**: CH
multimaculatus Pic, 1916h: 19 **A**: GUA SCH
rotundicollis Gahan, 1902: 275 **A**: YUN **ORR**
rubriceps Pic, 1916h: 12 **A**: FUJ HEN HUB NE SCH YUN
~~*quadrinotatus* Pic, 1916h: 12 **ORR** [Tonkin]~~
quadrinotatus Pic, 1943c: 4 **A**: CH
suturellus Holzschuh, 1984a: 150 **A**: NP SD
taiwanicus Heyrovský, 1952: 71 **A**: TAI
westwoodi A. White, 1853: 143 **A**: NP **UP** **ORR** **#183**

genus *Pachylocerus* Hope, 1834: 19 type species *Pachylocerus corallinus* Hope, 1834
sulcatus Brongniart, 1892: 240 **A: GUX SCH YUN ORR**

tribe Pyrestini Lacordaire, 1868

genus *Pyrestes* Pascoe, 1857b: 96 type species *Pyrestes haematicus* Pascoe, 1857
cardinalis Pascoe, 1863a: 50 **A: HKG YUN**
curticornis Pic, 1923a: 13 **A: TAI**
formosanus Schwarzer, 1925a: 24
densatus Holzschuh, 1998: 41 **A: SCH**
dohertii Gahan, 1906a: 229 **A: YUN ORR**
festus Holzschuh, 1998: 42 **A: YUN**
haematicus Pascoe, 1857b: 97 **A: ANH FUJ GUA GUI HEN HKG HUB HUN JIA JIX NC NE NO SC SHA TAI YUN ZHE #350**
coreanus Okamoto, 1927: 66 (*Leptoxenus*)
hypomelas Fairmaire, 1887a: 131 **A: YUN**
inaequalicollis Hayashi, 1962a: 9 **A: JA**
longicollis Pic, 1953b: 8 **A: TAI**
miniatus Pascoe, 1857b: 97 **A: "North India"**
munekuro Fujimura, 1956: 3 **A: JA**
nipponicus Hayashi, 1987: 157
nigricollis Pic, 1947c: 18 **A: YUN**
pascoei Gressitt, 1939a: 31 **A: FUJ GAN GUA HUN JIA NE YUN ZHE**
pyrrhus Gahan, 1906a: 228 **A: NP ORR**
quinquesignatus Fairmaire, 1889a: 65 **A: SHX WP**
rufipes nepalicus Holzschuh, 1990: 189 **A: NP**
[rufipes rufipes Pic, 1923a: 13 - "North India"]
rugicollis Fairmaire, 1900: 642 **A: FUJ GAN GUA HEN HUN JIA YUN ZHE**
rugosa Gressitt & Rondon, 1970: 184 **A: YUN ORR**
yayeyamensis Hayashi, 1972: 28 **A: JA (Ryukyus)**

tribe Rhopalophorini Blanchard, 1845

genus *Dymorphocosmisoma* Pic, 1918e: 6 type species *Dymorphocosmisoma diversicorne* Pic, 1918
diversicorne Pic, 1918e: 6 **A: YUN**

tribe Stenhomalini Miroshnikov, 1989

genus *Stenhomalus* A. White, 1855: 243 type species *Stenhomalus fenestratus* A. White, 1855
subgenus *Obriopsis* G. Müller, 1948: 65 type species *Obrium bicolor* Kraatz, 1862
bicolor bicolor Kraatz, 1862: 126 (*Obrium*) **E: AL AU BH BU CR CZ GR HU IT MC SK SL SV YU A: CY IS SY TR**
bicolor yazelae Özdikmen, 2019a: 9 **A: TR #409**
subgenus *Stenhomalus* A. White, 1855: 243 type species *Stenhomalus fenestratus* A. White, 1855
Falsobrium Pic, 1926: 12 type species *Falsobrium apicale* Pic, 1926 [see Holzschuh, 2017b: 14]
Stenomalus Gemminger, 1872: 2841 [unjustified emendation]
baibarensis Matsushita, 1933b: 307 **A: TAI**
cephalotes Pic, 1928a: 28 **A: HAI ORR**
clarinus Holzschuh, 1995: 23 **A: YUN**
cleroides Bates, 1873: 155 **A: JA TAI**
complicatus Gressitt, 1948a: 49 **A: SCH SHA SHX YUN**
coomani Gressitt, 1951a: 164 **A: FUJ**
dayaoshanus Niisato & Chou, 2018: 82 **A: GUA #367**
fenestratus A. White, 1855: 243 **A: FUJ GUA NE NO NP SCH TAI "North India" ORR**
incongruus incongruus Gressitt, 1939f: 211 **A: JIA SHA #350**
incongruus muneaka Hayashi, 1981b: 29 **A: JA**
incongruus parallelus Niisato, 1988c: 791 **A: JA SC**
japonicus Pic, 1904f: 22 (*Obrium*) **A: FE (Kunashir) JA SC**
lighti Gressitt, 1935b: 170
vulcanus Tsherepanov, 1975c: 79
koshunensis Seki, 1935a: 91 **A: HEN TAI**
kumaso Niisato & Makihara, 1991: 164 **A: JA**
liui Niisato, 2015a: 475 **A: HAI #256**
longicornis Bates, 1873: 155 (*Obrium*) **A: JA**
makiharai Niisato & Chou, 2018: 86 **A: TAI #367**
mecops Holzschuh, 1990: 187 **A: SD**
mirificus Niisato & Chou, 2018: 84 **A: TAI #367**
nagaoi Hayashi, 1960c: 11 **A: JA SC #135**
odai Niisato & Kinugasa, 1982: 13 **A: YUN ORR**

pallidus Gressitt, 1935a: 147 **A**: TAI
pinicola Holzschuh, 2015: 34 **A**: SCH #148
ruficollis Gressitt, 1935a: 149 **A**: TAI
taiwanus koshunensis Seki, 1935a: 91 **A**: HEN TAI
taiwanus taiwanus Matsushita, 1933b: 307 **A**: HEB HEN HUB JA LIA NC SC SCH SHA SHX TAI **NAR** #340 #350
takaosanus K. Ohbayashi, 1958c: 37 **A**: JA
tetricus Holzschuh, 2007: 214 **A**: HUB
unicolor Niisato & Hua, 1998: 456 **A**: ZHE
versicolor Holzschuh, 1984a: 147 **A**: NP

tribe Stenopterini Gistel, 1848

Stenopterinae, Özdikmen, 2012a: 52

genus *Callimoxys* Kraatz, 1863: 105 type species *Stenopterus gracilis* Brullé, 1832
gracilis Brullé, 1832: 257 (*Stenopterus*) **E**: AL BH BU CR GR HU MC RO **SB** SK SL ST UK YU **A**: AB AR GG IN TM **TR**
#11 #41 #166
retusifem Holzschuh, 1999: 27 **A**: HUB **SHA**
orientalis Niisato & N. Ohbayashi, 2004: 464 #350

genus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)
subgenus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)
Callimellum E. Strand, 1928: 2 [unnecessary substitute name]
abdominalis Olivier, 1795: 70 (*Callidium*) **E**: AL BH CR FR GR IT SP
decorus Gené, 1839: 38 (*Stenopterus*)
diversipes Pic, 1929b: 9
nigricollis Pic, 1890c: 157
akbesianus Pic, 1892s: cxi [= 1893d: 416] **A**: TR
angulatus angulatus Schrank, 1789: 77 (*Saperda*) **E**: AL AU BH BU CR CZ GE GR HU MC PL RO SK SP SZ TR UK YU **N**: AG
MO **A**: AB AR GG IN SY TR **TM** #265
bourdini Mulsant, 1846: [7]
cyaneus Fabricius, 1793: 330 (*Callidium*)
gallicus Pic, 1932d: 25 (*Callimellum*)
laetus Motschulsky, 1845a: 85 (*Stenopterus*)
variabilis Bonelli, 1812: 181 (*Necydalis*)
angulatus glabrescens Holzschuh, 1989a: 164 **E**: AL GR
subgenus *Lampropterus* Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1824
Callimomimus Ienistea, 1952: 719 type species *Callimomimus distinctus* Ienistea, 1952 (= *Necydalis femoratus* Germar, 1824)
femoratus Germar, 1824: 519 (*Necydalis*) **E**: AL BU GR MC MD RO ST TR UK YU **A**: AB AR GG IN IS CY LE SY TR #98
adonis Abeille de Perrin, 1881: 139
distinctus Ienistea, 1952: 719 (*Callimomimus*)
narcissus Abeille de Perrin, 1881: 138
rumelicus Apfelbeck, 1899: 292
thoracicus Chevrolat, 1882: 57 (*Callimoxys*)
subgenus *Nathriopterus* Sama, 2002: 62 type species *Stenopterus shensiensis* Gressitt, 1951
shensiensis Gressitt, 1951a: 176 (*Stenopterus*) **A**: SHA
truncatipennis Gressitt, 1948a: 52 (*Stenopterus*) **A**: SHA
subgenus *Procallimus* Pic, 1907b: 7 type species *Callimus egregius* Mulsant & Rey, 1863
distinctipes Pic, 1906a: 11 (*Callimus*) **A**: IS JO LE
egregius Mulsant & Rey, 1863: 146 (*Callimus*) **E**: ST UK **A**: GG LE SY TR
obscurithorax Pic, 1907g: 154 (*Callimus*)
khorsanii Holzschuh, 2006a: 234 **A**: IN
rapillyi Villiers, 1973a: 33 **A**: IN
semicyaneus Pic, 1905m: 187 (*Callimus*) **E**: GR **MC**

genus *Guerryus* Pic, 1903e: 105 type species *Guerryus aureopubescens* Pic, 1903
argyritis Holzschuh, 1998: 34 **A**: SCH
aureopubescens Pic, 1903e: 105 **A**: SCH YUN

genus *Holangus* Pic, 1902l: 33 type species *Holangus flavonotatus* Pic, 1902
bicolor Niisato, Chou & Lin, 2018: 94 **A**: GUX HAI #369
guerryi Pic, 1904c: 10 **A**: YUN
ruficollis Pic, 1940: 4 **A**: YUN **ORR** #369

genus *Kunbir* Lameere, 1890: ccxiii type species *Kunbir telephoroides* Lameere, 1890
Debilis Fairmaire, 1895: 178 [HN] type species *Debilis rufoflavida* Fairmaire, 1895
Debilissa Aurivillius, 1912: 274 [RN] type species *Debilissa rufoflavida* Fairmaire, 1895
Kurseonigra Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930
atripennis Pic, 1925b: 15 (*Debilissa*) **A**: HUN YUN

bicolor Pic, 1928h: 160 (*Debilissa*)
obscuricolor Pic, 1925b: 16 (*Debilissa*)
[atripes atripes Pic, 1924: 15 (*Debilissima*) **ORR** (Laos)]
atripes bicoloripes Holzschuh, 2015d: 43 **A: SCH SHA** #148
carinatus Pic, 1928h: 159 (*Debilissa*) **A: YUN**
cephalotes Pic, 1928h: 159 (*Debilissa*) **A: FUJ YUN**
crusator Gressitt & Rondon, 1970: 127 **A: YUN ORR**
laboissierei Pic, 1930: 16 (*Debilissa*) **A: SD**
nomurai Hayashi, 1974a: 25 **A: HUN TAI**
pallidipennis Gressitt, 1940b: 56 **A: HAI**
pilosipes Holzschuh, 2003: 187 **A: HUN SHA**
rufoflavus Fairmaire, 1895: 179 (*Debilis*) **A: YUN ORR**
diversiceps Pic, 1928a: 27 (*Debilissa*)
simplex Gressitt & Rondon, 1970: 128 **A: YUN ORR**
testaceus Pic, 1924a: 15 (*Debilissima*) **A: CH ORR**
vartianorum Holzschuh, 1974a: 88 **A: PA**

genus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
subgenus *Macromolorchus* Pic, 1922e: 28 type species *Macromolorchus curtispennis* Pic, 1922
Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936
baoshana Chiang, 1963: 66 **A: YUN ORR**
aglaospadix Gressitt & Rondon, 1970: 118
eburata Holzschuh, 1989a: 162 **A: SD YUN**
hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) **A: FUJ HUN JA TAI ZHE**
klapperichi Tippmann, 1955: 100 (*Hakata*) **A: FUJ**
splendida Chiang, 1981: 79 **A: GUX HAI**
subgenus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
fusca Gressitt & Rondon, 1970: 121 **A: YUN ORR**
indica Hope, 1831: 28 (*Molorchus*) **A: NP SCH SD YUN ORR**
jeanvoinei Pic, 1933a: 9 **A: GUX HAI ORR**
nigrella Gressitt, 1942g: 79 **A: ANH YUN**
nigriceps A. White, 1855: 181 (*Heliomanes*) **A: AP NP XIZ YUN ORR**
inapicalis Pic, 1922b: 23
nigroapicalis Gressitt et Rondon, 1970: 120 **A: YUN ORR**
phoebe Gardner, 1939: 3 **A: NP UP**
scutulata Holzschuh, 1989a: 163 **A: SD YUN**
uraiensis Kano, 1930: 43 **A: TAI**
subgenus *Ocytasia* Pascoe, 1869a: 565 type species *Ocytasia fulvipennis* Pascoe, 1869
caldwelli Gressitt, 1942a: 3 **A: FUJ GUA GUX HUN YUN**
catoxelytra Gressitt & Rondon, 1970: 119 **A: YUN ORR**
formosana burkwalli Gressitt, 1940b: 54 **A: HAI**
formosana formosana Heller, 1924a: 32 **A: FUJ HAI TAI**
kurarensis Seki, 1934: 282
nigra Matsushita, 1937: 102
formosana iriomotensis K. Ohbayashi & N. Ohbayashi, 1965: 3 **A: JA** (Ryukyus)
formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 **A: JA** (Ryukyus)
formosana rubriventris Hayashi, 1962a: 8 **A: JA**
formosana septentrionalis Tamu & Tsukamoto, 1952: 9 **A: FUJ JA**
tosawai Kobayashi, 1932: 1 **A: JA** (Ogasawara) **TAI**

genus *Microdebilissa* Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925
Euchlanis Pascoe, 1869a: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869
Neodeuteromma Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)
aethiops Holzschuh, 1995: 25 (*Euchlanis*) **A: YUN**
argentifera Holzschuh, 1984c: 354 (*Euchlanis*) **A: BT NP YUN**
atricornis Pic, 1940: 4 **A: CH ORR**
atripennis Pu, 1992b: 600, 620 (*Euchlanis*) **A: YUN**
bipartita Pic, 1925b: 16 **A: CH**
obscura Pic, 1940: 5
diversipes Pic, 1930b: 16 **A: SD**
furva Holzschuh, 1993a: 30 (*Euchlanis*) **A: YUN ORR**
homalina Holzschuh, 1993a: 29 (*Euchlanis*) **A: YUN ORR**
infirma Holzschuh, 1989b: 375 (*Euchlanis*) **A: YUN ORR**
makiharai Hayashi, 1982: 151 (*Euchlanis*) [RN] **A: TAI**
obscura Hayashi, 1971: 6 [HN]
minuta Pic, 1927b: 30 **A: CH ORR**

robustula Holzschuh, 1990: 188 (*Euchlanis*) **A**: NP
simplicicollis Gressitt, 1951a: 181 [RN] **A**: GUA
gressitti Hayashi, 1951b: 80 [RN]
serratipennis Gressitt, 1937c: 450 [HN]
testacea Matsushita, 1933b: 229 **A**: NP TAI YUN
serratipennis Mitono, 1936: 31 (*Neodeuteromma*)

genus *Stenopterus* Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767

adlbaueri Sama, 1995b: 408 **A**: TR
ater Linnaeus, 1767: 642 (*Necydalis*) **E**: BH CR FR GR IT MC PT SK SL SP **SZ** UK YU **N**: AG GG LB MO TU **#164**
auriventris Küster, 1851: 96
~~*biskrensis* Dayrem, 1922b: 28~~
flavipes Pic, 1892e: 66
inustulatus Pic, 1892b: 22
nigripes A. Costa, 1855: 67
praeustus Fabricius, 1793: 354 (*Necydalis*)
ruficollis Pic, 1918d: 23
rufofemoratus Pic, 1905i: 147
subhumeralis Pic, 1905j: 156
theryi Pic, 1918d: 23
ustulatus Mulsant, 1839: 115
atricornis Pic, 1891h: 102 **E**: AL GR **A**: SY TR **#215 #363**
creticus Sama, 1995b: 403 **E**: GR
flavicornis Küster, 1846b: 75 **E**: AL AU BU CR CZ GR HU IT MC RO SK SL TR **UK** YU **A**: IS JO **LE** SY **#285**
procerus A. Costa, 1855: 64
kraatzi Pic, 1892c: 21 **A**: TR
mauritanicus P. H. Lucas, 1847: pl. 42 **E**: PT SP **N**: AG MO TU
rufus geniculatus Kraatz, 1863: 104 **E**: AL BU CR GR MC RO SL TR YU **A**: AB AR GG IN TR **#437**
rufus rufus Linnaeus, 1767: 642 (*Necydalis*) **E**: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL SK SL SP ST SZ UK **N**:
CI (Gran Canaria)
attenuatus Geoffroy, 1785: 84 (*Leptura*) [HN]
rufus syriacus Pic, 1892c: 22 **A**: IS LE **IQ** SY TR **#39**
rufus transcaspicus Lazarev, 2008: 132 **A**: TM IN
similatus mehli Sama, 1995b: 402 **A**: CY
similatus similatus Holzschuh, 1979a: 113 **E**: GR (Ikaria)

tribe Thraniini Gahan, 1906

genus *Thranis* Pascoe, 1859: 22 type species *Thranis bimaculatus* Pascoe, 1859

Singalia Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranis gibbosus* Pascoe, 1859)
formosanus formosanus Schwarzer, 1925a: 23 **A**: TAI
infernalis Matsushita, 1933b: 225 **A**: TAI
multinotatus latipennis Hayashi, 1963a: 53 **A**: JA (Ryukyus)
multinotatus multinotatus Pic, 1922a: 22 **A**: XIZ YUN **ORR**
multinotatus okinawensis Makihara, 1978: 51 **A**: JA (Ryukyus)
multinotatus signatus Schwarzer, 1925a: 23 **A**: FUJ HAI TAI ZHE **ORR**
obliquefasciatus Pu, 1992b: 596 **A**: YUN
capucinus Holzschuh, 1993a: 31 [see: Lin & Tichý, 2014]
rufescens Bates, 1884a: 258 (*Singalia*) **A**: JA TAI **ORR**
simplex fulvus Pu, 1992b: 596 **A**: SCH
simplex simplex Gahan, 1894a: 15 **A**: AP BT HUB NP SD SCH SHA XIZ YUN **ORR** **#182**
triplagiatus Gahan, 1906a: 238 **A**: SD **ORR**
variegatus obscurus Hayashi, 1962a: 8 **A**: JA
variegatus variegatus Bates, 1873: 196 **A**: JA TAI
maculicornis Plavilstshikov, 1940a: 649
sapporensis Kano, 1933b: 132

tribe Tillomorphini Lacordaire, 1868

genus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884

subgenus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
francotter Rapuzzi & Sama, 2010b: 185 **A**: GAN
semirufus collaris Jakovlev, 1885b: 290 **A**: AF KI KZ XIN
manifestus Jakovlev, 1900d: 664
strigicollis Jakovlev, 1900d: 663
semirufus savitsky Lazarev, 2014: 276a **A**: MG
semirufus semirufus Kraatz, 1884a: 225 **A**: KI KZ UZ
vestitus Jakovlev, 1900d: 664
subgenus *Obliqueclytus* Lazarev, 2014a: 276 type species *Anaglyptus banghaasi* Reitter, 1895

banghaasi Reitter, 1895c: 159 (*Anaglyptus*) A: KI TD
semenowi Jakovlev, 1900d: 663
gracilis Jakovlev, 1900d: 665 A: TD
baeckmanni Okunev, 1933: 136
grandiculus Plavilstshikov, 1940a: 542

genus *Clytellus* Westwood, 1854: 240 type species *Clytellus methocoides* Westwood, 1854
akiyamai Niisato, 2015b: 495 A: TAI
methocoides Westwood, 1854: 240 A: GUA GUX HKG JIX ORR

#257
#75 #137

genus *Epipedocera* Chevrolat, 1863b: 339 type species *Epipedocera zona* Chevrolat, 1863
affinis Chevrolat, 1863b: 341 A: NP UP
assamensis Gardner, 1926: 204 A: YUN ORR
atra Pic, 1937b: 7 A: HAI YUN ORR
[*atritarsis atritarsis* Pic, 1922: 25 – Tonkin]
atritarsis djoui Gressitt, 1951a: 627 A: GUA
chakhata Gardner, 1939: 9 A: BT NP UP
guerryi Pic, 1903e: 105 A: CH
hardwicki A. White, 1855: 288 (*Clytus*) [RN] A: NP SD XIZ ORR
undulata Hope, 1831: 28 (*Clytus*) [HN]
hoffmanni Gressitt, 1940b: 85 A: HAI
laticollis Gahan, 1906a: 307 A: YUN ORR
lugens Holzschuh, 1990: 192 A: SD
lunata Newman, 1842a: 247 (*Clytus*) A: TAI ORR
rollei Pic, 1910g: 30 A: TAI
subatra Gressitt & Rondon, 1970: 283 A: YUN ORR
vitalisi Pic, 1922c: 11 A: YUN ORR
zona Chevrolat, 1863b: 340 A: GUX NP SD YUN ORR

genus *Halme* Pascoe, 1869a: 640 type species *Halme cleriformis* Pascoe, 1869
atrocoerulea Gressitt, 1939b: 104 A: FUJ ZHE
basifusca Kusama & Oda, 1979: 74 A: TAI
eburneocincta Gressitt, 1934: 168 A: TAI
masakoe Niisato, 1984b: 211 A: TAI

genus *Pseudomyrmecion* Bedel, 1885: cxxxi type species *Pseudomyrmecion ramalium* Bedel, 1885
ramalium Bedel, 1885: cxxxi N: AG

tribe Vesperellini Sama, 2008

genus *Vesperella* Dayrem, 1933: 89 type species *Vesperella pallida* Dayrem, 1933
maroccana Sama, 2008: 228 N: MO
pallida Dayrem, 1933: 89 N: AG

tribe Xystrocerini Blanchard, 1845

genus *Jendekia* Holzschuh, 1993a: 24 type species *Jendekia eduardi* Holzschuh, 1993
eduardi Holzschuh, 1993a: 25 A: YUN

genus *Leptoxenus* Bates, 1877: 37 type species *Leptoxenus ibidiiformis* Bates, 1877
Kamuia Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933
bimaculatus Matsushita, 1933b: 240 (*Kamuia*) A: TAI
ibidiiformis Bates, 1877: 37 A: JA JIX SC TAI
ornaticollis Gressitt & Rondon, 1970: 47 A: YUN ORR

genus *Xystrocera* Audinet-Serville, 1834b: 69 type species *Cerambyx globosus* Olivier, 1795
dispar Fähræus, 1872a: 49 A: AE SA AFR
festiva J. Thomson, 1861: 251 A: AP HAI SD TAI YUN ORR
globosa Olivier, 1795: 27 (*Cerambyx*) N: EG A: ANH AP BT FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISI JA JIA
JIX NP PA SC SCH SD SHA SHG SHN TAI UP YUN ZHE AFRi AURi NTRi ORR [BT - Holzschuh, 1977: 338] #182
#183

eurticollis Fairmaire, 1882b: 96 [African *Xystrocera dispar* Fähræus, 1872a]
invittata Breuning, 1957h: 1241
marginalis Goldfuss, 1805: 44 (*Callidium*)
mediovitticollis Breuning, 1957h: 1241
nitidiventris Fairmaire, 1887e: 326 [African *Xystrocera dispar* Fähræus, 1872a]
onomichiensis K. Ohbayashi, 1963: 40 [unavailable; described as morpha]
parvicollis Fairmaire, 1892a: 120 [African *Xystrocera dispar* Fähræus, 1872a]

diehli Heyrovský, 1967d: 39
reductevittata Breuning, 1957h: 1241
vittata Fabricius, 1801: 309 (*Stenocorus*) ["Habitat in Brasilia" – wrong locality]
viridipicta Fairmaire, 1896b: 367

#117

subfamily **Lamiinae** Latreille, 1825

tribe Acanthocinini Blanchard, 1845

genus **Acanthocinus** Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758

subgenus *Acanthobatesianus* Wallin, Kwamme & Lin, 2012: 19 type species *Leiopus guttatus* Bates, 1873

guttatus Bates, 1873: 384 (*Leiopus*) **A:** FE JA JIX NC SC [see Danilevsky, 2014b: 217]

subgenus *Acanthocinus* Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758

Aedilis Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)

Astynomus Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758

Canonura Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854

Graphisurus Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837

Lamia Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758

Neacanthocinus Dillon, 1956: 230 type species *Cerambyx obsoletus* Olivier, 1895

Tylocerina Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775

aedilis Linnaeus, 1758: 392 (*Cerambyx*) **E:** AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU **A:** AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC NMO SHA SC SHN TR WS

dongbeiensis Z. Wang, 2003: 258

marmoratus Villers, 1789: 239 (*Cerambyx*)

montanus Audinet-Serville, 1835a: 33

obliteratus Pic, 1917g: 9

validus Matsushita, 1936: 148

carinulatus Gebler, 1833: 302 **A:** ES FE HEI MG NC NE NO SC WS

sibiricus Motschulsky, 1860b: 149 (*Astynomus*)

chinensis Breuning, 1978a: 57 [= 1982a: 24] **A:** SHG

elegans Ganglbauer, 1884: 534 **A:** AB IN

griseus Fabricius, 1793: 261 (*Cerambyx*) **E:** AL AN AU BE BU BY CR CT CZ EN FI FR GE GR HU IT **NT** LA LS LT MC MD ND NR PL PT RO SK SL SP ST SV SZ TR UK YU **A:** ?AB ?AR CY ES FUJ GAN ?GG GUA GUI GUX HEB HEI HEN HUB JIL JIX KZ LIA MG NC NMO SC SHA **SY** TR WS XIN ZHE **#98**

alpinus L.Redtenbacher, 1848: 494 (*Astynomus*)

nebulosus Sulzer, 1761: 11 (*Cerambyx*) [wrong determination]

novaki Tippmann, 1952b: 153

obscurus Pic, 1891b: 32

gundaiensis Kano, 1933a: 285 **A:** TAI

henschi aetnensis Rapuzzi & Sama, 2010a: 130 **E:** IT (Sicilia)

henschi henschi Reitter, 1900d: 177 **E:** AL AU BH BU CR IT GR MC SL

hispanicus Sama & Schurmann, 1981: 43 **E:** SP

meyeri Vitali, 2011: 161 **E:** PT

orientalis K. Ohbayashi, 1939: 116 **A:** FE JA **NC SC** **#80**

reticulatus Razoumowsky, 1789: 152 (*Cerambyx*) **E:** AL AU BH BU BY CR CZ FR GE GR HU IT PL RO SK SL SP SZ UK

atomarius Fabricius, 1793: 271 (*Lamia*)

constrictus Pic, 1891b: 32

costatus Fabricius, 1793: 261 (*Cerambyx*)

criticus Schoenherr, 1817a: 376 (*Lamia*) [RN]

nebulosus Schrank, 1781a: 129 (*Cerambyx*) [wrong determination]

sachalinensis Matsushita, 1933a: 391 **A:** ES FE JA MG **NC SC** **#80**

sinensis Pic, 1916h: 14 **A:** XYZ YUN

subsolana Z. Wang, 2003: 262, 395 **A:** NE (Neimenggu)

tethys Z. Wang, 2003: 262, 396 **A:** LIA

xanthoneurus Mulsant & Rey, 1852: 2 (*Astynomus*) **E:** IT

disjunctus Pic, 1908b: 6

edmondi Fairmaire, 1852b: lxiii (*Astynomus*)

genus **Boninella** Gressitt, 1956: 182 type species *Boninella degenerata* Gressitt, 1956

anoplos N. Ohbayashi, 1976: 6 (*Miaenia*) **A:** JA (Ogasawara)

degenerata Gressitt, 1956: 182 **A:** JA (Ogasawara)

hirsuta N. Ohbayashi, 1976: 4 (*Miaenia*) **A:** JA (Ogasawara)

igai N. Ohbayashi, 1976: 8 (*Miaenia*) **A:** JA (Ogasawara)

kamezawai Hasegawa et N. Ohbayashi, 2009 **A:** JA (Ogasawara)

karubei Hasegawa et N. Ohbayashi, 2009 **A:** JA (Ogasawara)

satoi masatakai Hasegawa et N. Ohbayashi, 2009 **A:** JA (Ogasawara)

satoi satoi N. Ohbayashi, 1976: 5 (*Miaenia*) **A:** JA (Ogasawara)

takakuwai Hasegawa et N. Ohbayashi, 2009 **A:** JA (Ogasawara)

genus *Boninoleiops* M. Hasegawa & Makihara, 2001: 71 type species *Boninella kitajimai* M. Hasegawa & Makihara, 2001
kitajimai M. Hasegawa & Makihara, 2001: 72 A: JA (Ogasawara)

genus *Cristenes* Breuning, 1978a: 19 type species *Enes cristatus* Pic, 1928
cristatus Pic, 1928a: 20 (*Enes*) A: NP ORR

genus *Cristosydonia* Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963
alterna Holzschuh, 2003b: 312 A: NP SD

genus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
subgenus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
schmidi Breuning, 1972c: 418 A: IN SD UP
subgenus *Fasciatodriopea* Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923
chinensis Breuning, 1967f: 187 (*Dryopea*) A: GUI
subgenus *Trichodriopea* Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965
excavatipennis Breuning, 1965b: 38 (*Dryopea*) A: YUN ORR

genus *Eoporis* Pascoe, 1864a: 15 type species *Eoporis elegans* Pascoe, 1864
subgenus *Eoporimus* Schwarzer, 1925c: 147 type species *Eoporis bifasciana* Schwarzer, 1925
bifasciana Schwarzer, 1925c: 147 A: TAI
differeus Pic, 1926g: 143 A: BT SD TAI YUN ORR [Hua, 2002: 207]
glabrosignata Pic, 1944a: 10
mitonoi Seki, 1946: 11 (*Rondibilis*) A: TAI
pedongensis Breuning, 1969f: 668 A: SD
simillima Hayashi, 1974c: 57 A: TAI

genus *Euryclytosemia* Hayashi, 1963c: 15 type species *Euryclytosemia nomurai* Hayashi, 1963
nomurai Hayashi, 1963c: 15 A: JA (Ryukyus) TAI

genus *Ipochiromima* Sama & Sudre, 2009: 384 [RN] type species *Mimipochira sikkimensis* Breuning, 1982
Mimipochira Breuning, 1982a: 25 type species *Mimipochira sikkimensis* Breuning, 1982
sikkimensis Breuning, 1982a: 26 (*Mimipochira*) A: SD

genus *Jordanoleiopus* Lepesme & Breuning, 1955: 96 type species *Jordanoleiopus maynei* Lepesme & Breuning, 1955
subgenus *Polymitoleiopus* Lepesme & Breuning, 1955: 96 type species *Leiopus africanus* Jordan, 1894
[?] *monoxenus* Kolbe, 1893: 284 (*Lepturges*) A: OM [Ambrus & Grosser (2012)] AFR

genus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
subgenus *Carinopus* Wallin, Kwamme & Lin, 2012: 7 type species *Leiopus holzschuhi* Wallin, Kwamme & Lin, 2012
campbelli Gressitt, 1937d: 613 A: JIX
nigropunctatus Wallin, Kwamme & Lin, 2012: 8 A: GUI GUX SCH
fallaciosus Holzschuh, 1993a: 49 A: FUJ
flavomaculatus Wallin, Kwamme & Lin, 2012: 9 A: GUI
ocellatus Wallin, Kwamme & Lin, 2012: 11 A: SHA
shibatai Hayashi, 1974c: 58 A: TAI
nigrofasciculosus Wallin, Kwamme & Lin, 2012: 12 A: ANH SHA
holzschuhi Wallin, Kwamme & Lin, 2012: 14 A: CHQ GUI HEN SCH SHA
multipunctellus Wallin, Kwamme & Lin, 2012: 16 A: SCH YUN
subgenus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
Liopus Agassiz, 1846b: 212 [unjustified emendation]
Phrurus Gistel, 1856: 376 [unnecessary substitute name]
albivittis albivittis Kraatz, 1879d: 112 (*Liopus*) A: ES FE JIL MG NC SC WS
ganglbaueri Csiki, 1901: 116
albivittis malaisei Aurivillius, 1928b: 42 A: FE
andreae Sama, 1994c: 43 A: CY
bedeli Pic, 1892k: 289 N: AG TU
evgeniyi Danilevsky & Skrylnik, 2014: 691 A: IN #23
femoratus Fairmaire, 1859a: 62 E: BE BU FR GE HU IT ~~LU~~ LU ME NL RO SB ST TR UK A: AB AR GG IN TR #231
caspicus Ganglbauer, 1884: 531 (*Liopus*)
constellatus Mulsant & Rey, 1863: 159
pachymerus Ganglbauer, 1884: 532 (*Liopus*)
kharazii Holzschuh, 1974a: 98 A: AB IN
linnei Wallin, Nylander & Kwamme, 2009: 39 E: AL AU BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MC MD NR
?NT PL ?PT RO SK ?SP ST SV SZ UK ?YU A: KZ WS #11 #84 #164
lisae Rapuzzi & Sama, 2012: 679 A: TR
masaoi Tamura & Tamura, 1992: 195 A: JA

montanus Hayashi, 1968a: 25 **A**: JA
montanoides Breuning, 1978a: 58 (*Acanthocinus*) [RN]
nebulosus caucasicus Ganglbauer, 1887d: 25 (*Liopus*) **E**: ST **A**: AB AR GG TR
nebulosus insulanus Sláma, 1985: 19 **E**: CR #110
nebulosus nebulosus Linnaeus, 1758: 391 (*Cerambyx*) **E**: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR
?HU IR IT LA LS LU ?MD NL NR PL ?PT RO SL ?SP SV SZ TR UK ?YU **A**: ?KZ (see Wallin et al., 2012: 23)
bifasciatus Goeze, 1777: 464 (*Cerambyx*) [HN]
dissimilis Pic, 1889a: 5
fasciatus Villers, 1789: 239 (*Cerambyx*) [HN]
monilis Geoffroy, 1785: 75 (*Cerambyx*)
siculus Pic, 1924c: 22 (*Liopus*)
taeniatus Gmelin, 1790: 1863 (*Cerambyx*)
unifasciatus Pic, 1891c: 23 (*Liopus*)
punctulatus Paykull, 1800: 57 (*Cerambyx*) **E**: AU BY CT CZ EN FI GE HU LA LT NT PL SK **ST** SV SZ UK
settei Sama, 1985d: 408 **E**: IT
stillatus Bates, 1884a: 254 (*Acanthocinus*) **A**: FE JA HEB HEI JIL JIX NC SC ZHE
japonicus Pic, 1901v: 342 (*Liopus*)
syriacus abieticola Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 186 **A**: TR
syriacus syriacus Ganglbauer, 1884: 532 (*Liopus*) **A**: CY IS LE SY TR
major Pic, 1898n: 125 (*Liopus*)
syriacus tauricus Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 184 **A**: ?LE TR #278
wrzecionkoī Sama & Rapuzzi, 2011: 88 **A**: SY

genus Mimerysamena Breuning, 1972c: 418 type species *Mimerysamena besucheti* Breuning, 1972
besucheti Breuning, 1972c: 418 **A**: UP

genus Mimohoplorana Breuning, 1960f: 144 type species *Mimohoplorana puncticollis* Breuning, 1960
puncticollis Breuning, 1960f: 144 **A**: SD

genus Mimoxenolea Breuning, 1960e: 36 type species *Mimoxenolea bicoloricornis* Breuning, 1960
Mimaeschopalea Breuning, 1961a: 31 type species *Mimaeschopalea ornata* Breuning, 1961
bicoloricornis Breuning, 1960e: 36 **A**: SD
sikkimensis Breuning, 1961i: 329 (*Mimaeschopalea*) **A**: SD

genus Myromexocentrus Breuning, 1957a: 20 type species *Myromexocentrus tibialis* Breuning, 1957
quadrinaculatus Hayashi, 1983: 43 **A**: TAI

genus Neacanista Gressitt, 1940b: 182 type species *Neacanista tuberculipennis* Gressitt, 1940
Hoploranomimus Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939 [see Huang, Liu & Gouverneur, 2015]
Paracanthocinus Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964 [see Huang, Liu & Gouverneur, 2015]
Sternacanista Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955 #392
harmandi Pic, 1939i: 183 (*Acanthocinus*) **A**: BT **ORR** ["Lakhon" – Thailand? Laos?]
laosensis Breuning, 1964e: 53 (*Paracanthocinus*) **A**: FUJ GUA **ORR**
retrospinosa Tippmann, 1955: 130 **A**: FUJ GUX **ORR** #392
shirakii Mitono, 1943: 584 (*Acanthocinus*) **A**: TAI
tuberculipennis Gressitt, 1940b: 182 **A**: CHQ HAI YUN **ORR** #74 #392

genus Neoeryssamena Hayashi, 1974c: 56 type species *Neoeryssamena mitonoana* Hayashi, 1974
mitonoana Hayashi, 1974c: 56 **A**: TAI

genus Ostedes Pascoe, 1859: 43 type species *Ostedes pauperata* Pascoe, 1859
subgenus Dentatostedes Breuning, 1961e: 250 type species *Ostedes subdentata* Breuning, 1961 (= *Eoporis bidentata* Pic, 1933)
bidentata Pic, 1933f: 6 (*Eoporis*) **A**: SCH
subdentata Breuning, 1961e: 249
subgenus Ostedes Pascoe, 1859: 43 type species *Ostedes pauperatus* Pascoe, 1859
albomarmorata Breuning, 1969f: 668 **A**: SD
binodosa Gressitt, 1945a: 130 **A**: GUA SCH **SHA** #350
brunneovariegata Breuning, 1961i: 337 **A**: NP
densepunctata Hayashi, 1962b: 39 **A**: JA #306
dentata Pic, 1936b: 18 **A**: SCH YUN
harmandi Breuning, 1968d: 231 **A**: SD
kadlecii Danilevsky, 1992c: 204 **A**: FE NC SC [see Danilevsky (2013g: 18 – description of 2 females from South Korea)]
inermis dwabina Gressitt, 1940b: 190 **A**: HAI
inermis inermis Schwarzer, 1925c: 146 **A**: FUJ GUA TAI **ORR**
nubila Matsushita, 1931c: 405
niisatoi Hasegawa, 2017: 255 **A**: TAI #306
sapporensis Matsushita, 1933b: 375 (*Rhopaloscelis*) **A**: JA #306

sikkimensis Breuning, 1958a: 34 **A**: SD
subfasciata Matsushita, 1933b: 392 **A**: TAI
tuberculata Pic, 1925a: 31 (*Eryssamena*) **A**: CH
yamasakoi Hasegawa, 2017: 262 **A**: TAI

#306

genus *Parachydaeopsis* Breuning, 1968a: 28 type species *Parachydaeopsis laosica* Breuning, 1968
shaanxiensis W.-K. Wang & S.-N. Jiang, 2002a: 52 **A**: SHA
genus *Paraclochia* Breuning, 1974j: 372 type species *Paraclochia besucheti* Breuning, 1974
besucheti Breuning, 1974j: 374 **A**: NP

genus *Pararondibilis* Breuning, 1961j: 547 type species *Pararondibilis sikkimensis* Breuning, 1961
acrosa Holzschuh, 2003b: 313 **A**: NP UP
eluta Holzschuh, 2003b: 314 **A**: NP
macularia Holzschuh, 2003b: 314 **A**: KA
sikkimensis Breuning, 1961j: 547 **A**: SD

genus *Pareoporis* Breuning, 1969e: 197 type species *Pareoporis nigrosignata* Breuning, 1969
nigrosignata Breuning, 1969e: 197 **A**: NP SD

genus *Pareryssamena* Breuning, 1969e: 196 type species *Pareryssamena fuscicornis* Breuning, 1969
fuscicornis Breuning, 1969e: 196 **A**: BT NP SD

genus *Planeacanista* Hayashi, 1959b: 59 type species *Planeacanista japonica* Hayashi, 1959
japonica Hayashi, 1959b: 60 **A**: JA

genus *Pterolophioides* Breuning, 1942a: 165 type species *Pterolophioides laterifuscus* Fairmaire, 1886
stramentosus Breuning, 1942a: 165 **A**: YE **AFR**

genus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857
subgenus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857

Eryssamena **Bates, 1884a: 251** type species *Eryssamena saperdina* **Bates, 1884a**
Parenes Aurivillius, 1928a: 23 type species *Parenes lineata* Aurivillius, 1928
Polimeta Pascoe, 1864a: 13 type species *Ostodes spinosula* Pascoe, 1860
amanoi Hayashi, 1961a: 23 (*Eryssamena*) **A**: JA
bastiana Breuning, 1961j: 545 **A**: BT NP **SD**
besucheti Breuning, 1972c: 417 **A**: AP
bispinosa J. Thomson, 1857f: 307 **A**: IN NP UP "Himalaya"
schmiedti Breuning, 1972c: 417 (*Eryssamena*)
bispinosoides Hubweber, 2010: 61 **A**: SHG
bispinosa Pic, 1926i: 302 (*Eryssamena*) [HN]
cambodjensis Breuning, 1958a: 36 **A**: NP **ORR**
chengtuensis Gressitt, 1942b: 6 **A**: SCH
coreana Breuning, 1974b: 41 (*Eryssamena*) **A**: NC **SC**
elongata elongata Hayashi, 1963c: 14 **A**: JA (Ryukyus)
elongata minor Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) **A**: JA
femorata Gressitt, 1938b: 165 **A**: JA (Ryukyus) TAI
grisescens Pic, 1936b: 19 (*Eryssamena*) **A**: YUN
horiensis hongshana Gressitt, 1937d: 614 **A**: **GUA** HUB JIX ZHE
horiensis horiensis Kano, 1933a: 285 **A**: TAI
mushensis Matsushita, 1933b: 394
insularis Hayashi, 1962b: 38 (*Eryssamena*) **A**: JA
japonica Hayashi, 1968a: 26 **A**: JA
kuluensis Breuning, 1958d: 177 (*Eryssamena*) **A**: KA
lineaticollis Pic, 1922b: 26 (*Eryssamena*) **A**: HAI HUB **ORR**
indentata Pic, 1922b: 26 (*Eryssamena*)
seatonii Gressitt, 1940b: 189
microdentata Gressitt, 1942g: 89 (*Eryssamena*) **A**: ZHE
parcesetosa Gressitt, 1939a: 83 **A**: GUA
plagiata Gahan, 1894a: 84 **A**: NP
saperdina **Bates, 1884a: 251** (*Eryssamena*) **A**: FE JA
acuta Bates, 1884a: 252 (*Eryssamena*)
spinidorsis Bates, 1884a: 252 (*Eryssamena*)
schabliovskii Tsherepanov, 1982b: 30 (*Eryssamena*) **A**: FE **NC NE SC**
semielongata Hayashi, 1974c: 53 **A**: TAI
shibatai Hayashi, 1974c: 55 (*Eryssamena*) **A**: TAI
sikkimensis Breuning, 1961j: 546 (*Eryssamena*) **A**: SD

#400

#431

#80

#74

simillima Holzschuh, 2003b: 315 **A**: NP
slocumi Gressitt, 1942b: 6 (*Eryssamena*) **A**: SCH
subundulata Breuning, 1958a: 35 (*Eryssamena*) **A**: NP "North India"
szetschuanica Breuning, 1963h: 454 (*Eryssamena*) **A**: **NP** SCH #431
taiwana Hayashi, 1974c: 54 (*Eryssamena*) **A**: TAI
undulata Pic, 1922c: 14 (*Eryssamena*) **A**: GUA SC
multinotata Gressitt, 1939a: 83
yunnana Breuning, 1957a: 11 (*Eryssamena*) **A**: YUN
subgenus *Striatorondibilis* Breuning, 1961j: 546 type species *Rondibilis pedongensis* Breuning, 1961
pedongensis Breuning, 1961j: 546 **A**: NP SD

genus *Rondibilis*, **species incertae sedis**
besucheti Breuning, 1972c: 417 **A**: AP

genus *Transipochira* Breuning, 1977b: 227 type species *Transipochira sikkimensis* Breuning, 1977
sikkimensis Breuning, 1977b: 227 **A**: SD

genus *Trichemeopodus* Breuning, 1975d: 357 type species *Trichemeopodus holzschuhi* Breuning, 1975
calosus Holzschuh, 2003b: 311 **A**: NP
holzschuhi Breuning, 1975d: 358 **A**: BT NP

genus *Trichodiboma* Breuning, 1961a: 30 type species *Trichodiboma clytoides* Breuning, 1961
clytoides Breuning, 1961a: 30 **A**: SD

genus *Trichohoplorana* Breuning, 1961j: 548 type species *Trichohoplorana dureli* Breuning, 1961
dureli Breuning, 1961j: 548 **A**: SD
juglandis Holzschuh, 1989c: 401 **A**: **AP** BT #182
mutica Holzschuh, 1990: 193 **A**: NP
tenuipes Holzschuh, 2015c: 473 **A**: NP #109

genus *Trichorondibilis* Breuning, 1960a: 20 type species *Trichorondibilis rufipennis* Breuning, 1960
rufipennis Breuning, 1960a: 20 **A**: SD

genus *Trichorondonia* Breuning, 1965c: 60 type species *Trichorondonia hybolasioides* Breuning, 1965
hybolasioides Breuning, 1965c: 60 **A**: GUX **ORR**

genus *Tuberculipochira* Breuning, 1975d: 359 type species *Tuberculipochira wittmeri* Breuning, 1975
similis Breuning, 1975d: 360 **A**: BT
wittmeri Breuning, 1975d: 359 **A**: BT

genus *Tuberenes* Breuning, 1978a: 20 type species *Eryssamena robustipes* Pic, 1939
robustipes Pic, 1939a: 15 (*Eryssamena*) **A**: GAN SD
sikkimensis Breuning, 1978a: 21 **A**: SD

tribe Acanthoderini J. Thomson, 1860

genus *Aegomorphus* Haldeman, 1847: 45 type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)
clavipes Schrank, 1781a: 135 (*Cerambyx*) **E**: AL AU BH BU CR CT CZ DE EN FI FR **GE GR** HU IT LA LT MD NR NT PL RO
SK SL SP ST SV SZ TR UK YU **N**: AG TU **A**: AB AR ES FE GG HEB KZ JA MG **NC** NE **SC** TR WS XIN
lucidus **Starck**, 1890: 71 (*Acanthoderes*)
varius Fabricius, 1787: 130 (*Cerambyx*)
francottei Sama, 1994e: 331 **E**: FR MC PL RO YU
griseus Pic, 1898w: 392 (*Acanthoderes*) **A**: SY TR
planusculus Holzschuh, 1998: 50
krueperi Kraatz, 1859: 56 (*Acanthoderes*) **E**: **BU** GR **ME** #207
obscurior Pic, 1904d: 17 (*Acanthoderes*) **E**: CT LA PL ST **UK** **A**: ES FE JA KZ MG WS #387
wojtylai Hilszczanski & Bystrowski, 2005: 202

genus *Berningerus* Lepesme & Breuning, 1955: 127 type species *Acanthoderes gorillus* Thomson, 1858
gorilloides Teocchi, 1987: 26 **N**: EG

genus *Callapoecus* **Bates**, 1884a: 254 type species *Callapoecus guttatus* Bates, 1884
guttatus Bates, 1884a: 254 **A**: JA

genus *Oplosia* Mulsant, 1862: 300 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
Hoplosia Fairmaire, 1864a: 158 [unjustified emendation]
Lepargus Schiödt, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)

cinerea Mulsant, 1839: 152 (*Exocentrus*) **E**: AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA LT NR NT PL RO SK SL ST SV SZ UK YU
fennica Paykull, 1800: 58 (*Cerambyx*) [HN]
suvorovi Pic, 1914f: 65 (*Hoplosia*) **A**: ES FE JA **NC SC**
jezoensis Matsushita, 1933b: 378

genus *Psapharochrus* J. Thomson, 1864: 18 type species *Acanthoderes cylindricus* Bates, 1861
jaspideus Germar, 1824: 475 (*Lamia*) **Ei**: AZ **NTR**

tribe Agapanthiini Mulsant, 1839

genus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
subgenus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
Eucrius Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767
Segmentaria Gistel, 1848a: viii [unnecessary substitute name]

bohémica Sláma, 2017a: 62 **E**: CZ #270
cardui Linnaeus, 1767: 632 (*Cerambyx*) **E**: AL AU BE BH BU CR CT CZ FR GE GR HU IT **KZ** MC PL PT RO SK SL SP ST SZ UK YU **A**: KZ

~~*coerulea*~~ *coerulea* V. Petagna, 1787: 18 (*Saperda*) [not a new name, but new combination for *Leptura coerulea* Scopoli, 1763]

consobrina Chevrolat, 1840: 17
grossa Pic, 1891g: 63
marginalis Mulsant, 1839: 179
nigroaenea Mulsant, 1839: 179
pannonica Kratochvíl, 1985a: 3
peragalli Mulsant, 1862: 364
suturalis Fabricius, 1787: 149 (*Saperda*) **E**: FR GR (Dodecanissos) IT MA PT SP **N**: AG CI LB MO TU **A**: AB AR **GG** CY IN IS IQ JO LE SY TR
annulata Fabricius, 1793: 314 (*Saperda*)
ruficornis Pic, 1918d: 5
rufifemoralis Pic, 1946a: 8
subacutalis Chevrolat, 1882: 63
velox Gistel, 1857b: 560

subgenus *Agapanthoplia* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia coeruleipennis* Frivaldszky, 1878
coeruleipennis Frivaldszky, 1878b: 9 **A**: IN SY TR
brevis Pic, 1891a: 1

subgenus *Amurobia* Pesarini & Sabbadini, 2004b: 128 type species *Agapanthia amurensis* Kraatz, 1879
amurensis Kraatz, 1879d: 115 **A**: ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG **NC** NMO **SC** SCH SHA SHN XIN ZHE
melanolopha Fairmaire, 1900: 643
plicatipennis Pic, 1915e: 8
semicyanea Pic, 1915e: 8

japonica Kano, 1933a: 286 **A**: JA
pilicornis laushanensis Breuning, 1965g: 92 **A**: HEN SHN
pilicornis pilicornis Fabricius, 1787: 148 (*Saperda*) **A**: ES FE HUB JIA JIL JIX NC SC SCH SHA SHN ZHE
fasciculosa Motschulsky, 1861b: 41
yiershiensis Z. Wang, 2003: 266, 396

yagii Hayashi, 1982: 147 **A**: JA
subgenus *Chionosticta* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981
niveisparsa Holzschuh, 1981: 103 **A**: PA

subgenus *Drosotrichia* Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1795
annularis Olivier, 1795: 11 (*Saperda*) **E**: PT SP **N**: AG EG LB MO TU

subgenus *Epoetes* Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804
Agapanthiella Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosiviridescens* DeGeer, 1775
altaica Plavilstshikov, 1933d: 113 **A**: WS

alternans alternans Fischer von Waldheim, 1842: 26 **A**: ES KZ MG NC NMO **SC** WS XIN #80
coeruleonigra Reitter, 1898c: 132
ganglbaueri Semenov, 1893: 503
transbaicalica Suvorov, 1913: 80

alternans eualternans Danilevsky, 2017c: 29 **E**: ST #267
alternans paralternans Danilevsky, 2017c: 26 **A**: KZ #267

alternans songarica Kostin, 1973: 225 **A**: KZ
songarica Kostin, 1978: 605 [HN]
alternans tarbagataica Kostin, 1978: 605 **A**: KZ

angelicae Reitter, 1898c: 131 **A**: IN TM
hauseri Reitter, 1902c: 185
jacobsoni Plavilstshikov, 1915d: 122
laticornis Pic, 1898t: 179
subnuda Reitter, 1905a: 93

asphodeli asphodeli Latreille, 1804a: 282 (*Lamia*) **E**: AL BH BU CR FR GR IT MA MC MD PT RO SP ST SV UK **A**: AB AR GG KZ TR

insularis Gautier des Cottes, 1870b: 263
mimica Pic, 1927e: 1
reyi Mulsant & Godart, 1870: 27
spencii Gyllenhal, 1817: 187
asphodeli balcanica Sláma, 2019b: 208 E: GR #416
auliensis Pic, 1907c: 12 A: KZ UZ
amabilis Holzschuh, 1981: 104
cretica Bernhauer, 1978: 70 E: GR (Kríti)
cynarae cynarae Germar, 1817: 222 (*Saperda*) E: AL BH BU CR CZ ?ES[Vives, 2000: 428] ?FR ?GE GR HU IT MC SL RO SK
ST TR WS UK YU A: AB AR GG
boeberi Fischer von Waldheim, 1805: 16 (*Saperda*) [DA]
decora Krynicki, 1834: 170 (*Saperda*) [DA]
diversicornis Pic, 1927e: 1
cynarae michaeli Sláma, 1986: 469 E: GR (Kríti)
dahli alaiensis Kratochvíl, 1985b: 68 A: KI UZ TD
dahli alexandris Pic, 1901r: 82 A: KI KZ
dahli calculensis Lazarev, 2013d: 128 A: KZ
dahli dahli C. F. W. Richter, 1821: pl. 12 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU KZ MC MD RO SK SL
SL SP ST SZ UK YU A: CH ES GG KZ
gyllenhali Ganglbauer, 1883a: 190
nigricornis Fabricius, 1793: 314 (*Saperda*) [HN]
dahli golestonica Lazarev, Plewa & Jaworski, 2016: 232 A: IN #191
dahli iliensis Danilevsky, 2018d: 181 A: KZ #383
dahli ismailovae Lazarev, 2013c: 446 E: ST A: AB
dahli kuleshovi Danilevsky, 2018d: 179 A: WS #383
dahli lenkorana Lazarev, Plewa & Jaworski, 2016: 234 A: AB ?IN #191
dahli lepsyensis Danilevsky, 2018d: 179 A: KZ #383
dahli malmerendii Sama, 1981: 504 E: FR (Corse) IT
dahli muellneri Reitter, 1898c: 133 A: KI UZ
dahli nitidipennis Holzschuh, 1984c: 371 A: AB GG
dahli persica Semenov, 1893: 505 A: IN #191
?theryi Pic, 1908b: 6
dahli rubenyani Lazarev, 2013c: 443 A: AB AR IN
dahli sicala Ganglbauer, 1884: 541 E: IT (Sicilia)
dahli transcaspica Pic, 1900g: 14 A: TM
dahli ustinovii Danilevsky, 2013h: 35 A: ?AF TD #418
dahli walteri Reitter, 1898c: 132 A: AB AR GG IN TR [see: Lazarev, 2013c]
erivanica Pic, 1900e: 14
danilevskyi Lazarev, 2013b: 235 A: KZ
daurica daurica Ganglbauer, 1884: 544 A: ES FE HEI HUB JA JIL LIA MG NC NMO SC SHA XIN #350
melancholica Suvorov, 1913: 79
daurica sakaii Hayashi, 1982: 149 A: JA
detrita Kraatz, 1882c: 336 A: AF KI KZ TD UZ
bucharica Pic, 1901b: 13
fadli Sama & Rapuzzi, 2006: 186 N: EG
hirsuticornis Holzschuh, 1975: 86 A: IN [Mazandaran]
kindermanni Pic, 1905a: 13 A: TR
amica Holzschuh, 1989a: 176
lateralis Ganglbauer, 1884: 541 E: TR
bilateralis Pic, 1927e: 1 [“Turkestan“ - wrong record]
orientalis Pic, 1901r: 83 [DA]
lederi hodeki Danilevsky, 2018d: 181 A: AB IN #383
lederi lederi Ganglbauer, 1884: 542 E: ST A: AB AR GG TR
helianthi Plavilstshikov, 1935b: 250
lopatini Kaziutshitz, 1988: 583
mesmini Pic, 1927e: 7
markusi Rapuzzi, Sama & Kotán, 2013: 583 E: AL GR #166
mutinensium Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 179 A: LE
nicosiensis Pic, 1927e: 1 A: CY
nigriventris C. O. Waterhouse, 1889: 130 A: AF TM
obydovi Danilevsky, 2000c: 292 A: KZ
paki Rapuzzi, 2012: 958 A: AF
parauiensis Danilevsky, 2017c: 24 A: KZ, UZ #267
probsti Holzschuh, 1984c: 370 E: GR (Kríti)
pustulifera Pic, 1905a: 12 A: JO IS LE SY
renatae Steiner & Schmid, 2013 E: GR #181
salviae Holzschuh, 1975: 88 A: IN

schmidti Holzschuh, 1975: 89 **A**: TR
schurmanni Sama, 1979b: 505 [Macedonia: Kastoria, Ohrid] **E**: BU GR MC #112
shovkuni Shapovalov, 2009: 16 **A**: KZ
simplicicornis Reitter, 1898c: 133 **A**: TR
subchalybaea Reitter, 1898c: 134 **E**: ST **A**: AB GG
subacuta Pic, 1909b: 106
subflavida Pic, 1903p: 163 **A**: TR
subnigra Pic, 1890b: 119 ~~**E**: ST~~ **A**: GG
subsimplicicornis Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 180 **A**: LE
turanica Plavilstshikov, 1929c: 131 **A**: KI KZ UZ XIN
uxoria Sláma, 2017: 64 **E**: GR #270
verecunda Chevrolat, 1882: 63 **A**: TR
delagrangeri Pic, 1894e: 75
villosoviridescens DeGeer, 1775: 76 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS
 LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU **A**: ES KZ MG **TR** WS
acutipennis Mulsant, 1862: 357
angusticollis Gyllenhal, 1817: 189 (*Saperda*)
latreillei ["*latreille*"] Fischer von Waldheim, 1805: 17 (*Saperda*)
lineatocollis Donovan, 1797: 71 (*Cerambyx*)
nicaeensis Chevrolat, 1881: xcvi
pyreneae C. Brisout de Barneville, 1863: 117
viridescens Gmelin, 1790: 1864 (*Cerambyx*)
zappii Sama, 1987: 62 **N**: AG LB MO TU
subgenus *Homoblephara* Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817
fallax Holzschuh, 1974a: 95 **A**: TR
korostelevi Danilevsky, 1985: 385 [= 1987: 620] **A**: AB AR
maculicornis davidi Sláma, 1986: 465 **E**: IT
maculicornis maculicornis Gyllenhal, 1817, app.: 189 (*Saperda*) **E**: BH **BU** GR HU KZ MC MD RO SL ST **TR** UK **A**: KZ WS #113
trivittata Gebler, 1830: 188 (*Saperda*)
martinae Danilevsky & Navrátil, 2018: 299 **A**: IN #353
orbachi Sama, 1993e: 471 **A**: IS
subgenus *Smaragdula* Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775
amitina Holzschuh, 1989a: 174 **A**: IN
chalybaea Faldermann, 1837: 303 **A**: AB AR GG IN TR #380
frivaldszkyi Ganglbauer, 1884: 546 **E**: BU RO **A**: IS IN IQ JO SY TR
gemella Holzschuh, 1989a: 175 **A**: CY
incerta Plavilstshikov, 1930: 12 **A**: KI TD UZ
intermedia Ganglbauer, 1884: 543 **E**: AU CT CZ FR GE GR HU IT **KZ LA LU** MD NL NT PL SK SP ST SZ UK YU **A**: GG KZ
izzilloi Rapuzzi, Sama & Kotán, 2013: 582 **E**: GR #98
lais Reiche & Saulcy, 1858: 21 **A**: IS JO LE SY TR
naciyae Rapuzzi & Sama, 2012: 676 **A**: TR
osmanlis Reiche & Saulcy, 1858: 19 ["*Constantinople*"] **E**: BU GR HU RO SK YU **A**: TR
ozdikmeni Rapuzzi & Sama, 2012: 673 **A**: TR
persicola Reitter, 1894d: 146 **A**: AB AR GG IN TM
violaceipennis Pic, 1904b: 9
pesarinii Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 177 **A**: TR
petranyi Kotán, 2014: 64 **A**: IN #155
psoraleae Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 176 **A**: LE
talassica Kostin, 1973: 223 **A**: KI KZ
violacea Fabricius, 1775: 187 (*Saperda*) **E**: AL AU BE BU CT CR CZ FR GE GR HU IT LU MC MD NT PL PT SK SL SP ST TR
 UK YU **A**: AB AR ES GG KZ TR
chalybaea Mulsant, 1839: 177 [HN]
caerulea Schoenherr, 1817a: 437 (*Saperda*)
cyanea Herbst, 1784: 95 (*Saperda*)
janthina Gmelin, 1790: 1842 (*Cerambyx*)
micans Fuessly, 1775: 13 (*Cerambyx*)
smaragdina Krynicki, 1832: 161 (*Saperda*)
viti Rapuzzi & Sama, 2012: 675 **E**: CR HU RO SB SK [see Kovács, Németh & Merkl, 2012]
subgenus *Stichodera* Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787
irrorata Fabricius, 1787: 147 (*Saperda*) **E**: FR (Corse) IT PT SP **N**: AG MO TU
granulosa Chevrolat, 1881: xcvi
integra Chevrolat, 1882: 64
pubiventris Mulsant, 1862: 352
rorida Gmelin, 1790: 1838 (*Cerambyx*)
soror Kraatz, 1882c: 336 **A**: **AF**[Tippmann, 1958] KI KZ TD UZ
subgenus *Synthapsia* Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817

kirbyi ***kirbyi*** Gyllenhal, 1817: 186 (*Saperda*) **E**: AL BH BU CR **CT** FR GR HU IT **IQ KZ** MD RO SK SP ST TR UK YU **A**: AB AR GG IN IS SY TM **TR**
latipennis Mulsant, 1862: 352
zawadskyi Fairmaire, 1866b: 275
kirbyi valandovensis Sláma, 2015c: 1127 **E**: MC #132

genus *Agapanthiola* Ganglbauer, 1900: 139 type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817)
Calamobiomorphus Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817
leucaspis Steven, 1817: 184 (*Saperda*) **E**: AU BH BU CR CT CZ GR HU MC MD RO SK ST TR UK YU **A**: AB AR GG ES KI KZ MG TD **TR** UZ WS
cyanella Dalman, 1817b: 190 (*Saperda*)
euterpe Ganglbauer, 1900: 139 (*Agapanthia*)
pectoralis Eschscholtz, 1818: 482 (*Saperda*)
sinae Dahlgren, 1986: 75 (*Agapanthia*) **A**: XIN

genus *Aulaconotus* J. Thomson, 1864: 99 type species *Aulaconotus pachypezoides* J. Thomson, 1864
atronotatus Pic, 1927b: 36 **A**: FUJ GUA GUI GUX HAI HUN JIX SCH YUN **ORR**
varius Gressitt, 1942b: 5
gracilicornis Makihara & **A.** Saito, 1985: 14 **A**: TAI #275
grammopterus Breuning, 1940b: 186 **A**: NP **ORR**
incorrugatus Gressitt, 1939b: 117 **A**: ZHE
pachypezoides J. Thomson, 1864: 99 **A**: FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE
breviscapus Heller, 1923b: 73 (*Phelipara*)
semiaulaconotus Hayashi, 1974c: 43 (*Pothyne*) **A**: TAI
szetschuanus Breuning, 1968f: 709 **A**: SCH

genus *Calamobius* Guérin-Méneville, 1847: xviii type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790)
filum Rossi, 1790: 152 (*Saperda*) **E**: AL AU BH BU CR CZ FR GE GR HU IT MA **MC MD NL PL** PT RO SK SL SL SP ST SZ TR UK YU **A**: AB AR CY GG IN IS JO LE SY TR **N**: AG MO TU #84
decoloripes Pic, 1945b: 7
gracilis Creutzer, 1799: 124 (*Saperda*)
hirtus Fabricius, 1793: 317 (*Saperda*)
magnini Pic, 1931c: 10
marginellus Fabricius, 1801b: 332 (*Saperda*)
tenuis Blanco Fernández, 1859: 411 (*Saperda*)

genus *Cleptometopus* J. Thomson, 1864: 95 type species *Cleptometopus terrestris* J. Thomson, 1864
Acroama Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894
Anapophrena Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925
Apophrena Pascoe, 1866d: 323 type species *Apophrena filifera* Pascoe, 1866
Itohigea Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smernus bimaculatus* Bates, 1873)
Metopoplectus Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936
Mimocleptometopus Pic, 1934g: 36 type species *Mimocleptometopus undulatus* Pic, 1934
Smernus Lacordaire, **1872**: 692 type species *Smernus mnischechi* Lacordaire, **1872**
annulaticornis Mitono, 1944: 252 **A**: HAI
aureovittatus Breuning, 1947a: 63 **A**: BT
bhutanensis Breuning, 1975d: 342 **A**: BT
bimaculatus Bates, 1873: 383 (*Smernus*) **A**: JA
bimaculatus Matsushita, 1938b: 102 (*Itohigea*) [HN]
fuscognatus Breuning, 1947a: 63 **A**: SD
~~*grossepunctatus* Breuning, 1967b: 32 **A**: AP~~
indecorus Holzschuh, 2012: 413 **A**: NP
indistinctus Breuning, 1940b: 206 **A**: NP SD
mimolivaceus Breuning, 1972a: 50 [RN] **A**: SD
parolivaceus Breuning, 1972c: 416 [HN]
minor Gressitt, 1937a: 93 (*Metopoplectus*) **A**: ZHE
mnischechi Lacordaire, 1872: 696 (*Smernus*) **A**: NP SD
rufovittatus Breuning, 1966a: 109
motuoensis W.-K. Wang & S.-N. Jiang, 1999a: 14 **A**: XIZ
olivaceus Breuning, 1942a: 172 **A**: NP **ORR**
orientalis Mitono, 1934: 492 **A**: TAI
parolivaceus Breuning, 1966b: 13 **A**: NP SD
pseudolivaceus Breuning, 1975d: 341 **A**: BT
quadrilineatus Pic, 1924d: 24 (*Pothyne*) **A**: SD **ORR**
flavopictus Breuning, 1940b: 206
schmidtii Breuning, 1971b: 77 ~~[RN]~~ **A**: AP
~~*grossepunctatus* Breuning, 1967b: 32 [HN]~~
sikkimensis Breuning, 1972c: 416 **A**: SD

similaris Gressitt, 1945a: 129 (*Metopoplectus*) A: SCH
similis Gahan, 1894a: 81 (*Smermus*) A: HUN ORR
subteraeus Breuning, 1967b: 33 A: SD
taiwanensis Gressitt, 1936: 105 (*Metopoplectus*) A: TAI

**genus *Coreocalamobius* Hasegawa, Han et Oh, 2014: 50 type species *Coreocalamobius parantennatus* Hasegawa, Han et Oh, 2014
parantennatus Hasegawa, Han et Oh, 2014: 50 A: JA NC SC #364**

**genus *Eucomatocera* A. White, 1846: 49 type species *Eucomatocera vittata* A. White, 1846
minuta Pu, 1988: 303 A: XIZ
vittata A. White, 1846: 49 A: NP SD TAI YUN ORR**

**genus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
subgenus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
albosuturalis Breuning, 1954c: 16 A: FUJ HUN
dimorpha Gressitt, 1937d: 612 A: FUJ GUX JIX SCH ZHE
guangdongensis Hua, 1991: 348 A: GUA
proxima Breuning, 1940b: 195 A: SD
suturalis Aurivillius, 1920: 25 A: FUJ JIX
subgenus *Mimosmermus* Breuning, 1966a: 104 type species *Hippocephala fuscostriata* Breuning, 1966
argentistriata Holzschuh, 2006c: 485 A: NP
fuscolineata Breuning, 1947a: 64 A: BT**

**genus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
Falsanandra Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924
subgenus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
albolateralis Breuning, 1950d: 259 A: UP
chinensis Breuning, 1948b: 35 A: GUX JIX
flava Breuning, 1950d: 259 A: UP
indica Breuning, 1947a: 62 A: HP
lineata Gahan, 1894a: 79 A: NP
ruficolor Pic, 1934b: 15 (*Hippopsis*) A: FUJ ORR
rufipes Pic, 1934j: 133 (*Hippopsis*) A: YUN
saigonensis Pic, 1933b: 30 (*Pothyne*) A: YUN ORR
strandi Breuning, 1940b: 198 A: HKG
taihokensis Matsushita, 1933b: 385 (*Pothyne*) A: JA TAI
oshimana Breuning, 1955b: 73
subvittipennis Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)**

**genus *Neoludwigia* Sama, 2008: 235 [RN] type species *Agapanthia lixoides* P. H. Lucas, 1847
Ludwigia Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1847
lixoides P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU
insuturalis Pic, 1934c: 22 (*Ludwigia*)**

**genus *Parahyllisia* Breuning, 1942a: 170 type species *Parahyllisia annamensis* Breuning, 1942
hainanensis Breuning, 1966a: 81 A: HAI**

**genus *Phelipara* Pascoe, 1866c: 322 type species *Phelipara marmorata* Pascoe, 1866
subgenus *Phelipara* Pascoe, 1866: 322 type species *Phelipara marmorata* Pascoe, 1866
Diaxenopsis Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939
Falsopothyne Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932
Oncideropsis Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922
Paraphelipara Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940
affinis Breuning, 1940b: 204 A: NP SD
indica Breuning, 1940b: 204 (*Paraphelipara*) A: NP "North India"
marmorata Pascoe, 1866c: 322 A: YUN ORR
radovskyi Hua, 1987: 90 A: GUX**

**genus *Pothyne* J. Thomson, 1864: 97 type species *Pothyne variegata* J. Thomson, 1864
Neopothyne Matsushita, 1931a: 46 type species *Pothyne variegata* J. Thomson, 1864
acaciae Gardner, 1930: 160 A: UP "North India"
flavescens Breuning, 1940b: 186
albolineata Matsushita, 1933b: 383 A: TAI
alboosternalis Breuning, 1982a: 12 A: CH
annulata annulata Breuning, 1942a: 167 A: HAI JA TAI
annulata ishigakiana Takakuwa & Kusama, 1979: 7 A: JA (Ryukyus)**

annulata nobuoi Breuning & K. Ohbayashi, 1964: 17 **A:** JA
annulata yonaguniensis Hayashi, 1976: 17 **A:** JA (Ryukyus)
miyakoensis Hayashi, 1976: 19
chocolata Gressitt, 1939a: 88 **A:** GUA HAI HUN JIX TAI ZHE
combreti Gardner, 1930: 160 **A:** UP
convexifrons Gardner, 1930: 161 **A:** UP
distincta Breuning, 1950d: 256 **A:** NP SD
fasciata Gressitt, 1951a: 539 **A:** HUB
formosana chocolatoidea Breuning & K. Ohbayashi, 1966: 34 **A:** JA (Ryukyus)
formosana formosana Schwarzer, 1925c: 146 **A:** GUA TAI
formosana haterumaensis Takakuwa, 1984: 12 **A:** JA (Ryukyus)
formosana liturata Matsushita, 1933b: 384 **A:** JA (Ryukyus)
formosana nanshanchina Takakuwa & Kusama, 1979: 10 **A:** TAI
fusiscapa Gressitt, 1940b: 194 **A:** HAI HUB
imasakai Hayashi, 1976: 18 **A:** JA (Ryukyus)
indica Breuning, 1940b: 188 **A:** NP **ORR**
indistincta Breuning, 1940b: 187 **A:** "India"
laeviscapa Breuning, 1950i: 535 **A:** FUJ
lanhsuensis Hayashi, 1978b: 108 **A:** TAI
lateralba Gressitt, 1937d: 611 **A:** GUX JIX
albolateralis Breuning, 1942a: 166
lineolata Gressitt, 1940b: 195 **A:** HAI YUN
macrophthalma Breuning, 1940b: 187 **A:** NP SD
oblique truncata Gressitt, 1939a: 89 **A:** FUJ GUA GUX HAI HUN JIX
pauloplicata Breuning, 1934: 14 **A:** CH **ORR**
polyplicata Hua & She, 1987: 55 **A:** FUJ GUA GUX HAI JIX ZHE
proxima Breuning, 1940b: 186 **A:** "North India"
rugifrons Gressitt, 1940b: 196 **A:** FUJ GUA HAI HUN JIX YUN ZHE
septemvittipennis Breuning, 1962d: 61 **A:** YUN **ORR**
seriata Gressitt, 1940b: 197 **A:** HAI
sikkimana Breuning, 1968f: 709 **A:** SD
sikkimensis Breuning, 1940b: 189 **A:** NP SD **ORR**
nepalensis Hayashi, 1979: 93
silacea Pascoe, 1871: 278 **A:** HAI TAI ZHE
sinensis Pic, 1926k: 394 **A:** YUN
suturella Breuning, 1942a: 167 **A:** GUI HUN NO
thibetana Breuning, 1950i: 535 **A:** XIZ
variegata hayashii Breuning, 1953: 19 **A:** JA
variegata okinoerabua Takakuwa & Kusama, 1979: 4 **A:** JA
variegata ryukyuana Yokoyama, 1974: 279 [RN] **A:** JA (Ryukyus)
albolateralis Yokoyama, 1971: 95 [HN]
okinawana Takakuwa & Kusama, 1979: 3
variegata variegata J. Thomson, 1864: 97 **A:** HUN NP SD TAI YUN **ORR**
niveosparsa Pic, 1908f: 16
variegata yayeyamana Breuning & K. Ohbayashi, 1966b: 34 **A:** JA (Ryukyus)
virginalis Takakuwa & Kusama, 1979: 4 **A:** TAI

genus *Pseudocalamobius* Kraatz, 1879d: 116 type species *Calamobius japonicus* Bates, 1873

bhutanensis Breuning, 1975d: 340 **A:** BT
burmanensis Breuning, 1949a: 12 **A:** NP **ORR**
filiformis Fairmaire, 1888b: 146 **A:** FUJ HAI HEB HUB HUN **SHA** TAI ZHE
japonicus Bates, 1873: 383 (*Calamobius*) **A:** ~~FE-FUJ-HUB~~ JA ~~JIX-NC-SC-TAI-ZHE~~
leptissimus Gressitt, 1936: 103 **A:** FUJ GUA TAI
luteonotatus Pic, 1908f: 17 **A:** NP YUN **ORR**
mediomaculatus Breuning, 1940b: 202
montanus Hayashi, 1959b: 58 **A:** JA
niisatoi M. Hasegawa, 1987: 514 **A:** TAI
obscuriscapus Breuning, 1975d: 339 **A:** NP
okinawanus Samuelson, 1965b: 125 **A:** JA (Ryukyus)
piceus Gressitt, 1951a: 543 **A:** GUA TAI
proximus Breuning, 1940b: 203 **A:** NP SD
pubescens M. Hasegawa, 1987: 517 **A:** TAI
rufescens Breuning, 1940b: 202 **A:** NP SD **ORR**
rufipennis Gressitt, 1942d: 4 **A:** XIZ
szetschuanicus Breuning, 1947a: 64 **A:** SCH TAI
moupinensis Breuning, 1967f: 188

#350
#413

taiwanensis Matsushita, 1931c: 404 **A:** TAI

talianus Pic, 1916h: 15 **A:** YUN

truncatus Breuning, 1940b: 203 **A:** NP SD

tsushimae Breuning, 1961c: 156 **A:** FE FUJ HUB JA JIX NC SC ZHE

yunnanus Breuning, 1942a: 172 **A:** YUN

#413

genus *Tetraglenes* Newman, 1842c: 300 type species *Tetraglenes insignis* Newman, 1842

bacillarius Lameere, 1893a: 285 **A:** CH **ORR**

hirticornis Fabricius, 1798: 148 (*Saperda*) **A:** FUJ GUA GUI GUX HAI NP SD YUN ZHE **ORR**

sublineatus Gressitt, 1935g: 572

tonkinensis Pic, 1919c: 11 (*Dorcasta*)

insignis Newman, 1842c: 300 **A:** PA UP **ORR**

genus *Theophilea* Pic, 1895b: 39 type species *Theophilea cylindricollis* Pic, 1895

cylindricollis Pic, 1895b: 39 **A:** AB AR GG TR

erzurumensis Önalp, 1974: 174 (*Agapanthia*)

subcylindricollis Hladil, 1988: 1 **E:** CT CZ HU KZ MD RO SB SK ST UK **A:** KZ **WS**

genus *Trichopothyne* Breuning, 1942a: 168 type species *Trichopothyne strandiella* Breuning, 1942

hindostanica Breuning, 1950d: 258 **A:** UP

tribe Ancyronotini Lacordaire, 1869

genus *Idactus* Pascoe, 1864c: 273 type species *Idactus tridens* Pascoe, 1864

Togonius Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893

bettoni Gahan, 1898: 46 **A:** SA

coquereli Fairmaire, 1890: 551 (*Dichostates*) **A:** YE **OM** **AFR**

iranicus Breuning, 1975d: 348 **A:** AE IN OM

hieroglyphicus Taschenberg, 1883: 179 (*Coptops*) **A:** YE (Suqutra)

granti Gahan, 1900a: 12

maculicornis Gahan, 1890d: 312 **A:** YE **AFR**

paramaculicornis Breuning, 1973c: 662 **A:** PA

genus *Palimna* Pascoe, 1862a: 346 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)

Apalimna Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a

Cylanca J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)

Goniages Pascoe, 1865: 135 type species *Golsinda infausta* Pascoe, 1859

annulata Olivier, 1797: 465 (*Lamia*) **A:** FUJ HAI UP TAI YUN **ORR**

mouhotii Pascoe, 1866b: 237

nodulosa Schoenherr, 1817a: 395 (*Lamia*)

reticulata Pascoe, 1857a: 50 (*Golsinda*)

tessellata Pascoe, 1857a: 49 (*Golsinda*)

formosana Kano, 1933a: 282 (*Apalimna*) **A:** TAI

fukiena Gressitt, 1951a: 434 **A:** FUJ

liturata continentalis Semenov, 1914: 20 (*Apalimna*) **A:** FE **NC** NO SC

liturata liturata Bates, 1884a: 241 (*Apalimna*) **A:** JA **TAI**

glabriventris Kano, 1933a: 282 (*Apalimna*)

palimnoides Schwarzer, 1925b: 62 (*Apalimna*) **A:** BT FUJ GUX HAI NP SD TAI YUN **ORR**

similis Gressitt, 1940b: 131

yunnana Breuning, 1935b: 153 **A:** SD YUN **ORR**

genus *Palimnodes* Breuning, 1938d: 330 type species *Apalimna ducalis* Bates, 1884a

ducalis Bates, 1884a: 242 (*Apalimna*) **A:** BT NP XIZ YUN "North India" **ORR**

mimica Fairmaire, 1898c: 399 (*Palimna*)

genus *Pseudoparaphloeus* Sama, 2009: 25 [RN] type species *Paraphloeus scorteccii* Breuning, 1968

Paraphloeus Breuning, 1968c: 91 [HN] type species *Paraphloeus scorteccii* Breuning, 1968

scorteccii Breuning, 1968c: 92 (*Paraphloeus*) **A:** SA YE

genus *Parorsidis* Breuning, 1935d: 65 type species *Parorsidis birmanica* Breuning, 1935

Paranephelotes Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935

nigrosparsa nigrosparsa Pic, 1926a: 15 (*Ostodes*) **A:** BT HAI **ORR**

birmanica Breuning, 1935d: 65

tribe Apodasyini Lacordaire, 1872

genus *Adjinga* Pic, 1926a: 25 type species *Adjinga vittata* Pic, 1926

vittata Pic, 1926a: 25 **A:** YUN **ORR**

genus *Anaesopogonius* Gressitt, 1938a: 53 type species *Anaesopogonius fulvus* Gressitt, 1938
fulvus Gressitt, 1938a: 53 A: SCH
ochraceofulvus Hayashi, 1974c: 49 A: TAI
piceonigris Hayashi, 1972: 39 A: JA

genus *Anaesthetis* Dejean, 1835: 348 type species *Saperda testacea* Fabricius, 1781
Anaesthetus Gistel, 1856: 377 [unjustified emendation]
anatolica Holzschuh, 1969: 79 A: IS LE SY TR
confossicollis Baeckmann, 1903c: 394 A: ES FE GUI JA JIL JIX NC MG SC
fla vipilis Baeckmann, 1903c: 394 A: WS XIN
lanuginosa Baeckmann, 1903c: 395 A: TM
testacea rufescens Baeckmann, 1903c: 395 E: ST A: AB AR CY GG IN ?LE TR ?SY [see Sama & Rapuzzi, 2000: 18]
testacea testacea Fabricius, 1781: 235 (*Saperda*) E: AL AN AU BE BH BU BY CR CT CZ ES FR EN GE GR HU IT KZ LA LT
LU MD NL PL RO SK SL SP ST SV SZ TR UK YU A: KZ
fusca Geoffroy, 1785: 84 (*Leptura*)
livida Herbst, 1784: 95 (*Saperda*)
teutonica Gmelin, 1790: 1842 (*Cerambyx*)

genus *Anaesthetobrium* Pic, 1923c: 20 type species *Anaesthetobrium luteipenne* Pic, 1923
Paraphidola Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933
fuscoflavum Matsushita, 1933b: 377 (*Paraphidola*) A: TAI
lieuae Gressitt, 1942b: 5 A: SCH
luteipenne Pic, 1923c: 20 A: HEN JA JIA SC ZHE
pallidipes Holzschuh, 2010: 211 A: SHA

genus *Aragea* Hayashi, 1953: 41 type species *Aragea mizunoi* Hayashi, 1953
mizunoi Hayashi, 1953: 42 A: JA

genus *Arhopaloscelis* Murzin, Danilevsky & Lobanov, 1981: 790 type species *Rhopaloscelis bifasciata* Kraatz, 1879
bifasciata Kraatz, 1879d: 113 (*Rhopaloscelis*) A: FE NC NE SC
nipponensis Pic, 1932a: 3 (*Rhopaloscelis*) A: FE (Kuril Is.) JA

genus *Bonipogonius* Kusama, 1973: 128 type species *Bonipogonius fujitai* Kusama, 1973
fujitai Kusama, 1973: 129 A: JA (Ogasawara)

genus *Cervoglenea* Gressitt, 1951a: 621 type species *Glenea lata* Gressitt, 1935
lata Gressitt, 1935c: 191 (*Glenea*) A: TAI

genus *Clytosemia* Bates, 1884a: 253 type species *Clytosemia pulchra* Bates, 1884
bicincta Gressitt, 1938b: 164 A: TAI
pulchra Bates, 1884a: 254 A: FE JA SHA

#350

genus *Cristorhodopina* Breuning, 1966d: 15 type species *Cristorhodopina assamensis* Breuning, 1965
mussardi Breuning, 1966d: 15 A: AP

genus *Cylindilla* Bates, 1884a: 250 type species *Cylindilla griseescens* Bates, 1884a
Anaesthetomorphus Pic, 1929b: 6 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla griseescens* Bates, 1884)
Ascoldatimura Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla griseescens* Bates, 1884)
Microestola Gressitt, 1940b: 180 type species *Microestola bidentata* Gressitt, 1940
Mimatimura Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla griseescens* Bates, 1884)
Pseudanesthetis Pic, 1929h: 119 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla griseescens* Bates, 1884)
bidentata Gressitt, 1940b: 180 (*Microestola*) A: HAI
formosana Gressitt, 1951a: 513 (*Microestola*) A: TAI
griseescens Bates, 1884a: 250 A: CH FE JA NC SC
apicalis Pic, 1929h: 120 (*Pseudanesthetis*)
ascoldensis Heyden, 1884: 298 (*Atimura*)
inornata Gressitt, 1951a: 514 (*Microestola*) A: GUA
interrupta Gressitt, 1951a: 514 (*Microestola*) A: FUJ SHA SCH
makiharai M. Hasegawa, 1992: 37 A: JA (Ryukyus) TAI
parallela Gressitt, 1951a: 515 (*Microestola*) A: ?AF HUB ORR

#350

genus *Deroplia* Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830
Belodera J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
— *Deroplia* Rosenhauer, 1847: 59 type species *Deroplia obliquetruncata* Rosenhauer, 1847 (= *Saperda genei* Aragona, 1830)
Stenidea Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenosoma Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)

albida Brullé, 1839: 62 (*Cerambyx*) **N**: CI
annulicornis Brullé, 1839: 62 (*Cerambyx*) **N**: CI
costigera Demelt, 1982: 97 (*Stenidea*) **N**: CI (Hierro)
genei genei Aragona, 1830: 25 (*Saperda*) **E**: AL AU BH BU CR CZ FR GE **GR** HU IT RO SK SL SP ST SZ UK YU **A**: AB AR
 CY GG IS JO TR
foudrasi Mulsant, 1839: 162 (*Stenosoma*)
oblique truncata Rosenhauer, 1847: 59
genei konvickai Rapuzzi & Sama, 2012: 677 **A**: **CY**
genei naviauxi Villiers, 1970: 136 (*Stenidea*) **A**: IN
gertiana Sama, 1996a: 86 **N**: CI (Tenerife)
gomerae Sama, 1996a: 88 **N**: CI (Gomera)
hesperus Wollaston, 1863: 110 (*Stenidea*) **N**: CI (Hierro)
lorenzo García, 2002: 109 **N**: CI (La Palma)
niveopicta Demelt, 1982: 99 (*Stenidea*) **N**: CI (Gran Canaria)
pilosa Wollaston, 1862a: 181 (*Blabinotus*) **N**: CI (Lanzarote, Fuerteventura)
machadoi Demelt, 1982: 100 (*Stenidea*)
schurmanni Sama, 1996a: 88 **N**: CI (Hierro)
troberti cruciata Sama, 1996d: 37 **E**: GR (Kriti)
troberti troberti Mulsant, 1843: 283 (*Stenidea*) **E**: BH CR FR GR IT SP YU **N**: AG MO TU **A**: CY

genus *Eupogoniopsis* Breuning, 1949b: 23 type species *Eupogonius tenuicornis* Bates, 1884a
caudatula Holzschuh, 1999: 46 **A**: YUN
granulatus Lim J., Lim J.-S. & Lee B.-W., 2013: 359 **A**: SC
niisatoi Yamasako, 2017: 243 - **A**: TAI #320
omeimontis Gressitt, 1938a: 54 (*Anaesopogonius*) **A**: SCH
sepicola Holzschuh, 1999: 46 **A**: NP
tenuicornis Bates, 1884a: 249 (*Eupogonius*) **A**: JA

genus *Eupogonius* LeConte, 1852: 159 type species *Desmiphora tomentosa* Haldeman, 1847
Eriopsilus Bates, 1866b: 193 type species *Eriopsilus nigrinus* Bates, 1866
Phydola J. Thomson, 1864: 110 type species *Phidola maculicornis* Chevrolat, 1862
tomentosus Haldeman, 1847: 50 (*Desmiphora*) **Ni**: MO NAR
pinivorus Fitch, 1859: 712

genus *Euseboides* Gahan, 1893b: 385 type species *Euseboides plagiatus* Gahan, 1893
gorodinskii Holzschuh, 2006c: 487 **A**: AP CHQ GUI HP #86 #182
matsudai matsudai Gressitt, 1938b: 163 **A**: JA TAI
matsudai spinipennis Gressitt, 1940b: 137 **A**: HAI
motuoensis Huang, Chen & Li, 2015: 156 **A**: XIZ #86
plagiatus Gahan, 1893b: 386 **A**: AP SD
plagiatooides Breuning, 1950f: 266 **A**: SD
punctatissimus Holzschuh, 2010: 220 **A**: HUB GUI
reni Huang, Chen & Li, 2015: 157 **A**: YUN #86
tonkinensis Breuning, 1973: 45 **A**: GUI **ORR** #86

genus *Falsostesilea* Breuning, 1940b: 168 type species *Stesilea perforata* Pic, 1926
perforata Pic, 1926b: 9 (*Stesilea*) **A**: GUA YUN **ORR**
melli Breuning, 1964a: 101

genus *Falsoterinaea* Matsushita, 1938a: 95 [RN] type species *Hirayamaia fuscorufa* Matsushita, 1937 (= *Eupogonius rufipennis* Matsushita, 1933b)
Hirayamaia Matsushita, 1937: 103 [HN] type species *Hirayamaia fuscorufa* Matsushita, 1937
rufipennis Matsushita, 1933b: 377 (*Eupogonius*) **A**: TAI
formosana Breuning, 1975a: 22 [1976a: 51] (*Pseudanaesthetis*)
fuscorufa Matsushita, 1937: 103 (*Hirayamaia*)
pakistan Breuning, 1975d: 349 **A**: PA

genus *Graphidessa* Bates, 1884a: 248 type species *Graphidessa venata* Bates, 1884
obliquefasciata Z. Komiya & Kusama, 1973: 138 **A**: TAI
variegata Hayashi, 1974c: 50 **A**: TAI
venata takakuwai Fujita, 1980: 15 **A**: JA
venata venata Bates, 1884a: 248 **A**: JA

genus *Miccolamia* Bates, 1884a: 252 type species *Miccolamia cleroides* Bates, 1884a
subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12 type species *Miccolamia verrucosa* Bates, 1884a
glabricula glabricula Bates, 1884a: 253 **A**: FE JA

kaniei Takakuwa & N. Ohbayashi, 1992: 33
glabricula sadoensis M. Hasegawa & N. Ohbayashi, 2001: 22 **A**: JA
inspinosa Takakuwa & N. Ohbayashi, 1995: 197 **A**: JA
takakuwai M. Hasegawa & N. Ohbayashi, 2001: 12 **A**: JA
tuberculata Pic, 1918a: 10 (*Pogonocherus*) **A**: JA
verrucosa Bates, 1884a: 253 **A**: JA
palurae Takakuwa & N. Ohbayashi, 1995: 194
yakushimensis M. Hasegawa & N. Ohbayashi, 2001: 24 **A**: JA (Yakushima)
subgenus *Miccolamia* Bates, 1884a: 252 type species *Miccolamia cleroides* Bates, 1884
albosetosa Gressitt, 1951a: 533 **A**: TAI
bicristata Pesarini & Sabbadini, 1997: 115 **A**: SHA
castaneoverrucosa Hayashi, 1974c: 52 **A**: TAI
cleroides Bates, 1884a: 253 **A**: FE JA
coenosa Holzschuh, 2010: 207 **A**: HUB SHA
dracuncula Gressitt, 1942b: 7 **A**: FUJ SCH
relucens Holzschuh, 2003b: 312 **A**: NP SD
rugosula Holzschuh, 2003b: 311 **A**: SD
savioi Gressitt, 1940c: 192 **A**: JIA SHG
tonsilis Holzschuh, 2010: 207 **A**: GAN SHA
tuberculipennis Breuning, 1947a: 58 **A**: FUJ

genus *Mimectatina* Aurivillius, 1928a: 27 type species *Mimectatina singularis* Aurivillius, 1928
Doius Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)
Falsodoius Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933
Nipposybra Breuning, 1939b: 280 type species *Nipposybra fuscoplagiata* Breuning, 1939
Parasydonia Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884
divaricata divaricata Bates, 1884a: 247 (*Sydonia*) **A**: FE JA JIA NC SC TAI ZHE
grisea Matsushita, 1940: 53 (*Doius*)
rufescens Matsushita, 1933b: 380 (*Doius*)
divaricata fulvovariegata Hayashi, 1963c: 14 (*Doius*) **A**: JA
divaricata similis Takakuwa, 1984: 13 **A**: JA
divaricata yayeyamana Toyoshima, 1982: 35 (*Doius*) **A**: JA (Ryukyus)
fukudai Hayashi, 1969a: 65 (*Doius*) **A**: TAI
fuscoplagiata Breuning, 1939b: 280 (*Nipposybra*) **A**: JA
adachii Hayashi, 1958b: 49 (*Doius*)
iriei Hayashi, 1984: 34 **A**: JA TAI
longipennis Makihara, 2004a: 20 **A**: JA
meridiana meridiana Matsushita, 1933b: 380 (*Doius*) **A**: TAI
meridiana ohirai Breuning & Villiers, 1973: 50 **A**: JA
murakamii Hayashi, 1978b: 111 **A**: TAI
truncatipennis Pic, 1944a: 14 (*Sybra*) **A**: CH ORR
variegata Kusama & Takakuwa, 1984: 13 **A**: JA

genus *Mimeuseboides* Breuning, 1967b: 33 type species *Mimeuseboides excavatipennis* Breuning, 1967
excavatipennis Breuning, 1967b: 33 **A**: AP

genus *Mimoscapeuseboides* Breuning, 1976b: 102 type species *Mimoscapeuseboides pedongensis* Breuning, 1976
pedongensis Breuning, 1976b: 103 **A**: SD

genus *Mimovitalisia* Breuning, 1959b: 82 type species *Zodale tuberculata* Pic, 1924
wittmeri Breuning, 1975d: 354 **A**: BT NP

genus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
subgenus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
sikkimensis Breuning, 1940a: 79 (*Zotale*) **A**: SD
subgenus *Parazotale* Breuning, 1976a: 52 type species *Zotale longipennis* Pic, 1927
cylindrica Hayashi, 1981a: 16 **A**: NP
longipennis Pic, 1927f: 6 (*Zotale*) **A**: YUN
approximata Pic, 1927b: 18 (*Zotale*)

genus *Nedine* J. Thomson, 1864: 27 type species *Nedine longipes* J. Thomson, 1864
Opsioleus Pascoe, 1864a: 10 type species *Opsioleus adversus* Pascoe, 1864
Parazygocera Heller, 1924c: 200 type species *Parazygocera spaethi* Heller, 1924
sparatis W.-K. Wang & S.-N. Jiang, 1999c: 214 **A**: YUN
subspinosa W.-K. Wang & S.-N. Jiang, 1999c: 213 **A**: YUN

genus *Paranaesthetis* Breuning, 1982a: 27 type species *Paranaesthetis metallica* Breuning, 1982
metallica Breuning, 1982a: 28 A: CH

genus *Pararhopaloscelides* Breuning, 1947a: 58 type species *Pararhopaloscelides sericeipennis* Breuning, 1947
Mimostedes Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955
Punjabostedes Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957
sericeipennis jumlaensis Holzschuh, 2003b: 312 A: NP
sericeipennis sericeipennis Breuning, 1947a: 58 A: KA PA "Punjab"
kashmirensis Breuning, 1957g: 277 (*Mimostedes*)
punjabensis Breuning, 1957g: 276 (*Mimostedes*)

genus *Parectatosia* Breuning, 1940b: 207 type species *Parectatosia valida* Breuning, 1940
valida Breuning, 1940b: 208 A: "North India"

genus *Pareuseboides* Breuning, 1948a: 30 type species *Pareuseboides albomarmorata* Breuning, 1948
albomarmorata Breuning, 1948a: 30 A: NP SD

genus *Paroricopis* Breuning, 1958c: 35 type species *Paroricopis latefasciata* Breuning, 1958
latefasciata Breuning, 1958c: 36 A: BT

genus *Penthides* Matsushita, 1933b: 430 type species *Penthides flavus* Matsushita, 1933
Hirakura Hayashi, 1957b: 47 type species *Hirakura rufiflava* Hayashi, 1957
flavus flavus Matsushita, 1933b: 431 A: TAI
flavus multipubens Makihara, 1978: 57 A: JA (Ryukyus)
modestus Tippmann, 1955: 135 A: FUJ
rufiflavus Hayashi, 1957b: 48 (*Hirakura*) A: JA

genus *Pseudanaesthetis* Pic, 1922c: 15 type species *Pseudanaesthetis langana* Pic, 1922
assamensis Breuning, 1966c: 14 (*Sophronica*) A: NP ORR
~~*formosana* Breuning, 1976a: 51 A: TAI [see *Falsoterinaea*]~~
langana Pic, 1922c: 15 A: FUJ GUA GUI HAI HUN JIX SC SCH SHA SHN ZHE ORR #80
mizunumai Hayashi, 1974c: 48 A: TAI
rufa Gressitt, 1942c: 3 A: FUJ

genus *Pseudectatosia* Breuning, 1940b: 209 type species *Pseudectatosia strandiella* Breuning, 1940
strandiella Breuning, 1940b: 209 A: AP BT SD #182

genus *Pseudoterinaea* Breuning, 1940b: 178 type species *Pseudanaesthetis bicoloripes* Pic, 1926
Duportius Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926
bicoloripes Pic, 1926a: 26 (*Pseudanaesthetis*) A: FUJ GUA GUX HAI HKG YUN ORR
laosensis Breuning, 1965: 34 (*Desisa*)
marmorata Gressitt, 1940b: 158 (*Phesates*)
seticornis Gressitt, 1940b: 176 (*Pseudanaesthetis*) A: HAI

genus *Quasimesosella* Miroshnikov, 2006: 232 [RN] type species *Microlera ussuriensis* Tsherepanov, 1983
Pseudomesosella Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983
ussuriensis Tsherepanov, 1983: 215 (*Microlera*) A: FE NC NE SC #80
florovi Tsherepanov, 1984: 128 (*Miaenia*)

genus *Rhodopina* Gressitt, 1951a: 439 [RN] type species *Rhodopis pubera* J. Thomson, 1857
Rhodopis J. Thomson, 1857: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857
albomaculata Gahan, 1890a: 60 (*Rhodopis*) A: AP NP SD TAI ORR #182
albomarmorata Breuning, 1958a: 12 A: NP SD
alboflagiata Gahan, 1890a: 60 (*Rhodopis*) A: NP SD
assamana Breuning, 1966d: 15 A: AP
formosana Breuning, 1954b: 5 (*Rhodopis*) A: TAI
integripennis Bates, 1884a: 243 (*Rhodopis*) A: JA
lewisii koshikijimana Z. Komiya, 1984b: 463, 15 A: JA (Ryukyus)
lewisii lewisii Bates, 1873: 313 (*Rhodopis*) A: JA TAI
japonica Breuning, 1940d: 414 (*Rhodopis*)
lewisii yakushimana Z. Komiya, 1984b: 464, 15 A: JA
laevipunctata Breuning, 1958a: 12 A: SD
manipurensis Breuning, 1972c: 416 A: NP ORR
meshimensis Makihara, 1980: 66 A: JA
modica Komiya, 1984: 15 A: JA
nasui Z. Komiya & Kusama, 1973: 138 A: JA TAI

okinaensis Matsushita, 1933b: 350 (*Rhodopis*) A: JA (Ryukyus)
okinoerabuana Hayashi, 1966b: 67 A: JA
paraseriata Breuning, 1969e: 193 A: "India"
parassamensis Breuning, 1975d: 352 A: BT
pedongensis Breuning, 1969e: 193 A: SD
pubereoides Breuning, 1956g: 682 (*Rhodopis*) A: SD
sakishimana Yokoyama, 1966: 57 A: JA (Ryukyus)
subuniformis Gressitt, 1951a: 440 A: TAI
tokarensis komiyai Hayashi, 1969a: 66 A: JA
tokarensis obscura Makihara, 1977: 65 A: JA (Kuroshima Is., Tokaru Is.)
tokarensis orientalis Yokoyama, 1971: 100 A: JA
tokarensis tokarensis Hayashi, 1956b: 14 A: JA
tuberculicollis Gressitt, 1942b: 4 (*Rhodopis*) A: SHA SCH

#350

genus *Rhopaloscelis* Blessig, 1873: 205 type species *Rhopaloscelis unifasciata* Blessig, 1873
maculata Bates, 1877: 38 A: FE JA [see: Danilevsky, 2014b: 223]
apicalis Pic, 1907d: 22 (*Clytosemia*)
kuwayamanus Kano, 1933a: 286 (*Clytosemia*)
schurmanni Breuning, 1969c: 76 A: AB IN
unifasciata Blessig, 1873: 206 A: ES FE FUJ GUA HKG JA JIL KZ MG NC SC SHA WS ZHE
obscura Plavilstshikov, 1915c: 109

#350

genus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
subgenus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
saginaturn Holzschuh, 1999: 45 A: JIX

genus *Similonedine* Hua, 1993: 31 type species *Similonedine brunniofasciata* Hua, 1993
brunniofasciata Hua, 1993: 31 A: FUJ GUX HUN

#75

genus *Sophronica* Blanchard, 1845: 160 type species *Sophronica calceata* Chevrolat, 1855
Dasyo Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858
Dasystola Kolbe, 1894b: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)
Dimbrokoa Pic, 1944a: 16 type species *Dimbrokoa apicalis* Pic, 1944
Elithiotes Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864
Eupogonioides Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)
Lasiapheles Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873
Mimanaesthetis Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926
Phunginus Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922
apicalis Pic, 1922c: 15 (*Phunginus*) A: NP UP
gardneri Fisher, 1930: 276 (*Eupogonioides*)
arabica Breuning, 1962f: 239 A: YE
bicoloripes Pic, 1928a: 29 (*Mimanaesthetis*) A: JIA ORR
bowringi Gressitt, 1939f: 213 (*Mimanaesthetis*) A: FUJ HKG
brunnea Fisher, 1940: 206 (*Eupogonioides*) A: NP
carissae Fisher, 1930: 277 (*Eupogonioides*) A: UP
chinensis Breuning, 1940a: 48 A: GUI GUX
egena Holzschuh, 2006c: 488 A: AF
intricata Aurivillius, 1926b: 483 A: YE AFR
koreana Gressitt, 1951a: 508 A: SC
obrioides Bates, 1873: 382 (*Lasiapheles*) A: JA TAI
paupercula Holzschuh, 2006c: 488 A: NP
pienaari Distant, 1898: 378 (*Tetraglenes*) A: YE AFR
venzoi Breuning, 1940c: 173
pseudintricata Breuning, 1940a: 55 A: YE AFR
sundukovi Danilevsky, 2009: 25 A: FE NC SC [see Danilevsky (2013g: 17) – description of a male]
talhouki Holzschuh, 1991d: 306 A: SA
tonkinensis Breuning, 1976a: 51 A: CH ORR
wittmeri Holzschuh, 1991d: 308 A: SA YE

genus *Sphigmothorax* Gressitt, 1939a: 85 type species *Sphigmothorax bicinctus* Gressitt, 1939
bicinctus Gressitt, 1939a: 85 A: GUA
tricinctus Gressitt, 1951a: 534 A: YUN
tsushmanus Hayashi, 1961a: 23 A: JA

genus *Spinozorilispe* Breuning, 1963f: 83 type species *Spinozorilispe fusca* Breuning, 1963
fusca Breuning, 1963f: 84 A: BT

genus ***Sybrinus* Gahan, 1900a: 12** type species *Sybrinus commixtus* Gahan, 1900

Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848

Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903

—~~*Sophroniella* Breuning, 1943a: 51 type species *Sophroniella pusilla* Breuning, 1943~~

albosignatus Breuning, 1948b: 16 **A:** SA YE

commixtus Gahan, 1900a: 12 **A:** YE (Suqutra)

gahani Aurivillius, 1922b: 299

flavescens Breuning, 1948b: 16 **A:** SA YE

simonyi Gahan, 1903: 287 **A:** YE (Suqutra)

sokotrensis Téocchi, Jiroux & Sudre, 2004: 22 (*Arasbosybrinus*)

x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 **A:** YE (Suqutra)

kabateki Téocchi, Jiroux & Sudre, 2007: 23 **A:** YE (Suqutra)

genus ***Sybrocentrura* Breuning, 1947a: 57** type species *Sybrocentrura obscura* Breuning, 1947

costigera Holzschuh, 2010: 218 **A:** SHA

fatalis Holzschuh, 2010: 215 **A:** SHA

obscura Breuning, 1947a: 57 **A:** GUX YUN

procerior Holzschuh, 2010: 214 **A:** GUI

ropicoides Gressitt, 1939f: 214 (*Sydonia*) **A:** FUJ JIX HAI

tenera Holzschuh, 2010: 219 **A:** YUN **ORR**

tristicula Holzschuh, 2010: 216 **A:** GUI SCH

genus ***Taiwanajinga* Hayashi, 1978b: 109** type species *Taiwanajinga albofasciata* Hayashi, 1978

albofasciata Hayashi, 1978b: 110 **A:** TAI

genus ***Terinaea* Bates, 1884a: 249** type species *Terinaea atrofusca* Bates, 1884a

atrofusca Bates, 1884a: 250 **A:** JA

rufonigra Gressitt, 1940b: 175 **A:** FUJ GUA GUX HAI ZHE

tiliae Murzin, 1983: 584 (*Miaenia*) **A:** FE **NC SC SHA**

#350

genus ***Ussurella* Danilevsky, 1997b: 44** [RN] type species *Ussuria napolovi* Danilevsky, 1995

Ussuria Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995

napolovi Danilevsky, 1995a: 114 (*Ussuria*) **A:** FE **?NC NO**

genus ***Vittatopothyne* Breuning, 1968b: 58** [RN] type species *Falsopothyne flavovittata* Breuning, 1960

Falsopothyne Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960

flavovittata Breuning, 1960a: 16 (*Falsopothyne*) **A:** SD

genus ***Zotalemimon* Pic, 1925a: 29** type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)

Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)

Donyisia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933

bhutanensis Breuning, 1975d: 350 (*Diboma*) **A:** BT NP

bhutanum Breuning, 1975a: 38 (*Diboma*) [see Danilevsky, 2014b: 221-222]

ciliatum Gressitt, 1942h: 212 (*Donyisia*) **A:** FUJ GUA HAI HKG **YUN**

costatum Matsushita, 1933b: 379 (*Sydonia*) **A:** FUJ HAI JA (Ryukyus) TAI ZHE

loochooanum Breuning, 1940a: 78 (*Diboma*)

formosanum Breuning, 1975a: 38 (*Diboma*) **A:** TAI

lineatoides Breuning, 1969e: 192 (*Diboma*) **A:** SD

malinum Gressitt, 1951a: 511 (*Diboma*) **A:** YUN

obscurior Breuning, 1940a: 78 (*Diboma*) **A:** UP

posticata Gahan, 1894a: 77 (*Sybra*) **A:** SD

apicale Pic, 1925a: 29 (*Zotalemimon*)

subglabratum Gressitt, 1938a: 54 (*Sydonia*) **A:** SCH

tribe Apomecynini J. Thomson, 1860

genus ***Apomecyna* Dejean, 1821: 108** type species type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

~~subgenus *Apomecyna* Dejean, 1821: 108 type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)~~

Anapomecyna Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925

Crassapomecyna Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896

Mecynapus J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856

Pseudoalbana Pic, 1895d: 77 type species *Pseudoalbana lameerei* Pic, 1895

Vocula Lacordaire, 1872: 587 type species *Vocula irritata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)

cretacea Hope, 1831: 28 (*Callidium*) **A:** **AP** GUA GUX HAI NP SD YUN **ORR**

laosensis Pic, 1938d: 124

perroteti J. Thomson, 1868: 159

proba Newman, 1842c: 299

fallaciosa Breuning, 1938a: 50 **A:** PA UP

flavovittata Chiang, 1963: 67 **A:** XIZ YUN
histrío histrío Fabricius, 1793: 288 (*Lamia*) **A:** **AP** ES GUI HAI ~~JA~~ MG NP PA SC SD TAI **UP** YUN **ORR** #183
alboguttata Megerle, 1802: 10 (*Saperda*)
maculaticollis Pic, 1918b: 6
quadrifasciata J. Thomson, 1868: 159
histrío okina wana Makihara, 1992b: 74 **A:** JA (Ryukyus)
lameerei Pic, 1895d: 77 (*Eurycotyle*) **N:** EG MO **A:** AE IN IQ IS **OM** PA SA SI YE **AFR**
arabica Breuning, 1938a: 50
mateui Breuning, 1953: 11
leucosticta Hope, 1831: 28 (*Callidium*) **A:** AF BT NP PA SD YUN **ORR**
lineata Pic, 1937a: 14
longicollis coreana Breuning, 1967f: 188 **A:** "Korea"
longicollis longicollis Pic, 1926a: 28 **A:** GUI HKG JIX YUN **ORR**
fouqueti Pic, 1938d: 124
luteomaculata Pic, 1925a: 29 (*Anapomecyna*) **A:** YUN **ORR**
naevia deguchii Kusama & Takakuwa, 1984: 11 **A:** JA (Ryukyus)
naevia iriei Hayashi, 1984: 69 **A:** JA
naevia naevia Bates, 1873: 317 **A:** **SC** NP #80
naevia tsutsuii Hayashi, 1956b: 15 **A:** JA
naevia yokoyamai Hayashi, 1974c: 68 **A:** JA
proxima Breuning, 1938a: 49 **A:** SW **ORR**
saltator Fabricius, **1787**: 141 (*Lamia*) **A:** **AP** NP FUJ GUA GUI GUX HAI HKG HUB HUN JIA JIX PA **SHA** TAI YUN ZHE #350
ORR
excavatriceps Pic, 1918b: 6
multinotata Pic, 1918b: 5
neglecta Pascoe, 1865: 152
niveosparsa Fairmaire, 1895: 185
pertigera J. Thomson, 1868: 160
sinensis Pic, 1918b: 6
subuniformis Pic, 1944a: 14
tonkinea Pic, 1918b: 5
scorteccii Breuning, 1968c: 90 **A:** SA YE
semihistrío Kusama & Takakuwa, 1984: 11 **A:** JA (Ryukyus) **TAI**
tigrina indica Breuning, 1969f: 656 **A:** **AP** SD
tigrina tigrina J. Thomson, 1857**g**: 343 **A:** YUN **ORR**

genus *Asaperda* Bates, 1873: 385 type species *Asaperda rufipes* Bates, 1873
agapanthina Bates, 1873: 386 **A:** FE JA **?TAI**
confutis Z. Komiya, 1984a: 371, 14
nakayamai Z. Komiya, 1984a: 14
obliquevittata Z. Komiya, 1984a: 370, 14
obscura Breuning, 1939b: 232
yamawakii Z. Komiya, 1984a: 369, 14
bicostata bicostata Hayashi, 1956b: 16 **A:** JA
bicostata okinawana Komiya, 1984: 372, 14 **A:** JA (Ryukyus)
chongquingensis L. Chen & Chiang, 1993: 65, 67 **A:** SCH
kani Hayashi, 1976: 15 **A:** JA [see Makihara, 2007: 528]
maculosa Pic, 1927o: 199 **A:** CH **ORR**
meridiana Matsushita, 1931a: 45 **A:** FUJ GUA JIX TAI
takushaensis Kano, 1933a: 283
rufa Breuning, 1954e: 136 **A:** SHN
rufipes Bates, 1873: 386 **A:** **?CH ?FE JA ?NC SC ?TAI**
albosuturalis Breuning, 1957g: 278
nigricornis Breuning, 1957g: 278
tsushima Breuning, 1955e: 658
uniformis Pic, 1907d: 22
silvicultrix Toyoshima & Iwata, 1990: 1 **A:** JA
stenostola Kraatz, 1879h: 227 **A:** FE **?ES** KZ MG **NC** SC WS
tenuicornis Z. Komiya, 1984a: 370, 15 **A:** JA
wadai Makihara, 1980: 55 **A:** JA

genus *Asaperdina* Breuning, 1976a: 51 type species *Asaperda regularis* Pic, 1923
brunnea Pesarini & Sabbadini, 2000: 62 **A:** SHA
regularis Pic, 1923c: 21 (*Asaperda*) **A:** CH
sordida Gressitt, 1951a: 506 (*Pseudanaesthetis*) **A:** HUB SHG
whiteheadi Gressitt, 1940b: 177 (*Pseudanaesthetis*) **A:** HAI

genus *Athyilia* Pascoe, 1864a: 27 type species *Athyilia avara* Pascoe, 1864

Enispia Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864
Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athyia nobilis* Breuning, 1960)
horishensis Seki, 1946: 10 (*Enispia*) **A**: TAI
quadristigma Gressitt, 1940b: 156 (*Enispia*) **A**: HAI

genus *Atimura* Pascoe, 1863b: 548 type species *Atimura terminata* Pascoe, 1863
affinis Breuning, 1939b: 240 **A**: UP **ORR**
apicalis Gahan, 1894a: 76 **A**: FUJ SCH TAI **ORR**
combreti Gardner, 1930: 158 **A**: NP UP
cylindrica Gressitt, 1940b: 173 **A**: HAI
formosana Matsushita, 1933b: 371 **A**: TAI
fujiwarai Hayashi, 1994: 70 **A**: TAI
japonica Bates, 1873: 381 **A**: JA SC **SHA ORR** #350
tonkinea Pic, 1931a: 14
koreana Danilevsky, 1996b: 22 **A**: SC
minima Breuning, 1939b: 240 **A**: UP **ORR**
proxima Breuning, 1939b: 240 **A**: UP **ORR**

genus *Brachysybra* Breuning, 1940d: 427 type species *Brachysybra elliptica* Breuning, 1940
elliptica Breuning, 1940d: 428 **A**: TAI **ORR**

genus *Callomecyna* Tippmann, 1955: 125 type species *Callomecyna superba* Tippmann, 1955
Mimoxenoleoides Breuning, 1963f: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963
leehsuehae Yamasako & Chou, 2014a: 252 **A**: TAI
superba Tippmann, 1955: 126 **A**: **CHQ** FUJ GUI GUX **HUN** #74
fasciculosa Breuning, 1963f: 83 (*Mimoxenoleoides*)
tigrinula Holzschuh, 1999: 44 **A**: SCH

genus *Coomanum* Pic, 1927i: 111 type species *Coomanum singulare* Pic, 1927
Niphosaperda Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962
singulare Pic, 1927i: 112 **A**: YUN **ORR**
rondoni Breuning, 1962d: 49 (*Niphosaperda*)

genus *Cornallis* J. Thomson, 1864: 47 type species *Cornallis gracilipes* J. Thomson, 1864
Parasybrodiboma Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969
gracilipes J. Thomson, 1864: 47 **A**: NP SD
bootangensis Breuning, 1968f: 702 (*Hyagnis*)
sikkimensis Breuning, 1969f: 667 (*Parasybrodiboma*)
sybroides Breuning, 1939b: 206 (*Hyagnis*)

genus *Diaxenes* C. O. Waterhouse, 1884a: 128 type species *Diaxenes taylori* C. O. Waterhouse, 1884
dendrobii Gahan, 1894e: 520 **A**: SD **ORR**

genus *Discolops* Fairmaire, 1886a: 459 type species *Discolops strigicollis* Fairmaire, 1886
strigicollis Fairmaire, 1886a: 459 **A**: YE **AFR**
aureicornis Gahan, 1890d: 325 (*Stathmodera*)
basalis Kolbe, 1894: 281
grandis Waterhouse, 1898: 264 (*Stathmodera*)

genus *Doliops* G. R. Waterhouse, 1841: 57 [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841
Dolops Agassiz, 1846b: 128 [unjustified emendation]
Lamprobytile Heller, 1923e: 420 type species *Lamprobytile magnifica* Heller, 1923 (valid name of Oriental genus – see Barševskis & Jäger, 2014)
similis Miwa & Mitono, 1933: 373 [RN] **A**: TAI **ORR** #116
chengi Nakamura, 1974: 15 **A**: TAI (unavailable)
eheni Hua, 2002: 204 [misspelling]
pachyrrhynchoides Miwa & Mitono, 1932: 306 (*Aprophata*) [HN]

genus *Enaretta* J. Thomson, 1864: 325 type species *Enaretta castelnaudi* J. Thomson, 1864
Athenes Fähræus, 1872b: 194 type species *Athenes caudata* Fähræus, 1872
Fouquetia Pic, 1932i: 150 type species *Fouquetia fasciculata* Pic, 1932
Phoryctus Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871
Sympiodes Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886
caudata Fähræus, 1873: 36 (*Athenes*) **A**: YE **OM AFR**
exigua Gahan, 1904: 152

genus *Estigmenida* Gahan, 1894a: 82 type species *Estigmenida variabilis* Gahan, 1894
albolineata Breuning, 1940b: 211 **A**: **BT-SD** #400

robusta Breuning, 1940b: 211 A: SD **ORR**
variabilis Gahan, 1894a: 83 A: CH **ORR**

genus *Falsoropica* Breuning, 1939b: 232 type species *Falsoropica clavipes* Breuning, 1939
grosseopunctata Breuning, 1968a: 32 A: YUN **ORR**
sikkimensis Breuning, 1973c: 651 A: SD

genus *Falsozorispella* Breuning, 1963a: 4 [RN] type species *Falsozorilispe albosignata* Pic, 1945
Falsozorilispe Pic, 1945a: 2 [HN] type species *Falsozorilispe albosignata* Pic, 1945
albosignata Pic, 1945a: 2 (*Falsozorilispe*) A: GUI

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864
apicatus Holzschuh, 1984c: 369 A: UP
chinensis Breuning, 1961i: 317 A: GUA
kashmirensis Breuning, 1939b: 206 A: KA
pakistanus Breuning, 1975d: 352 A: NP PA
persimilis Breuning, 1939b: 206 A: "India"
intuberculata Pic, 1946a: 3 (*Atimura*)

genus *Iproca* Gressitt, 1940b: 165 type species *Iproca acuminata* Gressitt, 1940
acuminata Gressitt, 1940b: 165 A: HAI
aoyamaorum M. Hasegawa & N. Ohbayashi, 2006: 253 A: JA (Ryukyus)
flavolineata Hayashi, 1971: 10 A: TAI **ORR**
ishigakiana Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)
pedongensis Breuning, 1968f: 701 A: SD

genus *Microlera* Bates, 1873: 380 type species *Microlera ptinoides* Bates, 1873
kanoi Hayashi, 1971: 9 A: TAI
ptinoides Bates, 1873: 380 A: FE JA **NC SC TAI**
yayeyamensis Hayashi, 1968c: 15 A: JA (Ryukyus)

genus *Microleroides* Breuning, 1956g: 691 type species *Microleroides chinensis* Breuning, 1956
chinensis Breuning, 1956g: 692 A: SCH

genus *Mimatimura* Breuning, 1939b: 241 type species *Mimatimura rufescens* Breuning, 1939
subferruginea Gressitt, 1951a: 496 (*Atimura*) A: FUJ HAI

genus *Mimophaeopate* Breuning, 1967b: 30 type species *Mimophaeopate assamensis* Breuning, 1967
assamensis Breuning, 1967b: 31 A: AP

genus *Mimopothyne* Breuning, 1956a: 7 type species *Mimopothyne flavolineata* Breuning, 1956
flavolineata Breuning, 1956a: 7 A: CH

genus *Mimosybra* Breuning, 1939b: 278 type species *Athelais surigaonis* Heller, 1924
strandi Breuning, 1939b: 278 (*Neosybra*) A: TAI [see Weigel & Skale, 2017: 628]]

genus *Myceropsis* J. Thomson, 1864: 50 type species *Mycerinus aridus* Pascoe, 1862 (= *Hathlia lacteola* Hope, 1841)
subgenus *Zotale* Pascoe, 1866c: 329 type species *Zotale unicolor* Pascoe, 1866
apomecynoides Hayashi, 1972: 29 A: JA
lineata Gahan, 1894a: 75 A: FUJ GUA JIX HAI HUN YUN **ORR**
subunicolor Breuning, 1968a: 14 A: YUN **ORR**

genus *Neosybra* Breuning, 1939b: 276 type species *Neosybra ropicoides* Breuning, 1939
costata Matsushita, 1933b: 370 A: TAI
cribrella Bates, 1873: 318 (*Sybra*) A: JA
flavovittata Breuning, 1954b: 21 A: SD
flavovittipennis Breuning, 1963d: 6 A: HUN **ORR**
hachijoensis hachijoensis Hayashi, 1961a: 22 (*Palausybra*) A: JA [Izu Islands]
hachijoensis tokaraensis Makihara, 1977: 53 (*Palausybra*) A: JA (Tokara-rettô) [Northern Ryukyus – see Takakuwa, 2015]
mizoguchii depressa Makihara, 1980: 58 (*Palausybra*) A: JA [Danjo Islands] [see Takakuwa, 2015]
mizoguchii mizoguchii Hayashi, 1956c: 41 (*Ropica*) A: JA [southernmost Kyushu]
mizoguchii nobozakiensis Takakuwa, 2015: 222 A: JA [northwestern Kyushu]
ochreovittata Breuning, 1939b: 277 A: NP
rotundipennis Breuning, 1939b: 278 A: HKG
ryukyuensis Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)

sinuicosta Gressitt, 1951a: 502 A: TAI

genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicoides* Breuning, 1962
Rondonia Breuning, 1962b: 7 [HN] type species *Rondonia ropicoides* Breuning, 1962
antennata Holzschuh, 2015a: 51 A: SHA YUN
bisignata Hayashi, 1976: 16 (*Rondonia*) A: TAI
ropicoides Breuning, 1962: 7 (*Rondonia*) A: YUN ORR

#143

genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908
forticornis Breuning, 1942a: 142 A: SA YE AFR
sulcata Aurivillius, 1908: 150 A: SA YE AFR

genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956
chibi Hayashi, 1974c: 41 A: TAI

genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978
fulvofasciata Hayashi, 1978b: 108 A: TAI

genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890
Parazotalemimon Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936
humeralis Gahan, 1890a: 65 A: SD YUN ORR
nigropunctatus Pic, 1936b: 12 (*Parazotalemimon*)

genus *Plocia* Newman, 1842c: type species *Plocia notata* Newman, 1842
Mimoplocia Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842
notata Newman, 1842c: 292 A: TAI ORR
albicornis Heyrovský, 1935a: 19 (*Epaphra*)

#344

genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858
affinis Breuning, 1939b: 224 A: NP SD
assamensis Breuning, 1972c: 415 A: AP
bicostata Pic, 1926a: 27 (*Sybra*) A: CH
caenosa Matsushita, 1932: 107 (*Pterolophia*) A: JA (Ryukyus) TAI
chinensis Breuning, 1964a: 403 A: ZHE
coomani Pic, 1926b: 5 A: SD
coreana Breuning, 1980b: 50 A: NC SC
dorsalis Schwarzer, 1925c: 145 A: BT GUA GUX HAI JA JIA NP SD TAI UP ORR
burketi Gressitt, 1937d: 609
langana Pic, 1945a: 3
rufescens Pic, 1926b: 5
formosana Bates, 1866a: 351 A: TAI
hirayamai Matsushita, 1941: 156
fuscolaterimaculata Hayashi, 1974c: 42 A: TAI
honesta Pascoe, 1865: 190 A: JA NP TAI ORR
japonica amamiana Makihara, 1995: 456 A: JA
japonica japonica Hayashi, 1972: 37 A: JA
japonica tokarana Takakuwa, 1984: 12 A: JA
lineatithorax Pic, 1927b: 17 A: NP ORR
elongata Pic, 1929a: 30 (*Sybra*)
vietnamensis Breuning, 1972b: 235
loochooana hayashii Breuning, 1958c: 34 A: JA (Ryukyus)
loochooana loochooana Matsushita, 1933b: 361 (*Pterolophia*) A: JA (Ryukyus)
ngauchilae Gressitt, 1940b: 163 A: HAI
pedongensis Breuning, 1968f: 701 A: SD
rosti Breuning, 1958d: 177 A: KA NP SD
signatoides Breuning, 1939b: 221 A: UP
subaffinis Breuning, 1968f: 701 A: SD
sublineata Gressitt, 1940b: 162 A: FUJ HAI
subnotata Pic, 1925e: 138 A: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHA SHN SHX YUN ZHE
trichantennalis Breuning, 1968a: 13 A: FUJ ORR
tsushimensis Hayashi, 1972: 38 A: JA
umbrata Gressitt, 1951a: 492 A: FUJ GUA
variabilis Schwarzer, 1925b: 68 A: TAI

#350

genus *Sybra* Pascoe, 1865: 141 type species *Ropica stigmatica* Pascoe, 1859
subgenus *Microzotale* Hayashi, 1956b: 17 type species *Microzotale uenoi* Hayashi, 1956

Kirishimoopsis Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958
albodistincta Takakuwa, 1984: 382 **A: JA** (Ryukyus)
kuri K. Ohbayashi & Hayashi, 1962: 33 **A: JA**
uenoi sakamotoi Hayashi, 1958b: 49 **A: JA** (Kyushu)
uenoi uenoi Hayashi, 1956b: 18 **A: JA** (Tokara)
subgenus *Sybra* Pascoe, 1865: 141 type species *Ropica stigmatica* Pascoe, 1859
Gracisybra L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisybra flava* L. S. Dillon & E. S. Dillon, 1952
~~*Lamprosybra* Aurivillius, 1928c: 144 type species *Lamprosybra sulcata* Aurivillius, 1928 [valid name according to Weigel & Skale, 2017: 616]~~
Microopsis L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952
Paroopsis L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952
Ropicomorpha Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927
Sybrinura Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907
albomaculata albomaculata Breuning, 1939b: 264 **A: NO**
albomaculata formosana Breuning, 1964a: 305 **A: GUX TAI**
alternans Wiedemann, 1823: 11 (*Lamia*) **A: TAI NTRi ORR** #343
angustata Pic, 1926b: 6 (*Atelais*)
carolina Matsushita, 1935: 121
~~*fuscobiplagiata* Breuning, 1939b: 265~~
~~*fuscovittata* Aurivillius, 1928a: 24~~
~~*latiuscula* Aurivillius, 1928a: 23~~
~~*multilineata* Pic, 1927: 16 (*Atelais*)~~
baculina ~~*baeculina*~~ Bates, 1866a: 352 **A: HKG JP TAI**
~~*fulva* Schwarzer, 1925c: 145 (*Atimura*)~~
~~*ishigakii* Breuning & K. Ohbayashi, 1964b: 28~~
~~*kotoensis* Matsushita, 1935: 541~~
~~*maculiclunis* Matsushita, 1931c: 404~~
~~*miyakoensis* Hayashi, 1972: 31 **A: JA** (Ryukyus) [see Makihara, 1992: 77]~~
basialbofasciata Hayashi, 1972: 33 **A: JA**
bioculata bioculata Pic, 1926i: 302 **A: FUJ JIA TAI ZHE ORR**
bioculata quadrinotata Schwarzer, 1925c: 145 **A: JIA TAI YUN ZHE ORR**
~~*obliterata* Pic, 1927h: 109~~
bioculata sikkimana Breuning, 1969f: 657 **A: SD**
botelensis Breuning & K. Ohbayashi, 1966: 11 **A: TAI**
breuningii Gressitt, 1940b: 169 **A: HAI**
chaffanjonii Breuning, 1969f: 656 **A: GUI**
elongatula Breuning, 1939b: 270 **A: SD**
flavomaculata Breuning, 1939b: 263 **A: HUB JA SC**
~~*albomarmorata* Breuning, 1961i: 333 [*Neosybra*] **A: JA**~~ #92
flavostriata flavostriata Hayashi, 1968c: 16 **A: JA** (Ryukyus) TAI
flavostriata miyakojimana Hayashi, 1972: 33 **A: JA** (Ryukyus)
icanoides Breuning, 1942a: 150 **A: SD**
longipes Breuning & De Jong, 1941: 104 **A: SD**
marmorea Breuning, 1939b: 264 **A: CH ORR**
masatakai Makihara, 2007: 216 **A: JA** (Ryukyus)
mimobaculina Breuning, 1970c: 90 **A: TAI**
mimogeminata Breuning & K. Ohbayashi, 1964: 17 **A: JA** (Ryukyus)
~~*carinatipennis* Breuning & Chûjô, 1970: 56~~
miscanthivola Makihara, 1977: 25 **A: JA** (Ryukyus) TAI
musashinoi Breuning & Chûjô, 1970: 56 **A: JA** (Ryukyus)
narai Hayashi, 1976: 14 **A: TAI**
ordinata loochooana Breuning, 1939b: 263 **A: JA** (Ryukyus)
ordinata okinoerabuensis Hayashi, 1972: 32 **A: JA**
ordinata ordinata Bates, 1873: 318 **A: JA**
ordinata subtesselata Breuning, 1960a: 14 **A: JA**
ordinata tokara Hayashi, 1972: 33 **A: JA**
oshimana Breuning, 1958c: 34 **A: JA**
~~*nipponensis* Hayashi, 1972: 32~~
~~*omoro* Hayashi, 1972: 32~~
parvula Breuning, 1939b: 271 **A: "North India"**
~~*pascoei ishigakii* Breuning & K. Ohbayashi, 1964: 28 **A: JA** (Ryukyus)~~
~~— *miyakoensis* Hayashi, 1972: 31~~
pascoei okinawana Breuning & K. Ohbayashi, 1967: 4 **A: JA** (Ryukyus)
pascoei pascoei Lameere, 1893a: 285 **A: HAI ORR**
pascoei taiwanella Gressitt, 1951a: 499 **A: JA TAI**
piceomacula Gressitt, 1951a: 500 **A: FUJ**
~~*praeusta* Pascoe, 1859: 51 (*Ropica*) **A: NP** (Skale & Weigel, 2012: 484) **ORR**~~
punctatostriata Bates, 1866a: 351 **A: FUJ GUA HAI JIX TAI**

gossipi Matsumura, 1912: 219 (*Homonoxa*)
pusilla Breuning, 1939b: 270 A: "North India"
rondoniana Breuning, 1965: 45 A: TAI
savioi Pic, 1925e: 138 A: FUJ HAI JIA TAI
sikkimensis Breuning, 1939b: 270 A: SD
tenganensis Breuning, 1965h: 178 A: JIX
unifasciata Fujimura, 1956: 5 A: JA
unipunctata Breuning, 1939b: 264 A: HKG
subgenus *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a
subfasciata mikurensis Hayashi, 1971: 17 (*Sybrodiboma*) A: JA
subfasciata subfasciata Bates, 1884a: 246 (*Sybra*) A: JA SC
ohbayashii Breuning, 1960a: 16 (*Hyagnis*)
taiwanensis Hayashi, 1974c: 51 (*Sybrodiboma*) A: TAI
trimeresura Takakuwa, 1984: 12 A: JA

genus *Xylariopsis* Bates, 1884a: 247 type species *Xylariopsis mimica* Bates, 1884a
Falsosybra Pic, 1928a: 28 type species *Falsosybra fulvonotata* Pic, 1928
esakii Mitono, 1943: 582 A: HUN TAI YUN
fujiwarai Hayashi, 1994: 71 A: TAI
iriei Hayashi, 1976: 13 A: JA (Ryukyus)
mimica Bates, 1884a: 247 A: BEI FE GAN JA JIA NC NE SC SHA SHG
uenoi Hayashi, 1994: 72 A: TAI

#74

genus *Zorilispe* Pascoe, 1865: 156 type species *Zorilispe fulvisparsa* Pascoe, 1865
harai Hayashi, 1979: 92 A: NP

tribe Astathini Thomson, 1864

genus *Anastathes* Gahan, 1901: 60 type species *Astathes nigricornis* J. Thomson, 1865
nigricornis J. Thomson, 1865a: 560 (*Astathes*) A: FUJ GUI GUX HAI HUN YUN ORR
atricornis Pic, 1922c: 15 (*Chreonoma*)
parallelus Breuning, 1956f: 486 A: HUB FUJ
parvus Gressitt, 1935c: 193 A: FUJ GUA GUX HAI HUN TAI
~~— *atricornis* Gressitt, 1940b: 223 (*Chreonoma*) [HN] [wrong identification with Pic's name]~~
hainanus Gressitt, 1942c: 7 [RN]
robustus Gressitt, 1940b: 222 A: FUJ GUA GUX HAI JIX

genus *Bacchisa* Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b

subgenus *Atrobacchisa* Breuning, 1956f: 457 type species *Chreonoma atrocoerulea* Gressitt, 1951
atrocoerulea Gressitt, 1951a: 617 (*Chreonoma*) A: SHA

subgenus *Bacchisa* Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b

Chreonoma Pascoe, 1867b: 348 type species *Chreonoma venustum* Pascoe, 1867
atritarsis Pic, 1912h: 21 (*Chreonoma*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE

basalis Gahan, 1894d: 487 (*Chreonoma*) A: FUJ GUA GUX HAI HKG ORR

tonkinea Pic, 1916h: 15 (*Chreonoma*)

chinensis Breuning, 1948e: 119 A: CH

comata Gahan, 1901: 67 (*Chreonoma*) A: FUJ GUA GUI GUX HAI HKG YUN ZHE

cyaneoapicalis Gressitt, 1939a: 112 (*Chreonoma*) A: GUA GUI HAI

#263

dimidiata Gressitt, 1940b: 224 (*Chreonoma*)

cyanipennis Breuning, 1961i: 338 A: SCH

dioica Fairmaire, 1878: 133 (*Astathes*) A: SCH YUN ORR

fortunei flavicornis Kano, 1933a: 291 (*Chreonoma*) A: TAI

fortunei fortunei J. Thomson, 1857a: 58 (*Plaxomicrus*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN
 QIN SC SCH SHA SHN SHX ZHE

obscuricollis Pic, 1928: 21 (*Chreonoma*)

fortunei japonica Gahan, 1901: 68 (*Chreonoma*) A: FUJ HUN JA NE

frontalis Gahan, 1894a: 100 (*Chreonoma*) A: NP "North India"

guerryi Pic, 1911e: 20 (*Astathes*) A: FUJ GUA GUX HUN JIX YUN ORR [Laos]

#173

apicalis Pic, 1911e: 20 (*Astathes*)

nigronotata Pic, 1912h: 21 (*Chreonoma*)

hoffmanni Gressitt, 1939a: 113 (*Chreonoma*) A: GUA

klapperichi Breuning, 1956c: 236 A: FUJ

kweichowensis Breuning, 1959e: 174 A: GUI

pallens S.-H. Chen, 1936c: 165 (*Chreonoma*) A: CH

pallidiventris J. Thomson, 1865a: 559 (*Astathes*) A: HAI YUN ORR

aegrota J. Thomson, 1865a: 560 (*Astathes*)

pallidicolor Pic, 1916d: 6 (*Chreonoma*)

rigida Gressitt, 1942c: 6 (*Chreonoma*) A: SCH ZHE
violaceoapicalis Pic, 1923a: 14 (*Chreonoma*) A: GUX YUN ORR
genus *Cleonaria* J. Thomson, 1864: 119 type species *Cleonaria bicolor* Thomson, 1864
taiwana Hayashi, 1984: 36 A: TAI

genus *Lasiophrys* Gahan, 1901: 71 type species *Lasiophrys latifrons* Gahan, 1901
latifrons Gahan, 1901: 72 A: BT NP SD

#400

genus *Momisis* Pascoe, 1867b: 361 type species *Momisis aegrota* Pascoe, 1867
longicornis Pic, 1912b: 10 (*Lasiophrys*) A: HAI
tinhsensis Gressitt, 1940b: 226 (*Lasiophrys*)
longzhouensis Hua, 1982: 53 A: GUX
monticola Breuning, 1956f: 467 A: NP SD
submonticola Breuning, 1968: 31 A: GUI ORR

#173

genus *Plaxomicrus* J. Thomson, 1857a: 57 type species *Plaxomicrus ellipticus* J. Thomson, 1857
ellipticus J. Thomson, 1857a: 58 A: GUX HUB JIA NP SCH SHA SHG YUN ZHE ORR
ventralis Gahan, 1901: 70
latus Gahan, 1901: 70 A: BT NP YUN
nigriventris Pu, 1991a: 208, 210 A: YUN
pallidicolor Pic, 1912l: 15 A: GUX ORR
sikkimensis Breuning, 1956f: 464 A: SD
szetschuanus Breuning, 1956f: 463 A: SCH
violaceomaculatus Pic, 1912b: 11 A: YUN ORR

genus *Tetraopthalmus* Dejean, 1835: 347 type species *Cerambyx splendidus* Fabricius, 1793
Astathes Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842
bimaculatus Fabricius, 1793: 263 (*Cerambyx*) A: PA ORR
externus Pascoe, 1859: 46 (*Astathes*)
contentiosus Pascoe, 1867b: 352 (*Astathes*) A: PA
episcopalis Chevrolat, 1852: 418 (*Astathes*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NMO SC
SCH SHA SHX TAI XIN ZHE
formosanus Breuning, 1956f: 499 (*Astathes*) A: TAI
gibbicollis J. Thomson, 1865a: 559 (*Astathes*) A: "North India"
holorufus Breuning, 1968a: 31 (*Astathes*) A: HKG ORR
janthinipennis cyanopterus Gahan, 1900d: 353 (*Astathes*) A: HAI TAI ORR
janthinipennis flavus Chiang, 1963: 68 (*Astathes*) A: YUN
janthinipennis janthinipennis Fairmaire, 1895: 187 A: YUN ORR
janthinipennis yunnanensis Breuning, 1956f: 500 (*Astathes*) A: YUN
japonicus J. Thomson, 1857a: 51 A: "Himalaya"
sikanga Gressitt, 1942c: 6 (*Chreonoma*) A: SCH
splendidus Fabricius, 1793: 263 (*Cerambyx*) A: CH ORR
decipiens Pascoe, 1859: 46 (*Astathes*)
flavicornis Pic, 1939f: 31 (*Astathes*)
splendidulus Aurivillius, 1923: 583 (*Astathes*)
violaceipennis J. Thomson, 1857a: 53 A: GUX NP SD XIZ ORR

tribe Batocerini J. Thomson, 1864

genus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831
subgenus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831
Anapriona Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917
Cylindrapriona Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857
Humeroapriona Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840
Mesapriona Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866
Parapriona Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948
cinerea Chevrolat, 1852: 416 A: AF HP KA PA UP XIZ
newcombei Gilmour, 1958: 112
germari germari Hope, 1831: 28 (*Lamia*) A: AP BT NP SD XIZ ORR
cribrata J. Thomson, 1878: 57
deyrollei Kaup, 1866: 7
germari parvigranula J. Thomson, 1878: 58 A: GUA HAI YUN ORR
rugicollis rugicollis Chevrolat, 1852: 418 A: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX LIA
NC SC SCH SHA SHN SHX TAI XIZ YUN ZHE
gressitti Gilmour, 1958: 76
japonica J. Thomson, 1878: 59
plicicollis Motschulsky, 1854a: 48
rugicollis nobuoi Breuning & K. Ohbayashii, 1966: 32 A: JA (Ryukyus)

#409

#182

rugicollis yayeyamai Breuning, 1976d: 739 **A: JA (Ryukyus)**
paucigranula J. Thomson, 1878: 58 **A: SD YUN**
sublaevis J. Thomson, 1878: 57 **A: HAI GUX ORR**
bicolor Kriesche, 1920a: 193
swainsoni swainsoni Hope, 1840: 79 (*Lamia*) **A: AP FUJ GUI HAI HEN JIA NC SC SCH YUN ORR** #182
daifungensis Chiang, 1982: 41
kediana W.-K. Wang, 1999: 125
swainsoni basicornis Fairmaire, 1895: 185 **A: HAI YUN ORR**
trilineata Chevrolat, 1852: 416 **A: SD ORR**
subgenus *Cristapriana* Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986
chemsaki Hua, 1986c: 209 **A: JIX**

genus *Batocera* Dejean, 1835: 341 type species *Cerambyx rubus* Linnaeus, 1758
Megacriodes Pascoe, 1866c: 259, 271 type species *Megacriodes saundersii* Pascoe, 1866 #342
Semibatocera Kriesche, 1915: 115 type species *Batocera calana*, Parry, 1844 (= *Lamia calana* Parry, 1844)
Tyrannolamia Kriesche, 1915: 115 type species *Batocera wallacei* Thomson, 1858
armata Olivier, 1795: 121 (*Cerambyx*) **A: YUN AUR ORR**
whitei Kaup, 1866: pl. 3
calana Parry, 1844: 454 [= 1845: 86] (*Lamia*) **A: AP FUJ HAI SD TAI XIZ YUN ORR** #74
bimaculata Schwarzer, 1914: 280
fabricii J. Thomson, 1878: 54
guttata Vollenhoven, 1871: 110 (*Megacriodes*)
immaculata Schwarzer, 1914: 280
narada Kriesche, 1928: 45
parryi Hope, 1845b: 77 (*Lamia*)
dauidis H. C. Deyrolle, 1878: 131 **A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE ORR**
henrietta Kriesche, 1915: 138
obscura Gilmour & Dibb, 1948: 38
horsfieldii Hope, 1839: 42 **A: ANH AP BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX KA NP PA SCH SD SHA**
SHN XIZ YUN ZHE ORR #409
adelpha J. Thomson, 1859: 77
kuntzeni Kriesche, 1915: 139
lineolata Chevrolat, 1852: 417 **A: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE ORR**
catenata Vollenhoven, 1871: 215
chinensis J. Thomson, 1857e: 170
flachi Schwarzer, 1914: 280
hauseri Schwarzer, 1914: 280
joannisi Pic, 1901g: 28
variecollis Schwarzer, 1925b: 60
numitor Newman, 1842b: 275 **A: AP HAI NP SCH SD XIZ YUN ORR**
ajax J. Thomson, 1858: 455
ferruginea J. Thomson, 1858: 456
javanica J. Thomson, 1859: 83
loki Kriesche, 1915: 143
palawanicola Kriesche, 1928: 47
rufopunctata Breuning, 1956a: 1
sumatrensis Aurivillius, 1922b: 126 [RN]
titana J. Thomson, 1859: 82
punctata Schwarzer, 1925b: 60 **A: TAI**
roylii Hope, 1833: 64 (*Lamia*) **A: AP BT GUX HAI KA NP SD YUN ORR** #182
coreana Kolbe, 1886: 238
downesii Hope, 1845b: 76
ebenina Vollenhoven, 1871: 211
orientalis Kriesche, 1915: 119
porus Parry, 1844: 454 [= 1845: 86] (*Lamia*)
princeps L. Redtenbacher, 1844: 551
rubus Linnaeus, 1758: 390 (*Cerambyx*) **A: FUJ GUA GUI GUX HAI HKG JA NP PA SA SCH SHA SHX TAI UP YUN ZHE**
ORR
albolasciata DeGeer, 1775: 106 (*Cerambyx*)
albomaculata Retzius, 1783: 138 (*Cerambyx*)
bipunctata Kriesche, 1915: 134
dividopunctata Gilmour & Dibb, 1948: 61
formosana Kriesche, 1915: 136
lombokensis Breuning, 1947a: 16
mniszewski J. Thomson, 1859: 79
octomaculata Fabricius, 1793: 290 (*Lamia*)
palawana Schwarzer, 1926a: 12
punctatella Kriesche, 1915: 135
sabina J. Thomson, 1878: 52
sarawakensis J. Thomson, 1858: 452
siporensis Schwarzer, 1930: 122

rufomaculata rufomaculata DeGeer, 1775: 107 (*Cerambyx*) **A:** AP HKGi IS **KA** LE NP OM PA **SD** SI SY TR UP XIZ YE **AFR**
NTRi ORR **#182 #293 #409**
cruentata Gmelin, 1790: 1863 (*Cerambyx*)
diana Nonfried, 1892b: 276
ushijimai Ohbayashi, 1981: 47 **A:** TAI

genus *Microcriodes* Breuning, 1943a: 14 type species *Microcriodes sikkimensis* Breuning, 1943
sikkimensis Breuning, 1943a: 15 **A:** AP SD **XIZ** [see: Bi & Lin, 2014] **#182**
wuchaoi Bi & Lin, 2014: 5 **A:** **XIZ**

tribe Ceroplesini J. Thomson, 1860
subtribe Ceroplesina J. Thomson, 1860

genus *Ceroplesis* Audinet-Serville, 1835a: 93 type species *Lamia aethiops* Fabricius, 1775
Moecha J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787
aestuans Olivier, 1795: 123 (*Cerambyx*) **N:** MO **AFR**
aegyptiaca Gilmour, 1956c: 753
senegalensis Fiedler, 1938: 591
elegans Gestro, 1889: 70 **A:** SA YE
millingeni Pic, 1895d: 77 **A:** SA YE

genus *Thysia* J. Thomson, 1860: 96 type species *Lamia wallichi* Hope, 1831
Thysiotis J. Thomson, 1868: 201 [RN] type species *Lamia wallichi* Hope, 1831
wallichi tonkinensis Kriesche, 1924: 289 (*Diastocera*) **A:** GUA GUX **ORR**
dalatensis Breuning, 1968a: 27 (*Diastocera*)
savioi Yen, 1932: 165 (*Diastocera*)
wallichi wallichi Hope, 1831: 27 (*Lamia*) **A:** AP GUI HP NP PA SD SCH YUN **ORR**
tricincta Duncan, 1835: 254 (*Lamia*)

genus *Titoceres* J. Thomson, 1868: 201 [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Ceratites Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Paratitoceres Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962
Rangifer Gistel, 1848a: viii [HN]
arabicus Breuning, 1962g: 235 (*Paratitoceres*) **A:** SA YE
jaspideus Audinet-Serville, 1835a: 35 (*Ceratites*) **N:** MO **A:** OM SA YE **AFR**

subtribe Crossotina J. Thomson, 1864

genus *Biobessa* Gahan, 1898: 56 type species *Biobessa beatrix* Gahan, 1898
holzschuhi Téocchi, 1991: 304 **A:** SA YE

genus *Crossotus* Audinet-Serville, 1835a: 52 type species *Lamia plumicornis* Audinet-Serville, 1835
Crossotides Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912
albicollis Guérin-Ménéville, 1844: 249 **N:** MO **AFR**
obtus Hintz, 1912: 194
senegalensis Breuning, 1950i: 525
arabicus Gahan, 1896b: 458 **A:** OM SA YE
kadleci Sama & Sudre, 2010: 953 **A:** **JE**
katbeh Sama, 2000b: 107 **A:** IS JO YE
strigifrons Fairmaire, 1886a: 457 (*Dichosthates*) **N:** EG **A:** IS JO OM SA SI YE **AFR**
albicans Breuning, 1942a: 145
nebulosus Fairmaire, 1892a: 124 (*Dichosthates*)
sublineatus Gestro, 1892: 788 **N:** AG MO **AFR**
subocellatus heimschi Peyerimhoff, 1923b: 318 **N:** AG MO
subocellatus subocellatus Fairmaire, 1886a: 458 (*Dichosthates*) **N:** AG EG LB SI **AFR**
phillippsi Gahan, 1896b: 458
tamer Sama & Rapuzzi, 2006: 188 **N:** EG
tubericollis Fairmaire, 1891a: 271 (*Dichosthates*) **N:** MO **AFR**
robustus Jordan, 1894a: 236
vittatus Aurivillius, 1914: 30
vagepictus Fairmaire, 1886a: 456 **A:** SA **AFR**
adenensis Breuning, 1969f: 665
lateralis Hintz, 1912: 194
obliquevittatus Breuning, 1940c: 166
saudicola Téocchi, 1991: 304
xanthoneurus Sama, 2000a: 92 **A:** IS JO SI

genus *Ecyroschema* J. Thomson, 1864: 48 type species *Ecyroschema favosum* J. Thomson, 1864

favosum J. Thomson, 1864: 48 A: YE AFR

genus ***Gasponia* Fairmaire, 1892a: 123** type species *Gasponia gaurani* Fairmaire, 1892
gaurani Fairmaire, 1892a: 123 A: YE AFR

genus ***Moechohecyra* Breuning, 1938c: 231** type species *Moechohecyra verrucicollis* Gahan, 1894 *indica* Breuning, 1938 [by original designation]

artifera W.-K. Wang & S.-N. Jiang, 2002a: 52 A: GUI YUN

verrucicollis Gahan, 1894a: 60 A: NP (Hayashi, 1980: 4) ORR

genus ***Moechotypa* J. Thomson, 1864: 55** type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)

Scotinauges Pascoe, 1871: 277 type species *Scotinauges diphysis* Pascoe, 1871

Tylophorus Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873

~~*Thylophorus* Blessig, 1873: 215 (incorrect subsequent spelling) – not available~~

alboannulata Pic, 1934a: 13 A: GUI GUX HUN SCH

asiatica Pic, 1903i: 121 (*Hecyrida*) A: GUI GUX NP SD UP YUN ORR

sikkimensis Breuning, 1936: 324

delicatula A. White, 1858a: 268 (*Niphona*) A: GUI GUX HAI HUN SCH TAI YUN ZHE ORR

elongata Pic, 1925b: 29

diphysis Pascoe, 1871: 277 (*Scotinauges*) A: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC SCH SHA SHX ZHE

dauidis Fairmaire, 1887c: 328

fuliginosa Kolbe, 1886: 221

wulffiusi Blessig, 1873: 215 (*Thylophorus*)

formosana Pic, 1917f: 7 (*Hecyrida*) A: TAI

nigricollis W.-K. Wang & S.-N. Jiang, 2000c: 185 A: YUN

paraformosana Breuning, 1979a: 46 [RN] A: TAI

formosana Breuning, 1974j: 372 [HN]

semenovi Heyrovský, 1934c: 172 A: CHQ

suffusa Pascoe, 1862a: 336 (*Niphona*) A: HAI YUN ORR

arida J. Thomson, 1864: 55

thoracica A. White, 1858a: 266 (*Niphona*) A: SD

infasciculata Pic, 1926b: 7

tuberculicollis W.-K. Wang & S.-N. Jiang, 2000c: 186 A: GUI YUN

uniformis Pic, 1922c: 14 (*Hecyrida*) A: GUX ORR

genus ***Paramoechotypa* Breuning, 1938c: 230** type species *Paramoechotypa fasciculata* Breuning, 1938

fasciculata Breuning, 1938c: 230 A: BT

tribe Dorcadionini Swainson, 1840

Dorcadioninae, Özdikmen, 2012b: 759

genus ***Dorcadion* Dalman, 1817a: 397** type species *Cerambyx glycyrrhizae* Pallas, 1773

subgenus ***Acutodorcadion* Danilevsky, Kasatkin & Rubenyan, 2005: 135** type species *Dorcadion acutispinum* Motschulsky, 1860

absinthium absinthium Plavilstshikov, 1937a: 30 A: KZ

absinthium ishkovi Kadyrbekov, 2004: 94 A: KZ

acutispinum Motschulsky, 1860c: 310 [= 1860: 304] A: KZ

alexandris Pic, 1900m: 56 A: KZ

luteolum Suvorov, 1910b: 63

staudingeri Pic, 1900l: 29 [HN]

arietinum arietinum Jakovlev, 1898: 678 A: KZ

arietinum charynense Danilevsky, 1996f: 610 A: KZ

arietinum chilikense Danilevsky, 1996f: 611 A: KZ

arietinum ketmeniense Danilevsky, 1996f: 613 A: KZ XIN

arietinum lucae Pic, 1898f: 42 A: XIN

arietinum phenax Jakovlev, 1899b: 68 A: KZ XIN

strandi Plavilstshikov, 1931b: 274

arietinum zhalanash Danilevsky, 1996f: 614 A: KZ

borochorenses Breuning, 1944: 11 A: XIN

hornianum Plavilstshikov, 1958a: 394

danilevskyi Dolin & Owtschinikov, 1999: 97 A: KI

darjae Danilevsky, 2001f: 632 A: KI

globithorax Jakovlev, 1895: 288 A: KZ

grande Jakovlev, 1906b: 42 A: KZ

irinae Danilevsky, 1997c: 59 A: KZ

kapchagaicum Danilevsky, 1996d: 413 A: KZ

kastekum Danilevsky, 1996d: 415 A: KI KZ

leopardinum Plavilstshikov, 1937a: 28 **A**: XIN
mystacinum mystacinum Ballion, 1878: 369 **A**: KI KZ ?UZ
 ataense Pic, 1901e: 18
 auliense Pic, 1901p: 69
 capreolum Heyden, 1887d: 317 [described without own area, so the availability of the name is doubtful]
 kusnezovi Jakovlev, 1906b: 40
mystacinum pumilio Plavilstshikov, 1951: 114 **A**: KZ
mystacinum rufidens Jakovlev, 1906b: 39 **A**: KZ
nikolaevi Danilevsky, 1995b: 420 **A**: KZ
ninae Danilevsky, 1995b: 422 **A**: KZ
nivosum Suvorov, 1913: 66 (*Compsodorcadion*) **A**: KZ
optatum kadyrbekovi Danilevsky, 1999b: 20 **A**: KZ
optatum matthieseni Suvorov, 1910b: 66 **A**: KI
 ~~*matthieseni*~~, Winkler, 1929: 1486 [incorrect subsequent spelling] – not available
 luctuosum Suvorov, 1913: 76
optatum optatum Jakovlev, 1906b: 38 **A**: KI KZ
optatum toropyginae Danilevsky, 1999b: 22 **A**: KI
optatum vallesum Danilevsky, 1999b: 27 **A**: KI
pantherinum desertum Danilevsky, 1995b: 427 **A**: KZ
pantherinum ludmilae Abramov, 2018: 37 **A**: KZ #375
pantherinum pantherinum Jakovlev, 1899a: 147 **A**: KZ
pantherinum sabulosum Danilevsky, 1995b: 426 **A**: KZ
pantherinum shamaevi Danilevsky, 1995b: 427 **A**: KZ
pelidnum Jakovlev, 1906b: 38 **A**: KI
profanifuga Plavilstshikov, 1951: 113 **A**: KZ
songaricum Ganglbauer, 1884: 477 **A**: KZ XIN
 ininterruptum Pic, 1897f: 94
suvorovi karachokense Danilevsky, 1996e: 459 **A**: KZ
suvorovi konyrolenum Danilevsky, 1996e: 458 **A**: KZ
suvorovi suvorovi Jakovlev, 1906c: 274 **A**: KZ
suvorovi taldykurganum Danilevsky, 1996e: 461 **A**: KZ
suvorovi tekeliense Danilevsky, 1996e: 459 **A**: KZ
suvorovianum koramense Danilevsky, 1999b: 32 **A**: KZ
suvorovianum suvorovianum Plavilstshikov, 1915b: 80 [RN] **A**: KZ
 formosum Suvorov, 1910b: 65 [HN]
thianshanense Breuning, 1947d: 142 **A**: XIN
tianshanskii algaense Danilevsky, 2012i: 12 **A**: KZ
tianshanskii euzhaisanicum Danilevsky, 2012i: 20 **A**: KZ
tianshanskii heptapotamicum Plavilstshikov, 1951: 115 **A**: KZ
tianshanskii otariense Danilevsky, 2012i: 13 **A**: KZ
tianshanskii parapumilio Danilevsky, 2012i: 15 **A**: KZ
tianshanskii radkevitschi Suvorov, 1910b: 61 **A**: KZ
 ~~*opulentum*~~ Suvorov, 1910b: 63 [непригодное название] #95
tianshanskii terminum Danilevsky, 1999b: 23 **A**: KZ
tianshanskii tianshanskii Suvorov, 1910b: 67 **A**: KZ
tibiale Jakovlev, 1889: 250 (*Compsodorcadion*) **A**: KI XIN
toropovi Danilevsky, 1999b: 34 **A**: KI
tschitscherini Jakovlev, 1899a: 153 **A**: KZ
 — ~~*abortivum*~~ Suvorov, 1910b: 71
 — ~~*abundans*~~ Suvorov, 1910b: 71
 — ~~*mixtum*~~ Suvorov, 1910b: 71
 — ~~*perinterruptum*~~ Suvorov, 1910b: 71
 tschitscherini Plavilstshikov, 1958a: 294, 387 [unjustified emendation]
undiscale Danilevsky, 1996d: 416 **A**: KZ
urdzharicum Plavilstshikov, 1937a: 29 **A**: KZ
zhaisanicum Shapovalov, 2007: 72 **A**: KZ
subgenus *Carinatodorcadion* Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771
aethiops aethiops Scopoli, 1763: 53 [Ljubljana] (*Cerambyx*) **E**: AL AU BU CR CZ GR HU MC MD RO SK SL TR UK YU
 bergmanni Tippmann, 1958b: 151
 morio Fabricius, 1787: 141 (*Lamia*)
 scopolii Gmelin, 1790: 1835 (*Cerambyx*)
aethiops asenovi Danilevsky, 2014c: 253 **E**: BU [Asenovgrad]
aethiops majoripenne Pic, 1926d: 13 [Saloniki] **E**: GR [see: Danilevsky, 2014c: 251]
aethiops propinquum Breuning, 1962a: 517 [Kozani] **E**: GR [see: Danilevsky, 2014c: 251]
aethiops strumense Danilevsky, 2014c: 252 **E**: BU [Petrich, Drangovo] GR [Serres] #211
balthasari Heyrovský, 1962b: 225 **E**: AL
carinatum carinatum Pallas, 1771: 465 (*Cerambyx*) **E**: CT KZ ST UK **A**: KZ

pigrum Schoenherr, 1817a: 398 (*Lamia*)
carinatum cylindraceum Reitter, 1886: 69 **E: ST A: AB**
carinatum igrenum Danilevsky, 1998b: 137 **E: UK**
carinatum sunzhenum Danilevsky, 1998b: 138 **E: ST**
carinatum uralense Danilevsky, 1998b: 138 **A: KZ**
cervae Frivaldszky, 1892b: 133 **E: HU**
fulvum erythropterum Fischer von Waldheim, 1823: **Tab. L - 7 E: AL BH BU CR MC MD RO PL TR UK YU**
canaliculatum Fischer von Waldheim, 1824: 240
fulvum fulvum Scopoli, 1763: 53 (*Cerambyx*) **E: AU CZ HU SK SL UK**
freyi Tippmann, 1958b: 158
frontale Mulsant & Rey, 1863: 154
kulzeri Tippmann, 1958b: 158
nigripennis Fleischer, 1894: 121
rugipennis Tippmann, 1958b: 155
sanguinolentum Scopoli, 1772: 99 (*Prionus*)
hybridum hedvigae Jureček, 1933: 127 **E: GR**
hybridum hybridum Ganglbauer, 1884: 441 **E: GR TR**
ingae Peks, 1993: 3 **E: TR**
laevipunctatum Breuning, 1944a: 14 **E: AL MC**
maderi Breit, 1923: 147 **E: AL**
sterbai Breuning, 1944a: 14 **E: AL**
subgenus *Cribridorcadion* Pic, 1901b: 12 type species *Dorcadion mniszehi* Kraatz, 1873
Autodorcadion Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763
Bergerianum Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysochroum* Breuning, 1943
Dzungarodorcadion Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899
Pedestredorcadion Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761
abstersum Holzschuh, 1982a: 75 **A: TR**
accola Heyden, 1894b: 87 **A: TR**
glabrolineatum Pic, 1927e: 6
afflictum Pesarini & Sabbadini, 1999: 54 **A: TR**
akpazarense Bernhauer & Peks, 2015: 453 **A: TR** #213
akpinarense Bernhauer & Peks, 2010a: 196 **A: TR**
albolineatum Küster, 1847a: 86 **A: TR**
byzantinum J. Thomson, 1867: 69
albonotatum Pic, 1895b: 39 **A: TR**
albosuturale Breuning, 1962: 351 **E: AL GR MC**
amanense Breuning, 1943b: 94 **A: TR**
amphissae Breuning, 1974g: 153 **E: GR**
anachoreta Pesarini & Sabbadini, 2013b: 34 **E: GR** #180
anatolicum Pic, 1900g: 12 **A: TR**
brevipennis Pic, 1902c: 10
chehirense Pic, 1902c: 10
ininterruptum Pic, 1900g: 13 [HN]
mediointerruptum Pic, 1901p: 73
subuniforme Pic, 1902j: 27
andirinense Bernhauer & Peks, 2011b: 218 **A: TR** #66 180
amaliae Pesarini & Sabbadini, 2013a: 55 #66 180
apicerufum Breuning, 1943b: 91 [RN] **A: AB AR GG ?IN TR**
sanguinolentum J. Thomson, 1865a: 548 [HN]
thomsonianum Plavilstshikov, 1948: 126 [RN]
aracense Bernhauer & Peks, 2011a: 204 **A: TR**
arcivagum J. Thomson, 1867: 121 **A: TR**
cilicium Pic, 1904a: 4
ardahense Breuning, 1975c: 10 **A: TR**
arenarium abruptum Germar, 1839: 18 **E: AL BH CR** #166
arenarium arenarium Scopoli, 1763: 53 (*Cerambyx*) **E: CR IT SL SK** #282
beszedesi Depoli, 1926a: 11
istriatum Depoli, 1912: 37, 40
liburnicum Depoli, 1912: 37, 39
sabandum Pic, 1945b: 7
vittigerum Panzer, 1797b: 24 (*Lamia*)
arenarium brattiense J. Müller, 1905: 135 **E: BH CR**
arenarium dalmatinum J. Müller, 1905: 134 **E: BH CR**
arenarium hypsophilum J. Müller, 1905: 135 **E: ~~AL~~ BH CR YU** #166
arenarium lemniscatum Küster, 1847a: 89 **E: BH CR**
mostarense Pic, 1942a: 1
arenarium marsicanum Fracassi, 1905: 112 **E: FR IT**
berytense Breuning, 1964c: 31 [**Beiruth**] (see Sama & Rapuzzi, :175)

fuscovestitum Pic, 1905a: 11
subcarinatum J. Müller, 1905: 139
arenarium muelleri Depoli, 1912: 37, 40 E: BH CR
arenarium rubrimembris Pic, 1917g: 6 [RN] E: AL BH CR YU
rubripes J. Müller, 1905: 135 [HN]
arenarium shkypetarum Heyrovský, 1937b: 91 E: AL
arenarium velebiticum J. Müller, 1905: 140 E: BH CR
arenarioides Rabaron, 1979: 11 E: GR
ariannae Pesarini & Sabbadini, 2008: 115 E: GR
auratum Tournier, 1872: 291 A: GG
lederi Kraatz, 1878a: 217 [1878: 353]
avgadiense Bernhauer & Peks, 2011b: 215 A: TR
axillare Küster, 1847a: 88 E: BU RO
kraatzi Tournier, 1872: 281
varnanum Pic, 1926d: 13
bangi bangi Heyden, 1894b: 89 A: TR
bangi heinzorum Braun, 1975: 17 A: TR
bangi roridum Pesarini & Sabbadini, 1999: 55 A: TR
banjkovskyi Plavilstshikov, 1958a: 147 A: TR
basale Kraatz, 1873a: 86 A: TR
kagyzmanicum Suvorov, 1915: 120
beckeri beckeri Kraatz, 1873a: 71 E: ST A: AB
beckeri koenigi Jakovlev, 1897: 245 E: ST A: AB
impressipenne Pic, 1900g: 14
beloni Pic, 1891i: lxxvii A: TR
biforme Kraatz, 1873a: 53 A: IN
discomaculatum Pic, 1905m: 187
bisignatum Jakovlev, 1899b: 66 A: ?GG TR
bistriatum Pic, 1898h: 55 A: AB AR
bithyniense Chevrolat, 1856a: 88 A: TR
serotinum J. Thomson, 1865a: 549
blanchardi Mulsant & Rey, 1863: 147 A: IN TR
bodemeyeri K. Daniel, 1900: 140 A: TR
boluense boluense Breuning, 1962c: 38 A: TR
boluense corallinum Pesarini & Sabbadini, 1999: 53 A: TR
boluense imitator Pesarini & Sabbadini, 1999: 53 A: TR
boszdaghense Fairmaire, 1866b: 275 A: TR
grammophilum J. Thomson, 1867: 70
boucardi Pic, 1942c: 6 A: ?SY TR
bouilloni Breuning & Ruspoli, 1975: 116 A: TR
brauni Breuning, 1979b: 92 A: TR
bravardi Pic, 1916a: 22 E: AL GR MC
bremeri Breuning, 1981c: 181 A: TR
brenskei Ganglbauer, 1884: 450 [RN] E: GR
aeginasum Pic, 1942c: 6
apicale Kraatz, 1873a: 76 [HN]
nemeense Breuning, 1974g: 151
breuningii Heyrovský, 1943: 78 E: GR TR
brunneicolle Kraatz, 1873: 37 A: IN
casvinense Pic, 1905o: 392
jakovlevi Semenov, 1905: 144
subfulvovestitum Pic, 1914c: 8
brunoi Breuning, 1964c: 31 A: LE
bulgharmaadense Breuning, 1946: 116 A: TR
buressi Štěrba, 1922: 2 E: GR
cachinno J. Thomson, 1867: 120 A: TR
immersum Tournier, 1872: 281
caglayaniceritense Bernhauer & Peks, 2013a: 314 A: TR
caprai caprai Breuning, 1950: 303 A: IN
caprai completetomentosum Breuning, 1974f: 133 (*Pedestredorcadion*) A: IN
carinipenne Pic, 1900g: 13 A: TR
carolisturani Breuning & Ruspoli, 1971: 128 A: TR
caspiense Breuning, 1956j: 723 A: AB
catenatum bleusei Pic, 1899d: 300 E: GR
diversejunctum T. Pic, 1907f: 179
rhodicum Depoli, 1924: 43
catenatum catenatum Waltl, 1838: 469 A: TR

bonyi Pic, 1942b: 1
divisum Germar, 1839: 15
dorsale T. Pic, 1907j: 179
mancum Gistel, 1848: [?] 431 [after Breuning, 1962: 383]
smyrnanum Breuning, 1946: 106
smyrnense Pic, 1917a: 10
sparsedivisum Pic, 1911h: 185
suboblitteratum T. Pic, 1899: 351
thebesianum Pic, 1942a: 1
uninterruptum T. Pic, 1899: 351
catenatum dissimile Ganglbauer, 1884: 458 E: TR
catenatum intercisum Kraatz, 1873a: 66 A: TR
catenatum loratum J. Thomson, 1867: 123 A: TR
catenatum mytilinense Kraatz, 1873a: 66 E: GR
latevittatum Kraatz, 1873a: 66
catenatum oedemischense Heyrovský, 1932: 104 A: TR
chopardi Breuning, 1948c: 60 A: IN
chrysochroum Breuning, 1943b: 95 E: GR
cinctellum Fairmaire, 1866b: 272 A: TR
cinerarium adygorum Lazarev, 2011c: 276 E: ST
cinerarium azovense Lazarev, 2011c: 281 E: UK
cinerarium bartenevi Lazarev, 2011c: 287 E: UK
cinerarium belousovi Lazarev, 2011c: 280 A: AB
cinerarium cinerarium Fabricius, 1787: 140 (*Lamia*) E: CT MD ST UK
rubripes Krynicki, 1832: 160 #134
tricolor Fischer von Waldheim, 1805: 15 (*Lamia*)
cinerarium demidovi Danilevsky, 2013e: 429 E: UK
cinerarium deniz Lazarev, 2011c: 279 A: AB
cinerarium gorodinskii Danilevsky, 1996c: 65 E: UK
cinerarium macropoides Plavilstshikov, 1932b: 183 E: UK
cinerarium napolovi Lazarev, 2011c: 279 A: AB
cinerarium novorossicum Lazarev, 2015: 1109 E: ST #15
cinerarium okhrimenkoi Danilevsky, 2016c: 8 E: ST #201
cinerarium panticapaeum Plavilstshikov, 1951: 116 E: UK
cinerarium papayense Lazarev, 2014a: 277 E: ST
cinerarium perroudi Pic, 1942b: 2 E: UK
cinerarium sindorum Lazarev, 2011c: 284 E: ST
cinerarium skrylniki Lazarev, 2011c: 282 E: UK
cinerarium smetanai Lazarev, 2011c: 281 E: ST
cinerarium terkense Lazarev, 2011c: 276 E: ST
cinerarium veniamini Lazarev, 2011c: 275 E: ST
cinerarium zubovi Lazarev, 2011c: 274 E: MD
cineriferum Suvorov, 1910a: 290 A: AB AR
cingulatoides cingulatoides Breuning, 1946: 122 A: IN
cingulatoides hassani Danilevsky, 2010c: 8 A: IN
cingulatum Ganglbauer, 1884: 484 A: IN TR
invicinum Pic, 1902q: 93
persianum Breuning, 1943b: 94
ciscaucasicum abramovi Lazarev, 2009: 14 E: ST
ciscaucasicum ciscaucasicum Jakovlev, 1899b: 59 E: ST
borodini Suvorov, 1915: 118
ciscaucasicum mokrzeckii Jakovlev, 1902: 148 E: UK
coiffaiti Breuning, 1962a: 392 A: TR
complanatum Ganglbauer, 1884: 485 A: IN
condensatum Küster, 1852: 92 E: BU TR A: TR
adampolum Pic, 1917g: 6
inlineatum Pic, 1917g: 6
punctatissimum Ganglbauer, 1884: 94
confluens Fairmaire, 1866b: 274 A: TR
subobscuripes Pic, 1914c: 9
conspersum Pesarini & Sabbadini, 2013a: 56 A: TR
corcyricum Ganglbauer, 1884: 453 E: GR
crassicolle Pesarini & Sabbadini, 2007b: 57 E: GR
crux Billberg, 1817: 175 (*Lamia*) A: TR
bifidum Chevrolat, 1882: 60
biinterruptum Pic, 1901d: 19
brevedisjunctum Pic, 1929b: 9
cruciator Gistel, 1848a: 131

graecum Waltl, 1838: 470
grandevittatum Pic, 1904b: 7
integrofasciatum K. Daniel, 1900: 140
lateargenteum Pic, 1929b: 9
lunulatum Pic, 1900g: 12
niveopictum K. Daniel, 1900: 140
subfurcatum Pic, 1914c: 9
culminicola J. Thomson, 1867: 122 **A**: TR
czegodaevi Danilevsky, 1992b: 110 **A**: AB
czipkai Breuning, 1973a: 54 **A**: IN
danczenkoi Danilevsky, 1996d: 417 **A**: IN AB
daratshitshagi Suvorov, 1915: 120 **A**: AR
decipiens Germar, 1824: 486 (*Lamia*) **E**: HU MD RO UK YU
jacqueti Pic, 1902c: 10
delagrangei Pic, 1894h: 110 **A**: TR
fuscopubescens Pic, 1900g: 12
mardinense Pic, 1900c: 6
deyrollei *deyrollei* Ganglbauer, 1884: 482 [Bitlis] **A**: TR
deyrollei opacum Pesarini & Sabbadini, 2013a: 54 [Ahir Dag, Akyokuş Geçidi] **A**: TR
dimidiatum dimidiatum Motschulsky, 1838: 186 **A**: AB AR GG IN TR
degaullei Pic, 1948: 13
erivanicum Pic, 1901s: 91
transitorium Pic, 1948: 13
dimidiatum kelkiticum Özdikmen & Hasbenli, 2004: 23 **A**: TR #15
dimidiatum korgei Breuning, 1966b: 21 **A**: TR
discodivisum Pic, 1939c: 21 **A**: IN
dokhtouroffi Ganglbauer, 1886b: 130 **A**: KI **TD** UZ #26
dokhturovi Plavilstshikov, 1958a: 145 [unjustified emendation]
subcostatum Heyden, 1887d: 323
drusoides Breuning, 1962a: 375 **A**: SY TR
drusum Chevrolat, 1870: 84 **A**: IS LE **SY**
apicale Chevrolat, 1873: 205 [HN]
libanoticum Kraatz, 1873a: 100
perrini Fairmaire, 1881: 88
tarabuliense Ganglbauer, 1889d: 481
eflaniense Bernhauer & Peks, 2011a: 205 **A**: TR
elbursense Breuning, 1943b: 93 **A**: IN
elegans Kraatz, 1873a: 73 **E**: KZ ST UK **A**: KZ
vicinum Pic, 1892f: 91
enricisturanii densepunctatum Braun, 1978a: 107 **A**: TR
enricisturanii enricisturanii Breuning & Ruspoli, 1971: 127 **A**: TR
epirenses Breuning, 1942b: 128 **E**: GR
equestre bernhauerorum Peks, 2010: 213 [“provincia turca di Bursa”] **A**: TR [see Özdikmen, 2016d]
equestre bisuturale Jureček, 1933: 128 [type locality: Griechenland, Bos-Dahr-Gebirge bei Drama] **E**: BU GR TR
equestre equestre Laxmann, 1770: 596 (*Cerambyx equestis*) [“Habitat in apricis Russiae australis”] **E**: CT ST UK **A**: GG
cruciatum Fabricius, 1787: 140 [“Rossia australiori”] (*Lamia*)
cruciferum Lepechin, 1774: 231 [south Volga] (*Cerambyx*)
pallassii Fischer von Waldheim, 1805: 14 (*Lamia*)
razumofskii Fischer von Waldheim, 1805: 13 [“Sarepta”] (*Lamia*)
equestre festivum Pesarini & Sabbadini, 2013a: 58 [“1 KmS Karatepe sul massiccio Sündiken Dağları (prov. Eskişehir)”] **A**: TR
equestre nogelli Fairmaire, 1866b: 270 [“Sur le Bosz-Dagh et Ovatschik”] **A**: TR
exclamationis J. Thomson, 1867: 53 - unavailable
nogelii Thomson, 1867: 58 [HN] “Armenia”
equestre reclinatum Kraatz, 1892: 173 [“Balkan”] **E**: AL GR MC YU
immaculatum Kraatz, 1892: 174 [“Balkan”]
equestre transsilvanicum Ganglbauer, 1884: 462 [“Siebenbürgen, Serbien, Walachei”] **E**: BU MD RO
niveoconjunctum T. Pic, 1900c: 352 [“Balkanhalbinsel”]
quadristrigatum Kraatz, 1893: 70 [“Rumänien”]
romaniense T. Pic, 1900c: 352 [“Romania”]
eskipazarense Bernhauer & Peks, 2011a: 203 **A**: TR
etruscum etruscum Rossi, 1790: 147 (*Lamia*) **E**: IT
apenninum Depoli, 1926a: 25
apulium Depoli, 1926a: 25
beieri Pic, 1932d: 18
calabricum Breuning, 1942b: 126
femoratum Brullé, 1832: 259
fuscifrons Chevrolat, 1882: 60
italicum Küster, 1847c: 99
nudum Küster, 1852: 93

romanorum Pic, 1917g: 7
siculum Depoli, 1926a: 25
subiacum Pic, 1917a: 10
etruscum fiorii Breuning, 1942b: 126 **E**: IT
eugeniae emgei Ganglbauer, 1886a: 519 **E**: GR
eugeniae eugeniae Ganglbauer, 1886a: 521 **E**: GR
arcadicum Breuning, 1946: 104
faldermanni Ganglbauer, 1884: 493 **A**: IN
ferruginipes Ménétriés, 1836a: 151 **E**: GR TR **A**: TR
subfuscopubens Pic, 1911a: 7
sublineatum Pic, 1909b: 99
thracicum Küster, 1846b: 90
formosum formosum Kraatz, 1871c: 411 **A**: TR
formosum ponticum Breuning, 1964b: 1 **A**: TR
frustrator Plavilstshikov, 1958a: 172 [RN] **A**: AB
hypocrita Plavilstshikov, 1937a: 27 [HN]
hypocritellum Breuning, 1958b: 29 [RN]
funestum Ganglbauer, 1884: 501 **E**: GR
gallipolitanum atritarse Pic, 1931c: 10 **E**: GR
gallipolitanum fumidum Pesarini & Sabbadini, 2010: 186 **E**: GR
gallipolitanum gallipolitanum J. Thomson, 1867: 59 **E**: GR TR
gandolphei Tournier, 1872: 288
suturaalba Desbrochers des Loges, 1870c: 125
gallipolitanum samothrakeanum Breuning, 1962a: 326 **E**: GR
gashtarovi Sama, Dascalu & Pesarini, 2010: 287 **E**: BU RO
gheisi Bernhauer, 2015: 12 **A**: IN #212
glabricolle Breuning, 1943b: 92 **A**: TR
glaucum glaucum Faldermann, 1837: 277 **A**: ?AB ?AR IN
glaucum lassalei Lazarev, 2015: 1112 **A**: IN #128
glaucum murzinianum Lazarev, 2015: 1113 **A**: IN #128
goelbasiense goelbasiense Bernhauer & Peks, 2013a: 310 **A**: TR
goelbasiense karadutense Bernhauer & Peks, 2013a: 311 **A**: TR
goelbasiense kathaense Bernhauer & Peks, 2013a: 312 **A**: TR
goelbasiense oeksuezdagense Bernhauer & Peks, 2013a: 311 **A**: TR
gorbunovi gorbunovi Danilevsky, 1985: 313, 328, 332 [= 1987: 617] **A**: AB AR
gorbunovi rubenyani Lazarev, 2014a: 278 **A**: AR
gortovannyi Danilevsky, 2017: 323 **A**: TR #234
granigerum Ganglbauer, 1884: 458 **E**: GR
gusakovi Danilevsky, 2007b: 1 **A**: GG
guzeldereense Bernhauer & Peks, 2012: 213 **A**: TR
guzeldereense Bernhauer & Peks, 2013b: 336 [unjustified emendation – Art. 32.5.2.1. (Lazarev, 2014a: 279)]
guezeldereense Bernhauer & Peks, 2013b: 326, 332 [wrong spelling]
hacgedigiense Bernhauer & Peks, 2011b: 216 **A**: TR
haemorrhoidale Hampe, 1852b: 313 **A**: IN TR
halepense halepense Kraatz, 1873a: 72 **A**: SY TR
internotatum Pic, 1931c: 9
internesignatum Pic, 1914f: 79
latealbum Pic, 1926d: 13
latebivittatum Pic, 1931c: 1
halepense sehitkamilense Özdikmen, Mercan & Cihan, 2012c: 604 **A**: TR
hampii aureovittatum Kraatz, 1873a: 81 **A**: TR
hampii hampii Mulsant & Rey, 1863: 157 **A**: TR
heinzi Breuning, 1964b: 1 **A**: TR
heldreichi Kraatz, 1873a: 90 **E**: GR
bilaterale Chevrolat, 1882: 59
presuturale Pic, 1903a: 5
hellmanni Ganglbauer, 1884: 486 **A**: IN IQ TR
holosericeum holosericeum Krynicki, 1832: 159 **E**: BL CT KZ MD PL RO ST UK
rossicum Plavilstshikov, 1927a: 52 [RN]
holosericeum tristriatum Suvorov, 1913: 71 **E**: ST **A**: GG
striatum Dalman, 1817b: 175 (*Lamia*) [HN]
holtzi Pic, 1905g: 115 **A**: TR
iconiense K. Daniel, 1900: 140 [“Asia Minor” - Konya] **A**: TR #63
albicolle Breuning, 1943b: 89 [Konya]
fulvovestitum Pic, 1903a: 5
muchi Breuning, 1962c: 38 [“Çankırı”]
parescherichi Breuning, 1966e: 146 [Çorum: Boğazkale]
semisetosum Jakovlev, 1901a: 85 [Konya] #63

<i>subatritarse</i> Breuning, 1966e: 146 ["Boğazkale" - Turkey: Çorum]	#63		
<i>impressicolle</i> Kraatz, 1873a: 47 A: SY			
<i>indutum</i> Faldermann, 1837: 276 A: AB AR			
<i>infernale asperatum</i> Breuning, 1947e: 169 A: TR [Diarbekir]			
<i>infernale costatidorsum</i> Özdikmen & Koçak, 2016b: 178 A: TR [Konya, Kulu, Kömüşini village env.]	#198		
<i>infernale edremitense</i> Breuning, 1966b: 20 A: TR [Edremit]			
<i>infernale erdemi</i> Özdikmen, Kaya & Al-Hamadani, 2014: 179 A: TR [Çorum]	#36		
<i>infernale infernale</i> Mulsant & Rey, 1863: 158 A: TR [Eskişehir province: Bozdağ]	#36	#198	
<i>immutatum</i> Pic, 1903e: 171 [Bos-Dagh, Eski-Chehir]			
<i>revestitum</i> K. Daniel, 1900: 140 ["Asia Minor"]			
<i>rugosum</i> J. Thomson, 1867: 46 ["Siberia"]			
<i>infernale luteosutura</i> Özdikmen & Koçak, 2016b: 178 A: TR [Karaman province, Ayrancı]	#198		
<i>infernale miminfernale</i> Breuning, 1970d: 98 A: TR [Binboğa Dağları, Kahramanmaraş]			
<i>infernale postalbosuturale</i> Özdikmen & Koçak, 2015: 672 A: TR [Karaman Prov., Elmaşehir distr.]	#36		
<i>inikliense</i> Bernhauer & Peks, 2010b: 208 A: TR			
<i>inopinatum</i> Pesarini & Sabbadini, 2013a: 51 A: TR			
<i>inspersum</i> Holzschuh, 1982a: 76 A: TR			
<i>insulare</i> Kraatz, 1873a: 62 E: GR			
<i>intrusum</i> Pesarini & Sabbadini, 2009: 26 E: TR			
<i>investitum</i> Braun, 1978: 111 A: TR [nomen nudum]			
<i>irakense</i> Al-Ali & Ismail, 1987: 1 A: IQ			
<i>iranicum</i> Breuning, 1947d: 141 A: IN			
<i>ispartense</i> Breuning, 1962a: 394 A: TR			
<i>ispirense</i> Bernhauer & Peks, 2013b: 328 A: TR			
<i>jacovleviellum hinisense</i> Bernhauer & Peks, 2016: 91 ["Hinis"] A: TR	#241	#268	#291
<i>jacovleviellum jacovleviellum</i> Plavilstshikov, 1951: 120 [Erzurum] A: TR			#241
<i>jacovleviellum vartoense</i> Bernhauer & Peks, 2016: 92 ["Varto Sefgeç"] A: TR	#241	#268	#291
<i>janatai</i> Kadlec, 2006b: 11 A: TR			
<i>johannisfranci</i> Pesarini & Sabbadini, 2007b: 40 E: GR TR			
<i>kalashiani</i> Danilevsky, 1992b: 108 A: AB IN			
<i>karacaorenense</i> Bernhauer & Peks, 2012: 211 A: TR			
<i>karacaorenense</i> Bernhauer & Peks, 2013b: 336 [unjustified emendation – Art. 32.5.2.1. (Lazarev, 2014a: 279)]			
<i>karamanense</i> Özdikmen & Koçak, 2013: 672 E: TR			
<i>karsense</i> Suvorov, 1915: 118 A: TR			
<i>kartaldagense</i> Bernhauer & Peks, 2013a: 314 A: TR			
<i>kartalense</i> Lazarev, 2016b: 210 A: TR (Eskisehir prov., Kartal Gecidi)			#190
<i>kasikoporanum</i> Pic, 1902c: 10 A: AR TR			
<i>kazanciense</i> Bernhauer & Peks, 2010a: 197 A: TR			
<i>kharpuense</i> Danilevsky, 1998a: 49 A: IN			
<i>kindermanni</i> Walzl, 1838: 470 A: TR			
<i>griseum</i> Walzl, 1838: 470			
<i>kizilcikense hozatense</i> Bernhauer & Peks, 2015: 452 A: TR			#213
<i>kizilcikense kizilcikense</i> Bernhauer & Peks, 2015: 451 A: TR			#213
<i>kizildagense</i> Bernhauer & Peks, 2012: 212 A: TR			
<i>klavdiae</i> Danilevsky, 1992a: 92 A: GG			
<i>kocgecense kocgecense</i> Bernhauer & Peks, 2015: 448 A: TR			#213
<i>kocgecense yedigoezense</i> Bernhauer & Peks, 2015: 449 A: TR			#213
<i>koechlini</i> Pic, 1898h: 56 A: SY			
<i>komarowi komarowi</i> Jakovlev, 1887a: 155 A: IN TM			
<i>janczyki</i> Breuning, 1963e: 36			
<i>interruptum</i> Jakovlev, 1895: 510			
<i>komarovi</i>, Plavilstshikov, 1932a: 193 [incorrect subsequent spelling] – not available!			
<i>transcasicum</i> Jakovlev, 1901b: 108			
<i>komarowi kryzhanovskii</i> Plavilstshikov, 1958a: 167 A: TM			
<i>konradi</i> Bernhauer & Peks, 2012: 210 A: TR			
<i>kozanii daccordii</i> Pesarini & Sabbadini, 2007b: 42 E: GR			
<i>kozanii kozanii</i> Breuning, 1962a: 318 E: GR			
<i>kraetschmeri</i> Bernhauer, 1988: 98 A: TR			
<i>krueperi</i> Ganglbauer, 1884: 453 E: AL GR MC			
<i>thessalicum</i> Pic, 1942a: 3			
<i>viturati</i> Pic, 1903a: 5			
<i>kuldschanum</i> Pic, 1908b: 4 A: XIN			
<i>albidolimbatus</i> Pic, 1912a: 9 ["Environs de Przewalsk" – wrong locality]			
<i>julduisianum</i> Pic, 1912j: 89			
<i>kuldschanum</i>, Winkler, 1929: 1187 [incorrect subsequent spelling] – not available!			
<i>kuldschanum</i>, Breuning, 1962a: 436 [incorrect subsequent spelling] – not available!			
<i>kuldzhanum</i> Plavilstshikov, 1958a: 282 [unjustified emendation]			

pauli Pic, 1909b: 99
kurdistanum Breuning, 1944a: 12 **A**: TR
kurucanum Holzschuh, 2007: 249 **A**: TR
kykladicum Breuning, 1944a: 13 **E**: GR
ladikanum Braun, 1976b: 173 **A**: TR
ladikense Breuning, 1975c: 10 **[HN]**
paraladikense Breuning, 1977a: 60
laeve laeve Faldermann, 1837: 278 **A**: IN
pernudum Reitter, 1913d: 665
persicum Faldermann, 1837: 282
plasoni Ganglbauer, 1884: 491
laeve hyrcanum Jakovlev, **1899b**: 64 **A**: IN
laeve micula Plavilstshikov, 1937a: 26 **A**: TR
laeve vladimiri Danilevsky & Murzin, 2009a: 13 **A**: AR
lameerei konyaense Özdikmen & Koçak, 2016 **A**: TR **#197**
lameerei lameerei Théry, 1896: 109 **A**: TR
lamiae Breuning, 1962a: 263 **E**: GR
ledouxi Breuning, **1975**: 65 **A**: TR
linderi Tournier, 1872: 285 **A**: TR
henrici Pic, 1905j: 156
kollari Kraatz, 1873a: 87
lineatocolle Kraatz, 1873a: 57 **E**: **AL** BU GR MC YU [**“Saloniki”**] **#11 #166**
atrofemoratum Pic, 1917g: 7
pseudolineatocolle Breuning, 1962a: 334 – [**“Philippi bei Kawalla”**]
riveti Pic, 1927l: 162
sinuaticolle Pic, 1927e: 6
lineatopunctatum Breuning, 1944a: 13 **A**: IN
litigiosum litigiosum Ganglbauer, 1884: 454 **E**: **?MD RO**
litigiosum otshakovi Suvorov, 1913: 81 **E**: UK
ljubetense borisi Heyrovský, 1931: 84 [**“Belasitza-Gebirge”, 41°20'N, 22°57'E**] **E**: BU **?GR MC**
ljubetense heyrovskyi Breuning, 1943b: 97 [Kozuf Planina, 41°9'N, 22°10'E] **E**: GR MC
ljubetense kaimakcalanum Jureček, 1929: 143 [40°55'50"N, 21°47'13"E] **E**: GR MC
ljubetense ljubetense Pic, 1909b: **115** [Mt. Ljuboten, 42°12'24" N, 21°07'10"E] **E**: AL MC YU
ljubetense Breit, 1929a: 206 [HN]
ljubetense peristeriense Breuning, 1962a: 248 **E**: GR [**“Mts. Peristeri” about 39°41'N, 21°07'E**]
lodosi abanozense Bernhauer & Peks, 2010a: 199 **A**: TR
lodosi lodosi Sabbadini & Pesarini, 1992a: 29 **A**: TR
lohsei lohsei Braun, 1976c: 254 [Karaman env, Sertavul pass] **A**: TR
lohsei taskentense Bernhauer & Peks, 2016: 89 [Konya, Taşkent] **A**: TR **#241 #268**
longulum Breuning, 1943b: 89 **A**: TR
lugubre lugubre Kraatz, 1873a: 41 **E**: **?BU GR MC** [described from Saloniki]
discosulcatum Pic, 1926d: 1
pseudolugubre Breuning, 1943b: 96 [**“Karatschköi” = Dioni 40°58'45"N, 25°33'46"E or Asvestohori” - 40°38'27"N, 23°1'27"E**]
salonicum Pic, 1916a: 22
sparsepilosum Pic, 1926d: 13 [**“Salonique”**]
lugubre meteorum Breuning, 1969b: 42 **E**: GR [Meteora]
lugubre minkovae Heyrovský, 1962b: 225 **E**: BU [Kresna] [see: Danilevsky, 2014c: 252]
lugubre parinfernale Breuning, 1975c: 10 **E**: GR [Kavala]
giachinoi Pesarini & Sabbadini, 2007b: 45 [Oros Kavala]
lugubre thessalicum Pic, 1916a: 22 **E**: GR [**“Thessalie”; Pella (Notia - 41°6'6"N, 22°12'30"E) e Kilikis (Fanos - 41°4'46"N, 22°28'39"E)**]
pelionense Breit, 1923: 145 [Mt. Pelion - 39°26'N, 23°03'E]
macedonicum Jureček, 1929: 143 **E**: AL MC
glabriscapus Breuning, 1943b: 97
maceki Holzschuh, 1995: 41 **A**: TR
macropus Kraatz, 1873a: 99 [**“Amasya”**] **A**: TR **#190**
amasinum Pic, 1898h: 58 [Amasya] **#190**
atripes Reitter, 1900a: 88 [Amasya] **#190**
obscurans Pic, 1892f: 91 [Amasya] **#190**
marandense Holzschuh, 2007: 248 **A**: IN
martini Bernhauer, 1988: 100 **A**: TR
mediterraneum Breuning, 1942b: 125 **E**: IT
megriense Lazarev, 2009: 212 **A**: AR
menradi aksarayense Lazarev, 2016b: 212 (May) **A**: TR (E Aksaray prov., Gukunkaya and Konya prov., Dinek) **#190**
menradi menradi Holzschuh, 1989a: 172 **A**: TR
menradi pilosicollis Özdikmen & Koçak, 2016 (June) **A**: TR (Karaman) **#197**
merkli Ganglbauer, 1884: 506 **A**: TR

<i>meschniggi</i> Breit, 1929a: 205	E: GR		
<i>disconigrolineatum</i> Heyrovský, 1940: 59			
<i>olympianum</i> Meschnigg, 1947: 137			
<i>mesopotamicum</i> Breuning, 1944a: 12	A: IQ TR		
<i>micans micans</i> J. Thomson, 1867: 61	[“Armenien” –Anatolia] A: TR	#61	#190
<i>corallicorne</i> Pic, 1904a: 4	[Ankara]		
<i>sericatum</i> Kraatz, 1873a: 98	[“Caucasus” according to Breuning (1962): “Ankara, Brussa”]	#190	
<i>subobesum</i> Pic, 1942b: 2	[“Amasia”]		
<i>micans subvestitum</i> K. Daniel, 1900: 140	A: TR	#190	
<i>subreductum</i> Pic, 1942b: 2	[“Asie M ^{re} ”]	#190	
<i>minutum atticum</i> Kraatz, 1873a: 72	E: GR [Evia]		
<i>luteovittatum</i> Pic, 1942a: 1			
<i>multinigrnotatum</i> Pic, 1927e: 6			
<i>minutum mimarenarium</i> Breuning, 1974g: 152	E: GR [Fthiotida, Evritania, Fokida - Pesarini&Sabbadini]		
<i>minutum minutum</i> Kraatz, 1873a: 76	E: GR [Attiki, Fokida, Fthiotida, Viotia]		
<i>irroratum</i> Kraatz, 1873a: 76			
<i>minutum rugicolle</i> Breuning, 1962a: 263	E: GR [oberhalb der Thermopylen]		
<i>mniszечи cavernosum</i> Lazarev, 2014b: 701	A: AR TR	#8	
<i>mniszечи georgianum</i> Lazarev, 2014b: 701	A: GG	#8	
<i>mniszечи mniszечи</i> Kraatz, 1873a: 39	A: AR IN TR	#8	
<i>moldavicum</i> Dascalu & Fusu, 2012: 39	E: RO		
<i>moreanum</i> Pic, 1907c: 12	E: GR		
<i>morozovi</i> Danilevsky, 1992a: 94	A: KZ XIN		
<i>mosulense</i> Özdikmen, Al-Hamadani & Ali, 2013: 1	A: TR		
<i>multimaculatum</i> Pic, 1932d: 22	A: TR		
<i>murrayi</i> Küster, 1847a: 84	E: RO YU		
<i>montandoni</i> Pic, 1902c: 9			
<i>triste</i> Petri, 1885: 56			
<i>murzini</i> Danilevsky, 2015: 221	A: TR	#82	
<i>musarti</i> Pic, 1907f: 104	A: XIN		
<i>narlianum</i> Özdikmen, Mercan & Cihan, 2012b: 550	A: TR		
<i>neslihanbalae</i> Özdikmen, 2019b: 19	A: TR	#419	
<i>nigrostriatum</i> Adlbauer, 1982: 104	A: TR		
<i>nigrosuturatum</i> Reitter, 1897b: 236	A: AR		
<i>griseipenne</i> Breuning, 1943b: 92			
<i>nitidum</i> Motschulsky, 1838: 185	A: AB AR GG TR		
<i>suturatum</i> Ferrari, 1865: 481			
<i>niveisparsum</i> J. Thomson, 1865a: 548	A: GG TR		
<i>cretosum</i> Ferrari, 1865: 479			
<i>postobliteratum</i> Pic, 1942c: 1			
<i>sobrinum</i> Pic, 1898h: 55			
<i>nobile altinyaylaense</i> Bernhauer & Peks, 2014b: 106	A: TR	#70	#416
<i>nobile blandulum</i> Holzschuh, 1977a: 131	A: TR		#416
<i>nobile elazigi</i> Fuchs & Breuning, 1971: 439	A: TR		#416
<i>holzshuhi</i> Breuning, 1974g: 148			
<i>nobile gencense</i> Bernhauer & Peks, 2014b: 110	A: TR	#70	#416
<i>nobile hanneloreae</i> Bernhauer & Peks, 2014b: 107	A: TR	#70	#416
<i>nobile ivani</i> Pesarini & Sabbadini, 2011: 47	A: TR [Mus, 38° 54' 43" N, 40° 38' 16" E]		#416
<i>nobile musense</i> Bernhauer & Peks, 2014b: 109	A: TR	#70	#416
<i>nobile nihale</i> Rapuzzi & Sama, 2012: 671	A: TR		#416
<i>nobile nobile</i> Hampe, 1852b: 313	A: TR	#70	#416
<i>nobile plavilshchikovi</i> Lazarev, 2019b: 19	A: AB ?IN		#416
<i>nobile rapuzzisamai</i> Lazarev, 2019b: 14	A: TR		#416
<i>nobile sarkislaense</i> Bernhauer & Peks, 2014b: 105	A: TR	#70	#416
<i>nobile semivelutinum</i> Kraatz, 1873a: 82	A: ?IN TR	#70	#416
<i>nurense</i> Danilevsky & Murzin, 2009a: 20	A: IN		
<i>obenbergeri</i> Heyrovský, 1940: 58	E: GR		
<i>marani</i> Heyrovský, 1940: 59			
<i>obtusicolle</i> Pic, 1926d: 2	A: XIN		
<i>obtusum marashense</i> Breuning, 1948c: 59	A: TR		
<i>obtusum obtusum</i> Breuning, 1944a: 13	A: TR		
<i>oetalicum</i> Pic, 1902f: 19	E: GR		
<i>oezdurali</i> Önalp, 1988: 361	A: TR		
<i>olympicum convexum</i> Breuning, 1943b: 90	A: TR		
<i>olympicum flavosuturale</i> Krätschmer, 1987: 340	A: TR		
<i>olympicum olympicum</i> Kraatz, 1873a: 78	A: TR	#62	
<i>obsoletum</i> Kraatz, 1873a: 78		#62	

oreophilum Ganglbauer, 1884: 500
subalpinum Kraatz, 1873a: 78
ortrudae Braun, 1978b: 185 **A: TR**
ossae Heyrovský, 1941c: 79 **E: GR**
ossaum Meschnigg, 1947: 137
ovacikense Bernhauer & Peks, 2015: 449 **A: TR** #213
paracinerarium Breuning, 1974g: 149 **A: TR** ["Mut, Sertavulpass" 36°54'57.60"N, 33°16'1.20"E] #61
paramicans kalechikense Lazarev, 2016b: 212 **A: TR** (Ankara prov., Kozayagi NW Kalecik) #190
paramicans keskiense Lazarev, 2016b: 212 **A: TR** (Kirikkale prov., Keskin) #190
paramicans paramicans Lazarev, 2016b: 210-211 **A: TR** (Çorum prov. and north Yozgat prov.) #190
pararenarium Breuning, 1969b: 42 **E: GR**
pararufipenne pararufipenne Braun, 1976c: 257 **A: TR**
pararufipenne rassei Braun, 1976c: 261 **A: TR**
parceapicatum Pesarini & Sabbadini, 2013b: 41 **E: TR** #180
parcepunctatum Breuning, 1948c: 60 **A: IN**
parilis Pesarini & Sabbadini, 2013a: 52 **A: TR**
parnassi Kraatz, 1873a: 72 **E: GR**
oertzeni Ganglbauer, 1884: 454
pasquieri Breuning, 1975 [in the Catalogue: 1974c]: 65 **A: IN**
pavesii Pesarini & Sabbadini, 1999: 57 **A: TR**
pedestre pedestre Poda von Neuhaus, 1761: 34 (*Cerambyx*) **E: AL AU BH BU CR CZ HU MC MD RO SK SL TR UK YU** #113
~~*austriacum* Ganglbauer, 1889d: 481 (nomen nudum)~~
gogium J. Thomson, 1867: 125
~~*molitor* L. Redtenbacher, 1849: 496 [HN]~~
ruficorne Pic, 1931c: 10
rufipes Fabricius, 1793: 288 (*Lamia*)
zoufali Tippmann, 1958b: 156
pedestre kaszabi Breuning, 1956e: 404 **E: HU**
peksi Bernhauer, 2010: 190 **A: TR**
peloponesium Pic, 1902c: 10 **E: GR**
subjunctum Pic, 1904b: 7
weiratheri Pic, 1929b: 9
peloponnesicum Breuning, 1982b: 146 **E: GR**
pergamenum Pesarini & Sabbadini, 2009: 22 **A: TR**
petrovitzii Heyrovský, 1964b: 97 **A: TR**
pilosellum obscurimembre Breuning, 1946: 110 **E: GR**
pilosellum pilosellum Kraatz, 1873a: 58 **E: GR**
pilosipenne kazdagense Özdikmen, 2013: 56 in Küçükayık et al., 2013 **A: TR**
pilosipenne pilosipenne Breuning, 1943b: 90 **E: GR**
pilosum Breuning, 1943: 91
pindicum Breuning, 1966c: 4 **E: GR**
piochardi Kraatz, 1873a: 85 **A: TR**
elongatum Pic, 1898h: 58
ladikense Breuning & Villiers, 1967a: 60 (*Pedestredorcadion*)
mauricei Plavilstshikov, 1927a: 51 [RN]
quadripustulatum Ganglbauer, 1884: 457
pelops Jakovlev, 1901a: 83
roberti Pic, 1905a: 11
theophilei Pic, 1901h: 32 [HN]
varievittatum Pic, 1942a: 1
pittinorum paraullrichi Lazarev, 2016b: 216 **A: TR** (prov., Sülüklü and Mecitözü env.) #190
pittinorum pittinorum Pesarini & Sabbadini, 1999: 48 **A: TR** #190
pluto J. Thomson, 1867: 47 **A: TR**
poleti Breuning, 1948c: 59 **A: TR**
ponomarenkoi Danilevsky, 2010c: 6 **A: AB**
praetermissum mikhaili Özdikmen, 2010: 457 **A: TR**
praetermissum praetermissum Pesarini & Sabbadini, 1999: 47 **A: TR**
preissi Heyden, 1894b: 86 **A: TR**
pseudarcivagum Breuning, 1943b: 91 **A: TR**
pseudinfernale Breuning, 1943b: 94 **A: TR**
pseudobithyniense Breuning, 1962a: 465 **A: TR**
pseudocinctillum Breuning, 1943b: 90 **A: TR**
pseudoholosericeum Breuning, 1962a: 300 **A: TR**
pseudonobile Breuning, 1946: 120 **A: IN**
pseudopreissi Breuning, 1962a: 411 **A: TR**
pulchrum Pic, 1908i: 58 **A: AB** [see: Danilevsky, 2012k]
punctipenne Küster, 1852: 94 **E: GR** **A: TR** ["Kleinasien"]
distinguendum Pic, 1931c: 10 ["Macédoine"]

<i>gebzeense</i> Breuning, 1974g: 148 [Gebze, Kocaeli]	#59
<i>punctulatum</i> Pesarini & Sabbadini, 2013a: 57 A: TR	
<i>punctulicolle</i> Breuning, 1944a: 12 A: TR	
<i>purkynei</i> Heyrovský, 1925: 45 E: GR MC	
<i>pusillum berladense</i> Pic, 1903a: 7 E: RO	
<i>pusillum ochroleineatum</i> Dascalu, 2018: 50 E: RO	#365
<i>pusillum pusillum</i> Küster, 1847a: 90 E: MD RO UK	
<i>pusillum tanaiticum</i> Kasatkin, 2002: 277 E: ST	
<i>pusillum vasiliscus</i> Dascalu, 2018: 50 E: RO	#365
<i>pygmaeum</i> Breuning, 1947e: 168 A: TR	
<i>quadripustulatum</i> Kraatz, 1873a: 88 A: TR	
<i>rarepunctatum</i> Lazarev, 2016b: 211 A: TR (Kayseri prov., 4km westwards Sariz)	#190
<i>regulare dramaticum</i> Pesarini & Sabbadini, 2010: 190 E: GR	
<i>regulare regolare</i> Pic, 1931c: 6 E: BU GR TR	
<i>reitteri</i> Ganglbauer, 1884: 492 A: GG	
<i>resadiyeense</i> Bernhauer & Peks, 2011b: 219 A: TR	
<i>ressli</i> Holzschuh, 2007: 246 A: IN	
<i>rezai</i> Danilevsky, 2018: 589 A: IN	#371
<i>rigattii</i> Breuning, 1966e: 145 A: TR	
<i>ringenbachi</i> Rapuzzi & Sama, 2018: 21 A: IQ	#332
<i>rizeanum</i> Breuning & Villiers, 1967b: 60 (<i>Pedestredorcadion</i>) A: TR	
<i>ikizderense</i> Breuning, 1973a: 54	
<i>robustum</i> Ganglbauer, 1884: 500 A: TR	
<i>rolandmenradi</i> Peks, 1992: 197 A: TR	
<i>rosti</i> Pic, 1900s: 82 A: GG TR	
<i>kalinowskyi</i> König, 1901: 10	
<i>rufoapicipenne</i> Breuning, 1946: 125 [Baiburt] A: TR	
<i>rufoapicale</i> Breuning, 1943b: 91 [HN]	
<i>rufogenum discofla vovitatum</i> Breuning, 1946: 129 A: XIN	
<i>rufogenum rufogenum</i> Reitter, 1895c: 161 A: KZ XIN	
<i>posticejunctum</i> Pic, 1909b: 99	
<i>sabanoezueense</i> Bernhauer & Peks, 2013b: 326 A: TR	
<i>sapkaiantum</i> Krätschmer, 1987: 337 E: GR	
<i>sareptanum kubanicum</i> Plavilstshikov, 1934d: 120 E: ST	
<i>sareptanum estriatum</i> Suvorov, 1913: 72 E: ST	#192
<i>sareptanum euxinum</i> Suvorov, 1915: 119 E: ST [see Danilevsky (2013g: 14)]	
<i>sareptanum sareptanum</i> Kraatz, 1873a: 74 E: KZ ST A: KZ	
<i>sareptanum striatiforme</i> Suvorov, 1913: 73 E: ST	
<i>sauleyi javeti</i> Kraatz, 1873a: 91 [Akbez?] A: SY TR	#58
<i>destinoi</i> Fairmaire, 1884b: 173 [Akbez]	
<i>tabense</i> Pic, 1931c: 1 ["Syria: Aïn-Tab" – Turkey, Gaziantep]	
<i>univestitum</i> Pic, 1903a: 5 [Akbez]	
<i>sauleyi sauleyi</i> J. Thomson, 1865a: 549 ["Syria"] A: ?SY TR	#58
<i>adanense</i> Pic, 1904a: 4 [Adana]	
<i>bilatevittatum</i> Pic, 1927: 167 [Aleppo]	
<i>fenestratum</i> Pic, 1895i: cclxxxiv ["Syria: Aïn-Tab" – Turkey, Gaziantep]	
<i>simile</i> Kraatz, 1884b: 234 [Malatia]	
<i>subelongatum</i> Pic, 1931c: 1 [Akbez]	
<i>scabricolle antonkozlovi</i> Danilevsky, 2017: 324 A: TR	#234
<i>scabricolle balikesirens</i> Breuning, 1962a: 460 A: TR	
<i>scabricolle caramanicum</i> K. Daniel & J. Daniel, 1903b: 332 A: TR	
<i>scabricolle corpulentum</i> Ménétériés, 1832: 226 A: AB IN	
<i>scabricolle crassofasciatum</i> Özdikmen in Küçükkaykı et al., 2013: 56 A: TR	
<i>scabricolle dobrovljanskii</i> Suvorov, 1915: 116 A: AB	#226
<i>scabricolle gilanense</i> Lazarev, 2013a: 227 A: IN	
<i>scabricolle elisabethpolicum</i> Suvorov, 1915: 119 A: AB	
<i>micheli</i> Pic, 1948: 13	
<i>scabricolle nakhiczevanum</i> Danilevsky, 1999a: 28 A: AB	
<i>scabricolle paiz</i> Danilevsky, 1999a: 28 A: AB	
<i>scabricolle paphlagonicum</i> Breuning, 1962a: 459 A: TR	
<i>scabricolle sagezense</i> Lazarev, 2013a: 227 A: IN	
<i>scabricolle scabricolle</i> Dalman, 1817b: 174 (<i>Lamia</i>) A: AB AR GG TR	
<i>lutescens</i> Kraatz, 1873a: 50	
<i>modestum</i> Tournier, 1872: 338	
<i>scabricolle skoupyi</i> Lazarev, 2013a: 226 A: IN	
<i>scabricolle sevangense</i> Reitter, 1889a: 41 A: AR	
<i>scabricolle subcorpulentum</i> Breuning, 1946: 121 A: IN	

scabricolle uludaghi Breuning, 1970d: 98 **A: TR**
scabricolle yahyalense Bernhauer & Peks, 2011b: 217 **A: TR** #234
schultzei Heyden, 1894b: 86 **A: TR**
scopolii Herbst, 1784: 91 (*Lamia*) **E: BU CR CZ HU MD PL RO SK UK YU**
convexicollis Küster, 1852: 91
germanicum Gmelin, 1790: 1835 (*Cerambyx*)
interclarepubens Breuning, 1956e: 404
lineatum Fabricius, 1787: 141 (*Lamia*)
ungaricum Gmelin, 1790: 1836 (*Cerambyx*)
scrobicollis morulum Holzschuh, 1995: 42 **A: TR**
scrobicollis scrobicollis Kraatz, 1873a: 97 **A: TR**
sebenense Bernhauer & Peks, 2011a: 202 **A: TR**
semenovi almatense Danilevsky, 2002: 5 **A: KZ**
semenovi flavopubescens Danilevsky, 2002: 13 **A: XIN**
semenovi hauseri Reitter, 1895c: 160 **A: KI**
semenovi issykkulense Pic, 1906h: 96 **A: KI**
bisbicostatum Pic, 1908i: 52
semenovi kaiduense Danilevsky, 2002: 14 **A: XIN**
semenovi kuvakense Danilevsky, 2002: 16 **A: KI**
semenovi semenovi Ganglbauer, 1884: 479 **A: KI KZ XIN**
semenovi terskeicum Danilevsky, 2002: 4 **A: KI**
semenovi thaisiae Danilevsky, 2002: 16 **A: KI**
semenovi uriuktense Danilevsky, 2002: 9 **A: KI**
semiargentatum burdushense Danilevsky & Murzin, 2009b: 14 **A: IN**
semiargentatum ortrudheinzae Danilevsky, 1998a: 51 **A: IN**
semiargentatum sarabense Holzschuh, 1993a: 46 **A: IN**
semiargentatum sementivum Danilevsky & Murzin, 2009b: 6 **A: IN**
semiargentatum semiargentatum Pic, 1905n: 300 **A: IN**
descampsi Villiers, 1967: 339 (*Pedestredorcadion*)
shiita Plavilstshikov, 1951: 118
semibrunneum mediocreimpressum Pic, 1909b: 123 **A: TR** [♀20mm type label: "Anamas Gbg."] #8
anamatum Pic, 1934g: 33
~~*medioimpressum* Pic, 1910b: 5~~ [incorrect subsequent spelling - **unavailable**] #8
semibrunneum notatum Pesarini & Sabbadini, 2013a: 62 **A: TR**
semibrunneum semibrunneum Pic, 1903q: 170 **A: TR** [type labels: Eski-Chehir, Bos-Dagh]
semibrunneum sivasense Özdikmen H. 2016b: 307 **A: TR** #225
semibrunneum sivrihisarense Özdikmen H. 2016b: 308 **A: TR** #225
semilineatum Fairmaire, 1866b: 273 **A: TR**
semilucens Kraatz, 1873a: 84 **A: AB AR**
mesmini Pic, 1903n: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino"] #16
seminudum Kraatz, 1873a: 83 **A: AB AR**
~~*impuncticollis* Breuning, 1946: 120~~ – unavailable, described as morph
impuncticollis Breuning, 1962: 452
nachycevanicum Breuning, 1943b: 92
septemlineatum abanti Braun, 1976a: 54 **A: TR**
septemlineatum demirciense Breuning, 1966b: 19 **A: TR**
septemlineatum novemlineatum Kraatz, 1873a: 61 **A: TR**
forcipiferum Kraatz, 1873a: 60
septemlineatum octolineatum Kraatz, 1873a: 61 **A: TR**
septemlineatum septemlineatum Waltl, 1838: 469 **E: BU GR TR**
apicale J. Thomson, 1865a: 549
rufopapiale Pic, 1942a: 2
sericatum C. R. Sahlberg, 1823: 53 **E: UK**
velutinum Kraatz, 1873a: 96 #133
serouense Kadlec, 2006b: 8 **A: IN**
sevliczi Danilevsky, 1985: 328 [= 1987: 618] **A: AR**
shestopalovi Danilevsky, 1993b: 9 **A: GG**
shirvanicum azerbajdzhanicum Plavilstshikov, 1937a: 25 **A: AB**
shirvanicum shirvanicum Bogatchev, 1934: 70 **A: AB**
shushense Lazarev, 2010: 3 **A: AB**
sinopense Breuning, 1962a: 299 **A: TR**
sinuatevittatum Pic, 1937c: 6 **A: TR**
brevemediolineatum Pic, 1942c: 6
isianense Lazarev, 2009: 210 **A: AR**
skoupyorum Bernhauer & Peks, 2014a: 191 [RN] **A: TR**
skoupyi Bernhauer & Peks, 2013b: 326 [HN]
sodale blumenthali Breuning, 1966b: 20 **A: TR**

<i>sodale sodale</i> Hampe, 1852b: 313 A : ?GG TR		
<i>sodale soganliense</i> Bernhauer & Peks, 2016: 92 A : TR	#241	#27
<i>sodale trapesunticum</i> Breuning, 1946: 124 A : TR	#241	#268
<i>sokolowi</i> Jakovlev, 1899a: 150-151 A : KZ XIN		
<i>anymon</i> Jakovlev, 1906c: 276		
<i>apicipenne</i> Jakovlev, 1899b: 61		
<i>conicolle</i> Breuning, 1946: 130		
<i>dsungaricum</i> Pic, 1907f: 104		
<i>jacobsoni</i> Jakovlev, 1899c: 243		
<i>melancholicum</i> Pic, 1907g: 111 (“Même origine que la forme type”, but the name was used as valid by Suvorov, 1913: 70)		
<i>merzbacheri</i> Breuning, 1946: 130		
<i>sokolovi</i> Winkler, 1929: 1185 [unjustified emendation]		
<i>sonjae</i> Peks, 1993: 5 A : TR		
<i>spectabile</i> Kraatz, 1873a: 38 A : IN		
<i>steineri</i> Holzschuh, 1977a: 129 A : TR		
<i>stephaniae</i> Pesarini & Sabbadini, 2004c: 142 E : GR		
<i>striolatum</i> Kraatz, 1873a: 93 A : ?AB AR GG ?IN TR		
<i>masculinum</i> Plavilstshikov, 1927a: 51 [RN]		
<i>obesum</i> Tournier, 1872: 340 [HN]		
<i>suramense</i> Breuning, 1946: 98 [RN]		
<i>sturmii</i> Frivaldszky von Frivald, 1837: 179 E : BU MC TR		
<i>subcinctellum</i> Breuning, 1962a: 275 A : TR		
<i>subdivisum</i> Breuning, 1955d: 263 A : TR	#190	
<i>subinterruptum</i> Pic, 1900g: 12 E : TR A : TR		
<i>indivisum</i> Pic, 1900g: 12		
<i>subsericatum majus</i> Breuning, 1962a: 371 A : TR		
<i>subsericatum rufipenne</i> Breuning, 1946: 118 A : TR		
<i>cankiriense</i> Breuning, 1962c: 39		
<i>subsericatum subsericatum</i> Pic, 1901b: 12 A : TR		
<i>paphlagoniense</i> Breuning, 1944a: 12		
<i>subsericatum vulneratum</i> Pesarini & Sabbadini, 1999: 51 A : TR		
<i>sulcipenne argonauta</i> Suvorov, 1913: 74 A : AR GG TR		#21
<i>kurda</i> Suvorov, 1913: 76		
<i>pallesceus</i> Suvorov, 1913: 75		
<i>sulcipenne caucasicum</i> Küster, 1847c: 98 A : AR GG		
<i>impressicorne</i> Tournier, 1872: 282		
<i>sulcipenne borzhomiense</i> Danilevsky, 2014g: 677 A : GG		#21
<i>sulcipenne demokidovi</i> Suvorov, 1915: 115 A : GG		#21
<i>sulcipenne gorktshanum</i> Suvorov, 1915: 117 A : AR		
<i>armenum</i> Suvorov, 1915: 117		
<i>sulcipenne gubini</i> Danilevsky, 2014g: 674 A : GG		#21
<i>sulcipenne maljushenkoi</i> Pic, 1904b: 8 A : AB		#21
<i>sulcipenne paki</i> Danilevsky, 2014g: 674 A : GG		#21
<i>sulcipenne plyushchi</i> Danilevsky, 2014g: 673 A : GG		#21
<i>sulcipenne sulcipenne</i> Küster, 1847a: 87 A : GG		
<i>sulcipenne zekariense</i> Danilevsky, 2014g: 678 A : GG		#21
<i>susheriense</i> Breuning, 1970d: 97 A : TR [“au Sud de Susheri [Susehri]” - Sivas]	#190	
<i>syriense</i> Breuning, 1943b: 94 A : ?SY TR		
<i>taborskyi</i> Heyrovský, 1941d: 149 E : GR		
<i>joanninae</i> Breuning, 1967a: 1		
<i>lianokladii</i> Breuning, 1962a: 255		
<i>margheritae</i> Breuning, 1964c: 32		
<i>wewalkai</i> Breuning, 1974g: 150		
<i>talyschense sabalanum</i> Lazarev, 2017b: 880 A : AB IN		#312
<i>ardebiense</i> Pic, 1905n: 301 (unavailable name)		
<i>morgani</i> Pic, 1905n: 301 (unavailable name)		
<i>talyschense talyschense</i> Ganglbauer, 1884: 491 A : AB IN		
<i>posticeinterruptum</i> Pic, 1900g: 12		
<i>talyschense</i> Plavilstshikov, 1958a: 234 [unjustified emendation]		
<i>tassii</i> Breuning, 1964c: 32 E : GR		
<i>tauricum pittinoi</i> Pesarini & Sabbadini, 2010: 185 E : GR		
<i>tauricum tauricum</i> Waltl, 1838: 468 E : BU GR MD RO TR UK		
<i>nigritarse</i> Kraatz, 1873a: 77		
<i>taygetanum</i> Pic, 1902c: 10 E : GR		
<i>tebriscum</i> Plavilstshikov, 1951: 119 A : IN		
<i>tekmanense</i> Bernhauer & Peks, 2016: 89 A : TR		#241
<i>tekmenense</i> Bernhauer & Peks, 2016: 89 (misprint – unavailable name)		#241
<i>theophilei costiferum</i> Pic, 1898h: 57 [“Trebizonde”] A : TR	#241	#268

theophilei kostandagense Bernhauer & Peks, 2016: 91 [Kostandağ pass] **A: TR** #241 #268
theophilei theophilei Pic, 1898h: 57 [“Trebizonde”] **A: TR**
kadlecii Bernhauer & Peks, 2016: 90 [Zigana pass above Trabzon] #241 #268
tokatense niksarense Bernhauer & Peks, 2013b: 327 **A: TR** #190
tokatense tokatense Pic, 1901b: 12 [Tokat] **A: TR** #190
tuerki Ganglbauer, 1884: 486 **A: IN**
curtulum Pic, 1906f: 50
[?] *lundbladi* Breuning, 1947d: 141 [“Transcaucasie: Achal-Zich” - Akhaltsikhe]
tuleskovi Heyrovský, 1937a: 30 **E: GR**
frigidum Meschnigg, 1947: 137
olympicola Heyrovský, 1941d: 148
turcicum Breuning, 1963e: 35 **A: TR**
turkestanicum Kraatz, 1881: 335 **A: KI KZ TD UZ** #25
samarkandiae Breuning, 1946: 130
ullrichi Bernhauer, 1988: 102 **A: TR**
urmianum Plavilstshikov, 1937a: 27 **A: IN TR**
ursulaheinzi Bernhauer, 2015: 13 **A: IN** #212
valonense Pic, 1917g: 6 **E: AL**
apfelbecki Winkler, 1929: 1188
valonense Apfelbeck, 1923: 145
variegatum Ganglbauer, 1884: 502 **A: SY TR**
varium Pesarini & Sabbadini, 2014: 19 **A: TR** #259
veluchense albanicum Heyrovský, 1934b: 135 **E: AL** #180
veluchense australe Pesarini & Sabbadini, 2013b: 39 **E: GR** #180
veluchense maliacum Pesarini & Sabbadini, 2013b: 40 **E: GR** #180
veluchense veluchense Pic, 1903a: 6 **E: GR**
vincenzae Pesarini & Sabbadini, 2007b: 60 **E: GR**
wagneri karayaziense Bernhauer & Peks, 2016: 90 [“15 km ö. Karayazı Köyçegizgeç, ca 130 km sö. Erzurum”] **A: TR** #241 #268
wagneri wagneri Küster, 1846b: 87 [“Araratgebirge”] **A: AR GG TR**
solyzinusum Pic, 1942b: 2 #16
weyersii Fairmaire, 1866b: 271 **A: TR**
aeolense Pic, 1942b: 1
weyersii Thomson, 1867: 51 – “Armenia”
xerophilum Pesarini & Sabbadini, 2007b: 54 **E: GR**
yilmazi Özdikmen & Kaya, 2016: 21 **A: TR** #156 #253
zanteum Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) **E: GR**
subgenus Dorcadion Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773
Compsodorcadion Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873
abakumovi abakumovi J. Thomson, 1865a: 548 **A: KZ**
abakumovi laterale Jakovlev, 1895: 287 **A: KZ**
abakumovi lepsyense Danilevsky, 2004b: 5 **A: KZ**
abakumovi sarkandicum Danilevsky, 2004b: 4 **A: KZ**
aizhanae Kadyrbekov, 2004: 94
alakoliense Danilevsky, 1988a: 12 **A: KZ**
cephalotes Jakovlev, 1889: 252 (*Compsodorcadion*) **A: KZ XIN**
alexii Suvorov, 1915: 121 (*Compsodorcadion*)
crassipes crassipes Ballion, 1878: 368 **A: KZ**
crassipes glazunovi Suvorov, 1910b: 69 **A: KZ XIN**
crassipes validipes Jakovlev, 1906c: 279 **A: KI XIN**
chantengrii Breuning, 1943b: 95
robustissimum Pic, 1908i: 35
ganglbaueri ganglbaueri Jakovlev, 1898: 676, 677 **A: KZ**
ganglbaueri paveli Danilevsky, 2013h: 35 **A: KZ**
gebleri demimetrum Danilevsky, 1996a: 3 **A: KZ**
gebleri gebleri Kraatz, 1873a: 33 **A: KZ XIN**
jakovlevianum Suvorov, 1911a: 60
occidentale Breuning, 1947e: 164
pallasii Gebler, 1833: 303 [HN] (nomen nudum)
pallasii Gebler, 1848a: 402 [HN] (not *pallasii* Fischer von Waldheim, 1805)
— *tryphthis* Suvorov, 1911a: 61
zaisanense Suvorov, 1911a: 61
gebleri lukhtanovi Danilevsky, 1996a: 4 **A: KZ**
gebleri takyr Danilevsky, 1996a: 5 **A: KZ**
glycyrrhizae androsovi Suvorov, 1909b: 93 **A: KZ**
dalilae Kadyrbekov, 2004: 94 #31
— *barsukorum* Suvorov, 1909b: 95
— *rufiscapus* Suvorov, 1909b: 95

glycyrrhizae chivilini Danilevsky, 2012a: 46 **A: KZ**
glycyrrhizae dostojewskii Semenov, 1899d: 655 **A: KZ**
glycyrrhizae dubianskii Jakovlev, 1906c: 278 **E: KZ-ST A: KZ WS**
glycyrrhizae eugenyi Abramov, 2015: 39 **A: KZ** #99
glycyrrhizae fedorenkoi Danilevsky, 2001c: 17 **A: KZ**
glycyrrhizae galinae Danilevsky, 2001c: 23 **A: KZ**
glycyrrhizae glycyrrhizae Pallas, 1773: 723 (*Cerambyx*) **E: ?ST KZ A: ?KZ**
glycyrrhizae Fabricius, 1781: 222 (*Lamia*) [unjustified emendation]
glycyrrhizae guberlense Danilevsky, 2006a: 19 **A: WS**
glycyrrhizae inderiense Suvorov, 1911a: 69 **E: KZ A: KZ**
~~— *penicrum* Suvorov, 1911a: 70 [unavailable name]~~
glycyrrhizae ishkarganum Danilevsky, 2009: 69 **A: WS**
glycyrrhizae korshikovi Danilevsky, 2006a: 9 ~~**E: ST**~~ **A: KZ WS**
glycyrrhizae murati Danilevsky, 2013f: 434 **A: KZ**
glycyrrhizae nemkovi Danilevsky, 2006a: 15 **E: ST KZ A: KZ**
glycyrrhizae nikireevi Danilevsky, 2001c: 19 **A: KZ**
glycyrrhizae obtusipenne Motschulsky, 1860d: 538 [1861: 444] **A: KZ**
glycyrrhizae striatum Goeze, 1777: 464 [HN] (not Linnaeus, 1758) (*Cerambyx*) **E: CT KZ ST A: KZ** #93
fimbriatum Gmelin, 1790: 1862 (*Cerambyx*)
iliense Plavilstshikov, 1937a: 31
olivieri J. Thomson, 1867: 39
rufifrons Motschulsky, 1860c: 311 [= 1860: 304]
glycyrrhizae tobolense Danilevsky, 2001c: 22 **A: KZ**
glycyrrhizae turgaicum Suvorov, 1915: 121 (*Compsodorcadion*) **A: KZ**
akmollicum Suvorov, 1915: 121 (*Compsodorcadion*)
glycyrrhizae uvarovi Suvorov, 1911b: 279 **A: KZ**
tenuelineatum Jakovlev, 1895: 286 **A: KZ**
separatum Pic, 1897f: 94
subgenus *Maculatodorcadion* Breuning, 1943d: 525 type species *Dorcadion quadrimaculatum* Küster, 1848
jansseni Breuning, 1966b: 21 **A: TR**
quadrimaculatum nodicorne Tournier, 1872: 287 **E: GR TR**
quadrimaculatum quadrimaculatum Küster, 1848c: 79 **E: GR TR**
bimaculatum Pic, 1898h: 56
clementinum Pic, 1918d: 11
innotatum Pic, 1908a: 2
triste phrygicum Peks, 1993: 8 **A: TR [Antalya: Kaş]** #60
triste triste Frivaldszky von Frivald, 1845: 184 **A: TR ["Smyrna"]** #60
wolff Krätschmer, 1985: 24 **A: TR**
subgenus *Megalodorcadion* Pesarini & Sabbadini, 1999: 58 type species *Dorcadion ledereri* J. Thomson, 1865 #57
Anatolodorcadion Özdiçmen & Kaya, 2015a: 3 type species *Dorcadion dombilicoides* Özdiçmen & Kaya, 2013 #57
Fusodorcadion Özdiçmen & Kaya, 2015a: 3 type species *Dorcadion parallelum* Küster, 1847 #57
dombilicoides Özdiçmen & Kaya, 2013: 494 **A: TR**
escherichi Ganglbauer, 1897b: 54 **A: TR**
angorensis Ganglbauer, 1897b: 57
egregium Ganglbauer, 1897b: 56
obliquesignatum Pic, 1900g: 12
posticedisjunctum Pic, 1909b: 99
glabrofasciatum K. Daniel, 1900: 140 **A: TR**
imparivittatum K. Daniel, 1900: 140
nudefasciatum Özdiçmen & Şenyüz, 2015: 647 (*Megalodorcadion*) #120
ledereri J. Thomson, 1865a: 548 **A: TR**
parallelum Küster, 1847c: 79 **A: TR**
walteri Holzschuh, 1991c: 55 **A: TR**
genus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
subgenus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
altaicum Suvorov, 1909a: 89 (*Neodorcadion*) **A: KZ**
carinatum blessigi Ganglbauer, 1884: 512 (*Neodorcadion*) **A: ES WS**
carinatum bramsoni Pic, 1901p: 67 (*Neodorcadion*) **A: WS**
gassneri Breit, 1917: 65 (*Neodorcadion*)
carinatum carinatum Fabricius, 1781: 222 (*Lamia*) **E: CT ST A: ES KZ WS**
carinatum involvens Fischer von Waldheim, 1823: pl. 1 (*Dorcadion*) **A: ES FE HEI MG NMO XIN**
longjiangense Z. Wang, 2003: 299
vestitum Jakovlev, 1901c: 150, 152 (*Neodorcadion*)
carinatum kiahtenum Danilevsky, 2007a: 31 **A: ES**
chinganicum chinganum Suvorov, 1909a: 90 (*Neodorcadion*) **A: NMO**
~~*melancholicum* Suvorov, 1909: 91 (not available name)~~

chinganicum darigangense Heyrovský, 1967a: 104 **A: MG**
chinganicum mandschukoense Breuning, 1944a: 15 (*Neodorcadion*) **A: JIL LIA**
jilinense Chiang, 1983: 60, 66 [unnecessary RN]
gansuense Breuning, 1943b: 99 (*Neodorcadion*) **A: GAN**
glaucopterum Ganglbauer, 1884: 511 (*Neodorcadion*) **A: GAN QIN**
albescens Breuning, 1943b: 99 (*Neodorcadion*)
annulicorne Breuning, 1947d: 142
atratum Jakovlev, 1901c: 153 (*Neodorcadion*)
grisescens Breuning, 1947d: 142
przewalskyi Jakovlev, 1887b: 317 (*Neodorcadion*)
przewalskii Jakovlev, 1900c: 71 (*Neodorcadion*) [unjustified emendation]
kadleci Danilevsky, 2007a: 62 **A: GAN**
maurum australe Danilevsky, 2014a: 151 **A: MG**
maurum katharinae Reitter, 1898a: 21 (*Neodorcadion*) **A: ES MG**
maurum maurum Jakovlev, 1889: 247 (*Neodorcadion*) **A: ES MG**
boldi Heyrovský, 1965b: 45
fortecostatum Heyrovský, 1975: 22
grumi Suvorov, 1909a: 80 (*Neodorcadion*)
hirtipes Jakovlev, 1901c: 159 (*Neodorcadion*)
~~*leucotaenium* Suvorov, 1909a: 82 (*Neodorcadion*)~~
maurum quinquevittatum Hammarström, 1892: 192 (*Neodorcadion*) **A: ES**
maurum sajanicum Hammarström, 1892: 193 (*Neodorcadion*) **A: ES**
leucogrammmum Suvorov, 1909a: 82 (*Neodorcadion*)
minicarinatum Danilevsky & Lin, 2012b: 22 **A: ANH**
multicarinatum Breuning, 1943b: 99 (*Neodorcadion*) **A: GAN QIN SHA SNX** #350
oligocarinatum Danilevsky, 2007a: 55 **A: SNX SHA** #350
ptyalopleurum Suvorov, 1909a: 84 (*Neodorcadion*) **A: ES**
rubrosuturale kerulenum Danilevsky, 2007a: 41 **A: MG**
rubrosuturale rubrosuturale Breuning, 1943b: 98 (*Neodorcadion*) **A: HEB NMO**
shanxiense Danilevsky, 2007a: 52 **A: SNX**
sifanicum Suvorov, 1912: 74 (*Neodorcadion*) **A: GAN**
sinicum Breuning, 1948c: 57 **A: CH**
tuvense Plavilstshikov, 1958a: 451 **A: ES**
virgatum virgatum Motschulsky, 1854b: 65 (*Dorcadion*) **A: BEI GAN HEB NMO SNX**
virgatum subvirgatum Pic, 1914f: 74 (*Neodorcadion*) **A: NMO**
virgatum taihangense Danilevsky & Lin, 2012b: 21 **A: SHX**
subgenus *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823
humerale humerale Gebler, 1823b: 130 (*Neodorcadion*) **A: ES HEI MG NMO**
humerale impluviatum Faldermann, 1833: 66 (*Dorcadion*) **A: MG**
irroratum Reitter, 1893b: 224 (*Neodorcadion*)
humerale quadrilineatum Breit, 1915: 355 (*Neodorcadion*) **A: HEB NMO**
humerale trabeatum Jakovlev, 1901c: 148 (*Neodorcadion*) **A: FE HEI NMO**
humerale xinganum Chiang [Jiang S.-N.] & Z. Wang, 2003: 304, 396 **A: JIL HEI NMO**
lutshniki altanelsense Heyrovský, 1973b: 124 **A: MG**
lutshniki bicoloratum Danilevsky, 2007a: 158 **A: ES**
lutshniki burenum Danilevsky, 2007a: 158 **A: ES**
lutshniki lutshniki Plavilstshikov, 1937a: 33 (*Neodorcadion*) **A: ES**
subgenus *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833
argaloides Breuning, 1947e: 172 **A: MG NMO**
brandtii Gebler, 1841b: 610 (*Dorcadion*) **A: KZ XIN**
dux Jakovlev, 1893: 120 (*Neodorcadion*)
nigrolineatum Reitter, 1897a: 182 (*Neodorcadion*)
consentaneum Jakovlev, 1899: 241 (*Neodorcadion*) **A: MG**
hirticolle Jakovlev, 1901c: 154 (*Neodorcadion*)
insigne Jakovlev, 1901c: 160 (*Neodorcadion*)
dorcas dorcas Jakovlev, 1901c: 163 (*Neodorcadion*) **A: MG**
annulatum Heyrovský, 1969b: 229
morosum Jakovlev, 1901c: 162 (*Neodorcadion*)
pruinatum Jakovlev, 1901c: 163 (*Neodorcadion*)
dorcas scabrosum Namkhaidorz, 1972: 524 **A: MG**
egregium egregium Reitter, 1897a: 180 (*Neodorcadion*) **A: MG XIN**
albitarsale Breuning, 1966f: 257
egregium kabaki Kadyrbekov, 2004: 93 **A: XIN** #413
exaratum argali Jakovlev, 1889: 249 (*Neodorcadion*) **A: MG** #339
hircum Jakovlev, 1906a: 1 (*Neodorcadion*)
miraculum Reitter, 1897a: 182 (*Neodorcadion*)
quadracarinatum Heyrovský, 1970b: 141
exaratum exaratum Ménétriés, 1854: 38 (*Dorcadion*) **A: MG NMO**

rugipenne Heyrovský, 1967a: 103
gorbunovi Danilevsky, 2004d: 7 A: MG
heros Jakovlev, 1899: 237 (*Neodorcadion*) A: NIN NMO
intermedium intermedium Jakovlev, 1889: 246 (*Neodorcadion*) A: MG ?NMO
kaszabi Heyrovský, 1965b: 44
mongolicum Jakovlev, 1895: 508 (*Neodorcadion*)
intermedium kozlovi Suvorov, 1912: 71 (*Neodorcadion*) A: MG NMO
hedini Pic, 1935c: 12 (*Neodorcadion*)
jakovlevi fangzhou Lin et Danilevsky, 2011: 381 A: NMO
jakovlevi jakovlevi Suvorov, 1912: 70 (*Neodorcadion*) A: NMO
kaznakovi kaznakovi Suvorov, 1912: 73 (*Neodorcadion*) A: NIN NMO
kaznakovi zhilini Lin et Danilevsky, 2011: 382 A: NMO
licenti Pic, 1939c: 25 (*Neodorcadion*) A: CH
novitzkyi Suvorov, 1909a: 87 (*Neodorcadion*) A: MG NMO #339
oreadis Reitter, 1897a: 179 (*Neodorcadion*) A: XIN
ornatum Faldermann, 1833: 64 (*Dorcadion*) A: NMO
princeps Jakovlev, 1899: 239 (*Neodorcadion*)
oryx Jakovlev, 1895: 506 (*Neodorcadion*) A: MG
potaninellum Danilevsky & Lin, 2012b: 23 A: SHA
potanini Jakovlev, 1889: 245 (*Neodorcadion*) A: NMO
pseudornatum Danilevsky & Lin, 2012b: 24 A: SHA
savitskyi Danilevsky, 2014a: 152 A: MG
wenhsini Yang & Danilevsky, 2013: 93 A: NMO
zichyi Csiki, 1901: 115 (*Neodorcadion*) A: MG

genus *Iberodorcadion* Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758
subgenus *Baeticodorcadion* Vives, 1976: 166 type species *Dorcadion mus* Rosenhauer, 1856
amorii amorii Marseul, 1856: 48 (*Dorcadion*) E: SP
penascosum Lauffer, 1911: 44 (*Dorcadion*)
staudingeri Chevrolat, 1862: 345 (*Dorcadion*)
amorii segurense Escalera, 1911: 82 (*Dorcadion*) E: SP
albacetae Breuning, 1947e: 161 (*Dorcadion*)
segurum Lauffer, 1911: 45 (*Dorcadion*)
atlantis Bedel, 1921: 60 (*Dorcadion*) N: MO
chiqui Verdugo, 2014: 165 E: SP #160
isernii Perez Arcas, 1868: 81 (*Dorcadion*) E: SP
ceballosi Breuning, 1948c: 64 (*Dorcadion*)
dispersepunctatum Escalera, 1924: 195 (*Dorcadion*)
impunctatum Breuning, 1943b: 98 (*Dorcadion*)
steparium Escalera, 1900: 239 (*Dorcadion*)
lorquini cobosi Vives, 1979: 155 E: SP
lorquini lorquini Fairmaire, 1855: 322 (*Dorcadion*) E: SP
giganteum Escalera, 1911: 82 (*Dorcadion*)
rufolabrum Pic, 1912a: 35 (*Dorcadion*)
lusitanicum evorense Breuning, 1943b: 98 (*Dorcadion*) E: PT SP
lusitanicum lusitanicum Chevrolat, 1840: 16 (*Dorcadion*) E: PT
boabdil Flach, 1907: 18 (*Dorcadion*)
carinicolle Breuning, 1948c: 64 (*Dorcadion*)
lusitanicum mimomucidum Breuning, 1976c: 161 (*Dorcadion*) E: PT
marmottani Escalera, 1900: 237 (*Dorcadion*) E: SP
cabrasense Nicolas, 1904b: 83 (*Dorcadion*)
robustioripenne Pic, 1941b: 2 (*Dorcadion*)
mucidum annulicorne Chevrolat, 1862: 346 (*Dorcadion*) E: SP [Andalucía] #160
mucidum coelloi Verdugo, 1996: 11 E: SP
mucidum mucidum Dalman, 1817b: 173 (*Lamia*) E: SP ["Algier?" (= Argelia?)] #160
handschuchii Küster, 1848c: 77 (*Dorcadion*)
mucidum nigrosparsum Pic, 1941b: 3 (*Dorcadion*) E: SP [Málaga] #160
mucidum rondense Verdugo, 2003: 127 E: SP
mus griseus Escalera, 1900: 240 (*Dorcadion*) E: SP [personal message by A. Verdugo-2014]
escalerae Pic, 1900y: 405 (*Dorcadion*)
mus mus Rosenhauer, 1856: 304 (*Dorcadion*) E: SP
andalusiicum Breuning, 1962a: 546 (*Dorcadion*)
quadrifuscivittatum Breuning, 1947e: 162 (*Dorcadion*)
rondae Flach, 1907: 19 (*Dorcadion*)
parmeniforme Escalera, 1902: 288 (*Dorcadion*) E: SP #160
suturale Chevrolat, 1862: 345 (*Dorcadion*) E: SP
insuturale Pic, 1898c: 22 (*Dorcadion*)
rufescentimembre Pic, 1947a: 9 (*Dorcadion*)

schaufussi Pic, 1947a: 9 (*Dorcadion*)
suturaloides Breuning, 1958b: 37 [RN]

subgenus *Hispanodorcadion* Vives, 1976: 166 type species *Dorcadion hispanicum* Mulsant, 1851

abantense Saz Fuchó, Corrales Iñarra & Murria Beltrán, 2016: 54 **E: SP** #251

abulense *abulense* Lauffer, 1902: 105 (*Dorcadion*) **E: SP**
granulosum Pic, 1904e: 17 (*Dorcadion*)
griseum Escalera, 1911: 83 (*Dorcadion*)
hispanoloides Escalera, 1911: 84 (*Dorcadion*)
infrafasciatum Pic, 1910h: 51 (*Dorcadion*)
laufferoides Escalera, 1911: 83 (*Dorcadion*)
nigripennis Escalera, 1911: 82 (*Dorcadion*)
perezoides Escalera, 1911: 84 (*Dorcadion*)
plurilineatum Escalera, 1911: 84 (*Dorcadion*)
puncticolle Breuning, 1944a: 14 (*Dorcadion*)
umbripennis Escalera, 1908: 336 (*Dorcadion*)
umbrosum Escalera, 1911: 83 (*Dorcadion*)

abulense *granulipennis* Escalera, 1908: 337 (*Dorcadion*) **E: SP**

aguadoi Aguado & Tomé, 2000: 68 **E: SP**

albicans *albicans* Chevrolat, 1862: 341 (*Dorcadion*) **E: SP**
aestivum Pic, 1910i: 79 (*Dorcadion*)
inalbicans Nicolas, 1904b: 83 (*Dorcadion*)
lainzi Breuning, 1956j: 726 (*Dorcadion*)
multialternatum Pic, 1910i: 79 (*Dorcadion*)
nigrinum Escalera, 1911: 82 (*Dorcadion*)
palentinum Lauffer, 1911: 27 (*Dorcadion*)
palentinum Escalera, 1911: 81 (*Dorcadion*) [HN]
reynosae Brisout de Barneville, 1866: 418 (*Dorcadion*)

albicans *demandense* Escalera, 1902: 286 (*Dorcadion*) **E: SP**
incanum Lauffer, 1911: 28 (*Dorcadion*)

albicans *marinae* Tomé & Bahillo, 1996: 715 **E: SP**

albicans *vanhoegaerdeni* Breuning, 1956j: 725 (*Dorcadion*) **E: SP**

aries Tomé & Berger, 1999: 393 **E: SP**

becerrae Lauffer, 1901: 90 (*Dorcadion*) **E: SP**
guadalajaranum Pic, 1910h: 90 (*Dorcadion*) [see Tomé, 1998: 211]
loroi Escalera, 1924: 196 (*Dorcadion*)

~~— *moncayoense* Nicolas, 1909: 116 (*Dorcadion*) [not available as 4th name]~~
pruinotum Escalera, 1902: 285 (*Dorcadion*)
saturioi Escalera, 1924: 198 (*Dorcadion*)

bolivari *bolivari* Lauffer, 1898: 107 (*Dorcadion*) **E: SP**
diversivittatum Pic, 1941b: 2 (*Dorcadion*)
griseus Pic, 1900c: 7 (*Dorcadion*)
laufferi Pic, 1900c: 7 (*Dorcadion*)
operosum Pic, 1947b: 1 (*Dorcadion*)
paulovittatum Pic, 1947b: 1 (*Dorcadion*)
rodriguezi Pic, 1900c: 405 (*Dorcadion*)
rufipes Escalera, 1900: 238 (*Dorcadion*)
semifulvovittatum Pic, 1947b: 1 (*Dorcadion*)
sparsealbum Pic, 1941b: 2 (*Dorcadion*)
toledense Pic, 1947a: 9 (*Dorcadion*)

bolivari *danielae* Saz, 2013: 116 **E: SP** #261

circumcinctum *circumcinctum* Chevrolat, 1862: 341 (*Dorcadion*) **E: SP**
arandae Schramm, 1911: 306 (*Dorcadion*)
ariasii Chevrolat, 1862: 341 (*Dorcadion*)
burgense Lauffer, 1911: 33 (*Dorcadion*)
burgosense Pic, 1910h: 82 (*Dorcadion*)
candidae Pic, 1914c: 8 (*Dorcadion*)
escorialense Chevrolat, 1866: 107 (*Dorcadion*)
sebastiani Pic, 1901i: 32 (*Dorcadion*)
seeboldi Escalera, 1902: 288 (*Dorcadion*)

circumcinctum *tenuecinctum* Pic, 1898c: 20 (*Dorcadion*) **E: SP**
rufobasicorne Pic, 1941b: 3 (*Dorcadion*)

ferdinandi Escalera, 1900: 235 (*Dorcadion*) **E: SP**

fuentei Pic, 1899a: 81 (*Dorcadion*) **E: SP**
bouvieri Escalera, 1900: 232 (*Dorcadion*)
elvira Pic, 1904j: 58 (*Dorcadion*)
lesnei Escalera, 1900: 233 (*Dorcadion*)

graellsii *cinereum* Escalera, 1901: 81 **E: SP**
atienzanum Pic, 1910h: 51 (*Dorcadion*)
auripennis Escalera, 1908: 334 (*Dorcadion*)
cinerarium Lauffer, 1901: 92 (*Dorcadion*)
fuscolineatum Schramm, 1910: 288 (*Dorcadion*)

graellsii graellsii Graells, 1858: 91 (*Dorcadion*) **E: SP**
alternatum Chevrolat, 1862: 338 (*Dorcadion*)
consanguineum Lauffer, 1911: 40 (*Dorcadion*)
costicolle Chevrolat, 1862: 339 (*Dorcadion*)
latealbidum Pic, 1910h: 90 (*Dorcadion*)
ovale Chevrolat, 1870: 85 (*Dorcadion*)
subbreveineatum Pic, 1941a: 5 (*Dorcadion*)
graellsii incallosum Escalera, 1908: 335 (*Dorcadion*) **E: SP**
paradoxum Escalera, 1908: 336 (*Dorcadion*)
pulvipenne Escalera, 1908: 335 (*Dorcadion*)
graellsii longipenne Chevrolat, 1862: 342 (*Dorcadion*) **E: SP**
bisbilineatum Pic, 1910h: 90 (*Dorcadion*)
cazurroi Lauffer, 1901: 91 (*Dorcadion*)
matritense Schramm, 1910: 288 (*Dorcadion*)
oberthueri Ganglbauer, 1884: 471 (*Dorcadion*)
tenuilineatum Escalera, 1924: 196 (*Dorcadion*)
grustani González, 1992: 3 **E: SP**
heydenii Kraatz, 1870a: 161 (*Dorcadion*) **E: SP**
internelineatum Pic, 1910h: 82 (*Dorcadion*)
semiglabratum Pic, 1910h: 82 (*Dorcadion*)
stableaui Chevrolat, 1870: 84 (*Dorcadion*)
korbi Ganglbauer, 1884: 469 (*Dorcadion*) **E: SP**
rubrocarinatum Pic, 1912a: 35 (*Dorcadion*)
martinezii Perez Arcas, 1874: 145 (*Dorcadion*) **E: SP**
espanoli Breuning, 1956j: 727 (*Dorcadion*)
longelineatum Pic, 1941a: 5 (*Dorcadion*)
molitor molitor Fabricius, 1775: 176 (*Lamia*) **E: FR SP**
aragonicum Breuning, 1957e: 51
brisouti Kraatz, 1873a: 68 (*Dorcadion*)
donzeli Mulsant, 1839: 129 (*Dorcadion*)
lineola Illiger, 1806: 238 (*Lamia*)
lutschniki Plavilstshikov, 1915b: 80 (*Dorcadion*) [RN]
pseudodonzeli Breuning, 1957e: 51
rubripes Pic, 1896f: 142 (*Dorcadion*) [HN]
senegalense J. Thomson, 1867: 54 (*Dorcadion*)
superbum Lauffer, 1911: 34 (*Dorcadion*)
tutori Lauffer, 1911: 34 (*Dorcadion*)
molitor navasi Escalera, 1900: 234 (*Dorcadion*) **E: SP**
caesaraugustae Lauffer, 1911: 34 (*Dorcadion*)
tarraconense Breuning, 1967e: 93 (*Dorcadion*)
mosqueruelense Escalera, 1902: 283 (*Dorcadion*) **E: SP**
carbonarium Nicolas, 1904b: 83 (*Dorcadion*)
glabrocostatum Nicolas, 1909: 115 (*Dorcadion*)
nigritulum Escalera, 1924: 197 (*Dorcadion*)
prolongatum Pic, 1908i: 58 (*Dorcadion*)
pseuduhagoni Breuning, 1948c: 62 (*Dorcadion*)
neilense almarzense Escalera, 1902: 279 (*Dorcadion*) **E: SP**
brevipenne Pic, 1903r: 178 (*Dorcadion*)
circumalbum Escalera, 1924: 199 (*Dorcadion*)
costatum Escalera, 1902: 280 (*Dorcadion*)
logronense Pic, 1903r: 178 (*Dorcadion*)
nicolasianum Plavilstshikov, 1915b: 80 (*Dorcadion*)
nigratum Escalera, 1924: 200 (*Dorcadion*)
nivosum Escalera, 1924: 198 (*Dorcadion*)
obscuratum Escalera, 1924: 199 (*Dorcadion*)f
rufipedes Escalera, 1924: 199 (*Dorcadion*)
schrammi Nicolas, 1904a: 40 (*Dorcadion*)
subbrevipenne Pic, 1904a: 5 (*Dorcadion*)
urbionense Escalera, 1902: 280 (*Dorcadion*)
villosladense Escalera, 1902: 280 (*Dorcadion*)
vincenti Nicolas, 1904a: 39 (*Dorcadion*)
neilense neilense Escalera, 1902: 278 **E: SP**
nudipenne nudipenne Escalera, 1908: 337 (*Dorcadion*) **E: SP** #24
riazanum Pic, 1910h: 51 (*Dorcadion*)
nudipenne schrammianum Plavilstshikov, 1932d: 198 (*Dorcadion*) [RN] **E: SP** #24
perchini Saz, 2012: 404 #24
tricolor Schramm, 1910: 287 (*Dorcadion*) [HN]
subtricolor Breuning, 1958b: 40 [RN]
paulae Iñarra & Beltrán, 2012: 43 **E: SP**
perezi cercedillanum Pic, 1900y: 404 (*Dorcadion*) **E: SP**
laufferi Escalera, 1900: 236 (*Dorcadion*)

schranni Pic, 1903r: 178 (*Dorcadion*)
subpolitum Lauffer, 1901: 98 (*Dorcadion*)
perezi ghilianii Chevrolat, 1862: 338 (*Dorcadion*) **E: SP**
ebeninum Lauffer, 1901: 96 (*Dorcadion*)
reichei Chevrolat, 1862: 342 (*Dorcadion*)
perezi hispanicum Mulsant, 1851: 125 (*Dorcadion*) **E: SP**
albidipenne Pic, 1907b: 8 (*Dorcadion*)
brunneofasciatum Lauffer, 1901: 94 (*Dorcadion*)
cebolterense Lauffer, 1911: 40 (*Dorcadion*)
diversepubens Pic, 1907b: 8 (*Dorcadion*)
encaustum Chevrolat, 1862: 337 (*Dorcadion*)
erythropus Lauffer, 1901: 93 (*Dorcadion*)
griseopubescens Lauffer, 1911: 41 (*Dorcadion*)
multilineatum Pic, 1907b: 8 (*Dorcadion*)
nigrolineatum Chevrolat, 1862: 339 (*Dorcadion*)
perezi ortunoi Hernández, 1991: 278 **E: SP**
perezi perezi Graells, 1849: 622 (*Dorcadion*) **E: SP**
anthracinum Chevrolat, 1870: 86 (*Dorcadion*)
rutilipes Nicolas, 1904b: 82 (*Dorcadion*)
septemvittatum Lauffer, 1901: 95 (*Dorcadion*)
pseudomolitor Escalera, 1902: 285 (*Dorcadion*) **E: SP**
segovianum dejeanii Chevrolat, 1862: 340 (*Dorcadion*) **E: SP**
albolineatum Escalera, 1924: 200 (*Dorcadion*)
baudueri Pic, 1910h: 91 (*Dorcadion*)
carbonicum Escalera, 1924: 200 (*Dorcadion*)
francianum Breuning, 1956j: 727 (*Dorcadion*)
montanum Lauffer, 1911: 53 (*Dorcadion*)
submontanum Lauffer, 1911: 54 (*Dorcadion*)
segovianum segovianum Chevrolat, 1862: 339 (*Dorcadion*) **E: SP**
castanarenses Breuning, 1948c: 62 (*Dorcadion*)
corralimembris Pic, 1917g: 6 (*Dorcadion*) [RN]
gredosanum Lauffer, 1911: 50 (*Dorcadion*)
merceri Schramm, 1910: 286 (*Dorcadion*)
tornavacense Lauffer, 1911: 52 (*Dorcadion*)
tournieri Pic, 1910h: 91 (*Dorcadion*)
villatorenses Breuning, 1962a: 606
seguntianum belbezei Escalera, 1914b: 152 (*Dorcadion*) **E: SP** #24
bilbilitanum Escalera, 1914b: 153 (*Dorcadion*)
ribotense Corrales Iñarra, Murria Beltrán & Saz Fucho, 2013: 106 #24
seguntianum intermedium Escalera, 1902: 287 (*Dorcadion*) **E: SP**
seguntianum seguntianum K. Daniel & J. Daniel, 1898: 78 (*Dorcadion*) **E: SP** #24
confluens Schramm, 1910: 288 (*Dorcadion*)
insidiosum Escalera, 1901: 87 (*Dorcadion*)
ruspolii Breuning, 1974a: 36 (*Dorcadion*)
terolense albarium Escalera, 1902: 283 (*Dorcadion*) **E: SP** #32
terolense terolense Escalera, 1902: 282 (*Dorcadion*) **E: SP** #32
georgei Pic, 1904e: 17 (*Dorcadion*)
glabripenne Pic, 1904a: 6 (*Dorcadion*)
multiplicatum Pic, 1908i: 58
terolense turdetanum Lauffer, 1911: 25 (*Dorcadion*) **E: SP** #32
denudatum Escalera, 1911: 80 (*Dorcadion*)
ignotum Escalera, 1911: 80 (*Dorcadion*)
uhagonii pradae Saz Fucho, 2007: 196 **E: SP**
uhagonii uhagonii Perez Arcas, 1868: 83 (*Dorcadion*) **E: SP**
avilense Breuning, 1947e: 158 (*Dorcadion*)
cuencaense Pic, 1941b: 3 (*Dorcadion*)
griseolineatum Pic, 1894o: cccxlviii (*Dorcadion*)
inhumale Pic, 1898c: 21 (*Dorcadion*)
lacunosum Escalera, 1908: 335 (*Dorcadion*)
multidisjunctum Pic, 1941b: 3 (*Dorcadion*)
panteli Théry, 1892: xcvi (*Dorcadion*)
subirreductum Pic, 1910h: 82 (*Dorcadion*)
valencianum Pic, 1910i: 79 (*Dorcadion*)
zarcoi zarcoi Schramm, 1910: 285 (*Dorcadion*) **E: SP** #32
curvilineatum Schramm, 1910: 286 (*Dorcadion*)
rugulipenne Breuning, 1947e: 160 (*Dorcadion*)
zenete Anichtchenko & Verdugo, 2004: 33 **E: SP**
subgenus *Iberodorcadion* Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758
brannani Schaufuss, 1870: 64 (*Dorcadion*) **E: PT**
lategriseovittatum Breuning, 1947e: 164 (*Dorcadion*)
castilianum Chevrolat, 1862: 347 (*Dorcadion*) **E: SP**

ardoisi Schramm, 1909: 297 (*Dorcadion*)
fuliginator andianum Pic, 1917g: 8 (*Dorcadion*) **E**: SP
fuliginator fuliginator Linnaeus, 1758: 393 (*Cerambyx*) **E**: AU BE FR GE LA LU NL SZ
annulicorne Chevrolat, 1882: 60 (*Dorcadion*) [HN]
atrum Bach, 1856a: 32 (*Dorcadion*)
chevrolati Ganglbauer, 1884: 475 (*Dorcadion*) [RN]
~~*epipleurale* Breuning, 1957e: 44 [Navarra: Ungebung Pamplona]~~
fasciatum Geoffroy, 1785: 75 (*Cerambyx*)
flavicolle Breuning, 1957e: 44
fuliginosum Schrank, 1798: 658 (*Lamia*)
hypocrita Mulsant, 1862: 255 (*Dorcadion*)
jaeneri Hubenthal, 1908: 43 (*Dorcadion*)
~~*lateglabricolle* Breuning, 1957e: 44 [Navarra: Ungebung Pamplona]~~
mendax Mulsant, 1853b: 33
~~*mulsantianum* Breuning, 1957e: 44 (*Dorcadion*) [unavailable name]~~
ovatum Sulzer, 1776: 45 (*Cerambyx*)
~~*pseudomonticola* Breuning, 1957e: 45 [Navarra: Ungebung Pamplona]~~
quadrilineatum Mulsant, 1839: 124 (*Dorcadion*)
subnitidipenne Pic, 1917g: 8 (*Dorcadion*)
vitiferum Aurivillius, 1922b: 46 (*Dorcadion*)
vittigerum Fabricius, 1801b: 303 (*Lamia*)
fuliginator loarrense Berger, 1997: 40 **E**: FR SP
fuliginator meridionale Mulsant, 1839: 125 (*Dorcadion*) **E**: FR
alpinum Chevrolat, 1856b: 435 (*Dorcadion*)
guerryi Pic, 1917g: 8 (*Dorcadion*)
fuliginator monticola Mulsant, 1853b: 27 (*Dorcadion*) **E**: FR
fuliginator navarricum Mulsant, 1853b: 29 (*Dorcadion*) **E**: FR SP
fuliginator obesum Gautier des Cottés, 1870b: 263 (*Dorcadion*) **E**: FR
fuliginator pyrenaeum Germar, 1839: 16 (*Dorcadion*) **E**: FR SP
albodiversum Pic, 1945b: 7 (*Dorcadion*)
curtecostatum Pic, 1941b: 3 (*Dorcadion*)
fuliginator striola Mulsant, 1862: 258 (*Dorcadion*) **E**: FR
fuliginator urgulli Breuning, 1976c: 161 (*Dorcadion*) **E**: SP
seoanei kricheldorfii Pic, 1910i: 79 (*Dorcadion*) **E**: PT SP
cabrerense Breuning, 1956j: 724 (*Dorcadion*)
lainzgalloi Rodríguez, 1996: 189
suturelevatum Breuning, 1956j: 725 (*Dorcadion*)
seoanei laurae Bahillo, 1994: 65 **E**: SP
seoanei seoanei Graells, 1858: 93 (*Dorcadion*) **E**: SP
sulcatithorax Pic, 1909b: 186 (*Dorcadion*)
spinolae caunense Lauffer, 1910: 92 (*Dorcadion*) **E**: SP
escalerae Lauffer, 1901: 89 [HN]
laufferianum Plavilstshikov, 1915b: 80 [RN]
spinolae soricinum Chevrolat, 1862: 347 (*Dorcadion*) **E**: SP
vallisoletanum Lauffer, 1901: 89 (*Dorcadion*)
spinolae spinolae Dalman, 1817b: 174 (*Lamia*) **E**: SP
basigranatum Breuning, 1943b: 97 (*Dorcadion*)
mulsanti Brisout de Barneville, 1866: 420 (*Dorcadion*)
paganettii Pic, 1910i: 79 (*Dorcadion*)

genus *Neodorcadion* Ganglbauer, 1884: 437 type species *Lamia bilineata* Germar, 1824
Calabrodorcadion Özdikmen & Kaya, 2015a: 5 type species *Neodorcadion calabricum* Reitter, 1889 #57
Vacarodorcadion Özdikmen & Kaya, 2015a: 5 type species *Dorcadion virleti* Brullé, 1832 #57
bilineatum Germar, 1824: 485 (*Lamia*) **E**: AL BH BU CR GR HU MC MD RO SK TR UK YU
macedonicum Pic, 1917g: 5
calabricum Reitter, 1889a: 41 **E**: IT
~~*difforme* Pesarini & Sabbadini, 2014: 16 **A**: TR~~ #259
exornatoides Breuning, 1962a: 68 **A**: TR
exornatum Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) **E**: BU GR RO TR **A**: TR
anticejunctum Pic, 1917g: 6
balcanicum Tournier, 1872: 284 (*Dorcadion*)
labyrinthicum J. Thomson, 1865a: 549 (*Dorcadion*)
subdiversum Pic, 1917g: 6
fallax Kraatz, 1873a: 89 (*Dorcadion*) **E**: BU GR MV
laqueatum Waltl, 1838: 469 (*Dorcadion*) **E**: BU TR **A**: TR
abeillei Tournier, 1872: 208 (*Dorcadion*)
anceyi Pic, 1913c: 186
bulgaricum Pic, 1913c: 186
diversiparsum Pic, 1914c: 8
interruptum Mulsant & Rey, 1863: 150 (*Dorcadion*)

insparsum Pic, 1914c: 8
kadiense Pic, 1917a: 10
lemoulti Pic, 1914c: 8
servilorum Pic, 1917g: 6
sparsenotatum Pic, 1914c: 8
sparsum Mulsant & Rey, 1863: 152 (*Dorcadion*)
subinterruptum Pic, 1917g: 6
orientale Ganglbauer, 1884: 510 **A: TR**
dispar Pic, 1892o: xxvii
eduardi Pic, 1900s: 82
flaschneri Pic, 1890e: clxxv
merkli Pic, 1893e: cxcvi
pelleti Mulsant & Rey, 1863: 149 (*Dorcadion*) **E: GR TR A: TR**
credulum Pic, 1917a: 10
disjunctum Pic, 1917g: 6
segne Mulsant & Rey, 1863: 155 (*Dorcadion*)
virleti Brullé, 1832: 258 (*Dorcadion*) **E: GR**
acarnanicum Pic, 1914c: 8
ionicum Pic, 1901l: 52
subbinotatum Pic, 1914c: 8

genus *Politodorcadion* Danilevsky, 1996d: 407 type species *Dorcadion politum* Dalman, 1823
archarlense Danilevsky, 1996d: 411 (*Dorcadion*) **A: KZ**
balchashense balchashense Suvorov, 1911a: 64, 69 (*Dorcadion*) **A: KZ**
balchashense betpakdalense Danilevsky, 1996d: 410 (*Dorcadion*) **A: KZ**
eurygyne eurygyne Suvorov, 1911a: 65, 69 (*Dorcadion*) **A: KZ WS**
eurygyne lailanum Danilevsky, 2007e: 204 **A: KZ**
lativittis Kraatz, 1878b: 219 (*Dorcadion*) **A: KZ XIN**
altaiense Pic, 1898f: 44 (*Dorcadion*)
cribricollis Kraatz, 1882b: 196 (*Dorcadion*)
politum akmolense Suvorov, 1911a: 63 (*Dorcadion*) **E: ST A: KZ**
politum politum Dalman, 1823: 68 (*Dorcadion*) **A: KZ WS**
basicorne Pic, 1929b: 9 (*Compsodorcadion*)
conjunctum Pic, 1898f: 45 (*Dorcadion*)
lydiae Plavilstshikov, 1929b: 209 (*Dorcadion*)
politipenne Pic, 1897f: 94 (*Dorcadion*)
politum shapovalovi Danilevsky, 2006a: 2 **E: ST A: KZ**
ribbei bobrovi Danilevsky, 2001f: 631 (*Dorcadion*) **A: KZ**
ribbei ribbei Kraatz, 1878b: 220 (*Dorcadion*) **A: KZ XIN**
corallipes Ganglbauer, 1884: 476 (*Dorcadion*)
rubrofemoratum Pic, 1897f: 94 (*Dorcadion*)

genus *Trichodorcadion* Breuning, 1942a: 116 type species *Trichodorcadion gardneri* Breuning, 1942
dubiosum Breuning, 1954f: 265 **A: "India"**
gardneri Breuning, 1942a: 116 **A: NP UP**

tribe Dorcaschematini J. Thomson, 1860

genus *Cylindrecamptus* Breuning, 1940e: 560 type species *Olenecamptus lineatus* Aurivillius, 1914
lineatus Aurivillius, 1914: 25 (*Olenecamptus*) **A: YUN ORR**
interruptus Pic, 1922c: 14 (*Olenecamptus*)

genus *Cylindrepomus* Blanchard, 1853: 268 type species *Cylindrepomus nigrofasciatus* Blanchard, 1853
Hippardium Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907
[fouqueti fouqueti] Pic, 1832h: 138 (*Olenecamptus*) – Saigon]
fouqueti hainanensis Hua, 1979: 110 (*Olenecamptus*) **A: HAI**
viridipennis Pic, 1937b: 7 (*Olenecamptus*) **A: YUN ORR**

genus *Macrocamptus* L. S. Dillon & E. S. Dillon, 1948: 253 type species *Cylindrepomus virgatus* Gahan, 1890
virgatus Gahan, 1890a: 61 (*Cylindrepomus*) **A: AP SD**

#182

genus *Microlenecamptus* Pic, 1925a: 22 type species *Cylindrepomus albonotatus* Pic, 1925
[albonotatus albonotatus] Pic, 1925: 22 (*Cylindropomus* - misspelling) – Tonkin]
albonotatus flavosignatus Breuning, 1965d: 53 **A: GUX ORR**
albonotatus reductesignatus Rondon & Breuning, 1970: 480 **A: GUX ORR** [see Hua, 2002: 216]
biocellatus Schwarzer, 1925b: 63 (*Olenecamptus*) **A: ANH GUA HUN TAI**
virescens Savio, 1929: 8
nakabayashii Takakuwa, 1992: 102 **A: JA** (Ryukyus)

obsoletus Fairmaire, 1888b: 146 (*Olenecamptus*) **A:** FUJ HEB JIA TAI
albatus Matsushita, 1933b: 353 (*Dorcaschema*)
signatus Aurivillius, 1914: 25 (*Cylindrepomus*) **A:** GUX YUN **ORR**

genus *Olenecamptus* Chevrolat, 1835: 134 type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1801)
Authades J. Thomson, 1857e: 191 type species *Authades indianus* J. Thomson, 1857

Ibidimorphum Motschulsky 1860:152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860
anogeissi Gardner, 1930: 156 **A:** **HP** NP **#245**
bilobus bilobus Fabricius, 1801b: 324 (*Saperda*) **A:** **AP** FUJ GUA GUX HAI HEB HKG **HP** JA (Ryukyus) LIA NP PA SCH SD
 TAI UP YUN ZHE **AFR AUS ORR** **#182 #245**
? borneensis Pic, 1916d: 6 **#105**
dahli Kriesche, 1926: 375
gressitti L. S. Dillon & E. S. Dillon, 1948: 158
luzonensis L. S. Dillon & E. S. Dillon, 1948: 228
rouyeri Pic, 1916d: 6
serratus Chevrolat, 1835: 134
ternatus L. S. Dillon & E. S. Dillon, 1948: 227
tonkinus L. S. Dillon & E. S. Dillon, 1948: 230

bilobus nipponensis L. S. Dillon & E. S. Dillon, 1948: 229 **A:** JA
bilobus quinque maculatus L. S. Dillon & E. S. Dillon, 1948: 234 **A:** BT SD
clarus Pascoe, 1859: 44 **A:** ANH ~~FE~~ FUJ GUI HEB HEN HUB HUN JA JIA JIX **?NC** SC SCH SHN TAI ZHE
cretaceus cretaceus Bates, 1873: 314 **A:** HEB HEN HUB JA JIA JIX **SC** SCH TAI ZHE **#80**
intactus L. S. Dillon & E. S. Dillon, 1948: 183 **#382**

cretaceus marginatus Schwarzer, 1925b: 63 **A:** HEN TAI **ORR**
dominus J. Thomson, 1860: 362 **A:** HAI YUN **ORR**
formosanus Pic, 1914e: 19 **A:** HUB JA SC TAI ZHE **ORR**
decemmaculatus Pic, 1916h: 13
hondoensis Seki, 1941: 453 [31]
fukutomii M. Hasegawa, 2004: 225 **A:** JA (Ogasawara)
griseipennis Pic, 1932h: 138 **A:** GUI HUB SCH YUN ZHE
montanus Gressitt, 1942b: 4 (*Olenecamptus*)
indianus J. Thomson, 1857e: 192 (*Authades*) **A:** **AP** HAI **HP** NP SD TAI UP YUN **ORR** **#245 #258**
albolineatus Pic, 1916d: 5
multinotatus Pic, 1916i: 141
salweeni Heller, 1926: 39

nigromaculatus Pic, 1915g: 14 **A:** XIZ
octopustulatus Motschulsky, 1860b: 152 (*Ibidimorphum*) **A:** ANH ES FE FUJ **GAN** GUI **GUX HEI** HEN HUB JA **JIL** JIX LIA MG
 NC NIN NMO SC SHA **?TAI** ZHE **ORR** **#74**

chinensis L. S. Dillon & E. S. Dillon, 1948: 204
choseni Gilmour, 1956c: 754
mordkovitschi Tshernyshev & Dubatov, 2000: 386
optatus optatus Pascoe, 1866b: 253 **A:** TAI **ORR**
sumbawanus Breuning, 1947a: 29

pedongensis Breuning, 1968: 52 **A:** SD **#245**
pseudostrigosus Breuning, 1938c: 226 **A:** **HP** SD **ORR** **#245**

quadriplagiatus L. S. Dillon & E. S. Dillon, 1948: 197 **A:** GUX **ORR**
riparius Danilevsky, 2011c: 67 **A:** FE JA NC NE SC YUN ZHE
siamensis Breuning, 1936: 319 **A:** TAI YUN **ORR**
subobliteratus Pic, 1923c: 19 **A:** FUJ GUI HUB ~~JA~~ JIA JIX NE ~~SC~~ SCH SHA TAI YUN ZHE
superbus Pic, 1908f: 16 **A:** YUN
taiwanus L. S. Dillon & E. S. Dillon, 1948: 229 **A:** GUA GUX HAI HKG JA TAI YUN

tribe Eunidiini Teocchi, Sudre & Jiroux, 2010

genus *Eunidia* Erichson, 1843: 261 type species *Eunidia nebulosa* Erichson, 1843
Anomoesia Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858
Aserixia Pic, 1925b: 31 type species *Aserixia savioi* Pic, 1925
Boucardia Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925
Frixus J. Thomson, 1857f: 313 type species *Frixus variegatus* J. Thomson, 1857
Mycerinella Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924
Paphraecia Fairmaire, 1894c: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eunidia nebulosa* Erichson, 1843)
Semiclinia Fairmaire, 1897e: 254 type species *Semiclinia denseguttata* Fairmaire, 1898
Syessita Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864
Tritomicrus Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892

apicemaculata Breuning, 1939b: 214 **A:** PA UP **#409**
arabica Breuning, 1968c: 90 **A:** SA YE
arabensis Breuning, 1969d: 104 [RN]
atripennis Pu & Yang, 1993: 301, 305 **A:** **CHQ** GUI **HUB** YUN **#74**
atripes Breuning, 1960g: 475 **A:** GUA

breuningae Villiers, 1951: 201 **N: EG A: OM SA YE AFR**
djiboutiana Breuning, 1974e: 122
naviauxi Villiers, 1977: 168
renaudi Breuning, 1961f: 252
submarmorata Breuning, 1968c: 91
flavicans Breuning, 1954b: 16 **A: YE AFR**
haplotrita Aurivillius, 1911b: 32 [218] **A: SA YE**
kristenseni Aurivillius, 1911b: 29 [215] **A: OM SA YE AFR**
kumatai Hayashi, 1981a: 10 **A: NP**
lateralis Gahan, 1893b: 387 **A: HAI NP SC YUN ORR**
cincta Pic, 1926h: 237 (*Aserixia*)
nebulosa nebulosa Erichson, 1843: 262 **A: OM SA YE AFR**
brevicollis Fairmaire, 1896b: 394 (*Paraphraecia*)
distinguenda Aurivillius, 1926: 480
laterita Fairmaire, 1903: 255 (*Diadelia*)
gabonica Breuning, 1938c: 214
mixta Gahan, 1909: 73
obliquepicta Fairmaire, 1894c: 332 (*Paraphraecia*)
proxima Breuning, 1938c: 215
puncticollis Fåhræus, 1873: 52
rustica Fåhræus, 1873: 53
senilis J. Thomson, 1868: 137
savioi Pic, 1925b: 31 (*Aserixia*) **A: JIA SHA SHG**
taiwanensis Hayashi & Nara, 1992: 148 **A: TAI**
fengkangshanensis Hayashi & Nara, 1992: 149
thomsoni Distant, 1898: 377 **A: SA YE AFR**
albicans Breuning, 1938: 211
apiceclarior Breuning, 1967g: 297
bicoloripennis Breuning, 1974k: 413
clarkei Breuning, 1974k: 414
ferrandi Aurivillius, 1926: 482
guttata Breuning, 1957b: 71 [RN]
guttulata Aurivillius, 1908: 8
pseudoalbicans Breuning, 1968b: 58 [RN]
rubroscapus Breuning, 1962e: 71
subalbicans Breuning, 1967d: 86
suturebrunnea Breuning, 1977b: 273
zavattarii Breuning, 1942d: 94
yemenensis Breuning, 1968c: 90 **A: YE**

#350

genus *Eunidiella* Breuning, 1940b: 177 type species *Eunidiella pilosa* Breuning, 1940
pilosa Breuning, 1940b: 178 **A: SD UP**

genus *Eunidiopsis* Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939
bicolor Breuning, 1939b: 220 **A: ZHE**

genus *Falseunidia* Breuning, 1943a: 52 type species *Falseunidia albosignata* Breuning, 1943
albosignata Breuning, 1943a: 52 **A: HP NP SD**

tribe Exocentrini Pascoe, 1864

genus *Acartus* Fåhræus, 1873: 50 type species *Acartus hirtus* Fåhræus, 1873
biplagiatus Aurivillius, 1926: 485 **A: YE AFR**

genus *Exocentrus* Dejean, 1835: 339 type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767)

Bicolorihirtus Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978
Formosexocentrus Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925
adspersus Mulsant, 1846: [9] [NP] **E: AL AU BE BH BU CR CZ CY GE GR HU IT LU MC MD NL PL RO SK SL SP ST SV SZ TR UK YU A: AB AR GG SY TR (see: Ambrus et al., 2014: 185)**
alemдахensis Breuning, 1981c: 182
clarae Mulsant & Rey, 1861b: 206 [1861c: 193]
hirsutulus Faldermann, 1837: 272 (*Astynomus*) [DA]
quercus Rossi, 1790: 143 (*Cerambyx*)
revelierei Mulsant & Rey, 1875a: 413 [=1875b: 77] (original spelling: *revelieri*)
alboguttatus alboguttatus Fisher, 1925: 240 **A: GUX HAI KA NP UP YUN ORR**
annamensis Breuning, 1957a: 15
multilineatipennis Breuning, 1974b: 42 [Indien: Kaluwala]
alboguttatus obscurior Pic, 1929a: 30 ["Tonkin"] **A: FUJ HUB ORR**
rufescens Pic, 1929a: 30 [Chine]

#55

#55

#55

alboguttatus subconjunctus Gressitt, 1940b: 184 A: GUX HAI #55
alboguttatus taiwanensis Kusama & Tahira, 1978: 22 A: TAI
alboseriatus Gahan, 1894a: 85 A: NP ORR
albomultiseriatus Breuning, 1964b: 6 [RN]
alboseriatipennis Breuning, 1963c: 13 [HN]
rubripennis Pic, 1929a: 29
submarginicollis Breuning, 1965b: 40 [Paksane]
alni Fisher, 1932: 298 A: NP SD
ochreosignatus Breuning, 1974h: 155 #144
andamanensis Fisher, 1932: 231 A: NP ORR #55
assamensis Breuning, 1972c: 419 A: AP
basirufus Gressitt, 1940b: 185 A: GUA HAI
becvari Holzschuh, 1999: 48 A: YUN
beijingensis S.-C. Chen, 1993: 197 A: BEI
blanditus Holzschuh, 2010: 199 A: SHA
brevisetosus Gressitt, 1938b: 167 A: HUB TAI YUN ORR
businskae Holzschuh, 2007: 266 A: XIZ
carissae Fisher, 1932: 312 A: HP NP PA UP
kuluensis Breuning, 1957g: 277
championi Fisher, 1940: 207 A: BT HP KA NP PA SCH UP
kashmirensis Breuning, 1957g: 277
collarti Breuning, 1958a: 41 A: BT
constricticollis Gressitt, 1940b: 186 A: HAI
coronatus Holzschuh, 2007: 276 A: YUN
cudraniae Fisher, 1932: 314 A: NP UP
dalbergiae Fisher, 1932: 310 A: NP PA UP #409
dalbergianus Gressitt, 1951a: 528 A: HUB
diminutus Holzschuh, 2007: 280 A: GUI
diversiceps Pic, 1931f: 259 A: BT NP SD YUN ORR #55
lateralis Pic, 1936: 299 [HN]
lateraloides Breuning, 1958f: 300
rufoamplius Breuning, 1958f: 300
rufobasipennis Breuning, 1958f: 300
testaceus Fisher, 1932: 322 #55
euchromus Holzschuh, 2007: 279 A: HUN
explanatidens Pic, 1930e: 58 A: BT NP SD
fasciolatus fasciolatus Bates, 1873: 384 A: JA #10
curtipennis Pic, 1918a: 10 ["Japan"]
fasciolatus plavilstshikovi Danilevsky, 2014f: 664 A: FE NC NE SC #10
fastigatus Holzschuh, 2007: 275 A: YUN ORR
ficicola Fisher, 1932: 315 A: NP UP ORR
fisheri Gressitt, 1935b: 175 A: JA ~~JX-SC~~
flemingiae Fisher, 1932: 297 A: NP SD UP YUN ORR
fuscocapus Breuning, 1958f: 299
rufiscapus Pic, 1939k: 344
formosofasciolatus Kusama & Tahira, 1978: 17 A: TAI
fulvobrunneus Kusama & Tahira, 1978: 15 A: TAI (Roshan)
galloisi Matsushita, 1933a: 397 A: JA NC SC #80
gardneri Fisher, 1932: 302 A: UP
granulicollis Fisher, 1932: 323-324 A: TAI ORR #144
rufithorax Gressitt, 1935e: 286 #144
grewiae Fisher, 1932: 317 A: NP UP
himalayanus Breuning, 1974b: 42
guttulatus guttulatus Bates, 1873: 385 A: JA
guttulatus ussuricus Tsherepanov, 1973c: 138 A: FE NC NE SC
hayashii Samuelson, 1965b: 119 A: JA (Ryukyus)
hupehensis hupehensis Gressitt, 1951a: 528 A: GUI HUB HUN #144
immaculatus Gressitt, 1951a: 529 A: TAI
keiichii Tsuyuki, 1999: 8 A: TAI
kentingensis Kusama & Tahira, 1978: 12 A: TAI
kleebergi Holzschuh, 2003b: 315 A: NP
kucerae Holzschuh, 1999: 48 A: YUN
kusamai Tsuyuki, 1999: 5 A: TAI
lineatus Bates, 1873: 384 A: FE JA JIX NC SC
longipennis Holzschuh, 1999: 50 A: YUN
?longipilis Fairmaire, 1892: 123 (*Ispaterus*) A: NP ORR
lusitanus Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT MC MD NR

NT PL RO SK SL SP ST SV SZ **TR** UK YU **A:** AB AR GG KZ **TR** WS
balteatus Gyllenhal, 1817: 163 (*Lamia*)
crinitus Panzer, 1795: 249 (*Cerambyx*)
— *lusitanicus* Olivier, 1790b: 269 (*Callidium*) - not available name, wrong subsequent spelling
ochreoscutellatus Breuning, 1974: 155 **#144**
pubicornis Schrank, 1789: 76 (*Cerambyx*)
subpilosus Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
marginatus Tsherepanov, 1973a: 124 **A:** FE **JIX NC SC** **#80**
marui Makihara, 1986b: 253 **A:** JA
melli Breuning, 1961i: 323 **A:** CH
misellomimus Breuning, 1963b: 48 **A:** GUX **ORR**
montilineatus Kusama & Tahira, 1977: 39 **A:** JA
m-signatus Pic, 1933f: 6 **A:** SCH
pici Breuning, 1958f: 230
multiguttulatus Pic, 1927a: 24 **A:** HAI **ORR**
nakanei Makihara, 1986b: 254 **A:** JA (Ryukyus)
nanshanensis Kusama & Tahira, 1978: 14 **A:** TAI
nobuoi nobuoi Breuning & K. Ohbayashi, 1964: 29 **A:** JA
nobuoi nonakai Makihara, 1986b: 251 **A:** JA
nobuoi okinawensis Breuning & K. Ohbayashi, 1966: 35 **A:** JA (Ryukyus)
paraguttulatus Breuning & Chûjô, 1971: 31 **A:** JA (Okinawa)
parassamensis Breuning, 1975d: 355 **A:** BT
parcus Holzschuh, 1984a: 157 **A:** NP
parrotiae Fisher, 1932: 304-306 **A:** AF KA PA **#144**
klapperichi Breuning, 1957c: 12 **#144**
procerulus Holzschuh, 1984: 154 **A:** NP
pseudopunctipennis Holzschuh, 1979a: 115 **E:** ?ST **A:** AB AR GG IN TM
pseudovariipennis Kusama & Tahira, 1978: 18 **A:** TAI
pubescens Fisher, 1932: 303 **A:** NP UP **ORR**
punctipennis punctipennis Mulsant & Guillebeau, 1856: 103 **E:** AL AU BH BU BY CR CT CZ FR GE GR HU IT **LU** MD PL RO
SK SL SP **ST SZ TR** UK YU
graecus Pic, 1901i: 52
punctipennis signatus Mulsant & Rey, 1863: 163 **E:** ST **A:** AB GG **TR**
ravillus Holzschuh, 1984a: 158 **A:** NP SD
ritae Sama, 1985a: 65 **A:** SY **TR**
rondoni Breuning, 1963b: 47 **A:** YUN **ORR**
satoi K. Ohbayashi, 1961a: 20 **A:** JA
savioi Pic, 1925e: 138 **A:** FUJ GUX JIA JIX SC **TAI**
semiglaber Breuning, 1968a: 29 **A:** YUN **ORR**
seriatomaculatus Schwarzer, 1925c: 147 **A:** TAI **ORR**
seticollis Fisher, 1932: 300 **A:** UP
specularis Holzschuh, 1989a: 174 **A:** NP SD
spineus Holzschuh, 2007: 283 **A:** GUI SHA
spurcatus Holzschuh, 1984a: 156 **A:** UP
stierlini Ganglbauer, 1883b: 298 **E:** CT CZ PL ST UK **A:** ES FE KZ **MG NC SC WS** **#118**
subbicolor Breuning, 1958f: 300 [RN] **A:** NP **ORR**
bicolor Pic, 1929a: 30 [HN]
subbidentatus Gressitt, 1937d: 615 **A:** FUJ GUA
submoerens Breuning, 1958a: 40 **A:** HKG
subniger Breuning, 1975d: 356 **A:** BT
subsolana Z. Wang, 2003: 369, 397 (*Pogonocherus*) **A:** HEI
superstes Holzschuh, 1995: 46 **A:** YUN **ORR**
takakuwai Makihara, 1982a: 43 **A:** JA
taniguchii Makihara, 1986a: 13 **A:** JA TAI
tantillus Holzschuh, 2007: 264 **A:** SCH
tenellus Holzschuh, 1984a: 155 **A:** NP
testudineus Matsushita, 1931a: 47 **A:** ?CH FE JA ?SC **#80**
wistariae Fujimura, 1956: 6
theresae Pic, 1939b: 4 **A:** BEI
transversifrons Fisher, 1940: 209 **A:** KA NP SD UP
mediomfasciatus Hayashi, 1981a: 17
trifasciellus Gressitt, 1940b: 187 **A:** HAI
tsushmanus Hayashi, 1968a: 27 **A:** FE JA NC NE SC **#10**
conjugatofasciatus Tsherepanov, 1973c: 138
ulmicola Holzschuh, 2007: 284 **A:** BEI HEB **SHA** **#350**
variabilis Holzschuh, 2007: 272 **A:** YUN **ORR**

variepennis Schwarzer, 1925c: 147 (*Camptomine*) A: TAI
venatoides Kusama & Tahira, 1978: 9 A: TAI
vetustus Holzschuh, 2007: 281 A: SHA
zikaweiensis Savio, 1929: 3 A: FUJ HUB SC JIA SHG
saitoi Matsushita, 1935: 313

genus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
subgenus *Estoliops* Matsushita, 1943: 574 type species *Estoliops fasciatus* Matsushita, 1943
fasciata fasciata Matsushita, 1943: 575 (*Estoliops*) A: JA SC
fasciata nobuoi Breuning & K. Ohbayashi, 1964: 29 (*Miaenia*) A: JA
fasciata okinawana Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
fasciata taiwanensis Kusama & Oda, 1979: 76 (*Estoliops*) A: TAI
fasciata yaeyamana Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
sakishimana deguchii Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
sakishimana sakishimana Gressitt, 1951b: 227 (*Miaenia*) A: JA (Ryukyus)
subgenus *Granulimiaenia* Breuning, 1977b: 259 type species *Miaenia granulicollis* Gressitt, 1938
granulicollis Gressitt, 1938b: 166 (*Miaenia*) A: GUA HKG TAI
subgenus *Indoagocidnus* Breuning, 1956d: 360 type species *Aegocidnus indicus* Breuning, 1956
binhanus Pic, 1926e: 48 (*Exocentrus*) A: HAI HKG ORR
laterimaculatus Gressitt, 1940b: 188 (*Miaenia*)
honkongensis Breuning, 1968d: 232 (*Sciades*) A: HKG
subgenus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
Pseudocidnus Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873
brevicollis Gressitt, 1951b: 225 (*Miaenia*) A: JA (Ryukyus)
changii Kusama & Oda, 1979: 75 (*Miaenia*) A: TAI
elongata Gressitt, 1951a: 532 (*Miaenia*) A: HUB NP
longicollis Breuning & K. Ohbayashi, 1964: 29 (*Miaenia*) A: JA
hirashimai Samuelson, 1965b: 121 (*Miaenia*)
maritima Tsherepanov, 1979: 82 (*Miaenia*) A: FE NC SC
nakanei Hayashi, 1956b: 18 (*Miaenia*) A: JA
subfasciata Schwarzer, 1925c: 148 (*Miaenia*) A: TAI
tonsa Bates, 1873: 385 (*Exocentrus*) A: JA
fuiyamae Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)
inhirsuta Pic, 1907d: 21 (*Exocentrus*)
leiopodina Matsushita, 1933b: 397 (*Exocentrus*)
subgenus *Truncatomiaenia* Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938
Sciades Pascoe, 1864a: 30 [HN] type species *Leiopus suffusus* Pascoe, 1864
botelensis Gressitt, 1951a: 531 (*Nonymoides*) A: TAI

#54

#54
#54

genus *Nobuosciades* M. Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933
bioculatus Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) A: JA (Ogasawara)
iwojinana Gressitt, 1956: 158 (*Sciadella*)
lanatus Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara)

tribe Gnomini J. Thomson, 1860

genus *Himantocera* Dejean, 1835: 341 type species *Lamia plumosa* Olivier, 1797
Himantocera Gistel, 1848a: xi [unjustified emendation]
~~*Himantocera* Pascoe, 1866c: 288 [unjustified emendation]~~
penicillata Hope, 1831: 28 (*Lamia*) A: AP BT GUI GUX NP SD XIZ YUN ORR [Kumawat et al., 2015: 7891]
vicina Gahan, 1894a: 47 (*Himantocera*) A: NP UP

genus *Trichognoma* Breuning, 1956g: 674 type species *Trichognoma chinense* Breuning, 1956
chinense Breuning, 1956g: 674 A: HUB

tribe Gyaritini Breuning, 1950

genus *Microleropsis* Gressitt, 1937d: 607 type species *Microleropsis rufimembris* Gressitt, 1937
rufimembris Gressitt, 1937d: 608 A: FUJ GUA

genus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858
subgenus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858
Axinyllium Pascoe, 1864a: 27, 46 type species *Axinyllium varium* Pascoe, 1864
Zeargyra Pascoe, 1886: 245 type species *Zeargyra vidua* Pascoe, 1886
Mimoenisia Pic, 1936a: 18 type species *Mimoenisia quadridentata* Pic, 1936a
auratus Breuning, 1963: 19 A: YUN ORR
lungtauensis Gressitt, 1951a: 484 (*Yimnashana*) A: GUA

#341
#341
#341
#341

theae Gressitt, 1951a: 485 (*Ymnashana*) A: FUJ #341

genus *Ymnashana* Gressitt, 1937d: 604 type species *Ymnashana denticulata* Gressitt, 1937
subgenus *Ymnashana* Gressitt, 1937d: 604 type species *Ymnashana denticulata* Gressitt, 1937 #341
denticulata Gressitt, 1937d: 604 A: GUA

subgenus *Tinkhamia* Gressitt, 1937d: 605 type species *Tinkhamia hamulata* Gressitt, 1937 #341
hamulata hamulata Gressitt, 1937d: 606 (*Tinkhamia*) A: JIX #341
hamulata lantauana Gressitt, 1937d: 606 (*Tinkhamia*) A: GUA HKG #341
validicornis Gressitt, 1951a: 487 (*Tinkhamia*) A: GUA #341

genus *Ymnashaniana* Hua, 1986a: 181 type species *Ymnashaniana jianfenglingensis* Hua, 1986
jianfenglingensis Hua, 1986a: 181 A: HAI

tribe Homonoeini J. Thomson, 1864

genus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
subgenus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
Brachyhomonoea Aurivillius, 1925: 30 type species *Brachyhomonoea conspersa* Aurivillius, 1925
Homonoeomorpha Aurivillius, 1913: 23 type species *Homonoeomorpha flavovariegata* Aurivillius, 1913
Microabryna Pic, 1925b: 28 type species *Microabryna mediodentata* Pic, 1925 (= *Homonoeomorpha flavovariegata* Aurivillius, 1913)
Yochostyla J. Thomson, 1868: 151 type species *Yochostyla japonica* J. Thomson, 1868
brevicornis Makihara, 1978: 54 A: JA (Ryukyus)
japonica japonica J. Thomson, 1868: 151 (*Yochostyla*) A: JA
japonica okinawana Hayashi, 1963c: 12 A: JA (Ryukyus)
lanhsuana Hayashi, 1974c: 40 A: TAI
lutaana Hayashi, 1974c: 41 A: TAI
oscitans Pascoe, 1858: 252 A: HKG JA SC SHA TAI
kiushuensis Matsushita & Tamanuki, 1937: 147
plagiata Schwarzer, 1925b: 64
variegata Schwarzer, 1925b: 64
oshimana heiana Hayashi, 1963b: 57 A: JA
oshimana oshimana Breuning, 1939b: 162 A: JA
sakishimana ishigaki Hayashi, 1966b: 71 A: JA (Ryukyus)
sakishimana sakishimana Hayashi, 1966b: 70 A: JA (Ryukyus)
sakishimana yonaguni Hayashi, 1966b: 71 A: JA (Ryukyus)
senkakuana Hayashi, 1972: 28
stolata Matsushita, 1931a: 45 (*Tmesisternus*) A: TAI
yagii Hayashi, 1994: 69 A: TAI

genus *Notomulciber* Blackburn, 1894a: 166 type species *Notomulciber carpentariae* Blackburn, 1894
subgenus *Micromulciber* Aurivillius, 1913: 22 type species *Mulciber biguttatus* Pascoe, 1867
Kamikiria Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)
gressitti Tippmann, 1955: 124 (*Kamikiria*) A: FUJ TAI
quadrisignatus Schwarzer, 1925b: 64 (*Micromulciber*) A: JA TAI
plagiatus Matsushita, 1933b: 349 (*Kamikiria*)

genus *Pseudokamikiria* Breuning, 1964a: 32 type species *Kamikiria klapperichi* Tippmann, 1955
klapperichi Tippmann, 1955: 122 (*Kamikiria*) A: FUJ

tribe Lamiini Latreille, 1825

genus *Aethalodes* Gahan, 1888a: 270 type species *Aethalodes verrucosus* Gahan, 1888
verrucosus formosanus Kriesche, 1924: 285 A: TAI
verrucosus verrucosus Gahan, 1888a: 270 A: FUJ GUA GUI GUX HUB JIX NO SCH ZHE ORR
armatus Nonfried, 1892a: 93 (*Trachystola*)
nodicollis Fairmaire, 1900: 640 (*Trachystola*)

genus *Gestro*, 1888a: 129 type species *Arctolamia villosa* Gestro, 1888
fasciata Gestro, 1891: 222 A: GUX YUN ORR
grisea Pic, 1927b: 35
fruhstorferi Aurivillius, 1902: 208 A: GUI GUX SCH YUN ORR
margaretae Gilmour, 1950: 537
luteomaculata Pu, 1981: 436 A: YUN
alcinoides Z. Wang, 2014: 604, 1123 #221
strandii Breuning, 1936: 296 A: YUN
villosa Gestro, 1888a: 129 A: YUN ORR

genus *Echinovelleda* Breuning, 1936: 284 type species *Echinovelleda chinensis* Breuning, 1936

antiqua Gressitt, 1951a: 347 **A:** GUI HUB HUN
chinensis Breuning, 1936: 284 **A:** SCH

genus *Echthistatodes* Gressitt, 1938a: 49 type species *Echthistatodes brunneus* Gressitt, 1938
brunneus Gressitt, 1938a: 49 **A:** SCH YUN
gongshanus Bi, 2016: 296 **A:** YUN
subobscurus Holzschuh, 1993a: 46 **A:** YUN

genus *Hayashiechthistatus* Miyake, 1980: 70 type species *Parechthistatus inexpectus* Hayashi, 1959
inexpectus Hayashi, 1959b: 56 (*Parechthistatus*) **A:** JA

genus *Eupromus* Pascoe, 1868: xii type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)
nigrovittatus Pic, 1930a: 16 **A:** GUA GUI GUX HUB HUN JIA JIX YUN **ORR**
ruber Dalman, 1817b: 167 (*Lamia*) **A:** FUJ GUA GUI GUX HUB HUN JA JIA JIX **SC** SCH TAI ZHE **ORR** [see Lim et. al. 2013]
championi A. White, 1858b: 398 (*Monochamus*)
sieboldi Guérin-Méneville, 1844: 238 (*Callimation*)

genus *Herophila* Mulsant, 1862: 273 type species *Dorcadion fairmairei* J. Thomson, 1857
Dorcatypus J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857

beieri Breuning, 1942e: 135 [Epire] (*Dorcatypus*) **E:** GR

fairmairei J. Thomson, 1857d: 151 (*Dorcadion*) **E:** GR

moreana Rapuzzi & Sama, 2018: 22 **E:** GR

#332

tristis martinasci E. Contarini & Garagnani, 1983: 152 (*Dorcatypus*) **E:** GR IT

#332

tristis tristis Linnaeus, 1767: 629 (*Cerambyx*) **E:** AL AU BH BU CR FR GR HU IT MC RO SL SZ TR YU **A:** TR

adspersa Gmelin, 1790: 1863 (*Cerambyx*)

confirmata Chevrolat, 1882: 61 (*Dorcatypus*)

divisa Pic, 1921a: 5

funerea Schoch, 1878: 134

funesta Fabricius, 1787: 139 (*Lamia*)

gennadii Buquet, 1882: cxxxvii (*Lamia*)

interrupta Pic, 1921a: 5

obliterata Pic, 1921a: 5

obsoleta Fairmaire, 1859a: 62 (*Morimus*)

posticalis Pic, 1921a: 5

pulverulenta Scopoli, 1772: 95 (*Cerambyx*)

zajecarensis Breuning, 1948c: 58 (*Dorcadion*)

veluchiana Breuning, 1943b: 96 (*Dorcadion*) **E:** GR

#332

genus *Lamia* Fabricius, 1775: 170 type species *Cerambyx textor* Linnaeus, 1758

Morimides J. Thomson, 1859: 95 type species *Cerambyx textor* Linnaeus, 1758

Pachystola Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758

textor Linnaeus, 1758: 392 (*Cerambyx*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC
MD NL NR NT PL RO SK SL SP ST SV SZ **TR** UK YU **A:** AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN
WS XIN

nigrorugosa DeGeer, 1775: 64 (*Cerambyx*)

noctis Gronovius, 1764: 162 [n.538] (*Cerambyx*) [description only, without name; name in the Index n.538 (1781)]

tricarinata Cornelius, 1884: 50

unicolor P. Brown, 1776: 134 (*Cerambyx*) **[HN]**

genus *Lamiomimus* Kolbe, 1886: 223 type species *Lamiomimus gottschei* Kolbe, 1886

chinensis Breuning, 1936: 286 **A:** GUI YUN

gottschei Kolbe, 1886: 224 **A:** ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE

adelphus Ganglbauer, 1887a: 137 (*Lamia*)

genus *Mesechthistatus* Breuning, 1950c: 222 type species *Echthistatus binodosus* C. O. Waterhouse, 1881

binodosus binodosus C. O. Waterhouse, 1881: 431 (*Echthistatus*) **A:** JA

binodosus insularis Hayashi, 1955: 55 **A:** JA

fujisanus Hayashi, 1957b: 46 **A:** JA

furcifer furcifer Bates, 1884a: 237 (*Echthistatus*) **A:** JA

furciferus Bates, 1884a: 237 [incorrect orig. spelling]

furcifer meridionalis Hayashi, 1951b: 79 (*Echthistatus*) **A:** JA

taniguchii Seki, 1944b: 168 (*Echthistatus*) **A:** JA JIX

hayashii Yokoyama, 1969: 58

genus *Mimechthistatus* Breuning, 1956i: 706 type species *Echthistatus yamahoi* Mitono, 1943

yamahoi Mitono, 1943: 578 (*Echthistatus*) **A:** TAI

genus *Morimospasma* Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889

dalaolagensis Xie, Zou & Wang, 2014: 448 **A**: HUB #170
granulatum Chiang, 1981: 80 **A**: SHA
jiangi Xie, Zou & Wang, 2014: 447 **A**: GUI HUN #170
nitidituberculatum Hua, 1992: 509, 523 **A**: HUN
paradoxum Ganglbauer, 1889a: 80 **A**: ANH GAN HUB QIN SCH SHA #170
difformis Pic, 1934a: 12 (*Trachystola*)
tuberculatum Breuning, 1939b: 147 **A**: HUB SCH ZHE
bimaculatum Breuning, 1947a: 1

genus *Morinus* Brullé, 1832: 258 type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)
Morinus Brullé, 1832: 258 [original incorrect spelling]
asper asper Sulzer, 1776: 44 (*Cerambyx*) **E**: AL CR FR IT SP SZ YU
lugubris Fabricius, 1793: 283 (*Lamia*)
asper funereus Mulsant, 1862: 279 **E**: AL AU BH BU CR CZ GR HU IT MC MD RO SK ?SL UK YU #81
asper ganglbaueri Reitter, 1894b: 44 **E**: BH CR ME YU
asper gazanchideri Danilevsky, 2019: 88 **E**: GR #413
asper graecus Danilevsky, 2016a: 189 **E**: GR #188
assamensis Breuning, 1936: 285 **A**: XIZ **ORR**
gabzdili Danilevsky, 2015: 215 **E**: SK UK #81 #323
lethalis J. Thomson, 1857e: 182 **A**: SCH SHG YUN **ORR**
morinoides A. White, 1858a: 266 (*Leprodera*)
quadrimaculatus Pic, 1925a: 17 (*Trachystola*)
trinotatus Pic, 1925a: 17 (*Trachystola*)
whitei Lacordaire, 1869: 298
orientalis Reitter, 1894b: 43 **E**: BU TR **A**: TR
verecundus bulgaricus Danilevsky, 2016a: 187 **E**: BU #188
verecundus murzini Danilevsky, 2019: 89 **E**: IN #413
verecundus verecundus Faldermann, 1836: 396 (*Lamia*) **E**: ST UK(Crimea) **A**: AB AR GG IN TM TR
ficitor Bogatchev, 1949: 183

genus *Neotrachystola* Breuning, 1942e: 133 type species *Trachystola maculipennis* Fairmaire, 1900
incerta Breuning, 1942e: 134 **A**: CH
maculipennis Fairmaire, 1900: 639 (*Trachystola*) **A**: GUA **ORR**
subobliterata Pic, 1925a: 17 (*Trachystola*)
superciliata Pu, 1997: 821, 834 **A**: SCH

genus *Parechthistatus* Breuning, 1942e: 131 type species *Echthistatus gibber* Bates, 1873
chinensis Breuning, 1942e: 132 **A**: HEN SHA
gibber daisen Miyake & Tsuyi, 1980: 76 **A**: JA
gibber gibber Bates, 1873: 308 (*Echthistatus*) **A**: JA
gibber grossus Bates, 1884a: 237 (*Echthistatus*) **A**: JA
gibber longicornis Hayashi, 1951b: 80 **A**: JA
gibber nakanei Miyake, 1980: 76 **A**: JA
gibber nankiensis Yokoyama, 1969: 59 **A**: JA
gibber pseudogrossus Miyake, 1980: 78 **A**: JA
gibber shibatai Miyake, 1980: 74 **A**: JA
gibber tanakai Miyake, 1980: 77 **A**: JA
gibber tsushimanus K. Ohbayashi, 1961b: 49 **A**: JA ?SC #248
sangzhiensis Hua, 1992: 514, 523 **A**: HUN

tribe Mesosini Mulsant, 1839

genus *Aesopida* J. Thomson, 1864: 62 type species *Aesopida malasiaca* J. Thomson, 1864
malasiaca J. Thomson, 1864: 62 **A**: HAI NP SD YUN **ORR**
dubiosa Heller, 1926: 37

genus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
subgenus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
nigromaculata Gahan, 1894a: 52 **A**: TAI **ORR**
subgenus *Epagelasta* Breuning, 1939c: 429 type species *Agelasta newmani* A. White, 1856
balteata Pascoe, 1866b: 236 **A**: YUN **ORR** #277
subgenus *Dissosira* Pascoe, 1865: 124 type species *Agelasta catenata* Pascoe, 1862
Anthriscoscylla Thomson, 1868: 165 type species *Anthriscoscylla mima* Thomson, 1868.
Pseudaemocia Breuning, 1935: 269 type species *Pseudaemocia rufa* Breuning, 1935.
cana Breuning, 1939c: 520 **A**: TAI
gardneri Breuning, 1938c: 204 **A**: NP UP
helii Yamasako et Liu, 2017: 218 **A**: HAI #405

konoï amamiana Hayashi, 1962a: 13 **A:** JA (Amami-Ōshima)
konoï konoï Hayashi, 1956b: 13 **A:** HUB JA
konoï kumejimana Kusama & Takakuwa, 1984: 49 **A:** JA (Kume Is.)
konoï okinoerabuensis K. Ohbayashi, 1959: 34 **A:** JA (Okinoerabu Is.)
konoï okinawana Hayashi, 1960d: 27 **A:** JA (Okinawa Is.)
kumei Takakuwa, 1991: 52 **A:** TAI
mouhoti Pascoe, 1862a: 335 **A:** YUN **ORR**
perplexa Pascoe, 1858: 243 **A:** FUJ HEN JA JIX LIA **SC** TAI ZHE
alternans Schwarzer, 1925b: 62 (*Saimia*)
formosana Pic, 1925b: 30 (*Mimocoptops*)
praelongipes Kusama & Irie, 1976: 20 **A:** JA (Ryukyus)
rufa Breuning, 1935e: 269 (*Pseudaemocia*) **A:** JA (Ogasawara)
sikkimensis Breuning, 1963f: 78 **A:** SD
szetschuanica Breuning, 1967f: 184 **A:** SCH
tonkinea omeishana Gressitt, 1951a: 427 **A:** FUJ SCH
tonkinea palminsulana Gressitt, 1940b: 127 (*Choeromorpha*) **A:** HAI
tonkinea tonkinea Pic, 1925f: 188 **A:** NP TAI **ORR**
formosana Schwarzer, 1925b: 61
yonaguni kashiwaii Kusama & Takakuwa, 1984: 11 **A:** JA (Ryukyus)
yonaguni similis Kusama & Takakuwa, 1984: 11 **A:** JA (Ryukyus)
semipraelongipes Kusama & Takakuwa, 1984: 358
yonaguni subkonoï Breuning, 1964f: 91 **A:** JA (Ryukyus)
yonaguni yonaguni Hayashi, 1962c: 5 **A:** JA (Ryukyus)
yunnanensis Breuning, 1954a: 10 **A:** YUN
subgenus *Mesolophus* Gahan, 1894a: 56 type species *Mesolophus humeralis* Gahan, 1894
Samiomimus Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927
humeralis Gahan, 1894a: 57 (*Mesolophus*) **A:** NP **ORR**
marmorata Pic, 1927b: 36 (*Samiomimus*) **A:** FUJ SCH **ORR**
pici Breuning, 1938c: 210 **A:** FUJ NMO
yunnana Chiang, 1963: 69 **A:** YUN
subgenus *Parasaimia* Breuning, 1935e: 267 [RN] type species *Mimocoptops laosensis* Pic, 1925
Mimocoptops Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925
glabrofasciata Pic, 1917j: 353 (*Mesosa*) **A:** YUN
hirticornis Gressitt, 1936: 102 (*Saimia*) **A:** TAI
subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* A. White, 1858
bifasciana A. White, 1858a: 273 **A:** JIX NP SD **XIZ YUN ORR**
bisinuata Pic, 1937b: 4 (*Mesosa*)
savioi Pic, 1937b: 4 (*Mesosa*)
birmanica Breuning, 1935e: 273 (*Paragelasta*) **A:** YUN **ORR**
fallaciosa Breuning, 1938c: 208 **A:** SD **YUN**

genus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
subgenus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
apicalis Pic, 1925a: 32 **A:** CH NP SD UP **ORR**
adspersa Schwarzer, 1931a: 68 (*Choeromorpha*)
subgenus *Mesagelasta* Breuning, 1939c: 494 type species *Anagelasta trimaculata* Breuning, 1938
nigromaculata Breuning, 1938c: 212 **A:** HP

genus *Anancylus* Thomson, 1864: 61 type species *Anancylus calceatus* Thomson, 1864
subgenus *Paranancylus* Breuning, 1939c: 472 type species *Anancylus socius* Pascoe, 1865
albofasciatus Pic, 1925: 25 **A:** HAI
punctifasciata Gressitt, 1940b: 120 (*Mesocacia*)

genus *Cacia* Newman, 1842c: 290 type species *Cacia spinigera* Newman, 1842
subgenus *Corethrophora* Blanchard, 1853: 301 type species *Corethrophora semiluctuosa* Blanchard, 1853
shirupiti Kano, 1939: 31 **A:** TAI
subgenus *Ipocregyes* Pascoe, 1865: 113 type specie *Cacia newmanni*, 1857b: 102
Falsoereis Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925
arisana Kano, 1933a: 281 (*Ipocregyes*) **A:** TAI
scopifera Mitono, 1934: 492 (*Cenodocus*)
basialboantennalis Breuning, 1958a: 6 **A:** BT
bootanana Breuning, 1968f: 693 **A:** BT
cephaloides Breuning, 1968a: 8 **A:** YUN **ORR**
cephalotes Pic, 1925b: 25 (*Falsoereis*) **A:** BT **HAI** SD YUN **ORR**
formosana Schwarzer, 1925b: 60 (*Mesosa*) **A:** FUJ HUB JIX TAI ZHE
lepesmei Gressitt, 1951a: 423 **A:** GUX SHA

#74

#405

#405

#405

#405

#405

nigrofasciata Gressitt, 1940b: 122 **A:** HAI
watantakkuni Kano, 1933a: 280 (*Ipocregyes*) **A:** TAI
yunnana Breuning, 1938c: 208 **A:** YUN
subgenus *Pericacia* Breuning, 1939c: 459 type species *Lamia cretifera* Hope, 1831
cretifera cretifera Hope, 1831: 27 (*Lamia*) **A:** : GUA GUI GUX HUB NP PA SCH SD SHX UP XIZ YUN #183
incensa Pascoe, 1865: 112
macularia Gressitt, 1939a: 62
~~*cretifera dilacerata* Breuning, 1939c: 459 **A:** NP SD [unavailable - described as morpha]~~
cretifera thibetana Pic, 1917h: 12 (*Mesosa*) **A:** GUX SCH XIZ YUN
thibetana Pic, 1925b: 27 (*Cacia*) [HN]
multirustica Chiang, 1951: 64 **A:** GUI

genus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
subgenus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
lineifrons Gressitt, 1951a: 429 (*Anagelasta*) **A:** FUJ HAI #405
subfasciata Pic, 1922b: 26 (*Coptops*) **A:** YUN ORR

genus *Clyzomedus* Pascoe, 1865: 115 type species *Coptops nanus* Pascoe, 1859
transversefasciatus Breuning, 1938c: 212 **A:** UP

genus *Coptops* Audinet-Serville, 1835a: 64 type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)
aedificator Fabricius, 1793: 275 (*Lamia*) **A:** AP KA OM PA SA TAI UP YE AFR ORR #183 #409
ambulator Fabricius, 1775: 171 (*Lamia*)
bidens Wollaston, 1877: 210
fuscus Olivier, 1795: 83 (*Cerambyx*) [1797: 462] (*Lamia*)
parallelus Audinet-Serville, 1835a: 64
quadrisignatus Fähræus, 1873: 30
villicus Olivier, 1795: 102 (*Cerambyx*) [1797: 468] (*Lamia*)
albonotatus Pic, 1917j: 354 (*Pachyosa*) **A:** SCH YUN ORR
albosparsus Pic, 1926b: 7 (*Mutatocoptops*)
annulipes annulipes Gahan, 1894a: 54 **A:** YUN "North India" ORR
curvatosignatus Pu, 1992b: 606 **A:** SCH
diversesparsus Pic, 1917f: 7 (*Pachyosa*) **A:** YUN
nigrosparsus Pic, 1933a: 13 (*Mutatocoptops*)
japonicus Breuning, 1936: 311 **A:** TAI
leucosticticus leucosticticus A. White, 1858a: 272 **A:** AP GUI GUX NP SD XIZ YUN ORR #182
centurio Pascoe, 1869b: 205
lacertosus Pascoe, 1865: 121
longipes Pic, 1925b: 29 (*Mutatocoptops*)
niveisparsus Fairmaire, 1904c: 145
olivaceus Breuning, 1935e: 263
petechialis Pascoe, 1865: 119
polyspilus Pascoe, 1865: 118
vitalisi Pic, 1926b: 7 (*Mutatocoptops*)
leucosticticus rusticus Gressitt, 1940b: 124 [RN] **A:** GUX HAI
polyspilus Gahan, 1900d: 351 [HN]
licheneus Pascoe, 1865: 118 **A:** FUJ GUA GUX HAI NP YUN ORR
salvazai Pic, 1925b: 29 (*Mutatocoptops*)
ocellifera Breuning, 1965: 37 **A:** YUN ORR #73
pascoei Gahan, 1894a: 55 **A:** GUX ORR
bidentatithorax Pic, 1925b: 30 (*Mutatocoptops*)
penghuensis Yamasako & Lin, 2010: 292 **A:** TAI
szechuanicus Gressitt, 1951a: 431 **A:** SCH
thibetanus Breuning, 1974d: 79 **A:** XIZ

genus *Epimesosa* Breuning, 1939c: 420 type species *Mesosa taliana* Pic, 1917
taliana Pic, 1917h: 13 (*Mesosa*) **A:** SCH YUN

genus *Ereis* Pascoe, 1865: 105 [RN] type species *Eris anthriboides* Pascoe, 1857 #73
Eris Pascoe, 1857: 110 [HN] type species *Eris anthriboides* Pascoe, 1857 (not Koch, 1846, Arachnida)
subfasciata Pic, 1925b: 25 **A:** GUX HAI ORR

genus *Eurymesosa* Breuning, 1939a: 391 type species: *Ereis ventralis* Pascoe, 1865
ziranzhiyi Yamasako & Lin, 2016: 194 **A:** HUB SHA

genus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
subgenus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925

Gyarancita Breuning, 1963: 9 type species *Gyarancita rondoni* Breuning, 1963 #341
albofasciata Pic, 1925b: 27 A: YUN
bhutanensis Breuning, 1968e: 859 (*Mesosella*) A: BT NP
breuningi Pic, 1944b: 14 A: CH
gardneri Breuning, 1938c: 197 A: NP SD UP YUN
affinis Breuning, 1938c: 198
annamensis Breuning, 1939c: 516 (*Mesosa*)
gracilior Bates, 1884a: 244 (*Mesosa*) A: JA
grisella A. White, 1858b: 401 (*Cacia*) A: HKG TAI
horishana Gressitt, 1938b: 161 A: TAI
mediofasciata Breuning, 1968f: 697 A: SD
minor Pic, 1925b: 27 A: YUN TAI
minor Pic, 1926b: 9 (*Mesosa*)
nigronotata hakka Gressitt, 1937d: 597 A: GUA HAI ORR
[nigronotata nigronotata Pic, 1930: 19 – Viet-Nam]
rufovittata Breuning, 1938c: 198 A: NP UP
transversefasciata Breuning, 1938c: 198 A: UP
subalba Gressitt, 1938b: 162 A: TAI
truncatipennis Pic, 1944b: 13 A: HEN HUB SHA #75
unicolor Breuning, 1965: 44 A: TAI ORR

genus *Golsinda* Thomson, 1861: 343 type species *Golsinda carolina* Thomson, 1861
basicornis Gahan, 1894a: 48 A: GUI HAI YUN ORR #73
rugicollis Gressitt, 1940b: 121 (*Mesocacia*) #73

genus *Hypocacia* Breuning, 1935e: 275 type species *Hypocacia biplagiata* Breuning, 1935
shimomurai Holzschuh, 1989b: 386 A: TAI

genus *Japanomesosa* Yamasako & N. Ohbayashi, 2007: 344 type species *Mesosa poecila* Bates, 1884a
poecila Bates, 1884a: 245 (*Mesosa*) A: JA

genus *Leptomesosa* Breuning, 1938c: 392 type species *Mesosa cephalotes* Pic, 1903
cephalotes Pic, 1903i: 121 (*Mesosa*) A: SCH SHA YUN ORR #350
nodosipennis Pic, 1917h: 12 (*Mesosa*)
langana Pic, 1917: 12 (*Mesosa*) A: HAI ORR #73

genus *Mesocacia* Heller, 1926: 32 type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)
duplicaria Holzschuh, 2006c: 484 A: NP
multimaculata Pic, 1925b: 24 (*Ereis*) A: BT GUX HAI SD YUN ORR
assamensis Heller, 1926: 33

genus *Mesoereis* Matsushita, 1933b: 338 type species *Mesoereis koshunensis* Matsushita, 1933
Trichomesosa Breuning, 1938: 389 type species *Ereis bifasciata* Pic, 1925 [Tonkin] #91
bifasciata Pic, 1925: 25 [*Ereis*] A: FUJ GUX HAI TAI ORR #91
koshunensis Matsushita, 1933b: 339 #91
kikuchii Matsushita, 1933b: 339
horiانا Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) A: JA (Ryukyus)
ohirai Breuning & Villiers, 1973: 48

genus *Mesosa* Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760
subgenus *Aplocnemia* Stephens, 1831: 236 type species *Cerambyx nubilus* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)
Aphelocnemia Stephens, 1832: [414] [emendation, not in usage]
Haplocnemia Agassiz, 1846b: 172 [unjustified emendation]
Helixoea Pascoe, 1865: 124 type species *Agelasta rupta* Pascoe, 1862
affinis affinis Breuning, 1936: 306 A: NP BT SD
affinis nepalica Holzschuh, 2003b: 307 A: NP
andrewsi Gressitt, 1942c: 3 A: XIZ
angusta Gressitt, 1951a: 417 A: GUA
cheni Gressitt, 1951a: 418 A: HAI HUB
griseomarmorata Breuning, 1939c: 517 A: GUX
jarzabekae Danilevsky & Müller, 2016: 184 A: IN #187
latifasciata A. White, 1858b: 401 (*Cacia*) A: FUJ GUA GUX HAI JIA JIX TAI ORR #74 #405
luteopubens Pic, 1917c: 7
longipennis Bates, 1873: 313 A: GAN GUI HEB JA JIA SC SHX TAI ZHE
amakusae Breuning, 1964f: 91
posticeconnexa Hayashi, 1964: 73
subobliterata Pic, 1901m: 62

nebulosa algerica Pic, 1898h: 58 **N**: AG TU
nebulosa nebulosa Fabricius, 1781: 218 (*Lamia*) **E**: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD NL
 NR PL PT RO SK SL SP ST SV SZ TR UK YU **A**: AB AR GG ~~HEB~~ TR
brevis Villers, 1789: 257 (*Cerambyx*)
lineatopunctata Baudi di Selve, 1889a: 193
m-nigrum Schaller, 1783: 291 (*Cerambyx*)
nubila Gmelin, 1790: 1832 (*Cerambyx*)
nebulator Turton, 1806: 306 (*Cerambyx*)
silvestrii Tippmann, 1956: 492
nigrofasciaticollis Breuning, 1968a: 5 **A**: YUN **ORR**
obscura Gahan, 1894a: 49 **A**: YUN **ORR** [see: Holzschuh, 2017b]
tonkinensis Breuning, 1936: 306 [HN].
tonkinea Breuning, 1939c: 404 [RN].
obscuricornis Pic, 1894b: 44 **A**: AB IN
rupta Pascoe, 1862a: 335 (*Agelasta*) **A**: GUA GUX **YUN** **ORR**
nhouabayi Breuning, 1965c: 44
nigrobifasciata Pic, 1925b: 30 (*Mimocoptops*)
unifasciata Pic, 1922b: 26
senilis Bates, 1884a: 245 **A**: FE JA
sikkimensis Breuning, 1935e: 274 **A**: SD **ORR**
sparsenotata Pic, 1922c: 14 **A**: HAI **ORR** #405
maculifemorata Gressitt, 1940b: 117 #405
undata Fabricius, 1793: 270 (*Lamia*) **A**: GUX **ORR**
antennata A. White, 1858b: 401 (*Cacia*)
subgenus *Lissomesosa* Yamasako & N. Ohbayashi, 2007: 340 type species *Mesosa cribrata* Bates, 1884a
cribrata Bates, 1884a: 245 **A**: JA
kirisimana Matsushita, 1943: 576 **A**: JA
shikokensis K. Ohbayashi, 1963: 11
subgenus *Mesosa* Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760
Dendrobis Gistel, 1834: 30 [unnecessary substitute name]
bipunctata Chiang, 1951: 62 **A**: GUI GUX
curculionoides Linnaeus, 1760: 193 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT **LA** LT MC MD NR PL PT
 RO SK SL SP ST SV SZ TR UK YU **A**: AB AR GG IN TR
~~— *bioculata* Nicolas, 1902: 28 (*Haploenemia*) [see Danilevsky, 2014b: 227]~~
~~— *curculioides* Seopoli, 1772: 101~~
nigronotata Pic, 1906h: 86 (*Haploenemia*)
oculata Geoffroy, 1785: 78 (*Leptura*) [HN]
tokatensis Pic, 1904a: 6 (*Haploenemia*)
japonica Bates, 1873: 312 **A**: FE(islands) JA ~~JIL~~ **TAI**
mediofasciata Breuning, 1942a: 142 **A**: HUB JA TAI
myops Dalman, 1817b: 168 (*Lamia*) **E**: BY CT FI LA **LT** NT PL ST SV UK **A**: ?ANH ES FE ?GAN ?GUA ?GUI HEB HEI ?HEN
 ?HUB JIL KZ LIA MG NC NMO ?QIN SC ?SCH ?SHA ~~TAI~~ WS XIN ?ZHE
plotina Z. Wang, 2003: 323, 396
stictica rugosa Gressitt, 1951a: 416 **A**: GUI
stictica stictica Blanchard, 1871: 812 **A**: BEI GAN GUI HUB SCH SHA SHN SHX XIZ YUN ZHE
oculicollis Fairmaire, 1878: 131
subgenus *Metamesosa* Breuning, 1939c: 411 type species *Mesosa basinodosa* Pic, 1925
basinodosa Pic, 1925b: 28 **A**: YUN
nomurai Hayashi, 1964: 71 **A**: JA
sinica Gressitt, 1939b: 113 (*Aesopida*) **A**: FUJ GUX HUN ZHE
subgenus *Perimesosa* Breuning, 1939c: 409 type species *Mesosa hirsuta* Bates, 1884a
atrostigma Gressitt, 1942g: 84 **A**: ANH FUJ GUX **SHA** TAI ZHE #74 #350
bimaculata Breuning, 1936: 306 **A**: SD UP **ORR**
binigrovittata Breuning, 1942a: 143 **A**: FUJ TAI
binigrovittipennis Breuning, 1968f: 692 **A**: AP SD
chassoti Breuning, 1970c: 89 **A**: TAI
enodata Holzschuh, 2017c: 124 **A**: GUI
guttigera Holzschuh, 2017c: 125 **A**: GUI
hirsuta albihirsuta Kusama & Takakuwa, 1984: 11 **A**: JA (Yakushima, Tanegashima Is.)
hirsuta brevihirsuta Makihara, 1980: 53 **A**: JA (Danjo Is.)
hirsuta hirsuta Bates, 1884a: 244 **A**: JA
harmandi Pic, 1901v: 341
nigrohumeralis Breuning, 1938c: 203
hirsuta continentalis Hayashi, 1964: 76 [= 1965: 29] **A**: FE NC NE SC
hirsuta konishii Hayashi, 1964: 76 [= 1965: 30] **A**: JA (Tsushima Is.)
hyunchaei Yamasako & Hasegawa, 2009: 290 **A**: SC
irrorata Gressitt, 1939b: 111 **A**: FUJ HEN HUB **HUN** JIX **SCH** **SHA** ZHE #74
medioalbofasciata Breuning, 1969a: 35 **A**: TAI

pictipes miyamotoi Hayashi, 1956b: 20 **A:** JA (Tokara Is.)
pictipes pictipes Gressitt, 1937b: 323 **A:** JA (Ryukyus)
pieli Pic, 1936d: 16 **A:** JIX
setulosa Breuning, 1938c: 202 **A:** HP NP
yayeyamai Breuning, 1955b: 61 **A:** JA (Ryukyus)
subgenus *Saimia* Pascoe, 1866b: 234 [RN] type species *Samia albidorsalis* Pascoe, 1865
Samia Pascoe, 1864a: 96 [HN] type species *Samia albidorsalis* Pascoe, 1865
alternata Breuning, 1936: 311 (*Saimia*) **A:** TAI **ORR**
indica Breuning, 1935e: 265 **A:** UP YUN **ORR**
kuntzeni Matsushita, 1933b: 340 **A:** TAI
lata Breuning, 1956g: 677 **A:** "North-west India"
subfasciata Gahan, 1894a: 49 **A:** UP YUN **ORR** [see: Holzschuh, 2017b]
tonkinensis Breuning, 1935e: 265 (*Saimia*) [see: Holzschuh, 2017b: 15]
marmorata Breuning, 1943: 47 (in: Breuning & Itzinger, 1943)
rondoni Breuning, 1962b: 63.
variegata Breuning, 1962b: 15.
paravariegata Rondon & Breuning, 1970: 326.
yunnana Breuning, 1938c: 202 (*Saimia*) **A:** HAI YUN

genus *Metipocregyes* Breuning, 1939c: 429 type species *Mesosa nodieri* Pic, 1933 **#403**
nodieri Pic, 1933a: 14 (*Mesosa*) **A:** GUX YUN **ORR** **#403**
wenhsini Yamasako & Chou, 2013: 97 (*Hypocacia*) **A:** TAI **#403**

genus *Mutatocoptops* Pic, 1925b: 29 type species *Mutatocoptops alboapicalis* Pic, 1925 **#182**
alboapicalis Pic, 1925b: 30 **A:** AP YUN **ORR**
~~*cristatus* Fisher, 1936: 183 (*Paraecoptops*)~~ [valid name for an Oriental species (Weigel, 2012: 409)]
anancyloides Schwarzer, 1925b: 61 (*Coptops*) **A:** TAI **ORR**

genus *Pachyosa* Fairmaire, 1897a: 71 type species *Pachyosa cervinopicta* Fairmaire, 1897
atronotata atronotata Kusama & Irie, 1976: 19 (*Mesosa*) **A:** JA
atronotata yamawakii Hayashi, 1976: 11 (*Mesosa*) **A:** JA
cervinopicta Fairmaire, 1897a: 71 **A:** JA (Ryukyus)
guanyin Yamasako & Chou, 2014b: 44 **A:** TAI
hirtiventris Gressitt, 1937b: 324 (*Coptops*) **A:** JA (Ogasawara)
itoi Ohbayashi, 1985: 1 (*Mesosa*) **A:** JA (Ryukyus)
kojimai Hayashi, 1974c: 37 (*Coptops*) **A:** TAI

genus *Paragolsinda* Breuning, 1956g: 675 type species *Paragolsinda fruhstorferi* Breuning, 1956g (according to Tavakilian & Chevillotte, 2018)
fruhstorferi Breuning, 1956g: 676 **A:** HAI **ORR** **#405**
obscura Matsushita, 1933b: 339 (*Mesoereis*) **A:** TAI
tonkinensis Breuning, 1938c: 197 (*Mesoereis*) **A:** HAI **ORR**

genus *Paripocregyes* Breuning, 1938c: 204 type species *Paripocregyes brunneomaculatus* Breuning, 1938
brunneomaculatus Breuning, 1938c: 204 **A:** UP **ORR**

genus *Pseudipocregyes* Pic, 1923c: 20 type species *Pseudipocregyes maculatus* Pic, 1923
albosignatus Breuning, 1974d: 74 **A:** CH **ORR**
maculatus Pic, 1923c: 20 **A:** YUN **ORR**

genus *Spinipocregyes* Breuning, 1949a: 6 type species *Spinipocregyes nigrescens* Breuning, 1949a
wenhsini Bi, 2013: 104 **A:** HAI

tribe Monochamini Gistel, 1848

genus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858
subgenus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858
Cypriola J. Thomson, 1864: 16 type species *Cypriola acanthocinoides* J. Thomson, 1864
Haplohammus Bates, 1884a: 239 type species *Monohammus luxuriosus* Bates, 1873
Neanthes Pascoe, 1878: 372 type species *Monohammus curialis* Pascoe, 1858 (= *Monochamus subfuscus* J. Thomson, 1857)
affinis Breuning, 1935d: 55 (*Dihammus*) **A:** NP SD
amamiana amamiana Hayashi, 1962b: 36 (*Cypriola*) **A:** JA
amamiana simillima Breuning & K. Ohbayashi, 1966: 32 **A:** JA (Ryukyus)
okinaensis Breuning & K. Ohbayashi, 1966: 31
aurata Gahan, 1888c: 260 (*Monohammus*) **A:** AP NP **ORR** **#182**
basicornis Gahan, 1894a: 37 (*Haplohammus*) **A:** GUX HUN SD YUN **ORR**

basiplagiata Breuning, 1935c: 249 (*Dihammus*) **A: YUN ORR**
battonii Breuning, 1980a: 16 **A: NP**
bifasciata Westwood, 1848: 59 (*Monohammus*) **A: AP HUB SD "Himalaya" ORR**
kingana Pic, 1921c: 6 (*Monohammus*)
perplexa Gahan, 1888d: 393 (*Monohammus*)
boninensis Hayashi, 1971: 16 **A: JA** (Ogasawara)
breuningii Gressitt, 1951a: 399 (*Dihammus*) **A: GUA**
bretschneideri Weigel, 2012: 409 **A: AP** #182
breviscapus Hayashi, 1980: 2 **A: NP**
cervina Hope, 1831: 27 (*Monochamus*) **A: AP** FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE **ORR**
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
chinensis Breuning, 1970f: 475 **A: GUI**
coreanica Breuning, 1956c: 234 **A: "Korea"**
corensis Breuning, 1967f: 183 **A: SC**
craspepunctifrons Breuning, 1960d: 34 (*Cypriola*) **A: SD**
degeneroides Breuning, 1948a: 8 (*Dihammus*) **A: JIX**
elongata Breuning, 1935c: 251 (*Dihammus*) **A: GUI NP SD SCH ORR**
fasciculata Hua, 2009: 192, 331 [RN] **A: YUN** #139
fasciata Hua, 1992: 492, 524 [HN]
ferriei Breuning, 1954d: 73 (*Cypriola*) **A: FUJ JA**
floculata *floculata* Gressitt, 1935c: 188 (*Monochamus*) **A: TAI**
floculata paucisetosa Gressitt, 1938c: 154 (*Dihammus*) **A: AP** GUI GUX SCH SHA #182
formosana Breuning, 1935c: 251 (*Dihammus*) **A: TAI**
fraudator *fraudator* Bates, 1873: 309 (*Monohammus*) **A: FE JA NC NE SC**
fraudator nigricornis Makihara, 1977: 63 **A: JA**
mogii Makihara, 1980: 62
fraudator satoi Breuning & K. Ohbayashi, 1966: 32 **A: JA**
fraudator yakushimana Yokoyama, 1971: 99 **A: JA**
freudei Heyrovský, 1976: 184 **A: NP**
gardneri Breuning, 1938c: 186 (*Dihammus*) **A: SD**
ginkgovora Makihara, 1992a: 62 **A: JA**
griseipennis J. Thomson, 1857f: 296 (*Monochamus*) **A: AP** BT NP SD YUN **ORR**
griseoplagiata Breuning, 1935c: 250 (*Dihammus*) **A: SD**
grossescapa Breuning, 1942a: 117 (*Dihammus*) **A: TAI**
hachijoensis Gressitt, 1956: 113 (*Dihammus*) **A: JA**
mikurensis Hayashi, 1969a: 64
hainana Breuning, 1959d: 149 (*Cypriola*) **A: HAI**
haradai Hayashi, 1980: 3 **A: NP**
hingstoni Gilmour, 1956b: 743 (*Dihammus*) **A: XIZ**
holosericea Breuning, 1939b: 158 (*Dihammus*) **A: XIZ ORR**
hunanensis Breuning, 1963g: 218 **A: HUN**
inaequalis Gardner, 1937: 8 (*Dihammus*) **A: SD**
iwahashii Makihara, 1992a: 59 **A: JA** (Ryukyus)
kunijoshii Hayashi, 1963c: 11 **A: JA** (Ryukyus)
kusamai Hayashi, 1969a: 64 **A: JA SC**
laeviceps Breuning, 1938c: 186 (*Dihammus*) **A: SD**
longicollis Gilmour, 1956b: 744 (*Dihammus*) **A: NP**
luxuriosa kawadai Takakuwa, 1984: 431 **A: JA**
luxuriosa kuro Makihara, 1977: 65 **A: JA**
luxuriosa luxuriosa Bates, 1873: 309 (*Monohammus*) **A: JA**
masatakai Makihara, 2003: 356 **A: JA**
mutans Breuning, 1938a: 32 (*Dihammus*) **A: AP XIZ ORR** #182
nepalensis Hayashi, 1980: 1 **A: NP**
ningshanensis Danilevsky, 2013h: 34 **A: GUI HUB SCH SHA YUN** #74
nishimurai Makihara, 1992a: 70 **A: JA** (Ryukyus)
nivosa A. White, 1858b: 409 (*Monohammus*) **A: NP PA "Himalaya" ORR**
oshimana omoro Hayashi, 1963c: 11 **A: JA** (Ryukyus)
oshimana oshimana Breuning, 1954d: 73 (*Cypriola*) **A: JA**
paracervina Breuning, 1972b: 237 **A: AP ORR**
paraspeciosa Breuning, 1982: 19 **A: XIZ**
permutans occidentalis Breuning, 1958h: 268 (*Cypriola*) **A: SCH**
permutans okinawana Gressitt, 1951b: 216 (*Dihammus*) **A: JA** (Ryukyus)
teragrama Gilmour, 1951: 67 (*Dihammus*)
permutans paucipunctata Gressitt, 1938b: 157 (*Dihammus*) **A: JA TAI YUN**
permutans permutans Pascoe, 1857b: 103 (*Monohammus*) **A: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI ZHE ORR**

severini Nonfried, 1892a: 94 (*Monohammus*)
vicina Pascoe, 1858: 245 (*Monohammus*)
pseudosericans Breuning, 1949b: 6 A: ZHE **ORR**
punctifrons Gahan, 1894a: 36 (*Haplohammus*) A: SD
scotti Breuning, 1936: 289 (*Dihammus*) A: SD
sejuncta hamai Hayashi, 1962b: 36 (*Cypriola*) A: JA
sejuncta izuinsulana Hayashi, 1968a: 25 A: JA
sejuncta morii Makihara, 1980: 65 A: JA
sejuncta sejuncta Bates, 1873: 310 (*Monohammus*) A: FE FUJ HUB JA **NC SC**
fraxini Matsushita, 1933a: 328 (*Dihammus*)
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
olivacea Breuning, 1944b: 471 (*Dihammus*)
sejuncta tsushimae Breuning, 1960e: 35 (*Cypriola*) A: JA
semisericea Pic, 1935b: 17 (*Dihammus*) A: SCH
semidegenera Hayashi, 1981a: 14 A: NP
sericans Breuning, 1938a: 33 (*Dihammus*) A: NP SD UP
sericeomicans Fairmaire, 1889a: 67 (*Monochamus*) A: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**
seunghwani Danilevsky, 2013h: 32 A: FE JIL **NC SC**
sikkimensis nigrina Breuning, 1975d: 344 A: **AP BT** #182
sikkimensis rufoantennata Breuning, 1975d: 345 A: BT NP
sikkimensis sikkimensis Breuning, 1935c: 250 (*Dihammus*) A: SD
sobria Pascoe, 1858: 246 (*Monohammus*) A: TAI **ORR**
socia Gahan, 1888a: 275 (*Haplohammus*) A: FUJ GUX JIA JIX NO
speciosa Gahan, 1888a: 275 (*Haplohammus*) A: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**
sublusca boehmeriavora Makihara, 1992a: 60 A: JA (Ryukyus)
sublusca maculihumera Matsushita, 1933b: 328 (*Dihammus*) A: TAI
sublusca sublusca J. Thomson, 1857f: 293 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA
 SHN ZHE **ORR**
curialis Pascoe, 1858: 246
subspeciosa Breuning, 1963g: 217 A: ZHE
sulphurifera Hope, 1842b: 128 (*Monochamus*) A: SD **ORR**
szachuana Gressitt, 1938c: 155 (*Dihammus*) A: SCH
tenuipes Breuning, 1939b: 158 (*Dihammus*) A: SD
ussurica Plavilstshikov, 1951: 121 (*Dihammus*) A: FE
vitalisi Pic, 1925a: 19 (*Monochamus*) A: FUJ GUA GUX HAI HUN JIX SCH TAI ZHE **ORR**
ikedai Mitono, 1943: 581 (*Dihammus*)
wittmeri Breuning, 1975d: 343 A: BT
yokoyamai Hayashi, 1971: 15 A: TAI
subgenus *Dihammus* J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835)
Niphohammus Matsushita, 1932: 170 type species *Niphohammus korolensis* Matsushita, 1932
rusticator formosensis Breuning & K. Ohbayashi, 1966a: 11 A: TAI
rusticator rusticator Fabricius, 1801b: 294 (*Lamia*) A: TAI **ORR**
bianor Newman, 1842b: 277 (*Monohammus*)
fistulatrix Germar, 1824: 478 (*Lamia*)
musiva Pascoe, 1866b: 251 (*Monochamus*)
genus *Agnioides* Breuning, 1956g: 671 type species *Agnioides striatopunctatus* Breuning, 1956
Paragniopsis Breuning, 1965: 59c type species *Paragniopsis ochraceomaculata* Breuning, 1965 #388
striatopunctatus Breuning, 1956g: 671 A: ~~BT~~ YUN **ORR** #388
ochraceomaculata Breuning, 1965c: 59 (*Paragniopsis*) #388
genus *Agniomorpha* Breuning, 1935e: 257 type species *Agniomorpha ochraceomaculata* Breuning, 1935
ochraceomaculata Breuning, 1935e: 257 A: GUI GUX SD **ORR**
genus *Agnoderus* J. Thomson, 1864: 83 type species *Agnoderus gnomoides* J. Thomson, 1864
gnomoides J. Thomson, 1864: 83 A: SD
genus *Anamera* J. Thomson, 1864: 63 type species *Anamera alboguttata* J. Thomson, 1864
gigantea gigantea Breuning, 1935d: 66 A: PA **ORR**
gigantea iliyashenkoi Jiroux, Garreaux & Gurko, 2012: 19 A: PA
genus *Annamanum* Pic, 1925a: 23 type species *Annamanum vitalisi* Pic, 1925
Uraeopsis Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894
albiparsum Gahan, 1888b: 62 (*Monochamus*) A: FUJ GUI GUX HUN JIX
albonotatum Pic, 1925a: 22 (*Uraecha*)
albomaculatum Breuning, 1935f: 76 A: CH **ORR**

cardoni Breuning, 1953: 2 **A**: "India"
chebanum Gahan, 1894a: 41 (*Uraecha*) **A**: GUA GUX YUN **ORR**
fuscomaculatum Breuning, 1979c: 99 **A**: YUN
griseolum Bates, 1884a: 240 (*Uraecha*) **A**: JA
humerae Pic, 1934a: 35 (*Urecha*) **A**: YUN **ORR**
indicum Breuning, 1938c: 191 **A**: SD
lunulatum Pic, 1934a: 34 (*Urecha*) **A**: GUX YUN **ORR** #314
fruhstorferi Breuning, 1964b: 2 #388
longzhouensis W.-K. Wang & S.-N. Jiang, 2000a: 47 (*Uraecha*) #314
magnum Holzschuh, 2017c: 127 **A**: GUI
mediomaculatum Breuning, 1962b: 19 **A**: GUX **ORR**
sikkimense Breuning, 1942a: 119 **A**: NP SD
thoracicum Gahan, 1894a: 42 (*Uraecha*)
touzalini Breuning, 1979c: 99
sinicum Gressitt, 1951a: 387 **A**: FUJ JIX SCH YUN ZHE #74
strandi Breuning, 1938c: 191 **A**: XIZ YUN
subauratum Breuning, 1958h: 266 **A**: SCH
szetschuanicum Breuning, 1947a: 8 **A**: SCH
wenzhui Lin & Ge, 2017a: 891 **A**: HEN HUB SHA #314
yunnanum Breuning, 1947a: 8 **A**: YUN

genus *Anoplophora* Hope, 1839: 43 type species *Anoplophora stanleyana* Hope, 1839
Callophophora J. Thomson, 1864: 76 [unnecessary replacement name]
Cyriocrates J. Thomson, 1868: 181 type species *Oplophora horsfieldii* Hope, 1842
Falsocyriocrates Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888
Melanauster J. Thomson, 1868: 181 type species *Cerambyx chinensis* Forster, 1771
Micromelanauster Pic, 1931d: 49 type species *Monochamus bowringii* A. White, 1858
Mimonemophas Breuning, 1961h: 309 #157
Oplophora Hope, 1839: 42 type species *Oplophora sollii* Hope, 1839
albopicta Matsushita, 1933b: 279 (*Cyriocrates*) **A**: TAI
elegans Kano, 1933a: 279 (*Melanauster*) [HN]
ankangensis Chiang, 1981: 82 (*Paranamera*) **A**: HEN HUN SHA #388
beryllina Hope, 1840: 79 (*Monochamus*) **A**: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE **ORR**
argenteifera Pic, 1902i: 31 (*Melanauster*)
melanosticta A. White, 1858b: 407 (*Monohammus*)
subberyllina Breuning, 1964e: 47
bowringii A. White, 1858b: 398 (*Monohammus*) **A**: FUJ GUA GUX HKG HUB JIX ZHE
~~*subuniformis* Pic, 1934g: 34 (*Monochamus*)~~
cheni Bi & Ohbayashi, 2015: 294 **A**: YUN #157
chiangi Hua & Zhang, 1991: 77 **A**: HUN
chinensis Forster, 1771: 39 (*Cerambyx*) **Ei**: AU **CR** GE **IT** **NL** **TR** **A**: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB
HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX TAI **TRi** YUN ZHE **ORR** #68 #292
abbreviata J. Thomson, 1865a: 553 (*Callophophora*)
afflicta J. Thomson, 1865a: 553 (*Callophophora*)
farinosa Houttuyn, 1766: 536 (*Cerambyx*) [HN]
luctuosa J. Thomson, 1865a: 553 (*Callophophora*)
perroudi Pic, 1953a: 3 (*Melanauster*)
punctator Fabricius, 1777: 230 (*Lamia*)
sepulchralis J. Thomson, 1865a: 553 (*Callophophora*)
sinensis Gmelin, 1793: 1863 (*Cerambyx*)
coeruleoantennata Breuning, 1947b: 23 (*Melanauster*) **A**: SCH
dauidis Fairmaire, 1886b: 355 (*Melanauster*) **A**: SCH SHA TAI XIZ YUN **ORR**
adonis Pic, 1925a: 20 (*Melanauster*)
alboapicalis Chiang, 1951: 48
vitalisi Pic, 1936b: 16 (*Melanauster*)
decemmaculata Pu, 1999: 82 **A**: HEB HUN **SHA** SCH #350
elegans Gahan, 1888e: 450 (*Cyriocrates*) **A**: GUA GUI HAI HEN YUN **ORR**
albonotata Pic, 1926l: 455 (*Melanauster*)
macrospila Gahan, 1900d: 349 (*Melanauster*)
superba Pic, 1925c: 4 (*Melanauster*)
flavomaculata Gressitt, 1935f: 385 (*Melanauster*) **A**: TAI
freyi Breuning, 1947b: 23 (*Melanauster*) **A**: SCH
fruhstorferi Aurivillius, 1902: 209 (*Callophophora*) **A**: GUX **ORR**
depressinotata Chiang, 1951: 50 (*Cyriocrates*)
glabripennis Motschulsky, 1854a: 48 (*Cerosterna*) **Ei**: AU CZ **FI** FR **GB** GE **IT** **NL** **SK** **SZ** **A**: ANH **FE** FUJ GAN GUI GUX HEB
HEI HEN HUB HUN JIA JIL JIX LIA **?NC** NIN NMO SC SCH SHA SHN SHX **TRi** XIZ YUN ZHE **AUR** **NARi** #68 #282 #292
angustata Pic, 1925a: 21 (*Melanauster*)
laevigatrix J. Thomson, 1857f: 297 (*Cerosterna*)
laglaisei Pic, 1953a: 3 (*Melanauster*)

luteonotata Pic, 1925a: 21 (*Melanauster*)
nankinea Pic, 1926b: 2 (*Melanauster*)
nobilis Ganglbauer, 1889a: 82 (*Melanauster*)
granata Holzschuh, 1993a: 48 **A: GUX ORR**
gressitti N. Ohbayashi & Bi, 2014: 156 **A: AP XIZ ORR**
horsfieldii ~~*horsfieldii*~~ Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) **A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SCH**
SHA TAI YUN ZHE ORR **#361**
~~*nigrotrifasciata*~~ Pic, 1953a: 2 (*Cyriocrates*) **#361**
~~*tonkinensis*~~ Kriesche, 1924: 287 (*Cyriocrates*) [valid subspecies name] **#361**
voluptuosa J. Thomson, 1856b: 529 (*Cerosterna*)
horsfieldii taiwanensis N. Ohbayashi, 2018: 40 **A: TAI** **#361**
imitator A. White, 1858b: 404 (*Cerosterna*) **A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE**
pirouletii Fairmaire, 1889a: 66 (*Melanauster*)
jianfenglingensis Hua, 1989b: 301 **A: HAI**
leechi Gahan, 1888b: 63 (*Melanauster*) **A: HEB HEN HUB HUN JIA JIX TAI ZHE**
longehirsuta Breuning, 1968a: 23 **A: GUX ORR**
parelegans Chiang, 1981: 81
lurida Pascoe, 1856: 47 (*Monohammus*) **A: GAN GUX HEB HEN HUB HUN JIA JIX SCH** **SHA TAI ZHE** **#350**
macularia J. Thomson, 1865a: 553 (*Callopolophora*) **A: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE SCH TAI ZHE ORR**
malasiaca J. Thomson, 1865a: 553 (*Callopolophora*) **Ei: AU CR CZ GE IT NL A: JA SC Tri** **#292**
multimaculata Xie & Wang, 2015: 599 (*Mimonemophas*) **A: HUB** **#157 #388**
ogasa waraensis Makihara, 1976: 9 **A: JA (Ogasawara)**
oshimana oshimana Fairmaire, 1895: 390 (*Melanauster*) **A: JA (Ryukyus)**
oshimana tokunoshimana Samuelson, 1965b: 89 **A: JA (Ryukyus)**
quadrifasciatus Breuning, 1961h: 309 (*Mimonemophas*) **A: GUX ORR** **#157**
rubidacorpora Xie, Shi & W.-K. Wang, 2012b: 2 **A: GUI**
ryukyensis Breuning & K. Ohbayashi, 1964: 15 **A: JA (Ryukyus)**
similis Gahan, 1900d: 350 (*Melanauster*) **A: FUJ GUA HAI**
sollii Hope, 1839: 43 (*Oplophora*) **A: GUX SD ORR**
stanleyana Hope, 1839: 43 **A: BT NP SD SE SW ORR**
angustata Pic, 1934a: 11 [HN]
chapaensis Breuning, 1950i: 511
gloriosa Tippmann, 1953: 152
grisea Tippmann, 1953: 153
melancholica Tippmann, 1953: 153
tonkinea Breuning, 1943c: 285 [RN]
tonkinea Pic, 1907h: 152 (*Callopolophora*) **A: GUX ORR**
viriantennata W.-K. Wang & Jiang, 1998: 335 **A: HUB SCH** **#244**
wusheana Chang, 1960: 2 **A: TAI**
zonator Thomson, 1878: 50 (*Cyriocrates*) **A: YUN ORR** [according to personal message by Lin Meiying]

genus *Aristobia* J. Thomson, 1868: 178 type species ~~*Cerosterna hispida* Saunders, 1853~~ *Lamia reticulator* Fabricius, 1781
 (designated by Breuning, 1943: 189)
approximator J. Thomson, 1865a: 552 (*Celosterna*) **A: AP NP YUN**
birmanica Gahan, 1894a: 40
hispida Saunders, 1853: 112 (*Cerosterna*) **A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI**
XIZ YUN ZHE ORR
horridula Hope, 1831: 27 (*Lamia*) **A: KA NP PA SCH SD TAI YUN ORR**
fasciculata L. Redtenbacher, 1844: 552 (*Cerosterna*)
reticulator Fabricius, 1781: 219 (*Lamia*) **A: AP FUJ GUA GUX HAI NP SD SHA YUN ORR** **#182 #258 #381**
clathratrix J. Thomson, 1865a: 552 (*Celosterna*)
~~*testudo*~~ Voet, 1778: 12 (*Cerambyx*) – **unavailable name** **#182**
voeti J. Thomson, 1878: 51 **A: FUJ GUA GUX HAI HEN HUB JIX SHA YUN ORR**
angustifrons Gahan, 1888a: 276
pulcherrima Nonfried, 1892a: 94

genus *Astynoscelis* Pic, 1904b: 8 type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)
Saitoa Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)
degener ~~*degener*~~ Bates, 1873: 310 (*Monohammus*) **A: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NC NMO SC**
SCH SHA SHN TAI YUN ZHE
contempta Gahan, 1888b: 62 (*Haplohammus*)
longicornis Pic, 1904b: 8
nana Ganglbauer, 1889a: 81 (*Haplohammus*)
savioi Pic, 1925a: 21 (*Orsidis*)
teneburosa Matsushita, 1937: 104 (*Saitoa*)

genus *Blepephaeopsis* Breuning, 1938c: 193 type species *Blepephaeopsis nigrosparus* Breuning, 1938
yagii Hayashi, 1992: 150 **A: TAI**

genus *Blepephaeus* Pascoe, 1866b: 249 type species *Monohammus succintor* Chevrolat, 1852
Parablepephaeus Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980
Perihammus Aurivillius, 1925: 21 type species *Perihammus bifasciatus* Aurivillius, 1924 (= *Monohammus infelix* Pascoe, 1856)
arrowi Breuning, 1935d: 70 **A: KA PA SD** #409
fulvus Pic, 1933a: 13 (*Uraecha*) **A: YUN ORR**
pardalinus Breuning, 1935d: 68
indicus Breuning, 1935d: 70 **A: SD XIZ ORR**
infelix Pascoe, 1856: 48 (*Monohammus*) **A: FUJ GUA GUX HUN JIX SC SCH SHA ZHE** #350
bifasciatus Aurivillius, 1924: 21 (*Perihammus*)
multinotatus Pic, 1925a: 18 (*Nemophas*) **A: GUX ORR**
nepalensis Hayashi, 1981a: 13 (*Perihammus*) **A: NP PA** #409
nigrofasciatus Pu, 1999: 84 **A: HAI**
nigrosarsus Pic, 1925b: 28 **A: UP YUN ORR**
ocellatus Gahan, 1888c: 262 (*Monochamus*) **A: BT NP YUN ZHE "North India" ORR**
pauloperforatus Pic, 1930b: 17 (*Epepeotes*)
wittmeri Breuning, 1975d: 342 (*Cypriepepeotes*)
stigmatosus Gahan, 1894a: 44 **A: YUN ORR**
laosicus Pic, 1930b: 18 (*Epepeotes*)
subannulatus Breuning, 1979c: 100 **A: YUN ORR**
subcruciatus A. White, 1858b: 410 (*Monohammus*) **A: GUA GUX HAI HKG**
succintor Chevrolat, 1852: 417 (*Monohammus*) **A: AP GUA GUX HAI HKG HUN JIA JIX NP SCH SD SHA SHG TAI XIZ YUN**
ZHE ORR #182 #350
fleutiauxi Lameere, 1893a: 283
fuscomaculatus Breuning, 1948a: 11 (*Perihammus*)
humeralis Pic, 1925: 23
obfuscatus A. White, 1858b: 410
scutellaris Fairmaire, 1895: 179
sublineatus A. White, 1858b: 410
puae Lin, 2011: 44 [RN] **A: YUN**
undulatus Pu, 1999: 79 (*Perihammus*)
variegatus Gressitt, 1940b: 107 **A: HAI YUN ORR**
sciamai Breuning, 1962b: 19 (*Paramelanauster*)

genus *Cereopsius* Pascoe, 1857b: 105 type species *Cereopsius exoletus* Pascoe, 1857
Etymestia Pascoe, 1866c: 228 type species *Cereopsius helena* A. White, 1858
Vitticereopsius Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935
praetorius Erichson, 1834: 268 (*Lamia*) **A: TAI ORR**
shamankariyali Kano, 1939: 30
ziczac Matsushita, 1940: 54 (*Etymestia*) **A: TAI**

genus *Cerosterna* Dejean, 1835: 341 type species *Lamia gladiator* Fabricius, 1801 (= *Lamia scabrator* Fabricius, 1781) [see: Alonso-Zarazaga, 2009]
Celosterna Blanchard, 1845: 158 [unavailable]
Celosterna J. Thomson, 1860: 85 [see: Alonso-Zarazaga, 2009]
Coelosterna Gemminger, 1872: 3024 [unnecessary emendation]
Falsopriona Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925
Loxotropoides Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935
Psaromaia Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866
Toxosterna J. Thomson, 1868: 178 type species *Lamia spinator* Fabricius, 1798
Trichocelosterna Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906
pulchellator Westwood, 1838b: 128 (*Lamia*) **A: TAI ORR**
argenteomaculata Aurivillius, 1887: 196
scabratrix Fabricius, 1781: 224 (*Lamia*) **A: NP PA UP ORR**
gladiatrix Fabricius, 1801b: 284 (*Lamia*)
griseatrix Aurivillius, 1920: 12 (*Celosterna*)
murina Nonfried, 1894: 82 (*Aristobia*)
renei Pascoe, 1888: 501 (*Psaromaia*)
spinatrix Fabricius, 1798: 145 (*Lamia*)

genus *Combe* J. Thomson, 1864: 83 type species *Monohammus brianus* A. White, 1858
brianus A. White, 1858b: 409 (*Monohammus*) **A: NP**
fulguratus J. Thomson, 1864: 84

genus *Coscinesthes* Bates, 1890: 246 type species *Coscinesthes porosa* Bates, 1890
minuta Pu, 1985b: 271 **A: YUN**
porosa Bates, 1890: 247 **A: GUA HEN SCH SHA YUN ZHE**
grossefoveata Breuning, 1958h: 262 (*Trichocoscinesthes*)
multiperforata Pic, 1920a: 2 (*Monochamus*)

salicis Gressitt, 1951a: 380 **A:** SCH YUN ZHE

foveata Chiang & Li, 1984: 99 (*Haplothrix*) [see Chiang, 1986: 51]

genus *Cremnosterna* Aurivillius, 1920: 12 type species *Monohammus carissimus* Pascoe, 1857
carissima Pascoe, 1857b: 104 (*Monohammus*) **A:** NP XIZ YUN **ORR**

laosensis Breuning, 1965e: 47 (*Jeanvoinea*)

maculosa J. Thomson, 1865a: 552 (*Celosterna*)

ocellata Nonfried, 1892c: 379 (*Celosterna*)

pardalis J. Thomson, 1865a: 552 (*Celosterna*)

tesselata A. White, 1858b: 404 (*Celosterna*)

vittata Gilmour, 1956c: 747

plagiata A. White, 1858b: 403 (*Celosterna*) **A:** PA **YUN ORR**

#409

genus *Cribragapanthia* Pic, 1903i: 121 type species *Cribragapanthia scutellata* Pic, 1903
scutellata Pic, 1903i: 121 **A:** GUI GUX SCH YUN **ORR**

genus *Cyanagapanthia* Breuning, 1968a: 25 type species *Cyanagapanthia bicolor* Breuning, 1968

aurescens W.-K. Wang & Zheng, 2002b: 79 **A:** YUN

bicolor Breuning, 1968a: 25 **A:** YUN **ORR** [according to personal message by Lin Meiying]

genus *Dolichoprosopus* Ritsema, 1881c: 149 type species *Dolichoprosopus maculatus* Ritsema, 1881

sameshimai N. Ohbayashi, 2001b: 265 **A:** JA

yokoyamai Gressitt, 1937b: 322 (*Monochamus*) **A:** JA

genus *Epepeotes* Pascoe, 1866b: 249 type species *Lamia lusca* Fabricius, 1787

Diophares Pascoe, 1866c: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (= *Lamia fimbriata* Olivier, 1795 = *Cerambyx desertus* Linnaeus, 1758)

Falsomonochamus Pic, 1943b: 3 type species *Falsomonochamus diverseglabratus* Pic, 1943

Mengelotes L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941

[*ambigenus ambigenus* Chevrolat, 1841: 228 (*Monochamus*) **ORR**]

ambigenus formosanus Gressitt, 1951a: 361 **A:** TAI

himalayanus Breuning, 1950a: 1 **A:** NP **ORR**

luscus densemaculatus Gressitt, 1951a: 362 **A:** JIX SCH YUN

luscus luscus Fabricius, 1787: 139 (*Lamia*) **A:** HP

uncinatus Gahan, 1888a: 271 **A:** AP BT NP SD XIZ YUN "North India" **ORR**

#182

lineatus Pic, 1944a: 14 (*Pseudopsacotha*)

salvazai Pic, 1925a: 18

genus *Epicedia* J. Thomson, 1864: 78 type species *Lamia carcelli* Guérin-Méneville, 1833 (= *Lamia maculatrix* Perty, 1831)

maculatrix Perty, 1831: xlii (*Lamia*) **A:** HP

carcelli Guérin-Méneville, 1833b: 491 (*Lamia*)

pleuricosta J. Thomson, 1857e: 179 (*Leprodera*)

genus *Eutaenia* J. Thomson, 1857e: 184 type species *Ceroplesis javeti* J. Thomson, 1857 (= *Lamia trifasciella* A. White, 1850)

Eutaeniopsis Gahan, 1888a: 277 type species *Lamia trifasciella* A. White, 1850

formosana Matsushita, 1941: 156 **A:** TAI

trifasciella A. White, 1850: 13 (*Lamia*) **A:** FUJ GUA GUX HKG HUN JIX TAI YUN **ORR**

javeti J. Thomson, 1857b: 127 (*Ceroplesis*)

trifasciata J. Thomson, 1864: 72

genus *Falsagnia* Breuning, 1938b: 93 type species *Falsagnia obenbergeri* Breuning, 1938

obenbergeri Breuning, 1938b: 93 **A:** SD

genus *Falsocylindrepomus* Pic, 1927b: 35 type species *Falsocylindrepomus maculosus* Pic, 1927

maculosus Pic, 1927b: 35 **A:** GUX **ORR**

genus *Gibbohammus* W.-K. Wang & S.-N. Jiang, 1999b: 121 type species *Gibbohammus stricticollis* W.-K. Wang & S.-N. Jiang, 1999

stricticollis W.-K. Wang & S.-N. Jiang, 1999b: 122 **A:** HAI

genus *Hainanhammus* Gressitt, 1940b: 108 type species *Hainanhammus griseopubens* Gressitt, 1940

griseopubens Gressitt, 1940b: 108 **A:** HAI

genus *Haplothrix* Gahan, 1888a: 278 type species *Haplothrix simplex* Gahan, 1888

amicator Gahan, 1888c: 261 (*Monochamus*) **A:** AP SD

#182

genus *Hechinoscema* J. Thomson, 1857e: 181 type species *Hechinoscema spinosa* J. Thomson, 1857

spinosa J. Thomson, 1857e: 182 **A: SD ORR**
armata White, 1858b: 405

genus *Macrochenus* Guérin-Méneville, 1843: 59 type species *Cerambyx tigrinus* Olivier, 1797

Mecotagus Pascoe, 1866c: 252 type species *Cerambyx tigrinus* Olivier, 1797

assamensis Breuning, 1935d: 61 **A: XIZ YUN ORR**

guerinii A. White, 1858a: 274 (*Pelargoderus*) **A: GUX NP SCH SD XIZ YUN ORR**

#74

isabellinus Aurivillius, 1920: 12

tonkinensis Aurivillius, 1920: 12 **A: GUA GUI GUX HAI HUB YUN ORR**

inarmatus Gressitt, 1940b: 92 (*Psacotha*)

semijunctus Pic, 1944a: 11

tigrinus Olivier, 1795: 101 (*Cerambyx*) [1797: 468] (*Lamia*) **A: PA SD ORR**

birmanus J. Thomson, 1878: 49

tesselatus Guérin-Méneville, 1843: 58

genus *Mecynippus* Bates, 1884a: 240 type species *Mecynippus pubicornis* Bates, 1884

ciliatus Gahan, 1888a: 273 (*Monohammus*) **A: CHQ GUA GUX HAI HKG JIX SCH YUN ORR** [see: Lin et al., 2014]

delkeskampii Breuning, 1961i: 311 (*Mimothestus*) [see: Lin et al., 2014]

luteicornis Xie, Shi & W.-K. Wang, 2012a: 67 (*Mimothestus*) [see: Lin et al., 2014]

rondoni Breuning, 1964e: 50 (*Monohammus*) [see: Lin et al., 2014]

pubicornis Bates, 1884a: 241 **A: HUB JA “Corée”** [see Pic, 1907d: 21]

genus *Mimocoelosterna* Breuning, 1940b: 125 type species *Mimocoelosterna flavescens* Breuning, 1940

hainanensis Breuning, 1966g: 289 **A: HAI**

genus *Mimocratotragus* Pic, 1926j: 323 type species *Mimocratotragus superbus* Pic, 1926

superbus Pic, 1926j: 324 **A: HUN YUN**

genus *Mimognoma* Breuning, 1959d: 151 type species *Mimognoma szetschuanense* Breuning, 1959

szetschuanense Breuning, 1959d: 151 **A: SCH**

genus *Mimorsidis* Breuning, 1938a: 33 type species *Mimorsidis lemoulti* Breuning, 1938

scutellata Gressitt, 1951a: 404 **A: FUJ**

taiwanensis Hayashi, 1974c: 47 **A: TAI**

yayeyamensis Samuelson, 1965b: 96 **A: JA (Ryukyus)**

ishigakiana Breuning & Villiers, 1973: 49 (*Acalolepta*)

genus *Mimothestus* Pic, 1935e: 15 type species *Mimothestus annulicornis* Pic, 1935

annulicornis Pic, 1935e: 16 **A: GUA GUI GUX HKG HUB YUN ORR** [Cambodia]

atricornis Pu, 1999: 81 **A: HAI**

genus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758

subgenus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758

— ~~*Anthores* Pascoe, 1868: xiii type species *Anthores leuconotus* Pascoe, 1868~~

~~*Ceratades* Gistel, 1834: 29 [unnecessary substitute name]~~

— ~~*Herpetophygus* Fähræus, 1872b: 194 [RN]~~

~~*Meges* Pascoe, 1866: 272c type species *Monohammus gravidus* Pascoe, 1858~~

~~*Monohammus* Dejean, 1835: 340 [unjustified emendation]~~

— ~~*Noseroecera* Bates, 1884b: 17 type species *Noseroecera tuberosa* Bates, 1884b (= *Homelix buquetii* J. Thomson, 1858)~~

— ~~*Penhammus* Kolbe, 1894: 259 type species *Penhammus pauper* Kolbe, 1894~~

— ~~*Phygus* Fähræus, 1873: 31 type species *Phygus fasciatus* Fähræus, 1873~~

abruptus Holzschuh, 2015d: 73 **A: SHA**

#148

alboapicalis Pic, 1934a: 9 (*Thrysimia*) **A: GUX ORR**

strandiellus Breuning, 1935b: 153

alternatus *alternatus* Hope, 1842a: 61 **A: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN ZHE ORR**

tesserula A. White, 1858b: 408 (*Monohammus*)

alternatus endai Makihara, 2004a: 17 **A: JA TAI**

basifossulatus Breuning, 1938c: 185 **A: NP YUN ORR**

bimaculatus Gahan, 1888c: 260 (*Monohammus*) **A: AP GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE**

ingranulatus Pic, 1925a: 20 (*Monohammus*)

bootangensis Breuning, 1947a: 9 **A: BT**

convexicollis Gressitt, 1942g: 83 **A: TAI ZHE**

desperatus J. Thomson, 1857f: 295 **A: SD**

fredericus A. White, 1858b: 408 (*Monochamus*)

dubius Gahan, 1894a: 35 (*Monohammus*) **A: NP SD YUN**

sintikensis Matsushita, 1939: 58

sparsenotatus Pic, 1920a: 2
foraminosus Holzschuh, 2015d: 74 **A: SHA** #148
foveatus Breuning, 1961c: 142 **A: YUN**
galloprovincialis cinerascens Motschulsky, 1860b: 150 (*Monochammus*) **E: NT A: ES FE HEI JIL MG NMO WS**
sibiricus Pic, 1908b: 5 (*Monohammus*)
galloprovincialis galloprovincialis Olivier, 1795: No. 67: 125 (*Cerambyx*) **E: FR IT(Sicily) PT SP N: AG MO TU**
parendeli Théry, 1891: xxiii (*Monohammus*)
subrufopubens Pic, 1912g: 18
galloprovincialis pistor Germar, 1818: 242 (*Lamia*) **E: AL AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT MC MD NL NT PL RO SK SL ST SV SZ TR UK YU A: KI KZ WS**
lignator Krynicki, 1832: 158
nitidior Abeille de Perrin, 1870: 87 (*Monohammus*)
unifasciatus Pic, 1905a: 12 (*Monohammus*) ["Altaï"]
galloprovincialis tauricola Pic, 1912g: 18 **A: JO SY TR** #98
galloprovincialis transitivus Lazarev, 2017a: 18 **A: AB AR GG ST TR** #289
gardneri Breuning, 1938c: 185 **A: SD**
grandis C. O. Waterhouse, 1881: 431 **A: FE JA**
gravidus Pascoe, 1858: 245 (*Monohammus*) **A: ANH FUJ HEN HUN SHA SHN ZHE ORR** #74
multimaculatus Pic, 1933j: 31 (*Apriona*)
guerryi Pic, 1903i: 121 (*Monohammus*) **A: GUA GUI GUX HUB HUN SCH YUN ORR**
granulipennis Breuning, 1938a: 52 (*Melanauster*) [see Hüdepohl & Heffern, 2004: 248]
guttulatus Gressitt, 1951a: 394 [RN] **A: FE HEI HEN JIL LIA NC SC**
guttatus Blessig, 1873: 196 (*Monohammus*) [HN]
hiekei Breuning, 1964g: 445 **A: BT**
impluviatus impluviatus Motschulsky, 1859a: 571 (*Monohammus*) **E: CT NT A: ES FE HEI MG NC NMO SHA WS**
impluviatus silvicola Z. Wang, 2003: 331, 397 **A: HEI**
karlitzingeri Tavakilian & Jiroux, 2015: 77 **A: FUJ SCH ORR** #344
itzingeri Breuning, 1938c: 190 (*Melanauster*) [HN]
kaszabi Heyrovský, 1955b: 260 **A: TAI**
latefasciatus Breuning, 1944b: 435 [RN] **A: GUX ORR**
unifasciatus Breuning, 1935e: 251 [HN]
luteodispersus Pic, 1927b: 35 (*Monohammus*) **A: FUJ ORR**
maruokai Hayashi, 1962c: 8 **A: JA (Ryukyus)**
masaoi Kusama & Takakuwa, 1984: 431 **A: JA**
nigromaculatus Gressitt, 1942c: 2 **A: SHA XIZ** #350
nitens Bates, 1884a: 238 (*Monohammus*) **A: FE JA SC**
griseonotatus Pic, 1921c: 6 (*Monohammus*)
rectus Holzschuh, 2015d: 72 **A: HEN SHA** #148
saltuarius occidentalis Sláma, 2017b: 934 **E: AU BH BU BY CR CT CZ GE HU IT LA LT NT PL RO SK SL UK** #313
saltuarius saltuarius Gebler, 1830: 184 (*Monohammus*) **E: ?CT ?NT A: ES FE KZ HEI JA JIL JIX MG NC NMO SC SHA SHN SHX ?WS XIN ZHE** #313
sartor Fabricius, 1787: 137 (*Lamia*) **E: AU BH BU BY CR CZ EN FR GB GE HU IT LA LS LT PL RO SK SL SZ UK YU**
mulstantii Seidlitz, 1891a: 749 [1891b: 844] (*Monochammus*)
okenianus Gistel, 1857a: 49 (*Monohammus*)
sparsutus Fairmaire, 1889a: 67 **A: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE**
subconvexicollis Breuning, 1967f: 183 **A: BT**
subfasciatus kumageinsularis Hayashi, 1955: 35 **A: JA**
subfasciatus meridianus Hayashi, 1955: 57 **A: JA**
subfasciatus shikokensis Breuning, 1956a: 1 **A: JA**
subfasciatus subfasciatus Bates, 1873: 308 (*Monohammus*) **A: FUJ JA JIX SC TAI**
beloni Pic, 1901v: 341 (*Monohammus*)
fascioguttatus Gressitt, 1938b: 156
subgranulipennis Breuning, 1974h: 153 **A: GUI**
subtrangularis Breuning, 1972c: 416 **A: AP**
sutor longulus Pic, 1898c: 23 (*Monohammus*) **A: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE**
sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) **E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT ME NL NR NT PL RO SK SL SL SP ST SV SZ UK YU A: GG KZ MG WS NARi**
atomarius DeGeer, 1775: 65 (*Cerambyx*)
fuseomaculatus Petri, 1912: 249 (*Monachamus*) – **unavailable** [see Danilevsky, 2014b: 229]
heinrothi Cederhjelm, 1798: 88 (*Lamia*)
hybrida Petri, 1912: 249 (*Monachamus*) – **unavailable** [see Danilevsky, 2014b: 229]
obscurior Abeille de Perrin, 1869a: 42 (*Monohammus*)
pellio Germar, 1818: 244 (*Lamia*)
rosenmuelleri Cederhjelm, 1798: 89 (*Lamia*) [DA]
taiheizanensis Mitono, 1943: 580 **A: TAI**
talianus Pic, 1912h: 20 **A: GUI XIZ YUN** [according to M.-Y. Lin personal message, 2018]
tonkinensis Breuning, 1935c: 249 **A: GUA ORR**

urussovii Fischer von Waldheim, 1805 [?1806]: 12 (*Cerambyx*) **E:** BY CT EN FI LA NR NT SV ST UK **A:** ES FE KZ MG NC
NIN NMO NW HEB HEI HEN JA JIL SC SHA WS XIN
quadrimaculatus Motschulsky, 1845a: 86 (*Monohammus*)
schaufusi Pic, 1912g: 18

subgenus *Tibetobia* Frivaldszky, 1892a: 118 type species *Tibetobia szechenyiana* Frivaldszky, 1892 (= *Monohammus millegranus* Bates, 1891)

millegranus Bates, 1891b: 80 (*Monohammus*) **A:** FUJ GUI SCH XIZ YUN
szechenyianus Frivaldszky, 1892a: 119 (*Tibetobia*)
touzalini Pic, 1920g: 198 (*Monohammus*)

genus *Murzinia* Lazarev, 2011: 639 type species *Murzinia karatauensis* Lazarev, 2011
karatauensis Lazarev, 2011: 639 **A:** KZ

genus *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878
yagii Hayashi, 1994: 74 **A:** TAI

genus *Nanohammus* Bates, 1884a: 243 type species *Nanohammus rufescens* Bates, 1884

Microcycos Pic, 1934a: 9 type species *Microcycos annulicornis* Pic, 1934
Pararhodopis Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894
Rarasanus Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941

aberrans Gahan, 1894a: 59 (*Rhodopis*) **A:** GUX **ORR**

myrrhatus Pascoe, 1878: 374 (*Euthyastus*) **A:** AP

#182

oshimanus Breuning & K. Ohbayashi, 1964: 15 **A:** JA

rufescens Bates, 1884a: 244 **A:** HUB JA

griseonotatus Pic, 1931c: 14

sinica Pic, 1926c: 16 (*Orsidis*) **A:** FUJ GUA HUN JIX SCH

blairi Gressitt, 1937d: 598 (*Rhodopis*)

strandii Breuning, 1935: 173 (*Rhodopis*)

subfasciatus Matsushita, 1941: 157 (*Rarasanus*) **A:** TAI

taiyal Gressitt, 1951a: 628

yunnanus W.-K. Wang & S.-N. Jiang, 2000b: 80 **A:** YUN

genus *Nemophas* J. Thomson, 1864: 75 type species *Nemophas batoceroides* J. Thomson, 1864

#13

~~*subcylindricus* Aurivillius, 1928a: 3 **A:** SCH **ORR**~~

~~— *virescens* Aurivillius, 1928a: 3~~

~~— *zonatoides* Breuning, 1980e: 174~~

~~*subterrubus* Heller, 1924b: 164 **A:** SCH **ORR**~~

~~*trifasciatus* Heller, 1919: 101 **A:** SCH YUN **AUR**~~

genus *Neodihammus* Breuning, 1935d: 60 type species *Neodihammus pici* Breuning, 1935

pici Breuning, 1935d: 60 **A:** SE SW

genus *Neoxenicotela* Breuning, 1947a: 10 type species *Neoxenicotela mausoni* Breuning, 1947

Maaia Gressitt, 1951a: 384 type species *Maaia terminata* Gressitt, 1951

mausoni Breuning, 1947a: 11 **A:** FUJ GUX HAI **ORR**

#74

flavotarsus W.-K. Wang & Zheng, 2002a: 377, 379 (*Parapolytrechus* –wrong spelling of *Parapolytretus* Br.)

#262

terminata Gressitt, 1951a: 385 (*Maaia*)

genus *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)

Lophoptera Perroud, 1855b: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855

Zephyropepharus Hayashi, 1962: 6 type species *Opepharus asiaticus* Hayashi, 1962

asiaticus Hayashi, 1962: 7 **A:** JA (Ryukyus)

genus *Paragnia* Gahan, 1893b: 384 type species *Paragnia fulvomaculata* Gahan, 1893

fulvomaculata Gahan, 1893b: 385 **A:** GUI SD YUN **ORR**

aureomaculata Chiang & Li, 1984: 100 (*Stegenagapanthia*)

genus *Paraleprodera* Breuning, 1935e: 253 type species *Lamia crucifera* Fabricius, 1793

bimaculata W.-K. Wang & S.-N. Jiang, 2000b: 80 **A:** SCH

carolina Fairmaire, 1900: 641 (*Archidice*) **A:** FUJ GUI HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR**

#350

diophthalma diophthalma Pascoe, 1857a: 49 (*Morimus*) **A:** ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA YUN
ZHE

bioculata Fairmaire, 1900: 641 (*Leprodera*)

diophthalma formosana Schwarzer, 1925: 58 (*Leprodera*) **A:** TAI

insidiosa Gahan, 1888d: 391 (*Leprodera*) **A:** NP SD YUN

imbasalis Pic, 1925a: 18 (*Epepeotes*)

unimaculata Pic, 1925a: 19 (*Epepeotes*)

itzingeri Breuning, 1935e: 255 **A: TAI**
mesophthalma Bi & Lin, 2012: 6 **A: XIZ**
stephana A. White, 1858b: 406 (*Monohammus*) **A: BT GUX NP SD XIZ YUN ORR**
fasciata W.-K. Wang, 1997: 440 **#104**
officinatrix A. White, 1858b: 409 (*Monohammus*)
quadrinotata J. Thomson, 1865a: 554 (*Archidice*)
triangularis J. Thomson, 1865a: 554 (*Epicedia*) **A: GUX YUN ORR**
lecta Gahan, 1888d: 389 (*Leptodera*)

genus *Paramelanauster* Breuning, 1936: 294 type species *Paramelanauster bimaculatus* Breuning, 1936
flavosparsus Breuning, 1936: 295 **A: YUN ORR**

~~**genus *Paranamera* Breuning, 1935d: 66 type species *Paranamera malaccensis* Breuning, 1935**~~ **#388**
~~*ankangensis* Chiang, 1981: 82 **A: HEN SHA**~~ **#388**

genus *Paraepepeotes* Pic, 1935: 16 type species *Paraepepeotes breuningi* Pic, 1935
Paraepepeotes Breuning, 1938c: 182 [unjustified emendation]
affinis Breuning, 1938c: 183 (*Paraepepeotes*) **A: UP ORR**
albomaculatus Gahan, 1888a: 272 (*Epepeotes*) **A: BT "North India"**
breuningi Pic, 1935b: 16 **A: SCH SHA XIZ YUN ORR** **#74 #350**
guttatus Guérin-Méneville, 1844: 242 (*Monohamus*) **A: AP NP SCH SD "Himalaya" ORR** **#182**
punctulatus Westwood, 1848: 12 (*Monohammus*)
marmoratus Pic, 1925a: 19 (*Monohammus*) **A: YUN ORR**
szetschuanicus Breuning, 1969e: 188 (*Paraepepeotes*) **A: SCH**
westwoodi Westwood, 1848: 12 (*Monohammus*) **A: SD "Himalaya"**

genus *Parapolytretus* Breuning, 1943c: 143, 165 type species *Cycos rugosus* Matsushita, 1933 **#262**
Breuningia Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933
rugosus Matsushita, 1933b: 335 (*Cycos*) **A: TAI**

genus *Pareutaenia* Breuning, 1948a: 11 type species *Pareutaenia flavostellata* Breuning, 1948
arnaudi Breuning, 1962b: 18 **A: GUX ORR**

genus *Parhaplothrix* Breuning, 1935e: 255 type species *Parhaplothrix strandi* Breuning, 1935
szetschuanica Breuning, 1935e: 256 **A: GUX SCH**

genus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935
subgenus *Arisania* Gressitt, 1936: 106 type species *Arisania submarmorata* Gressitt, 1936
acutipennis Gressitt, 1942h: 209 (*Arisania*) **A: GUA GUI SHA YUN**
submarmorata Gressitt, 1936: 107 (*Arisania*) **A: SHA TAI** **#350**
subgenus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935
sikkimensis Breuning, 1938c: 192 **A: SD**
szetschuanica Breuning, 1935d: 65 **A: SCH**

genus *Pblepphaeus* Kusama & Takakuwa, 1984: 14 type species *Cereopsius decoloratus* Schwarzer, 1925
decoloratus Schwarzer, 1925b: 59 (*Cereopsius*) **A: TAI**
ishigakianus Yokoyama, 1971: 97 (*Bleppephaeus*) **A: JA (Ryukyus)**
lutaensis Takakuwa, 1991: 55 **A: TAI**
nobuoi Breuning & K. Ohbayashi, 1966: 31 (*Bleppephaeus*) **A: JA (Ryukyus)**
okinawanus doii Fujita, 2002: 10 **A: JA (Ryukyus)**
okinawanus okinawanus Hayashi, 1962: 6 (*Bleppephaeus*) **A: JA (Ryukyus)**
satoi Makihara, 2003: 358 **A: JA (Amami-Ōshima)**
yayeyamai Breuning, 1955b: 60 (*Bleppephaeus*) **A: JA (Ryukyus)**
caesius Takakuwa, 1984: 13
yonagunii Breuning & K. Ohbayashi, 1964: 27 (*Bleppephaeus*) **A: JA (Ryukyus)**

genus *Peribasis* J. Thomson, 1864: 86 type species *Monohammus helenor* Newman, 1851
pubicollis Pascoe, 1866c: 231 **A: BT ORR** **#397**
albisparsa Ritsema, 1888c: 203

genus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864
subgenus *Antennopharsalia* Breuning, 1944b: 330 type species *Pharsalia antennata* Gahan, 1894
antennata Gahan, 1894a: 46 **A: FUJ GUX SD YUN ORR**
tuberculifera Pic, 1903b: 22 (*Triammatus*)
subgenus *Cycos* Pascoe, 1866b: 244 type species *Monohammus subgemmatus* J. Thomson, 1857
gibbifera Guérin-Méneville, 1844: 243 (*Monohamus*) **A: SD**

subgemmata J. Thomson, 1857f: 294 (*Monochamus*) **A:** FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" **ORR**
georgia A. White, 1858b: 407
rondoniana Breuning, 1964: 46 (*Anoplophora*) [see Hüdelpohl & Heffern, 2004: 248]
subgenus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864
mandli Tippmann, 1955: 118 **A:** FUJ
pulchra pulchra Gahan, 1888a: 280 **A:** GUX HAI HUN **ORR**
albofasciata Pic, 1932b: 34
ferruginea Gahan, 1906a: 116
nigrofasciata Aurivillius, 1913: 14
thibetana Breuning, 1982: 17 **A:** XIZ

genus *Polytretus* Gahan, 1893b: 382 type species *Polytretus cribripennis* Gahan, 1893
cribripennis Gahan, 1893b: 383 **A:** SD XIZ **ORR**

genus *Psacotha* Gahan, 1888d: 400 type species *Monohammus hilaris* Pascoe, 1857
hilaris botelensis K. Ohbayashi, 1965: 4 **A:** TAI
hilaris hilaris Pascoe, 1857b: 103 (*Monohammus*) **A:** ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN JA JIA JIX NE
SC SCH SHA TAI YUN ZHE **ORR**
albomaculata Kano, 1933a: 278
flavoguttata Fairmaire, 1887a: 133 (*Diochares*)
machidai Seki, 1935b: 292
suzukii Shiraki, 1913: 610 (*Hammoderes*)
szetschuanica Breuning, 1943c: 220
hilaris insularis Hayashi, 1960d: 25 **A:** JA
hilaris intermedia Breuning & K. Ohbayashi, 1966: 31 **A:** JA
hilaris ishigakiana K. Ohbayashi & N. Ohbayashi, 1965: 4 **A:** JA (Ryukyus)
iriomotensis Hayashi, 1969a: 63
hilaris macronotata Hayashi, 1956b: 20 **A:** JA
hilaris maculata Hayashi, 1962: 17 **A:** JA
hilaris miyakejimana Matsushita, 1937: 314 **A:** JA
hilaris miyakoana K. Ohbayashi & N. Ohbayashi, 1965: 5 **A:** JA (Ryukyus)
hilaris tenebrosa Matsushita, 1933b: 322 **A:** JA (Ryukyus)
hilaris yonaguniana K. Ohbayashi & N. Ohbayashi, 1965: 4 **A:** JA (Ryukyus)
nigrostigma W.-K. Wang, S.-N. Jiang & L.-Y. Zheng, 2002: 177 **A:** YUN
rubra Gressitt, 1938a: 49 **A:** SCH

genus *Cribrohammus* Breuning, 1966b: 1 ~~[HN]~~ type species *Cribrohammus chinensis* Breuning, 1966 **#351**
Pseudagapanthia Breuning, 1971b: 77 ~~[RN]~~ [unnecessary replacement name] type species *Cribrohammus chinensis* Breuning, 1966
chinensis Breuning, 1966b: 2 **A:** YUN
fragosa Holzschuh, 1998: 48 **A:** SCH SHA **#350**

genus *Pseudoechthistatus* Pic, 1917f: 6 type species *Pseudechthistatus obliquefasciatus* Pic, 1917
Pseudechthistatus, Breuning, 1961: 318 (wrong spelling)
acutipennis Chiang, 1981: 80 **A:** SCH
~~*birmanicus* Breuning, 1942e: 133 **A:** YUN **ORR**~~ [see Bi & Lin, 2016]
chiangshunani Bi & Lin, 2016: 65 **A:** YUN **ORR**
glabripennis Bi & Lin, 2016: 77 **A:** YUN **ORR**
granulatus Breuning, 1942e: 133 **A:** ?SCH YUN
holzschugi Bi & Lin, 2016: 69 **A:** YUN
obliquefasciatus Pic, 1917f: 7 **A:** YUN
pufujiae Bi & Lin, 2016: 73 **A:** YUN
sinicus Bi & Lin, 2016: 63 **A:** YUN

genus *Pseudomacrochenus* Breuning, 1943c: 271 type species *Pelargoderus antennatus* Gahan, 1894
affinis Breuning, 1960e: 30 **A:** ~~BT~~ SD **#400**
albipennis Chiang, 1981: 81 **A:** SCH
antennatus Gahan, 1894a: 34 (*Pelargoderus*) **A:** FUJ HAI SCH YUN **ORR**
apicalis Gahan, 1900d: 348 (*Pelargoderus*)
perplexus Schwarzer, 1926a: 11 (*Pelargoderus*)
rufulosparsus Fairmaire, 1902b: 268 (*Mecotagus*)
oberthueri Breuning, 1955b: 59 **A:** SCH

genus *Pseudomeges* Breuning, 1944b: 299 type species *Hammaticherus marmoratus* Westwood, 1848
marmoratus Westwood, 1848: 11 (*Hammaticherus*) **A:** AP BT "Himalaya" **#182**
variotti Le Mout, 1946: 136 **A:** HAI SCH YUN XIZ **ORR**
gigas Lepesme 1947: 411 **#182**

genus *Pseudonemophas* Breuning, 1944b: 281 type species *Monochamus baluanus* Aurivillius, 1923
versteegii Ritsema, 1881d: 155 (*Monochamus*) **A: AP FUJ HAI NP SCH SD YUN ORR**
albescens Pic, 1920a: 2 (*Monochamus*)
glabronotatus Pic, 1934g: 34 (*Monochamus*)
siamensis Breuning, 1982: 17 (*Anoplophora*)
subuniformis Pic, 1934g: 34 (*Monochamus*)

genus *Pseudopsacotha* Pic, 1935b: 16 type species *Pseudopsacotha albonotata* Pic, 1935
albonotata albonotata Pic, 1935b: 16 **A: GUA GUX JIX ORR**
albonotata psacothoides Gressitt, 1942f: 6 (*Epepeotes*) [RN] **A: HAI**
tonkinensis Gressitt, 1940b: 93 (*Epepeotes*) [HN]

genus *Pseudorsidis* Breuning, 1944: 495 type species *Diochares griseomaculata* Pic, 1916
griseomaculata Pic, 1916h: 18 (*Diochares*) **A: YUN**

genus *Pseudotrachystola* Breuning, 1943c: 187 type species *Trachystola rugiscapus* Fairmaire, 1900
rugiscapus Fairmaire, 1900: 640 (*Trachystola*) **A: FUJ ZHE**
strix Gressitt, 1939b: 109 (*Leprodera*)
yei Xiang, Xie & Wang, 2016: 121 **A: HUB** #228

genus *Pseuduraecha* Pic, 1925a: 23 type species *Pseuduraecha sulcaticeps* Pic, 1925
punctiventris Heller, 1926: 28 (*Dihammus*) **A: FUJ GUX SCH**
nigronotata Pic, 1935g: 178 (*Uraecha*)
sulcaticeps Pic, 1925a: 23 **A: CH**

genus *Rufohammus* Breuning, 1939b: 147 type species *Rufohammus rufescens* Breuning, 1939
rufescens Breuning, 1939: 148 **A: GUX ORR**

genus *Sarothrocer* White, 1846: 47 type species *Sarothrocer lowii* White, 1846
lowii White, 1846: 47 **A: AP ORR** #258

***Spinaristobia* Breuning, 1963d: 8** type species: *Spinaristobia rondoni* Breuning, 1963,
rondoni Breuning, 1963d: 8 **A: HAI ORR** [see Pu, 1991]

genus *Stegenagapanthia* Pic, 1924a: 18 type species *Stegenagapanthia albovittata* Pic, 1924
albovittata Pic, 1924a: 18 **A: GUX HAI SHA ORR**

genus *Sternohammus* Breuning, 1935c: 253 type species *Dihammus femoralis* Aurivillius, 1928
sericeus Breuning, 1938c: 187 (*Paradihammus*) **A: SD**
yunnanus W.-K. Wang & S.-N. Jiang, 1998: 462 **A: YUN**

genus *Sternorsidis* Breuning, 1959c: 126 type species *Sternorsidis brunnea* Breuning, 1959
brunnea Breuning, 1959c: 126 **A: SD**

genus *Stratioceros* Lacordaire, 1869: 303 type species *Stratioceros princeps* Lacordaire, 1869
Cacoscapus J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* Thomson, 1878
princeps Lacordaire, 1869: 303 **A: AP YUN ORR**
mouhoti J. Thomson, 1878: 48 (*Cacoscapus*)

genus *Taeniotes* Audinet-Serville, 1835a: 90 type species *Cerambyx subocellatus* Olivier, 1795 [1797]
Metoscopus Gistel, 1848a: 131 [unnecessary substitute name]
cayennensis J. Thomson, 1859: 96 **Ei: AZ NTR**
azoricus Kolbe, 1888: 180

genus *Thermonotus* Gahan, 1888d: 399 type species *Thermonotus nigripes* Gahan, 1888
Gibbanamera Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923
nigripes Gahan, 1888d: 399 **A: SD YUN** [according to M.-Y. Lin personal message, 2018]
ruber Pic, 1923c: 20 (*Gibbanamera*) **A: YUN ORR**

genus *Trachystolodes* Breuning, 1943c: 188 type species *Trachystola bimaculatus* Kriesche, 1924
tonkinensis Breuning, 1943c: 188 **A: FUJ GUA GUX HAI JIX SCH YUN ORR**

genus *Trichoscinestes* Breuning, 1954d: 70 type species *Trichoscinestes szetschuanica* Breuning, 1954
szetschuanica Breuning, 1954d: 71 **A: SCH**

genus *Trichohammus* Breuning, 1938c: 189 type species *Trichohammus granulosus* Breuning, 1938

granulosus Breuning, 1938c: 189 A: BEI ~~HEB~~

genus *Uraecha* J. Thomson, 1864: 84 type species *Uraecha bimaculata* J. Thomson, 1864

albovittata Breuning, 1956c: 233 A: FUJ

angusta Pascoe, 1857a: 49 (*Monohammus*) A: ANH BEI FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ
ZHE **ORR** #314

attenuata Pic, 1925a: 23

bimaculata Matsushita, 1933b: 330 (*Orsidis*) [HN]

horishana Matsushita, 1935: 312 [RN]

bimaculata bimaculata J. Thomson, 1864: 85 A: JA SC ~~TAI~~ #314

bimaculata brevicornis Makihara, 1980: 60 A: JA

chinensis Breuning, 1935d: 61 A: ANH BEI FUJ HEB HEN HUN JIA SHA ZHE #314 #350

gilva gilva Yokoyama, 1966: 56 A: JA

gilva hachijoensis Hayashi, 1969a: 64 A: JA

guerryi Pic, 1903e: 105 A: YUN

obliquefasciata Chiang, 1951: 54 A: GUI

oshimana Breuning, 1954d: 70 A: JA

punctata Gahan, 1888b: 63 A: FUJ GUA HAI HKG JIX YUN **ORR** #74 #314

yunnana Breuning, 1936: 296 A: SCH YUN

perplexa Gressitt, 1942d: 3 #314

genus *Uraeoides* Breuning, 1981b: 73 type species *Uraeoides vivesi* Breuning, 1981

taomeiae Hayashi, Nara & Yu, 1995: 149 A: TAI

genus *Xenicotela* Bates, 1884a: 242 type species *Xenicotela fuscata* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)

distincta Gahan, 1888d: 392 (*Monohammus*) A: NP SD YUN

quadrinaculata Pic, 1925a: 17 (*Trachystola*)

tonkinensis Pic, 1926g: 143 (*Nephelotes*)

trinotata Pic, 1925a: 17 (*Trachystola*)

pardalina Bates, 1884a: 239 (*Monohammus*) A: JA SC

fuscata Bates, 1884a: 242

genus *Xenohammus* Schwarzer, 1931b: 204 type species *Xenohammus bimaculatus* Schwarzer, 1931

albomaculatus W.-K. Wang & S.-N. Jiang, 2000b: 78, 80 A: SCH

bimaculatus Schwarzer, 1931b: 204 A: FUJ GUA GUI GUX HAI JIX TAI ZHE

filicornis Gressitt, 1935f: 383 (*Monochammus*)

flavoguttatus Pu, 1999: 83 A: HAI

griseomarmoratus Breuning, 1956c: 233 A: FUJ

nebulosus Schwarzer, 1931b: 205 A: TAI

~~*rufomaculatus* Pu, 1999: 821, 834 A: SCH~~ [nomen nudum by Hubweber et al., 2010] #108

tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

genus *Morimonella* Podaný, 1979b: 43 type species *Morimonella bednariki* Podaný, 1979

bednariki Podaný, 1979b: 43 E: ST A: GG

tribe Morimopsini Lacordaire, 1869

genus *Aconodes* Pascoe, 1857b: 106 type species *Aconodes montanus* Pascoe, 1857

Centrura Guérin-Méneville, 1843: 61 [HN] type species *Centrura costata* Guérin-Méneville, 1843

Dioxippe J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852

Chambaganorum Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925

breuningi Gouverneur, 2015: 88 A: BT #345

submontanus Breuning, 1975d: 345 [HM]

euphorbiae Holzschuh, 2003b: 309 A: NP

latefasciatus Holzschuh, 1984a: 153 A: NP

lima Holzschuh, 1989a: 173 A: BT

montanus Pascoe, 1857b: 107 A: NP "Himalaya"

multituberculatus Breuning, 1947a: 6 (*Centrura*) A: BT

nepalensis Heyrovský, 1976: 183 A: NP

pedongensis Breuning, 1956g: 667 A: SD

piniphilus Holzschuh, 2003b: 309 A: BT

sikkimensis Breuning, 1940b: 118 (*Centrura*) A: SD

~~*submontanus* Breuning, 1949a: 4 (*Centrura*)~~ **ORR** (Burma)

truncatus Breuning, 1939b: 144 (*Centrura*) A: SD

genus *Dolophrades* Bates, 1884a: 237 type species *Dolophrades terrenus* Bates, 1884a

Dorcadiohammus Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)

annulicornis Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI
punctatus Pic, 1934a: 8 (*Dorcadiohammus*)
subdenudatus Gressitt, 1938b: 153
mustanganus Holzschuh, 2003b: 308 A: NP
terrenus Bates, 1884a: 238 A: HUB JA

genus *Falsotrachystola* Breuning, 1950c: 218 type species *Trachystola asidiformis* Pic, 1916
asidiformis Pic, 1916l: 326 (*Trachystola*) A: YUN
dongi Huang, 2019: 50 - A: YUN #422
torquata Holzschuh, 2007: 250 A: YUN

genus *Lamidorcadion* Pic, 1934g: 33 type species *Lamidorcadion annulipes* Pic, 1934
annulipes Pic, 1934g: 33 A: SCH YUN XIZ
tuberosum Holzschuh, 1993a: 47 A: YUN

genus *Mimodorcadion* Breuning, 1942a: 115 type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Méneville, 1844)
indicum Guérin-Méneville, 1844: 241 (*Dorcadion*) A: "India"
griseum Breuning, 1942a: 115

genus *Morimopsidius* Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948
triangularis Breuning, 1948a: 5 A: ~~BT~~ SD #400
hiekei Breuning, 1964e: 445 (*Monochamus*) #390

genus *Morimopsis* J. Thomson, 1857e: 182 type species *Morimopsis lacrymans* J. Thomson, 1857
assamensis Breuning, 1966d: 14 A: AP
dalihodi Holzschuh, 2003b: 308 A: NP
dembickyi Weigel, 2018: 510 A: AP #390
glabripennis Holzschuh, 2003b: 308 A: BT
granulipennis Breuning, 1966b: 1 A: SD
hartmanni Weigel, 2018: 513 A: NP #390
holzschuhi Weigel, 2018: 512 A: NP #390
lacrymans J. Thomson, 1857e: 183 A: NP SD #390
mussardi Breuning, 1966d: 14 A: AP
schmidtii Weigel, 2018: 511 A: NP #390
truncatipennis Breuning, 1940d: 410 A: "North India"
unicolor Breuning, 1975d: 347 A: BT

genus *Petromorphus* Bi, 2016: 299 type species: *Petromorphus yunnanus* Bi, 2016
yunnanus australis Bi, 2016: 300 A: YUN
yunnanus yunnanus Bi, 2016: 299 A: YUN

genus *Sinodorcadion* Gressitt, 1939b: 107 type species *Sinodorcadion punctulatum* Gressitt, 1939
jiangi Xie, Shi & W.-K. Wang, 2013: 584 A: ZHE
magnispinicolle Xie, Shi & W.-K. Wang, 2013: 585 A: ZHE
punctulatum Gressitt, 1939b: 108 A: ZHE
punctuscapum Xie, Shi & W.-K. Wang, 2013: 587 A: ZHE

genus *Sinomimovelleda* Chiang, 1963: 66 type species *Sinomimovelleda dentihumeralis* Chiang, 1963
dentihumeralis Chiang, 1963: 66 A: SCH

tribe Nyctimeniini Gressitt, 1951

genus *Nyctimenius* Gressitt, 1951a: 629 [RN] type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
Nyctimene J. Thomson, 1857f: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
chiangi Huang, Chen & Liu, 2014 A: YUN #35
tristis Fabricius, 1793: 314 (*Saperda*) A: HAI NP SD YUN ORR
lineatus Fabricius, 1801b: 326 (*Saperda*)
testaceovittatus Pic, 1926g: 144 (*Nyctimene*)
vittatus Pascoe, 1866c: 330 (*Nyctimene*)
varicornis Fabricius, 1801b: 325 (*Saperda*) A: TAI ORR
agriloides J. Thomson, 1857f: 314 (*Nyctimene*)

tribe Parmenini Mulsant, 1839

genus *Deucalion* Wollaston, 1854: 430 type species *Deucalion oceanicus* Wollaston, 1854

oceanicus Wollaston, 1854: 433 **N**: MR (Salvages Isl.)

genus *Lepromoris* Pascoe, 1864c: 278 [RN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
Anthrodus Gistel, 1848a: xi [HN]
Leprosoma J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
gibba Brullé, 1839: 62 (*Lamia*) **N**: CI
asperata J. Thomson, 1860: 23 (*Leprosoma*)
pedestris Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

genus *Paradeucalion* Breuning, 1950b: 153 type species *Deucalion desertarum* Wollaston, 1854
desertarum Wollaston, 1854: 430 **N**: MR (Desertas Is.)

genus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790

aurora Danilevsky, 1980: 852 **A**: AB GG IN **?TR**

balearica Vives, 1998: 28 **E**: SP (Mallorca)

balearica minoricensis Vives, 1998: 30 **E**: SP (Minorca)

balteus Linnaeus, 1767: 1067 (*Cerambyx*) **E**: BE FR IT SZ

balteata Fabricius, 1793: 262 (*Cerambyx*) – wrong subsequent spelling

fasciata Villers, 1789: 239 (*Cerambyx*)

gauthieri Stöcklein, 1940: 341

bialookii Danilevsky, 2017b: 21 **A**: TR

#266

bicincta Küster, 1849c: 69 **E**: AL BH CR YU

cruciata Pic, 1912c: 4 **E**: SP

schrampi Pic, 1945b: 7

europaea Danilevsky, 2017: 1 **E**: MD RO UK

#235

istanbulensis Danilevsky & Hizal, 2017: **E**: TR

#235

lukati Sama, 1994a: 12 **A**: TR

mergallii Sama, 1984: 218 **E**: AN FR SP

mutilloides Sabbadini & Pesarini, 1992: 27 **A**: TR

novaki Sama, 1997a: 98 **E**: GR

pilosa Brullé, 1832: 260 **E**: AL BH CR GR IT SL **?UK**

hirsuta Küster, 1846b: 95

pilosa inclusa Mulsant, 1862: 242 **E**: FR IT MA **N**: LB

dahlui Mulsant, 1862: 245

pontocircassica Danilevsky & Miroshnikov, 1985: 289 **E**: ST UK (Crimea) **A**: AB AR GG TR

pubescens Dalman, 1817b: 176 (*Lamia*) **E**: IT SP **N**: AG MO TU

algerica Laporte, 1840: 485

minuta Pic, 1891b: 29

slamai Sama, 1986: 23 **E**: GR (Kríti, Rodos) TR

solieri breuningi Vives, 1979: 156 [Sierra de Maria (Almería)] **E**: SP

solieri solieri Mulsant, 1839: 119 [Marseille] **E**: FR IT

lanzai Sama, 1985b: 76 [Poraggia Grande, Corsica]

#376

pilosa Solier, 1835: 100 [HN] [Marseille, Montredon]

striatopunctata Sama, 1994f: 554 **A**: TR

sericata Sama, 1996c: 104 [unavailable name - Art. 15.1: Conditional proposal]

#216 #266

subpubescens Hellrigl, 1971: 445 **E**: IT

unifasciata Rossi, 1790: 147 (*Lamia*) **E**: AL BH CR FR GR IT **MC MD RO** SL SZ YU

#84

genus *Plectrura* Motschulsky, 1845b: 370 type species *Plectrura spinicauda* Motschulsky, 1845 [see Danilevsky, 2014b: 230-231]

subgenus *Phlyctidola* Bates, 1884a: 236 type species *Phlyctidola metallica* Bates, 1884

metallica metallica Bates, 1884a: 236 (*Phlyctidola*) **A**: FE HUB JA NC NE **SC**

#80

mandshurica Jakobson, 1899b: 43

sachalinica Jakobson, 1899b: 44

metallica yoshihiroii Takakuwa, 1984: 12 **A**: JA

tribe Petrognathini Blanchard, 1845

genus *Ioesse* J. Thomson, 1864: 68 type species *Ioesse sanguinolenta* J. Thomson, 1864

Macrocelosterna Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924

rubra Pic, 1925c: 3 (*Macrocelosterna*) 68 **A**: HAI YUN **ORR**

genus *Ithocritus* Lacordaire, 1872: 447 type species *Monohammus ruber* Hope, 1839

multimaculatus Pic, 1934g: 35 **A**: GUX **ORR**

fascicollis Breuning, 1935b: 171

ruber Hope, 1839: 43 (*Monohammus*) **A**: NP SD YUN **ORR** [see: Lin & Yang, 2014]

genus *Pseudapriona* Breuning, 1936: 304 type species *Pseudapriona flavoantennata* Breuning, 1936

Parajoesse Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21

flavoantennata Breuning, 1936: 304 **A: AP XIZ ORR**
medogensis Chiang & Chen, 1992, 69 (*Ioesse*)
nagaensis Breuning, 1982a: 21 (*Parajoesse*)
niger Pu, 1988: 300, 303 (*Ithocritus*)

#182

tribe Phrynetini J. Thomson, 1864

genus *Calothyrra* J. Thomson, 1868: 168 type species *Phrynetia margaritifera* Westwood, 1848
margaritifera Westwood, 1848: 11 (*Phrynetia*) **A: NP YUN "Himalaya"**

genus *Phrynetia* Dejean, 1835: 341 type species *Lamia marmorea* Olivier, 1797
Inesida J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775
leprosa Fabricius, 1775: 178 (*Lamia*) **Ei: FR MA Ai: TR AFR**
brunicornis Guérin-Ménéville, 1844: 239 (*Lamia*)

#293

tribe Phytoeciini Mulsant, 1839

genus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
subgenus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
allardi allardi Fairmaire, 1866a: 68 **N: AG**

? *elegantula* Fairmaire, 1871: 402 [see Sama (2005a: 36)]
leprieuri Pic, 1892g: 104 [1892p: lii]
allardi guyi Sama, 2005a: 37 **N: MO**
aresteni Pic, 1951a: 11 **N: MO**
detrita Fabricius, 1793: 308 (*Saperda*) **N: AG MO TU**
maculosa Mulsant, 1839: 201 (*Phytoecia*)
vittigera Fabricius, 1801b: 318 (*Saperda*)
guerini Breme, 1840: 277 (*Saperda*) **N: AG TU**
glauca Erichson, 1841: 189 (*Saperda*)
luteopubens Pic, 1918d: 17
lineata Pic, 1918d: 11
mounai Sama, 2005a: 40 **N: MO**

#151

simia Sama, 2005a: 38 **N: AG**
warnieri P. H. Lucas, 1847: pl. 43 (*Phytoecia*) **N: AG MO TU**
aumontiana P. H. Lucas, 1851b: xli (*Phytoecia*)
bicoloricornis Pic, 1942a: 1
cinerea Guérin-Ménéville, 1841: 9 (*Saperda*) [HN]
coquerelii Fairmaire, 1873b: 353
? *elegantula* Fairmaire, 1871: 402 [see Sama (2005a: 28)]
fuscicornis Heyden, 1863: 130 (*Phytoecia*)
henoni Pic, 1891b: 49
heterogyna Fairmaire, 1871: 402
inlateralis Pic, 1942d: 3
invittata Pic, 1942a: 1 [DA]
mimeuri Pic, 1950d: 93
poweli Pic, 1941a: 13
pygidialis Pic, 1911a: 9
vittithorax Pic, 1900d: 16

#151

subgenus *Conizonioides* Özdikmen, 2015a: 50 type species *Conizonia kalashiani* Danilevsky, 1992b
anularis Holzschuh, 1984a: 160 **A: TR**

#64

anulifera Löbl & Smetana, 2013: 41 [unjustified emendation]
georgiana Navrátil & Rozsival, 2016: 1 (*Coptosia*) **A: GG**
kalashiani Danilevsky, 1992b: 113 **A: AR**

#146

#146

subgenus *Eurycoptosia* Reitter, 1913d: 666 type species *Phytoecia bodoani* Pic, 1912
bodoani Pic, 1912a: 10 (*Phytoecia*) **A: AB IN**

subgenus *Iranocoptosia* Villiers, 1967: 340 type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer, 1886)

fausti Ganglbauer, 1886c: 521 (*Phytoecia*) **A: IN TM**
balachowskyi Villiers, 1967: 340

genus *Kabylophytoecia* Sama, 2005d: 149 [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
Tala Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
cirteensis P. H. Lucas, 1842: 187 (*Phytoecia*) **N: AG TU**
cyrtana P. H. Lucas, 1849: 506 (*Phytoecia*) [unjustified emendation]

genus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852

subgenus *Dasyllinda* J. Thomson, 1868: 184 type species *Dasyllinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)

apicalis apicalis Pic, 1906d: 17 **A: GUI SCH XIZ YUN**
gibbosicollis Pic, 1915c: 12

nigriventris Heller, 1923b: 74
subcincta Pic, 1924a: 19
apicalis yunnana Breuning, 1978b: 7 **A: GUI SCH XIZ YUN**
yunnanica Breuning, 1979a: 46 [RN]
fasciculata Pic, 1902i: 32 **A: SCH SHA YUN**
vitalisi Vuillet, 1912: 300 (*Dasyllinda*)
scopigera J. Thomson, 1868c: 185 (*Dasyllinda*) **A: AP NP SD XIZ YUN ORR**
rubripennis Pic, 1923a: 14
testacea Saunders, 1839: 179 (*Saperda*) [HN]
subgenus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852
Miocris Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902
[*annamensis annamensis* Breuning, 1954g: 556 **ORR** (Annam)]
annamensis yunnanensis Breuning, 1960f: 147 **A: YUN**
annulicornis Matsushita, 1939: 424 **A: SE SW TAI**
subannulata Breuning, 1966b: 19 [RN]
subannulicornis Breuning & K. Ohbayashi, 1964b: 30 [HN]
atricornis Pic, 1924a: 19 **A: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH ?SHA YUN ZHE**
bimaculicollis Breuning, 1954g: 558 **A: XIZ ORR**
femorata Chevrolat, 1852: 418 (*Amphionycha*) **A: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN**
melanoptera Fairmaire, 1895: 187 (*Amphionycha*)
fraterna Chevrolat, 1852: 419 (*Amphionycha*) **A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN**
ZHE
luteonotata Pic, 1907d: 24
pratti Pic, 1902a: 3
seminigra Fairmaire, 1887a: 134
subtestacea Pic, 1906d: 17
gracilicornis Pic, 1907d: 24 **A: SCH YUN**
macilenta Gressitt, 1947: 551 **A: SCH SHA**
major Gressitt, 1942b: 8 **A: ANH FUJ GUI SHA**
nigroscutata ampliata Pu, 1993: 361 **A: GUI**
nigroscutata nigroscutata Fairmaire, 1902a: 245 (*Miocris*) **A: GUI HUB HUN SCH XIZ YUN ORR**
rubescens frontalis Pu, 1988: 304 **A: XIZ**

#350
#350

rubescens rubescens* Hope, 1831: 28 (*Saperda*) **A: AP BT NP SD YUN*

bisbimaculata Pic, 1930e: 59 (*Miocris*)
fulva Fairmaire, 1895: 188
semitra Holzschuh, 2003b: 315 **A: NP**
semivittata Fairmaire, 1887a: 134 (*Oberea*) **A: YUN**
subtestaceicolor Pic, 1916h: 17 (*Oberea*)
tricotata Gressitt, 1947: 554
signaticornis Schwarzer, 1925c: 154 **A: TAI**
stolata Pesarini & Sabbadini, 1997: 127 **A: SCH**
subannulicornis Breuning, 1956c: 236 **A: FUJ TAI**
subatricornis Lin & Yang, 2012: 3 **A: CHQ FUJ HEB NIN SCH SHA**
zayuensis Pu, 1981: 428 **A: XIZ**

#75

genus *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843

subgenus *Eumallosia* Danilevsky, 1990: 364 type species *Mallosia herminae* Reitter, 1890
Anatolomallis Özdikmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.
Anatolomallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia nonnigra* Özdikmen & Aytar, 2012a
Submallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895
armeniaca Pic, 1897i: 188 **A: AR IN TR**
caucasica Pic, 1898r: 168
haiastanica Danilevsky, 2007b: 3
brevipes Pic, 1897i: 188 **A: AR IN TR**
cribratofasciata K. Daniel, 1904a: 309
costata Pic, 1898m: 124 **A: IN TR**
kurdistanica Breuning, 1970b: 30
gobustanica Danilevsky, 1990: 366 **A: AB**
herminae Reitter, 1890d: 241 **A: AB IN**
imperatrix imperatrix Abeille de Perrin, 1885: cxl [**Bloudan (Antiliban)**] **A: IN IQ LE SY TR**
robusta Pic, 1901e: 19 [**Syria**]
imperatrix tauricola K. Daniel, 1904a: 308 **A: TR**
jakowlewi Semenov, 1895b: 204 (*Phytoecia*) **A: IN**
iranica K. Daniel & J. Daniel, 1898: 79
nonnigra Özdikmen & Aytar, 2012a: 656 **A: TR**
tamashaczi Sama & Székely, 2010: 896 **A: IN**
subgenus *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843

#89

graeca Sturm, 1843: 356 (*Saperda*) **E**: GR

cardoriensis Pic, 1900w: 109

tomentosa Sturm, 1843: 355 (*Dorcadion*)

subgenus *Semnosia* K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837

Eusemnosia Özdiğmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837

baiocchii Sama, 2000a: 94 (*Semnosia*) **A**: SY

galinae Danilevsky, 1990: 364 **A**: AB **GG**

interrupta capulcu Koçak & Kemal, 2013: 2 **A**: TR ["Hakkari"]

interrupta interrupta Pic, 1905b: 28 **A**: IN TR ["Kurdistan"]

mirabilis devexula Holzschuh, 1989a: 176 **A**: TR ["Hakkari"]

mirabilis mirabilis Faldermann, 1837: 283 (*Saperda*) **A**: IN IQ TR

bitlisienensis Pic, 1902m: 42 ["Bitlis"]

delagrangei Pic, 1902m: 42 ["Monts Amanus"]

ganglbaueri Kraatz, 1884b: 233 ["Malatia"]

kotschyi Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]

multimaculata Pic, 1902m: 42 ["Malatia"]

semirubra Pic, 1905b: 31 [no locality, unavailable: "*mirabilis* ssp. *ganglbaueri* var. *semirubra*"]

scovitzii Faldermann, 1837: 284 (*Saperda*) **A**: AB AR **GG** ?IN TR

atricornis Pic, 1915e: 10

semilimbata Pic, 1900g: 14

tristis Reitter, 1888a: 134 **A**: AB IN

angelicae Reitter, 1890d: 242

lederi Pic, 1908e: 14

genus *Mallosiola* Semenov, 1895b: 205 type species *Mallosia regina* Heyden, 1887

regina Heyden, 1887d: 319 (*Mallosia*) **A**: TD

lopatini Heyrovský, 1969a: 34 (*Mallosia*)

genus *Micromallosia* Pic, 1900g: 15 type species *Micromallosia theresae* Pic, 1900

heinzorum Holzschuh, 1991a: 27 (*Mallosia*) **A**: TR

heydeni Ganglbauer, 1888b: 76 (*Phytoecia*) **A**: TR

theresae Pic, 1900g: 15 **A**: TR

genus *Mimocoptosia* Breuning & Villiers, 1972: 37 type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia*

luteovittigera Pic, 1906)

luteovittigera Pic, 1906a: 4 (*Phytoecia*) **A**: IN TR

iraniensis Breuning & Villiers, 1972: 37

genus *Nupserha* Chevrolat, 1858: 358 [RN] type species *Saperda fricator* Dalman, 1817, designated by Desmarest, 1860: 326 **#158**

Sphenura Dejean 1835:350 [HN - preoccupied by Lichtenstein, 1820 for Aves] type species *Saperda fricator* Dalman, 1817, designated by

Desmarest, 1860: 326

genus *Nupserha* J. Thomson, 1860: 60 type species *Stibara cosmopolita* J. Thomson, 1860 (= *Saperda ustulata* Erichson, 1834) **#158**

acuta Holzschuh, 1986b: 152 **A**: SD

alexandrovi Plavilstshikov, 1915c: 109 (*Oberea*) **A**: FE JA JIL

infrequens Plavilstshikov, 1915: 110 (*Oberea*) [unavailable name]

annulata annulata J. Thomson, 1857c: 147 (*Stibara*) **A**: BT NP PA SD

subannulicornis Pic, 1916d: 7 (*Oberea*)

annulata mustangensis Holzschuh, 1990: 194 **A**: NP

atriceps Breuning, 1948e: 121 **A**: GUI SD UP **ORR**

basipilosa Holzschuh, 1986b: 148 **A**: NP SD

bicolor J. Thomson, 1857c: 147 (*Stibara*) **A**: AP UP TAI **ORR**

brevior Pic, 1908f: 18 (*Oberea*) **A**: YUN

cauta Holzschuh, 1986b: 150 **A**: NP

clypealis clypealis Fairmaire, 1895: 188 (*Oberea*) **A**: GUI TAI YUN **ORR**

bisbinotaticollis Pic, 1917h: 13 (*Oberea*)

clypealis formosana Breuning, 1960c: 19 **A**: TAI

dubia Gahan, 1894a: 93 **A**: AP FUJ GUX HAI NP SD TAI UP YUN **ORR**

flavipennis Breuning, 1950a: 16 **A**: BT NP SD

fricator fricator Dalman, 1817b: 183 (*Saperda*) **A**: AP FUJ GUX HAI NP SD TAI **ORR**

bipartipennis Pic, 1943b: 3 (*Stibara*)

haddeni Gressitt, 1940d: 419

inopinata Gilmour, 1965: 482

lineatipes Pic, 1928b: 22

producta Schwarzer, 1931b: 212

rufopicea Schwarzer, 1930: 127

fuscoapicalis Breuning, 1949a: 15 **A**: NP SD **ORR**

fuscodorsalis W.-K. Wang & S.-N. Jiang, 2002b: 126 **A**: SD YUN

infantula Ganglbauer, 1889a: 83 (*Oberea*) **A**: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE

bisbinotata Pic, 1928b: 23 (*Oberea*)
subvelutina Gressitt, 1937d: 619
infuscata Breuning, 1960c: 31 **A**: XIZ
lenita Pascoe, 1867b: 410 (*Glenea*) **A**: GUX NP PA SD UP **ORR**
ambigua Lameere, 1893a: 286
annamensis Pic, 1939a: 18
nigromaculata Pic, 1926c: 18
longipennis Pic, 1926c: 18 **A**: XIZ
malabarensis Pic, 1939a: 17 **A**: UP **ORR**
marginella binhensis Pic, 1926c: 18 **A**: FUJ HUN **ORR**
marginella marginella Bates, 1873: 390 (*Oberea*) **A**: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG **NC** SC SHA SHN TAI ZHE
minor Pic, 1939a: 17 **A**: FUJ **GUX YUN** **ORR**
multimaculata Pic, 1939a: 16 **A**: YUN **ORR**
nigriceps Gahan, 1894a: 90 **A**: **AP** NP YUN **ORR** #258
nigricollis Breuning, 1960c: 13 **A**: "North India"
nigrohumeralis Pic, 1927o: 200 **A**: YUN **ORR**
pallidipennis flavipennis Breuning, 1950a: 16 **A**: NP
pallidipennis pallidipennis L. Redtenbacher, 1844: 552 (*Phytoecia*) **A**: BT JIX KA NP SD UP XIZ **ORR**
pseudinfantula Breuning, 1948e: 119 **A**: GUI
quadrioculata Thunberg, 1787: 57 (*Saperda*) **A**: NP GUX HAI YUN "North India" **ORR**
carinata J. Thomson, 1857c: 146 (*Stibara*)
corrugata Gressitt, 1940b: 211
costata Wiedemann, 1923: 112 (*Saperda*)
notaticeps Pic, 1926c: 17
rotundicollis Breuning, 1950d: 263 **A**: BT **KA** NP **PA** SD #409
schmidi arunensis Holzschuh, 1990: 195 **A**: NP
schmidi darjeelingensis Holzschuh, 1990: 195 **A**: SD
schmidi schmidi Breuning, 1966d: 16 **A**: AP NP SD
schmidt tambaensis Holzschuh, 1990: 195 **A**: NP
sericans Bates, 1884a: 260 (*Oberea*) **A**: **CH** FE JA **TAI**
spinifera spinifera Gressitt, 1948b: 63 **A**: BT **GUI** SCH SD #263
subabbreviata Pic, 1916h: 16 (*Oberea*) **A**: SCH YUN
szetschuanica Breuning, 1947d: 148 **A**: SCH
taliana Pic, 1916h: 16 (*Oberea*) **A**: GUX XIZ YUN **ORR**
brevilineata Pic, 1928b: 23 (*Oberea*)
lemoulti Pic, 1916h: 18 (*Oberea*)
pseudomarginella Breuning, 1947d: 148
tatsienlui Breuning, 1948e: 120 **A**: SCH
testaceipes Pic, 1926c: 18 **A**: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN
batesi Gressitt, 1937d: 618
thibetana Breuning, 1948e: 120 **A**: SCH XIZ
ustulata ustulata Erichson, 1834: 270 (*Saperda*) **A**: GUX **ORR**
cosmopolita J. Thomson, 1857c: 146 (*Stibara*)
grandis Pic, 1939a: 17
seminigra Breuning, 1960c: 48
variabilis Gahan, 1894a: 92 **A**: GUX YUN **ORR**
apicalis Aurivillius, 1926: 21 (*Stibara*)
ventralis Gahan, 1894a: 91 **A**: HUN SD XIZ YUN **ORR**
pseudovernalis Breuning, 1950d: 263
yunnana Breuning, 1960c: 36 **A**: YUN
yunnanensis Breuning, 1960c: 19 **A**: YUN

genus *Oberea* Dejean, 1835: 351 type species *Cerambyx linearis* Linnaeus, 1760
subgenus *Amaurostoma* J. Müller, 1906: 223 type species *Cerambyx erythrocephalus* Schrank, 1776
donceeli Pic, 1907d: 23 **A**: ES FE **GAN** HEB MG **NIN** NMO SHA SHX XIN [according to Lin & Ge, 2017b – in China only] #315
atrosignata Breuning, 1960b: 25 #124
obscuripennis Pic, 1939b: 3 #124
erythrocephala amanica Holzschuh, 1993a: 50 **A**: **SY** TR #65
erythrocephala bicolor Reiche, 1878a: cxlix **E**: PT SP (Andalusía) **N**: MO
maroccana Pic, 1914c: 11
reichei Plavilstshikov, 1927a: 64 [unnecessary RN]
erythrocephala calvescens G. Müller, 1948: 15 **E**: IT
erythrocephala erythrocephala Schrank, 1776: 67 (*Cerambyx*) **E**: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT MC MD
PL PT RO SK SL SP SZ TR UK YU **A**: AB AR GG **IN** ?KI KZ LE SY TR WS
anatolica Pic, 1901d: 19
cincta Gebler, 1830: 186 (*Saperda*)
erivanica Pic, 1917a: 11

<i>hungarica</i> Pic, 1914c: 11	#124
<i>insidiosa</i> Mulsant, 1862: 396	
<i>luteicollis</i> Gebler, 1833: 303 (<i>Saperda</i>)	
<i>melitana</i> Reiche, 1878a: cxlix	
<i>montandoni</i> Pic, 1914c: 11	#124
<i>nigriceps</i> Mulsant, 1862: 394 [HN]	
<i>planeti</i> Pic, 1945b: 5	
<i>richteri</i> Bau, 1888: 425	
<i>schurmanni</i> Heyrovský, 1962a: 42	#65
<i>sinuatesignata</i> Pic, 1945b: 7	
<i>theophilei</i> Pic, 1914c: 11	#124
<i>euphorbiae</i> Germar, 1813: 131 (<i>Saperda</i>) E : AU BU CT CZ HU IT MD RO SK ST UK A : AB AR KZ WS	
<i>imitans</i> G. Müller, 1948: 76	
<i>intermedia</i> Breuning, 1947c: 59 [HN]	
<i>intermissa</i> Breuning, 1960b: 26 [RN]	#124
<i>histrionis</i> Pic, 1917a: 11 E : AU CZ HU MD PL RO SK UK	#125
<i>moravica</i> Kratochvíl, 1989: 1	
<i>ressli</i> Demelt, 1963: 150 A : TR [recorded for East Russia, Mongolia and China by Lin & Ge, 2017b]	#315
<i>ruficeps muchei</i> Breuning, 1981a: 26 A : TD	
<i>ruficeps ruficeps</i> Fischer von Waldheim, 1842: 18 A : KI KZ TD UZ WS XIN	
<i>semirufa</i> Kraatz, 1882a: 115	
<i>taygetana</i> Pic, 1901d: 27 E : AL GR	#363
subgenus <i>Oberea</i> Dejean, 1835 351 type species <i>Cerambyx linearis</i> Linnaeus, 1760	
<i>Isosceles</i> Newman, 1842d: 318 type species <i>Isosceles macilenta</i> Newman, 1842	
<i>acuta</i> Gressitt, 1951a: 629 A : SCH	
<i>atroantennalis</i> Breuning, 1960b: 39 [= 1962f: 190] A : FUJ	
<i>atropunctata</i> Pic, 1916h: 17 A : ANH GUA GUI GUX HUB HUN JIX NP SCH SHA YUN ZHE	
<i>bicoloricornis</i> Pic, 1915c: 13 A : FUJ SHA XIZ	#315
<i>binotaticollis binotaticollis</i> Pic, 1915c: 13 A : HUB JIX SCH SHA TAI ZHE	
<i>basinaculata</i> Breuning, 1960b: 34	#124
<i>griseopennis</i> Schwarzer, 1925c: 154	
<i>melli</i> Breuning, 1960b: 33	#124
<i>tienmuana</i> Gressitt, 1939b: 124	#350
<i>binotaticollis chinensis</i> Breuning, 1982a: 29 A : SCH	
<i>binotaticollis ichangensis</i> Breuning, 1969e: 670 A : HUB	
<i>birmanica</i> Gahan, 1894a: 96 A : GUX SCH YUN ORR	
<i>lajoyei</i> Pic, 1919c: 12	
<i>bisbipunctata bisbipunctata</i> Pic, 1916h: 17 A : GUA GUI GUX NE SCH ZHE ORR	
<i>bisbipunctulata</i> Breuning, 1960b: 34 [= 1962f: 191] A : SD	
[<i>bivittata bivittata</i> Aurivillius, 1911: 40– Indonesia]	
<i>montivagans</i> Fischer, 1937: 202	
<i>bivittata medioplagiata</i> Breuning, 1960b: 51 [= 1962f: 158] A : NP SD YUN ORR	
<i>dorsoplagiata</i> Breuning, 1960b: 51	#124
<i>bootangensis</i> Breuning, 1960b: 55 [= 1962f: 177] A : SD NP	
<i>breviantennalis</i> Kurihara & N. Ohbayashi, 2006: 257 A : TAI	
<i>brevithorax</i> Gressitt, 1936: 108 A : FUJ HAI TAI ZHE ORR	#287
<i>inepta</i> Gressitt, 1939b: 122	
<i>clara</i> Pascoe, 1866b: 265 A : YUN ORR	
<i>armata</i> Gahan, 1894a: 95	
<i>fingeriventris</i> W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75	
<i>conica</i> W.-K. Wang, Y.-Z. Le & S.-N. Jiang, 2002: 74 A : YUN	
<i>consentanea</i> Pascoe, 1867b: 426 A : BT NP SD FUJ GUX HAI JIX YUN ORR	
<i>imbrevicollis</i> Pic, 1928d: 16	
<i>maisoni</i> Breuning, 1960b: 54	#124
<i>posticata</i> Pic, 1926b: 10 [HN]	
<i>rufopyga</i> Pic, 1926b: 10	
<i>unicolor</i> Breuning, 1956c: 236	
<i>coreana</i> Pic, 1912h: 21 A : SC	#80
<i>coreensis</i> Gressitt, 1951a: 633 A : FE NC SC	#310
<i>coxalis</i> Gressitt, 1940a: 14 [RN] A : GUA	
<i>discipennis</i> Gressitt, 1939a: 100 [HN]	
<i>curialis</i> Pascoe, 1866b: 264 A : CH ORR	
<i>nonfriedi</i> Pic, 1923a: 14	
<i>curtilineata</i> Pic, 1916l: 326 A : YUN	
<i>depressa</i> Gebler, 1825: 51 (<i>Saperda</i>) A : ES FE FUJ KZ MG NC NE SC SHA WS XIN	
<i>altaica</i> Gebler, 1830: 187 (<i>Saperda</i>)	
<i>amurica</i> Suvorov, 1913: 78	
<i>rosinae</i> Pic, 1904d: 18	

rufomaculata Kôno & Tamanuki, 1926: 278, 293
transbaicalica Suvorov, 1913: 78
distinctipennis Pic, 1902a: 2 **A: FUJ HAI SCH XIZ ORR**
lateriventris Gressitt, 1939a: 101
subparallela Pic, 1928b: 23
thibetana Pic, 1916h: 16
diversimembris Pic, 1923b: 11 **A: XIZ ZHE ORR**
diversipes Pic, 1919c: 11 **A: CHQ FUJ GUA GUI HAI HEN HUN SCH SHA XIZ YUN ORR** #223
brevicollis Fairmaire, 1895: 190 [HN]
fairmairei Aurivillius, 1923: 532 [RN] #223
elongatipennis Pic, 1940: 11 **A: GUI**
ferruginea Thunberg, 1787: 57 (*Saperda*) **A: NP SD**
atricornis Fabricius, 1793: 308 (*Saperda*)
elongata Olivier, 1795: 19 (*Saperda*)
maculiventris Pic, 1923a: 15 [HN]
notativentris Pic, 1924d: 30 [RN]
prolixa Pascoe, 1867b: 424
semiargentata Pic, 1923a: 15
flavescens Breuning, 1947d: 146 **A: SCH SHA** #287 #350
~~?~~*flavipennis* Kurihara & N. Ohbayashi, 2007: 202 **A: TAI (unavailable name)** #124 #284
formosana Pic, 1911e: 20 **A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SC SCH SHA TAI ZHE ORR** #74
clarior Breuning, 1960b: 43
~~*spinipennis*~~ Breuning, 1960b: 43 #124
formososylvia Kurihara & N. Ohbayashi, 2007: 207 **A: TAI**
fuscipennis ~~*fuseipennis*~~ Chevrolat, 1852: 419 (*Isosceles*) **A: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX NC SC SCH**
SHA SHG TAI XIZ YUN ZHE ORR #223 #350
cephalotes Breuning, 1947d: 147
fulveola Bates, 1873: 390
hanoiensis Pic, 1923: 12 #223
holoxantha Fairmaire, 1888a: 35
pieli Pic, 1924: 19
rosi Gressitt, 1940b: 214
rufotestacea Pic, 1923b: 12
sinensis Pic, 1902: 2
theryi Pic, 1902a: 2
fusciventris Fairmaire, 1895: 189 **A: SE SW ORR**
gracillima gracillima Pascoe, 1867b: 422 **A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH**
SHN TAI ZHE ORR #124
angustissima Pic, 1908f: 17
horiensis Matsushita, 1931a: 47
langana Pic, 1902l: 35
nichikoi Yokoyama, 1971: 101
nigriventris Bates, 1873: 389 #124
~~*postrufofemoralis*~~ Breuning, 1960b: 44 #124
subannulipes Pic, 1913a: 19
grosseopunctata Breuning, 1947d: 145 **A: SHN YUN**
hebesens Bates, 1873: 389 **A: JA JIA**
herzi Ganglbauer, 1887c: 23 **A: FE HEB JIA JIL NC QIN SC SHN**
~~*mediomaculata*~~ Breuning, 1960b: 32 [pronotum black with red spot]
~~*rufipennis*~~ Breuning, 1960b: 36 ["Chine: Nanking"] #124
~~*rufithorax*~~ Breuning, 1947e: 58 [elytra black]
~~*swampingensis*~~ Breuning, 1960b: 37 ["pronotum en partie noire"]
teranishii K. Ohbayashi, 1936b: 17 ["Ikuecho, Osaka" (Japan) – wrong label]
heudei Pic, 1936a: 23 **A: SHN**
heyrovskyi Pic, 1927e: 10 **A: FE NC NE SC**
himalayana Breuning, 1972c: 420 **A: NP UP ORR**
holatripennoides Löbl & Smetana, 2010: 59 **A: CH**
holatripennis Breuning, 1982a: 29 [HN]
humeralis Gressitt, 1939a: 103 **A: FUJ GUA HUN JIX NE ORR**
~~*fruhstorferi*~~ Breuning, 1960b: 55 #124
inclusa Pascoe, 1858: 261 **A: FUJ GUA GUX HEN HUB JIA JIX NC NMO SC SCH ZHE**
~~*basirufa*~~ Breuning, 1960b: 19
discipennis Fairmaire, 1889a: 68
~~*partenigrescens*~~ Breuning, 1960b: 39 #124
incompleta Fairmaire, 1897e: 255 **A: SCH**
infranigrescens Breuning, 1960b: 36 **A: SC JA** #80
infratestacea Pic, 1936a: 24 **A: CHQ FUJ JIX SHG ORR** #223
ishigakiana Matsushita, 1941: 158 **A: JA (Ryukyus)**
japonica Thunberg, 1787: 57 (*Saperda*) **A: FE FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA**

SHN TAI ZHE
japonica Bates, 1873: 388 [HN]
~~*laterifusca* Breuning, 1960b: 36~~ #124
niponensis Bates, 1884a: 260 [RN]
komiya Kurihara & N. Ohbayashi, 2006: 261 A: TAI
kostini Danilevsky, 1988b: 35 E: CT A: ES KZ WS
lacana Pic, 1923a: 16 A: SD YUN ORR
~~*orientalis* Breuning, 1960b: 49~~ #124
lama Gressitt, 1942c: 5 A: XIZ ORR
~~*laosensis* Breuning, 1963b: 52 A: YUN ORR~~
latipennis Gressitt, 1939a: 104 A: GUA ORR
leucothrix Toyoshima, 1982: 33 A: JA
linearis Linnaeus, 1760: 191 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL
NR PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG TR #200
cylindricollis Gray, 1832: 119 (*Saperda*)
fulvipes Geoffroy, 1785: 79 (*Leptura*)
limbata Mulsant, 1839: 197
parallela Scopoli, 1763: 47 (*Leptura*)
regularis Poda von Neuhaus, 1761: 38 (*Leptura*)
~~*lutea lutea* Thunberg, 1787: 57 (*Saperda*) A: SD ORR~~
maculicollis P. H. Lucas, 1842: 187 E: SP N: AG
mauritanica P. H. Lucas, 1842: 187
medioobliterata Pic, 1945b: 7
semijuncta Pic, 1945b: 7
mixta Bates, 1873: 389 A: JA ZHE
morio Kraatz, 1879d: 117 A: ES FE MG SC
pictibasis Reitter, 1902c: 186
nigriceps A. White, 1844: 425 (*Saperda*) A: HAI HKG ORR
binhana Pic, 1923b: 12
notata Pic, 1936a: 24 A: GUA JIA SCH ZHE
oculata Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MC MD **NC** NL NR NT PL PT RO **SC** SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA
MG NMO SC SHA SHN SY TR WS XIN N: MO #80
borysthena Mokrzecki, 1900: 294
inoculata Heyden, 1892a: 81
— ~~*mediobliterata* Rungs, 1947: 101 [wrong spelling of *maculicollis* var. *medioobliterata* Pic]~~
quadrimaculata Donisthorpe, 1913: 158
tomensis Kiseleva, 1927: 131
okinawana Kusakabe, 1992: 40 A: JA (Ryukyus)
pedemontana Chevrolat, 1856b: 436 E: AU BH BU CR HU IT RO SL SZ YU
koniensis Breuning, 1960b: 39
melanura Gredler, 1857a: 151
posticata Gahan, 1894a: 94 A: AP NP SD TAI ORR
~~*longulicollis* Breuning, 1960b: 53~~ #124
~~*rubroantennata* Breuning, 1960b: 53~~ #124
pseudoposticata Breuning, 1960b: 53 A: NP ORR
pupillata Gyllenhal, 1817: 185 (*Saperda*) E: AU BE BH BU CR CT CZ EN FR GE GR HU IT LA LS LT MC MD NT PL RO SL
SK SP ST SZ UK YU
alsatica Pic, 1915e: 10
luteonotata Pic, 1918d: 5
cognata Lentz, 1857: 145
pupillatoides Breuning, 1947d: 145 A: SHA #315
reductesignata Pic, 1916h: 17 A: FUJ HUB TAI ORR
kiotensis Pic, 1916h: 17
rubroantennalis Lin & Ge, 2017b: 920 A: SCH SHA #315
~~*rubroantennalis* Breuning, 1960: 38~~ #124
ruficornis Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE ORR #38
clarior Breuning, 1960b: 43 #38
pseudoformosana Li, Cuccodoro & Chen, 2014: 57 #38
spinipennis Breuning, 1960b: 43 #38
rufiventris Breuning, 1968a: 41 A: GUX ORR
rufosternalis Breuning, 1960b: 42 [= 1961b: 95] A: SCH SHA YUN #350
savioi Pic, 1924a: 19 A: JIA SHG ZHE
scutellaroides Breuning, 1947c: 58 [RN] A: CH FE **NC SC** #80
chinensis Tsherepanov, 1985: 147 [RN]
~~*licenti* Pic, 1939b: 3 [Chine: Fei hien]~~ #124
~~*longevittata* Breuning, 1960b: 31 [“Corée. Pu Ryōng”] [“le pronotum noir”]~~ #124
~~*medionnuculata* Breuning, 1960b: 32 [pronotum black with red spot] [“Mandchourie”]~~ #124

~~rufithorax~~ Breuning, 1960b: 36 #124
scutellaris Fairmaire, 1888b: 147 [HN]
~~swampingensis~~ Breuning, 1960b: 37 ["le pronotum en majeure partie noir"] [Chine: Swanmping] #124
shibatai Hayashi, 1962: 40 A: JA
shimomurai Kurihara & N. Ohbayashi, 2007: 209 A: TAI
shirahatai K. Ohbayashi, 1956b: 762 A: JA
shirakii Hayashi, 1963c: 16 A: JA (Ryukyus)
~~sikkimensis~~ Breuning, 1960b: 38 A: SD #124
simplex Gressitt, 1942g: 91 A: ANH CE ~~FE~~ NE SC SHG #310
sobosana K. Ohbayashi, 1956b: 761 A: JA
strigicollis Gressitt, 1942g: 92 A: JIX
subelongatipennis Breuning, 1955b: 77 A: GUI
subsericea Breuning, 1960b: 42 [= 1962f: 180] A: GUI YUN
sylvia Pascoe, 1858: 261 A: NE #287
taiwana Matsushita, 1933b: 423 A: TAI
~~taihokuensis~~ Breuning, 1960b: 51 [= 1962f: 168] #287
tatsienlui Breuning, 1947d: 145 A: SCH
tienmuana Gressitt, 1939b: 124 A: SHA ZHE
toi Gressitt, 1939b: 106 A: GUA JIX #287
tsuyukii Kurihara & N. Ohbayashi, 2007: 206 A: SC TAI #80
umebayashii K. Ohbayashi, 1964: 24 A: JA
unimaculicollis Breuning, 1960b: 35 [= 1962f: 194] A: SHA ORR
~~nigroampliata~~ Breuning, 1960b: 35
uninotaticollis Pic, 1939d: 16 A: FUJ GUX JIX SHA YUN ZHE ORR #350
~~unipunctata~~ Gressitt, 1939b: 125
vittata Blessig, 1873: 223 A: ES FE JA MG NC NE SC SHA #350
~~longissima~~ Pic, 1905a: 15
walkeri Gahan, 1894d: 487 A: FUJ GUA GUI GUX HAI HEN HKG JIX SCH SHA YUN ZHE ORR #350
~~atroanalis~~ Fairmaire, 1895: 189
~~bicoloritarsis~~ Pic, 1923b: 11
~~changii~~ Gressitt, 1942c: 5
~~robustior~~ Pic, 1923b: 12
wiskotti Z. Wang, 2003: 347, 397 A: JIL
yaoshana Gressitt, 1942g: 93 A: GUI GUX
yasuhikoi Kusakabe, 2001: 17 A: JA
yunnana Pic, 1926b: 10 A: GUA YUN ORR
yunnanensis Breuning, 1947d: 147 A: GUX HAI YUN ORR
genus *Obereopsis* Chevrolat, 1855: 289 type species *Obereopsis obscuritarsis* Chevrolat, 1855
Paroberea Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)
annulicornis Breuning, 1957d: 107 A: BT NP "North India"
aterrima Breuning, 1949a: 17 A: BT "India"
atritarsis Pic, 1920b: 3 (*Oberea*) A: XIZ
atrosternalis Breuning, 1957: 104 A: NP SD
bicoloripes Pic, 1916h: 16 (*Oberea*) A: TAI
bimaculicollis Breuning, 1949a: 20 A: "India"
~~[bipuncticollis bipuncticollis~~ Breuning, 1949a: 4, 19 – Burma] #400
bipuncticollis bootanana Breuning, 1957d: 89 A: ~~BT~~ SD
borchmanni Breuning, 1959c: 131 A: "North India"
bootangensis Breuning, 1970f: 488 A: SD
darjeelingensis Breuning & Heyrovský, 1964: 30 A: SD
flavicornis Fairmaire, 1889a: 69 (*Oberea*) A: JIX
flavodiscalis bhutanensis Breuning, 1975d: 362 A: BT
flavodiscalis flavodiscalis Breuning, 1982a: 29 A: SD
infranigra Breuning, 1962f: 181 (*Oberea*) A: NP
kankauensis Schwarzer, 1925c: 153 (*Oberea*) A: FUJ SCH TAI
~~nigroventralis~~ Breuning, 1956e: 235 [as var.]
~~rufoantennalis~~ Breuning, 1956e: 235 [var. from same locality]
tetrastigma Gressitt, 1951a: 601 (*Oberea*)
limbata L. Redtenbacher, 1844: 553 (*Phytoecia*) A: KA NP UP
~~himalayana~~ Breuning, 1972c: 420
lineaticeps Pic, 1911e: 21 (*Oberea*) A: TAI ZHE
~~fainanensis~~ Pic, 1912h: 21 (*Oberea*)
longipes Breuning, 1957d: 109 A: SD NP
luteicornis Breuning, 1957d: 105 A: SD NP "India"
maculithorax Matsushita, 1933b: 421 (*Oberea*) A: SCH TAI
~~pulla~~ Matsushita, 1933b: 421 (*Oberea*) #124
modica Gahan, 1894a: 97 (*Oberea*) A: NP GUX SHG "North India" ORR

binhensis Pic, 1926b: 29 (*Oberea*)
diversicornis Pic, 1923a: 15 (*Oberea*)
pallidicornis Gahan, 1894a: 98 (*Oberea*)
rufonoticeps Pic, 1923c: 21 (*Oberea*)
semisericea Pic, 1923a: 15 (*Oberea*)
nepalensis Breuning, 1975d: 362 **A**: NP
nigriceps nigriceps Breuning, 1957d: 81 **A**: SD
obscura nigroabdominalis Breuning, 1972c: 420 **A**: NP SD UP
obscura obscura Breuning, 1957d: 57 **A**: AP #258
paratricollis Breuning, 1967b: 36 **A**: AP
pedongensis Breuning, 1960f: 148 **A**: SD
pseudannulicornis Breuning, 1982a: 29 **A**: SD
quadrinotaticollis lachungi Breuning, 1982a: 28 **A**: SD
[quadrinotaticollis quadrinotaticollis Breuning, 1949a: 4, 18 **ORR** (Burma)]
[rubetra rubetra Pascoe, 1858: 261 (*Oberea*) – Malaysia, Indonesia]
insularis Fisher, 1937: 198 (*Oberea*)
rubetra sikkimana Breuning, 1982a: 29 (*Oberea*) **A**: SD
rufescens Breuning, 1960f: 148 **A**: SD
sericea Gahan, 1894a: 96 (*Oberea*) **A**: AP BT SD
sericeoides Holzschuh, 2006c: 488 **A**: BT NP SD
signaticornis Matsushita, 1933b: 423 (*Oberea*) **A**: TAI
sikkimensis Breuning, 1957d: 108 **A**: NP SD UP
himalayana Breuning, 1972c: 420
subteratra Breuning, 1957d: 75 **A**: SD "North India"
trinotaticollis Breuning, 1967b: 36 **A**: NP **ORR**
truncata Breuning, 1957d: 109 **A**: ~~BT~~ SD #400
varieantennalis Breuning, 1982a: 28 **A**: SD

genus *Oxytia* Mulsant, 1862: 398 type species *Phytoecia languida* Ménétériés, 1839
Coptosia Fairmaire, 1865: 177 type species *Phytoecia languida* Ménétériés, 1839 #324
argentata argentata Ménétériés, 1832: 227 (*Saperda*) **E**: UK **A**: AB AR GG IN TR
argentata languida Ménétériés, 1839: 42 (*Phytoecia*) **A**: CY IN IQ IS JO LE SY TR [Art. 33.2.3.1. - justified emendation]
longuida Ménétériés, 1839: 42 (*Phytoecia*) [original spelling – unavailable name]
duponcheli Brullé, 1832: 260 (*Saperda*) **E**: AL BU MC GR
atomaria Frivaldszky von Frivald, 1837: 178 (*Saperda*)
vestita Küster, 1848c: 82 (*Phytoecia*)

genus *Paramallosia* Fuchs, 1955b: 273 type species *Paramallosia afghanica* Fuchs, 1955
afghanica Fuchs, 1955b: 274 **A**: AF TM

genus *Paraserixia* Breuning, 1954g: 442 type species *Paraserixia flava* Breuning, 1954
flava Breuning, 1954g: 442 **A**: SD

genus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
subgenus *Barbarina* Sama, 2010: 49 type species *Phytoecia behen* Sama & Rejzek, 1999
behen Sama & Rejzek, 1999: 330 **A**: TR
chehirensis Breuning, 1943b: 103 (*Conizonia*) **A**: TR
nausicae Rejzek & Kakiopoulos, 2004: 405 **E**: GR
nepheloides Sama, 1997a: 100 **A**: SY
subgenus *Cardoria* Mulsant, 1862: 436 type species *Saperda scutellata* Fabricius, 1793
scutellata Fabricius, 1793: 317 (*Saperda*) **E**: AU CT CZ GE GR HU YU MD RO SK ST UK **A**: AB AR GG IN TR **WS** #210
obscuricolor Pic, 1952e: 691
subgenus *Cinctophytoecia* Breuning, 1947d: 143 type species *Phytoecia cinctipennis* Mannerheim, 1849
albosuturalis Breuning, 1947d: 143 **A**: CH
cinctipennis Mannerheim, 1849: 242 **A**: BEI ES FE MG NC NMO SC **SHA WS** #350
corensis Breuning, 1955e: 658
guilleti callosicollis Pic, 1933e: 7 **A**: YUN
guilleti guilleti Pic, 1906a: 4 **A**: SCH YUN
obscurithorax Pic, 1922b: 27
kukunorensis Breuning, 1943b: 102 **A**: QIN
punctipennis Breuning, 1947d: 143 **A**: CH
sareptana Ganglbauer, 1888e: 376 **A**: ES FE HUB
densepubens Pic, 1939b: 3
testaceolimbata Pic, 1933e: 7 **A**: SCH YUN
subgenus *Coptosiella* Kasatkin, 2015a: 127 type species *Phytoecia antoniae* Reitter, 1889
antoniae Reitter, 1889a: 42 **A**: AB AR GG IN TM TR
uniformis Pic, 1933d: 11 (*Coptosia*) #102

subgenus *Fulgophytoecia* Pic, 1900h: 16 type species *Phytoecia circumdata* Kraatz, 1882
Pseudomallosia Breuning, 1967a: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967
circumdata Kraatz, 1882c: 337 **A:** AF KI KZ UZ TD
parterufipennis Breuning, 1967a: 2 (*Pseudomallosia*)
sellata Ganglbauer, 1887: 296
pilosicollis Holzschuh, 1981: 107 **A:** KZ UZ
valentinae Skrylnik, 2010: 258 **A:** AF
subgenus *Helladia* Fairmaire, 1864a: 176 type species *Saperda flavescens* Brullé, 1832
adelpa Ganglbauer, 1886c: 522 **A:** AR CY SY TR
diversepubens Pic, 1952e: 691
alziari Sama, 1992b: 306 (*Helladia*) **E:** GR **A:** CY IS JO LE SY TR
ariannae Pesarini & Sabbadini, 2011: 51 **A:** TR
armeniaca Frivaldszky, 1878b: 10 [=1879a: 318; =1879b: 62] **A:** AB AR GG IS JO LE SY TR #106 #285
carnea Heyden, 1879a: 319 [1879b: 63]
demeltiana Lazarev, 2016d: 14 [RN] **A:** TR #202
demelti Sama, 2003: 73 (*Helladia*) [HN] #202
diademata Faldermann, 1837: 297 **A:** AB AR GG IN TR
— *scapipicta* Reitter, 1898e: 358
fatima fatima Ganglbauer, 1884: 570 **A:** AB IN SY TR #298
fatima nigroapicalis Breuning, 1944: 16 **A:** IQ IN #298
fatima ninives Sama, 1994b: 33 **A:** IQ TR #298
ferrugata Ganglbauer, 1884: 574 **A:** IS JO LE SY TR
dilaticollis T. Pic, 1900b: 67
flavescens Brullé, 1832: 262 (*Saperda*) **A:** AL GR MC
fumigata Küster, 1848c: 81
humeralis caneri Özdikmen & Turgut, 2015: 384 **A:** TR #67
[*humeralis caneri* Özdikmen & Turgut, 2010: 331] – unavailable #67
[*humeralis caneri* Özdikmen, 2015c: 300] – unavailable #67
humeralis humeralis Walth, 1838: 471 (*Saperda*) **E:** GR (Rodos) **TR** **A:** AB CY GG IN IQ IS LE SY TR #27
frontalis Chevrolat, 1882: 63
scapularis Chevrolat, 1882: 63
humeralis scapulata Mulsant, 1851b: 194 [1852: 54] **A:** SY TR
mersinensis Pic, 1900x: 140
imperialis dorud Sama, Rapuzzi & Rejzek, 2007: 166 (*Helladia*) **A:** IN
imperialis imperialis Sama & Rejzek, 2001: 239 **A:** IN
insignata Chevrolat, 1854: 485 **A:** IS JO LE SY [see Sama & Rapuzzi, 2000: 20; Sama et al., 2002: 483; Sama et al., 2010: 191]
bethaniensis T. Pic, 1900b: 67
millefolii Adams, 1817: 311 (*Saperda*) **E:** BU GR ST ?TR UK **A:** AB AR GG IN TR
azurea Steven, 1817: 190 (*Saperda*)
excelsa Stierlin, 1876: 479
orbicollis Reiche & Saulcy, 1858: 15 **A:** IS [described from “Naploue”] JO LE SY
damascena Pic, 1899c: 210
edessensis Reitter, 1898e: 358 [Urfa = Edessa]
scapipicta Reitter, 1898e: 358 [Akbes]
schmiedeknechti Pic, 1899c: 209
~~*urfanensis* Reitter, 1898e: 358 [Urfa = Edessa] – unavailable name~~
paulusi bludanica Sama, 2000a: 99 **A:** SY
paulusi paulusi Holzschuh, 1971: 67 **A:** LE
plasoni Ganglbauer, 1884: 571 **A:** AB AR IN TM TR
pontica Ganglbauer, 1884: 574 **A:** IS JO SY TR
praetextata nigricollis Pic, 1891h: 102 **A:** SY TR
praetextata praetextata Steven, 1817: 184 (*Saperda*) **E:** BU RO ST **TR** UK **A:** AB AR GG TR #113
implagiata Reitter, 1898b: 126
pretiosa Faldermann, 1837: 298 **E:** ST **A:** AB AR GG IN ?LE TR #285
testaceovittata natali Lobanov, 1994a: 105 **A:** AB
testaceovittata testaceovittata Pic, 1934c: 18 (*Musaria*) **A:** IN
iranica Villiers, 1960b: 99 (*Helladia*)
subgenus *Kalashania* Danilevsky, 2010: 43 type species *Phytoecia erivanica* Reitter, 1899
erivanica Reitter, 1899: 161 **A:** AB AR GG IN TR
~~*nigripennis* Jakobson, 1924c: 239 [unavailable; RN introduced as aberration]~~
nigritarsis Pic, 1895b: 40 [HN] [“Wan”]
~~*rosinae* Pic, 1900c: 7 (unavailable name - as “var.” from same population “d’Erivan” as “var. erivanica”)~~
pici Reitter, 1892a: 64 **A:** AB AR GG IN IQ [Villiers, 1967] TR
truncatipennis Pic, 1919a: 22 **A:** IN
subgenus *Metallidia* Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012
alinae Kasatkin, 2012: 143 **A:** TR
lisae Rapuzzi & Sama, 2018: 26 **A:** CY #332
subgenus *Musaria* J. Thomson, 1864: 120 type species *Leptura affinis* Harrer, 1784

affinis affinis Harrer, 1784: 209 (*Leptura*) [NP] **E:** AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SK SL SP ST SZ UK YU **A:** KZ ~~TR~~
bipunctata Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]
compacta Pic, 1890b: 120 [HN]
haemorrhoidalis Fabricius, 1793: 453 (*Saperda*)
janus G. F. Frölich, 1793: 154 (*Saperda*)
milliati Pic, 1945b: 7 [“Massif Chartreuse”]
mutata Pic, 1892b: 4 [RN]
nigrina Pic, 1891b: 38
nigritarsis Schoenherr, 1817a: 435 (*Saperda*)
oculata Scopoli, 1763: 47 (*Leptura*) [NO]
subaurata Pic, 1889b: 68
affinis altaica Suvorov, 1913: 79 (*Musaria*) **A:** ES KZ WS
affinis boeberi Ganglbauer, 1884: 559 [RN] **E:** ST **A:** AB AR GG IN TR
flavipes Gyllenhal, 1817: 436 (nota -“Caucaso”) [HN]
melichari Pic, 1914c: 10
persathensis Pic, 1895b: 40
affinis m-notata Pic, 1911h: 185 [“Caucase occidental”] **E:** ST
melichari Pic, 1952e: 693 [“Im hohen Nordkaukasus”]
teberdensis Pic, 1952e: 693
affinis nigrohirta G. Müller, 1948: 76 **E:** IT
affinis nigropubescens G. Müller, 1929: 76 **E:** ST **A:** AR GG ?IN TR
— *circassica* Reitter, 1888b: 282 [not available; all three names from “Atschischcho”]
— *nigropubescens* Reitter, 1888b: 282 [“Abago, Fischt, Atschischcho”]
— *stareki* Reitter, 1888b: 282 [“Atschischcho”]
affinis tuerki Ganglbauer, 1884: 575 **E:** BU TR **A:** SY TR #113
affinis volgensis Kraatz, 1883: 276 **E:** ST
anatolica Fuchs & Breuning, 1971: 75 **A:** TR
argus G. F. Frölich, 1793: 155 (*Saperda*) **E:** AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK
astarte astarte Ganglbauer, 1886c: 523 **A:** SY (north) TR (south-east)
astarte lederi Pic, 1899f: 391 **E:** ST **A:** AB AR GG IN TR #303
astarte perrini Pic, 1892m: clxxxvi [1892d: 44] **A:** LE
abeillei Pic, 1934j: 134 (*Musaria*)
cephalotes Küster, 1846d: 61 **E:** CR GR IT
faldermanni Faldermann, 1837: 296 **E:** ST UK **A:** AB AR GG KZ
blessigi Morawitz, 1863: 172
pubicollis Pic, 1917g: 10 (*Musaria*)
rosti Pic, 1900h: 16 (*Musaria*)
griseicornis Pic, 1892m: clxxxvii [1892d: 44] **A:** TR
kurdistan Ganglbauer, 1884: 572 **A:** AB AR GG IN IQ TR
caucasica Pic, 1897o: 262 (*Musaria*)
innoticeps Pic, 1931c: 10
korbi Pic, 1898v: 334
luristanica Pic, 1917g: 9 (*Musaria*)
puncticollis krupitskyi Danilevsky, 2014h: 687 **A:** TR #22 #300
puncticollis persica Ganglbauer, 1884: 572 [“Perse”] **A:** IN #300
(?) *diversicollis* Pic, 1917g: 9 (*Musaria*) [“Perse”]
puncticollis puncticollis Faldermann, 1837: 291 **E:** ST **A:** AB AR GG IN IQ TR
aladaghensis Reitter, 1906a: 37 [“Ala-Dagh in Persien”]
gamborensis Pic, 1917g: 9 (*Musaria*) [“Caucase : Gambor”]
heydeni Pic, 1952e: 693 [Mardin] (unavailable name)
mardiniensis Heyden, 1894b: 87
octopunctata Pic, 1952e: 693 [Mardin] (unavailable name)
quinquepuncticollis Pic, 1952e: 693 [Mardin] (unavailable name)
trimaculata Pic, 1917g: 9 (*Musaria*) [“Monts Taurus”]
trinotaticollis Pic, 1952e: 693 [Mardin] (unavailable name)
turcica Pic, 1952b: 4 (*Musaria*) [Turquie]
verticeuninotata Pic, 1952e: 694 [Mardin] (unavailable name)
puncticollis stygia Ganglbauer, 1884: 572 [Schaku am Caspischen Meere] **A:** IN TM
rubropunctata Goeze, 1777: 507 (*Leptura*) **E:** FR IT SP
jourdani Mulsant, 1839: 202
nigrescens Pic, 1891b: 38
obscurior Pic, 1896f: 142
punctata Geoffroy, 1785: 80 (*Leptura*)
punctulata Gmelin, 1790: 1877 (*Leptura*)
tirellii Luigioni, 1913: 168 **E:** GR IT
wachanrui Mulsant, 1851: 127 **E:** GR (Rodos) **ST** **A:** IN IS JO LE SY TR
alboscuteolata Chevrolat, 1854: 485
berytensis Pic, 1952e: 696
binodosa Chevrolat, 1882: 61

bisulcata Chevrolat, 1882: 61
breuningi Pic, 1952e: 696
coyei Pic, 1952e: 695
haasi Pic, 1952e: 696
innotaticeps Pic, 1952e: 696
irregularisignata Pic, 1952e: 696
jekeli Pic, 1917g: 10 (*Musaria*)
jezabel Reiche & Saulcy, 1858: 13
marsabana Pic, 1952e: 696
microquadrisignata Pic, 1952e: 696
obscuricornis Pic, 1897i: 189
pallidithorax Pic, 1898bc: 24 (*Musaria*)
rufomaculata Pic, 1917g: 9
syriaca Chevrolat, 1854: 484
trinotatithorax Pic, 1952e: 696
tripunctata Chevrolat, 1882: 61
subgenus *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835
adusta Reitter, 1889a: 43 **A: TR**
alepensis Pic, 1931c: 2 **A: SY** #215
aligamgami H.Özdikmen & G.Özdikmen, 2016: 494 **A: TR** #156 #199
balcanica Frivaldszky von Frivald, 1835: 268 (*Saperda*) **E: BU GR TR A: IN IQ TR** #154
subvitticollis Breuning, 1951a: 92 [Amasia] #154
dantchenkoi Danilevsky, 2008a: 7 **A: AR**
furkani H.Özdikmen & G.Özdikmen, 2016: 495 **A: TR** #199
inapicalis Pic, 1905f: 107 **A: SY TR**
latepubens Pic, 1926d: 6 (*Helladia*)
longicornis Pesarini & Sabbadini, 2009: 27 **A: TR**
merkli Ganglbauer, 1884: 560 **A: SY TR**
mesopotamica Breuning, 1948d: 91 **A: IN IQ SY**
pauliraputii Sama, 1993d: 295 (*Neomusaria*) **A: TR**
salvicola Holzschuh, 1989a: 176 **A: TR**
shokhini Kasatkin, 2010: 61 **A: TR** #307
suvorowi Pic, 1905c: 38 **A: TR**
suworowi König, 1906: 26
waltli Sama, 1991: 127 [RN] **A: IS JO LE SY TR**
modesta Waltl, 1838: 471 (*Saperda*) [HN]
subgenus *Obereina* Ganglbauer, 1886c: 524 type species *Phytoecia rubricollis* P. H. Lucas, 1847 (= *Saperda melanocephala* Fabricius, 1787) #391
Rubrophytoecia Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787
melanocephala Fabricius, 1787: 148 (*Saperda*) **E: IT N: AG MO TU**
lineatocollis Levrat, 1859: 35
rubricollis P. H. Lucas, 1847: 505, pl. 43
subgenus *Opsilia* Mulsant, 1862: 387, 431 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulescens* Scopoli, 1763)
aspericollis Holzschuh, 1981: 106 **A: KZ**
badenkoi Danilevsky, 1988a: 16 **A: KZ**
brevicornis Kasatkin, 2013: 265 **A: AF**
bucharica Breuning, 1943b: 101 **A: AF TD**
breuningi Dahlgren, 1988: 114
chinensis Breuning, 1943: 102 **A: HEB**
coerulescens *coerulescens* Scopoli, 1763: 49 (*Leptura*) **E: AL AU BE BH BU ?BY CH CR CT CZ FR GE GR HU IT ?LA LS LT LU MC MD NL PL PT RO SK SL SP ST SZ TR UK YU N: AG MO TU A: AB AR GG IN IQ IS JO KI KZ LE NE TD TR SY UZ WS**
aeruginosa O. F. Müller, 1776: 95 (*Leptura*)
aeruginosa Mulsant, 1839: 210 [HN]
chlorizans Chevrolat, 1860b: 303
cobaltina Chevrolat, 1860: 270
dufourae Aurivillius, 1923: 567 (RN for *aeruginosa* Muls.) (published as “ab.”)
echii Chevrolat, 1860b: 302
estrelana Pic, 1930c: 6 (*Opsilia*)
flavescens Mulsant, 1843: 284 [HN]
flavicans Mulsant, 1851: 137 [RN]
grisescens Chevrolat, 1860: 269
incerta Mulsant, 1862: 433 (*Opsilia*)
nigrita Nedelkow, 1905: 204
obscura Brisout de Barneville, 1863: 116
subcoerulea Geoffroy, 1785: 77 (*Leptura*)
tienschanica Fuchs, 1965: 111
trilineata Schoenherr, 1817a: 433 (*Saperda*) [new name for *Saperda coerulescens*, Rossi, 1790]
virescens Fabricius, 1782: 499 (*Saperda*)
viridiuscula Goeze, 1777: 506 (*Leptura*)

coerulescens *cretensis* Breuning, 1947c: 60 **E: GR**
irakensis Breuning, 1967h: 435 **A: IQ**
molybdaena Dalman, 1817b: 186 (*Saperda*) **E: AU BU CZ GE GR HU IT ?KZ PT RO SK SP ST SZ UK YU A: ?AB ?AR ES ?GG**
IN KZ TM TR WS N: AG MO TU
longitarsis Reitter, 1911b: 271
prasina kotaika Miroshnikov, 2009: 244 **A: AR TR**
prasina prasina Reitter, 1911b: 270 **A: AB IN ?TM**
schurmanni Fuchs, 1971: 159 **E: MC**
tenuilinea Fairmaire, 1876c: 98 **N: AG MO TU**
mateui Breuning, 1951a: 365
transcaspica Fuchs, 1955a: 228 **A: KZ TM UZ**
uncinata W. Redtenbacher, 1842: 25 (*Saperda*) **E: AL AU BH BU CR ?CT CZ FR GE HU MD PL RO SK ST UK YU A: ?TM**
#335
#11
glabricollis Roubal, 1934c: 140
varentzowi Semenov, 1896: 257 **E: ST A: AB AR GG IN KI KZ TD TM UZ**
immundula Reitter, 1911b: 270
~~*varentzowi* Semenov, 1912: 499 [incorrect subsequent spelling] – not available!~~
subgenus *Paracoptosia* Danilevsky, 2017f: 1137 type species *Saperda compacta* Ménétériés, 1832 **#324**
~~*Coptosia* Fairmaire, 1865: 177 type species *Phytoecia languida* Fairmaire, 1865 (= *Phytoecia albovittigera* Heyden, 1863)~~ **#324**
albovittigera Heyden, 1863: 130 **E: BU GR MC TR A: TR**
languida Fairmaire, 1865: 177 (*Coptosia*) [HN]
semiannulicornis Pic, 1936c: 4 (*Coptosia*)
vittigera Fairmaire, 1868a: pl. 54, fig. 256 (*Coptosia*)
bithynensis Ganglbauer, 1884: 573 **A: TR**
amasina Pic, 1949c: 60 (*Coptosia*)
conjuncta Pic, 1901b: 13 (*Coptosia*) [DA]
latevittata Breuning, 1963a: 10 (*Conizonia*)
limbata Pic, 1949c: 61 (*Coptosia*) [DA]
piciana Jakovlev, 1924: 239 [RN]
trilinea Pic, 1892t: cxii
trilineata Pic, 1892t: cxii [= 1893d: 419]
brunnerae Sama, 2000a: 98 (*Coptosia*) **A: SY**
compacta ~~*compacta*~~ Ménétériés, 1832: 228 (*Saperda*) **A: AB AR GG IN TR**
rufobrunnea Heyden, 1894b: 88 (*Conizonia*)
demelti Breuning, 1973b: 143 (*Conizonia*) **A: TR**
ganglbaueri Pic, 1936c: 3 (*Coptosia*) **A: CY IS JO LE SY TR**
gianassoii Sama, 2007a: 97 (*Coptosia*) **A: IN**
minuta Pic, 1891a: 2 **A: TR**
kurda Jakobson, 1924c: 239 [RN]
mardinensis Pic, 1901b: 13 (*Coptosia*)
sancta Reiche, 1877b: cxxxvi **A: IS JO LE SY** **#297**
nigrosuturata Bytinski-Salz, 1956: 221 (*Coptosia*)
schuberti Fuchs, 1965: 110 (*Conizonia*) **A: TR**
tauricola Breuning, 1943b: 104 (*Conizonia*) **A: TR**
urartica Kasatkin, 2015b: 43 **A: TR** **#103**
subgenus *Parobereina* Danilevsky, 2018e: 131 type species *Phytoecia vittipennis* Reiche, 1877 **#391**
~~*Blepisanis* Pascoe, 1867: 365 type species *Saperda bohemani* Pascoe, 1858 [Africa only]~~ **#391**
forticornis forticornis Breuning, 1947b: 22 **A: KA PA**
forticornis povolnyi Heyrovský, 1971: 82 **A: AF**
heinzi Lazarev, 2019: 122 **A: PA** **#418**
magnanii Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanis*) **A: IN**
nigrofemorata Breuning, 1947b: 23 **A: KA**
nivea Kraatz, 1882a: 116 **A: KI KZ TD UZ**
ochraceipennis Kraatz, 1882c: 337 **A: AF KI KZ TD UZ**
pallidipennis Plavilstshikov, 1926c: 340 [HN] **A: UZ**
pashtunica Lazarev, 2019: 123 **A: AF** **#418**
remaudierei Villiers, 1967: 341 (*Blepisanis*) **A: IN**
repetekensis Semenov, 1935a: 279 **A: TM**
tatyanae Skrylnik, 2010: 260 **A: AF**
tekensis Semenov, 1896: 258 **A: AF IN TM**
vittipennis leuthneri Ganglbauer, 1886c: 523 **A: IS SY TR**
akbesiana Pic, 1900j: 20
inhumeralis Pic, 1900c: 7 (*Obereina*)
samai Özdikmen & Turgut, 2008c: 572
vittipennis pallidior Pic, 1901o: 67 (*Obereina*) **A: TR**
vittipennis pravei Plavilstshikov, 1926a: 8 [= 1926c: 339] **A: AB AR GG IN TM TR**
vittipennis vittipennis Reiche, 1877c: cxli **E: AL BU GR SB A: ?LE TR** **#337**
~~(?)~~ *tokatensis* Pic, 1933d: 11

volkovitshi Danilevsky, 2010b: 24 **A: TR**
subgenus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
Hoplotoma Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1847
acridula Holzschuh, 1981: 105 **A: KI TD UZ**
aenigmatica Sama, Rapuzzi & Rejzek, 2007: 166 **A: IN**
algerica Desbrochers des Loges, 1870c: 126 **N: AG MO**
nigritarsis Chevrolat, 1882: 62
rufotibialis Pic, 1926d: 6
annulicornis Reiche, 1878a: cli **N: AG**
annulipes Mulsant & Rey, 1863: 165 **A: TR**
asiatica asiatica Pic, 1891h: 102 **A: ~~SY~~ TR** #238
achilleae Holzschuh, 1971: 68
asiatica sublineata Holzschuh, 1984a: 159 **A: AB AR TR**
atripes Pic, 1922a: 8 **A: CH**
bangi Pic, 1897i: 189 **A: AR GG IN TR** #296
bialookii Danilevsky, 2010b: 22 **A: TR**
bodemeyeri Reitter, 1913d: 665 **A: IN TR**
brunneicollis Pu, 1992b: 613 **A: SCH**
caerulea baccueti Brullé, 1832: 262 (*Saperda*) [*Peloponnes: Modon env.*] **E: GR A: TR** #238
caerulea bethseba Reiche & Saulcy, 1858: 17 ["Palestine"] **A: IN IQ IS JO LE SY TR N: EG** #238 #332
caerulea caerulea Scopoli, 1772: 102 (*Leptura*) **E: AL AU BH BU BY CR ?CT CZ GR HU IT ~~FF~~ MC MD PT RO SK SL SP ST SZ**
TR UK YU A: AB AR GG IN KZ SY TD TM TR UZ WS
coelestis Townson, 1797: 469 (*Saperda*)
flavimana Creutzer, 1796: 15 (*Saperda*)
gilvimana Ménétriés, 1832: 227 (*Saperda*)
rufimana Schrank, 1789: 77 (*Saperda*)
viridis Gronovius, 1764: 163 [n. 546] (*Cerambyx*) [description only, without name; name in the Index n.546 (1781)]
coeruleipennis Breuning, 1947b: 22 **A: KA**
coeruleomicans Breuning, 1947b: 22 **A: JA**
croceipes Reiche & Saulcy, 1858: 17 [RN] **A: AB AR CY GG IQ IN IS LE SY TR**
annulifera T. Pic, 1900b: 67
longicollis A. Costa, 1878: 27
macilenta Mulsant & Wachanru, 1863: 421 [RN]
puncticollis Mulsant & Wachanru, 1852: 175 [HN]
cylindrica Linnaeus, 1758: 394 (*Cerambyx*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT**
LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG IN KZ TR WS XIN #11
cinerea DeGeer, 1775: 75 (*Cerambyx*)
fuliginosa Scopoli, 1786: 49 (*Leptura*)
grandis Pic, 1891a: 2 [DA]
kaemmereri Schatzmayr, 1928: 47
silphoides Schrank, 1781a: 145 (*Cerambyx*)
simplonica Stierlin, 1878a: 438
verna O. F. Müller, 1776: 94 (*Leptura*)
drurei Pic, 1909b: 153 **A: IQ**
erythrocnema P. H. Lucas, 1847: pl. 43 **E: FR PT SP N: AG MO TU**
grenieri Fairmaire, 1861: xi
brevis Chevrolat, 1882: 62
cosettae Iablokoff-Khnzorian, 1953: 61
ferrea Ganglbauer, 1887c: 22 **A: BEI ES FE HUB GAN GUA MG NE SHA SHX ?WS**
analisis Mannerheim, 1849: 244 [HN]
atropygidialis Pic, 1939b: 3
mannerheimi Breuning, 1951a: 368 [RN]
nikitini Hayashi, 1957: 40
flavipes Fabricius, 1801b: 329 (*Saperda*) **N: MO**
gamzeae Özdikmen, 2017a: 23 **A: TR** #156 #236
gaubili Mulsant, 1851: 129 **N: AG**
gabilloti Pic, 1891b: 39
griseipes Pic, 1890f: cxi
impunctata Pic, 1895c: 64
innota Pic, 1898a: 14
peregrina Reiche, 1877b: cxxxv
separata Pic, 1895c: 70
geniculata geniculata Mulsant, 1862: 420 **A: CY IN IQ IS JO LE TR**
ingeniculata T. Pic, 1900b: 67
nazarena Reiche, 1877b: cxxxvi
palaestina Pic, 1930c: 3
geniculata orientalis Kraatz, 1871a: 272 [RN] **E: BU GR TR**
donatellae Rapuzzi & Sama, 2010b: 187
fuscicornis Mulsant & Rey, 1863: 168 [HN]

gougeleti Fairmaire, 1880b: 251 **N:** MO
griseola Breuning, 1951a: 359 [RN] **A:** HP
grisea Breuning, 1947b: 21 [HN]
icterica Schaller, 1783: 292 (*Cerambyx*) **E:** **AL** AU BH BU CR CZ FR GE HU IT **LU** MC MD PL PT RO SK SL SP ST SZ TR UK
YU A: ?GG KZ WS (Kemerovo, Kurgan Region) #11
ephippium Fabricius, 1793: 317 (*Saperda*)
ragusana Küster, 1844: 55 (*Oberea*) [DA]
subannulipes Pic, 1915: 11
kabateki Sama, 1997a: 104 **A:** SY
kartalensis Danilevsky, 2010b: 21 **A:** TR
lahoulensis Breuning, 1951a: 359 **A:** KA
malachitica P. H. Lucas, 1847: pl. 43 **E:** IT PT SP **N:** AG MO TU
bolivari Perez Arcas, 1874: 149
hispancia Breuning, 1951a: 364
parvula Breuning, 1960a: 23
manicata Reiche & Saulcy, 1858: 17 **A:** IS LE SY TR
marki Danilevsky, 2008a: 11 **A:** AR
mongolorum Namkhaidorz, 1979: 584 **A:** MG
napolovi Danilevsky, 2012c: 4 **A:** IS
nigricornis Fabricius, 1782: 499 (*Saperda*) **E:** AL AU BE BH BU BY CR CT CZ EN FI FR GE **GR** HU IT LA LT LU MC MD NT
PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG KZ TR WS #238 #272
canaliculata Fröhlich, 1793: 144 (*Saperda*)
caroni Mulsant & Godart, 1876: 419
julii Mulsant, 1862: 429
melanocera Gmelin, 1790: 1838 (*Cerambyx*)
solidaginis Bach, 1856a: 39
tristriga Reitter, 1913a: 70
pubescens Pic, 1895c: 64 **E:** BH BU CR GR MC ST **TR A:** AB AR GG IN IS JO LE SY TR **#113**
glaphyra K. Daniel, 1906b: 177
pustulata adulta Ganglbauer, 1884: 572 **A:** IN (“Astrabad”) [see Danilevsky, 2014b: 236-237]
adnexa Pic, 1947a: 1 (“Asterabad”)
pustulata cihanae Özdikmen, 2017b: 54 [Konya] **A:** TR **#237**
pustulata murina Marseul, 1870: 384 [“Sarepta”] **E:** ST **A:** KZ KI **UK UZ**
pulla Ganglbauer, 1886a: 130
gibbicollis Reitter, 1893a: 114
intermedia Pic, 1895c: 65, 69 [unavailable name; as “var.” from same locality as var. *murina* Mars. - Sarepta]
kryzhanovskii Kostin, 1973: 230
pustulata pilipennis Reitter, 1895c: 161 **A:** AB AR IN TR [see Danilevsky, 2014b: 236-237]
parvinaecula Roubal, 1916b: 186 (unavailable name, as “var.” from same locality as *pulla*, Roubal, 1916b)
vexans Reitter, 1895c: 162
pustulata pustulata Schrank, 1776: 66 (*Cerambyx*) **E:** AL AU BH BU BY CR CT CZ FR GE GR HU IT **LA LT** MC MD PL PT RO
SK SL SP SZ ST UK YU A: AB AR GG KI KZ TD TR UZ
brevnotata Pic, 1936c: 4
lineola Fabricius, 1781: 235 (*Saperda*)
macedonica Pic, 1929b: 9
obscuripes Pic, 1895c: 65
posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
vulnerata Schaller, 1783: 293 (*Cerambyx*)
rabatensis Sama, 1992a: 41 **E:** SP **N:** MO
rufipes latior Pic, 1895c: 66 **A:** SY TR
rufipes rufipes Olivier, 1795: 25 [France: “Var”] (*Saperda*) **E:** BH **?BU** CR FR GR (Kriti) IT PT SL SP ST **?SZ ?UK A: ~~AR~~ ES GG**
IN KI KZ TD TM TR UZ WS N: AG MO #296
coeca Küster, 1848a: 85 (*Oberea*)
femoralis Mulsant, 1862: 416 [l’Algérie]
ledererii Mulsant, 1851: 132
ludovici Pic, 1891: 133 [1891m: cxxxv] [“Sarepta”]
schreiberi Ganglbauer, 1884: 561 [without locality, but according to G.Müller, 1950: 220 – “Gorizia” – Italy near Slovenia on *Ferula*]
sibirica Gebler, 1833: 304 (*Saperda*)
umbellatarum Gistel, 1831: 303 (*Saperda*)
rufiventris Gautier des Cottes, 1870a: 104 **A:** ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC
NMO SC SHA SHN SHX TAI ZHE ORR
abdominalis Chevrolat, 1882: 62
atrimembris Pic, 1915f: 14
hakutorana Z. Wang, 2003: 365, 397
[*hakutozana* Z. Wang, 2003: 365, wrong original spelling, unavailable name]
partenigreseens Breuning, 1947d: 60 - unavailable name (introduced as “m.”)
pieli Pic, 1952e: 699
punctigera Blessig, 1873: 226
tonkinea Pic, 1902l: 34
tristigma Pic, 1897i: 190

ventralis Bates, 1873: 388
rufovittipennis Breuning, 1972c: 419 **A:** UP
rungsii Antoine, 1953: 221 **N:** MO
sikkimensis Pic, 1907h: 152 **A:** KA NP SD
kashmirica Breuning, 1943b: 101
reductevittata Breuning, 1943b: 101
stenostoloides Breuning, 1943b: 101 **A:** ES FE **NMO** [Manchuria - MD]
subannularis Pic, 1901b: 14 **A:** TR
vaulogerii Pic, 1892l: 314 **N:** AG
virgula centaureae Sama, Rapuzzi & Rejzek, 2007: 163 **A:** IN
virgula virgula Charpentier, 1825: 225 (*Saperda*) **E:** AL AU BH BU BY CR CT CZ FR GE GR HU IT **LA LT** MC MD PL PT RO
SK SL SP ST SZ TR UK YU **A:** AB AR CY **ES** (Krasnoyarsk - MD) GG IN IS JO KI KZ LE SY TD TM TR UZ **WS**
(Kemerovo - MD) XIN
bravardi Pic, 1947a: 1
cyclops Küster, 1848a: 88
grisea Pic, 1891o: 139
major Pic, 1901b: 14
punctum Ménétries, 1832: 227 (*Saperda*)
viridipes Rapuzzi & Sama, 2018: 24 **A:** TR #332
vulneris eremita Sama, 1999a: 53 **E:** IT
vulneris vulneris Aurivillius, 1923: 566 [RN] **E:** BH CR FR IT MC SL
vulnerata Mulsant, 1851: 131 [HN]
staudingeri Pic, 1947a: 1
paganettii Breuning, 1944: 16
subgenus *Pseudocoptosia* Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891
cinerascens Kraatz, 1882c: 337 (*Phytoecia*) **A:** AF IN KI KZ TD TM UZ
sokolovi Breuning, 1951a: 45 [unjustified emendation] [wrong spelling- Art. 33.3]
sokolowi Semenov, 1895b: 206, 209 (*Phytoecia*)
eylandti Semenov, 1891: 380 (*Phytoecia*) **A:** AF KI KZ TM TD UZ
glasunovi Breuning, 1951a: 45 (*Phytoecia*) [unjustified emendation] [wrong spelling- Art. 33.3]
glasunowi Semenov, 1895b: 207, 210 (*Phytoecia*)
kubani Holzschuh, 1991c: 56 **A:** TD
subgenus *Pseudomusaria* Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886
farinosa Ganglbauer, 1886c: 522 (*Phytoecia*) **A:** IN TM
mucida Semenov, 1893: 506 (*Phytoecia*)

genus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851 #370
subgenus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851 #370
angusterrufonotata Pic, 1952a: 2 **E:** AL GR #363
inarmata Holzschuh, 1984b: 168
annulata annulata Hampe, 1852b: 315 (*Phytoecia*) **A:** AB AR IN TR
annulata wawerkana Reitter, 1905b: 240 **A:** TR ["Akbes"]
angorensis Pic, 1952a: 2
breverufonotata Pic, 1952a: 2 **A:** TR
maculifera Holzschuh, 1984b: 170
griseomaculata Pic, 1891h: 102 **A:** SY TR
laterufonotata Pic, 1952a: 2
halperini Holzschuh, 1999: 51 (*Phytoecia*) **A:** IS
samii Özdikmen & Turgut, 2010: 97 **A:** TR
serriventris Holzschuh, 1984b: 169 **E:** BU
smatanai Holzschuh, 2003: 240 **A:** TR
tigrina Mulsant, 1851: 134 (*Phytoecia*) **E:** BU HU MD RO ?ST UK YU **A:** ?AR [see: Medvedev & Shapiro (1957), Gradinarov, 2016]
anchusae Fuss, 1852b: 138
?vagecarinata Pic, 1952a: 3 **A:** SY TR #370
subgenus *Pseudopilemia* Kasatkin, 2018: 157 type species *Saperda hirsutula* Frölich, 1793 #370
buglanica D.Marklund & S.Marklund, 2014: 276 **A:** TR #76
evae D.Marklund & S.Marklund, 2014: 274 **A:** TR #76
ghobarii Danilevsky, 2018: 589 (*Phytoecia*) **A:** IN #371
hirsutula hirsutula G. F. Frölich, 1793: 141 (*Saperda*) **E:** AL BH BU CR GR HU KZ MC MD ME RO SK SL ST UK YU **A:** AB
AR GG IN IS JO LE KZ SY TR WS
androsensis Breuning, 1963a: 10 (*Oxylia*)
atomaria Townson, 1797: 470 (*Saperda*)
ciliciae Breuning, 1951a: 406 (*Phytoecia*)
holosericea Faldermann, 1837: 287 (*Saperda*)
— *holosericea* Ganglbauer, 1884: 568 (*Phytoecia*) [HN]
obsoleta Ganglbauer, 1889d: 487 [RN] [= *holosericea* sensu Ganglbauer, 1884: 568]
tournieri Pic, 1952a: 2

hirsutula homoiesthes Ganglbauer, 1888c: 197 **A**: IN TM
konyaensis Danilevsky, 2010b: 20 **A**: TR
kruszelnickii Szczepański & Karpiński, 2017: 142 **E**: GR
moreana Breuning, 1943b: 102 (*Phytoecia*) **E**: GR
hladilorum Holzschuh, 2006a: 274
holtzi Pic, 1952a: 3

#286
 #286

genus *Pteromallosia* Pic, 1900h: 16 type species *Phytoecia albolineata* Hampe, 1852
albolineata Hampe, 1852b: 314 (*Phytoecia*) **A**: AB AR GG IN ?LE TR
fulvolineata Reitter, 1891a: 33 (*Phytoecia*)

#285

genus *Pygoptosia* Reitter, 1895a: 86 type species *Phytoecia speciosa* Frivaldszky, 1884
eugeniae Ganglbauer, 1884: 568 (*Phytoecia*) **A**: IN
speciosa Frivaldszky, 1884: 5 (*Phytoecia*) **A**: IN LE SY TR
lineolata Reitter, 1895a: 86 (*Phytoecia*)
pictipennis Pic, 1909b: 106 (*Phytoecia*)

genus *Semiangusta* Pic, 1893d: 421 type species *Conizonia delagrangei* Pic, 1891
ambrusi Danilevsky, 2012m: 934 **A**: IN
delagrangei Pic, 1891a: 2 (*Conizonia*) **A**: TR
brevior Pic, 1897i: 188 (*Phytoecia*)
brevis, Plavilstshikov, 1927a: 65 (wrong spelling – unavailable name)
katarinae Holzschuh, 1974a: 99 (*Phytoecia*) **A**: TR
rebecca Sama & Rejzek, 2002: 106 **A**: IN

#308

tribe Pogonocherini Mulsant, 1839

genus *Parmenopsis* Ganglbauer, 1882: 693 type species *Parmena caucasica* Leder, 1880
caucasica Leder, 1880: 484 (*Parmena*) **E**: ST **A**: GG TR

genus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
subgenus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758

Eupogonocherus Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758
Pogonocerus Gistel, 1848a: 131 [unjustified emendation]
Pogonochaerus Gemminger, 1873: 3116 [unjustified emendation]
Strophinus Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758
anatolicus K. Daniel & J. Daniel, 1898: 76 (*Pogonochaerus*) **E**: GR (Rodas) **A**: CY SY TR
barbarae Rapuzzi & Sama, 2012: 678 **A**: SY TR
caroli Mulsant, 1862: 313 **E**: FR GB SP SV SZ
cedri Peyerimhoff, 1917: 318 (*Pogonochaerus*) **N**: AG
griseus Pic, 1889b: 67
creticus Kratochvíl, 1985a: 1 **E**: GR (Kriti)

#215

dimidiatus Blessig, 1873: 208 **A**: FE HEI JA JIL NC SC SHA

#350

bicristatus Kraatz, 1879d: 114
seminiveus Bates, 1873: 382
tristiculus Kraatz, 1879d: 115

ehdenensis Sama & Rapuzzi, 2000: 18 **A**: LE

eugeniae eugeniae Ganglbauer, 1891: 131 **E**: AL AU BH CR CZ GR IT RO [see: Švec & Doubek, 2016]

eugeniae taygetanus Pic, 1903a: 8 **E**: GR (Peloponnisos)

hispidulus Piller & Mitterpacher, 1783: 35 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ FR GR HU IR IT LA LS LT LU MC
 MD NL NT **PL** PT RO SK SL SP ST SZ UK YU **A**: AB AR GG **KZ** (north-east) **N**: MR

bickhardti Pic, 1927e: 1 (*Pogonochaerus*)

bidentatus C. G. Thomson, 1866: 85

hispidus Linnaeus, 1758: 391 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
 MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU **A**: AB AR GG TR **N**: AG TU

dentatus Geoffroy, 1785: 76 (*Cerambyx*)

pilosus Fabricius, 1787: 134 (*Cerambyx*)

rufescens Pic, 1917a: 6

marcoi Sama, 1993b: 29 **E**: IT

neuhausi J. Müller, 1916: 98 (*Pogonochaerus*) **E**: BH CR GR IT **N**: AG MO TU

icosiensis Peyerimhoff, 1918b: 143

ovatooides Rapuzzi & Sama, 2014a: 9 **E**: IT

pepa Verdugo & Torres-Méndez, 2010: 110 **E**: SP **N**: MO

perroudi brevipilosus Holzschuh, 1993a: 50 **E**: GR (Kriti)

perroudi perroudi Mulsant, 1839: 158 **E**: AL BH BU CR FR GR IT SP ST TR UK **N**: AG **EG** MO TU **A**: GG CY IS LE TR
vaulogeri Pic, 1927e: 1

pesarinii Sama, 1993c: 21 **N**: MO

pilosipes Pic, 1907d: 21 **A**: "Chine orientale"

pilliosipes Pic, 1907d: 21 [incorrect original spelling]
plasoni Ganglbauer, 1884: 526 **E**: GR
sieversi Ganglbauer, 1887b: 139 (*Pogonochaerus*) **?E**: **?UK** **A**: AR GG TR
caucasicus Ganglbauer, 1891: 132 (*Pogonochaerus*)
kuksha Plavilstshikov, 1924: 225 (*Pogonochaerus*)
slamai Danilevsky, 2015c: 590 **A**: **CY**

#97

subgenus *Pityphilus* Mulsant, 1862: 302 type species *Cerambyx ovatus* Goeze, 1777

Pityophilus Bedel, 1889: 41 [unjustified emendation] [HN]
decoratus Fairmaire, 1855: 320 **E**: AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD NL NR NT PL SK
 SL SP ST SV SZ **TR** UK YU **A**: TR WS #200
ovalis Gyllenhal, 1827: 65 (*Lamia*)
fasciculatus fasciculatus DeGeer, 1775: 71 (*Cerambyx*) **E**: AL AU BE BU BY CR CT CZ DE EN ES FI FR GB GE GR HU IR IT
 KZ LA LS LT LU MA MC MD MD NL NR NT PL RO SK SL SP ST SV SZ UK YU **A**: AB AR ES FE GG KZ MG **NC** NE SC
 TR WS
costatus Motschulsky, 1859a: 234
fascicularis Panzer, 1793c: 15 (*Cerambyx*) [wromg spelling – unavailable name]
pullus Matsushita, 1931b: 376
setifer O. F. Müller, 1776: 92 (*Cerambyx*)
fasciculatus hondoensis K. Ohbayashi, 1963: 12 **A**: JA
inermicollis Reitter, 1894f: 247 **E**: ST **A**: GG TR
ovatus Goeze, 1777: 474 (*Cerambyx*) [NP] **E**: AL AU BE BH CR CZ EN FR GE GR HU IT LA **LU** NL PL RO SK SL SP SZ
multipunctatus Georg, 1857: 64
ovalis Gmelin, 1790: 1863 (*Cerambyx*)
schlumbergeri Dufour, 1851: 351
scutellaris Mulsant, 1846: [11]
subovatus Mulsant, 1839: 155
ressli Holzschuh, 1977a: 132 **A**: AB IN
sturanii Sama & Schurmann, 1982: 66 **E**: SP
zubovi Danilevsky, 2015c: 588 **E**: UK

#97

tribe Prosopocerini J. Thomson, 1864

genus *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)

subgenus *Dalterus* Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892

Timoreticus Peringuey, 1896: 181 type species *Monohammus degeeri* Fähræus, 1873

dejeani Gahan, 1890d: 315 **A**: YE **AFR**

subgenus *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)

Anoplostetha Dejean, 1835: 341 type species *Lamia lactator* Fabricius, 1801

Hagesata Pascoe, 1864c: 275 type species *Hagesata foxcrofti* Pascoe, 1864

Imalmus Pascoe, 1864c: 276 type species *Imalmus capito* Pascoe, 1864

Zalates J. Thomson, 1860: 376 type species *Zalates callipyga* J. Thomson, 1860

albescens Breuning, 1938e: 110 **A**: SA

tribe Pteropliini J. Thomson, 1860

genus *Abryna* Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842

coenosa coenosa Newman, 1842c: 289 **A**: SE SW TAI **ORR**

subuniformis Pic, 1925a: 30

obscura Schwarzer, 1925b: 65 **A**: JA TAI

oshimensis Breuning, 1955b: 64 (*Palimma*)

superba Pic, 1932d: 24

uniformis Breuning & K. Ohbayashi, 1966b: 32

regispetri Paiva, 1860: 5 **A**: YUN **ORR**

genus *Albana* Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846

m-griseum Mulsant, 1846: [13] **E**: FR SP

accentifera Fairmaire, 1856a: 543 (*Pogonocherus*)

[*grisea* Mulsant, 1846: [13] unused original spelling]

genus *Alidus* Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893

biplagiatus Gahan, 1893a: 258 **A**: NP YUN **ORR**

genus *Anaches* Pascoe, 1865: 160 type species *Sthenias dorsalis* Pascoe, 1858

dorsalis Pascoe, 1858: 251 (*Sthenias*) **A**: CHQ FUJ GUI GUX HP NP SCH SD YUN ZHE **ORR**

albonotata Pic, 1932c: 25 (*Anaches*)

semicylindricus Hayashi, 1974c: 45 (*Sthenias*) **A**: GUI TAI

wenhsini Holzschuh & Y.-L. Lin, 2013: 152 **A**: TAI

yitingi Holzschuh & Y.-L. Lin, 2013: 154 **A**: TAI

#74

#263

genus *Cyphoscyla* Thomson, 1868: 65 type species *Cyphoscyla lacordairei* Thomson, 1868

Hoabinhia Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a

lacordairei Thomson, 1868: 66 **A: YUN ORR**

multituberculata Pic, 1934a: 12

genus *Desisa* Pascoe, 1865: 163 type species *Praonetha subfasciata* Pascoe, 1862

subgenus *Desisa* Pascoe, 1865: 163 type species *Praonetha subfasciata* Pascoe, 1862

Mesopenthea Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925

chinensis Breuning, 1938c: 373 **A: CH**

dispersa Pic, 1944a: 10 (*Mesosella*) **A: YUN**

kuraruana Matsushita, 1935: 312 (*Mesosella*) **A: TAI**

quadriplagiata Breuning, 1938c: 372 **A: NP PA ORR**

subfasciata Pascoe, 1862a: 348 (*Praonetha*) **A: GUA GUX HAI HEN HKG HUB JIA NP UP YUN ZHE ORR**

infasciata Pic, 1944a: 10 (*Mesosella*)

latefasciata Pic, 1924e: 79 (*Mesosella*)

major Pic, 1925b: 28 (*Mesosella*)

rufa Pic, 1936a: 17 (*Falsomesosella*)

takasagoana Matsushita, 1933b: 364 **A: FUJ GUA HAI TAI**

variabilis Schwarzer, 1925b: 67 (*Mesopenthea*) **A: TAI**

yunnana Breuning, 1974d: 72 [*Mesoereis*] **A: YUN**

#427

#183

#91

genus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864

subgenus *Callegesina* Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943

anfracta Gressitt, 1940b: 155 (*Enispia*) **A: HAI**

subgenus *Cuphisia* Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866

cleroides Gahan, 1890a: 63 (*Enispia*) **A: NP TAI "North India" ORR**

digitata Pesarini & Sabbadini, 2000: 62 **A: SCH**

guerryi Pic, 1926c: 12 (*Enispia*) **A: CH**

salicivora Holzschuh, 2007: 253 **A: YUN**

subfasciata Pic, 1926b: 2 (*Gyaritus*) **A: CH ORR**

tarsata Holzschuh, 2007: 252 **A: YUN**

subgenus *Callienispia* Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925

Larica Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)

anterufipennis Breuning, 1958a: 16 **A: NP SD**

subgenus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864

Gyaritodes Breuning, 1947a: 38 type species *Gyaritodes inspinosus* Breuning, 1947 [see: Holzschuh, 2017a: 141]

Neogesina Fisher, 1925: 215 type species *Neogesina ornata* Fisher, 1925

Platyzeargyra Fisher, 1925: 213 type species *Platyzeargyra bakeri* Fisher, 1925

albofasciata Hayashi, 1974c: 46 **A: TAI**

albolineata Breuning, 1942c: 132 **A: YUN ORR**

amoenula Holzschuh & Y.-L. Lin, 2013: 155 **A: TAI**

basirufa Breuning & Heyrovský, 1961: 142 **A: SD**

bhutanensis Breuning, 1975d: 338 (*Similosodus*) **A: BT**

diffusa Holzschuh, 2007: 255 **A: YUN**

generosa Holzschuh, 2003b: 310 **A: NP**

lacertosa Holzschuh, 2007: 256 **A: GUI**

lanigera Holzschuh, 2007: 259 **A: GUI**

nomurai Hayashi, 1994: 70 **A: TAI**

picina Holzschuh, 2007: 258 **A: SHA**

setosa Gressitt, 1937d: 603 (*Enispia*) **A: JIX**

umbrina Holzschuh, 2007: 260 **A: SHA**

subgenus *Nijimaia* Matsushita, 1933b: 386 type species *Nijimaia bifasciana* Matsushita, 1933

Baekmanella Shabliovsky, 1936: 186 type species *Baekmanella iljinskyi* Shabliovsky, 1936 (= *Nijimaia bifasciana* Matsushita, 1933)

Pseudenisipia Breuning, 1938c type species *Pseudenisipia albomarmorata* Breuning, 1938c

bifasciana bifasciana Matsushita, 1933a: 387 (*Nijimaia*) **A: CH FE JA NC SC**

coreana Breuning, 1950e: 266

iljinskyi Shabliovsky, 1936: 187 (*Baekmanella*)

bifasciana tsushimae Breuning & K. Ohbayashi, 1964: 27 **A: JA**

flavoapicalis Hayashi, 1971: 14 **A: JA (Ryukyus)**

flavopicta Breuning & Heyrovský, 1961: 144 **A: NP SD**

formosana Schwarzer, 1925b: 68 (*Enispia*) **A: TAI**

fujiwarai Toyoshima, 1999: 32 **A: JA**

fuscolaterimaculata Hayashi, 1971: 13 **A: TAI**

picea Hayashi, 1962: 16 **A: JA**

shibatai Hayashi, 1962: 15 **A: JA**

sikkimensis Breuning, 1940b: 145 **A: SD**

genus *Gibbomesosella* Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932
nodulosa Pic, 1932b: 33 (*Mesosella*) **A: GUX ORR**
taiwana Yamasako & Chou, 2018: 69 **A: TAI**

#404

genus *Macropraonetha* Breuning, 1961j: 542 type species *Desisa pterolophioides* Gressitt, 1942
pterolophioides Gressitt, 1942a: 6 (*Desisa*) **A: FUJ GUX HUN**

genus *Marmylaris* Pascoe, 1866a: 88 type species *Hathlia buckleyi* Pascoe, 1857
buckleyi Pascoe, 1857b: 107 (*Hathlia*) **A: NP SD TAI ORR**
truncatipennis Breuning, 1940b: 140 **A: NP SD**

genus *Mesosella* Bates, 1884a: 246 type species *Mesosella simiola* Bates, 1884
kumei Takakuwa, 1984: 12 **A: JA**
simiola Bates, 1884a: 246 **A: JA**

genus *Mimectatosia* Breuning, 1959e: 173 type species *Mimectatosia compacta* Breuning, 1959
compacta Breuning, 1959e: 173 **A: SD**

genus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
subgenus *Dryusa* Pascoe, 1864a: 58 type species *Dryusa flexuosa* Pascoe, 1864
sonthianae Breuning, 1963: 59 **A: GUX ORR**
subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)
curvilinea Pascoe, 1869b: 206 **A: AP GUX YUN ORR**
multilineatus Pic, 1925a: 24 (*Alidus*)
zonaria Lacordaire, 1872: 365
punctifrons Breuning, 1938c: 381 **A: YUN ORR**
tholana Gressitt, 1940b: 157 (*Enispia*) **A: HAI YUN**
subgenus *Trichomispila* Breuning, 1939a: 71 type species *Trichomispila picta* Breuning, 1939
pedongensis Breuning, 1968f: 704 **A: SD**

#182

genus *Nipholophia* Gressitt, 1951a: 458 type species *Nipholophia chujoi* Gressitt, 1951
chujoi Gressitt, 1951a: 458 **A: TAI**

genus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
subgenus *Hammatoniphona* Pic, 1936f: 31 type species *Camptocnema longicornis* Pic, 1926
longicornis Pic, 1926b: 8 (*Camptocnema*) **A: HUN SCH YUN XIZ ORR**
lateralis Breuning, 1938c: 241
tibetana Gressitt, 1951a: 457
subgenus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
Aelara J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860
Camptocnema J. Thomson, 1864: 54 type species *Niphona lateralis* A. White, 1858
Falsoniphona Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925
Ocheutes J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864
albofasciata Breuning, 1938c: 238 **A: HEB**
appendiculata Gerstaecker, 1871: 78 **A: SA**
belligerans Pesarini & Sabbadini, 1997: 114 **A: GUX**
cantonensis Gressitt, 1939a: 71 **A: GUA HAI**
chinensis Breuning, 1938c: 240 **A: CH**
excisa Pascoe, 1862a: 337 **A: HAI ORR**
falaizei Breuning, 1962b: 67 **A: YUN ORR**
fasciculata Pic, 1917f: 7 (*Ocheutes*) **A: XIZ YUN ORR**
furcata Bates, 1873: 314 (*Aelara*) **A: HEN HUB JA JIA JIX SC TAI ZHE**
fuscatrix Fabricius, 1793: 291 (*Lamia*) **A: HP KA NP PA SD ORR**
cylindracea White, 1858a: 268
spinicollis Bates, 1891a: 22 (*Ocheutes*)
hookeri Gahan, 1900d: 351 **A: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN ORR**
indica Breuning, 1938c: 239 **A: AE AF IN OM PA ORR**
assimilis Breuning, 1938c: 239 [Britisch Indien: Punjab, Chichowatni]
grisea Breuning, 1938c: 241
lateraliplagiata Breuning, 1943: 49 **A: YUN ORR**
longesignata Pic, 1936f: 31 **A: GUX YUN ORR**
lutea Pic, 1925b: 27 (*Falsoniphona*) **A: HKG ORR**
obliquata Breuning, 1938c: 240 **A: CH**
obscura Breuning, 1938c: 241 **A: NP "India or."**
parallela A. White, 1858a: 267 (*Nyphona*) **A: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" ORR**

malaccensis Breuning, 1938c: 240
minor Lameere, 1893a: 284 (*Aelara*)
minuta Pic, 1926b: 8
picticornis Mulsant, 1839: 169 **E**: AL BH BU CR FR GR IT MA SP YU **N**: AG MO TU **A**: CY IS JO LE SY TR
plagiata A. White, 1858a: 267 **A**: YUN **ORR**
pluricristata Pesarini & Sabbadini, 2000: 60 **A**: SCH
similis Breuning, 1938c: 238 **A**: YE **AFR**
stoetznieri Breuning, 1938a: 57 **A**: SCH
stramentosa Breuning, 1938a: 57 **A**: PA "Punjab"
subgrisea Breuning, 1973c: 654 **A**: PA
variegata Breuning, 1938c: 239 **A**: UP
yanoi reducta Gressitt, 1940b: 144 **A**: HAI
yanoi yanoi Matsushita, 1934a: 240 **A**: JA TAI
subgenus *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989
longzhouensis Hua, 1989a: 74 **A**: GUX

genus *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943
sikkimense Breuning, 1957g: 276 **A**: SD

genus *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923
pellita Heller, 1923a: 44 **A**: "India" **ORR**

genus *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940
alboplagiata Breuning, 1948b: 3 **A**: ~~BT~~ SD #400
fasciculata Breuning, 1940: 143 **A**: YUN **ORR**
medioalba Breuning, 1956c: 234 **A**: FUJ
stheniformis Breuning, 1940b: 143 **A**: NP UP
sthenioides Breuning, 1938c: 374 (*Desisa*) **A**: KA

genus *Paramispilopsis* Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947
indica Breuning, 1947a: 37 **A**: ~~BT~~ SD #400

genus *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928
simplex Pic, 1928b: 20 (*Anaches*) **A**: NP

genus *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona niphonoides* Breuning, 1970
rotundipennis Breuning, 1974h: 151 **A**: CH

genus *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938
melanura Pascoe, 1857b: 106 (*Pterolophia*) **A**: NP TAI YUN **ORR**
moensii Ritsema, 1881a: 15 (*Praonetha*)
montana Pascoe, 1865: 165 (*Praonetha*)
quadraticollis Pascoe, 1865: 168 (*Praonetha*)
uniformis Breuning, 1938c: 368 **A**: SD

genus *Pseudomiccolamia* Pic, 1916h: 14 type species *Pseudomiccolamia pulchra* Pic, 1916
pulchra Pic, 1916h: 14 **A**: YUN

genus *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956
borchmanni Breuning, 1956c: 235 **A**: FUJ

genus *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1942
strandi Breuning, 1942a: 129 **A**: HAI

genus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
subgenus *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864
albovittata Breuning, 1938c: 250 **A**: FUJ
bicostata Breuning, 1943a: 26 **A**: YUN
bilatevittata Breuning, 1942a: 127 **A**: FUJ
brunnea Breuning, 1938c: 308 **A**: YUN **ORR**
camela Pic, 1926a: 30 **A**: HAI **ORR**
chekiangensis Gressitt, 1942g: 87 **A**: FUJ GUA ZHE **ORR**
cylindricollis Gressitt, 1942a: 4 **A**: XIZ
gibbosipennis gibbosipennis Pic, 1926a: 32 **A**: TAI
cristipennis Matsushita, 1931c: 403
gibbosipennis iriomotei Breuning & K. Ohbayashi, 1966: 33 **A**: JA (Ryukyus)

gibbosipennis kuniyoshii Hayashi, 1968c: 17 **A:** JA (Ryukyus)
gibbosipennis subcrispipennis Breuning & K. Ohbayashi, 1964: 16 **A:** JA
jugosa carinissima Takakuwa, 1984: 12 **A:** JA[Tsushima Is] ?SC
jugosa jugosa Bates, 1873: 315 (*Praonetha*) **A:** FE ~~HUB~~ JA ~~SC~~ TAI
lineatipennis Breuning, 1974j: 371 **A:** TAI
nitidomaculata Pic, 1944a: 13 (*Ropica*) **A:** CH
ochreomaculata Breuning, 1940b: 140 **A:** SD
postscutellaris Breuning, 1967b: 30 **A:** AP
sikkimensis Breuning, 1938c: 329 **A:** SD
sinensis Fairmaire, 1900: 642 (*Praonetha*) **A:** FUJ JIX
sulcatithorax Pic, 1926a: 31 **A:** SCH YUN
humero-gibbosa Pic, 1926a: 31
subgenus *Arabopraonetha* Téocchi, 1991: 302 type species *Pterolophia arabica* Téocchi, 1991
arabica Téocchi, 1991: 302 **A:** SA YE
subgenus *Armatopraonetha* Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894
bifasciata Breuning, 1968d: 227 **A:** SD
subgenus *Curtolophia* Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974
curticornis Breuning, 1974h: 165 **A:** SD
subgenus *Gibbopraonetha* Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926
quadrigibbosa Pic, 1926a: 32 **A:** YUN
quadrigibbosipennis Breuning, 1968e: 857 **A:** SCH
subgenus *Hylobrotus* Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872
albanina Gressitt, 1942g: 85 **A:** ANH ANH FUJ GAN GUX HEB HEI HEN HUB HUN JIA JIX SCH SHA ZHE #350
annulata Chevrolat, 1845: 99 (*Coptops*) **A:** FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NC SC SCH SD
SHA TAI YUN ZHE **ORR**
annulicornis Pic, 1925e: 138
bowringii Pascoe, 1865: 170 (*Praonetha*)
lacosa Pic, 1926b: 3
scutellata Schwarzer, 1925b: 66
disalis Gressitt, 1951a: 468 **A:** GUA GUX HAI **ORR**
formosana Schwarzer, 1925b: 66 **A:** JA TAI
humerosopunctata Breuning, 1938c: 320 **A:** UP
latefascia Schwarzer, 1925b: 65 **A:** JA (Ryukyus) TAI
fainanensis Pic, 1926a: 32
horii Breuning & K. Ohbayashi, 1967: 3
yayeyamai Breuning, 1961a: 9
lateralis Gahan, 1894a: 65 **A:** TAI YUN **ORR**
moupinensis Breuning, 1973c: 657 **A:** SCH
obscuroides Breuning, 1938c: 274 **A:** BT SD
oculata Breuning, 1938c: 271 **A:** NP UP
subunicolor Breuning, 1965: 44 **A:** TAI
szetschuanensis Breuning, 1973c: 658 **A:** SCH
tibialis Breuning, 1938c: 275 **A:** NP SD
trilineicollis Gressitt, 1951a: 475 **A:** FUJ GUA HUN JIX
tuberculatrix Fabricius, 1781 (*Lamia*) **A:** AP AFR **ORR** #258
yunnanensis Breuning, 1974i: 237 **A:** YUN
subgenus *Lychrosis* Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863
caballina Gressitt, 1951a: 476 (*Lychrosis*) **A:** FUJ GUA GUX HUN YUN
caballina Chiang, 1951: 74 [HN]
gressitti Hubweber, 2010: 61 **A:** HAI
fasciata Gressitt, 1940b: 152 (*Lychrosis*) [HN]
humerosa J. Thomson, 1865a: 550 (*Mycerinus*) **A:** CH UP **ORR**
albonotata Pic, 1918a: 10 (*Lychrosis*)
varipennis J. Thomson, 1865a: 550 (*Mycerinus*) **A:** "North India"
mimica Gressitt, 1942g: 88 (*Lychrosis*) **A:** FUJ GUA JIX ZHE
obscuricolor Breuning, 1943a: 29 **A:** YUN
zebrina Pascoe, 1858: 252 (*Hathlia*) **A:** FUJ GUA GUX HAI HUB HUN JIX NP SD TAI
subgenus *Mimoron* Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934
brevegibbosa Pic, 1926a: 32 **A:** HAI HKG NP SD UP **ORR**
gardneri Schwarzer, 1931a: 71 (*Cenodocus*)
pedongensis Breuning, 1968f: 705 **A:** NP SD
phungi Pic, 1925a: 28 **A:** NP YUN **ORR**
ropicoides Breuning, 1968e: 857 **A:** BT SD
subgenus *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938
kanoi Hayashi, 1966a: 7 **A:** TAI
subgenus *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albolateralis* Breuning, 1938

subropicoides Breuning, 1968e: 857 **A:** GUI
subgenus *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925
adachii Hayashi, 1983: 41 (*Pseudale*) **A:** JA
dorsotubercularis Hayashi, 1984: 33 (*Pseudale*) **A:** TAI
fasciata Schwarzer, 1925b: 67 (*Pseudale*) **A:** TAI
izumikurana Hayashi, 1971: 13 (*Pseudale*) **A:** JA
jiriensis Danilevsky, 1996b: 21 **A:** SC
coreana M. Hasegawa & Lee, 2000: 198
koshikijimana Makihara, 2006: 10 (*Pseudale*) **A:** JA
kyushuensis Takakuwa, 1988: 103 **A:** JA
obovata Hayashi, 1971: 12 (*Pseudale*) **A:** JA (Ryukyus)
oshimana Breuning, 1955b: 64 **A:** JA
nobuoi Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)
suginoi Makihara, 1986a: 9 **A:** TAI
subgenus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888
Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864
Cormia Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864
Eurycotyle Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873
Incamelomorpha Pic, 1926b: 4 type species *Pterolophia depensis* Pic, 1926
Paralophia Aurivillius, 1925: 30 [HN] type species *Paralophia quadrinodosa* Aurivillius, 1925
Praonetha Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823
Praonetha Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853
Prioneta Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853
Prionetopsis J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)
Theticus J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858
albonigra Gressitt, 1940b: 146 **A:** HAI
alboplagiata Gahan, 1894a: 70 **A:** YUN **ORR**
albomaculipennis Breuning, 1962d: 51
bifasciculata Breuning, 1940d: 422
flavovittata Breuning, 1938a: 47
alternata Gressitt, 1938a: 51 **A:** SCH
angusta angusta Bates, 1873: 317 (*Praonetha*) **A:** JA ?TAI
angusta multinotata Pic, 1931c: 1 **A:** ES FE MG NC NE SC SHA [see Lazarev, 2008] #350
burakowskii Heyrovský, 1973a: 117
mandshurica Breuning, 1938a: 46
selengensis Lyamtzeva, 1979: 79
ussuriensis Plavilstshikov, 1954: 473
apicefusca Breuning, 1938c: 319 **A:** AF PA SD "North-West India"
arcuata Breuning, 1938c: 306 **A:** GUI
baiensis Pic, 1926a: 30 **A:** FUJ **ORR**
bigibbera Newman, 1842d: 323 (*Mesosa*) **A:** JA TAI **ORR**
binodosa Bates, 1866a: 350 (*Praonetha*)
camura Newman, 1842e: 371
saipana K. Ohbayashi, 1941b: 225
bimaculaticeps Pic, 1926b: 3 **A:** CH
bituberata Breuning, 1938c: 328 **A:** SD
bituberculata Breuning, 1938c: 270 **A:** SD
bottangensis Breuning, 1968e: 854 **A:** BT
brahma Holzschuh, 2006c: 486 **A:** NP
carinata Gahan, 1894a: 72 **A:** NP
carinipennis Gressitt, 1942h: 210 **A:** GUA
castaneivora K. Ohbayashi & Hayashi, 1962: 33 **A:** JA SC
caudata caudata Bates, 1873: 315 (*Praonetha*) **A:** JA SC TAI
caudata curtispennis Makihara, 1980: 59 **A:** JA
chinensis Breuning, 1982: 14 **A:** CH
consularis Pascoe, 1866b: 240 (*Praonetha*) **A:** BT GUA GUI GUX HAI YUN SD **ORR**
cervina Gressitt, 1939a: 74
crisulata Fairmaire, 1896b: 391 (*Praonetha*)
notaticeps Pic, 1934b: 12
ochreomaculipennis Breuning, 1968e: 852
crassipes Wiedemann, 1823: 111 (*Lamia*) **A:** GUAi **ORR**
iliaca Pascoe, 1865: 178 (*Praonetha*)
imbuta Newman, 1842: 381
dalbergiae Breuning, 1938c: 268 **A:** UP
dalbergicola Gressitt, 1951a: 467 **A:** HEB
densefasciculata Breuning, 1938c: 269 **A:** BT "Himalaya" **ORR**
discalis Gressitt, 1951a: 468 **A:** GUA **ORR**

elegans Breuning, 1938c: 321 **A: FUJ ORR**
elongata Pic, 1934b: 12 **A: CH**
elongatissima Breuning, 1938c: 255 **A: "North India"**
externamaculata Breuning, 1938c: 292 **A: SCH**
fuchsi Breuning, 1970a: 9 **A: TAI**
fukiena Gressitt, 1940c: 189 **A: FUJ**
fulvescens Breuning, 1938c: 324 **A: UP**
granulata Motschulsky, 1866a: 174 (*Pogonocherus*) **A: JA NC SC TAI**
granulosa Breuning, 1938c: 294 **A: SD**
hongkongensis Gressitt, 1942h: 211 **A: HKG**
holzschuhi Breuning, 1975d: 335 **A: PA**
indica Breuning, 1938c: 328 **A: "India"**
indra Holzschuh, 2012: 218 **A: NP**
inexpectata Breuning, 1938c: 255 **A: UP**
kaleea inflexa Gressitt, 1940a: 11 **A: FUJ GUA SCH TAI**
kaleea kaleea Bates, 1866a: 351 (*Praonetha*) **A: GUI HAI JA TAI**
subleiopodina Breuning & K. Ohbayashi, 1964: 16
kiansina Gressitt, 1937d: 601 **A: FUJ JIX SCH**
krishna Holzschuh, 2006c: 487 **A: NP**
kubokii Hayashi, 1976: 20 **A: JA (Ryukyus) TAI**
kusamai M. Hasegawa & Makihara, 1999: 28 **A: JA (Ogasawara)**
lama Breuning, 1943a: 20 **A: XIZ**
lateralba Schwarzer, 1925b: 68 (*Albana*) **A: TAI**
leiopodina Bates, 1873: 317 (*Praonetha*) **A: FUJ JA JIX**
subangusta Matsushita, 1933b: 362
ligata Pascoe, 1862a: 350 (*Praonetha*) **A: SD**
apicalis Schwarzer, 1924: 238
lunigera Aurivillius, 1913: 25 **A: AP NP ORR**
maacki Blessig, 1873: 211 (*Eurycotyle*) **A: FE HEB JIX NC NE SC SHA SHN**
chahara Gressitt, 1940c: 188
latenotata Pic, 1927k: 153 (*Sybra*)
marmorata Breuning, 1938c: 322 **A: SD**
matsushitai Breuning, 1938c: 289 **A: TAI**
multifasciculata Pic, 1926a: 30 **A: YUN ORR**
nigricans Breuning, 1938c: 323 **A: SD**
nigrobiarcuata Breuning, 1938a: 45 **A: UP**
nigrofasciculata Breuning, 1938c: 295 **A: YUN ORR**
nigroplagiata Breuning, 1938c: 320 **A: UP**
nigrovirgulata Breuning, 1939b: 196 **A: NP SD**
obscura Schwarzer, 1925b: 66 **A: TAI**
~~— *postmaculata* Breuning & K. Ohbayashi, 1966a: 13 [HN] (not available - described as morpha)~~
~~*postmaculatoides* Breuning, 1968: 57 [RN] (not available - described as morpha)~~
schwarzeri Mitono, 1944: 161
obscurata Breuning, 1938c: 269 **A: NP SD "Himalaya"**
occidentalis Schwarzer, 1931a: 72 **A: AP UP**
omeishana Gressitt, 1945a: 128 **A: SCH**
pedongana Breuning, 1968d: 228 **A: SD**
penicillata Pascoe, 1862a: 349 (*Praonetha*) **A: YUN ORR**
tonkinea Pic, 1926b: 3
persimilis Gahan, 1894a: 71 **A: FUJ GUA HKG HP HUB NP SD UP YUN ORR**
subexternefasciata Pic, 1926a: 29
persimiloides Breuning, 1968e: 854 **A: SCH**
postalbofasciata Breuning, 1962b: 23 **A: YUN ORR**
postfasciculata Pic, 1934b: 11 **A: GUA HAI HKG NP SD UP YUN ORR**
arctofasciata Gressitt, 1940b: 147
gerardinae Breuning, 1938c: 272
subfasciculata Breuning, 1938c: 291
postfuscomaculata Breuning, 1973c: 655 **A: CH ORR**
pseudobscurioides Breuning, 1938c: 318 **A: SD**
pseudoculata Breuning, 1938c: 265 **A: UP**
pseudoculatoides Breuning, 1968d: 227 **A: SD**
pseudotincta Breuning, 1938c: 295 **A: SD**
quadrifasciata Gahan, 1894a: 71 **A: NP**
quadrivittata Breuning, 1938c: 319 **A: UP**
reduplicata Gressitt, 1951a: 471 **A: HUB TAI**
rigida Bates, 1873: 316 (*Praonetha*) **A: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE**
rubricornis Gressitt, 1951a: 472 **A: FUJ HUN**

#182

#350

rufobrunnea Breuning, 1938c: 267 A: SD
salebrosa Breuning, 1938: 289 A: YUN ORR
serrata Gressitt, 1939a: 52 A: SCH SHA #350
serricornis Gressitt, 1937d: 599 [RN] A: FUJ HEB HUB JIX ZHE
rigida Gahan, 1894d: 485 [HN]
shiva Holzschuh, 2006c: 486 A: NP
sikkimana Breuning, 1973c: 657 A: SD
spinicornis Breuning, 1938c: 256 A: "India"
sthenioides grossepunctipennis Breuning, 1969f: 660 A: BT SD
sthenioides sthenioides Breuning, 1938c: 309 A: SD
subbicarinata Breuning, 1968e: 853 A: SD
subbitubericolis Breuning, 1968a: 2 [RN] A: YUN ORR
subtubericolis Breuning, 1965e: 48 [HN]
subtubericolis Breuning & Heyrovský, 1964: 27 A: SD
suisapana Gressitt, 1951a: 473 A: HUB
szetschuanica Breuning, 1973c: 656 A: SCH
tenebrica Breuning, 1938c: 324 A: HP
thibetana Pic, 1926a: 32 A: XIZ
touzalini Breuning, 1973c: 655 A: SD
transversefasciata Breuning, 1938c: 252 A: FUJ SD UP YUN ORR
transverseplagiata Breuning, 1938c: 275 A: NP UP
tsurugiana Matsushita, 1935: 541 (*Desisa*) A: JA #406
japonica Breuning, 1939b: 195
tubericolis Breuning, 1938a: 46 A: SD
variantennalis Breuning, 1970a: 10 A: TAI
wittmeri Breuning, 1975d: 337 A: BT PA #409
yunnana Breuning, 1968e: 855 A: YUN
yunnanica Hubweber, 2010: 61 A: YUN
yunnanensis Breuning, 1982: 14
zonata Bates, 1873: 315 (*Praonetha*) A: JA NC SC TAI
subgenus *Sociopraonetha* Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894
nigrocincta Gahan, 1894a: 69 A: BT
atrofasciata Pic, 1925e: 138 (*Stesilea*)
socia Gahan, 1894a: 70
quadratiplagiata Breuning, 1938a: 44 A: NP
genus *Rhytiphora* Audinet-Serville, 1835: 37 type species *Lamia rugicollis* Dalman, 1817 #426
Aegomomus Pascoe, 1864a: 58 type species *Aegomomus encaustus* Pascoe, 1864
Albodaxata Breuning, 1963i: 252 type-species *Paradaxata alboplagiata* Breuning, 1938c
Atyporis Pascoe, 1864a: 58 type species *Atyporis jubata* Pascoe, 1864
Axiothea Pascoe, 1864a: 58, 72 type species *Axiothea strenua* Pascoe, 1864
Cairnsia Blackburn, 1895: 224 type species *Cairnsia cowleyi* Blackburn, 1895
Cobria Pascoe, 1865: 141, 147 type species *Cobria albisparsa* Pascoe, 1865
Corrhenes Pascoe, 1865b: 355 type species *Saperda paulla* Germar, 1848
Corrhenispia Breuning, 1938c: 379 type species *Corrhenispia cylindrica* Breuning, 1938
Corrhenodes Breuning, 1942a: 131 type species *Corrhenodes gracilis* Breuning, 1942
Cyardiopsis Breuning, 1938a: 62 type species *Cyardiopsis setifera* Breuning, 1938a
Depsages Pascoe, 1865b: 359 type species *Lamia granulosa* Guérin-Ménéville, 1831
Eczemotes Pascoe, 1864a: 58, 79 type species *Penthea conferta* Pascoe, 1859
Escharodes Pascoe, 1864a: 58, 70 type species *Escharodes interruptus* Pascoe, 1864a
Etaxalus Pascoe, 1865: 141, 153 type species *Etaxalus iliacus* Pascoe, 1865
Fulvcorrhenes Breuning, 1961j: 544 type species *Corrhenes fulva* Pascoe, 1875
Hathliodes Pascoe, 1866a: 88 type species *Hathlia grammica* Pascoe, 1859
Iphiaustus Pascoe, 1865b: 357 type species *Symphyletes heros* Pascoe, 1863
Ischioplites Thomson, 1864: 53 type species *Symphyletes metutus* Pascoe, 1859
Melanopenthea Breuning, 1942a: 130 type species *Penthea melanosticta* Pascoe, 1875
Menyllus Pascoe, 1864a: 58, 87 type species *Menyllus maculicornis* Pascoe, 1864
Mesiphiastus Breuning, 1959b: 71 type species *Symphyletes lentus* Blackburn, 1901
Micracantha Montrouzier, 1861: 271 type species *Micracantha australis* Montrouzier, 1861
Mimiphiastus Breuning, 1978c: 134 type species *Mimiphiastus vivesi* Breuning, 1978
Mimosaperdopsis Breuning, 1959b: 72 type-species *Platyomopsis apiculata* Aurivillius, 1916
Notocorrhenes Breuning, 1959b: 74 type species *Notolophia dispersa* Pascoe, 1859
Ochreoprosoplus Breuning, 1940d: 424 type species *Prosoplus ochreopictus* Breuning, 1940d
Paradaxata Breuning, 1938c: 344 type species *Paradaxata villosa* Breuning, 1938
Paraprosoplus Breuning, 1959f: 162 type species *Prosoplus bialbomaculatus* Breuning, 1959f
Parahytiphora Breuning, 1938c: 367 type species *Iphiaustus dispar* Blackburn, 1894b
Penthea Dejean, 1835: 343 type species *Lamia vermicularia* Donovan, 1805
Platycranium Aurivillius, 1917: 36 type species *Symphyletes pustulosus* Pascoe, 1864a
Platyomopsis Thomson, 1857e: 187 type species *Lamia obliqua* Donovan, 1805

Prosacanthus Fauvel, 1862: 163 type species *Prosacanthus chevrolati* Fauvel, 1862 (= *Micracantha australis* Montrouzier, 1861)
Prosoplus Blanchard, 1853: 290 type species *Prosoplus sinuatofasciatus* Blanchard, 1853
Pubiphiastus Breuning, 1961j: 544 type species *Symphyletes pubiventris* Pascoe, 1862a
Setocorrhenes Breuning, 1961j: 544 type species *Corrhenes scenica* Pascoe, 1863b
Setomopsis Breuning, 1961j: 544 type species *Rhytiphora piperitia* Hope, 1841
Trichomopsis Breuning, 1961j: 544 type species *Symphyletes lateralis* Pascoe, 1858
Saperdopsis Thomson, 1864: 53 type species *Saperdopsis armata* Thomson, 1864
Setoprosoplus Breuning, 1960d: 6 type-species *Prosoplus luzonicus* Breuning, 1960d
Symphyletes Newman, 1842e: 362 type species *Symphyletes nodosa* Newman, 1842
Sysspilotus Pascoe, 1865b: 359 type species *Sysspilotus Macleayi* Pascoe, 1865
Trichohathlia Breuning, 1963i: 16, 19 type species *Hathliodes pseudomurinus* Breuning, 1938c
Trichohathliodes Breuning, 1959b: 70 type species *Hathliodes molitorius* Aurivillius, 1917
Trichopenthea Breuning, 1959b: 73 type species *Penthea macularia* Pascoe, 1867e
Trichoprosoplus Breuning, 1961c: 151 type species *Trichoprosoplus demarzi* Breuning, 1961
Xiphohathlia Breuning, 1961c: 147 type species *Xiphohathlia lobata* Breuning, 1961
Xiphotheopsis Breuning, 1961: 5 type species *Xiphotheopsis hathlioides* Breuning, 1961
Zaeeralia Pic, 1925a: 28 type species *Zaeera vaulogeri* Pic, 1925 (= *Lamia bankii* Fabricius, 1775)
Zaeeropsis Breuning, 1943a: 30 type species *Anaesthetis lepida* Germar, 1848
Zygrita Thomson, 1860: 69 type species *Zygrita diva* Thomson, 1860

bankii Fabricius, 1775: 176 (*Lamia*) **A: GUA HAI JA TAI AUR ORR**

hollandicus Boisduval, 1835: 491 (*Acanthocinus*)

insularis Pascoe, 1859: 39 (*Niphona*)

iratus Pascoe, 1862b: 464 (*Niphona*)

miscellus Pascoe, 1863b: 529 (*Niphona*)

musivus Pascoe, 1864a: 65 (*Aegomomus*)

nutans Sharp, 1878: 209 (*Micracantha*)

torosus Pascoe, 1864b: 223 (*Niphona*)

uchiyamai Matsushita, 1935: 120

vaulogeri Pic, 1925a: 28 (*Zaeera*)

metallicus Pic, 1935g: 178 **A: YUN AUR**

salomonum Breuning, 1938c: 357

genus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865

subgenus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865

Sodus Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865

bhutanensis Breuning, 1975d: 338 **A: BT**

chinensis Gressitt, 1951a: 483 **A: FUJ**

taiwanus Hayashi, 1966a: 8 **A: TAI**

torui Holzschuh, 1989b: 388 **A: TAI**

genus *Sthenias* Laporte, 1840: 466 type species *Lamia grisator* Fabricius, 1787

subgenus *Albosthenias* Breuning, 1961j: 538 type species *Sthenias albicollis* Gahan, 1860

leucothorax Breuning, 1938c: 370 **A: JIA**

partalbicollis Breuning, 1968a: 17 **A: GUI YUN ORR**

#74

subgenus *Sthenias* Laporte, 1840: 466 type species *Lamia grisator* Fabricius, 1787

Anomomomus Fähræus, 1872b: 194 [RN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1801)

Chalarus Fähræus, 1873: 45 [HN] type species *Sthenias leucaspis* Fähræus, 1873 (= *Lamia leucaspis* Fabricius, 1801)

Thysanodes Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842

cylindricus Gressitt, 1939b: 114 **A: FUJ HUN TAI ZHE**

franciscanus J. Thomson, 1865a: 550 **A: FUJ GUX HUN SD YUN ORR**

gahani Pic, 1912d: 19 (*Anaches*) **A: YUN**

gracilicornis Gressitt, 1937d: 602 **A: FUJ GUA GUX HAI HUN JIX XIZ YUN**

#74

gracilis Breuning, 1938c: 370 **A: AP** "India or."

#182

grisator Fabricius, 1787: 136 **A: AP PA UP**

javanicus Breuning, 1940d: 424 **A: GUX ORR**

longeantennatus Breuning, 1938c: 369 **A: NP ORR**

pascoei Ritsema, 1888b: 272 **A: YUN "North India" ORR**

persimilis Breuning, 1938c: 368 **A: SD**

pictus Breuning, 1938c: 369 **A: YUN ORR**

nigrosignatus Breuning, 1965e: 41 (*Paramesosella*)

pseudodorsalis Breuning, 1938c: 369 **A: BT NP SD XIZ ORR**

semicylindricus Hayashi, 1974c: 45 **A: TAI**

tonkineus Pic, 1925b: 26 **A: CH ORR**

yunnanus Breuning, 1938c: 370 **A: XIZ YUN**

genus *Trichoniphona* Breuning, 1968e: 860 type species *Trichoniphona albomarmorata* Breuning, 1968

albomarmorata Breuning, 1968e: 860 **A: SD**

genus *Xynenon* Pascoe, 1865: 159 type species *Sthenias bondii* Pascoe, 1859

Falsoxyenenon Pic, 1925a: 26 type species *Falsoxyenenon convexum* Pic, 1925 (= *Sthenias bondi* Pascoe, 1859)
bondii Pascoe, 1859: 48 (*Sthenias*) A: SD
convexum Pic, 1925a: 26 (*Falsoxyenenon*)

tribe Saperdini Mulsant, 1839

genus *Blamada* Lin & Holzschuh, 2013: 95 type species *Blamada rubripronota* Lin & Holzschuh, 2013
rubripronota Lin & Holzschuh, 2013: 97 A: GUX ORR

genus *Cagosima* J. Thomson, 1864: 116 type species *Cagosima sanguinolenta* J. Thomson, 1864
sanguinolenta J. Thomson, 1864: 116 A: FE ?GUX JA ?TAI
kiushiuensis K. Ohbayashi, 1956a: 8
oshimaensis Kano, 1933a: 287
~~— *tetrastigma* Matsumura, 1906: 135 (*Saperda*) – [wrong determination]~~

genus *Callundine* J. Thomson, 1879: lvi type species *Callundine lacordairei* J. Thomson, 1879
Pseudosaperda Pic, 1903i: 121 type species *Pseudosaperda goliath* Pic, 1903
lacordairei J. Thomson, 1879: lvii A: BT "India"
goliath Pic, 1903i: 121 (*Pseudosaperda*)

genus *Dystomorphus* Pic, 1926c: 11 type species *Dystomorphus notatus* Pic, 1926

diversus Holzschuh & Lin, 2017: 273 A: HEN SCH

#321

esakii Hayashi, 1974c: 59 A: TAI

nigrosignatus Pu, Y. Wang & Li, 1998: 82, 83 A: GAN

niisatoi Holzschuh & Lin, 2017: 281 - A: YUN

#321

notatus Pic, 1926c: 12 A: ?GAN ?QIN-SCH-SHA YUN

#321

piceae Holzschuh, 2003: 238 A: HEN HUB SCH SHA YUN

#321

sichuanensis C.-K. Yu, 1994: 388 A: SCH

genus *Entelopes* Guérin-Méneville, 1844: 245 type species *Entelopes glaucus* Guérin-Méneville, 1844

subgenus *Aspineoentelops* Hua, 1990: 343 type species *Entelopes longzhouensis* Hua, 1990

longzhouensis Hua, 1990: 343 A: GUX

genus *Epiglenea* Bates, 1884a: 259 type species *Epiglenea comes* Bates, 1884a

comes comes Bates, 1884a: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX NC SC SCH ZHE YUN ORR

comes formosana Schwarzer, 1925c: 153 (*Daphisia*) A: TAI

comes szetschuanica Breuning, 1967c: 40 (*Phytoecia*) A: SCH

genus *Eumecocera* Solsky, 1871a: 391 type species *Saperda impustulata* Motschulsky, 1860

anomala Bates, 1884a: 259 (*Stenostola*) A: JA

morii Makihara, 2002: 342

argyrosticta Bates, 1884a: 258 (*Stenostola*) A: JA

japonica Tamanuki, 1927: 124

callosicollis Breuning, 1943b: 100 (*Stenostola*) A: FE NE NC SC

gleneoides Gressitt, 1935c: 177 (*Phytoecia*) A: JA

impustulata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE JA MG NC NE SC WS

acuminata Fischer von Waldheim, 1842: 26 (*Phytoecia*) [nomen oblitum]

impunctata Motschulsky, 1875: 151 (*Saperda*)

minami Makihara, 1984: 17 A: JA

trivittata Breuning, 1947d: 143 (*Stenostola*) A: JA

brunnescens Breuning, 1947d: 144 (*Stenostola*)

unicolor Kano, 1933a: 290 (*Stenostola*) A: JA SC

atrofusca Hayashi, 1960: 12

univittata Breuning, 1947d: 144 (*Stenostola*)

genus *Eumecocera*, species incertae sedis

acuminata Fischer von Waldheim, 1842: 26 (*Phytoecia*)

genus *Eutetrappa* Bates, 1884a: 256 type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)

bicostata Hayashi, 1994: 75 A: TAI

chlorotica Pu & Jin, 1991: 192, 197 A: SCH YUN

#280

chrysochloris chrysargyrea Bates, 1884a: 256 A: JA

chrysochloris chrysochloris Bates, 1879b: 467 (*Glenea*) A: FE HEN HUB HUN JA SCH SHA TAI ZHE

breuningii Pic, 1952: 13 ["*bruningii* Pic" – incorrect original spelling]

piciella Breuning, 1956b: 17 [1956h: 816] – unavailable name

podanyi Pic, 1953a: 9 [RN]

cinnabarina Pu, 1986: 202 A: GAN HEB HEN HUB SHA SHN

#280

complexa Pu & Jin, 1991: 192, 197 A: GAN SHA

#280

elegans Hayashi, 1966a: 9 A: TAI YUN

#280

flavoguttata Pu & Jin, 1991: 190, 196 **A: XIZ ORR** #280
gui Lin & Yang, 2015: 191 **A: HAI** #280
laosensis Breuning, 1964d: 62 **A: YUN ORR**
lini Chou, Chung & Lin, 2010: 313 **A: TAI**
metallescens Motschulsky, 1860b: 150 (*Saperda*) **A: ES FE HEB HEI JIL LIA NC SC SHA**
ocelota Bates, 1873: 387 (*Glenea*) **A: FE (Kunashir) JA ?SC ?TAI** #9 #280
maculithorax Pic, 1900i: 19
parastigmata Lin & Yang, 2017: 162 **A: CHQ HEN HUB SHA** #280
sedecimpunctata australis Takakuwa & Hirokawa, 1998: 303 **A: JA (Kyushu)**
sedecimpunctata sedecimpunctata Motschulsky, 1860b: 151 (*Saperda*) **A: ES FE HEI HEB ?HUB JA JIL LIA NC SHA TAI** #280
carinata Blessig, 1873: 219 (*Saperda*)
duodecimpunctata Motschulsky, 1860b: 151 (*Saperda*) [HN]
ab. infrequens Plavilstshikov, 1927b: 109 (*Eutetrappa sedecimpunctata*) [unavailable name]
~~— *infrequens* Plavilstshikov, 1927b: 108 (*Demonax*)~~
motschulskyi Plavilstshikov, 1915b: 80 (*Saperda*) [RN]
rosinae Pic, 1904d: 17 (*Saperda*)
variicornis Bates, 1884a: 256
shaanxiana Lin & Yang, 2017: 182 **A: GAN HUB SHA** #280
shiqianensis Pu & Jin, 1991: 190, 196 **A: FUJ GUI** #280
stigmata Pu & Jin, 1991: 191, 196 **A: GUI GUX** #280
tianmushana Lin & Bi, 2017: 185 **A: ZHE** #280
velutinofasciata Pic, 1939b: 2 **A: BEI HEB HEI LIA NMO SHA SHX** #280
nigromaculata W.-K. Wang & S.-N. Jiang, 2002c: 145 (*Paraglenea*)
virides Pu & Jin, 1991: 191, 196 **A: SCH** #280
weni Huang & Lin, 2016: 590 **A: GUI** #186

genus *Glenea* Newman, 1842c: 301 type species ~~*Glenea lepida* Newman, 1842~~ *Saperda novemguttata* Guérin-Ménéville, 1831, designated by Thomson, 1879: 1.
subgenus *Acutoglenea* Breuning, 1958j: 838 type species *Saperda acuta* Fabricius, 1801
langana Pic, 1903f: 107 **A: GUX YUN ORR**
atrolateralis Pic, 1926c: 24
nigromarginella W.-K. Wang & Jiang, 2002b
versuta versuta Newman, 1842c: 302 **A: TAI ORR**
basalis Aurivillius, 1925: 39 [HN]
maura Pascoe, 1867b: 405
parasiargonensis Breuning, 1981b: 75
subgenus *Aridoglenea* Breuning, 1958j: 869 type species *Glenea arida* J. Thomson, 1865
cancellata J. Thomson, 1865a: 565 **A: AP SD YUN ORR**
favrei Pic, 1943d: 7
decolorata Heller, 1926: 47 (*Stirolgenea*) **A: YUN ORR**
flavorubra Gressitt, 1940b: 205 **A: HAI ORR**
invitticollis Breuning, 1956b: 99
meiyingae Holzschuh, 2009b: 423 **A: NP SD YUN ORR**
shuteae Lin & Yang, 2011a: 40 **A: YUN**
vaga J. Thomson, 1865a: 565 **A: NP SD UP YUN ORR**
subgenus *Citrinoglenea* Breuning, 1958j: 885 type species *Glenea citrina* J. Thomson, 1865
Laoglenea Breuning, 1968a: 37 type species *Glenea (Laoglenea) anterufipennis* Breuning, 1968 #346
citrina J. Thomson, 1865a: 566 **A: YUN ORR**
anthyllis Pascoe, 1866b: 262
gardneriana Breuning, 1958j: 887 [RN] **A: YUN ORR**
bifasciata Gardner, 1830: 164 [HN]
subgenus *Formosoglenea* Breuning, 1969a: 36 type species *Glenea ochreomaculata* Breuning, 1969
ochreomaculata Breuning, 1969a: 35 **A: TAI**
subgenus *Glenea* Newman, 1842c: 301 type species ~~*Glenea lepida* Newman, 1842~~ *Saperda novemguttata* Guérin-Ménéville, 1831 designated by Thomson, 1879: 1 (new name for *Sphenura* Laporte, 1840 (nec Lichtenstein, 1820, Aves).
Accola Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiiformis* Breuning, 1958)
Accolona E. Strand, 1942: 392 [RN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiiformis* Breuning, 1958)
Cryllis Pascoe, 1867b: 363 type species *Cryllis clytoides* Pascoe, 1867
Hapochoron Gistel, 1848a: x [RN]
Sphenura Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Ménéville, 1831
~~— *Sphenura* Laporte, 1840: 489 [HN] type species *Sphenura novemguttata* Laporte, 1840—*Saperda novemguttata* Guérin-Ménéville, 1831~~ #159
acutoides acutoides Schwarzer, 1925c: 151 **A: GUX TAI**
albesignata Pic, 1943d: 7
acutoides obliqua Gressitt, 1939b: 119 **A: ANH FUJ HUB SHA ZHE** #74 (as a species)
roubali Heyrovský, 1939b: 68
[aeolis aeolis Thomson, 1879: 19 – Burma]
aeolis laosica Breuning, 1963b: 49 **A: YUN ORR**
afghana Breuning, 1971a: 44 **A: AF PA** #409

annulicornis Schwarzer, 1925c: 149 **A:** TAI
nijimai Matsushita, 1938a: 94
astathiformis Breuning, 1958j: 888 [RN] **A:** NP SD YUN **ORR**
citrina Jordan, 1894b: 503 (*Accola*) [HN]
atricilla Pesarini & Sabbadini, 1997: 120 **A:** FUJ
atricornis apicespinosa Breuning, 1956h: 763 **A:** GUX **ORR**
[atricornis atricornis Pic, 1943: 11 – Tonkin]
[bedoci bedoci Pic, 1926: 22 – Tonkin]
bedoci mussardi Breuning, 1967b: 35 **A:** AP
beesoni Heller, 1926: 46 **A:** KA PA SD UP **ORR** #377
bidiscovittata Breuning, 1969e: 190 **A:** SCH
bimaculatithorax Pic, 1946a: 16 **A:** YUN **ORR**
capriciosa J. Thomson, 1857c: 142 **A:** BT NP
centroguttata Fairmaire, 1897d: 232 **A:** FUJ GAN GUA GUX HEN JA SCH SHA TAI XIZ YUN #74
issikii Mitono, 1934: 490
chalybeata J. Thomson, 1861: 57 **A:** SD
inapicalis Pic, 1926c: 20
luteoapicalis Pic, 1926c: 20
mediojuncta Pic, 1946a: 10
changchini Lin & W. Lin, 2011: 13 **A:** YUN **ORR**
chlorospila chlorospila Gahan, 1897: 488 **A:** JA (Ryukyus) TAI
chlorospila hachijonis Matsumura & Matsushita, 1933a: 110 **A:** JA
hayashii K. Ohbayashi, 1963: 12 [RN]
humerolesata Hayashi, 1956b: 19 [HN]
izuiinsularis Umeya & Fujimura, 1954: 13
chlorospila okinaensis Makihara, 1988: 151 **A:** JA (Ryukyus)
chrysomaculata Schwarzer, 1925c: 152 **A:** GUI GUX TAI #263
breameri Kano, 1928: 267
chujoi Mitono, 1937: 149 **A:** GUA HUB TAI
citrinopubens Pic, 1926c: 20 **A:** GUI GUX HUB SCH YUN
coomani Pic, 1926c: 21 **A:** HAI YUN **ORR**
humerosa Gressitt, 1940b: 206
crucicollis Breuning, 1956h: 671 **A:** "India"
crucifera Gahan, 1889: 222 **A:** BT
diana diana J. Thomson, 1865a: 561 **A:** YUN **ORR**
theresae Pic, 1943c: 15
didymoides Breuning, 1956b: 166 **A:** ~~BT~~ SD #400
discofasciata Breuning, 1983: 61 **A:** JA
diverselineata diverselineata Pic, 1926c: 23 **A:** YUN **ORR**
diverselineatoides Breuning, 1968a: 34
diversenotata Schwarzer, 1925c: 152 **A:** FUJ GUX HAI TAI **ORR** #205
neohumerosa Lin et Yang, 2011b: 62 #205
fainanensis fainanensis Pic, 1916h: 17 **A:** TAI
horishana Matsushita, 1933b: 412
flava Jordan, 1895: 270 **A:** BT GUX HUB SD YUN **ORR** [Breuning, 1966h: 685]
atroapicalis Pic, 1926c: 21
binhensis Breuning, 1956h: 683
flavosignata Breuning, 1956h: 736 **A:** YUN **ORR**
formosana Schwarzer, 1925c: 150 **A:** TAI
fortii Pesarini & Sabbadini, 1997: 121 **A:** FUJ
glabronotata Pesarini & Sabbadini, 1997: 122 **A:** SCH
glechomoides Breuning, 1982: 27 **A:** SD
hauseri Pic, 1933a: 15 **A:** HUN SCH SHA YUN #350
leopardina Gressitt, 1942d: 4
hieroglyphica Pesarini & Sabbadini, 1997: 123 **A:** YUN
hwasiana Gressitt, 1945a: 133 **A:** SCH YUN
indiana J. Thomson, 1857c: 141 (*Stibara*) **A:** BT NP SD **ORR**
inlineata Pic, 1943d: 6 **A:** TAI
iriei heikichii Makihara, 1982a: 45 **A:** JA (Ryukyus)
iriei iriei Hayashi, 1971: 17 **A:** JA
iwasakii Kano, 1933b: 139 **A:** JA (Ryukyus) TAI
stolata Matsumura & Matsushita, 1933b: 413
jeanvoinei Pic, 1927c: 19 **A:** YUN **ORR**
jini Lin & Dai, 2012: 6 **A:** XIZ
kusamai Makihara, 1988: 151 **A:** JA (Ryukyus)
lacteomaculata Schwarzer, 1925c: 151 **A:** TAI #205
lecta Gahan, 1889: 219 **A:** BT **ORR**

leucomaculata Breuning, 1968a: 33 **A: GUX ORR**
licenti Pic, 1939b: 3 **A: GAN HUB NIN SCH SHA**
lineata ihai Hayashi, 1960d: 29 **A: JA (Ryukyus)**
okinawana K. Ohbayashi & N. Ohbayashi, 1965: 5
lineata lineata Gahan, 1897: 483 **A: JA TAI**
lineosa Aurivillius, 1923: 499
lineata ryukyuensis Breuning & K. Ohbayashi, 1964: 29 **A: JA (Ryukyus)**
lineata sauteri Schwarzer, 1925c: 150 **A: GUA TAI YUN**
synknensis Breuning & K. Ohbayashi, 1964b: 29
linwenhsini Lin, 2013: 109 **A: GUI**
luteicollis Gressitt, 1935c: 190 **A: TAI**
[luteicolle Gressitt, 1935c: 190 – original spelling]
luteosignata Pic, 1943c: 15 **A: YUN**
magdelainei Pic, 1943c: 14 **A: YUN ORR**
masakii Makihara, 1978: 60 **A: JA (Ryukyus)**
[maunieri maunieri Pic, 1926c: 22 – Vietnam]
maunieri horiensis Breuning, 1953: 21 **A: TAI**
mitonoana Gressitt, 1951a: 576 [RN] **A: TAI**
ornata Mitono, 1934: 491 [HN]
mouhoti J. Thomson, 1865a: 567 **A: HKG YUN ORR**
albodiversa Pic, 1946a: 10
cochinchinensis Breuning, 1956b: 174
multiinterrupta Pic, 1947: 14 **A: YUN ORR**
nanshanchiana Hayashi, 1978a: 89 **A: TAI**
nigerrima Breuning, 1953: 26 **A: SD**
octoguttata Breuning, 1956h: 685 **A: HUB**
omeiensis Chiang, 1963: 68 **A: SCH SHA**
ornata Gahan, 1889: 223 **A: BT SD**
pallidipes Pic, 1926c: 23 **A: GUI GUX YUN ORR**
papiliomaculata Pu, 1992b: 608 **A: YUN**
paraornata Lin, 2013: 113 **A: HAI YUN ORR**
pici pici Aurivillius, 1920: 17 **A: GUX YUN ORR**
rufotibialis Pic, 1947b: 14
sexmaculata Pic, 1947b: 14
pici schmidt Breuning, 1965a: 16 **A: AP**
pieliana nigra Gressitt, 1940c: 194 **A: FUJ GUA GUX HAI JIX**
pieliana pieliana Gressitt, 1939b: 120 **A: FUJ HUB JIX ZHE**
tiennuschana Heyrovský, 1939b: 69
plagiata Gardner, 1930: 163 **A: BT ORR**
posticata Gahan, 1894a: 97 **A: YUN ORR**
vitalisi Pic, 1926c: 20
problematica Lin & Yang, 2009: 171 **A: GAN QIN YUN ORR**
pseudocaninia Lin & Montreuil, 2009: 166 **A: YUN ORR**
pseudoluctuosa Breuning, 1953: 22 **A: BT SD**
pseudoscalaris miwai Mitono, 1943: 585 **A: TAI**
pseudoscalaris pseudoscalaris Fairmaire, 1895: 186 **A: GUA GUI GUX ORR**
gressitti Breuning, 1956h: 725
monticola Gressitt, 1951a: 576 [HN]
pulchella Pascoe, 1858: 260 **A: SD ORR**
vesta Pascoe, 1866: 260
vestalis Heller, 1934: 284
pulchra Aurivillius, 1926: 111 **A: GUI GUX NP SD TAI XIZ YUN ORR**
pulchella J. Thomson, 1860: 58 [HN]
quadriguttata Pic, 1926c: 22 **A: GUX YUN ORR**
quatuordecimmaculata Hope, 1831: 28 (*Saperda*) **A: BT NP PA UP ORR**
argus J. Thomson, 1857c: 145
regularis Newman, 1842c: 302 **A: TAI ORR**
relicta formosensis Breuning, 1960d: 15 **A: TAI**
relicta izuinsulana Fujita, 1980: 16 **A: HUN JA (Kyushu)**
relicta relicta Pascoe, 1858: 258 **A: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA TAI ZHE ORR**
rufipes Gressitt, 1939a: 94 **A: FUJ GUA HKG HUN ORR**
atropubens Pic, 1943c: 16
sanctaemariae J. Thomson, 1857c: 141 (*Stibara*) **A: BT ORR**
saperdifformis Breuning, 1953: 25 **A: AP**
semiluctuosa Fairmaire, 1902b: 269 (*Sphenura*) **A: SCH YUN**
reitteri Pic, 1943c: 14
siamensis Gahan, 1897: 481 **A: HAI YUN ORR**

#350

#74

#74

#205

#409

sikkimensis Breuning, 1982: 26 **A: SD**
silhetica Pavilstshikov, 1927a: 63 [RN] **A: FUJ GUA HAI SCH TAI ORR**
assimilis Gahan, 1897: 494 [HN]
subabbreviata Breuning, 1956h: 791 [RN] **A: TAI**
abbreviata Gressitt, 1951a: 573 [HN]
subalcyone Breuning, 1964: 20 **A: YUN ORR**
subregularis Pic, 1943c: 14 **A: GUA GUX TAI ORR**
tenuivittata Gressitt, 1951a: 579
subsimilis Gahan, 1897: 479 **A: YUN ORR**
subviridescens Breuning, 1963d: 11 **A: YUN ORR**
suensoni Heyrovský, 1939b: 70 **A: ZHE**
pieli Pic, 1943c: 14
sulphurea J. Thomson, 1865a: 566 **A: ?CH SD ORR**
sulphuroides Breuning, 1982: 27 **A: CH**
suturata Gressitt, 1939a: 95 **A: ANH FUJ GUA HUB HUN**
tatsienlui Breuning, 1956h: 678 **A: CH**
t-notata Gahan, 1889: 223 **A: GUX HUB NP SCH ORR**
~~*tonkinea tonkinea* Aurivillius, 1926: 19 **A: GUX HAI TAI ORR**~~ #205
torquatella Aurivillius, 1923: 505 [RN] **A: YUN ORR**
torquata Gahan, 1907: 104 [HN]
virens bastiana Breuning, 1956h: 700 **A: NP SD** #400
virens virens Aurivillius, 1925: 19 **A: BT**
viridescens Pic, 1927: 19 **A: GUX YUN ORR**
weigeli Lin & Liu, 2012: 114 **A: YUN**
wenhsini Lin, 2013: 107 **A: GUI**
zalinensis Gahan, 1897: 478 **A: BT ORR**
subgenus *Lobungiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014
judsoni Lin & Tavakilian, 2014: 162 **A: ?TAI**
subgenus *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842
nigrorubricollis Lin et Yang, 2009: 11 **A: GUA**
rubricollis Hope, 1842b: 128 (*Colobothea*) **A: GUA HAI SD ORR**
subgenus *Stiroglenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787
cantor cantor Fabricius, 1787: 142 (*Lamia*) **A: GUA GUI GUX HAI HKG JIX SD YUN ORR**
cantator Fabricius, 1801b: 304 (*Lamia*)
luzonica Aurivillius, 1926: 112
quadrinotata Guérin-Ménéville, 1843: (*Saperda*) **A: YUN ORR** #277
multilineata Pic, 1926c: 19
nigrolineata Gahan, 1894a: 88
spilota J. Thomson, 1861: 58 **A: AP KA NP PA SD UP** #183 #409

genus *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888
cyaneipennis cyaneipennis Gahan, 1888: 66 **A: BT GUA GUX HAI JIX**
cyaneipennis ikedai Mitono, 1939: 147 **A: TAI**
cyaneofasciata Breuning, 1952: 116 **A: SD**
suffusa Gahan, 1888b: 66 **A: FUJ GUX JIX SCH TAI**

genus *Heteroglenea* Gahan, 1897: 490 type species *Glenea nigromaculata* J. Thomson, 1865
bastiensis Breuning, 1956h: 769 (*Glenea*) **A: SD ORR**
fissilis Breuning, 1953: 20 (*Glenea*) **A: YUN XIZ ORR**
gemella Lin & Yang, 2009: 17 **A: NP**
glechoma Pascoe, 1867b: 409 (*Glenea*) **A: JA (Ryukyus) TAI AUR ORR**
fuscovirgata Fairmaire, 1883a: 53 (*Glenea*)
guedalcanalana Breuning, 1958g: 315 (*Glenea*)
hamabovola Hayashi, 1978a: 91 (*Glenea*)
palawana Breuning, 1956h: 879 (*Glenea*)
mediodiscoprolongata Breuning, 1965: 43 (*Glenea*) **A: YUN**
mimoluctuosa Breuning, 1968a: 34 (*Glenea*)
nigromaculata J. Thomson, 1865a: 566 (*Glenea*) **A: GUX YUN ORR**
amelia Gahan, 1889: 224 (*Glenea*)
hamifera Heller, 1926: 49 (*Daphisia*)
vicinalis Lin & Yang, 2009: 18 **A: NP ORR**

genus *Malloderma* Lacordaire, 1872: 842 type species *Malloderma pascoei* Lacordaire, 1872
kuegleri Holzschuh, 2010: 223 **A: YUN ORR**
pascoei Lacordaire, 1872: 842 **A: BT**
tonkineum Pic, 1932i: 151
pulchrum Pic, 1926a: 29 (*Paraglenea*) **A: GUX ORR**

genus *Mandibularia* Pic, 1925a: 24 type species *Mandibularia nigriceps* Pic, 1925
nigriceps Pic, 1925a: 24 **A: XIZ ORR**

genus *Menesia* Mulsant, 1856: 157 type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)
Daphisia Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867

akemiae Makihara, 1992b: 78 **A: JA**

albifrons Heyden, 1886d: 276 **A: ES FE WS NC SC**

bipunctata Zubkov, 1829: 167 (*Saperda*) **E: AU BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT NT PL RO**

SK SL ST SZ UK YU **A: WS**

biguttata W. Redtenbacher, 1842: 26 (*Saperda*)

perrisi Mulsant, 1856: 158

quadripustulata Mulsant, 1862: 343

trimaculata Lentz, 1857: 145 (*Saperda*)

fla votecta Heyden, 1886d: 276 **A: CH FE JA NC SC SHA**

#350

tokioensis Kobayashi & Seki, 1935: 42

immaculipennis Breuning, 1954g: 410 [RN] **A: SCH**

immaculata Gressitt, 1945a: 132 [HN]

matsudai Hayashi, 1985: 135 **A: TAI**

octoguttata Breuning, 1954g: 411 **A: SCH**

sulphurata Gebler, 1825: 52 (*Saperda*) **E: ?CT ?ST A: ES FE HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI**
WS

#178

— *galathea* J. Thomson, 1865a: 566 (*Glenea*) [see Lin, Tavakilian, Montreuil & Yang, 2009]

nigrocincta Pic, 1915e: 10

semivittata Pic, 1915e: 10

yusai Gressitt, 1935b: 176 (*Praolia*)

vitiphaga Holzschuh, 2003: 237 **A: SHA**

genus *Mimocagosima* Breuning, 1968a: 32 type species *Mimocagosima ochreipennis* Breuning, 1968

humeralis Gressitt, 1951a: 561 (*Mandibularia*) **A: FUJ GUA GUX YUN**

#74

ochreipennis Breuning, 1968a: 32 **A: SHA YUN ORR**

#350

genus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925

subgenus *Neopraolia* Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933

delicata Matsushita, 1933b: 407 (*Neopraolia*) **A: TAI**

longicollis Gressitt, 1935e: 287

schwarzeri Gressitt, 1935e: 289

subgenus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925

infasciata Gressitt, 1935e: 289 **A: TAI**

pulchra continentalis Gressitt, 1939a: 91 **A: GUA**

pulchra pulchra Schwarzer, 1925c: 148 **A: TAI YUN**

genus *Neoxantha* Pascoe, 1856: 45 type species *Neoxantha amicta* Pascoe, 1856

amicta Pascoe, 1856: 45 **A: FUJ GUX HUB HUN JIA JIX ZHE**

immaculata Pic, 1893g: lxxxvii

genus *Nietzscheana* Zubov, 2014: 695 type species *Nietzscheana plutenkoi* Zubov, 2014

#24

plutenkoi Zubov, 2014: 696 **A: FE**

genus *Niponostenostola* K. Ohbayashi, 1958d: 64 type species *Stenostola niponensis* Pic, 1901

gressitti Lin & Ge, 2017b: 922 (*Niponstenostola*) **A: SHA**

#315

nigra Gressitt, 1951a: 552 (*Saperda*) [HN]

lineata Gressitt, 1951a: 609 (*Stenostola*) **A: ?HUB ?SCH SHA ?TAI**

#315

niponensis kono Kano, 1933b: 140 (*Stenostola*) **A: JA**

jezoana Matsushita, 1933b: 427 (*Stenostola*)

niponensis niponensis Pic, 1901c: 12 (*Stenostola*) **A: JA**

chichibuensis Kano, 1933a: 289 (*Stenostola*)

niponensis pterocaryai Hayashi, 1960c: 11 (*Eumecocera*) **A: JA**

genus *Ossonis* Pascoe, 1867b: 363, 417 type species *Ossonis clytomima* Pascoe, 1867

indica Breuning, 1954g: 429, 432 **A: BT**

genus *Paradystus* Aurivillius, 1923: 184 [RN] type species *Dystus notator* Pascoe, 1867

Dystus Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867

infrarufus Breuning, 1954: 458, 460 **A: YUN ORR**

genus *Paraglenea* Bates, 1866a: 352 type species *Glenea fortunei* Saunders, 1853

atropurpurea Gressitt, 1951a: 567 **A:** FUJ GUX
fortunei Saunders, 1853: 112 (*Glenea*) **A:** ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI
YUN ZHE ORR
bisbinotata Pic, 1915f: 14 (*Glenea*)
chloromelas J. Thomson, 1879: 21 (*Glenea*)
fasciata Pic, 1915f: 14 (*Glenea*)
innotata Pic, 1915f: 14 (*Glenea*)
innotaticollis Pic, 1936d: 17
notatipennis Pic, 1914b: 7 (*Glenea*)
prescutellaris Pic, 1953: 2
pubescens Pic, 1914b: 7 (*Glenea*)
savioi Pic, 1923c: 21 (*Glenea*)
szetchwana Heller, 1926: 48
jianfenglingensis Hua, 1985: 87 **A:** HAI
soluta Ganglbauer, 1887c: 22 (*Glenea*) **A:** BEI HEB HEN HUB SCH SHA ZHE **#315**
cinereonigra Pesarini & Sabbadini, 1997: 126
swinhoei swinhoei Bates, 1866a 352 **A:** TAI

genus *Paramenesia* Breuning, 1952: 139 type species *Paraglenea theaphia* Bates, 1884a
kasugensis Seki & Kobayashi, 1935: 225 (*Glenea*) **A:** JA TAI
subcarinata Gressitt, 1951a: 557 (*Menesia*) **A:** GUA HUB
theaphia Bates, 1884a: 257 (*Paraglenea*) **A:** FE JA

genus *Parastenostola* Breuning, 1952: 200 type species *Saperda brunnipes* Gahan, 1888
brunnipes Gahan, 1888b: 65 (*Saperda*) **A:** FUJ HUN JIX
quadricolor Gressitt, 1951a: 561
nigroantennata nigroantennata Lin & Yang, 2008: 12 **A:** GUI GUX HAI **#74**
nigroantennata taiwanensis Lin & Yang, 2008: 15 **A:** TAI

genus *Pardaloberea* Pic, 1926b: 9 type species *Pardaloberea curvaticeps* Pic, 1926
curvaticeps Pic, 1926b: 10 **A:** YUN **ORR**

genus *Paraetetrappa* Breuning, 1952: 135 type species *Paraglenea eximia* Bates, 1884a
eximia Bates, 1884a: 257 (*Paraglenea*) **A:** JA NC SC **#80**
magnifica caeruleithoracica Takakuwa, 1984: 14 **A:** JA
magnifica magnifica Schwarzer, 1925c: 148 (*Saperda*) **A:** TAI
olivacea Breuning, 1952: 138 **A:** CH
simulans Bates, 1873: 388 (*Phytoecia*) **A:** HEN JA TAI
daisenensis Matsushita, 1933a: 109 (*Glenea*)
sylvia Gressitt, 1951a: 569 (*Paraglenea*) **A:** FUJ **ORR**
postjuncta Pic, 1952c: 13 (*Paraglenea*)
weixiensis Pu, 1992b: 609 **A:** CH

genus *Praolia* Bates, 1884a: 261 type species *Praolia citrinipes* Bates, 1884a
citrinipes atripennis Pic, 1923c: 20 (*Serixia*) **A:** TAI
griseipennis Gressitt, 1938b: 169 (*Serixia*)
citrinipes citrinipes Bates, 1884a: 261 **A:** JA **SC**
citrinipes ishigakiana Ohbayashi, 1970: 3 (*Serixia*) **A:** JA (Ryukyus)
iriomoteana Ohbayashi, 1970: 3 (*Serixia*)
citrinipes takeuchii Ohmoto, 1990: 31 **A:** JA
citrinipes umui Kusama & Takakuwa, 1984: 14 **A:** JA (Ryukyus)
hayashii Hayashi, 1974c: 60 (*Serixia*) **A:** TAI
mizutani Niisato, 1989: 10 **A:** JA
yakushimana Hayashi, 1976: 22 **A:** JA

genus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
subgenus *Compsidia* Mulsant, 1839: 182 type species *Cerambyx populneus* Linnaeus, 1758
bacillicornis Pesarini & Sabbadini, 1997: 116 **A:** GAN QIN
bilineatocollis Pic, 1924a: 19 [**“Chang-Hai”**] **A:** FE GAN HEB HEN HUB JIA QIN SCH SHA SHG
gilanensis Shapovalov, 2013: 141 (*Compsidia*) **A:** IN **#277**
marangelae Pesarini & Sabbadini, 2015: 53 **A:** SCH **#276**
populnea balsamifera Motschulsky, 1860b: 151 (*Compsidia*) **A:** ES MG
innotatipennis Pic, 1910a: 2 [Siberie]
~~?-messagei~~ Breuning, 1962b: 10 [Laos]
populnea lapponica Wallin, Kvamme & Bergsten, 2017: 129 **E:** FI NR NT SV **A:** ?WS **#302**
populnea populnea Linnaeus, 1758: 394 (*Cerambyx*) **E:** AL AU BE BH BU BY CT CZ DE EN FI FR GB GE GR HU IR IT LA LT
 LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ **TR** UK YU **A:** AB **AF ANH** AR ES **FE FUJ GAN** GG **GUA HEB HEI**

HEN HUB IN JA JIA JIL KI KZ LIA NC NIN NMO QIN SC SHA SHN SHX TD TR UZ WS XIN XIZ NAR **#276**
betulina Geoffroy, 1785: 78 (*Leptura*)
bilineata Scopoli, 1772: 102 (*Leptura*)
decempunctata DeGeer, 1775: 78 (*Cerambyx*)
populi Dumeril, 1860: 607
salicis Zetterstedt, 1818: 258
quercus ocellata Abeille de Perrin, 1895: ccxxix **A: IS JO SY TR**
quercus quercus Charpentier, 1825: 224 **E: AL BH BU GR TR YU** **#11**
subgenus *Lopezcolonia* Alonso-Zarazaga, 1998: 131 [RN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)
Argalia Mulsant, 1862: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)
Scalaperda Shapovalov, 2011: 111 [nomen nudum] **#274**
alberti Plavilstshikov, 1915b: 80 [RN] **A: ES FE GUA HEB JA JIL KZ MG NC SC TAI WS**
decempunctata Gebler, 1830: 186 [HN]
hosokawai Hasegawa, 2017: 189 **A: JA SC** **#295**
internescalaris Pic, 1934g: 36 **A: SCH**
interrupta Gebler, 1825: 52 **A: ES FE FUJ HEN JA JIL MG NC SC WS** **#295**
laterimaculata Motschulsky, 1860b: 151
jansonis Z. Wang, 2003: 382, 397 **A: JIL**
kojimai Makihara & Nakamura, 1985: 18 **A: TAI** **#275**
maculosa Ménériés, 1832: 226 **A: AB IN**
octomaculata Blessig, 1873: 221 **A: ES FE JA MG NC SC SHN**
octopunctata Scopoli, 1772: 101 (*Leptura*) **E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT LT MD PL RO SK SL SP ST**
SZ UK YU A: AB AR GG TR
magnini Dayrem, 1928b: 77
sexpunctata Reitter, 1909a: 57
tiliae Schrank, 1798: 667
tremula Fabricius, 1775: 186
ohbayashii Podaný, 1963c: 62 [RN] **A: JA**
breuningi K. Ohbayashi, 1957: 14 [HN]
pallidipennis Gressitt, 1951a: 553 **A: SHA**
perforata Pallas, 1773: 723 (*Cerambyx*) **E: AL AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT MD NR NT PL RO SK**
SP ST SV SZ TR UK A: AB AR ES FE GG IN JA KZ MG NE TR WS XIN N: AG **#389**
albella Reitter, 1913d: 665
algerica Pic, 1903a: 8
decempunctata Goeze, 1777: 506 (*Leptura*)
duodecimpunctata Brahm, 1790: 176 (*Cerambyx*)
pallidipes Pic, 1904b: 9
rudolphi Cederhjelm, 1798: 92
seydlii G. F. Frölich, 1793: 135
punctata Linnaeus, 1767: 1067 (*Cerambyx*) **E: AL AN AU BH BU BY CR CT CZ EN FR GE GR HU IT KZ LA ?LT MA MC MD**
NT PL RO SK SL SP ST SZ TR UK YU N: AG A: AB AR CY GG IN TR WS
gallica Pic, 1918d: 5
scalaris hieroglyphica Pallas, 1773: 723 (*Cerambyx*) **E: CT NT ST A: ES FE HEI JIL KZ LIA MG NC SHN WS XIN**
varia Gmelin, 1790: 1875 (*Leptura*)
variegata Goeze, 1777: 506 (*Leptura*)
coerulescentialbotomentosa Blessig, 1873: 218
scalaris scalaris Linnaeus, 1758: 394 (*Cerambyx*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT**
LU MD NE NL NR NT PL RO SK SP ST SV SZ TR UK YU A: AB AR GG KZ TR N: AG
algeriensis Breuning, 1952: 176
estellae Mulsant, 1839: 188
fenestrata Reineck, 1919: 72
xantha Demelt, 1960: 182
subobliterata Pic, 1910c: 13 **A: FE HEI JA JIL NC SC**
mandschukuoensis Breuning, 1943b: 104
harbinensis **Chiang**, 1983: 60, 66 [unnecessary RN]
subscalaris Breuning, 1952: 179 **A: YUN**
tetrastigma Bates, 1879b: 466 **A: JA NC SC TAI**
jezoana Matshushita, 1933: 405 (*Cagosima*)
viridipennis Gressitt, 1951a: 554 **A: SHA**
subgenus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
Amilia Mulsant, 1862: 376 type species *Saperda phoca* G. F. Frölich, 1793 (= *Saperda similis* Laicharting, 1784)
Anaerea Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758
carcharias Linnaeus, 1758: 394 (*Cerambyx*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU**
MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG
NC SCH SHA TR WS XIN
grisescens Mulsant, 1839: 184 (*Anaerea*)
oppermanni Hummel, 1827: 13
villosa Gmelin, 1790: 1837 (*Cerambyx*)

similis Laicharting, 1784: 31 **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT **LA LT** MC NR NT PL RO SK SL SP ST SV SZ UK YU **A**: ES FE KI KZ MG **NO** TD UZ WS
albopubens Pic, 1925d: 11
phoca G. F. Frölich, 1793: 139
simulans Gahan, 1888b: 64 **A**: HUN JIA JIL SCH #273

genus *Saperdoglenea* Breuning, 1964: 22 type species *Saperdoglenea gleneoides* Breuning, 1964
hunanensis Hua, 1992: 519, 523 **A**: HUN #142

genus *Savang* Breuning, 1963b: 51 type species *Savang vatthanai* Breuning, 1963
sulphuratus Pesarini & Sabbadini, 1997: 117 **A**: SCH

genus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
subgenus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
Iole Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858
Iolea Pascoe, 1862a: 353 [RN]
albopleura Gressitt, 1935e: 291 **A**: TAI
aurescens Breuning, 1965c: 52 **A**: GUX **ORR**
botelensis Kano, 1933a: 288 **A**: TAI
bootangana Breuning, 1958e: 213 **A**: BT SD
chinensis Breuning, 1948e: 121 **A**: GUI
formosana Breuning, 1960d: 13 **A**: TAI
juisuiensis Hayashi, 1974c: 61 **A**: TAI
kisana Matsushita, 1937: 105 (*Neopraolea*) **A**: TAI
subsericea Gressitt, 1938b: 170
prolata prolata Pascoe, 1858: 254 (*Iole*) **A**: HAI **ORR**
abbreviata Gressitt, 1940b: 200
tonkinea Pic, 1922c: 14
pubescens Gressitt, 1940b: 201 **A**: HAI **YUN**
sedata gigantea Breuning, 1950c: 217 **A**: CH
sedata sedata Pascoe, 1862a: 354 **A**: GUX HAI YUN **ORR**
signaticornis Schwarzer, 1925c: 149 **A**: TAI
sinica Gressitt, 1937d: 616 **A**: JIX
testaceicollis Kano, 1933a: 287 **A**: TAI

genus *Stenostola* Dejean, 1835: 350 type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)
alboscutellata Kraatz, 1862: 124 **E**: GR
atra Gressitt, 1951a: 608 **A**: SHA
basisuturalis Gressitt, 1935g: 573 **A**: SCH SHA
dubia Laicharting, 1784: 52 (*Saperda*) **E**: AU BE BH CR CT CZ DE **?EN** FI FR GE HU IR IT LS LU MD NL NR **NT** PL RO SL SK SP ST SL SV SZ UK YU **A**: AB AR GG
tiliae Küster, 1846d: 59
ferrea ferrea Schrank, 1776: 66 (*Cerambyx*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL RO SK SL SP ST SZ UK YU **A**: AB AR GG TR
nigripes Fabricius, 1793: 310 (*Saperda*)
plumbea Bonelli, 1812: 180 (*Saperda*)
ferrea maculipennis Holzschuh, 1982b: 155 **E**: ST **UK**
ivanovi Danilevsky, 2014f: 662 **A**: FE SC #20 #283
nigerrima Breuning, 1947b: 21 (*Phytoecia*) **A**: JA #20
pallida Gressitt, 1951a: 610 **A**: SHA

genus *Spinoberea* Breuning, 1954g: 528 type species *Oberea subspinosa* Pic, 1922
cephalotes Gressitt, 1942b: 7 (*Nupserha*) **A**: SCH
subspinosa Pic, 1922e: 28 (*Oberea*) **A**: SCH YUN **ORR**
rufopubens Gressitt, 1942b: 8 (*Nupserha*)

genus *Stibara* Hope, 1840: 79 type species *Stibara tetraspilota* Hope, 1840
nigrovittata Breuning, 1954g: 467 **A**: "India"
rufina Pascoe, 1858: 259 **A**: GUX YUN **ORR**
dichroma J. Thomson, 1865a: 560
grisescens Pic, 1928b: 22
laosensis Pic, 1925a: 32
obsoleta J. Thomson, 1860: 60
tetraspilota Hope, 1840: 79 **A**: **AP KA** NP SD PA **ORR** #182
tricolor Fabricius, 1793: 309 (*Saperda*) **A**: CE SE YUN **ORR**
beloni Pic, 1907d: 22
multipunctata Pic, 1925f: 188

pallidior Pic, 1943b: 4

genus ***Thermistis* Pascoe, 1867b: 438** type species *Lamia croceocincta* Saunders, 1839

cheni Lin & Chou, 2012: 49 **A: SCH YUN**

conjunctesignata Rondon & Breuning, 1971: 546 **A: YUN ORR**

croceocincta Saunders, 1839: 178 (*Lamia*) **A: ANH FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE ORR**

hainanensis Lin & Yang, 2012: 32 **A: HAI**

kaiyuni Chou & Kurihara, 2012: 45 **A: TAI**

nigromacula Hua, 1992: 521, 523 **A: HUN**

rubromaculata Pu, 1984: 61 **A: GUX**

sagittifera Pesarini & Sabbadini, 2000: 65 **A: SCH**

sulphureonotata Pu, 1984: 61 **A: GUX ORR**

#115

taiwanensis Nara & S.-K. Yu, 1992: 132 **A: TAI**

xanthomelas Holzschuh, 2007: 263 **A: FUJ GUI GUX HAI YUN ORR**

genus ***Thyestilla* Aurivillius, 1923: 491** [RN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)

Thyestes J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)

coerulea Breuning, 1943b: 100 **A: SCH**

gebleri Faldermann, 1835c: 434 (*Saperda*) **A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC**

NMO QIN SC SCH SHA SHX ?TAI ZHE

curtipennis Pic, 1952b: 5 (*Phytoecia*)

funebis Gahan, 1888b: 67 (*Thyestes*)

infernalis Pic, 1904e: 17 (*Phytoecia*)

kadowakii Fujimura, 1962: 211

lepesmei Gilmour, 1950: 554

nigrinus Plavilstshikov, 1915c: 109

pubescens J. Thomson, 1864: 116 (*Thyestes*)

tribe Tetropini Portevin, 1927

genus ***Lenotetrops* Danilevsky, 2012g: 5** type species *Lenotetrops ivanovae* Danilevsky, 2012g

ivanovae Danilevsky, 2012g: 6 **A: AF**

genus ***Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498)** type species *Leptura praeusta* Linnaeus, 1758

Anaetia Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758

Polyopsia Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758

subgenus ***Mimosophronica* Breuning, 1943a: 53** type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903) **#354**

bicoloricornis bicoloricornis Kostin, 1973: 207, 208 **A: KI** **#354**

bicoloricornis ferganensis Danilevsky, 2018a: 280 **A: KI UZ** **#354**

bicoloricornis nigricornis Danilevsky, 2018a: 279 **A: KI** **#354**

bicoloricornis oshensis Danilevsky, 2018a: 280 **A: KI** **#354**

brunneicornis Pu, 1985a: 102 **A: XIN**

elaeagni elaeagni Plavilstshikov, 1954: 474 **E: ST KZ** **#354**

elaeagni plavilstshikovi Kostin, 1973: 206, 209 **A: KZ XIN** **#354**

plavilstshikovi Murzin, 1977: 303 [incorrect subsequent spelling] – not available name

elaeagni shapovalovi Danilevsky, 2018a: 266 **A: KZ TM UZ** **#354**

formosus bivittulatus Jankowski, 1934: 112 **A: KZ**

formosus formosus Baeckmann, 1903b: 311 **A: KI KZ** **#354**

formosus songaricus Kostin, 1973: 206 **A: KZ**

formosus strandiellus Breuning, 1943a: 53 (*Mimosophronica*) **A: XIN** **#224**

hauseri hauseri Reitter, 1897c: 225 **A: XIN** **#230**

hauseri kostini Özdikmen & Turgut, 2008e: 625 [RN] **A: KZ** **#230**

niger Kostin, 1973: 207 [HN]

subgenus ***Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498)** type species *Leptura praeusta* Linnaeus, 1758

gilvipes adlbaueri Lazarev, 2012: 951 **E: CZ SK** **#323**

gilvipes efetovi Lazarev, 2012: 949 **E: UK**

gilvipes gilvipes Faldermann, 1837: 290 (*Anaetia*) **E: ST UK A: AB AR GG TR**

gilvipes micati Sláma, 2019b: 210 **E: SK** **#416**

gilvipes murzini Lazarev, 2012: 950 **A: AB IN TM**

gilvipes niger Kraatz, 1859: 57 **E: IT FR SZ** **#323**

muehlfeldi Mulsant, 1862: 348 (*Polyopsia*)

mongolicus Murzin, 1977: 301 **A: ES MG**

praeustus algiricus Chobaut, 1894b: cclxxvi [1894a: 32] **N: AG**

praeustus anatolicus Özdikmen & Turgut, 2008e: 627 **A: TR SY**

praeustus angorensis Pic, 1918d: 11 **A: TR**

praeustus praeustus Linnaeus, 1758: 399 (*Leptura*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA
 LS LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU **A**: AB AR ES GG KZ MG SY TR WS
inapicalis Pic, 1891b: 37
pilosus Geoffroy, 1785: 78 (*Leptura*) [HN]
praeceustus Dufour, 1843: 101 (*Saperda*)
ustulatus Hagenbach, 1822: 11 (*Saperda*)
rosarum Tsherepanov, 1975a: 34 **A**: FE
starkii aquilus Danilevsky, 2012m: 937, 939 **E**: ST
starkii starkii Chevrolat, 1859a: 541 **E**: AU **BE** BH BU BY CR **CT** CZ DE **EN** FR GB GE GR HU IR IT **?LA** LT MD NL NR PL
 RO SK SL SP ST SV SZ UK YU **A**: AB TR [Zonguldak] **#52**
mesmini Pic, 1928c: 6
vicinus Pic, 1928c: 6
warncke Holzschuh, 1977a: 133 **A**: TR

tribe Tragocephalini J. Thomson, 1857

genus *Chariesthes* Chevrolat, 1858: 312 type species *Chariesthes multinotata* Chevrolat, 1858
subgenus *Sokothesthes* Adlbauer, 2002: 20 type species *Chariesthes socotraensis* Adlbauer, 2002
socotraensis Adlbauer, 2002: 20 **A**: YE (Suqutra)

genus *Cherochariesthes* Téocchi, 1989: 10 type species *Pseudochariesthes variegata* Breuning, 1939
holzschuhi Téocchi, 1989: 11 (*Freapomecyna*) **A**: SA YE

genus *Dinocephalus* Peringuey, 1899: 323 type species *Dinocephalus ornatus* Peringuey, 1899
heissi Holzschuh, 1991d: 296 **A**: SA

tribe Xenoleini Lacordaire, 1872

genus *Hirtaeschopala* Pic, 1925a: 22 type species *Hirtaeschopala albolineata* Pic, 1925
Jezohammus Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933
albolineata Pic, 1925a: 22 **A**: YUN **ORR**
fasciculata Breuning, 1938c: 226 **A**: FUJ GUA **ORR**
obliqua Gressitt, 1940a: 9 (*Xenolea*)
nubila Matsushita, 1933b: 347 (*Jezohammus*) **A**: JA **SC**

genus *Xenolea* J. Thomson, 1864: 91 type species *Xenolea collaris* J. Thomson, 1864
Aeschopala Pascoe, 1864a: 10 type species *Aeschopala agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)
asiatica Pic, 1925c: 16 (*Aeschopala*) **A**: GUA GUX HAI HEN HKG HUB JA JIX NP **SC** SCH TAI **UP** YUN ZHE **ORR** **#183**
collaris collaris J. Thomson, 1864: 91 **A**: TAI **AUR** **ORR**
agraria Pascoe, 1864a: 24 (*Aeschopala*)
grisella Pascoe, 1864a: 25 (*Aeschopala*)
laticollis Pascoe, 1864a: 25 (*Aeschopala*)
collaris formosana Breuning, 1965h: 177 **A**: TAI

tribe Xylorhizini Lacordaire, 1872

genus *Cyrtogrammus* Gressitt, 1939a: 67 type species *Cyrtogrammus lateripictus* Gressitt, 1939
lateripictus Gressitt, 1939a: 67 **A**: GUA **HAI** **ORR** **#74**

genus *Kuatuniana* Hua, 2002: 212 [RN] type species *Kuatunia subasperata* Gressitt, 1951
Kuatunia Gressitt, 1951a: 437 [HN] type species *Kuatunia subasperata* Gressitt, 1951
subasperata Gressitt, 1951a: 438 (*Kuatunia*) **A**: FUJ

genus *Microxylorhiza* Hayashi, 1974c: 38 type species *Microxylorhiza matsudai* Hayashi, 1974
matsudai Hayashi, 1974c: 39 **A**: TAI

genus *Parathylactus* Breuning & de Jong, 1941: 65 type species *Thylactus dorsalis* Gahan, 1890
dorsalis Gahan, 1890a: 58 (*Thylactus*) **A**: NP

genus *Thylactus* Pascoe, 1866b: 242 type species *Thylactus angularis* Pascoe, 1866
anal Franz, 1954: 95 **A**: SCH **AUR**
chinensis Kriesche, 1924: 289 **A**: GUA SCH **TAI** **ORR** [Yamasako & Chou, 2014c]
angustatus Pic, 1925a: 24
densepunctatus Chiang & Li, 1984: 100 **A**: GUA **HAI** YUN **#74**
dentipennis W.-K. Wang & S.-N. Jiang, 1998: 462 **A**: YUN
pulawskii Hua, 1986c: 211 **A**: GUX
sikkimensis Breuning, 1938c: 224 **A**: NP SD **?YUN** **#114**
simulans Gahan, 1890a: 58 **A**: AP GUI HEN HKG HUN JIX NP SD YUN ZHE **ORR** **#114**
uniformis Pic, 1934a: 10 **A**: "South China"

genus *Xylorhiza* Dejean, 1835: 344 type species *Lamia adusta* Wiedemann, 1819
adusta Wiedemann, 1819: 182 (*Lamia*) **A: AP** FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE
ORR
venosa Laporte, 1840: 476
pilosipennis Breuning, 1943a: 16 **A: GUX HKG ORR**
erectepilosa Tippmann, 1951: 309

family Cerambycidae, nomina dubia
Lamia aspera Roemer, 1789: 46[pl. 5] **E: IT**
Cerambyx carbonarius Scopoli, 1763: 56
Stenocorus lucidus Scopoli, 1772: 98

References.

- Abramov A.E. 2015: A new subspecies of *Dorcadion glycyrrhizae* (Pallas, 1773) (Coleoptera: Cerambycidae) from North-West Kazakhstan.- *Caucasian Entomological Bulletin*, 11(1): 39-41, plates 5-6.
- Abramov A.E. 2018: A new subspecies of *Dorcadion pantherinum* Jakowleff, 1901 (Coleoptera: Cerambycidae) from South Kazakhstan.- *Caucasian Entomological Bulletin* 14(1): 37-39 [in Russian].
- Aistleitnir E., Lencina G., Jose L. & Adlbauer K. 2015: Fragmenta entomofaunistica XIX. Faunistische Notizen zu Arten der Gattung *Iberodorcadion* BREUNING, 1943 auf der Iberischen Halbinsel sowie Streudaten der *Dorcadini* diverser Provenienz (Coleoptera, Cerambycidae, Lamiinae). *Entomofauna* 36 (41): 537-547.
- Al-Ali H. A. & Ismail S. I. 1987b: A new species of *Purpuricenus* (Coleoptera, Cerambycidae) from Iraq. *Iraqi Journal of Science* **28** (3/4): 536-543.
- Alekseev V.L. 2007: Longhorn beetles (Coleoptera, Cerambycidae) of Kaliningrad region. *Acta Biologica Universitatis Daugavpiliensis* 7(1): 37-62.
- Alexandrovich O.R., Lopatin I.K., Pisanenko A.D., Tzinkevich V.A. & Snitko S.M. 1996: *Katalog zhestkokrylykh (Coleoptera, Insecta) Belarusi*. Minsk. FFI RB. 103pp.
- Alexiou S. 2016: First record of *Dorcadion* (*Carinatodorcadion*) *aethiops strumense* Danilevsky, 2014 (Coleoptera, Cerambycidae) in Greece. *Parnassiana Archives* 4: 19-21.
- Ali Kh., Rapuzzi P. & Ihsan S. 2015: Contribution to the knowledge of the Longhorn Beetles (Coleoptera Cerambycidae) of the Syrian Coastal Region. *Biodiversity Journal* 6 (2): 637–662.
- Allen A.J. 2013: *Aegosoma scabricorne* (Scopoli, 1763) (Cerambycidae) in a Dorset moth trap. *Coleopterist* 22 (3): 115-116.
- Alonso-Zarazaga M. A. 2009: A peculiar interpretation of the Code: the case of *Cerosterna* Dejean, 1835 (Col., Cerambycidae). *Bulletin de la Société entomologique de France*, vol. 114, no 4: p. 444.
- Ambrus R., Grosser W. & Hrbek J. 2014: Contribution to the knowledge of longhorn beetles from Cyprus (Coleoptera: Cerambycidae). *Humanity space. International almanac* 3(2): 173-190.
- Ambrus R. & Tichý T. 2017: New and interesting records of the tribe *Purpuricenini* J. Thomson, 1861 from China and neighbouring countries (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* 25: 84-104.
- Angelov P. 1995. Coleoptera, Cerambycidae. Part 1 (Prioninae, Lepturinae, Necydalinae, Aseminae, Cerambycinae). *Fauna Bulgarica* 24. Sofia: 206pp.
- Aurivillius C. 1916: Neue oder wenig bekannte Coleoptera Longicornia. 16. *Arkiv för Zoologi* **10** (19): 335-360, 4 figs, 1 pl.
- Aurivillius C. 1917: Results of Dr. E. Mjöberg's Swedish Scientific Expeditions to Australia 1910-1913. 12. Cerambycidae. *Arkiv för Zoologi* **10** (23): 1-50, 3 pls.

- Ayberk H., Ozdikmen H. & Cebeci H. 2014: A serious pest alert for Turkey: a newly introduced invasive longhorned beetle, *Anoplophora glabripennis* (Cerambycidae: Lamiinae). *Florida Entomologist* 97(4): 1852-1855.
- Barreda J. M., Mejias G. & Manuel J. 2013: Una especie nueva de *Vesperus* Dejean, 1821 de la comarca de la Subbética cordobesa (España), *Vesperus lucasi* n. sp. (Coleoptera, Cerambycidae, Vesperinae). *Boletín de la SEA* 53: 81-85.
- Barševskis A. & Jäger O. 2014: Type specimens of the genera *Doliops* Waterhouse, 1841 and *Lamprobityle* Heller, 1923 (stat. nov.) (Coleoptera: Cerambycidae) and description of two new species deposited in Senckenberg Natural History collections Dresden, Germany. *Baltic Journal of Coleopterology* 13(2): 91 – 102.
- Barševskis A. & Savenkov N. 2013: Contribution to the knowledge of long-horned beetles (Coleoptera: Cerambycidae) in Latvia.- *Baltic Journal of Coleopterology*, 13(2): 91 – 102.
- Bassi C. 1834: Description de quelques nouvelles espèces de coléoptères de l'Italie. *Annales de la Société Entomologique de France* 3: 463-472.
- Bates H. W. 1866b: XXII. Contributions to an Insect Fauna of the Amazons Valley. Coleoptera : Longicornes. *The Annals and Magazine of Natural History* 17 (3): 191-202.
- Bates H. W. 1884a: Longicorn beetles of Japan. Additions, chiefly from the later collections of G. Lewis, and notes on the synonymy, distribution, and habits of the previously known species.- *Journal of the Linnean Society of London, Zoology*, 18: 205-261. 2 pls.
- Bates H. W. 1884b: New Longicorn Coleoptera of the Monohamminae group from tropical West Africa.- *The Entomologist's Monthly Magazine*, London 21: 14-18.
- Bau A. 1888: *Handbuch für Käfer-Sammler. Beschreibung der in Deutschland, Österreich-Ungarn und der Schweiz vorkommenden Coleopteren*. Magdeburg: Creutz (R. & M. Kretschmann): i-iv, 1-494.
- Baviera C., Bellavista M., Altadonna G., Turrisi G.F., Bella S., Muscarella C. & Sparacio I. 2017: The Cerambycidae (Coleoptera: Chrysomeloidea) of Sicily: recent records and updated checklist. *Atti della Accademia Peloritana dei Pericolanti. Classe di Scienze Fisiche, Matematiche e Naturali* 95 (1): 1-79.
- Bentanachs J. 2010: Nouveaux Callichromatini de l'Institut royal des Sciences naturelles de Belgique. *Lambilionea* 1(3): 305-309.
- Bentanachs J. 2012a: Revision del genero *Polyzonus* Dejean, 1835 y generos afines (Coleoptera, Cerambycidae, Callichromatini). *Les Cahiers Magellanes* 8 (NS): 1-100.
- Bentanachs J. 2012b: Catalogue des Callichromatini de la région paléarctique et orientale (Coleoptera, Cerambycidae, Cerambycinae, Callichromatini). *Les Cahiers Magellanes* 10 (NS): 26-106.
- Bentanachs J. & Drouin G. 2013: Callichromatini nouveaux de la région orientale (Coleoptera, Cerambycidae, Cerambycinae). *Les Cahiers Magellanes* 11 (NS): 91-101.
- Bentanachs C. J. & Jiroux E. 2018: Notes sur le genre *Scalenus* Gistel, 1848 (Coleoptera, Cerambycidae, Cerambycinae, Callichromatini). *Les Cahiers Magellanes* (NS) 29: 1-30, 22 figs.
- Bentanachs J., Niisato T. & Ohbayashi N. 2011: Synonymic Notes on Callichromatine Species (Coleoptera, Cerambycidae, Cerambycinae) Described from Japan. *Elytra, Tokyo, New Series*, 1(1): 125-129.
- Bentanachs C. J., Vives E. & Chew K. F. S. 2012: Les Cerambycidae de Bornéo sous-famille des Cerambycinae (I) Tribus des Callichromatini, Compsocerini, Mythodini, Thraniini, Stenopterini, Dejaniri et Trachyderini. *Magellanes. Collection Ex Natura* 4: 3-113, 109 figs.
- Bernhauer D. 2010: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Türkei, nördlich von Anamur. (Coleoptera, Cerambycidae, Lamiinae). 2. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 14: 189-194.

- Bernhauer D. 2015: Zwei neue Arten der Gattung *Dorcadion* Dalman, 1817 aus dem Nordwestiran (Coleoptera, Cerambycidae, Lamiinae).- *Entomologische Blätter für Biologie und Systematik der Käfer* 111: 11-18.
- Bernhauer D. & Peks H. 2010a: Zwei neue Arten der Gattung *Dorcadion* Dalm. aus der Turkey, nördlich von Anamur. (Coleoptera, Cerambycidae, Lamiinae), sowie eine neue Unterart zu *Dorcadion lodosi* Sabbadini und Pesarini. 3. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 14: 195-206.
- Bernhauer D. & Peks H. 2010b: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Turkey, Umgebung göls. (Coleoptera, Cerambycidae, Lamiinae), sowie eine neue Unterart zu *Dorcadion lodosi* Sabbadini und Pesarini. 4. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 14: 207-212.
- Bernhauer D. & Peks H. 2011a: Vier neue Arten der Gattung *Dorcadion* Dalm. aus der Nord-west-Turkey. (Coleoptera, Cerambycidae, Lamiinae). 5. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 15: 201-214.
- Bernhauer D. & Peks H. 2011b: Fünf neue Arten der Gattung *Dorcadion* Dalm. aus dem mittleren bis östlichen Taurus (Coleoptera, Cerambycidae, Lamiinae). 6. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 15: 215-227.
- Bernhauer D. & Peks H. 2012: Vier neue Arten der Gattung *Dorcadion* Dalm. aus der Osttürkei. (Coleoptera, Cerambycidae, Lamiinae). 7. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Entomologische Blätter und Coleoptera* 108: 209-221.
- Bernhauer D. & Peks H. 2013a: Drei neue Arten der Gattung *Dorcadion* Dalman, 1817 aus der Südost-Türkei, sowie drei neue Unterarten von *D. (Cribridorcadion) goelbasiense* sp.n. (Coleoptera, Cerambycidae, Lamiinae). 8. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Entomologische Blätter und Coleoptera* 109: 309-323.
- Bernhauer D. & Peks H. 2013b: Vier neue Arten der Gattung *Dorcadion* Dalman, 1817 aus der Nordtürkei, (Coleoptera, Cerambycidae, Lamiinae). 9. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Entomologische Blätter und Coleoptera* 109: 325-336.
- Bernhauer D. & Peks H. 2014a: *Dorcadion skoupyorum* nom. nov. for *Dorcadion skoupyi* Bernhauer & Peks, 2014 (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 191-192.
- Bernhauer D. & Peks H. 2014b: Fünf neue Arten der Gattung *Dorcadion* Dalman, 1817 aus der Zentral- und Osttürkei (Coleoptera, Cerambycidae, Lamiinae). 10. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Entomologische Blätter und Coleoptera* 110: 101-118.
- Bernhauer D. & Peks H. 2015: Vier neue Arten und zwei neue Unterarten der Gattung *Dorcadion* Dalman, 1817 aus der Osttürkei (Coleoptera, Cerambycidae, Lamiinae).- *Entomologische Blätter für Biologie und Systematik der Käfer* 111: 447-458.
- Bernhauer D. & Peks H. 2016: Acht neue Arten der Gattung *Dorcadion* Dalm, 1817 aus der Osttürkei und eine Art aus der Südtürkei sowie die Abbildung von zwei Bastarden von *Dorcadion wagneri* Küster, 1846, vermutlich mit *Dorcadion dimitiatum* Motsch., 1838 (Coleoptera, Cerambycidae, Lamiinae) (12. Beitrag zur Kenntnis der türkischen *Dorcadien*).- *Entomologische Blätter und Coleoptera* 112 (2): 85 – 110.
- Bi W.-X. 2013: Description of a new species of the genus *Spinipocregyes* Breuning (Coleoptera, Cerambycidae, Lamiinae, Mesosini) from Haianan, South China.). Pp.: 103-106. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Bi W.-X. 2016: Studies on the Flightless Lamiinae (Coleoptera: Cerambycidae) from China, I. Revision of the Genus *Echthistatodes* Gressitt, 1938 and its Allied Genera with Description of One New Genus, Two New Species and One New Subspecies. *Japanese Journal of Systematic Entomology* 22 (2): 291–301.

- Bi W.-X. & Lin M.-Y. 2012: Description of a new species of the genus *Paraleprodera* from Xizang, China (Coleoptera, Cerambycidae, Lamiinae, Monochamini). *Humanity space. International almanac* 1, Supplement 12: 4-11.
- Bi W.-X. & Lin M.-Y. 2013: Description of a new species of *Distenia* (Coleoptera, Disteniidae, Disteniini) from Southeastern China, with records and diagnoses of similar species. *ZooKeys* 275: 77–89.
- Bi W.-X. & Lin M.-Y. 2014: Notes on the genus *Microcriodes* Breuning, with description of a new species from Xizang, China (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *ZooKeys* 412: 1–8.
- Bi W.-X. & Lin M.-Y. 2015: Discovery of second new species of the genus *Spiniphilus* Lin & Bi, and female of *Heterophilus scabricollis* Pu with its biological notes (Coleoptera: Vesperidae: Philinae: Philini). *Zootaxa* 3949 (4): 575–583.
- Bi W.-X. & Lin M.-Y. 2016: A revision of the genus *Pseudoechthistatus* Pic (Coleoptera, Cerambycidae, Lamiinae, Lamiini). *ZooKeys* 604: 49–85.
- Bi W.-X. & Niisato T. 2018: Taxonomic Study on the Subgenus *Anaglyptus* (Akajimatora) Kusama & Takakuwa, 1984 (Coleoptera, Cerambycidae) from China. *Elytra*, New Series 8 (1): 75–79.
- Bi W.-X. & Ohayashi N. 2014: Notes on the Tribe Xylosteini (Coleoptera, Cerambycidae) with Descriptions of One New Genus and Three New Species from China. *Elytra*, Tokyo, New Series 4 (1): 5–16.
- Bi W.-X. & Ohayashi N. 2015: A New Synonym of the Genus *Anoplophora* Hope, 1839, and Description of a New Species from Yunnan, China (Coleoptera: Cerambycidae: Lamiinae). *Japanese Journal of Systematic Entomology* 21 (2): 291–296. (November 30).
- Blackburn T. 1894b: Notes on Australian Coleoptera, with descriptions of new species. Part XIII. *The Proceedings of the Linnean Society of New South Wales (2nd series)* 8 [1893]: 185-208.
- Blackburn T. 1895: Further Notes on Australian Coleoptera, with Descriptions of New Genera and Species. XVIII. *Transactions and Proceedings and Report of the Royal Society of South Australia* 19 (2): 201-258.
- Blackburn T. 1901: Further Notes on Australian Coleoptera, with Descriptions of New Genera and Species. XXVIII. *Transactions and Proceedings and Report of the Royal Society of South Australia* 25 (1): 15-44.
- Blanchard C.E. 1849: *Callichroma flavofasciata*, pl. 12, fig.4. In: Ch. D'Orbigny (ed.). *Dictionnaire universel d'histoire naturelle. Tom 2. Atlas. Zoologie. Reptiles, Poisson et Insectes*. Paris: Renard, Martinet et C^{ie}, pp. 1-22 + 93 pls.
- Blanco Fernández A. 1859. *Ensayo de Zoología Agrícola y Forestal, Ó Sea Tratado de los animales útiles y perjudiciales á la agricultura á los montes y al arbolado*. Madrid: Imprenta Nacional: i-v + 1-566.
- Bodemeyer E. von. 1900: *Quer durch Klein-Asien in den Bulghar-Dagh. Eine Naturwissenschaftliche Studien-Reise*. Emmendingen: Die Druck- und Verlags-Aktien-Gesellschaft Vormal's Dölter: v + 169.
- Bouchard P., Bousquet Y., Davies A. E., Alonso-Zarazaga M. A., Lawrence J. F., Lyal Ch. H. C., Newton A. F., Reid Ch. A. M., Schmitt M., Slipinski S.A. & Smith A. B. T. 2011: Family-group names in Coleoptera (Insecta). *ZooKeys* 88: 1-972.
- Braun W. 1975: Beitrag zur Kenntnis der Dorcadien Anatoliens. Systematisch neu bewertete *Dorcadion*-Arten und Bemerkungen zur Variationsbreite des *Dorcadion iconiense* (Col., Cerambycidae, Lamiinae). *Entomologische Zeitschrift* 85 (11): 121-126.
- Braun W. 1979. Beitrag zur Kenntnis der Gattung *Dorcadion*. Systematisch neu bewertete *Dorcadion*-Formen (Col., Cerambycidae). *Nachrichtenblatt der Bayerischen Entomologen* 28 (5): 81-86.

- Breit J. 1917[b]: Beiträge zur Kenntnis der europäischen Käferfauna. *Coleopterologische Rundschau* 10/12: 68–73.
- Breuning S. 1943b: Nouveaux cérambycides paléarctiques (1^{re} note). *Miscellanea Entomologica* 40: 89–104.
- Breuning S. 1950: Nouveaux lamiaires du Musée de Gènes (Col., Cerambycidae). *Annali del Museo Civico di storia Naturale Giacomo Doria* 64: 170–201 [: 199 - *Oberea nigripes* m. *flavipennis* (Formose)].
- Breuning S. 1959f: Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae). *Mitteilungen aus dem Zoologischen Museum in Berlin* 35 (1): 149–175, 8 fig
- Breuning S. 1963i: Revision der Pteropliini der australischen Region (Coleoptera, Cerambycidae). *Abhandlungen und Berichte aus dem staatlichen Museum für Tierkunde in Dresden* 29 (1): 1–274, 26 figs.
- Breuning S. 1970d: Nouveaux Dorcadion des collections du Muséum de Paris. *L'Entomologiste* 26 (4): 97–101.
- Breuning S. 1975: Descriptions de dorcadions nouveaux d'Anatolie (Coleoptera, Lamiinae). *Bulletin de la Société Entomologique de Mulhouse* 30 (1974): 65.
- Breuning S. 1978c: Nouvelles espèces de Lamiinae (Cerambycidae) de la coll. Vives. *Miscellanea Zoológica* 4 (2): 131–136.
- Breuning S. & Itzinger K. 1943: Cerambicidi birmani del Museo di Milano. *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano* 82: 36–54, 2 figs, pl. I.
- Brian D.H. 2016: *Stenhomalus taiwanus* Matsushita (Coleoptera: Cerambycidae) is new to the USA. *Coleopterists Bulletin* 70 (1): 134–136.
- Brullé G. A. 1832: IVe Classe. Insectes. Pp. 1–288. In: Bory de Saint-Vincent J.B.G.M.: *Expédition scientifique de Morée. Section des sciences physiques. Tome III. - I. re Partie. Zoologie. Deuxième Section. - Des animaux articulés*. Paris, Strasburg: F. L. Levrault, [1] + 400 + [2(errata)] pp., pls 27–53 [note: pp. 289–400 issued in 1833; plates in 1832–1836].
- Bullas-Appleton E., Kimoto T. & Turgeon J. J. 2014: Discovery of *Trichoferus campestris* (Coleoptera: Cerambycidae) in Ontario, Canada and first host record in North America. *Canadian Entomologist* 146 (1): 111–116.
- Buquet J. B. L. 1844: Iconographie du Règne Animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables et souvent non encore figurées, de chaque genre d'animaux. In: Guérin-Ménéville. Insectes 7 [1829–38]: iv + 5–576, 110 pls. Paris Baillière.
- Büttner [Büttner J. G.] 1818: *Molorchus abbreviatus* Fab. *Magasin der Entomologie* (Germar) 3: 245.
- Chemin G. 2015: Description de la femelle de *Glenea anterufipennis* Breuning, 1968 et notes taxonomiques et faunistiques sur le sous-genre *Laoglenea* Breuning, 1968 (Coleoptera, Cerambycidae, Saperdini). *Les Cahiers Magellanes* NS 18: 53–55.
- Chemin G., Gouverneur X. & Vitali F. 2014: Note synonymique sur le genre *Xoanodera* Pascoe, 1857 (Coleoptera Cerambycidae Cerambycinae). *L'Entomologiste* 70 (6): 365 – 368.
- Chevrolat L. A. A. 1838: Du *Necydalis major* de Linné, *Molorchus abbreviatus* de Fabricius. *Revue Entomologique* (Silbermann) [5]: 73–78 [separate issue only].
- Chevrolat L. A. A. 1841: Description de trente-quatre espèces de Coléoptères de Manille et d'un Tricondyle de Ceylan. *Revue Zoologique, Paris* 4 [1841]: 221–228.
- Chevrolat L. A. A. 1860: Description de Coleopteres nouveaux d'Algérie. *Revue et Magasin de Zoologie Pure et Appliquée* (2) 12: 269–271.
- Chiang S.-N. 1983: [new taxon]. In: Chou I., Chao H.-F. & Chiang S.-N.: Modification of insect scientific names connected with 'Manchukuo'. *Entomotaxonomia* 5: 60–66.

- Chiang S.-N. 1986: Correction for some misidentified species of Cerambycidae. *Journal of Southwest Agricultural University* 3: 51.
- Chiang [S.-N.] [=Jiang S.-N.] & Wang Z. 2003: [new taxon], pp. 304, 396.- In: Wang Z. *Monographia of original colored longicorn beetles of China's north-east*. Jilin Science and Technology Publishing House, 420 + [1] pp. (in Chinese with English Abstanct).
- Chou I., Chao H.-F. & Chiang S.-N. 1983: Modification of insect scientific names connected with 'Manchukuo'. *Entomotaxonomia* 5: 60-66.
- Chou W.-I. 2009: Discovery of the Lepturine Genus *Pidonia* Mulsant (Coleoptera, Cerambycidae) from Guangxi, Southwest China. *Special Bulletin of the Japanese Society of Coleopterology* 7: 109-115.
- Chou W.-I., Chung Y.-T. & Lin M.-Y. 2010: Description of *Eutetrappa lini* sp. nov. from Taiwan, China (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Acta Zootaxonomica Sinica* 35(2): 313-318.
- Chou W.-I. & Ohbayashi N. 2007: Notes on the genus *Sinostrangalis* and *Metastrangalis* (Coleoptera, Cerambycidae). Studies on the Taiwanese Lepturinae, I. *Japanese Journal of Systematic Entomology* 13 (2): 225-240.
- Chou W.-I. & Ohbayashi N. 2010: A New Genus and Four New Species of Taiwanese Lepturinae (Coleoptera, Cerambycidae). Studies on the Taiwanese Lepturinae, III. *Japanese Journal of Systematic Entomology* 16 (2): 359-371.
- Chou W.-I. & Ohbayashi N. 2011: A Replacement Name for *Pseudostrangalia* Chou et N. Ohbayashi, 2010 (Coleoptera, Cerambycidae). *Japanese Journal of Systematic Entomology* 17 (1): 9.
- Chou W.-I. & Ohbayashi N. 2014: Two New Species of Taiwanese Lepturini (Coleoptera: Cerambycidae). Studies on the Taiwanese Lepturinae, VI. *Japanese Journal of Systematic Entomology* 20 (2): 347-352.
- Cocquempot Ch. & Mifsud D. 2013: First European interception of the brown fir longhorn beetle, *Callidiellum villosulum* (Fairmaire, 1900) (Coleoptera, Cerambycidae). *Bulletin of the Entomological Society of Malta* 6: 143-147.
- Cocquempot Ch., Nemer N., Brustel H. & Tanios Ch. 2016: Nouvelles données et nouveau catalogue des Coléoptères Cerambycidae du Liban (Coleoptera, Cerambycoidea). *Bulletin de la Société entomologique de France* 121 (1): 91-104.
- Corraleño Iñarra A. & Murria Beltrán Á. 2012: Descripción de una nueva especie del género *Iberodorcadion* Breuning, 1943 (Coleoptera, Cerambycidae, Lamiinae) de la Península Ibérica.- *Biocosme mésogéen*, Nice, 29 (2): 43-55.
- Corraleño Iñarra A., Murria Beltrán Á. & Saz Fucho A. 2013: Descripción de una nueva especie del género *Iberodorcadion* Breuning, 1943 (Coleoptera, Cerambycidae, Lamiinae) de las comunidades de Aragón y Castilla y León (España). *Biocosme Mésogéen*, Nice 30 (4): 105-123, 7 figs.
- Costa A. 1855: [new names] Coleotteri tetrameri. Sezione de'longicorni. *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto: 1- 68 + 1 + Tav. XXXI – XXXVI. [note: Part II issued in 21 "foglio's"]
- Costa A. 1856: Foglio 16. Pp. 49-56. Coleotteri tetrameri. Sezione de'longicorni. [Gen. *Clytus* (cont.) and *Anaglyptus*]. In: *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto, 68 pp.

- Dalens P.-H., Tavakilian G.L. & Touroult J. 2010: Révision des Compsocerini Thomson, 1864 de Guyane (Coleoptera, Cerambycidae, Cerambycinae). *Les Cahiers Magellanes*, NS, No 2: 79-111.
- Danilevsky M. L. **2000**: Description of Miniprionus gen. n. from Middle Asia with new data in related genera (Coleoptera: Cerambycidae). Opisanie Miniprionus gen. n. iz Sredney Azii s novoy informaciei o blizkikh rodakh (Coleoptera: Cerambycidae). *Russian Entomological Journal* **8** (3) [1999]: 189-190.
- Danilevsky M. L. 2009a: A new species of the genus *Sophronica* Blanchard, 1845 (Coleoptera, Cerambycidae) from Russian Primorie. *Euroasian Entomological Journal* **8** (1): 25-26, tab.II.
- Danilevsky M. L. 2009b: New Dorcadion (s. str.) Dalman, 1817 (Coleoptera: Cerambycidae) from Orenburg Region of Russia. *Caucasian Entomological Bulletin* **5**(1): 69-71, plates 1-2.
- Danilevsky M. L. 2009c: [Species Group Taxa of Longhorned Beetles (Coleoptera, Cerambycidae) Described by N. N. Plavilstshikov and Their Types Preserved in the Zoological Museum of the Moscow State University and in the Zoological Institute of the Russian Academy of Sciences, St. Petersburg]. *Entomologicheskoe Obozrenie* **88** (3): 630–663. [in Russian]
- Danilevsky M. L. 2009d: Species Group Taxa of Longhorned Beetles (Coleoptera, Cerambycidae) Described by N. N. Plavilstshikov and Their Types Preserved in the Zoological Museum of the Moscow State University and in the Zoological Institute of the Russian Academy of Sciences, St. Petersburg. *Entomological Review* **89** (6): 689–720.
- Danilevsky M. L. 2010: New Acts and Comments. Cerambycidae, pp. 43-49. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp
- Danilevsky M. L. 2010': tribe Dorcadionini, pp. 241-264. – In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp.
- Danilevsky M. L. 2010a: New and poorly known Longicorn-beetles of the genus *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) from South-East Europe. *Caucasian Entomological Bulletin* **6**(1): 57-60, plates 3-5.
- Danilevsky M. L. 2010b: Four new *Phytoecia* (Coleoptera: Cerambycidae) from Turkey. *Studies and reports of District Museum Prague-East. Taxonomical Series* **6**(1-2): 19-30.
- Danilevsky M. L. 2010c: New taxa of longicorn-beetles (Coleoptera, Cerambycidae) from Transcaucasia and North Iran. *Eversmannia. Entomological research in the Russia and adjacent regions* **23-24**: 3-9 + 2 plates.
- Danilevsky M. L. 2010d: *Phymatodes* (*Phymatoderus*) *vandae* sp. nov. from Greece (Coleoptera: Cerambycidae). *Folia Heyrovskyana*, series A, **18** (1-3): 67-70.
- Danilevsky M.L. 2010e: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. *Russian Entomological Journal* **19**, 3: 215-239.
- Danilevsky M. L. 2011a: Novyy zhuk-usach roda *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) iz Zhigulevskogo zapovednika (Samarskaya oblast, Rossiya), pp. 42-47. In: *Issledovaniya v oblasti estestvennykh nauk i obrazovaniya. Mezhvuzovskiy sbornik nauchno-issledovatel'skikh rabot*. Vypusk 2. Samara: "Povolzhskaya gosudarstvennaya sotsialno-gumanitarnaya akademiya": 188pp.
- Danilevsky M.L., 2011b: New subspecies of *Stenurella bifasciata* (Müller, 1776) (Coleoptera, Cerambycidae) from South West Turkey. *Munis Entomology & Zoology* **6** (1): 1-5.
- Danilevsky M.L., 2011c: New species of the genus *Olenecamptus* Chevrolat, 1835 (Coleoptera: Cerambycidae) from Russian Ussuri Region. *Russian Entomological Journal* **20**(1): 67-70.
- Danilevsky M.L. 2011d: New species of the genus *Pachytella* Heyrovský, 1969 (Coleoptera, Cerambycidae) from Mongolia. *Euroasian Entomological Journal* **10**(2): 253-254, Pl.3.

- Danilevsky M.L., 2011e: A review of genus *Protapatophysis* Semenov-Tian-Shanskij et Stschegoleva-Barovskaia, 1936 stat. nov. (Coleoptera: Cerambycidae: Apatophyseinae). *Studies and reports of District Museum Prague-East. Taxonomical Series*, 7(1-2): 93-104.
- Danilevsky M.L., 2011f: *Molorchus* (*Nathrioglaphyra*) *smetanai* sp. nov. (Coleoptera: Cerambycidae) from South China. *Studies and reports of District Museum Prague-East. Taxonomical Series* 7(1-2): 105-108.
- Danilevsky M.L., 2011g: A new species of genus *Aegosoma* Audinet-Serville, 1832 (Coleoptera, Cerambycidae) from the Russian Far East with the notes on allied species. *Far Eastern Entomologist* 238: 1-10.
- Danilevsky M.L., 2011h: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. II. *Russian Entomological Journal* 19 [2010], 4: 313-324.
- Danilevsky M.L., 2012a: A new subspecies of *Dorcadion* (s. str.) *glycyrrhizae* (Pallas, 1773) (Coleoptera: Cerambycidae) from Wst Kazakhstan. *Munis Entomology & Zoology* 7, No. 1: 46-50.
- Danilevsky M.L., 2012b: Two new subspecies of *Cortodera villosa* Heyden, 1876 (Coleoptera, Cerambycidae) from South Russia. *Caucasian Entomological Bulletin* 7[2011] (2): 139-141, plates 3-4.
- Danilevsky M.L. 2012c: A new species of genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from Israel. *Humanity Space. International Almanac* 1. Supplement 1: 4-7.
- Danilevsky M.L. 2012d: New Chinese *Purpuricen* Dejean, 1821 (Coleoptera, Cerambycidae) close to *P. temminckii* Guérin-Méneville, 1844 group of species. *Humanity Space. International Almanac* 1. Supplement 1: 8-28.
- Danilevsky M.L. 2012e: A contribution to the revision of the genus *Rhamnusium* Latreille, 1829 (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 8 (1-2): 43-65.
- Danilevsky M.L. 2012f: New species of genus *Cortodera* Mulsant 1863 from Bulgaria (Coleoptera, Cerambycidae). *ANIMA.X* 44: 1-4.
- Danilevsky M.L. 2012g: *Lenotetrops ivanovae*, gen. nov., sp. nov. from Afghanistan (Coleoptera, Cerambycidae). *ANIMA.X* 44: 5-8.
- Danilevsky M.L., 2012h: A new species of the genus *Paraxylocrius* Niisato, 2009 (Coleoptera, Cerambycidae) from Ussuriland of Russian Far East. *Humanity Space. International Almanac*, Vol. 1. Supplement 8: 4-10.
- Danilevsky M.L. 2012i: New data on *Dorcadion* Dalman, 1817 (Coleoptera, Cerambycidae) of middle Chu-river basin in Kazakhstan and Kirgizia. *Humanity Space. International Almanac*, Vol. 1. Supplement 11: 4-46.
- Danilevsky M.L., 2012j: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. *Munis Entomology & Zoology* 7, No. 1: 109-173.
- Danilevsky M.L., 2012k: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV.- *Humanity Space. International Almanac*, Vol. 1, No. 1: 86-136.
- Danilevsky M.L., 2012l: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. V.- *Humanity Space. International Almanac*, Vol. 1, No. 3: 695-741.
- Danilevsky M.L., 2012m: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VI. *Humanity space. International almanac* 1 (4): 900-943.

- Danilevsky M.L. 2013a: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VII. *Humanity space. International almanac* 2 (1): 170-210.
- Danilevsky M.L. 2013b: New and poorly known species of the genus Cortodera Mulsant, 1863 (Coleoptera, Cerambycidae) from Kazakhstan. *Humanity space. International almanac* 2 (1): 211-221.
- Danilevsky M.L. 2013c: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VIII. *Humanity space. International almanac* 2 (3): 401-424.
- Danilevsky M.L. 2013d: Cortodera kiesenwetteri gusakovi ssp. n. from north-west Kazakhstan (Coleoptera, Cerambycidae). *Humanity space. International almanac* 2 (3): 425-427.
- Danilevsky M.L. 2013e: Dorcadion (Cribridorcadion) cinerarium demidovi ssp. n. (Coleoptera, Cerambycidae) from South-West Ukraine. *Humanity space. International almanac* 2 (3): 428-432.
- Danilevsky M.L. 2013f: New Dorcadion (Coleoptera, Cerambycidae) from Kazakhstan. *Humanity space. International almanac* 2 (3): 433-442.
- Danilevsky M.L. 2013g: Taxonomic notes on Palaearctic Longicorn beetles (Coleoptera, Cerambycidae).- *Humanity Space. International Almanac*, 2. Supplement 2: 5-27.
- Danilevsky M.L. 2013h: Six new Longicorn (Coleoptera, Cerambycidae) taxa from Russia and adjacent countries. *Humanity Space. International Almanac* 2. Supplement 2: 28-41.
- Danilevsky M.L. 2014a: Two new Eodorcadion Breuning, 1947 from Mongolia (Coleoptera, Cerambycidae). Pp. 151-155. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Danilevsky M.L. 2014b: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IX. *Humanity space. International almanac* 3(2): 193-250.
- Danilevsky M.L. 2014c: Two new subspecies of Dorcadion aethiops (Scopoli, 1763) from Bulgaria (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 251-254.
- Danilevsky M.L. 2014d: Two new species of genus Cortodera Mulsant, 1863 from Asia (Coleoptera, Cerambycidae).- *Humanity space. International almanac* 3(2): 255-258.
- Danilevsky M.L. 2014e: Vadonia vartanisi sp. n. from Turkey and Vadonia hirsuta (K. Daniel & J. Daniel, 1891) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 259-266.
- Danilevsky M.L. 2014f: Two new Cerambycidae (Coleoptera) taxa from Russian Far East. *Humanity space. International almanac* 3(4): 662-669.
- Danilevsky M.L., 2014g: Five new subspecies of Dorcadion sulcipenne Küster, 1847 (Coleoptera, Cerambycidae) from Georgia. *Humanity space. International almanac* 3(4): 670-686.
- Danilevsky M.L. 2014h: Phytoecia (Musaria) krupitskyi sp. n. (Coleoptera, Cerambycidae) from Turkey. *Humanity space. International almanac* 3(4): 687-689.
- Danilevsky M.L. 2014i: *Longicorn beetles (Coleoptera, Cerambycoidea) of Russia and adjacent countries*. Part 1. Moscow: HSC: 1-522. [in Russian]
- Danilevsky M.L., 2015a: A new species of the genus Morimus Brullé, 1832 (Coleoptera, Cerambycidae) from Central Europe.- *Humanity space. International almanac*, 4(2): 215-219.
- Danilevsky M.L. 2015b: A new species of genus Dorcadion Dalman, 1817 (Coleoptera, Cerambycidae) from Turkey (Ispir, Erzurum). *Humanity space. International almanac* 4(2): 220-223.
- Danilevsky M.L. 2015c: Two new species of genus Pogonocherus Dejean, 1821 (Coleoptera, Cerambycidae) from Europe. *Humanity space. International almanac* 4(4): 588-592.

- Danilevsky M.L. 2015d: New and poorly known taxa of the genus *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) from South Europe and Near East. *Humanity Space. International Almanac* 4(5): 1034-1084.
- Danilevsky M.L. 2015e: A new species of the genus *Purpuricen* Dejean, 1821 (Coleoptera: Cerambycidae) from the Caucasus. *Caucasian Entomological Bulletin* 11(2): 385-388, pl. 11.
- Danilevsky M.L. 2016a: [new taxa: 187, 189]. In: Danilevsky M.L., Gradinarov D. & Sivilov O. A new subspecies of *Morimus verecundus* (Faldermann, 1836) from Bulgaria and a new subspecies of *Morimus asper* (Sulzer, 1776) from Greece (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 5, 2: 187-191.
- Danilevsky M.L. 2016b: Two new subspecies of *Xylotrechus* (s. str.) *arvicola* (Olivier, 1795) (Coleoptera, Cerambycidae) from European Russia and Caucasus. *Humanity space. International almanac* 5(2): 267-177.
- Danilevsky M.L. 2016c. New data on Longicorn-beetles (Coleoptera, Cerambycidae) from North-West Caucasus with description of a new taxon. *Humanity Space. International Almanac* 5, Supplement 2: 6-11.
- Danilevsky M.L. 2016d New *Cortodera* (Coleoptera, Cerambycidae) taxa from Turkey. *Ecologica Montenegrina* 7: 266-269.
- Danilevsky M. L. 2017a: Two new *Dorcadion* Dalman, 1817 (Coleoptera, Cerambycidae) from Niğde province of Turkey. *Munis Entomology & Zoology* 12 (1): 323-327.
- Danilevsky M. L. 2017b: Notes on the the genus *Parmena* Dejean, 1821 (Coleoptera, Cerambycidae) from Turkey. *Humanity Space. International Almanac* 6 (1): 20-23.
- Danilevsky M. L. 2017c: Three new *Agapanthia* Audinet-Serville, 1835 (Coleoptera, Cerambycidae) from Russia, Central Asia and Kazakhstan. *Humanity Space. International Almanac* 6 (1): 24-32.
- Danilevsky M. L. 2017d: Several taxonomic notes on new descriptions of Turkish *Dorcadion* (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 6 (1): 33-37.
- Danilevsky M. L. 2017e: [new taxon]. In: Danilevsky M.L. & Németh T.: A new subspecies of *Cortodera colchica* (Faldermann, 1836) from Lebanon (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 6 (5): 837-842.
- Danilevsky M.L. 2017f: A New Subgenus of the Longicorn Genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from the Palaearctic Region. *Entomological Review* 97 (8): 1137–1139.
- Danilevsky M.L. 2018a: Revision of the Central Asian species of the genus *Tetrops* Kirby, 1826 (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 7 (2): 260-297.
- Danilevsky M.L. 2018b: Seven new Longicorn (Coleoptera, Cerambycidae) species from Iran. *Zootaxa*, 4444 (5): 584–592.
- Danilevsky M.L. 2018c: A New Genus of Prioninae (Coleoptera, Cerambycidae) from China. *Entomological Review* 98 (4): 484–486.
- Danilevsky M.L. 2018d: Four new *Agapanthia* (Epopetes) Gistel, (Coleoptera, Cerambycidae) from the West Siberia, Kazakhstan, Azerbaijan and Iran. *Euroasian Entomological Journal* 17 (3): 179-181.
- Danilevsky M.L. 2018e: A new Palaearctic subgenus of genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae). *Zootaxa* 4521 (1): 129-132.
- Danilevsky M.L. 2019: Taxonomy notes on Palaearctic Cerambycidae (Coleoptera) with descriptions of several new taxa. *Humanity Space. International Almanac* 8 (2): 79-100.
- Danilevsky M.L., Gradinarov D. & Sivilov O. 2016: A new subspecies of *Morimus verecundus* (Faldermann, 1836) from Bulgaria and a new subspecies of *Morimus asper* (Sulzer, 1776) from Greece (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 5, 2: 187-191.

- Danilevsky M. L. & Hizal E. 2017. Two new species of the genus *Parmena* Dejean, 1821 (Coleoptera: Cerambycidae) from Eastern Europe. *Munis Entomology & Zoology* 12 (1): 1-4.
- Danilevsky M.L. & Hodek K. 2016: New species of the genus *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) from Georgia. *Ecologica Montenegrina* 8: 55-57.
- Danilevsky M.L. & Komiya Z. 2014: *Pogonarthron* (Multicladum subgen. n.) and a female of *Pogonarthron* (*Pseudomonocladum* Villiers, 1961, stat. nov.) *minutum* (Pic, 1905) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 267-271.
- Danilevsky M.L. & Lin M.Y. 2012a: A contribution to the study of China *Dorcadion* (Coleoptera, Cerambycidae). Part 1. *Humanity Space. International Almanac* 1. Supplement 4: 4-19.
- Danilevsky M.L. & Lin M.Y. 2012b: A contribution to the study of China *Dorcadion* (Coleoptera, Cerambycidae). Part 2. *Humanity Space. International Almanac* 1. Supplement 4: 20-35.
- Danilevsky M.L. & Müller J. 2016: New species of the genus *Mesosa* Latreille, 1829 (Coleoptera, Cerambycidae) from North Iran. *Humanity Space. International Almanac* 5, 2: 183-186.
- Danilevsky M.L. & Murzin S.V. 2009a: A revue of *Dorcadion* Dalman, 1817 species of “laeve-group”. Part 1 (Coleoptera, Cerambycidae, Lamiinae). *Les cahiers Magellanes* 92: 1-20.
- Danilevsky M.L. & Murzin S.V. 2009b: A revue of *Dorcadion* Dalman, 1817 species of “laeve-group”. Part 2 (Coleoptera, Cerambycidae, Lamiinae).- *Les cahiers Magellanes*, 93: 1-22.
- Danilevsky M.L. & Navrátil D. 2018: A new species of *Agapanthia* (*Homoblephara* Pesarini & Sabbadini, 2004) from Iran (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 7 (2): 298-304.
- Danilevsky M.L. & Németh T. 2017: A new subspecies of *Cortodera colchica* (Faldermann, 1836) from Lebanon (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 6 (5): 837-842.
- Danilevsky M.L. & Peks H. 2015: *Brachyta interrogationis eitschbergeri* ssp. n. (Coleoptera, Cerambycidae) - black subspecies from south-east Germany. *Humanity Space. International Almanac* 4(5): 1085-1089.
- Danilevsky M.L. & Peks H. 2016: Subspecies structure of *Brachyta interrogationis* (Linnaeus, 1758) (Coleoptera, Cerambycidae) in West Europe with a description of a new subspecies. *Humanity Space. International Almanac* 5(2): 178-182.
- Danilevsky M.L. & Skrylnik Yu.E. 2014i: Two new Longicorn (Coleoptera, Cerambycidae) species from Iran. *Humanity space. International almanac* 3(4): 690-694.
- Danilevsky M.L. & Vartanis J. 2015: A new subspecies of *Vadonia unipunctata* (Fabricius, 1787) (Coleoptera, Cerambycidae) from Ikaria Island, Greece. *Humanity space. International almanac* 4(2): 224-227.
- Dascalu M.-M. & Fusu L. 2012: *Dorcadion axillare* Küster, 1847 (Coleoptera, Cerambycidae): distribution, morphometrics, karyotype and description of a new subspecies from Romania. *Zootaxa* 3322: 35-48.
- Dauber D. 2006: Sechszundzwanzig neue Clytini aus Malaysia vornehmlich Borneo und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). *Linzer Biologische Beiträge* 38 (1): 423-453.
- Dejean P. F. M. A. 1833: *Catalogue des coléoptères de la collection de M. le Comte Dejean*. Paris: Méquignon-Marvis Père et Fils, 443pp.
- Depoli G. 1913: Neue Käferformen aus dem Liburnischen Karst. *Wiener Entomologische Zeitung* 32: 22.
- Desmarest E. 1860: *Encyclopédie d'histoire naturelle ou traité complet de cette science d'après les travaux des naturalists les plus éminents de tous les pays et de toutes les époques; Buffon, Daubenton, Lacépède, G. Cuvier, F. Cuvier, Geoffroy Saint-Hilaire, Latreille, de Jussieu, Brongniart, etc., etc. Ouvrage résumant les observations des auteurs anciens et comprenant toutes les découvertes modernes jusqu'à nos jours. Coléoptères buprestiens, scarabéiens,*

- pimeliens, curculioniens, scolytiens, chrysoméliens, etc. Troisième partie.* Marescq et Compagnie, Paris, [3] + 360 pp. + 48 pls.
- Do C. 2015: Genus *Aegosoma* Audinet-Serville, 1832, with description of a new species from Vietnam (Coleoptera: Cerambycidae: Prioninae). *Journal of Asia-Pacific Entomology* 18: 233–237.
- Donisthorpe H. 1905: *Gramoptera holomelina*, Pool, a good species. *Entomologist's Record and Journal of Variation* 17: 182-183.
- Doychev D. & Bencheva S. 2008: First record of *Callidium coriaceum* Paykull (Coleoptera: Cerambycidae) in Bulgaria. *Silva Balcanica* 9(1): 97-98.
- Doychev D. & Georgiev G. 2006. Notes on distribution and ecology of *Icosium tomentosum atticum* Ganglbauer (Coleoptera: Cerambycidae) in Bulgaria. *Forest Science* No. 3: 117-121.
- Drumont A. & Bi W.-X. 2014. Description of a new *Sarmyds* species from Zixang Autonomous Region in China: *Sarmyds cheni* sp. nov. (4th contribution to the study of genus *Sarmyds* Pascoe, 1867) (Coleoptera, Cerambycidae, Prioninae). *Lambillionea* 113 [2013], 3: 267-271.
- Drumont A. & Bi W.-X. 2014: Note on the genus *Aegolipton* Gressitt, 1940 in Hainan Island, China with description of a new species (Coleoptera, Cerambycidae, Prioninae). *Lambillionea* 114 (3): 205-210.
- Drumont A. & Bi W.-X. 2015: First record of *Dinoprionus cephalotes* Bates, 1875 from China (Coleoptera, Cerambycidae, Prioninae). *Les Cahiers Magellanes*, NS, No19, septembre: 54-59.
- Drumont A. & Bi W.-X. 2017. Description of two additional new *Sarmyds* species from China (5th contribution to the study of genus *Sarmyds* Pascoe, 1867) (Coleoptera, Cerambycidae, Prioninae).- *Lambillionea*, 117 (2): 125-134.
- Drumont A. & Griffee V. 2005: Une nouvelle espèce de Longicornes pour la faune de Belgique: *Gaurotes (Carilia) virginea* (Linnaeus, 1758) (Coleoptera, Cerambycidae). *Lambillionea* 105 (3), T.2: 433-436.
- Drumont A. & Leduc L. 2010: Note sur la présence en Belgique d'*Agapanthia* (Epopetes) dahlia (Richter, 1820) (Coleoptera, Cerambycidae, Lamiinae). *Lambillionea* 110(3): 293-296.
- Drumont A. & Tavakilian G. 2017: New records in Prioninae from Old World (Coleoptera, Cerambycidae, Prioninae). *Les Cahiers Magellanes* 28: 36-46.
- Drumont A. & Weigel A. 2010: Description of a new *Sarmyds* species from Yunnan Province in China: *Sarmyds loebli* sp. n. (Coleoptera, Cerambycidae, Prioninae). *Les Cahiers Magellanes* 2 (NS): 66-72.
- Dunskis A. & Barševskis A. 2018: Catalogue of longhorn beetles (Coleoptera: Cerambycidae) of Latvia. *Acta Biologica Universitatis Daugavpiliensis* 18 (2): 165-198.
- Dutru C. & Le Restif A., 2002: Rencontres avec quelques Coléoptères spectaculaires de Thessalie (Grèce). *Le Coléoptériste* 5: 35–40.
- Ermakov A.I. 2013: Record of longicorn beetle *Menesia sulphurata* (Gebler, 1825) in high number in the Middle Urals, Russia. *Evraziatskii Entomologicheskii Zhurnal* 13(2): 140-141.
- Estlund O. 1796: Entomologiske **Anmärkning**ar hörande til Fauna Svecica. *Kongl. Vetenskaps Academiens Nya Handlingar* 17: 126-132.
- Fabricius J. C. 1793: *Entomologia systematica emendata et aucta, secundum classes, ordines, genera, species, adjectis, synonymis, locis, observationibus, descriptionibus. Tomus I. Pars II.* Hafniae: C. G. Proft, xx + 538 pp.
- Fairmaire L. 1864a-1865. [Cerambycidae in 1864, pp. 113-176 and 1865, pp. 177-203]. In: Jacquelin du Val P. N. C. & Fairmaire L.: *Genera des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux dichotomiques destinés à faciliter l'étude, le Catalogue de toutes les espèces de nombreux dessins au trait de caractères et près de seize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M.*

- Jules Migneaux et par M. Théophile Deyrolle. Tome quatrième. [1854-1869]. Paris: Deyrolle fils: 1-295 + [35 pp.] + another pagination: 240-284 ["Catalogue de la Famille des Cérambycides": 240-251] + 78 pls.
- Fairmaire L. 1868a: [*Coptosia vittigera*: pl. 54, fig. 256]. In: Jacquelin du Val P. N. C. & Fairmaire L.: *Genera des coléoptères d'Europe comprenant leur classification en famille naturelle, la description de tous les genres, des tableaux dichotomiques destinés à faciliter l'étude, le Catalogue de toutes les espèces de nombreux dessins au trait de caractères et près de seize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux et par M. Théophile Deyrolle. Tome quatrième*. Paris: Deyrolle fils, 1-295, 376 figs, 78 pls.
- Fairmaire L. 1904c: Deux espèces nouvelles de Longicornes du Tonkin. *Études diverses* 3: 145.
- Faldermann F. 1837: Fauna entomologica transcaucasica. Coleoptera II. *Nouveaux Mémoires de la Société des Naturalistes de Moscou* 5: 1-433, 15 pls. [separate issue: *Fauna entomologica Transcaucasica. Coleoptera. Pars 2*. Moscou: l'imprimerie d'Auguste Semen, Imprimeur de l'Académie Impériale Medico-Chirurgicale, 433 pp., pl. 1-15].
- Fancello L. & Cillo D. 2012: Descrizione di una nuova specie di *Hesperophanes* della Sardegna (Coleoptera, Cerambycidae, Cerambycinae). *Estratto dagli annali del Museo civico di Storia Naturale "G. Doria"* 104: 252-264.
- Feng B. & Chen L. 2009: A new species and a new record species of the genus *Megopis* (Coleoptera, Cerambycidae, Prioninae) from China. *Acta Zootaxonomica Sinica* 34 (1): 38 – 41.
- Frivaldszky J. 1879a. [*Phytoecia armeniaca*: 318]. In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. Brünn: W. Burkart, 358 pp., 6 pls.
- Frivaldszky J. 1879b. [*Phytoecia armeniaca*: 62]. In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna.- Verhandlungen des Naturforschenden Vereines in Brünn, 17 [1878]: 3-104, pls 5-6].
- Fu L.-J. & Chen L. 2006: A New Record Species of Cerambycidae (Coleoptera) from China. *Entomotaxonomia* 28 (2): 151-152, 1 fig.
- Fujita H. 2010: Three new subspecies of *Xylotrechus chinensis* (Chevrolat, 1852) and *X. reductemaculatus* Hayashi, 1968 (Coleoptera, Cerambycidae) from Japan. *Gekkan-Mushi*, 476: 30-35.
- Fujita H. 2019. Descriptions of new Species, Subspecies, and New Taxonomical Treatment, pp. 20-27. In: Fujita H., Hirayama H. and Akita K. *The Longhorn beetles of Japan* (1) (Mushi-sha's Iconographic Series 10). Tokyo: Mushi-Sha.
- Fuss C. 1852a: Beitrag zur siebenbürgischen Insektenfauna. *Verhandlungen und Mittheilungen der Siebenbürgischen Vereins für Naturwissenschaften zu Hermannstadt* 3: 73-80, pl. II.
- Fuss C. 1852b: Entomologische Notizen.- *Verhandlungen und Mittheilungen der Siebenbürgischen Vereins für Naturwissenschaften zu Hermannstadt* 3 (9): 136-139.
- Gahan Ch. J. 1894: Viaggio di Leonardo Fea in Birmania e Regioni vicine. LVI. A list of the Longicorn Coleoptera collected by Signor Fea in Burma and the adjoining regions, with descriptions of the new Genera and species. *Annali del Museo Civico di Storia Naturale, Genova* (Série 2) 14: 5-104, 1 pl.
- Ganglbauer L. 1887: *Phytoecia sellata* n. sp. *Deutsche Entomologische Zeitschrift* 31(2): 296.
- Gao W.-T., Meng Q.-F. & Yan M.-Z. 2011: A new species and a new record genus *Munamizoa* in Lepturinae (Coleoptera, Cerambycidae) from China. *Acta Zootaxonomica Sinica* 36(2):400-403.
- Gebler F. A. von. 1823b: Coleoptera Sibiriae Orientalis. *Mémoires de la Société Impériale des Naturalistes de Moscou* 6: 127-131.
- Georgiev G., Doychev D., Simov N., Guéorguiev B. & Bekchiev R. 2013: Contribution to the knowledge of (Coleoptera: Cerambycidae) of Belasitsa in Bulgaria. *Silva Balcanica* 14(1): 110-

- Georgiev G., Gjonov I. & Sakalian V. 2015: New Records of Longhorn Beetles (Coleoptera: Cerambycidae) in Strandzha Mountain. *Journal of the Entomological Research Society* 17(2): 73-88.
- Germar E. F. 1844: *Fauna Insectorum Europae. Fasc. XXIII*. Halae: Car. Aug. Kümmerlii, 25 nrs.
- Gerstaecker C. E. A. 1855: Hr. Peters übergab die Fortsetzung von Diagnosen der von ihm in Mossambique gesammelten und von Hrn. Dr. Gerstäcker bearbeiteten Käfer aus den Familien der Longicornia, Paussidae und Ptiniores. *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich Preussischen Akademie der Wissenschaften zu Berlin*: 265-26.
- Gestro R. 1891: Viaggio di Leonardo Fea in Birmania e regioni vicine. XXVIII. Sul genere *Arctolamia*. *Annali del Museo Civico di Storia Naturale di Genova, Série 2, Vol. X (XXX)*: 221-268.
- Ghredjyan T.L. & Kalashian M.Yu. 2015: On the finding of longhorn beetle *Parandra caspia* Ménétries, 1832 (Coleoptera, Cerambycidae) in Nagorno-Karabakh. *Humanity Space. International Almanac* 4(5): 1090.
- Götz G. F. 1783: *Beytrag zur Naturgeschichte der Insekten. Der Naturforscher* 19: 70-77, 1 pl.
- Gouverneur X. 2015. Deux nouveaux Morimopsini Lacordaire, 1869 du Laos (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* NS 20: 86-91.
- Gouverneur X. & Vitali F. 2016: Revision de la tribu des Gyaritini Breuning, 1956 et descriptions de nouvelles especes du Laos (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* NS 21: 103-124
- Gradinarov D. 2016: New data on the distribution of *Pilemia tigrina* (Mulsant, 1851) (Cerambycidae: Lamiinae) in Bulgaria. *ZooNotes* 96: 1-3.
- Gressitt J. L. 1950: Two new Oriental Prionids of the genus *Megopis* (Coleoptera: Cerambycidae). *The Pan-Pacific Entomologist* 26 (3): 134-136.
- Gronovius [Gronov] L.T. 1764: Zoophylacii Gronoviani. Fasciculus secundus. Exhibens enumerationem Insectorum, quae in Museo suo adservat, examini subiecit, systematice disposuit atque descripsit. Lugduni Batavorum, sumptibus auctoris: 141-236 [Les 20 planches et le volume 3 datent de 1781 (Index insectorum), la partie 1 de 1763]
- Gubin O.I., Martynov V.V. 2018: The first record of *Aegomorphus obscurior* (Pic, 1904) (Coleoptera: Cerambycidae: Lamiinae) from Ukraine. *Ukrainska Entomofaunistyka* 9 (1): 8.
- Guérin-Ménéville F. E. 1831: *Dictionnaire Classique d'Histoire Naturelle*. Bory de Saint-Vincent J.P.G.M. (éditeur). Ray et Gravier & Baudouin Frères, Paris 17 (Atlas): 161 pls.
- Guo D.-J. & Chen L. 2003: Three New-Recorded Species of Cerambycinae (Coleoptera: Cerambycidae) in China. *Journal of Sichuan Agricultural University* 21 (3): 187-188.
- Han Ch. 2017: A New Clytine Species Related to *Rhaphuma ruficollis* Mitono (Coleoptera, Cerambycidae) from Southern Taiwan. *Special Bulletin of the Coleopterological Society of Japan* 1: 221-226.
- Han Ch.-do & Niisato T. 2010: A New Clytine Beetle Belonging to the Genus *Xylotrechus* (Coleoptera, Cerambycidae) from Taiwan. *Japanese Journal of Systematic Entomology* 16 (2): 249-254.
- Harris T. W. 1837: Characteristics of some previously described North American Coleopterous Insects, and descriptions of others which appear to be new in the Collection of Mr. Abraham Halsey. *Transactions of the Hartford Natural History Society* 1 [1836]: 65-91
- Hasegawa M. 2017: Taxonomic Study on the Genus *Ostedes* (Coleoptera, Cerambycidae, Lamiine, Acanthocinini) from Japan and Taiwan. *Special Bulletin of the Coleopterological Society of Japan* 1: 247-265.
- Hasegawa M., Han T. & Oh S. H. 2014: A New Species Belonging to the New Agapanthiine Genus (Coleoptera, Cerambycidae, Lamiinae) from Korea. *Elytra, Tokyo* (NS) 4 (1): 49-55.

- Hasegawa M. & Ohbayashi N. 2009: A Revisional Study of the Genus *Boninella* Gressitt (Coleoptera, Cerambycidae, Lamiinae). *Special Bulletin of the Japanese Society of Coleopterology* 7: 407-438.
- Hayashi M. 1982: The Cerambycidae of Japan (Col.) (13). *The Entomological Review of Japan* 37(2): 141-152.
- Hayashi M. & Villiers A. 1987: Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) With special reference to the type specimens' inspection. Part II. *Bulletin of Osaka Jonan Women's Junior College* 22: 1-20.
- He S. & Chen L. 2014: Two new record species of the tribe Astathini (Coleoptera: Cerambycidae: Lamiinae) from China and Laos. *Entomotaxonomia* 36(4): 283-288.
- Heller K. M. 1913: Neue Käfer von den Philippinen. *The Philippine Journal of Science* 8 (2) Section D: 135-163.
- Heller K. M. 1916: Philippinische Käfer, gesammelt von Prof. C. Fuller-Baker, Los Baños. *Deutsche entomologische Zeitschrift, Berlin* [1916] (3-4): 269-311, pl. III.
- Herrich-Schäffer [= Herrich-Schaeffer] G. A. W. 1833: *Die Fortsetzung von Panzer Faunae insectorum Germaniae initia*. Heft 118. Regensburg: Manz, 24 pls.
- Heyden C.H.G. von, 1844: Ueber zwei neue europäische Käfer. *Entomologische Zeitung (Stettin)* V, 1: 14-15.
- Heyden L.F.J.D. von 1879a: [new taxa: 314, 319, 323, 325, 326]. In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. Brunn: W. Burkart, 358 pp., 6 pls.
- Heyden L.F.J.D. von 1879b: [new taxa: 58, 63, 67, 69, 70]. In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. *Verhandlungen des Naturforschenden Vereines in Brünn* 17 [1878]: 3-104, pls 5-6].
- Heyden L.F.J.D. von 1879c: Die coleopterologische Ausbeute des Prof. Dr. Rein in Japan 1874-1875. *Deutsche entomologische Zeitschrift, Berlin* 23 (2): 321-365.
- Heyden L.F.J.D. von & Faust J. 1888: Beiträge zur Kleinasiatischen Coleopteren-Fauna. *Deutsche Entomologische Zeitschrift* 32: 45-47.
- Heyrovský L. 1936: Cerambycidae, **pp. 211-213**. In: Scheibe A.: Entomologische Sammelergebnisse der Deutschen Hindukusch-Expedition 1935 der Deutschen Forschungsgemeinschaft. *Arbeiten über Morphologische und Taxonomische Entomologie* 3: **173-213**.
- Hizal E, Arslangündoğdu Z, Göç A, Ak M. 2015: Türkiye istilacı yabancı böcek faunasına yeni bir kayıt *Anoplophora chinensis* (Forster, 1771) (Coleoptera: Cerambycidae) [The new record for Turkish invasive alien insect fauna *Anoplophora chinensis* (Forster, 1771) (Coleoptera: Cerambycidae)]. *Journal of the Faculty of Forestry Istanbul University* 65(1): 7-10.
- Hofmański D. & Mazepa J. 2015: Stanowiska dłużynki Oberea (Amaurostoma) histrionis Pic 1917 (Coleoptera Cerambycidae) w Polsce. *Biuletyn Parków Krajobrazowych Wielkopolski*, Zeszyt 21(23): 157-158.
- Holzschuh C. 1975: Zur synonymie palaearktischer Cerambycidae I. (Col.). *Koleopterologische Rundschau* 52: 101-104.
- Holzschuh C. 2009a: Beschreibung von 59 neuen Bockkäfern und vier neuen Gattungen aus der orientalischen und palaearktischen Region, vorwiegend aus Laos, Borneo, und China (Coleoptera, Cerambycidae). *Entomologica Basiliensia et Collectionis Frey* 31: 267-358.
- Holzschuh C. 2009b: Eine neue Arten der Gattung Glenea Newman, 1842 aus dem Himalaya (Insecta: Coleoptera: Cerambycidae: Acanthocinini). Biodiversität und Naturausstattung im Himalaya III. Erfurt: 423-424, Taf, XV-XVI.
- Holzschuh C. 2010: Beschreibung von 66 neuen Bockkäfern und zwei neuen Gattungen aus der orientalischen Region, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). *Entomologica Basiliensia et Collectionis Frey* 32: 137-225.

- Holzschuh C. 2011: Beschreibung von 69 neuen Bockkäfern und 6 neuen Gattungen aus Asien, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). *Entomologica Basiliensis et Collectionis Frey* **33**: 249-328.
- Holzschuh C. 2012: Zwei neue Lamiinae aus Nepal (Insecta: Coleoptera: Cerambycidae), S.413-414 + Tf. XXXIV. In: M. Hartmann & J. Weipert (Ed.). Biodiversität und Naturausstattung im Himalaya IV. Verein der Freunde & Förderer des Naturkundemuseums Erfurt e. V., Erfurt: 492 S.
- Holzschuh C. 2013a: Beschreibung von zehn neuen Bockkäferarten (Coleoptera: Cerambycidae) und einer neuen Gattung aus Südostasien. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* **65**: 5-21.
- Holzschuh C. 2013b: Beschreibung von sechs neuen Pidonia-Arten aus China (Cerambycidae, Lepturinae). *Les Cahiers Magellanes* (NS) **13**: 84-92, 6 figs.
- Holzschuh C. 2015a: Zehn neue Bockkäfer aus Südostasien und Bemerkungen zur Gattung *Microdymasius* Pic, 1946 (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) **19**: 41-53.
- Holzschuh C. 2015b: Die Gattung *Exocentrus* (Coleoptera: Cerambycidae: Lamiinae) auf dem asiatischen Festland: neue Synonymien und neue Taxa. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* **67**: 45-72.
- Holzschuh C. 2015c: Zwei neue Bockkäfer aus Nepal (Insecta: Coleoptera: Cerambycidae). In: M. Hartman & J. Weipert. (eds): *Biodiversität und Naturausstattung im Himalaya V*. Erfurt: 471-474.
- Holzschuh C. 2015d: Beschreibung von 50 neuen Bockkäfern aus Asien (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* NS, No20, décembre 2015: 14-75.
- Holzschuh C. 2016a: Beschreibung von 24 neuen Bockkäfern und einer neuen Gattung aus Asien (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* NS, No21, mars 2016: 72-102.
- Holzschuh C. 2016b: Neue Clytini (Coleoptera: Cerambycidae) aus Laos und zur Synonymie einiger Arten. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* **68**: 103-127.
- Holzschuh C. 2016c: Beschreibung von sieben neuen Bockkäfern aus Asien (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) **24**: 105-113, 7 figs.
- Holzschuh C. 2017a: Neue Lamiinae (Coleoptera: Cerambycidae) aus Asien und zur Synonymie einiger Taxa. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* **69**: 139-167.
- Holzschuh C. 2017b: Beschreibung neuer Gattungen und Arten von Bockkäfern aus Asien (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) **26**: 1-18.
- Holzschuh C. 2017c: Neue Arten von Bockkäfern aus der Tribus Clytini und der Unterfamilie Lamiinae (Coleoptera, Cerambycidae) vom asiatischen Festland [New species of the longhorn beetles of the tribe Clytini and subfamily Lamiinae (Coleoptera, Cerambycidae) from mainland Asia]. *Acta Musei Moraviae, Scientiae biologicae (Brno)* **102**(2): 93-138.
- Holzschuh C. 2017d: Beschreibung einer neuer Gattung und neuer Arten von Bockkäfern aus Asien (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) **28**: 62-88.
- Holzschuh C. & Lin M.-Y. 2017: A revision of the Saperdine genus *Dystomorphus* Pic (Coleoptera, Cerambycidae, Lamiinae). *Special Bulletin of the Coleopterological Society of Japan* **1**: 267-286.
- Holzschuh C. & Lin Y.-L. 2013: Beitrag zur Bockkäferfauna von Taiwan, mit Beschreibung neuer Arten (Coleoptera, Cerambycidae). Pp.: 147-158. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Holzschuh C. & Lin Y.-L. 2015: Beitrag zur Bockkaferfauna von Taiwan mit Beschreibung einer neuen Art, II (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* NS **20**: 104-107.
- Hope F. W. 1835: Characters and Descriptions of several New Genera and Species of Coleopterous Insects. *The Transactions of the Zoological Society of London* **1** (2): 91-112, pls 13-16.

- Hope F. W. 1841: Observations on the Coleoptera of Port Essington, in Australia, with descriptions of the following new species. *Proceedings of the Entomological Society of London* 4: 43-59.
- Horn G. H. 1885: Descriptions of some new Cerambycidae with notes. *Transactions of the American Entomological Society* 12: 173-197.
- Hua L.-Z. 1992 [new taxa: 492, 509, 514, 519, 521, 523-524]. In: Hua L.-Z., Li S.-L. & Zhang K. 1992: Coleoptera Cerambycidae. Pp. 467-524. In: Peng J.-W. & Liu Y.-Q. (eds): *Iconography of forest insects of Hunan, China*. Hunan: Academia Sinica & Hunan Forestry Institute, 1-60 + 1-4 + 1-1473 pp. (in Chinese with English summary).
- Hua L.-Z. 2009 [new name: 192, 331]. In: Hua L.-Z., Nara H., Saemulson [Samuelson] G. A. & Langafelter [Lingafelter] S. W. 2009: *Iconography of Chinese Longicorn Beetles (1406 Species) in Color*. Guangzhou: Sun Yat-sen University Press, 474p.
- Hua L.Z., Nara H., Saemulson [Samuelson] G. A. & Langafelter [Lingafelter] S. W. 2009: *Iconography of Chinese Longicorn Beetles (1406 Species) in Color*. Sun Yat-sen University Press, Guangzhou: 474p.
- Huang G.-Q. 2019: [Falsotrachystola dongi] In: Huang G.-Q. & Li S.: Review of the genus Falsotrachystola Breuning, 1950 (Coleoptera: Cerambycidae: Lamiinae: Morimopsini). *Zootaxa* 4555 (1): 45–55.
- Huang G.-Q. & Chen L. 2016: A revision of the genus Yoshiakioclytus Niisato, 2007 (Coleoptera: Cerambycidae: Cerambycinae: Anaglyptini). *Zootaxa* 4179 (3): 478–494.
- Huang G.-Q. & Li S. 2019: Review of the genus Falsotrachystola Breuning, 1950 (Coleoptera: Cerambycidae: Lamiinae: Morimopsini). *Zootaxa* 4555 (1): 45–55.
- Huang G.-Q. & Lin M.-Y. 2016. Description of Eutetrappa weni n. sp. from Guizhou, China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 4109 (5): 590–594.
- Huang G.-Q. & Lin M.-Y. 2018. Second note on the genus Neacanista Gressitt, 1940 (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini). *Zootaxa* 4524 (3): 397–400.
- Huang G.-Q. & Liu B. & Gouverneur X. 2015: Note on the genus Neacanista Gressitt, 1940 (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini). *Zootaxa* 3981, 4: 553-564, 33 fig.
- Huang G.-Q., Liu Zh. & Chen L., 2014: A revision of the genus Nyctimenius Gressitt, 1951 (Coleoptera: Cerambycidae: Lamiinae), with description of a new species. *Zootaxa* 3860 (5): 435-448, 67 figs, 1 carte.
- Huang G.-Q., Liu Zh. & Chen L., 2015: A revision of the genus Euseboides Gahan, 1893 (Coleoptera: Cerambycidae: Lamiinae), with description of two new species. *Zootaxa* 3964 (2): 151-182.
- Huang G.-Q., Tian L.-Ch. & Chen L. 2013: Two new record species of Clytini from China (Coleoptera, Cerambycidae, Cerambycinae). *Acta Zootaxonomica Sinica* 38 (4): 908-911.
- Huang J. & Vives E. 2016: A review of the genus Erythresthes Thomson, 1864 (Coleoptera: Cerambycidae: Cerambycinae). *Entomotaxonomia* 38(2): 92-98.
- Huang J. & Vives E. 2019: Notes on the genus Leptostrangalia Nakane & Ohbayashi, 1959 (Coleoptera: Cerambycidae: Lepturinae: Lepturini) with description of a new species from Damingshan, Guangxi, south China. *Zootaxa* 4544 (3): 429–436.
- Huang J., Vives E., Yang R. & Chen L. 2016: A review of the genus Gnathostrangalia Hayashi & Villiers, 1985 (Coleoptera: Cerambycidae: Lepturinae) from China. *Entomotaxonomia* 38 (4): 253-264.
- Huang J., Wang W., Zhou Sh. & Wang Sh. 2009: Review of the Chinese species of Apriona Chevrolat, 1852, with proposal of new synonyms (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *Les Cahiers Magellanes* 94: 1-23.
- Huang X.-L., Pan J.-J. & Lin M.-J. 2014: Finding and description on the male of Cortodera baltea Holzschuh, 2003 and new province record from Inner Mongolia (Coleoptera: Cerambycidae:

- Lepturinae: Rhagiini). Pp. 168-172. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Hubweber L. 2010: New Acts and Comments. Cerambycidae, pp. 61-62. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp.
- Hubweber L., Löbl I, Morati J. & Rapuzzi P., 2010: [taxa from the People's Republic of China, Japan, and Taiwan]. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp.
- Hüdepohl K.-E. & Heffern D. J. **2004**: Notes on Oriental Lamiini (Coleoptera: Cerambycidae: Lamiinae). *Insecta Mundi* 16 [2002] (4): 247-249.
- Hummel A. D. 1827: Insectes de 1826. Pp. 1-20. *Essais Entomologiques. Vol. 1, Nr. 6. St. Petersbourg: Chancellerie privée du Ministère de l'Intérieur*, 48 + (1) pp.
- Ilić N. & Ćurčić S. 2015: A checklist of longhorn beetles (Coleoptera: Cerambycidae) of Serbia. *Zootaxa* 4026 (1): 1-97
- Jakobson G. G. **1895**: Tria Coleoptera nova e Rossia europea. *Horae Societatis Entomologicae Rossicae* **29** [1895-1896]: 520-524.
- Jakovlev B. E. [Jakowlew] **1893**: Neodorcadion dux; sp. n. *Horae Societatis Entomologicae Rossicae* **28**: 120-122.
- Jakovlev B. E. [Jakowlew] **1895**: Description de quelques longicornes paléarctiques nouveaux ou peu connus. *Horae Societatis Entomologicae Rossicae* **29** [1894-1895]: 506-514.
- Jakovlev B. E. [Jakowleff] **1899a [April]**: Quelques nouvelles espèces du sous-genre Compsodorcadion Ganglb. *Horae Societatis Entomologicae Rossicae* **33** [1901]: 147-155.
- Jakovlev B. E. [Jakowleff] **1899b [May]**: Nouvelles espèces du genre Dorcadion Dalm. *Horae Societatis Entomologicae Rossicae* **34** [1899-1900]: 59-70.
- Jang H. K., Lee S. H. & Choi W. 2015. *Cerambycidae of Korea*. Seoul: Geobook, 399pp. [in Korean]
- Jingke L., Drumont A., Xueping Zh. & Lin L. 2013: Note on the egg productivity of females of Callipogon (Eoxenus) relictus Semenov-Tian-Shanskij, 1899, and first record for Inner Mongolia Autonomous Region in China (Coleoptera, Cerambycidae, Prioninae). *Les Cahiers Magellanes* (NS) 12: 52-56.
- Jiroux E, Garreaux Ph. & Gurko V. 2012: Note concernant Anamera gigantea Breuning, 1935, et description d'une nouvelles sous-espèces originaire du Balochistan (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* (NS) 7: 18-20.
- Kadyrov A. Kh., Karpiński L., Szczepański W.T., Taszakowski A. & Walczak M. 2016: New data on distribution, biology, and ecology of longhorn beetles from the area of west Tajikistan (Coleoptera, Cerambycidae). *ZooKeys* 606: 41-64.
- Kariyanna B., Mohan M., Gupta R. & Vitali F. 2017: The checklist of longhorn beetles (Coleoptera: Cerambycidae) from India. *Zootaxa* 4345: 317 pp.; 30 cm.
- Kariyanna B., Muthugounder M., Vitali F. & Kurzawa J. 2019: Checklist of Disteniidae and Vesperidae (Coleoptera) from India. *Oriental Insects*: 53(1): 1-13.
<https://doi.org/10.1080/00305316.2018.1531079>
- Karpiński L. & Szczepański W.T. 2018: Xylotrechus (Kostinicytus) alakolensis sp. nov. (Coleoptera, Cerambycidae) from East Kazakhstan. *Zootaxa* 4370 (3): 255-261.
- Kasatkin D. G. 2010: A new species of the genus *Phytoecia* Dejean 1835 (Coleoptera: Cerambycidae) from Eastern Turkey. *Caucasian Entomological Bulletin* **6**(1): 61-62, plate 6.
- Kasatkin D. G. 2012: A new species of the genus *Phytoecia* Dejean 1835 (Coleoptera: Cerambycidae) from Eastern Turkey. *Caucasian Entomological Bulletin* **7**[2011], 2: 143-144, plates 5-6.
- Kasatkin D. G. 2013: A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from Afghanistan. *Caucasian Entomological Bulletin* **9**, 2: 265, plates 5-6.

- Kasatkin D. G. 2015a: A new subgenus of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae: Lamiinae). *Russian Entomological Journal* 24(2): 127-131.
- Kasatkin D. G. 2015b: A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from the Near East. *Caucasian Entomological Bulletin* 11, 1: 43-44, plate 7.
- Kasatkin D. G. 2018: *Pseudopilemia* — a new subgenus of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae). *Russian Entomological Journal* 27(2): 157–160.
- Kierdorf-Traut G. 2007: Notizen zum Vorkommen der Gattung *Brachyta* Fairmaire, 1864 und *Evodinus* LeConte, 1850 in Südtirol (Coleoptera, Cerambycidae). *Gredleriana* 7: 219-232.
- Kiesenwetter E. A. H. von. 1879a: [new taxa: 313, 316]. In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. Brünn: W. Burkart, [1878] 358 pp., 6 pls.
- Kiesenwetter E. A. H. von. 1879b. [new taxa: 57, 60]. In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. *Verhandlungen des Naturforschenden Vereines in Brünn* 17 [1878]: 3-104, pls 5-6].
- Kiseleva E. F. 1927: *O zhykakh – usachakh* (Coleoptera, Cerambycidae) okrestnostey g. Tomska. *Izvestiya Tomskogo Gosudarstvennogo Universiteta* 77 [1926]: 123-133.
- Komiya Z. & Drumont A. 2012a: Description of two new taxa of the genus *Aegosoma* Audinet-Serville, 1832 from Borneo (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 9: 88-97.
- Komiya Z. & Drumont A. 2012b: Description of a New Genus Close to *Aegosoma* (Coleoptera, Cerambycidae, Prioninae) (Revisional Studies of the Genus *Megopis* sensu Lameere, 1909-11). *Elytra* 2 (2): 181-187.
- Komiya Z. & Drumont A. 2014: Supplement to the Genus *Megobaralipton* (Coleoptera, Cerambycidae, Prioninae) (Revisional Studies of the Genus *Megopis* sensu LAMEERE, 1909-13). *Elytra* 4 (2): 187-199.
- Koçak A. Ö. & Kemal M. 2013: *Mallosia* (Eusemnosia) species in South East Turkey (Cerambycidae, Coleoptera). *Miscellaneous Papers* (Centre for Entomological Studies Ankara) 159: 1-3.
- Kotán A. 2014. A new species of *Agapanthia* Audinet-Serville, 1835 from Iran (Coleoptera, Cerambycidae: Lamiinae). *Folia Entomologica Hungarica* 75: 63-68.
- Kotán A. & Sama G. 2011: A new species of *Neoplocaederus* Sama, 1991 from Syria (Coleoptera: Cerambycidae, Cerambycinae). *Folia Entomologica Hungarica* 72: 59-63.
- Kovács T., 2015: Three longhorn beetles new to the fauna of Albania (Coleoptera: Cerambycidae). *Folia Historico Naturali Musei Matraensis* 39: 53-54.
- Kovács T., Németh T. & Merkl O. 2012: Beetles new to Albania, Croatia and Serbia (Coleoptera: Elateridae, Cucujidae, Melandryidae, Cerambycidae). *Folia Historico Naturali Musei Matraensis* 36: 43-44.
- Kraatz G. 1876 [Fußnote, S.318]. In Heyden L. 1876: Die *Cortodera*- (Muls.) und *Grammoptera*- (Serv.) Arten. *Deutsche Entomologische Zeitschrift* 20: 317-320.
- Kraatz G. 1878. [*Dorcadion lederi*: 353-355] In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. Brünn: W. Burkart, 358 pp., 6 pls.
- Kraatz G. 1893: *Dorcadion equestre* Laxm. var. **quadristrigatum** Krtz. *Deutsche entomologische Zeitschrift* 37: 70, 1 pl.
- Krynicky J. [L.], 1832: Enumeratio Coleopterorum Rossiae meridionalis et praecipue in Universitatis Caesariae Charkoviensis circulo obvenientium, quae annorum 1827-1831 spatio observavit.- *Bulletin de la Société Impériale des Naturalistes de Moscou*, 5: [+3pages] 68-179, pls II-III.
- [Krynicky J. I.] 1834 [no author's name in the publication]: Addenda et nonnulla synonyma Rossiae meridionalis Coleopterorum. (vide Bulletin. Vol. v. p. 69).- *Bulletin de la Société Impériale des Naturalistes de Moscou*, 7: 166-173.

- Kuboki M. 2014: Notes on the Lepturine Genus *Pidonia* (Coleoptera, Cerambycidae) from East Asia. *Elytra* 4 (2): 181-185.
- Kuboki M. 2015: Notes on the Lepturine Genus *Pidonia* (Coleoptera, Cerambycidae) from East Asia. *Elytra* 5 (2): 465-474.
- Küçükaykay E. C., Şirin Ü., Çalışkan H. & Şenyüz Y. 2013: Preliminary work on Longhorned Beetles fauna of Kaz Dağları (Ida Mountain) and near with two new subspecies (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 50-62.
- Kumawat M.M., Singh K.M. & Ramamurthy V.V. 2015. A checklist of the Long-horned Beetles (Coleoptera: Cerambycidae) of Arunachal Pradesh, northeastern India with several new reports. *Journal of Threatened Taxa* 7(12): 7879–7901.
- Kurihara T. & Ohbayashi N. 2008. Nomenclatural Notes on the Species, *Oberea flavipennis*, of the Tribe Saperdini of Taiwan (Coleoptera, Cerambycidae, Lamiinae). *Japanese Journal of Systematic Entomology* 14(1): 121-123.
- Laicharting J. N. E. von. 1784: *Verzeichniss und Beschreibung der Tyroler-Insecten. I. Theil. Käferartige Insekten. II. Band.* Zürich: Johann Caspar Füessly, xiv + 176 pp.
- Lameere A. 1912a: Révision des prionides. Vingt-et-unième mémoire: Anacolines [pp. 1-112]. Vingt-deuxième mémoire. Addenda et corrigenda [pp. 113-188]. *Mémoires de la Société Entomologique de Belgique* 21: 1-188.
- Laporte [= de Castelnau] F. L. N. de Caumont & Gory H. L. 1841: *Monographie du genre Clytus*. Paris: Baillière, 3 + 124 pp., 20 pls.
- Lazarev M. A. 2008: Zametki po spornym voprosam sistematiki i rasprostraneniya zhukov-usachey (Coleoptera, Cerambycidae) Rossii i sopredelnykh stran. Pp. 129-136. In: *Aktualnye problemy prioritnykh napravleniy razvitiya estestvennykh nauk. Sbornik statey*. Moskva, Izdatelstvo «Prometey» MPGU: 220c.
- Lazarev M. A. 2009: Armenian *Dorcadion* (Coleoptera: Cerambycidae) of “*cinerarium-group*”. *Studies and Reports of District Museum Prague-East Taxonomic Series* 5: 197-220.
- Lazarev M. A. 2009a: New species of Longicorn-beetle (Coleoptera: Cerambycidae) of the genus *Neoplocaederus* Sama, 1991 from Uzbekistan.- *Caucasian Entomological Bulletin* 5(1): 73-74, plates 3-4.
- Lazarev M. A. 2009b: Taxonomical structure of *Dorcadion* (*Cribridorcadion*) *ciscaucasicum* Jakovlev, 1900 with the description of a new subspecies from Taman. *Eversmannia, Entomological research in the Russia and adjacent regions* No.19-20: 10-15 + 1 plate.
- Lazarev M. A. 2009c: Armenian *Dorcadion* (Coleoptera, Cerambycidae) of “*cinerarium-group*”. *Studies and reports of District Museum Prague-East. Taxonomical Series* 5 (1-2): 197-220.
- Lazarev M. A. 2010a: New species of genus *Dorcadion* (Coleoptera: Cerambycidae) from Transcaucasia. *Eversmannia, Entomological research in the Russia and adjacent regions*, No.21-22: 3-5 + 1 plate.
- Lazarev M. A. 2010b: New subspecies of *Brahyta rosti* Pic, 1900 from North Caucasus (Coleoptera, Cerambycidae). *Lambillionea* 110, 2: 191-196.
- Lazarev M. A. 2010c: New subspecies of *Plagionotus arcuatus* (Linnaeus, 1758) from Transcaucasia and Kyrgyzstan (Coleoptera, Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 6 (1-2): 149-164.
- Lazarev M. A. 2011a: *Murzinia karatauensis*, n. gen., n. sp. (Coleoptera: Cerambycidae: Lamiinae: Monochamini) from Kazakhstan. *Munis Entomology & Zoology* 6 (2): 639-641.
- Lazarev M. A. 2011b: New subspecies of *Brachyta interrogationis* (Linnaeus, 1758) from Caucasus (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 6 (2): 859-865.
- Lazarev M. A. 2011c: A revision of the taxonomic structure of *Dorcadion cinerarium* (Fabricius, 1787) (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 7 (1-2): 255-292.

- Lazarev M. A. 2012: Revision of the taxonomic structure of *Tetrops gilvipes* (Faldermann, 1837) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 1 (4): 944-957.
- Lazarev M. A. 2013a: New subspecies of *Dorcadion scabricolle* (Dalman, 1817) of Iran and Azerbaijan (Coleoptera, Cerambycidae). *Humanity space. International almanac* vol. 2, No 1: 222-234.
- Lazarev M. A. 2013b: New species of *Agapanthia danilevskyi* from South Kazakhstan (Coleoptera, Cerambycidae). *Humanity space. International almanac* vol. 2, No 1: 235-237.
- Lazarev M. A. 2013c: Two new subspecies of *Agapanthia dahli* (Richter, 1821) from Dagestan and Armenia (Coleoptera, Cerambycidae). *Humanity space. International almanac* 2(3): 443-448.
- Lazarev M. A. 2013d: A new subspecies of *Agapanthia dahli* (C. F. W. Richter, 1820) from North-East Kazakhstan (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 9 (1): 127-131.
- Lazarev M.A. 2014a: Taxonomy notes (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 272-285.
- Lazarev M.A. 2014b: New subspecies of *Dorcadion* (Cribridorcadion) *mniszechi* Kraatz, 1873 from Georgia, Armenia and Turkey (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(4): 698-709.
- Lazarev M.A. 2015: New *Dorcadion* (Cribridorcadion) (Coleoptera: Cerambycidae) from Caucasus and Iran. *Humanity Space. International Almanac* 4 (5): 1108-1117.
- Lazarev M.A. 2016a: Subspecies structure of *Brachyta interrogationis* (Linnaeus, 1857) in European Russia (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 5 (2): 192-203.
- Lazarev M.A. 2016b: New data on Longicorn-beetles of the genus *Dorcadion* Dalman, 1817 (Coleoptera, Cerambycidae) from Turkey with descriptions of 3 new species and 4 new subspecies. *Humanity Space. International Almanac* 5 (2): 204-229.
- Lazarev M.A. 2016c: [Species group taxa of Longhorned Beetles (Coleoptera, Cerambycidae) described by G. L. Suvorov and their types preserved in the Zoological Museum of the Moscow State University, in the Zoological Institute of the Russian Academy of Sciences, St. Petersburg and in the Siberian Zoological museum, Novosibirsk]. *Humanity Space. International Almanac* 5 (2): 239-300 [in Russian].
- Lazarev M.A. 2016d: Several taxonomical remarks on Palaearctic Cerambycidae (Coleoptera) with two new names and two new taxa. *Humanity Space. International Almanac* 5, Supplement 2: 12-17.
- Lazarev M.A. 2017a: New subspecies of *Monochamus galloprovincialis* (Olivier, 1795) from Caucasus (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 12 (2): 365-367.
- Lazarev M.A. 2017b: A new subspecies of *Dorcadion* (Cribridorcadion) *talyschense* Ganglbauer, 1884 from Iran (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 6 (5): 878-888.
- Lazarev M. 2019a: Catalogue of Afghanistan Longhorn beetles (Coleoptera, Cerambycidae) with two descriptions of new *Phytoecia* (*Parobereina danilevskyi*, 2018) from Central Asia. *Humanity Space. International Almanac* 8 (2): 104-140.
- Lazarev M. 2019b: A revision of subspecies structure of *Dorcadion* (Cribridorcadion) *nobile* Hampe, 1852 (Coleoptera, Cerambycidae) with description of two new subspecies. Moscow: IAE: 28 pp.
- Lazarev M.A., Plewa R. & Jaworski T. 2016: Two new subspecies of *Agapanthia* (*Epoptes*) *dahli* (C. F. W. Richter, 1820) from South-East Azerbaijan and North Iran. *Humanity Space. International Almanac* 5 (2): 230-238.
- LeConte J. L. 1853: Descriptions of Twenty new species of Coleoptera inhabiting the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 6: 226-235.

- LeConte J. L. 1860: Catalogue of the Coleoptera of Fort Tejon, California. *Proceedings of the Academy of Natural Sciences of Philadelphia* 11 (1859): 69-90.
- Lee Seunghyun & Lee Seunghwan, 2016: A new species of the genus *Falsoibidion* Pic (Coleoptera, Cerambycidae) from Korea. *ZooKeys* 609: 63-68.
- Lee S.-H., Seo J. & Hong K.-J. 2016: First Record of the Genus *Parechthistatus* Breuning (Coleoptera: Cerambycidae: Lamiinae) in Korea. *Korean Journal of Applied Entomology* 54(4): 285-288.
- Lee Seunghyun, Yoo I.-S. & Lee Seunghwan 2016: A New Record of the tribe Atimiini LeConte (Coleoptera: Cerambycidae: Aseminae) in Korea. *Korean Journal of Applied Entomology* 55(3): 303-307.
- Lefebvre A. L. 1835: *Description d'un Coléoptère nouveau*. *Revue Entomologique* (G. Silberman) 3: 303-307.
- Lei C.-Y., Xie G.-L. & Wang W.-K. 2016: Redescription of *Anoplophora viriantennatus* Wang & Jiang, 1998 (Coleoptera: Cerambycidae, Lamiinae). *Huanjing Kunchong Xuebao* 38 (3): 550-556.
- Lepesme P. 1947: Deux remarquables Cérambycides [Col.] nouveaux d'Indochine. *Bulletin de la Société Entomologique de France* 52: 19-21, 2 figs.
- Lepesme P. & Breuning S. 1955: Lamiaires nouveaux de Côte d'Ivoire (Col. Cerambycidae Lamiinae) (2e Note). *Bulletin de la Société Entomologique de France* 60 (7-8): 122-128, 4 figs.
- Lepesme P. & Breuning S. 1955: Longicornes nouveaux du Congo Belge (Coleoptera Cerambycidae). *Revue de Zoologie et de Botanique Africaines* 51 (1-2): 85-97.
- Levrat J. N. G. B. 1858: Description de deux coléoptères nouveaux. *Annales de la Société Linnéenne de Lyon* (2) 5: 261-263.
- Li J.K. 2015: Distribution check list Callichromini Thomson 1860 of China (Coleoptera, Cerambycidae), pp. 5-36. In: *Coleopterorum study of China* (1). Personal Publishing: 48pp.
- Li J.K., Drumont A., Mal N., Lin L., Zhang X. & Gao M. 2014: Checklist of the Prioninae of China with illustrations of genera and subgenera (Coleoptera, Cerambycidae). *Cahiers Magellanes* (NS) 16: 73-109.
- Li Zh., Cuccodoro G. & Chen L. 2014: On the identity of *Oberea formosana* Pic, 1911, with description of *Oberea pseudoformosana* sp. n. from China (Coleoptera: Cerambycidae). *Revue Suisse de Zoologie* 121 (1): 51-62, 6 figs.
- Li Zh., Cuccodoro G. & Chen L. 2015: List of unavailable infrasubspecific names originally published in *Oberea* Dejean, 1835, with nomenclatural notes on the genus (Coleoptera: Cerambycidae). *Zootaxa* 4034 (3): 577-586.
- Li Zh., Cuccodoro G. & Chen L. 2017: Some taxonomic notes on the genus *Oberea* Dejean, 1835 from Asia (Coleoptera, Cerambycidae, Lamiinae). *ZooKeys* 647: 121-136.
- Li Zh., Tian L.-Ch. & Chen L. 2013a: A new species of *Demonax* Thomson (Coleoptera: Cerambycidae: Cerambycinae) from Southwest China, with a key to thirteen species from China. *Zootaxa* 3682 (3): 454-458.
- Li Zh., Tian L., Cuccodoro G., Chen L. & Lu Ch. 2016: Taxonomic note of *Oberea fuscipennis* (Chevrolat, 1852) based on morphological and DNA barcode data (Coleoptera, Cerambycidae, Lamiinae). *Zootaxa* 4136 (2): 360-372.
- Li Zh., Tian L.-Ch. & Chen L. 2013b: New records of a genus and two species of Cerambycinae (Coleoptera, Cerambycidae) from China. *Acta Zootaxonomica Sinica* 38 (2): 443-446.
- Li Zh., Tian L. & Chen L. 2015: A new species of the genus *Meiyingia* Holzschuh, 2010 (Coleoptera, Cerambycidae, Cerambycinae) from China. *Zootaxa*, 3964 (5): 596-600.
- Lim J., Han Y., Lee B., Oh H. & Lyu D. 2012: A new species of *Clytus* Laicharting (Coleoptera: Cerambycidae) from Korea with a key to Korean species. *Entomological Research* 42: 192-195.

- Lim J., Kim I.-K., Lee Y.-S., Kim K.-M., Kim C.-H., Lim J.-S., Park S.-Y. & Lee B.-W. 2013: Three species of Phymatodes Mulsant (Coleoptera: Cerambycidae) new to South Korea that hosted on Vitis vinifera Linnaeus (Vitaceae). *Entomological Research* 43: 358–364.
- Lim J., Lim J.-S. & Lee B.-W. 2013: A new species of Eupogoniopsis and new record of Eupromus ruber (Dalman) (Coleoptera, Cerambycidae) from South Korea. *Entomological Research* 43: 358–364.
- Lin M.-Y. 2013: Three new species of the genus Glenea Newman, 1942 from the Oriental Region (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Pp.: 107-116. In: M.-Y Lin & C.-C. Chen (Eds.). *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Lin M.-Y. 2014: Some new localities of Chinese longhorn beetles. *Les Cahiers Magellanes* (NS) 16(3): 110-150.
- Lin M.-Y. 2015a: Some new localities of Chinese longhorn beetles. *Les Cahiers Magellanes* (NS) 17(2014): 93-98.
- Lin M.-Y. 2015b: *Album of Type Specimens of Longhorn Beetles Deposited in National Zoological Museum of China*. Henan: Henan Science and Technology Press: 374 pp.
- Lin M.-Y. 2017: *Insect Fauna of the Qinling Mountains, volume VI (Coleoptera II), Cerambycid-beetles*. Xi'an: World publishing corporation: 510pp + 37 pls.
- Lin M.-Y. & Aston P. 2014: First record of the subfamily Lepturinae from the Hong Kong Fauna (Coleoptera, Cerambycidae). *Hong Kong Entomological Bulletin* 6 (1): 19-21.
- Lin M.-Y. & Bi W. 2011: A new genus and species of the subfamily Philinae (Coleoptera: Vesperidae). *Zootaxa* 2777: 54–60.
- Lin M.-Y., Bi W.-X. & Jiroux E. 2014: Three new synonyms of *Mecynippus ciliatus* (Gahan, 1888) (Cerambycidae: Lamiinae: Monochamini). *Journal of Insect Biodiversity* 2(5): 1–6.
- Lin M.-Y. & Dai L. 2012: Description of a new species of the genus Glenea from Tibet, China (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *ZooKeys* 216: 5–11.
- Lin M.-Y. & Danilevsky M.L., 2011: Two new subspecies of Eodorcadion Breuning, 1947 (Coleoptera, Cerambycidae) from Helan Mountains (Helanshan), Inner Mongolia. *Euroasian Entomological Journal* 10(3): 381-382, 380, Pl. 8.
- Lin M.-Y. & Danilevsky M.L. 2017: Two new Prioninae (Coleoptera, Cerambycidae) genera from China. *Humanity Space. International Almanac* 6 (1): 46-56.
- Lin M.-Y. & Ge S.-Q. 2017a: Notes on the genera Annamanum Pic and Uraecha Thomson (Coleoptera: Cerambycidae: Lamiinae: Lamiini). *Humanity space. International almanac* 6 (5): 889-915.
- Lin M.-Y. & Ge S.-Q. 2017b: Taxonomic Notes on some Chinese Cerambycidae (Coleoptera). *Humanity space. International almanac* 6 (5): 916-932.
- Lin M.-Y. & Holzschuh C. 2013: *Blamada rubripronota*, a new genus and species of the tribe Saperdini (Coleoptera: Cerambycidae: Lamiinae) from Southeast Asia. *Zootaxa* 3640 (1): 95–100.
- Lin M.-Y. & Lin W. 2011: Glenea changchini sp. nov. from Yunnan of China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2011 5 Aug.: 13-17.
- Lin M.-Y., Lin Y.-L., Li W.-Zh. & Yang X.-K. 2009: Study on Glenea fainanensis species group (Coleoptera, Cerambycidae, Lamiinae). *Acta Zootaxonomica Sinica* 34(2): 214—220.
- Lin M.-Y. & Lingafelter S.W. 2016: Taxonomic notes relating to Glenea diversenotata Schwarzer and G. quadriguttata Pic (Coleoptera, Cerambycidae, Lamiinae). *ZooKeys* 586: 135–144.
- Lin M.-Y. & Lingafelter S.W. 2018: Taxonomic notes on Chinese Lamiinae (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 4482 (2): 367–374.
- Lin M.-Y. & Liu F. 2012: A new species Glenea weigeli n. sp. from Yunnan, China, compared with Glenea loosdregti Breuning (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Les Cahiers Magellanes* 8 (NS): 113-117.

- Lin M.-Y., Montreuil O., Tavakilian G., & Yang X. 2009: Reinstatement of the genus *Heteroglenea* Gahan, with four new combinations, four new synonyms and three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2137: 1–22.
- Lin M.-Y., Tavakilian G. 2014. A strange new species *Glenea judsoni* sp. nov. from Taiwan, China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Pp. 161-167. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Lin M.-Y., Tavakilian G., Montreuil O. & Yang X. 2009: Eight species of the genus *Glenea* Newman, 1842 from the Oriental Region, with description of three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2155: 1–22.
- Lin M.-Y., Tavakilian G., Montreuil O. & Yang X. 2009: A study on the indiana & galathea species-group of the genus *Glenea*, with descriptions of four new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Annales de la Société Entomologique de France* (N. S.) **45** (2): 157-176.
- Lin M.-Y. & Tichý T. 2014: Taxonomic notes on three species described by Fu-Ji Pu (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 14 mars: 127-132.
- Lin M.-Y. & Wang W.-K. 2012: *Parapolytrechus* [sic] *flavotarsus* Wang & Zheng, 2002, a new synonym of *Neoxenicotela mausoni* Breuning, 1947 (Coleoptera: Cerambycidae: Lamiinae). *Entomotaxonomia* 34(2): 391–394.
- Lin M.-Y., Yamasako J. & Yang X. 2014. New records of three species and one genus of the tribe Mesosini from China, with notes on *Golsinda basicornis* Gahan (Coleoptera: Cerambycidae: Lamiinae). *Entomotaxonomia* 36 (4): 267-274.
- Lin M.-Y. & Yang X. 2011a: A new species *Glenea shuteae* sp. nov. from Yunnan, China, compared with *Glenea decolorata* Heller (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Acta Zootaxonomica Sinica* 36(1): 40-44.
- Lin M.-Y. & Yang X. 2011b: *Glenea coomani* Pic, 1926 and its related species of South China with description of a new species. *ZooKeys* 153: 57-71.
- Lin M.-Y. & Yang X.-K. 2012: Contribution to the Knowledge of the Genus *Linda* Thomson, 1864 (Part I), with the Description of *Linda* (*Linda*) *subatricornis* n. sp. from China (Coleoptera, Cerambycidae, Lamiinae). *Psyche* (Cambridge) 2012, Article ID 672684: 8 pages.
- Lin M.-Y. & Yang X.-K. 2014: One new record species, *Ithocritus ruber* (Hope, 1839) from China (Coleoptera: Cerambycidae: Lamiinae: Petrognathini). *Zoological Systematics* 39 (2): 309–312.
- Lin M.-Y., Yang X. & Lin Y. 2009: Taxonomic Notes on *Glenea pseudoscalaris* (Fairmaire, 1895) (Coleoptera, Cerambycidae, Lamiinae). *Longicornists, Special Bulletin of the Japanese Society of Coleopterology*, No. 7: 385-390.
- Lo Cascio P. & Grita F. 2010: A new longhorn beetle from Socotra island (Yemen) (Coleoptera, Cerambycidae). *Fragmenta Entomologica* **41**(1): 123-127.
- Löbl I. 2010: New Acts and Comments. Cerambycidae, pp. 60-61. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera*, Vol. 6. Stenstrup: Apollo Books, 924pp.
- Löbl I. & Smetana A. 2010: New Acts and Comments. Cerambycidae, p. 59. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera*, Vol. 6. Stenstrup: Apollo Books, 924pp
- Löbl I. & Smetana A.(ed.) 2010: *Catalogue of Palaearctic Coleoptera*, vol. 6. *Chrysomeloidea*. Stenstrup, Apollo Books: 924pp.
- Majumder A., Mitra B., Ghate H.V. & Chandra K. 2016: On three species of the genus *Olenecamptus* Chevrolat, 1835 (Coleoptera: Cerambycidae: Lamiinae: Dorcaschematini) from Chhattisgarh, India, with a list of the Indian species. *The Coleopterists Bulletin* 70(2): 321–326.
- Makihara H. 2007. Chapters 2 & 3. Lamiinae: Mesosini: 286-288, 513-523; Homonoieini: 289, 523-527; Apomecynini: 290-294, 527-526; Hippopsini (excluding *Pseudocalamobius*): 295-296,

- 548-553; Pteropliini: 297-302, 554-568; Lamiini: 304-308, 576-605; Batocerini: 309, 605-607; Ancyronotini: 284, 607; Crossotini: 284, 608; Dorcaschematini: 310-311; 608-612; Xenoleini: 311, 612-613; Rhodopinini: 311-312, 613-616; Acanthocinini (Exocentrus, Sciades, Phloeopsis, Boninella): 322-325, 640-650. In: Ohbayashi N. & Niisato T., (ed.). Longicorn Beetles of Japan. Tokai University Press, Kanagawa: 821pp.
- Makihara H. & Nakamura S. 1985: [new taxon]. In: Makihara H., Ohbayashi N., Nakamura S. & Saito A.: New longicorn beetles from Taiwan (Coleoptera, Cerambycidae). *Miscellaneous Reports of the Hiwa Museum of Natural History* **23** (2): 11-19.
- Makihara H. & Niisato N. 2014: A New *Massicus* (Coleoptera, Cerambycidae) from Taiwan. *Elytra, Tokio* (NS) 4 (1): 23-33.
- Makihara H. & Saito A. 1985: [new taxon]. In: Makihara H., Ohbayashi N., Nakamura S. & Saito A.: New longicorn beetles from Taiwan (Coleoptera, Cerambycidae). *Miscellaneous Reports of the Hiwa Museum of Natural History* **23** (2): 11-19.
- Marcu O. 1935: Zur Kenntnis de Coleoptorenfauna von Rumänien, nebst Beschreibung einiger neuen paläarktischen Formen. *Buletinul facultății de științe din Cernăuți* [1934]8: 90–96.
- Marklund D. & Marklund S. 2014: Description of two new species of *Phytoecia* (Pilemia) Fairmaire, 1864 from Eastern Turkey (Coleoptera, Cerambycidae, Phytoeciini). *Lambillionea* **114**, 3: 274-277.
- Marklund S. & Marklund D. 2013: A new species of *Xylotrechus* (Chevrolat, 1860) from Eastern Turkey (Coleoptera, Cerambycidae, Clytini). *Lambillionea* **113**, 1: 7-8.
- Marseul S. A. de. 1870: Descriptions de coléoptères nouveaux. *L'Abeille, Mémoires d'Entomologie* **6** [1869]: 368-384
- Martins U.R., Galileo M.H.M. & Santos-Silva A. 2015. First record of *Molorchus minor minor* (Coleoptera, Cerambycidae) in Brazil. *Revista Brasileira de Entomologia. A journal of Insect Diversity and Evolution* 59: 61.
- Masafumi M. 2014: A new species of the genus *Necydalis* (Coleoptera, Cerambycidae) from Okinawa Island, Japan. *Gekkan-Mushi* 521: 32-34.
- Matsumura S. 1912: **Cerambycidae: 218-223**. In: T. Shiraki. Studies on pest of cotton. *Special bulletin of the Agriculture Experiment Station*, Formosa 5: 1-282, 14 pls.
- Medvedev S.I. & Shapiro D.S. 1957: K poznaniyu fauny zhukov (Coleoptera) Moldavskoy SSR i sopredelnykh rayonov Ukrainy. Trudy nauchno-issledovatel'skogo instituta biologii i biologicheskogo fakulteta Kharkovskogo ordena trudovogo krasnogo znameni gosudarstvennogo universiteta imeni A.M. Gorkogo 30: 173-206.
- Mendel H. The enigmatic *Tetropium parcum* Sharp, 1905 (Cerambycidae). *Coleopterist* 25 (1): 25-26.
- Miroshnikov A. I. 1998: Novaya klassifikatsiya zhukov-drovosekov kompleksa Anoplodera tribu Lepturini (Coleoptera, Cerambycidae) **fauny Golarktiki. II. Entomologicheskoe Obozrenie** **77(3): 587-618**.
- Miroshnikov A. I. 2009: Contribution to the knowledge of the little-known longicorn beetles species – *Phytoecia* (Opsilia) prasina Reitter, 1911 (Coleoptera: Cerambycidae). *Caucasian Entomological Bulletin* **5(2)**: 243-244, Pl. 9-10. [in Russian]
- Miroshnikov A. I. 2011: Novyy vid zhukov-usachey roda *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) iz Yuzhnogo Zakavkazya. *Caucasian Entomological Bulletin* 7 (1): 53-54, plate 4.
- Miroshnikov A. I. 2013a: The longicorn beetle genus *Oligoenoplus* Chevrolat, (Coleoptera: Cerambycidae) in China. *Humanity space. International almanac* 2 (1): 238-246.
- Miroshnikov A. I. 2013b: Razdelenie roda *Oxymirus* Mulsant, 1863 (Coleoptera: Cerambycidae) na podrody. *Humanity space. International almanac* 2 (3): 453-460.

- Miroshnikov A. I. 2014a: New genera and species of the tribe Apatophyseini Lacordaire, 1869 from continental Asia, with notes on the little-known taxa (Coleoptera: Cerambycidae). Pp. 11-50. In: A.S. Konstantinov, S.A. Šlipiňsky & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids (Coleoptera: Cerambycidae). Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014b: A review of the genus *Paraclytus* Bates, 1884, with the description of a new species from China (Coleoptera: Cerambycidae). Pp. 73-132. In: A.S. Konstantinov, S.A. Šlipiňsky & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids (Coleoptera: Cerambycidae). Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014c: A review of the genus *Clytellus* Westwood, 1853, with notes on its systematic position and descriptions of eleven new species (Coleoptera: Cerambycidae). Pp. 133-237. In: A.S. Konstantinov, S.A. Šlipiňsky & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids (Coleoptera: Cerambycidae). Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014d: A new species of the genus *Agastophysis* Miroshnikov, 2014 (Coleoptera: Cerambycidae) from China and corrigenda to the author's publications of 2013 and 2014. *Russian Entomological Journal* 23(3): 195-197.
- Miroshnikov A.I. 2015a: Additions to reviewing the genus *Clytellus* Westwood, 1853 (Coleoptera: Cerambycidae). 1. *Caucasian Entomological Bulletin* 11(2): 369-381 + 9 color plates.
- Miroshnikov A.I. 2015b: New species of the genera *Pachypidonia* Gressitt, 1935 and *Katarinia* Holzschuh, 1991 (Coleoptera: Cerambycidae) from China. *Russian Entomological Journal* 24(4): 285-290.
- Miroshnikov A.I. 2018a: First record of the genus *Corennys* Bates, 1884 (Coleoptera: Cerambycidae) from Russia. *Far Eastern Entomologist* 350: 17-19.
- Miroshnikov A.I. 2018b: The longicorn beetle tribe Cerambycini Latreille, 1802 (Coleoptera: Cerambycidae: Cerambycinae) in the fauna of Asia. 2. A new or little-known species of the genus *Neocerambyx* J. Thomson, 1861. *Russian Entomological Journal* 27 (1): 33-39.
- Miroshnikov A.I. 2018c: The longicorn beetle tribe Cerambycini Latreille, 1802 (Coleoptera: Cerambycidae: Cerambycinae) in the fauna of Asia. 4. New or little-known taxa, mainly from Indochina and Borneo, with reviews or annotated checklists of species of some genera. *Caucasian Entomological Bulletin* 14(2): 197-246, plates 1-6.
- Miroshnikov A.I., Bi W.-X. & Lin M.-Y. 2014: New or little-known species of the genus *Anaglyptus* Mulsant, 1839 (Coleoptera: Cerambycidae) from China. *Caucasian Entomological Bulletin* 10(2): 255-259, plates 5-8.
- Miroshnikov A.I. & Lin M.-Y. 2012: New or little-known species of the genus *Paraclytus* Bates, 1884 (Coleoptera: Cerambycidae) from China. *Caucasian Entomological Bulletin* 8 (2): 246-251, plates 3-6.
- Miroshnikov A.I. & Lin M.-Y. 2014: A new species of the genus *Formosotoxotus* Hayashi, 1960 from China, with additions to the description of *Agastophysis meyingae* Miroshnikov, 2014 (Coleoptera: Cerambycidae). *Russian Entomological Journal* 23(2): 117-120.
- Miroshnikov A.I. & Lin M.-Y. 2015: A review of the genus *Neorhamnusium* Hayashi, 1976 (Coleoptera: Cerambycidae), with descriptions of three new species. *Russian Entomological Journal* 24(4): 291-306.
- Miroshnikov A. I. & Lobanov A. 1990: Novyy vid zhukov-drovosekov roda *Purpuricenus* (Coleoptera: Cerambycidae) iz Afganistana. *Vestnik Zoologii* 1990 (5): 15-18.

- Mitono T. 1941: *Catalogus Coleopterorum Japonicorum*, 94, Cerambycidae, Noda Syobo, Taipei, 283 pp.
- Miwa Y. & Mitono T. 1935 [new taxon]. In: Mitono T. Description of new species of longicorn beetles from Formosa (II). *Transaction of the Natural History Society of Formosa*, 25: 404–405.
- Miwa Y. & Mitono T. 1937: On a new *Necydalis* from Formosa (Coleoptera, Cerambycidae). *Annotationes Zoologicae Japonenses* 16 (3): 161-164, pl. 9.
- Monnerat Ch., Chittaro Y., Sanchez A. & Gonseth Y. 2015: Liste commentée des Lucanidae, Cetoniidae, Cerambycidae (Coleoptera) de Suisse. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft (Bulletin de la Societe Entomologique Suisse)* 88: 173–228.
- Motschulsky V. de. [Motchoulski M.V. de.] 1859c: Coléoptères du gouvernement de Jakoutsk, recueillis par M. Paulofski. - *Mélanges biologiques tirés du Bulletin de l'Académie impériale des sciences de St. Pétersbourg* 3(2): 221-238.
- Motschulsky V. de [Motchoulski] 1860. Coléoptères rapportés de la Songarie par M. Sémenof et décrits par V. de Motchoulski. *Mélanges biologiques tirés du Bulletin de l'Académie impériale des sciences de St. Pétersbourg* 3(3): 290-309.
- Motschulsky V. de. 1861: Coléoptères rapportés en 1859 par M. Sévertsef des Steppes méridionales des Kirghises. *Mélanges biologiques tirés du Bulletin de l'Académie impériale des sciences de St.-Pétersbourg* 3(4): 408-452.
- Mukhopadhyay P. 2011: On a collection of Insecta: Coleopera [Coleoptera]: Cerambycidae and Curculionidae (Brachyderinae and Otiorrhynchinae) from Uttarakhand. *Records of the Zoological Survey of India* 111 (2): 75-88.
- Müller G. 1949-50. 1. Fam. CERAMBYCIDAE. Pp. 15-224. In: *I coleotteri della Venezia Giulia. Catalogo regionato con tabelle dichotomiche per la classificazione delle specie della regione adriatica orientale, del Veneto e della pianura padana. Volume II: Coleoptera Phytophaga (Cerambycidae, Chrysomelidae, Bruchidae)*. Trieste: Centro sperimentale agrario e forestale (Pubblicazione N. 4) [1949-1953], 685 + [1] pp. [note: issued in parts: pp. 1-80 in 1949, 81-224 in 1950, 225-368 in 1951, 369-480 in 1952, 481-685 in 1953].
- Müller J., Jarzabek- Müller A. & Bussler H. 2013. Some of the rarest European saproxylic beetles are common in the wilderness of Northern Mongolia. *Journal of Insect Conservation* 17 (5): 989–1001.
- Mulsant E. 1847: Description de deux coléoptères nouveaux, constituant chacun une nouvelle coupe générique. *Annales des Sciences Physiques et Naturelles, d'Agriculture et d'Industrie de Lyon* 10: 515-521, pl. 7.
- Mulsant E. 1851b. Description d'une espèce nouvelle de Longicorne.- *Mémoires de l'Académie des Sciences, Belles-Lettres et Arts de Lyon*, (2) 1: 194-196.
- Mulsant E. 1856. Description d'une nouvelle espèce de longicorne, constituant un nouveau genre dans cette tribu de Coléoptères.- *Annales de la Société Linnéenne de Lyon*, 3: 157-159.
- Mulsant E. & Rey C. 1852: Description de quelques Coléoptères nouveaux ou peu connus. *Annales de la Société Linnéenne de Lyon* (nouvelle série) 1: 2-9.
- Mulsant E. & Rey C. 1875b. Description d'une espèce nouvelle de longicorne. *Opuscles entomologiques* 16: 77-79.
- Muraj Xh. 1960: Inventarizimi i fam. Cerambycidae në vendin tonë. *Buletin i Universitetit Shtetëror të Tiranës, Seria Shkencat Natyrore* 14, Nr. 4: 137-141.
- Nakamura Sh., Makihara H., Kurihara T. & Yamasako J. 2014. Check-list of Longicorn-beetles of Taiwan. *Miscellaneous Report of the Hiwa Museum for the Natural History* 55: 1-278. Shinsei art Pub., Shobara, Hiroshima, Japan.
- Navrátil D. & Rozsival M. 2016: A new species of the genus *Coptosia* (s.l.) Fairmaire, 1864 from Central Georgia (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 11 (1): 1-3.

- Newman E. 1840c. Entomological notes. *The Entomologist* 2: 17-32.
- Newman E. 1844: Description of *Toxotus rugipennis*, a new Beetle belonging to the Stirps Macrocera, and the Order Cerambycites. *The Zoologist: a popular miscellany of Natural History* 2: 476-477. John Van Voorst, London.
- Niisato T. 1998: Three New Obrium (Coleoptera, Cerambycidae) from Northern Vietnam. *The Japanese Journal of Systematic Entomology* 4 (2): 267-276, 6 figs.
- Niisato T. 2009: A new callidine genus and species (Coleoptera, Cerambycidae) from Sakhalin Island, Russia. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 205-210.
- Niisato T. 2013: Longipalpus wenhsini sp. nov. (Coleoptera, Cerambycidae, Cerambycinae, Obriini) discovered from southern Taiwan. Pp.: 63-68. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Niisato T. 2015a: A New Stenhomalus (Coleoptera, Cerambycidae) from Hainan, Southwest China. *Elytra* 5 (2): 475-479.
- Niisato T. 2015b: Discovery of the Genus Clytellus WESTWOOD (Coleoptera, Cerambycidae) from Eastern Taiwan. *Elytra* 5(2): 495-499.
- Niisato T. & Chou W.-I 2014: A New Diplothorax Gressitt et Rondon (Coleoptera, Cerambycidae) discovered from Taiwan. *Elytra*, NS, 4 (2): 159–162.
- Niisato T. & Chou W.-I. 2018: Eight New Taxa and a New Record of the Genera Obrium Dejean and Stenhomalus A. White (Coleoptera: Cerambycidae) from China and Taiwan. *Japanese Journal of Systematic Entomology* 24 (1): 73–88.
- Niisato T., Chou W.-I & Kusakabe Y. 2009: Taxonomic notes on the genus *Cyrtoclytus* (Coleoptera, Cerambycidae) from China and Indochina. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 221-235.
- Niisato T., Chou W.-I. & Lin M. 2018: Taxonomic Studies on the Genus Holangus Pic (Coleoptera, Cerambycidae) from China. *Elytra*, New Series 8 (1): 85–101.
- Niisato T. & Han Ch.-D. 2011: A revision of the genus Amamiclytus Ohbayashi from Taiwan and the Ryukyu Islands (Coleoptera, Cerambycidae). *ZooKeys* 118: 19–52.
- Niisato T. & Han Ch.-D. 2013: The Genus Amamiclytus (Coleoptera, Cerambycidae) Firstly Recorded from the Mainland China. *Elytra* 3 (1): 165-172.
- Niisato T. & Han Ch.-D. 2017: A new clytine genus related to Psilomerus Chevrolat (Coleoptera, Cerambycidae) from Hainan, southwestern China. *Elytra*, NS 7: 201-2016.
- Niisato T. & Liu B. 2018: A New Eduardiella (Coleoptera, Cerambycidae) from Guangxi, China. *Elytra* (NS) 8 (2): 275–277.
- Niisato T. & Oh S. H. 2016. A New Obrium (Coleoptera, Cerambycidae) from the Korean Peninsula. *Elytra*, Tokyo, New Series 6 (1): 33–39.
- Obregon R., Fonseca N., Costa H. & Marabuto E. 2015: Primera cita del endemismo iberico Plagionotus andreui Fuente, 1908 para Portugal y otros aspectos interesantes de su interaccion con sus plantas hospedadoras (Coleoptera, Cerambycidae). *Archivos Entomoloxicos* 14: 47-52.
- Oh S.H. 2013: Two Additional Species of the Subfamily Cerambycinae (Coleoptera, Cerambycidae) from the Korean Peninsula. *Elytra* 3 (1): 161-163.
- Oh S.H. & Jang H.K. 2015: Three Additional Species of the Subfamily Cerambycinae (Coleoptera, Cerambycidae) from Korea. *Elytra*, New Series, 5 (2): 501–503.
- Oh S.H. & Lee S.H. 2013: Four Species of the Subfamily Lamiinae (Coleoptera, Cerambycidae) Newly Recorded from Korea. *Elytra* 3(2): 301-304.
- Ohbayashi N. 2008: A revisional study of the Macroleptura genus-group (Coleoptera: Cerambycidae: Lepturinae). *Special Publication of the Japan Coleopterological Society, Osaka* 2: 407-438.

- Ohbayashi N. 2014: A New Genus *Gahanaspia* for *Leptura miniacea* Gahan, 1906 (Coleoptera, Cerambycidae, Lepturinae). *Elytra*, Tokyo, New Series 4 (1): 17–22.
- Ohbayashi N. 2018: A New Subspecies of *Anoplophora horsfieldii* (Hope, 1842) (Coleoptera: Cerambycidae: Lamiinae). *Japanese Journal of Systematic Entomology* 24 (1): 39–42.
- Ohbayashi N. & Bi W.-X. 2014. A New *Anoplophora* Species from Xizang, China and its Adjacent Area (Coleoptera, Cerambycidae, Lamiinae). Pp. 156-160. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Ohbayashi N. & Chou W.-I. 2013: Revision of the Genus *Leptura* Linnaeus, 1758 of Taiwan (Coleoptera: Cerambycidae: Lepturinae). Studies on the Taiwanese Lepturinae, IV. Pp.: 17-40. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Ohbayashi N. & Chou W.-I. 2014: Notes on the *Taiwanocarilia atra* (Tamanuki, 1943) (Coleoptera: Cerambycidae) Studies on the Taiwanese Lepturinae, V. *Japanese Journal of systematic Entomology* 20 (2): 247-249.
- Ohbayashi N. & Chou W.-I. 2016: Some Taxonomic Changes for Taiwanese Lepturinae (Coleoptera: Cerambycidae) Studies on the Taiwanese Lepturinae, VII. *Japanese Journal of systematic Entomology* 22 (1): 11-16.
- Ohbayashi N., Kurihara T. & Niisato T. 2008: Some taxonomic changes on the Japanese Cerambycidae, with description of a new subspecies (Coleoptera). *Japanese Journal of systematic Entomology* 11: 287-298.
- Ohbayashi N. & Lin M.-Y. 2012: Studies on the Chinese Lepturinae (Coleoptera, Cerambycidae) I. Genera *Nivelliomorpha* Boppe, 1920 and *Houzhenzia* gen. nov. *Elytra*, Tokyo, New Series 2 (1): 13–19.
- Ohbayashi N. & Lin M.-Y. 2012: A Review of the Asian Genera of the Petrognathini, with Description of a New Species and Proposal of a New Synonym (Coleoptera, Cerambycidae, Lamiinae). *Japanese Journal of systematic Entomology* 18 (2): 235-251.
- Ohbayashi N. & Lin M.-Y. 2013: Studies on the Chinese Lepturinae (Coleoptera: Cerambycidae), II. Notes on the Genus *Ischnostrangalis* Ganglbauer, 1890. Pp. 41-56. In: M.-Y Lin & C.-C. Chen (Eds.). *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Ohbayashi N., Lin M.-Y. & Yamasako J. 2016. Revision of the Caraphiini, New Tribe (Coleoptera, Cerambycidae, Lepturinae). *Zootaxa* 4084 (2): 187-217.
- Ohbayashi N., Tichý T. & Bi W.-X. 2018: Studies on the genus *Emeileptura* from China (Coleoptera: Cerambycidae: Lepturinae). *Japanese Journal of Systematic Entomology* 24 (1): 29–38.
- Olivier A. G. 1797. *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; precede d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot et d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire Naturelle. Insectes. Tome septième. Pars II*. Paris: Panckoucke, 369-827 pp.
- Özbek H., Özdikmen H. & Aytar F. 2015: Contributions of the longhorned beetles knowledge of Turkey by the subfamilies Aseminae, Saphaninae, Spondylidinae, Cerambycinae and Stenopterinae (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (1): 291-299.
- Özdikmen G. & Özdikmen H. 2016. A contribution to knowledge of Turkish longhorned beetles fauna from Çorum province in Northern Anatolia (Coleoptera: Cerambycidae). *Munis Entomology & Zoology*, 11 (1): 39-51.
- Özdikmen H. 2010: The Turkish Dorcadiini with zoogeographical remarks (Coleoptera, Cerambycidae, Lamiinae). *Munis Entomology & Zoology* 5, No. 2: 380-498.

- Özdikmen H. 2012a: Naked lists of Turkish Cerambycoidea and Chrysomeloidea (Coleoptera). *Munis Entomology & Zoology* 7 (1): 51-108.
- Özdikmen H. 2012b: The longhorned beetles that originally described from whole territories of Turkey (Coleoptera: Cerambycoidea) Part II - Cerambycidae (Cerambycinae and Stenopterinae). *Munis Entomology & Zoology* 7 (2): 699-707.
- Özdikmen H. 2012c: The longhorned beetles that originally described from whole territories of Turkey (Coleoptera: Cerambycoidea) Part III - Cerambycidae (Dorcadioninae). *Munis Entomology & Zoology* 7 (2): 759-779.
- Özdikmen H. 2013: An attempt on subgeneric composition of the genus *Stenurella* Villiers, 1974 (Cerambycidae: Lepturinae: Lepturini). *Munis Entomology & Zoology* 8 (2): 509-531.
- Özdikmen H. 2015a: A new subgenus to *Conizonia* Fairmaire, 1864 (Cerambycidae: Lamiinae: Phytoeciini). *Munis Entomology & Zoology* 10 (1): 49-52.
- Özdikmen H. 2015b: A new synonym of *Dorcadion* (Cribridorcadion) *andirinense* Bernhauer & Peks, 2011 (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 289-290.
- Özdikmen H. 2015c: Holotype and paratypes designations of *Phytoecia* (Helladia) *humeralis caneri* Özdikmen & Turgut, 2010 (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (1): 300-300.
- Özdikmen H. 2015d: A new subspecies of *Pseudovadonia livida* (Fabricius, 1777) from Turkey (Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 10 (2): 319-321.
- Özdikmen H. 2015e: *Mallosia imperatrix tauricola* K. Daniel, 1904 stat. nov. (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (2): 370-371.
- Özdikmen H. 2016a: Two new species group taxa of Cortodera (Coleoptera: Cerambycidae: Lepturinae) from Turkey with updated species group list. *Munis Entomology & Zoology* 11 (1): 4-17.
- Özdikmen H. 2016b: Survey of the *Dorcadion mnischei* Species-Group (Coleoptera: Cerambycidae) from Turkey, with Descriptions of Two New Subspecies of *Dorcadion semibrunneum* Pic, 1903. *Acta zoologica bulgarica*, 68 (3): 305-310.
- Özdikmen H. 2016c: Updated List of *Chlorophorus* Chevrolat, 1863 (Coleoptera: Cerambycidae: Cerambycinae) Species from Turkey, With Two New Restorations. *Pakistan Journal of Zoology* 48 (2): 365-376.
- Özdikmen H. 2016d: Dorcadionini of Turkey (Coleoptera: Cerambycidae). *Journal of Natural History* 50: 2399-2475.
- Özdikmen H. 2017a: A new species of *Phytoecia* (*Phytoecia*) Dejean from Turkey (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 12 (1): 23-26.
- Özdikmen H. 2017b: A new subspecies of *Phytoecia* (*Phytoecia*) *pustulata* (Schrank, 1776) from Turkey (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 12 (1): 54-55.
- Özdikmen H. 2017c: Updated species group taxa of *Phytoecia* (*Phytoecia*) Dejean in Turkey with a new status (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 12 (1): 110-119.
- Özdikmen H. 2017d: A taxonomic note on Turkish *Dorcadion* (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 12 (2): 397-398.
- Özdikmen H. 2017e: Introduction and establishment of three species of the genus *Anoplophora* Hope in Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 12 (2): 481-485.
- Özdikmen H. 2017f: A complete list of invasive alien longhorned beetles species for Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 12 (2): 508-515.
- Özdikmen, H. 2019a: *Stenhomalus* (Obriopsis) *bicolor yazelae* ssp. nov. from Turkey (Cerambycidae: Cerambycinae). *Munis Entomology & Zoology* 14 (1): 9-13]
- Özdikmen H. 2019:b *Dorcadion* (Cribridorcadion) *neslihanbae* sp. nov. from Turkey (Cerambycidae: Lamiinae: Dorcadionini). *Munis Entomology & Zoology* 14 (1): 19-23.

- Özdikmen H., Al-Hamadani N. D. S. & Ali M. A. 2013: A new species of *Dorcadion* Dalman, 1817 from Iraq (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 1-3.
- Özdikmen H. & Ali M. A. 2016: A new arrangement of *Plagionotus* (Neoplacionotus) *speciosus* (Adams) (Coleoptera: Cerambycidae: Cerambycinae). *Munis Entomology & Zoology* 11 (2): 278-284.
- Özdikmen H. & Ali M. A. 2017: Four genera and species new for the fauna of Iraq with a new subspecies, *Pseudovadonia livida irakensis* (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 12 (2): 375-379.
- Özdikmen H., Ali M. A. & El-Hamadani N. 2014: New Records for Longhorned Beetles Fauna of Iraq (Coleoptera: Cerambycidae). *Pakistan Journal of Zoology* 46 (1): 267-270.
- Özdikmen H., Atak Ş. & Uçkan F. 2017a: A new subspecies of *Anaglyptus mysticoides* Reitter, 1894, *Anaglyptus mysticoides obscurissimus* Pic, 1901 stat. nov., from Turkey (Coleoptera: Cerambycidae: Cerambycinae). *Munis Entomology & Zoology* 12 (1): 68-70.
- Özdikmen H., Atak, Ş. & Uçkan, F. 2017b. A new subspecies of *Plagionotus arcuatus* (Linnaeus, 1758) from Turkey (Coleoptera: Cerambycidae: Cerambycinae). *Munis Entomology & Zoology*, 12 (1): 89-93.
- Özdikmen H. & Aytar F. 2012a: Subgeneric arrangement of *Mallosia* Mulsant, 1862 with three new subgenera, and a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 653-662.
- Özdikmen H. & Aytar F. 2012b: A new subspecies of *Isotomus comptus* (Mannerheim, 1825) from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 691-694.
- Özdikmen H. & Aytar F. 2014. A new subspecies of *Callidium aeneum* (Degeer) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 599-601.
- Özdikmen H. & Aytar F. 2012c: A new subspecies of *Asemum tenuicorne* Kraatz, 1879 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 1252-1255.
- Özdikmen H., Aytar F., Cihan N., Şamlı N., Özbek H. & Kaya G. 2013: A synopsis of Palearctic genus *Calchaenesthes* Kraatz, 1863 with a new species of *C. primis* sp. n. from Turkey (Cerambycidae: Cerambycinae). *Munis Entomology & Zoology* 8 (1): 148-153.
- Özdikmen H. & Cihan N. 2015a: *Oberea* (*Amaurostoma*) *erythrocephala amanica* Holzschuh, 1993 rest. nov. (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (1): 238-240.
- Özdikmen H. & Cihan N. 2015b: A new synonym of *Cortodera rufipes* (Kraatz, 1876) (Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 10 (1): 281-282.
- Özdikmen H., Cihan N. & Kaya G. 2014a: An approval for acception as a separate species of *Purpuricenus nudicollis* Demelt, 1968 (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 724-726.
- Özdikmen H., Cihan N. & Kaya G. 2014b: A Survey of Turkish *Stenocorus* Geoffroy, 1762 (Coleoptera: Cerambycidae) with a New Species *Stenocorus* (s.str.) *guveni*. *Pakistan Journal of Zoology* 46 (3): 697-706.
- Özdikmen H. & Kaya G. 2013: *Dorcadion* (*Megalodorcadion*) *Pesarini* & *Sabbadini*, 1998 with a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 493-501.
- Özdikmen H. & Kaya G. 2015a: A propose to new arrangement on some *Dorcadionini* (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (1): 1-10
- Özdikmen H. & Kaya G. 2015b: *Dorcadion* (*Cribridorcadion*) *javeti* Kraatz, 1873 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 166-168.
- Özdikmen H. & Kaya G. 2015c: *Dorcadion* (*Cribridorcadion*) *gebzeense* Breuning, 1974 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 186-187.
- Özdikmen H. & Kaya G. 2015d: *Dorcadion* (*Maculatodorcadion*) *phrygicum* Peks, 1993 stat. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 199-200.

- Özdikmen H. & Kaya G. 2015e: *Dorcadion* (Cribridorcadion) *obsoletum* Kraatz, 1873 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 222-224.
- Özdikmen H. & Kaya G. 2015f: *Dorcadion* (Cribridorcadion) *paracinerarium* Breuning, 1974 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 252-254.
- Özdikmen H. & Kaya G. 2015g: *Dorcadion muchei* Breuning, 1962 rest. nov. and *Dorcadion subatritarse* Breuning, 1962 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 272-276.
- Özdikmen H. & Kaya G. 2016: A New Species of *Dorcadion* Dalman, 1817 (Coleoptera: Cerambycidae) from Turkey. *Acta Zoologica Bulgarica* 68 (1): 21-24.
- Özdikmen H., Kaya G. & Al-Hamadani N. 2014: A New Species of *Dorcadion* Dalman, 1817 (Coleoptera: Cerambycidae) from Turkey. *Acta Zoologica Bulgarica* 66 (2): 179-180.
- Özdikmen H., Kaya G. & Cihan N. 2014: A proposal on a new taxonomical arrangement of *Aromia moschata* (Linnaeus) species group (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 761-764.
- Özdikmen H. & Koçak Ö. 2013: A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 672-676.
- Özdikmen H. & Koçak Ö. 2015: A New Species of *Dorcadion* (Cribridorcadion) (Coleoptera: Cerambycidae) in Turkey. *Florida Entomologist* 98(2):439-441.
- Özdikmen H. & Koçak Ö. 2016a. Two subspecies of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology*, 11 (2): 355-358.
- Özdikmen H. & Koçak Ö. 2016b. Two subspecies of *Dorcadion infernale* Mulsant & Rey, 1863 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 11 (2): 477-481
- Özdikmen H., Mercan N. & Cihan N. 2012a: A new species of the genus *Stenurella* Villiers, 1974 from Turkey (Coleoptera: Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 7, No. 1: 18-21.
- Özdikmen H., Mercan N. & Cihan N. 2012b: A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7, No. 1: 550-554.
- Özdikmen H., Mercan N. & Cihan N. 2012c: A new subspecies of *Dorcadion halepense* (Kraatz, 1873) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (1): 604-606.
- Özdikmen H., Mercan N. & Cihan N. 2012d: A new subspecies of *Cortodera pumila* Ganglbauer, 1882 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 746-748.
- Özdikmen H. & Özbek H. 2012: A new species of *Cortodera* Mulsant, 1863 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 931-934.
- Özdikmen H. & Özdikmen G. 2016: Updated world species list of the subgenus *Phytoecia* (Neomusaria) Plavilstshikov, 1928 with two new species from Turkey (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 11 (2): 492-500.
- Özdikmen H. & Şenyüz Y. 2015: A New Species of *Megalodorcadion* (Anatolodorcadion) (Coleoptera: Cerambycidae) in Turkey. *Florida Entomologist* 98(2):439-441.
- Özdikmen H. & Turgut S. 2010a: An overview on the palaearctic subgenus *Phytoecia* (Pilemia) fairmaire, 1864 with a new species *Phytoecia* (Pilemia) *samii* sp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 5, No. 1: 90-108.
- Özdikmen H. & Turgut S. 2010b: An overview on the W-Palaearctic subgenus *Phytoecia* (Helladia) Fairmaire, 1864 with a new subspecies *Phytoecia* (Helladia) *humeralis caneri* ssp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology*, 5 (2): 317-343.
- Özdikmen H. & Turgut S. 2015: A new subspecies *Phytoecia* (Helladia) *humeralis* from Turkey (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (2): 384-387.

- Pak O.V. & Skrylnik Yu.E. 2014: A new subspecies of *Pogonarthron* (s. str.) *petrovi* Danilevsky, 2004 (Coleoptera: Cerambycidae) from Tajikistan. *Eversmannia, Entomological research in the Russia and adjacent regions* 40: 7-8 + plate 2.
- Panzer G. W. F. 1789: *Einige seltene Insecten. Der Naturforscher* 24: 1-35.
- Pascoe F. P. 1860b: On some new Longicornia from the Moluccas. *The Annals and Magazine of Natural History*, London (3) 5 (12): 119-122.
- Pascoe F.P. 1865b: A second Series of Descriptions of New Australian Longicornia. *The Journal of Entomology* 2 (12) 26: 352-374, pl. XVI.
- Pascoe F. P. 1866: Longicornia Malayana or, a descriptive catalogue of the species of the three Longicorn families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part III). *The Transactions of the Entomological Society of London*, (3)3: 225-336.
- Pascoe F. P. 1867e: Supplement to the List of Australian Longicornia. *The Journal of the Linnean Society of London. Zoology* 9: 300-308.
- Pascoe F. P. 1868: Contributions to a Knowledge of the Coleoptera. Part I (continued). *The Proceedings of the Entomological Society of London for the year 1868*: xi-xiii.
- Pascoe F. P. 1869a: Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VII). *The Transactions of the Entomological Society of London*. (3)3: 497-552, 553-712.
- Pascoe F. P. 1869b: XXIV. Descriptions of some new species of Lamiidæ. *The Annals and Magazine of Natural History* 4 (4) 21: 203-211.
- Paulian A. 1986: Contribution à la connaissance de la faune entomologique de la Corse 5^e note (addenda). *L'Entomologiste* 42: 91-98.
- Peks H. 2010: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Türkei, Umgebung Iznik (Coleoptera, Cerambycidae, Lamiinae). *Coleoptera* 14: 213-220.
- Perger R. & Vitali F. 2012: Revision of the genus *Megacriodes* Pascoe, 1866, a new synonym of *Batocera* Laporte de Castelnau, 1840 (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* NS 7: 1-17.
- Pesarini C., Rapuzzi P. & Sabbadini A. 2004: [new taxon, p. 158-162]. In: Pesarini C. & Sabbadini A.: Descrizione di due nuove specie di Lepturini di Grecia, note sulle specie affini e considerazioni sistematiche, sinonimiche e nomenclatoriali. *Bollettino de la Società Entomologica Italiana* 136: 157-172.
- Pesarini C. & Sabbadini A. 1999: Osservazioni sistematiche su alcuni *Dorcadion* della fauna anatolica, con descrizione di 9 nuovi taxa (Coleoptera, Cerambycidae). *Annali del Museo Civico di Storia Naturale di Ferrara* 1 (1998): 45-61.
- Pesarini C. & Sabbadini A. 2004: Descrizione di due nuove specie di Lepturini di Grecia, note sulle specie affini e considerazioni sistematiche, sinonimiche e nomenclatoriali. *Bollettino de la Società Entomologica Italiana* 136: 157-172.
- Pesarini C. & Sabbadini A. 2009: Sei nuovi taxa di Cerambycidae della fauna turca e greca (Coleoptera). *Annali del Museo Civico di Storia Naturale di Ferrara* 12: 15-32.
- Pesarini C. & Sabbadini A. 2010: Ricerche sui *Dorcadionini* di Grecia. IV. Le specie della Macedonia e della Tracia (Coleoptera Cerambycidae).- *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano* 151(2):179-216.
- Pesarini C. & Sabbadini A. 2011: Note su Cerambycidae di Grecia e Turchia, con descrizione di tre nuove specie e una nuova sottospecie (Coleoptera). *Annali del Museo Civico di Storia Naturale di Ferrara* 13 (2010): 41-59.
- Pesarini C. & Sabbadini A. 2013a: Note su *Dorcadion* turchi, con descrizione di cinque nuove specie e tre nuove sottospecie (Coleoptera Cerambycidae). *Annali del Museo Civico di Storia Naturale di Ferrara* 14/15 (2011/2012): 51-64.

- Pesarini C. & Sabbadini A. 2013b: Nuovi Dorcadion di Grecia e di Turchia (Coleoptera Cerambycidae). *Il Naturalista Valtellinese* 23: 33-44.
- Pesarini C. & Sabbadini A. 2014: New species of Dorcadionini from Turkey (Coleoptera: Cerambycidae). *Naturalista Valtellinese* 25: 15-22.
- Pesarini C. & Sabbadini A. 2015. New or interesting longhorn beetles from China and Burma (Coleoptera: Cerambycidae). *Il Naturalista Valtellinese – Atti del Museo Civico di Storia Naturale di Morbegno* 26: 25-58.
- Petri K. 1885: *Ergebnisse entomologischer Excursionen im Gebiete Schässburg*. Programm des evangelischen Gymnasiums A.B. in Schäussburg, Horeth: 1-66.
- Pic M. 1889a: Un peu de longicornes. *L'Échange, Revue Linnéenne* 5: 4-5 [note: issue mispaginated, pages 4-5 are in fact pages 20-21]
- Pic M. 1890e: [new taxa]. *Bulletin de la Société Entomologique de France* 1889: clxxv-clxxvi.
- Pic M. 1891: Extraits du Bulletin de la Société entomologique de France. Un Longicorne nouveau. Séance du 14 octobre 1891. *L'Echange, Revue Linnéenne* 7 (84): 133.
- Pic M. 1891a: *Descriptions de longicornes de Syrie*. Lyon: L. Jacquet: 1-3.
- Pic M. 1892a: Descriptions et corrections. *L'Échange, Revue Linnéenne* 8: 4.
- Pic M. 1892b: Petite étude sur le genre *Stenopterus* Steph. *L'Échange, Revue Linnéenne* 8: 21-23.
- Pic M. 1897c: Nouvelles variétés de longicornes. *Revue Scientifique du Bourbonnais* 10: 30-32.
- Pic M. 1897p: Descriptions de coléoptères. *Bulletin de la Société d'Histoire Naturelle d'Autun* 10(2), 295-300.
- Pic M. 1898v: Diagnose d'une variété nouvelle de *Phytoecia* (Col.). *Bulletin de la Société Entomologique de France* 1898: 334-335.
- Pic M. 1900f: Catalogue bibliographique et synonymique d'Europe et des régions avoisinantes comprenant les régions suivantes: Région circuméditerranéenne. Région caucasique. Région transcaspienne. La Perse, le Turkestan, la Sibérie. *Matériaux pour servir à l'étude des longicornes 3ème cahier, 2ème partie*. Lyon: Imprimerie Jacquet Frères, 66 pp.
- Pic M. 1903: Espèces et variétés nouvelles de Coléoptères.- *L'Échange, Revue Linnéenne* 19 (227): 169-171.
- Pic M. 1905: Enumération des Longicornes recueillis en Asie par M. de Morgan. *Bulletin du Muséum National d'Histoire Naturelle de Paris* 11: 390-393.
- Pic M. 1909b: Descriptions ou diagnoses et notes diverses (Suite). *L'Échange, Revue Linnéenne* 25: 97-100, 105-106, 113-115, 121-123, 129-131, 137-139, 145-146, 153-156, 161-162, 177-179, 185-186.
- Pic M. 1914g: Coléoptères exotiques en partie nouveaux (Suite). *L'Échange, Revue Linnéenne* 30: 27-28, 38-40.
- Pic M. 1927: Sur quelques Coléoptères nouveaux ou récemment décrits. *Bulletin de la Société entomologique de France* 10: 167-168.
- Pic M. 1927: Coléoptères exotiques en partie nouveaux (Suite.). *L'Échange, Revue Linnéenne* 43 (427): 4, 7-8.
- Pic M. 1935d: Notes diverses, nouveautés. *L'Échange, Revue Linnéenne* 51: 3-4, 5-8, 11-12, 13-15.
- Pic M. 1935f: Notes entomologiques et descriptions (Coléoptères). *Bulletin de la Société Zoologique de France* 60 (2): 169-172.
- Pic M. 1947a: Coléoptères du globe (suite). *L'Échange, Revue Linnéenne* 63: 1-4, 5-8, 9-12.
- Pic 1953: Complément à l'étude des Saperdini (Longicornes). *Diversités Entomologiques* 12: 1-4.
- Pic T. 1907: Deux nouvelles variétés du "Dorcadion divisum" Germ. *L'Échange, Revue Linnéenne* 23: 179.
- Plavilstshikov N. N. 1927: Zametki o zhukakh-drovosekakh Kavkaza. II. (Coleoptera, Cerambycidae). *Izvestia Stavropolskogo entomologicheskogo obshchestva* 3 (1): 1-7.

- Plavilstshikov N.N. 1932: *Evodinus interrogationis* L. und die zugehörigen Formen (Coleoptera, Cerambycidae). *Folia Zoologica et Hydrobiologica* 4 (1): 16-31.
- Plavilstshikov N.N. 1932a: *Zhuki-drovoseki vrediteli drevesiny*. Moskva-Leningrad. Gosudarstvennoe Lesnoe Tekhnicheskoe Izdatel'stvo. 200pp.
- Plavilstshikov N. N. 1932b: Lepturinen-Studien (Col., Cerambycidae). I. *Časopis Československé Společnosti Entomologické* 29: 87-88, 174-175.
- Plewa R., Górski P., Gazurek T., Tylkowski S., Szewczyk M. & Byk A. 2018: New Data on the Occurrence of Longhorn Beetles (Coleoptera: Cerambycidae) in Albania. *Acta Zoologica Bulgarica* 70 (2): 179-183.
- Plewa R., Marczak D., Borowski J., Mokrzycki T., Jakubowski M. & Górski P. 2015: New Data on the Occurrence of Longhorn Beetles (Coleoptera: Cerambycidae) in the Republic of Macedonia. *Acta zoologica bulgarica* 67 (1): 43-50.
- Podaný C. 1953: Quelques nouvelles aberrations de Cerambycidae.- *Bulletin de la Société Entomologique de Mulhouse* 1953: 49-52.
- Portevin G. 1927: Tableaux dichotomiques pour la détermination des longicornes de France. *Encycopédie Entomologique* 2. Supplément. Paul Lechevalier, Paris, 53 pp.
- Pu F. J. 1991: New genus and species of Cerambycinae, with new records of longicorn beetles from China (Coleoptera: Cerambycidae). *Sinozoologia* 8: 247-252.
- Ragusa E. 1884: Coleotteri nuovi o poco conosciuti della Sicilia. *Il Naturalista Siciliano* 3 [1883-1884]: 332-335.
- Rapuzzi P. 2012: *Agapanthia* (Epopetes) *paki* sp. n. from central Afghanistan (Coleoptera: Cerambycidae). *Humanity space. International almanac* 1, No 4: 958-960.
- Rapuzzi P. 2013: *Pachyta gorodinskii* n. sp. from Western China (Qinghai) (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology*, 8 (1): 466-467.
- Rapuzzi P. 2015: *Kabatekiipsebium yemenensis* new genus and new species from Arabic Peninsula (Coleoptera Cerambycidae). *Biodiversity Journal* 6 (3): 753-756.
- Rapuzzi P. 2017: *Ropalopus boreki* n. sp. from Peloponnese, South Greece (Coleoptera Cerambycidae Callidiini). *Biodiversity Journal* 8 (3): 865-867.
- Rapuzzi P. & Arcorace L. 2018: *Purpuricen* (s. str.) *coccineus* Breit, 1917: a distinct species endemic from Calabria, Italy (Coleoptera Cerambycidae Cerambycinae Purpuricenini). *Biodiversity Journal* 9 (1): 89-94.
- Rapuzzi P. & Grego B. 2013: First record of *Trichoferus pallidus* (Olivier, 1790) for Italy (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 712-713.
- Rapuzzi P. & Jeniš I. 2015a: Two new species of *Pseudosphegesthes* Reitter, 1913 from Greece and Turkey (Coleoptera Cerambycidae). *Biodiversity Journal* 6 (3): 749-752.
- Rapuzzi P. & Jeniš I. 2015b: A new species of *Clytus* Laicharting, 1784 from Greece (Coleoptera Cerambycidae). *Biodiversity Journal* 6 (3): 767-769.
- Rapuzzi P., Kuleshov D. A., Fazal T. M., Ahmed Z. & Hussain A. 2019: New or interesting records of Longhorn beetles fauna of Pakistan (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 14 (1): 62-79
- Rapuzzi P. & Sama G. 2010a: Considerazioni tassonomiche su alcuni Cerambycidi di Sicilia e descrizione di tre nuove sottospecies (Coleoptera: Cerambycidae). *Lambillionea*, 110, 1: 127-131.
- Rapuzzi P. & Sama G. 2010b: Description of new Cerambycidae from Greece, Turkey, northern Syria and China (Insecta Coleoptera Cerambycidae). *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 29 (2009): 181-188.
- Rapuzzi P. & Sama G. 2012: New taxa and new records of Longhorn-Beetles from Eastern Mediterranean Region (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology* 7 (2): 663-690.

- Rapuzzi P. & Sama G. 2013: A new species of *Apatophysis* Chevrolat, 1860 from Jordan (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **8** (2): 682-684.
- Rapuzzi P. & Sama G. 2014a: Descriptions of nine new species of longhorn beetles (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **9** (1): 1-16.
- Rapuzzi P. & Sama G. 2014b: Revision of the *Purpuricenus interscapillatus* species - group and allied taxa (Coleoptera, Cerambycidae). *Fragmenta entomologica*, Roma **45**(2013), 1-2: 143-171.
- Rapuzzi P. & Sama G. 2018: New taxa and notes on the systematic of Palearctic Longhorn-beetles (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **13** (1): 1-39.
- Rapuzzi P., Sama G. & Kotán A. 2013: Two new *Agapanthia* Audinet-Serville, 1835 species from Greece (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **8** (2): 582-587.
- Rapuzzi P., Sama G. & Tichy T. 2011: Description of a new species of *Poecilium* Fairmaire, 1864 from Syria. *Munis Entomology & Zoology* **6** (2): 673-675.
- Reiche L. 1877b: [les descriptions de trois nouvelles espèces de coléoptères de la famille des Longicornes]. *Bulletin de la Société Entomologique de France* **1877**: cxxxv-cxxxvii.
- Reiche L. 1877c: [la description de deux nouvelles espèces de longicornes]. *Bulletin de la Société Entomologique de France* 1877: cxi-cxli.
- Reiche L. 1878a: [description de deux nouvelles espèces de Longicornes]. *Bulletin de la Société Entomologique de France* **1877**: cxlix-cl.
- Reitter E. 1902e: Neue Coleopteren aus Europa und den angrenzenden Ländern. *Deutsche entomologische Zeitschrift* [1901] **2**: 187-188.
- Reitter E. 1908: Sieben neue Coleopteren aus Europa und den angrenzenden Ländern. *Wiener Entomologische Zeitung* **27**: 213-216.
- Ren Ch., Chen L. & Li Zh. 2016: Comparative morphology study of the male genitalia of the genus *Aegosoma* from China (Coleoptera: Cerambycidae), with a new record species. *Zoological Systematics* **41**(4): 415-426.
- Ritsema C. 1895: Two new species of exotic longicorn beetles. *Notes from the Leyden Museum* **16** (3 & 4): 157-160.
- Ritsema C. 1906: Note VII. A new Longicorn Beetle from Sumatra. *Notes from the Leyden Museum* **28** (1-2): 137-138.
- Roguet D. 2013: *Miaenia* nomen revalidatum pro *Sciades* Pascoe, 1864 (nec Müller & Troschel, 1849) (Coleoptera : Cerambycidae : Lamiinae). *Le Coléoptériste, Bulletin de liaison de l'ACOREP* **15** (3): 153-155.
- Roguet J.-P. 2017: Note synonymique concernant le genre *Agnioides* Breuning et son espèce-type (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* (NS) **28**: 104-105, 1 fig.
- Rondon J. & Breuning S. 1970: *Lamiines du Laos*. *Pacific Insects Monograph* **24**: 315-571, 54 figs.
- Rost C. 1892b: *Brachyta bifasciata* Ol. var. *caucasica* Rost. *Entomologische Nachrichten* **18** (6): 81.
- Roubal J. 1937: Description de quelques Cérambycides nouveaux des Carpathes tchécoslovaques. *Miscellanea Entomologica* **38** (8): 81-82.
- Sabol O., Smetana M., Kubinec V. & Martinů I. 2016: *Phymatodes puncticollis*, *Anoplophora glabripennis* a *Dorcadion arenarium* – tři nové druhy tesaříků (Coleoptera, Cerambycidae) pro Slovensko.- *Entomofauna carpathica* **28**(1): 19-22.
- Sama G. 2010: New Acts and Comments. Cerambycidae, pp. 49-58. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera*, Vol. 6. Stenstrup: Apollo Books, 924pp.
- Sama G., 2011: [new taxon] p. 826. In: Sama G., Jansson N., Avcı M., Sarıkaya O., Coşkun M., Kayış T. & Özdikmen H. Preliminary report on a survey of the saproxylic beetle fauna living on old hollow oaks (*Quercus* spp.) and oak wood in Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **6** (2): 819-831.

- Sama G., Dascalu M. & Pesarini C. 2010: Description of *Dorcadion gashtarovi* n.sp. (Coleoptera, Cerambycidae) from Romania and Bulgaria with review of the closely related species. *North-Western Journal of Zoology* 6 (2): 286-293.
- Sama G., Katbeh-Bader A. & Miloud Mahdi D., 2002: A preliminary catalogue of the Cerambycidae of Jordan (Coleoptera). *Bulletin de la Société entomologique de France* 107 (5): 471-487.
- Sama G. & Rapuzzi P.: 2011. Description of three new species of longhorn beetles (Coleoptera, Cerambycidae) from Turkey and Syria. *Biodiversity Journal* 2 (2): 85-88
- Sama G., Rapuzzi P. & Kairouz A. 2010: Catalogue commenté des Cerambycidae du Liban. An annotated catalogue of the Cerambycidae of Lebanon (Insecta Coleoptera Cerambycidae). *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 30: 131-201.
- Sama G. & Sudre J. 2010: Description of *Crossotus kadleci* from Yemen (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 5, Supplement: 953-956.
- Sama G. & Székely K., 2010: Description of a new species of *Mallosia* (*Eumallosia*) from Iran (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 5, Supplement: 896-899.
- Santos-Silva A. 2015: On *Stenocorus vittatus* Fabricius, 1801 (Coleoptera, Cerambycidae, Cerambycinae). *Papéis Avulsos de Zoologia* 55 (26): 373-374.
- Santos-Silva A., Heffern D. & Matsuda K., 2010: Revision of Hawaiian, Australasian, Oriental and Japanese Parandrinae (Coleoptera, Cerambycinae).- *Insecta Mundi*, 0130: 1-120.
- Santos-Silva A. & Hovore F.T. 2007: Divisão do gênero *Distenia* Lepeletier & Audinet-Serville, notas sobre a venação alar em Disteniini, homônímias, sinonímia e redescrições (Coleoptera, Cerambycidae, Disteniinae). *Papéis Avulsos de Zoologia* 47 (1): 1-29.
- Say T. 1824: Descriptions of Coleopterous Insects collected in the late Expedition to the Rocky Mountains, performed by order of Mr. Calhoun, Secretary of War, under the command of Major Long. *Journal of the Academy of Natural Sciences of Philadelphia* 3[1823] (2): 403-462.
- Saz A. del 2012: Descripción de una nueva subespecie de Dorcadionini de la Península Ibérica: Iberodorcadion (Hispanodorcadion) perezi perchini ssp. n. (Coleoptera, Cerambycidae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* 51: 99-104.
- Saz A. del 2013: Descripción de una nueva subespecie de Cerambycidae de la Comunidad de Madrid (España): Iberodorcadion (Hispanodorcadion) bolivari danielae ssp. n. y ampliación de la corología de los taxones I. bolivari Lauffer, 1898 e I. martinezii Pérez Arcas, 1874 (Coleoptera). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* nº 53 (31/12/2013): 111-119.
- Saz Fucho A., Corraleño Iñarra A. & Murria Beltran A. 2016: Descripción de una nueva especie de Dorcadionini para la comunidad de Aragón (españa): Iberodorcadion (Hispanodorcadion) abantense sp. N. (Coleoptera, Cerambycidae, Lamiinae). *Biocosme Mesogéen* 32 (3-4): 51-64.
- Seki K. & Kobayashi K. 1935: Description of a new longicorn-beetle from Japan. *Entomological World, Tokyo* 3: 225-227, 1 fig..
- Semenov A. P. 1896: Coleoptera asiatica nova. VII. *Horae Societatis Entomologicae Rossicae* 30 [1896-1897]: 238-259.
- Shapovalov A. M. 2009: New species of the genus *Agapanthia* Serville, 1835 (Coleoptera, Cerambycidae) from South-West Kazakhstan.- *Eversmannia, Entomological research in the Russia and adjacent regions*, N19-20: 16-20 + 1 plate.
- Shapovalov A.M. 2011. Materialy k faune zhukov-usachey (Coleoptera, Cerambycidae) proektiruemogo zapovednika "Shaitantau" (Orenburgskaya oblast), pp. 100-116. In: A.B. Rusakov (red.): Trudy, vyp. 1. Orenburg: Orenburgskoe otdelenie Russkogo Entomologicheskogo Obshchestva: 128p.
- Shapovalov A.M. 2013: A new species and taxonomic changes in the genus *Compsidia* Mulsant, 1839 (Coleoptera, Cerambycidae). *Euroasien Entomological Journal* 12(2): 139-143.

- Shapovalov A.M. 2014: Review of the subgenus *Kostinicyltus* Danilevsky, 2009 of the genus *Xylotrechus* Chevrolat, 1860 (Coleoptera: Cerambycidae). *Caucasian Entomological Bulletin* 10(1): 245-253, plate 4.
- Siering G. 2014a: Bockkäfer-Beobachtungen in Albanien (Coleoptera, Cerambycidae). *Entomologische Nachrichten und Berichte* 58(3): 251-255.
- Siering G. 2014b: Zur Kenntnis der Bockkäfer-Fauna des Prespa-Nationalparks in Albanien (Coleoptera, Cerambycidae). *Entomologische Blätter und Coleoptera* 110: 71-80.
- Siering G., Fremuth W. & Hienemann K. 2015: Die Bockkäfer-Fauna (Coleoptera, Cerambycidae) des Prespa-Nationalparks in Albanien. *Entomologische Blätter und Coleoptera* 111: 43-55.
- Siering G. & Shumka S. 2015: Die Bockkäfer-Fauna (Coleoptera, Cerambycidae) des Shkumbin-Tales und weiterer Gebiete bei Librazhd (Albanien). *Entomologische Blätter und Coleoptera* 111: 459-463.
- Siering G., Shumka S. & Rothe U. 2016: Beitrag zur Kenntnis der Bockkäfer-Fauna Albaniens (Coleoptera, Cerambycidae). *Entomologische Blätter und Coleoptera* 112 (2): 41-50.
- Skale A. 2018a: Bemerkungen zur Gattung *Chelidonium* Thomson, 1864, Teil 1 (Coleoptera: Cerambycidae: Callichromatini). *Koleopterologische Rundschau* 88: 221-235.
- Skale A. 2018b: Zur Taxonomie, Synonymie und Faunistik der Callichromatini der orientalischen und indoaustralischen Region (Insecta: Coleoptera: Cerambycidae: Callichromatini). Bemerkungen zur Gattung *Polyzonus* Dejean, 1835: Teil 1. *Vernate* 37: 325-393.
- Skale A. & Weigel A. 2012: Systematik, Taxonomie und Faunistik der Apomecynini der orientalischen und australischen Region (Insecta: Coleoptera: Cerambycidae: Lamiinae). Revision der Gattung *Sybra* Pascoe, 1865 und Anmerkungen zu weiteren Gattungen, Teil 3. *Vernate* 31: 477-499, 8 pls.
- Skale A. & Weigel A. 2017: Zur Taxonomie, Synonymie und Faunistik der Callichromatini der asiatisch-australischen Region (Coleoptera: Cerambycidae, Callichromatini). Bemerkungen zur Gattung *Aphrodisium* Thomson 1864: Teil 1. *Vernate* 36: 313-319.
- Skrylnik Yu. E. 2010: Two new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from Afghanistan. *Lambillionea* 110, 2: 258-262.
- Sláma M. 2010: Contribution to the recognition of Cerambycidae (Cerambycidae). *Biocosme Méditerranéenne, Nice* 27(3): 74-86.
- Sláma M. 2015a: Taxonomic remarks on some west-palaearctic longhorn beetles (Coleoptera, Cerambycidae) and description of a new subspecies. *Biocosme méditerranéenne, Nice* 32 (1-2): 33-50.
- Sláma M. 2015b: Redescriptions of two taxa (Coleoptera: Cerambycidae) introduced by M.Sláma (2015). *Humanity Space. International Almanac* 4(5): 1118-1119.
- Sláma M. 2015c: Descriptions of new taxa from Europe and Southwest Asia (Coleoptera: Cerambycidae). *Humanity Space. International Almanac* 4(5): 1120-1133.
- Sláma M. 2017a: Descriptions of two new species in the genus *Agapanthia* (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 6(1): 61-68.
- Sláma M. 2017b: A contribution to the recognition of two Longicorn species *Cerambyx cerdo* Linnaeus, 1758 and *Monochamus saltuarius* (Gebler, 1830) (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 6 (5): 933-938.
- Sláma M. 2017c: Poznámky k výskytu čtyř druhů tesaříků ve Střední Evropě. *Entomofauna carpathica* 29(2): 58-62.
- Sláma M. 2019a: *Cerambyx cerdo* iranicus Heyrovský, 1951 and other subspecies of *Cerambyx cerdo* Linnaeus, 1758 (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 8 (2): 199-207.
- Sláma M. 2019b: A description of two new subspecies of European Longhorn-Beetles (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 8 (2): 208-214.

- Sláma M. & Sorli A.S. 2001: Contribución al reonomiento de Longicornios Españoles (Coleoptera: Cerambycidae). *Biocosme Méditerranéen*, Nice 17 (2000): 247-251.
- Ślipinski S.A. & Escalona H.E. 2013: *Australian Longhorn Beetles (Coleoptera: Cerambycidae) Volume 1, Introduction and Subfamily Lamiinae*. Clayton: CSIRO publishing: i-xviii + 484, 221 figs.
- Starck A. E. 1890: *Coleoptera nova Imperii Rossici. III. Wiener Entomologische Zeitung* 9 (2): 71-75.
- Steiner S. & Schmid H. 2013: Eine neue Agapanthia-Art (Coleoptera: Cerambycidae: Lamiinae: Agapanthiini) aus Griechenland. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 65: 1-4.
- Stierlin W. G. 1886-1898: *Fauna insectorum Helvetiae. Coleoptera Helvetiae*. Zweiter Band. Schaffhausen : Fr. Rothmel & Cie: 3-662 + iii-xii.
- Stiller V. 1935: Eine neue Art der gattung Caenoptera Thoms. aus Ungarn. (Col. Ceramb.). *Mitteilungen der Deutschen Entomologischen Gesellschaft* 5 [1934]: 37-39.
- Švec R. & Doubek L. 2016: [*Pogonocherus eugeniae eugeniae*] Faunistic records from the Czech Republic - 405. Coleoptera: Cerambycidae. *Klapalekiana* 52: 103–104.
- Takakuwa M. 2015: Taxonomical Review on a Japanese Group Having Degenerated Hind Wings of the Lamiine Genus Neosybra (Coleoptera, Cerambycidae), with Description of a New Subspecies. *Elytra* 5 (1): 219-227.
- Takakuwa M. & Niisato T. 1996: The genus Necydalis (Coleoptera, Cerambycidae) from Northern Vietnam, with Descriptions of Two New Taxa. *Bulletin of the Kanagawa Prefectural Museum (Natural Sciences)* 25: 77-86, 34 figs.
- Tamanuki K. 1939b: *Family Cerambycidae I. Disteninae, Lepturinae*. In: *Fauna niponica, Vol. 10* (8) no. 14: 1-126. (in Japanese).
- Tatur-Dytkowski J., Trzeciak A. & Górski P. 2017: Calamobius filum (Rossi, 1790) (Coleoptera: Cerambycidae) – nowy dla fauny Polski gatunek chrząszcza. *Wiadomości Entomologiczne* 36 (1): 32-35.
- Tavakilian G. L. 2013: Nouveaux actes nomenclaturaux pour 2013 (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 12: 108-111.
- Tavakilian, G. (Author) & Chevillotte, H. (Software) 2018: *Titan: base de données internationales sur les Cerambycidae ou Longicornes*. Version [02/10/2018]. [<http://titan.gbif.fr>]
- Tavakilian G. & Jiroux E. 2015: New nomenclatural changes for 2015 (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 20: 76-81.
- Tavakilian G. & Nearn E.H. 2014: New nomenclatural changes for 2014: I. The genus Rhytiphora Audinet-Serville, 1835 (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* NS 15: 99-108.
- Tekin K. & Özdikmen H. 2015: A contribution of Turkish longhorned beetles fauna from Bursa (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (1): 122-130.
- Teocchi P. 1987: Diagnose d'un Berningerus nouveau du musée de Florence et note sur Pterolophia rustenbergi Distant (Coleoptera Cerambycidae Lamiinae). *Bulletin de la Société Sciences Nat* 55: 26-27, 2 figs.
- Teocchi P., Sudre J. & Jiroux E. 2010: Synonymies, diagnoses et bionomie de quelques Lamiinae africains (16e note) (Coleoptera, Cerambycidae Lamiinae). *Les Cahiers Magellanes* (NS) 2: 1-30, 35 figs.
- Thomson J 1857: Monographie de la tribu des anacolites, de la famille des longicornes [pp.7–20 + 3 pls. in livr. 1]. In: Thomson J (Ed) *Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome premier*. Paris: Bureau du Trésorier de la Société entomologique de France, 514 + [1] pp., XXI pls.

- Thomson J. 1868: Révision du groupe des oncidérites (lamites, cérambycides, coléoptères). *Physis Recueil d'Histoire Naturelle* 2 (5): 41-92.
- Tian L., Chen L. & Li Zh., 2012: A new species of *Artimpaza* Thomson (Coleoptera, Cerambycidae, Cerambycinae) from China, with a key to the Chinese species of the genus. *Zootaxa* 3282: 42–44.
- Tian L.-Ch., Chen L. & Li Zh. 2013: Four new record species of Cerambycinae from China (Coleoptera, Cerambycidae). *Acta Zootaxonomica Sinica* 38 (1): 200-202.
- Tippmann F.F. 1958: Die Cerambyciden (Coleoptera) der Forschungsreisen J. Klapperich's in Afghanistan 1952 und 1953. *Koleopterologische Rundschau* 35 [1957] (1-6): 37-63 + Taf.
- Tomé M. 2012: Conexiones geológicas del Dorcadion (Iberodorcadion) perezi Graëlls, 1849 en la Sierra de Guadarrama (España). *Revista gaditana de Entomología* 3 (1-2): 41- 50.
- Tomé M. 2013a: Nuevos datos y posición sistemática de Dorcadion (Iberodorcadion) marinae (Tomé & Bahillo, 1996), con una sinonimia del taxón palentinum Lauffer, 1911 (Coleoptera, Cerambycidae). *Revista gaditana de Entomología* 4 (1): 83-97.
- Tomé M. 2013b: Rehabilitación de Dorcadion (Iberodorcadion) demandense Escalera, 1902 y Dorcadion (Iberodorcadion) almarzense Escalera, 1902 (Coleoptera, Cerambycidae). *Archivos Entomológicos* 8: 121-128.
- Tomé M. 2013c: Nueva revisión del género Iberodorcadion Breuning, 1943 (Coleoptera, Cerambycidae): Revalidación de la sinonimia de los subgéneros. *Archivos Entomológicos* 9: 183-195.
- Tomé M. 2014: Nuevas exploraciones y posición taxonómica de Dorcadion tricolor Schramm 1910, Dorcadion albarium Escalera 1902, Dorcadion turdetanum Lauffer 1911 y Dorcadion bilbilitanum Escalera 1914 (Coleoptera, Cerambycidae). *Revista Gaditana de Entomología* 5 (1): 133-148.
- Toropov S.A. & Milko D.A. 2013: *Longhorns of the tribe Dorcadionini (Coleoptera, Cerambycidae) of Kazakhstan and Middle Asia*. Bishkek: 104p.
- Tournier H. 1872: Catalogue des longicornes récoltés par M. Théophile Deyrolle, en Imerétie, Mingrélie et Georgie, et description des espèces nouvelles. *Revue et Magasin de Zoologie Pure et Appliquée* (2) 23: 257-261, 276-292, 338-349.
- Tsherepanov [=Cherepanov] A. I. 1971: Novyy vid roda *Chlorophorus* (Coleoptera, Cerambycidae). Pp. 14-16. In: *Novye i maloizvestnye vidy fauny Sibiri* 4. Novosibirsk: Nauka, 107 pp.
- Tsherepanov A. I. 1973b: [new taxon]. Pp. 80-85. In: Tsherepanov A. I. & Tsherepanova N. E. 1973: Novyy rod i vid drovoseka (Coleoptera, Cerambycidae) dlya fauny SSSR. Pp. 79-85. In: *Novye i maloizvestnye vidy fauny Sibiri* 7. Novosibirsk, Nauka, 148 pp.
- Tsherepanov A. I. 1973c: Novye vidy zhukov-drovosekov roda *Exocentrus* (Coleoptera, Cerambycidae). Pp. 138-139. In: *Novye i maloizvestnye vidy fauny Sibiri* 7. Novosibirsk: Nauka, 148 pp.
- Turton W. 1806. A general System of Nature, through the three grand kingdoms of animals, vegetables and minerals; systematically divided into their several classes, orders, genera, species and varieties with their habitations, manners, economy, structure and peculiarities. London, Lockington, Allen & Co., 2: 1-784.
- Vartanis J. 2016. *Vadonia samosensis* sp. nov., description of a new species from Greece—the island Samos (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 11 (2): 678-68.
- Vartanis J. 2017. *Vadonia persica* sp. nov. from Iran and *Vadonia klichai* sp. nov. from Greece, two new species of the genus *Vadonia* (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 12 (1): 341-345.
- Vartanis J. 2018a: A new subspecies of *Purpuricenus kaehler* (Linnaeus, 1758) (Coleoptera: Cerambycidae) from Corsica Island, France. *Munis Entomology & Zoology* 13 (1): 40-42.

- Vartanis J. 2018b: A new subspecies of *Ropalopus insubricus* Germar, 1824 (Coleoptera: Cerambycidae) from Aiguines, France. *Munis Entomology & Zoology* 13 (1): 55-57.
- Vartanis J. 2018c: A new subspecies of *Cerambyx cerdo* Linnaeus, 1758 from Bulgaria (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 13 (1): 76-78.
- Vartanis J. 2019a: *Stictoleptura orientalis* sp. nov., description of a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 14 (1): 14-18.
- Vartanis J. 2019b: *Vadonia albanica* sp. nov. - description of a new species from Albania (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 14 (1): 104-107.
- Vartanis J. & Ambrus R. 2015: A new species of the genus *Purpuricen* Dejean, 1821 from Greece (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (2): 315-318.
- Veiga-Ferreira G. 1971: 1. Contribuição para o estudo dos Cerambycídeos de Angola. *Novos Taxa Entomológicos* 88: 1-7, pls I-II.
- Verdugo A. 2009: Descripción de *Vesperus barredai* (Coleoptera, Cerambycidae, Vesperinae), nueva especie de cerambycido de la Península Ibérica. *Boletín de la Sociedad Andaluza de Entomología* 16: 21-32.
- Verdugo A. 2014: Acerca de la verdadera identidad de *Dorcadion mucidum* var. *nigrosparsum* Pic, 1941, descripción de *Iberodorcadion* (Baeticodorcadion) *chiqui* n. sp. y rehabilitación de *Dorcadion parmeniforme* Escalera, 1902 (Cerambycidae: Lamiinae: Dorcadionini). *Revista gaditana de Entomología*, 5 (1): 159-174.
- Verdugo A. & Torres-Méndez J. L. 2010: *Pogonocherus pepa* sp. n., nuevo Cerambycido béticomagrebí (Coleoptera: Cerambycidae: Lamiinae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* 46: 109–113.
- Viktora P. 2014: Contribution to knowledge of the Clytini Mulsant, 1839 and Anaglyptini Lacordaire, 1869 (Coleoptera: Cerambycidae: Cerambycinae) from the Oriental and Australian Regions. *Studies and reports of District Museum Prague-East. Taxonomical Series* 10 (1): 205-226.
- Viktora P. 2015a: A description of two new species of the genus *Cyrtoclytus* Ganglbauer, 1882 from collections of MNHN Paris (Coleoptera, Cerambycidae, Cerambycinae, Clytini). *Les Cahiers Magellanes* 17: 29-34.
- Viktora P. 2015b: New species of Clytini Mulsant, 1839 from Palaearctic and Oriental Regions (Coleoptera: Cerambycidae: Cerambycini). *Folia Heyrovskyana*, series A, vol. 23 (2): 137-143.
- Viktora P. 2016: New species of Clytini Mulsant, 1839 from China (Coleoptera: Cerambycidae: Cerambycinae). *Folia Heyrovskyana*, series A, vol. 24(2): 67-76.
- Viktora P. 2018a: *Demonax magus* sp. nov. from Malaysia (Coleoptera: Cerambycidae: Cerambycinae: Clytini). *Studies and Reports. Taxonomical Series* 14 (2): 491-496.
- Viktora P. 2018b: *Petraphuma*, a new genus of Clytini (Coleoptera, Cerambycidae, Cerambycinae). *Folia Heyrovskyana*, series A, vol. 26(1): 143-150.
- Viktora P. & Lin M.Y. 2012: Some new country records of five species of *Glenea* Newman (Coleoptera: Cerambycidae: Lamiinae: Saperdini) from the Oriental Region. *Entomotaxonomia* 34 (1): 50-57.
- Viktora P. & Liu B. 2018a: New Anaglyptini from China (Coleoptera, Cerambycidae, Cerambycinae). *Folia Heyrovskyana*, series A, vol. 26(1): 151-160.
- Viktora P. & Liu B. 2018b: Notes on Asian Compsocerini Thomson, 1864 (Coleoptera, Cerambycidae, Cerambycinae) with descriptions of four new species and one new record. *Folia Heyrovskyana*, series A, 26 (2): 121-142.
- Viktora P. & Liu B. 2018c: New species of the Clytini Mulsant, 1839 from China (Coleoptera, Cerambycidae, Cerambycinae). *Folia Heyrovskyana*, series A, 26 (2): 81-120.
- Viktora P., Liu B. & Zhang T., 2017: A new species of the Clytini Mulsant, 1839 (Coleoptera, Cerambycidae, Cerambycinae) from China. *Folia Heyrovskyana*, series A, vol. 25(2): 157-162.

- Viktora P. & Tichý T. 2015a: A contribution to the knowledge of Anaglyptini Lacordaire, 1869 of Sichuan (China) with description of two new species (Coleoptera, Cerambycidae, Cerambycinae). *Les Cahiers Magellanes* (NS) 17: 6-19.
- Viktora P. & Tichý T. 2015b: New Asian species of Paraclytus Bates, 1884 (Coleoptera: Cerambycidae: Cerambycinae: Anaglyptini). *Folia Heyrovskyana*, series A, vol. 23(1): 102-114.
- Viktora P. & Tichý T. 2016: A description of two new species of Clytini Mulsant, 1839 from China (Coleoptera, Cerambycidae, Cerambycinae). *Les Cahiers Magellanes* (NS) 24: 64-74.
- Viktora P. & Tichý T. 2017: Two new species of Clytini Mulsant, 1839 from Tibet (Coleoptera: Cerambycidae: Cerambycinae). *Folia Heyrovskyana*, series A, vol. 25(1): 64-71.
- Vitali F. 2011: Une nouvelle espece d'Acanthocinus du Portugal (Coleoptera, Cerambycidae). *Lambillionea* 111(2): 161-164.
- Vitali F. 2012: Nouvelles données faunistiques sur les Longicornes du Grand-Duché de Luxembourg (Coleoptera, Cerambycidae). *Lambillionea* 112(3): 235-240.
- Vitali F. 2014: Taxonomic revision of the genus Nemophas Thomson, 1864 (Coleoptera, Cerambycidae). *Lambillionea* 113 [2013], 3: 267-271.
- Vitali F. 2016: Plagionotus (s. str.) detritus detritus (Linné, 1758), nouveau pour le Grand-Duché de Luxembourg, avec des notes synonymiques sur l'espèce (Coleoptera, Cerambycidae). *L'Entomologiste* 72 (5): 315-318.
- Vitali F. 2018a: The Acalolepta australis species-group, with revalidation of Dihammus Thomson, 1864 as a subgenus (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* 31: 25-39.
- Vitali F. 2018b. Atlas of the Insects of the Grand-Duchy of Luxembourg: Coleoptera, Cerambycidae. *Ferrantia* 79, Musée national d'histoire naturelle, Luxembourg, 208 p.
- Vitali F., Chemin G. & Gouverneur X. 2015: Révision du genre Pseudopachydissus Pic, 1933 (Coleoptera Cerambycidae). *L'Entomologiste* 71 (3): 185-188.
- Vitali F., Gouverneur X. & Chemin G. 2017: Revision of the tribe Cerambycini: redefinition of the genera Trirachys Hope, 1843, Aeolesthes Gahan, 1890 and Pseudaeolesthes Plavilstshikov, 1931 (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* 26: 40-65.
- Vives E. 2013a: Notas sobre algunos Purpuricenini asiáticos (Coleoptera, Cerambycidae). *Nouvelle Revue d'Entomologie* (NS) 28 [2012] (3/4): 215-222.
- Vives E. 2013b: Leptochroma, a new genus of Callichromatini from China (Coleoptera, Cerambycidae). Pp.: 85-92. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Vives E. 2015: Revision of the genus Trypogeus Lacordaire, 1869 (Cerambycidae, Dorcasominae). *ZooKeys* 502: 39-60.
- Vives E. 2017: Two New Callichromatine Genera (Coleoptera, Cerambycidae) from Sumatra and North Vietnam. *Special Bulletin of the Coleopterological Society of Japan* 1: 215-220.
- Vives E., Bentanachs J. & Chew S. 2008: Notes sur les Callichromatini asiatiques (II). Nouveaux genres et espèces de Callichromatini du nord du Bornéo (Coleoptera, Cerambycidae, Callichromatini). *Les Cahiers Magellanes* 76: 1-23.
- Vives E. & Lin M.Y. 2013: One new and seven newly recorded Callichromatini species from China (Coleoptera, Cerambycidae, Cerambycinae). *ZooKeys* 275: 67-75.
- Vives E. & Niisato T. 2011: Two new genera of Rosaliini from Northern Indochina (Coleoptera, Cerambycidae). *Nouvelle Revue d'Entomologie* (NS) 26 (2009), 4: 359-367.
- Voříšek J. 2012: Two new species of longhorn beetles (Coleoptera, Cerambycidae) from Iran. *ANIMA.X* 45: 1-6.
- Wagner H. 1928: Beschreibungen neuer Coleopteren der europäischen Fauna, nebst kritischen Bemerkungen zu bekannten Arten. 2. Teil. *Coleopterologisches Centralblatt* 3 [1928-1929]: 111-125.

- Wallin H., Kvamme T. & Bergsten J. 2017. To be or not to be a subspecies: description of *Saperda populnea lapponica* ssp. n. (Coleoptera, Cerambycidae) developing in downy willow (*Salix lapponum* L.).- *ZooKeys*, 691: 101–148.
- Wallin H., Kvamme T. & Lin M.-Y. 2012: A review of the genera *Leiopus* Audinet-Serville, 1835 and *Acanthocinus*, Dejean, 1821 (Coleoptera: Cerambycidae, Lamiinae, Acanthocinini) in Asia, with descriptions of six new species of *Leiopus* from China. *Zootaxa* 3326: 1–36.
- Waltl J. 1838: Beiträge zur Kenntniss der Coleopteren der Türkei. *Isis von Oken* (31) 6 [1838]: 449–472.
- Wang W.-K. 1997: New records of Longicorn Beetles in China (Lamiinae, Cerambycidae, Coleoptera). *Journal of Southwest Agricultural University, Chongqing* 19 (5): 438–441.
- Wang W.-K. 1999: A New Subspecies of *Apriona swainsoni* (Hope) from Hubei, China (Coleoptera: Cerambycidae: Lamiinae). *Journal of Hubei Agricultural College* 19 (2): 125, 130, 1 fig.
- Wang W.-K. & Zheng L.-Y. 2001: Notes on Four New Records of Cerambycid Beetles from China. *Journal of Hubei Agricultural College* 21 (2): 117–119, 1 fig.
- Wang W.-K. & Zheng L.-Y. 2002b: A new species of the genus *Cyanagapanthia* Breuning (Coleoptera: Cerambycidae) from China. *Entomologia Sinica* 9 (1): 79–82, 3 figs.
- Wang Zhicheng, 2014: *Monographia of original colored longicorn beetles of China (Basics)*. Beijing: Scientific and Technical Documentation Press: 1188pp. [Vol. 1: 1–593. Vol. 2: 595–1188]
- Waterhouse C. O. 1889: Coleoptera. Pp. 122–131. In: Aitchison J. E. T.: The Zoology of the Afghan Delimitation Commission. *The Transactions of the Linnean Society of London* (2) 5 Zoology [1888–1894]: 53–142, pls. 6–14.
- Weigel A. 2006: Checklist and Bibliography of Longhorn Beetles from Nepal (Insecta: Coleoptera: Cerambycidae). In M. Hartmann & J. Weipert (Editors). *Biodiversität und Naturlausstattung im Himalaya II. Verein der Freunde und Förderer des Naturkundemuseums Erfurt e. V.* Erfurt: 495–510.
- Weigel A. 2018: Neue Arten der Gattung *Morimopsis* Thomson, 1857 aus dem Himalaya und Bemerkungen zur Gattung *Morimopsidius* Breuning, 1948 (Insecta: Coleoptera, Cerambycidae: Lamiinae), pp. 509–520. In M.Hartmann, M.Barclay & J.Weipert (Editors). *Biodiversität und Naturlausstattung im Himalaya VI*. Erfurt: 628.
- Weigel A. & Holzschuh C. 2009: Die Exocentrus-Arten Nepal (Insecta: Coleoptera: Cerambycidae: Acanthocinini). *Biodiversität und Naturlausstattung im Himalaya III*. Erfurt: 411–422, Taf, XV–XVI.
- Weigel A., Meng L.-Z. & Lin M. 2013: *Contribution to the Fauna of Longhorn Beetles in the Naban River Watershed National Nature Reserve*, Formosa Ecological Company, Taiwan: 1–219, 52 pls.
- Weigel A. & Skale A. 2017: Systematics, taxonomy, and faunistics of the Apomecynini of the Oriental and Australian Region (Coleoptera: Cerambycidae: Lamiinae), part 7. In: Telnov, D. Et al. (eds). *Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea*, III. Pp. 613–630, pls. 144–151.
- White A. 1853: Descriptions of some apparently new species of Longicorn Coleoptera in the Collection of the British Museum. *Proceedings of the Zoological Society of London* 18 (201): 10–14, pl. XIII
- White A. 1858a: Descriptions of some apparently unrecorded species of longicorn beetles, belonging to the genera *Phrissoma*, *Nyphona*, & c. *The Annals and Magazine of Natural History* 2 (3), 10: 264–276. <http://www.biodiversitylibrary.org/page/2265149#page/292/mode/1up>
- Wollaston T. V. 1877: *Coleoptera Sanctæ-Helenæ*. London: John Van Voorst, iii–xxv + 1–256.

- Woźniak A., Kruszelnicki L., Hofmański D & Walczak M. 2014: Mallosia (Semnosia) galinae Danilevsky, 1990 (Coleoptera: Cerambycidae) – nowy gatunek dla fauny Gruzji odnaleziony na nowej roślinie żywicielskiej. *Acta entomologica silesiana* 22: 1-3.
- Xiang L., Xie G. & Wang W. 2016: A new species of the genus Pseudotrachystola Breuning (Coleoptera: Cerambycidae: Lamiinae) from China. *Zootaxa* 4179 (1): 118–122.
- Xie G.-L., Huang J.-H., Wang W.-K. & Xiang L.-B. 2015: First record of the genus Mimonemophas Breuning (Coleoptera: Cerambycidae: Lamiinae: Monochamini) from China with description of a new species. *Zootaxa* 4057 (4): 595–600.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2012a: Synopsis of the genus Mimosia Pic with description of a new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3385: 62–68.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2012b: An unusual new species of Anoplophora Hope, 1839 (Coleoptera: Cerambycidae) from Guizhou, China. *Far Eastern entomologist* 248: 1-4.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2013: A review of the genus Sinodorcasion Gressitt, 1939 with description of three new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3709 (6): 581-590.
- Xie G.-L. & Wang W.-K. 2012 [Chlorophorus caragana sp.n.]: In: Sh.-X. Zong, G.-L. Xie, W.-K. Wang, Y. Luo & Ch.-J. Cao: A new species of Chlorophorus Chevrolat (Coleoptera: Cerambycidae: Cerambycinae) from China with description of biology. *Zootaxa* 3157: 54–60.
- Xie G., Zou X. & Wang W. 2014: Note on the genus Morimospasma Ganglbauer with description of two new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3873 (4): 441-450.
- Xiong S., Tian L. & Chen L., 2012: A newly record species in the genus Stenodryas Bates (Coleoptera: Cerambycidae: Cerambycinae) from China. *Entomotaxonomia* 34 (2): 395–398, 6 figs.
- Yamasako J. 2017: A new species of the genus Eupogoniopsis (Coleoptera, Cerambycidae, Lamiinae) from Taiwan. *Special Bulletin of the Coleopterological Society of Japan* 1: 243–246.
- Yamasako J. & Chou W.-I 2013: A new species of Hypocacia (Coleoptera: Cerambycidae: Lamiinae, Mesosini). Pp.: 97-102. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Yamasako J. & Chou W.-I 2014a: A new species of the genus Callomecyna from Taiwan (Coleoptera: Cerambycidae).- *Acta Entomologica Musei Nationalis Pragae*, 54 (1): 251-256.
- Yamasako J. & Chou W.-I 2014b: An Additional New Species of the Genus Pachyosa from Taiwan, with Supplemental Description on the Endophallus of Pachyosa kojimai (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Elytra, Tokyo* (NS) 4 (1): 43–47.
- Yamasako J. & Chou W.-I 2014c: New Record of Thylactus chinensis Kriesche (Coleoptera, Cerambycidae, Lamiinae, Xylorhizini) from Taiwan. *Elytra, Tokyo* (NS) 4 (1): 48.
- Yamasako J. & Chou W.-I. 2018: A New Species of Gibbomesosella from Taiwan (Coleoptera, Cerambycidae, Lamiinae, Pteropliini). *Elytra, Tokyo* (NS) 8 (1): 67-73.
- Yamasako J. & Hasegawa M. 2009: A new Species of Mesosa (Perimesosa) from South Korea and Identity of Mesosa (Saimia) amakusae Breuning, 1964 (Coleoptera, Cerambycidae, Lamiinae [Studies on Asian Mesosini, III]. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 289-295.
- Yamasako J. & Lin Y.-L. 2010: A new Species of the genus Coptops Serville, 1835 (Coleoptera, Cerambycidae, Lamiini, Mesosini) from Penghu County, Taiwan [Studies of Asian Mesosini, VI]. *Japanese Journal of systematic Entomology* 16(2): 291-296.
- Yamasako J. & Lin Y.-L. 2015: Revision of the genus Mesoereis Matsushita, 1933 (Coleoptera: Cerambycidae: Lamiinae: Mesosini). *Japanese Journal of Systematic Entomology*, 21 (1): 19–28.

- Yamasako J. & Lin M.-Y. 2016: A new species in the mesosine genus *Eurymesosa* Breuning, 1939 (Coleoptera: Cerambycidae: Lamiinae) from China. *Entomotaxonomia* 38(3), 193–196.
- Yamasako J. & Lin M.-Y. 2018: Review of the genus *Metipocregyes* Breuning, 1939 with two new combinations and three new species (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Zootaxa* 4532 (4): 503–522.
- Yamasako J., Liu B. & Lin M. 2017: Notes on the Tribe Mesosini from Hainan with a New Species and New Records (Coleoptera, Cerambycidae, Lamiinae). *Elytra, Tokyo* (New Series) 7 (1): 217–228, 4 figs.
- Yamasako J. & Ohbayashi N. 2011: Review of the genus *Paragolsinda* Breuning, 1956 (Coleoptera, Cerambycidae, Lamiinae, Mesosini), with reconsideration of the endophallic terminology. *Zootaxa* 2882: 35–50.
- Yamasako J. & Ohbayashi N. 2012a: Revision of the reinstated genus *Pachyosa* Fairmaire, 1897 (Coleoptera: Cerambycidae: Lamiinae: Mesosini). *Zoological Studies* 51(6): 819–831.
- Yamasako J. & Ohbayashi N. 2012b: Taxonomic Position of the Oriental Species of *Mesosa* (*Mesosa*) (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Hindawi Publishing Corporation. Psyche*. Volume 2012, Article ID 467949, 15 pages. doi:10.1155/2012/467949.
- Yamasako J. & Ohbayashi N. 2015: Taxonomic Status of *Neosybra albomarmorata* Breuning (Coleoptera, Cerambycidae, Lamiinae, Apomecynini). *Elytra, Tokyo*, New Series 5 (1): 229–231.
- Yang Ch.-W. & Danilevsky M.L. 2013: Description of a new species of the genus *Eodorcadion* Breuning, 1947 from Inner Mongolia, China (Coleoptera, Cerambycidae, Lamiinae, Dorcadionini). Pp.: 93–95. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Yang R.-G., Vives E., Zhou Sh.-Y. & Huang J.-H. 2011: Notes on the identification and distribution of *Leptura auratopilosa* (Matsushita, 1931) and *Leptura aurosericans* Fairmaire (Coleoptera, Cerambycidae, Lepturinae, Lepturini). *Acta Zootaxonomica Sinica*, 36 (3): 808–811.
- Yang Sh. 2014: A new species of *Phymatodes* Mulsant (Coleoptera, Cerambycidae) from China.- *ZooKeys*, 367: 11–17.
- Yang Sh. & Yang W. 2017: A new species of *Xylotrechus* Chevrolat from China (Coleoptera, Cerambycidae). *ZooKeys* 722: 81–86.
- Yoon H.J., Bae J. S., Kim I., Jin B.R., Mah Y.I., Moon J. Y. & Sohn H.D. 2001: A Phylogenetic Study in Some Long-Horned Beetles (Coleoptera: Cerambycidae) Using Mitochondrial COI Gene and rRNA Sequences. *International Journal of Industrial Entomology* 2(1): 37–53.
- Zaitzev F.A. 1954. Zhuki usachi-drovoseki (Cerambycidae) v faune Gruzii.- *Trudy Instituta zoologii AN GSSR*, 13: 5–27.
- Zhang X. & Chen L. 2013: One newly recorded species of the genus *Demonax* (Coleoptera: Cerambycidae) from China. *Entomotaxonomia* 35 (3): 218–220.
- Zou X., Xie G. & Wang W. 2015: Descriptions of previously unknown males of *Pygostrangalia silvestrii* (Tippmann, 1955) and *Eustrangalis latericollis* Wang et Chiang, 1994 (Coleoptera: Cerambycidae, Lepturinae). – *Far Eastern Entomologist* 289: 10–16.
- Zubov A.S. 2014: *Nietzscheana plutenkoi*, gen. n., sp. n., (Coleoptera, Cerambycidae, Lamiinae, Saperdini) from the Far East of Russia. *Humanity space. International almanac* 3(4): 695–697.