

Updated 06.11.2022

## CATALOGUE OF PALAEARCTIC CHRYSOMELOIDEA (Vesperidae, Disteniidae, Cerambycidae)

M. L. Danilevsky

The current version is based on the publication of the Palaearctic Chrysomeloidea Catalogue: Danilevsky M. L. 2020 (ed.). Catalogue of Palaearctic Coleoptera, vol. 6 (1), Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). Revised and updated edition. Leiden / Boston: Brill, i-xxii, 1-712. All editions and corrections are marked with red.

I am very grateful to G. Tavakilian for many very important corrections!

Any comments are welcome to [danilevskyml@rambler.ru](mailto:danilevskyml@rambler.ru)

superfamily **CHRYSOMELOIDEA**  
family **VESPERIDAE** Mulsant, 1839  
subfamily **Vesperinae** Mulsant, 1839  
tribe **Vesperini** Mulsant, 1839

genus *Vesperus* Dejean, 1821: 111 type species *Stenocorus strepens* Fabricius, 1793

*abeli* Verdugo, 2022: 61 E: SP

*aragonicus* Baraud, 1964: 38 E: FR SP

*barredai* Verdugo, 2009: 22 E: SP

*bolivari* Oliveira, 1890: 359 E: PT SP

*reitteri* Cameron, 1912: 49

*brevicollis* Graells, 1858: 89 E: PT SP

*conicicollis conicicollis* Fairmaire, 1866a: 69 E: SP N: MO

*conicicollis hispalensis* Fuente, 1901: 44 E: PT SP

*baesuriensis* Zuzarte, 1985: 99

*creticus* Ganglbauer, 1886b: 310 E: GR

*flaveolus* Mulsant & Rey, 1863: 169 N: AG TU

*fuentei* Pic, 1905a: 5 E: SP

*rufescens* Pic, 1921a: 4

*semiobscurus* Pic, 1921a: 4

*gomezi* Verdugo, 2004: 67 E: SP

*jertensis* Bercedo & Bahillo de la Puebla, 1999: 150 E: SP

*joanivivesi* Vives, 1998: 186 E: SP

*lucasi* Barreda & Mejías García, 2013: 82 E: SP

*luridus* Rossi, 1794: 96 (*Stenocorus*) E: CR FR IT ME

*graecus* Guérin-Ménéville, 1833a: pl. 46

*solieri* Germar, 1836: 20

*macropterus* Sama, 1999a: 42 E: IT (Sardegna)

*nigellus* Compte Sart, 1963: 183 E: SP

*ocularis* Mulsant & Rey, 1863: 172 A: TR

*sanzi* Reitter, 1895b: 132 E: PT SP

*saquranus* López, Baena, & Castro, 2020: 482 E: SP

*serranoi* Zuzarte, 1985: 97 E: PT

*strepens* Fabricius, 1793: 297 (*Stenocorus*) E: FR IT

*ligusticus* Vitali, 2001: 149

*litigiosus* Mulsant, 1862: 443

*xatarti* Dufour, 1839: 219 E: FR SP

*amori* Mendizábal, 1939: 70

#362

#463

subfamily **Philinae** J. Thomson, 1861  
tribe **Philini** J. Thomson, 1861

genus *Heterophilus* Pu, 1988: 302 type species *Heterophilus scabricollis* Pu, 1988

*dentitibialis* Chiang, B. Chen & Zhang, 1996: 110, 112 A: XIZ

*punctulatus* Chiang, B. Chen & Zhang, 1996: 109, 111 A: XIZ

*scabricollis* Pu, 1988: 294, 303 A: XIZ

**genus *Mantitheus* Fairmaire, 1889c: lxxxix** type species *Mantitheus pekinensis* Fairmaire, 1889

*Paraphilus* Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893

*acuminatus* Pic, 1946d: 155 A: CH

*murzini* Vives, 2005a: 244 A: SCH

*pekinensis* Fairmaire, 1889c: xc A: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX

*duplex* Gahan, 1893a: 255 (*Paraphilus*)

*gracilis* Pic, 1924b: 79

*taiguensis* Wu & Jiang, 2000: 87 A: SHX

**genus *Philus* Saunders, 1853: 110** type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)

*antennatus* Gyllenhal, 1817: 180 (*Stenochorus*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN TAI

ZHE **ORR**

*inconspicuus* Saunders, 1853: 110

*stuposus* Gyllenhal, 1817: 180 (*Stenochorus*)

*curticollis* Pic, 1930a: 15 A: CE SE SHA SW **ORR**

*pallescens pallescens* Bates, 1866a: 350 A: FUJ GUA GUI GUX HEN HKG HUN JIX SCH SHA TAI ZHE **ORR #526**

*cantonensis* Pic, 1930a: 14

*pallescens tristis* Gressitt, 1940b: 25 A: HAI

**genus *Spiniphilus* Lin & Bi, 2011: 54** type species *Spiniphilus spinicornis* Lin & Bi, 2011

*spinicornis* Lin & Bi, 2011: 55 A: YUN

*xiaodongi* Bi & Lin, 2015: 576 A: YUN

family **DISTENIIDAE** J. Thomson, 1861

subfamily **Disteniinae** J. Thomson, 1861

tribe **Cyrtonopini** Gressitt, 1940

**genus *Cyrtonops* White, 1853a: 32** type species *Cyrtonops punctipennis* White, 1853

*Cladopalpus* Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886

*asahinai* Mitono, 1947a: 77 A: TAI

**#400 #526**

*caliginosus* Holzschuh, 2016c: 106 A: SHA

*niger* Gahan, 1906a: 60 A: XIZ "North India" "Himalaya" **ORR**

**#400**

*punctipennis* White, 1853a: 33 A: GUA NP YUN XIZ "Himalaya" **ORR**

**#399 #400**

*hageni* Lansberge, 1886: 36 (*Cladopalpus*)

*simplicipes* Holzschuh, 1991c: 6 A: UP

*wuzhishanensis* Z. Wang, 2014: 14, 1123 A: HAI

tribe **Disteniini** J. Thomson, 1861

**genus *Clytomelegena* Pic, 1928: 11** type species *Clytomelegena postaurata* Pic, 1928

*Noeconia* Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988

*kabakovi* Murzin, 1988: 162 (*Noeconia*) A: GUX **ORR**

**genus *Distenia* Lepeletier & Audinet-Serville, 1828: 485** type species *Distenia columbina* Lepeletier & Audinet-Serville, 1828

*Apheles* Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872

*Basisvallis* Santos-Silva & Hovore, 2007: 23 type species: *Distenia agroides* Bates, 1870

*Sakuntala* Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890

*Thelxiope* J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864

*Thomsonistenia* Santos-Silva & Hovore, 2007: 3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864

**subgenus *Distenia* Lepeletier & Audinet-Serville, 1828: 485** type species *Distenia columbina* Lepeletier & Audinet-Serville, 1828

*ampliata* Pu, 1985c: 429 A: ANH

*dissimilis* Chiang & Wu, 1987: 19 A: SCH

*formosana* Mitono, 1936: 420 A: TAI

*gracilis* Blessig, 1872: 168 (*Apheles*) A: FE HEI JIL LIA NC SC

*japonica japonica* Bates, 1873: 155 A: FE (Kurils) JA

*japonica yakushimana* Yokoyama, 1966: 54 A: JA

*kalidasae* Lameere, 1890: ccxiv (*Sakuntala*) A: SD UP **ORR**

*mellina* Holzschuh, 1995: 5 A: YUN

*nigrosparsa* Pic, 1914d: 17 A: GUI SCH YUN

**#400**

*notabilis* Chiang & Wu, 1987: 17 A: XIZ

*orientalis* Bi & Lin, 2013: 84 A: FUJ GUA JIX SHA SHX ZHE

**#400**

*perforans* Holzschuh, 1995: 6 A: YUN

*picea* Chiang & Wu, 1987: 22 A: SCH

*pici* Villiers, 1958: 264 A: SD

**#343**

*punctulatoides* Hubweber, 2010: 61 A: SHA

*punctulata* Chiang & Wu, 1987: 18 [HN]  
*rufobrunnea* Holzschuh, 1995: 6 A: SCH  
*shennongjiaensis* Pu, 1985c: 427 A: HUB  
*stenola* Chiang & Wu, 1987: 21 A: YUN  
*tricastata* Chiang & Wu, 1987: 20 A: SCH  
*tuberosa* Pu, 1985c: 427 A: SCH  
*wolongensis* Chiang & Wu, 1987: 20 A: SCH

**genus *Melegena* Pascoe, 1869a: 656** type species *Melegena pubipennis* Pascoe, 1869  
*fulva* Pu, 1990: 234 A: FUJ GUA GUX

#400

**genus *Nericonia* Pascoe, 1869a: 657** type species *Nericonia trifasciata* Pascoe, 1869  
*nigra* Gahan, 1894a: 30 A: YUN **ORR**

**genus *Noemia* Pascoe, 1857b: 111** type species *Noemia flavicornis* Pascoe, 1857  
*Nethinius* Fairmaire, 1889b: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889  
*incompta* Gressitt, 1935c: 181 A: TAI **ORR**  
*semirufa* Villiers, 1958: 268 A: HAI HKG **ORR**  
*submetallica* Gressitt, 1940b: 29 A: 29 HAI YUN **ORR**

#400

#400

**genus *Tengius* Matsushita, 1938: 204** type species *Tengius okuboi* Matsushita, 1938  
*ohkuboi kurosawai* Makihara, 1986c: 275 A: JA  
*ohkuboi ohkuboi* Matsushita, 1938: 105 A: JA

#276

#276

**genus *Typodryas* J. Thomson, 1864: 227** type species *Typodryas callichromoides* J. Thomson, 1864  
*Psalanta* Pascoe, 1869a: 658 type species *Psalanta chalybeata* Pascoe, 1869  
*brunnicollis* Chiang & Wu, 1987: 23 A: GUX  
*callichromoides* J. Thomson, 1864: 227 A: HAI **ORR**

#### tribe Dynamostini Lacordaire, 1868

**genus *Dynamostes* Pascoe, 1857b: 90** type species *Dynamostes audax* White, 1853  
*audax* Pascoe, 1857b: 90 A: NP SD YUN **ORR**

#400

### family CERAMBYCIDAE Latreille, 1802

#### subfamily Parandrinae Blanchard, 1845

#### tribe Parandrini Blanchard, 1845

**genus *Archandra* Lameere, 1912a: 114** type species *Parandra caspia* Ménétriés, 1832  
*caspia* Ménétriés, 1832: 225 (*Parandra*) A: AB IN

#519

#96

**genus *Komiyandra* Santos-Silva, Heffern & Matsuda, 2010: 7** type species *Parandra janus* Bates, 1875  
*formosana* Miwa & Mitono, 1939: 92 (*Parandra*) A: TAI

#401

#526

*lanyuana* Hayashi, 1981b: 27 (*Parandra*) A: TAI (Lanyu Is.)

*shibatai hidai* Fujita, 2018: 20 A: JA (Ryukyus: Amami Isls, Tokuno-shima Is.)

*shibatai ogurai* Fujita, 2018: 20 A: JA (Ryukyus: Okinawa Isls, Okinawa-honto Is.)

*shibatai shibatai* Hayashi, 1963a: 50 (*Parandra*) A: JA (Ryukyus: Amami-Oshima Is.)

*uenoi* Santos-Silva, Heffern & Matsuda, 2010: 11-12, 36 A: JA (Ryukyus: Iriomote-jima Is. & Ishigaki-jima Is.)

**genus *Neandra* Lameere, 1912a: 114** type species *Tenebrio brunneus* Fabricius, 1798

#519

*brunnea* Fabricius, 1798: 49 (*Tenebrio*) Ei: ?GB GE NAR

#456

#498

*conformis* J. Thomson, 1867b: 115 (*Parandra*)

*dentata* J. Thomson, 1867b: 115 (*Parandra*)

*minuta* J. Thomson, 1867b: 116 (*Parandra*)

*purpurea* Herbst, 1799: 21 (*Tenebrio*)

*quadricollis* J. Thomson, 1867b: 114 (*Parandra*)

*sayi* J. Thomson, 1867b: 114 (*Parandra*)

#### subfamily Prioninae Latreille, 1802

#### tribe Acanthophorini J. Thomson, 1864

**genus *Anthracocentrus* Quentin & Villiers, 1983: 82** type species *Tithoes arabicus* J. Thomson, 1877  
*arabicus* J. Thomson, 1877: 266 (*Tithoes*) N: AG EG LB MO A: AE BA IS JO OM SA SI YE **AFR**

*rugosiceps* Pic, 1925g: 404 (*Notophysis*)

*vicarius* Lameere, 1912a: 173 (*Acanthophorus*)

*modicus* Gahan, 1894b: 222 (*Acanthophorus*) A: PA (Punjab)

*rugiceps* Gahan, 1894b: 223 (*Acanthophorus*) A: IN PA **ORR**

*hardei* Heyrovský, 1959: 2 (*Acanthophorus*)

**genus *Tithoes* J. Thomson, 1864: 289** type species *Prionus maculatus* Fabricius, 1793

*confinis* Laporte, 1840: 395 (*Acanthophorus*) N: EG A: SA YE AFR

*crassipes* Quedenfeldt, 1882: 320 (*Tithoes*)

*falcatus* Kolbe, 1897: 350 (*Tithoes*)

*gnatho* Kolbe, 1897: 351 (*Tithoes*)

*gularis* Kolbe, 1897: 350 (*Tithoes*)

*intermedius* J. Thomson, 1877: 266 (*Tithoes*)

*longicornis* Kolbe, 1897: 351 (*Tithoes*)

*mandibularis* J. Thomson, 1877: 265 (*Tithoes*)

### tribe Aegosomatini J. Thomson, 1861

**genus *Aegolipton* Gressitt, 1940b: 22** type species *Cerambyx marginalis* Fabricius, 1775

*marginalis* Fabricius, 1775: 169 (*Cerambyx*) A: ANH AP FUJ GUA GUI GUX HAI HKG HUN JIA JIX SCH TIA YUN ORR  
#123 #280

*javanicum* L. Redtenbacher, 1868: 202 (*Aegosoma*)

*yunnanense* Feng & L. Chen, 2007: 718

*meiyingae* Drumont & Bi, 2015a: 207 A: HAI

*sauteri* Lameere, 1913: 175 (*Megopis*) A: TAI

#123

**genus *Aegosoma* Audinet-Serville, 1832: 162** type species *Cerambyx scabricornis* Scopoli, 1763

*dorei* Drumont, Gouverneur, Tavakilian & Collard, 2018: 42 A: YUN ORR

*drumontii* Ripaille, 2020: 36 A: XIZ

*fuliginosum* Drumont, Ripaille & Collard, 2019: 89 A: YUN ORR

#519

*fulvum* Ripaille & Drumont, 2020: 79 A: FUJ GUA JIX

*george* Do, 2015: 233, 235 A: YUN ORR

#247

*guerryi* Lameere, 1916a: 324 (*Megopis*) A: GUX SCH YUN

#123

*hainanense hainanense* Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN ORR

*mushense* Kano, 1933a: 259 (*Megopis*)

*ivanovi* Danilevsky, 2011g: 2 A: FE

*katsurai* Komiya, 2000: 419 (*Megopis*) A: AP GUX SCH XIZ YUN ORR

#123 #126 #400 #520

*ornaticolle* White, 1853a: 30 A: AP BT FUJ GAN GUA GUI HAI HUB NP SCH SD SHA SHN TAI XIZ YUN ORR #123 #280

*pseudornaticolle* Ripaille & Drumont, 2017: 99 A: SCH

*scabricorne* Scopoli, 1763: 54 (*Cerambyx*) E: AL AU BH BU BY CR CZ FR GB GE GR HU IT MC MD ME NL RO SB SK SL SP ST

SZ TR UK A: AB AR GG IN IQ LE SY TR

#30 #34

*sinicum adachii* Fujita, 2018: 20 A: JA (Ryukyus: Amami & Okinawa Isls: Honto Is.)

*sinicum savoryi* Kusui, 1973: 119 (*Megopis*) A: JA (Ogasawara Isls.)

*sinicum sinicum* White, 1853a: 30 A: ANH BEI FE FUJ GAN GUA GUI HAI HEB HEI HEN HUB HUN LIA JIA JIL JIX LIA NC

NMO SC SCH SHG SHN SHX TAI TIA XIZ YUN ZHE ORR

#60 #123

*amplicolle* Motschulsky, 1854a: 48

*corniculum* Yoshida, 1931: 273 (*Megopis*)

*sinicum validicorne* Gressitt, 1951b: 205 (*Megopis*) A: JA (Ryukyus: Okinawa Isls: Iriomote & Ishigaki Isls)

*ogurai* Takakuwa, 1984: 9 (*Megopis*)

**genus *Baralipton* J. Thomson, 1857g: 341** type species *Baralipton maculosum* J. Thomson, 1857

*maculosum* J. Thomson, 1857g: 342 A: AP GUI GUX HAI HUN SD XIZ YUN ORR

#123 #280 #520

**genus *Dinoprionus* Bates, 1875: 49** type species *Dinoprionus cephalotes* Bates, 1875

*cephalotes* Bates, 1875: 50 A: AP SD XIZ YUN ORR

#116 #520

**genus *Megobaralipton* Lepsme & Breuning, 1952: 140** type species *Aegosoma bicoloripes* Ritsema, 1881d

*mandibulare choui* Komiya & Drumont, 2014: 196 A: FUJ (Xiamen & Kinmen Isls)

*mandibulare mandibulare* Fairmaire, 1900: 637 (*Aegosoma*) A: FUJ TAI

#400

**genus *Metaeosoma* Komiya & Drumont, 2012b: 182** type species *Megopis pici* Lameere, 1915

*pici* Lameere, 1915b: 179 (*Megopis*) A: GUI YUN

**genus *Nepiodes* Pascoe, 1867c: 410** type species *Nepiodes cognatus* Pascoe, 1867

*bowringi* Gahan, 1894b: 226 (*Aegosoma*) A: AP NP PA SD ORR

*costipennis costipennis* White, 1853a: 28 (*Megopis*) A: AP SCH SD XIZ YUN "Himalaya" ORR

#280 #520

*lacertosus* Pascoe, 1867c: 413 (*Aegosoma*)

*costipennis multicastratus* Fuchs, 1966: 19 (*Megopis*) A: AP FUJ GUA GUI GUX HAI SCH YUN ZHE ORR #123 #126 #520

*sulcipennis* White, 1853a: 31 (*Aegosoma*) A: FUJ NP TAI YUN "North India" ORR

#122 #123

*lineatus* Hüdepohl, 1994: 186 (*Megopis*)

**genus *Palaeomegopis* Boppe, 1911a: 29** type species *Palaeomegopis lameerei* Boppe, 1911

*Steinkea* Hübepohl, 1993: 321 type species *Steinkea lehmanni* Hübepohl, 1993 (= *Palaeomegopsis lameerei* Boppe, 1911)  
*komiya* Drumont, 2006b: 282 A: YUN  
*lameerei* Boppe, 1911a: 30 A: GUX SD XIZ YUN **ORR**  
*lehmanni* Hübepohl, 1993: 322 (*Steinkea*)

**genus *Rhineimegopsis* Komiya & Drumont, 2001: 392** type species *Eurypoda cordieri* Lameere, 1916  
*cordieri* Lameere, 1916b: 234 (*Eurypoda*) A: HAI **ORR**

**genus *Spinimegopsis* K. Ohbayashi, 1963: 7** type species *Megopsis nipponica* Matsushita, 1935  
*buckleyi* Gahan, 1894b: 227 (*Aegosoma*) A: AP HP NP UP  
*curticornis* Komiya & Drumont, 2007: 374 A: GUA  
*delahayei* Komiya & Drumont, 2007: 358 A: AP YUN **ORR**  
*formosana formosana* Matsushita, 1933a: 163 (*Megopsis*) A: GAN GUI GUX TAI #123 #400  
*formosana lanhsuensis* Hayashi, 1974a: 2 (*Megopsis*) A: TAI (Lanyu Is.)  
*fujitai* Komiya & Drumont, 2007: 357 A: GUI GUX HUB YUN **ORR** #123  
*guangxiensis* Feng & Chen, 2009: 38 (*Megopsis*) A: GUX  
*huai* Komiya & Drumont, 2007: 373 A: FUJ HUB SCH SHA  
*ishigakiana* Yoshinaga & Nakayama, 1972: 19 (*Megopsis*) A: JA (Ryukyus)  
*lividipennis* Lameere, 1920: 142 (*Megopsis*) A: GUX SCH YUN **ORR** #123  
*nepalensis* Hayashi, 1979: 83 (*Megopsis*) A: BT NP SD XIZ YUN #123  
*nipponica hachijoana* Fujita, 1980: 11 (*Megopsis*) A: JA (Tokara Isls., Izu Isls.) #276  
*nipponica kawazoei* Hayashi, 1961b: 36 (*Megopsis*) A: JA (Ryukyus) #276  
*nipponica nipponica* Matsushita, 1935: 538 (*Megopsis*) A: JA  
*nipponica okinawana* Fujita, 1980: 5 (*Megopsis*) A: JA (Ryukyus) #276  
*nipponica yakushimana* Fujita, 1980: 4 (*Megopsis*) A: JA  
*perroti* Fuchs, 1966: 17 (*Megopsis*) A: YUN **ORR**  
*piliventris antennalis* Fuchs, 1966: 18 (*Megopsis*) A: XIZ YUN **ORR**  
*piliventris piliventris* Gressitt, 1950: 135 (*Megopsis*) A: YUN **ORR** #173  
*tibialis* White, 1853a: 32 (*Aegosoma*) A: AP BT HP NP SCH SD XIZ YUN ?ZHE **ORR** #123 #126 #400

#### tribe Anacolini J. Thomson, 1857

**genus *Casiphia* Fairmaire, 1894a: 223** type species *Casiphia thibeticola* Fairmaire, 1894  
**subgenus *Casiphia*** Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894  
*Casiphoprionus* Pic, 1916c: 2 type species *Casiphoprionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)  
*himalayaensis* J.-K. Li & Zhang, 2013: 53 A: NP  
*inopinata* Hübepohl, 1998: 210 A: GUX YUN **ORR** #123  
*thibeticola* Fairmaire, 1894a: 223 A: SCH XIZ YUN **ORR**  
*limbatus* Pic, 1916c: 2 (*Casiphoprionus*)  
**subgenus *Flabelloprionus*** Heyrovský, 1933: 133 type species *Flabelloprionus szechuanus* Heyrovský, 1933  
*szechuana* Heyrovský, 1933: 134 (*Flabelloprionus*) A: SCH YUN #123  
*yunnana* Drumont & Komiya, 2002: 31 A: SCH YUN  
**genus *Drumontiana* Danilevsky, 2001d: 228** type species *Casiphia lacordairei* Semenov, 1927  
*amplipennis* Gressitt, 1939b: 82 (*Psephactus*) A: ZHE  
*francottei* Komiya & Niisato, 2007: 562 A: YUN  
*lacordairei* Semenov, 1927: 237 (*Casiphia*) A: XIZ YUN **ORR** #400  
**genus *Hystatoderes* Lameere, 1917: 146** type species *Hystatoderes vitalisi* Lameere, 1917 (= *Emphiesmenus weissii* Lameere, 1915)  
*weissii* Lameere, 1915a: 56 (*Emphiesmenus*) A: HUN **ORR** #400  
*vitalisi* Lameere, 1917: 147 (*Hystatoderes*)

**genus *Pedoprionus* Komiya, 2021: 1** type species *Pedoprionus uenoi* Komiya, 2021 #604  
*uenoi* Komiya, 2021: 1 A: AP

**genus *Psephactus* Harold, 1879a: 367** type species *Psephactus remiger* Harold, 1879  
*remiger insularis* Hayashi, 1961b: 37 A: JA (Ryukyus)  
*remiger remiger* Harold, 1879a: 368 A: JA SC #400 #526  
*scabripennis chichijimensis* Kusama, 1973: 119 A: JA (Ogasawara Isls.)  
*scabripennis scabripennis* Kusama, 1973: 118 A: JA (Ogasawara Isls.)  
*taiwanus* Kano, 1933a: 260 A: TAI

**genus *Sarmyds* Pascoe, 1867c: 410** type species *Sarmyds antennatus* Pascoe, 1867  
*antennatus* Pascoe, 1867c: 410 A: ?FUJ ?GUA ?GUX ?HAI ?HUN ?JIA ?SHA ?YUN **ORR** #519  
*bagh* Majumder, Drumont, Bouyer & Chandra, 2020: 544 A: AP BT NP SD UP XIZ **ORR**  
*cheni* Drumont & Bi, 2014: 268 A: XIZ

*dulongensis* Bi & Drumont, 2017: 125 A: YUN  
*fujishiroi* Drumont, 2006a: 220 A: GUX SCH YUN **ORR**  
*trichodes* Feng & L. Chen, 2006: 610  
*lii* Drumont & Ripaille, 2019: 159 A: TAI  
*loebli* Drumont & Weigel, 2010: 67 A: YUN **ORR**  
*panda* Drumont & Bi, 2017: 128 A: YUN  
*subcoriaceus* Hope, 1831: 27 (*Prionus*) A: HP NP UP XIZ YUN

**#520**  
**#381**  
**#123 #248**

**genus *Vietetropis* Komiya, 1997: 39** type species *Vietetropis viridis* Komiya, 1997  
*cheni* Drumont, Bi & Ripaille, 2019: 4 A: GUX  
*viridis* Komiya, 1997: 40 A: XIZ YUN **ORR**

#### tribe Callipogonini J. Thomson, 1861

**genus *Callipogon* Audinet-Serville, 1832: 140** type species *Prionus barbatus* Fabricius, 1781  
**subgenus *Eoxenus* Semenov, 1899c: 570** type species *Callipogon relictus* Semenov, 1899  
*relictus* Semenov, 1899c: 563 A: FE GAN HEB HEI JIL LIA NC NMO SC SHA SHX TIA

**#123**

#### tribe Cantharocnemini J. Thomson, 1861

**genus *Cantharocnemis* Audinet-Serville, 1832: 132** type species *Cantharocnemis spondylioides* Audinet-Serville, 1832  
**subgenus *Cantharocnemis* Audinet-Serville, 1832: 132** type species *Cantharocnemis spondylioides* Audinet-Serville, 1832  
*Acmene* Gistel, 1848a: 129 [unnecessary substitute name]  
*Cantharofodius* Gilmour, 1956a: 219 type species *Cantharocnemis migsi* Gilmour, 1956 (= *Cantharocnemis spondylioides* Audinet-Serville, 1832)  
*Hoploscelis* Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondylioides* Audinet-Serville, 1832)  
*spondylioides* Audinet-Serville, 1832: 132 N: EG MO (Western Sahara) A: OM SA YE **AFR**  
*arabicus* Fuchs, 1969: 381  
*gahani* Lameere, 1902: 312  
*grandidieri* Lameere, 1912a: 124  
*latibula* Fairmaire, 1882b: 94  
*lucanoides* Audinet-Serville, 1832: 170 (*Hoploscelis*)  
*migsi* Gilmour, 1956a: 219  
*modestus* Fairmaire, 1897b: 150  
*obockianus* Fairmaire, 1890: 549  
*variolosus* Fairmaire, 1882a: liv  
**subgenus *Cantharoprion* Lameere, 1902: 314** type species *Cantharocnemis livingstonii* Westwood, 1866  
*downesii* Pascoe, 1858: 236 A: HP NP **ORR**  
**subgenus *Paracantharocnemis* Plavilstshikov, 1933e: 114** type species *Cantharocnemis strandi* Plavilstshikov, 1933  
*strandi* Plavilstshikov, 1933e: 113 A: SA YE

**#366**

**genus *Cantharoctenus* Westwood, 1866: 134** type species *Cantharocnemis burchellii* Westwood, 1866  
*filippovi* Plavilstshikov, 1933h: 263 (*Cantharocnemis*) A: YE

#### tribe Ergatini Fairmaire, 1864

**genus *Callergates* Lameere, 1904: 47** type species *Ergates gaillardoti* Chevrolat, 1854  
*gaillardoti* Chevrolat, 1854: 481 (*Ergates*) E: GR (Rodas, Samos, Lesbos) N: EGi A: CY LE SY TR  
*akbesianus* Pic, 1900n: 81 (*Ergates*)

**#383**

**genus *Ergates* Audinet-Serville, 1832: 143** type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)  
*Caratambyx* Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760  
*faber faber* Linnaeus, 1760: 187 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT ME NL PL PT  
SB SK SL SP ST SV SZ TR UK N: MO A: AR ?AB GG IQ SY TR  
*alkani* Demelt, 1968a: 28  
*bulzanensis* Laicharting, 1784: 1 (*Prionus*)  
*crenatus* Fabricius, 1801: 264 (*Prionus*)  
*grandiceps* Tournier, 1872: 257  
*obscurus* Olivier, 1795: 26 (*Prionus*)  
*portitor* Schrank, 1781b: 312 (*Cerambyx*)  
*serrarius* Panzer, 1793b: 6 (*Prionus*)  
*faber opifex* Mulsant, 1851a: 122 E: IT (Sicilia, Calabria) N: AG

#### tribe Eurypodini Gahan, 1906

**genus *Eurypoda* Saunders, 1853: 109** type species *Eurypoda antennata* Saunders, 1853  
**subgenus *Eurypoda* Saunders, 1853: 109** type species *Eurypoda antennata* Saunders, 1853  
*Zarax* Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)  
*antennata* Saunders, 1853: 110 A: ANH GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX QIN SC () SCH SHG TAI TIA YUN  
ZHE

**#123**

*davidis* Fairmaire, 1886b: 355  
*boninensis* Hayashi & Kusama, 1973: 117 A: JA (Ogasawara Isls)  
*nigrita* J. Thomson, 1865: 577 A: GUI GUX YUN **ORR** #123

*eurypodoides* Pascoe, 1867c: 410 (*Zarax*)  
*unicolor ebiharaei* Fujita, 2018: 20 A: JA (Ryukyus: Yaeyama Isls)  
*unicolor kamakarii* Fujita, 2018: 20 A: JA (Ryukyus: Amami Isls)  
*unicolor unicolor* Hayashi, 1956d: 11 A: JA SC (Geogesi) #442  
*tsushimana* K. Ohbayashi, 1963: 7

**subgenus** *Neoprion* Lacordaire, 1868: 131 type species *Neoprion parandraeformis* Lacordaire, 1868  
*batesi* Gahan, 1894b: 225 A: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC (Jejudo Is.) SCH QIN YUN ZHE **ORR**  
*parandraeformis* Lacordaire, 1868: 132 (*Neoprion*) A: QIN YUN **ORR**

## tribe Macrotomini J. Thomson, 1861

### subtribe Macrotomina J. Thomson, 1861 #520

**genus** *Anomophysis* Quentin & Villiers, 1981: 374 type species *Prionus spinosus* Fabricius, 1787  
*elliotti* C. O. Waterhouse, 1884b: 379 (*Macrotoma*) A: NP SD YUN **ORR** #400  
*difformis* Nonfried, 1892c: 377 (*Macrotoma*)  
*elongata* Quentin & Villiers, 1981: 380 A: XIZ **ORR** #123  
*hainana* Gressitt, 1940b: 18 (*Macrotoma*) A: GUA GUI GUX HAI HUN YUN **ORR** #123  
*inscripta* C. O. Waterhouse, 1884b: 380 (*Macrotoma*) A: AF AP KA NP PA UP **ORR** #75 #280 #376 #390  
*katoi* Gressitt, 1938b: 149 (*Macrotoma*) A: TAI  
*plagiata* C. O. Waterhouse, 1884b: 381 (*Macrotoma*) A: AF AP HP KA NP PA SD UP **ORR** #280  
*vidua* Lameere, 1903: 167 (*Macrotoma*)  
*spinosa* Fabricius, 1787: 130 (*Prionus*) A: ?NP UP **ORR** #85 #520

**genus** *Bandar* Lameere, 1912a: 144 type species *Prinobius pascoei* Lansberge, 1884  
*maedai* Komiya 2016: 27 A: AP  
*pascoei formosae* Gressitt, 1938b: 147 (*Macrotoma*) A: JA (Ryukyus) TAI  
*obscuribrunnea* Hayashi, 1962c: 2 (*Macrotoma*)  
*pascoei gressitti* Quentin & Villiers, 1981: 364 A: GUX SCH XIZ YUN  
*pascoei pascoei* Lansberge, 1884: 144 [RN] (*Prinobius*) A: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN JIX LIA NMO #123  
NP SCH SD SHA UP XIZ YUN ZHE **ORR**  
*fisheri* C. O. Waterhouse, 1884b: 382 (*Macrotoma*)

**genus** *Macrotoma* Audinet-Serville, 1832: 137 [NP] type species *Prionus serripes* Fabricius, 1781

*Dapsilus* Gistel, 1848a: ix [NO] type species *Prionus serripes* Fabricius, 1781  
*palmata* Fabricius, 1793: 249 (*Prionus*) N: AG EG LB MO A: SA YE **AFR**

*boehmi* Reitter, 1903a: 46  
*brevipes* Kolbe, 1894a: 49  
~~*coelaspis* White, 1853a: 38~~ #567  
*humeralis* White, 1853a: 37  
*rugulosa* Kolbe, 1894a: 49  
*senegalensis* Olivier, 1795: 22 (*Prionus*)  
*spinipes* Illiger, 1805: 107 (*Prionus*)  
*valida* J. Thomson, 1877: 271

**genus** *Mallodon* Lacordaire, 1830: 171 type species *Cerambyx spinibarbis* Linné, 1758 #387 #520  
*arabicum* Buquet, 1843: 330 A: YE (Suqutra)

**genus** *Prinobius* Mulsant, 1842a: 207 type species *Prinobius myardi* Mulsant, 1842

*Prinobius* Chevrolat, 1854: 482 [unnecessary emendation]  
*myardi atropos* Chevrolat, 1854: 482 A: CY IS JO LE SY TR  
*cedri* Marseul, 1856: 48  
*myardi gaubillii* Chevrolat, 1859b: cxxxv N: AG EG LB MO TU  
*goudotii* Chevrolat, 1859c: cccxx  
*lethifer* Fairmaire, 1859b: cxxxviii  
*myardi myardi* Mulsant, 1842a: 207 [Corse] E: FR PT SP  
*abscisus* Gilmour, 1954: 27 (*Macrotoma*)  
*germari* Mulsant, 1846: 291  
*myardi proksi* Sláma, 1982: 203 E: GR (Crete)  
*myardi slamorum* Danilevsky, 2012i: 698 [RN] E: AL BH BU CR GR IT ME TR UK A: GG IN TR  
*scutellaris* Germar, 1817: 219 [HN] (*Prionus*)  
*samai* Drumont & Rejzek, 2008: 4 A: IN

### subtribe Remphanina Lacordaire, 1868 #520

**genus** *Remphan* G. R. Waterhouse, 1836: 67 type species *Remphan hopei* G. R. Waterhouse, 1836  
*hopei* G. R. Waterhouse, 1836: 67 A: YUN **ORR**

*alteni* Nonfried, 1892c: 376 (*Macrotoma*)  
*guineensis* Lameere, 1893b: 39

**genus *Rhaesus* Motschulsky, 1875: 153** [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)  
*Rhesus* J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838  
*serricollis* Motschulsky, 1838: 187 (*Prionus*) **E:** AL BU GR MC ME ST TR **N:** EGi **A:** AB AR CY GG IN IS LE SY TR  
*persicus* Motschulsky, 1875: 154  
*robustus* C.H.G. Heyden, 1844: 15 (*Aulacopus*)

**genus *Rhaphipodus* Audinet-Serville, 1832: 168** type species *Rhaphipodus suturalis* Audinet-Serville, 1832 **#520**  
*fatalis* Lameere, 1912a: 137 **A:** GUI GUX YUN **ORR**  
*fruehstorferi* Lameere, 1903: 74 **A:** FUJ GUX HAI YUN **ORR** **#123**  
*gahani* Lameere, 1903: 72 **A:** AP BT GUI GUX NP SD UP YUN **#126** **#400**  
*manillae* Newman, 1842a: 247 (*Mallodon*) **A:** TAI **ORR**

#### tribe Meroscelisini J. Thomson, 1861

**genus *Tragosoma* Audinet-Serville, 1832: 159** type species *Cerambyx depsarius* Linnaeus, 1767  
*depsarium* Linnaeus, 1767: 624 (*Cerambyx*) **E:** AL AN AU BH BE BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC ME NR  
NT PL RO SB SK SL SP ST SV SZ UK **A:** ES FE WS

#### tribe Prionini Latreille, 1802

**genus *Dorysthenes* Vigers, 1826: 514** type species *Prionus rostratus* Fabricius, 1793  
**subgenus *Baladeva*** G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840  
*sternalis* Fairmaire, 1902a: 244 (*Cyrtognathus*) **A:** GAN HEB JIX ?LIA NP SCH YUN ZHE **#123** **#390**  
*walkeri* G. R. Waterhouse, 1840: 226 **A:** FUJ GUA GUX HAI HUB JIX SCH YUN **ORR** **#123**  
*siamensis* Nonfried, 1892c: 375 (*Cyrtognathus*)  
**subgenus *Cyrtognathus*** Dejean, 1835: 316 type species *Prionus paradoxus* Faldermann, 1833  
*Cyrtognathus* J. Thomson, 1861: 328 [unjustified emendation]  
*hydropicus* Pascoe, 1857b: 91 (*Prionus*) **A:** ANH BEI GAN GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL JIX LIA NMO SHA  
SHG SHN TAI TIA ZHE "China Borealis" **#123** **#526**  
*breviceps* Fairmaire, 1900: 637 (*Cyrtognathus*)  
*chinensis* J. Thomson, 1861: 328 (*Cyrtognathus*)  
*paradoxus* Faldermann, 1833: 63 (*Prionus*) **A:** ANH FE GAN GUA GUI HAI HEB HEI HEN HKG HUB JIA JIL JIX KO LIA MG NIN  
NMO QIN SCH SHA SHN SHX TIA ZHE **#123** **#489**  
*aquilinus* J. Thomson, 1865: 577 (*Cyrtognathus*)  
*tippmanni* Heyrovský, 1950: 127  
**subgenus *Dorysthenes*** Vigers, 1826: 514 type species *Prionus rostratus* Fabricius, 1793  
*davidis* Fairmaire, 1886b: 353 **A:** GUI SCH YUN  
*rostratus* Fabricius, 1793: 243 (*Prionus*) **A:** PA **ORR**  
**subgenus *Lophosternus*** Guérin-Méneville, 1844: 209 type species *Lophosternus buquetii* Guérin-Méneville, 1844  
*Cyrtosternus* Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844  
*angulicollis* Fairmaire, 1886b: 354 (*Cyrtognathus*) **A:** GUX ?TAI YUN **#123**  
*dentipes* Fairmaire, 1902a: 243 (*Cyrtognathus*) **A:** GUX YUN **ORR**  
*florentinii* Fairmaire, 1895: 175 (*Cyrtognathus*) **A:** GUX **ORR**  
*gracilipes* Lameere, 1915a: 58 **A:** XIZ YUN  
*huegeli* L. Redtenbacher, 1844: 550 (*Cyrtognathus*) **A:** AF AP HEN HP KA NP PA SD UP YUN ZHE **ORR** **#280** **#400**  
*falco* J. Thomson, 1877: 262 (*Cyrtognathus*)  
*palpalis* Gahan, 1906a: 12 (*Lophosternus*)  
*incognitus* Hergovits, 2019: 3 **?A:** GUX JIX KA NP YUN **ORR** **#457**  
*indicus* Hope, 1831: 27 (*Prionus*) **A:** AP BT HP NP SD XIZ **ORR** **#280** **#366**  
*hopei* Guérin-Méneville, 1844: 210 (*Lophosternus*)  
*socius* Gahan, 1906a: 11 (*Lophosternus*)  
*zivetta* *zivetta* J. Thomson, 1877: 263 (*Cyrtognathus*) **A:** NP SD XIZ YUN "Himalaya" "North India" **ORR** **#123**  
**subgenus *Paraphrus*** J. Thomson, 1861: 330 type species *Cyrtognathus granulosus* J. Thomson, 1861  
*granulosus* J. Thomson, 1861: 329 (*Cyrtognathus*) **A:** FUJ GAN GUA GUI GUX HAI HKG HUB JIX QIN SCH SD SHN TIA YUN  
ZHE "India" **ORR** **#123**  
**subgenus *Prionomimus*** Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857  
*elegans elegans* N. Ohbayashi, 1981: 45 **A:** TAI  
*elegans ishigakiensis* N. Ohbayashi, 1981: 46 **A:** JA (Ryukyus)  
*fossatus* Pascoe, 1857b: 90 (*Prionus*) **A:** ANH FUJ GAN GUA GUI HAI HEN HUB HUN JIX QIN SCH SHA YUN ZHE **#123**  
*igai* Matsushita, 1941: 151 (*Prionus*) **A:** TAI  
*pici* Lameere, 1912a: 176 **A:** TAI

**genus *Lobarthron* Semenov, 1900: 333** type species *Prionus balassogloi* Jakovlev, 1885  
*balassogloi* *balassogloi* Jakovlev, 1885a: 91 (*Prionus*) **A:** UZ (Tashkent env., Chimgan Mt., West of Chatkal Range)

*breve* Semenov, 1888: 157 (*Prionus*)  
*nadari* Fairmaire, 1892b: cxxiv (*Prionus*)  
*balassogloi brevispinum* Jakovlev, 1885a: 92 (*Prionus*) A: KI KZ UZ (Khumsan env., Sidzhak)

**genus *Macropriopus* Semenov, 1900: 324** type species *Prionus heros* Semenov, 1900  
*heros* Semenov, 1900: 320 (*Prionus*) A: GAN XIN

#123

**genus *Mesopriopus* Jakovlev, 1887c: 323** type species *Prionus asiaticus* Faldermann, 1837  
*abaii* Holzschuh, 2007: 177 A: IN

*angustatus* Jakovlev, 1887c: 327 (*Prionus*) A: AF IN KI KZ TD TM UZ

*angheri* Brancsik, 1899: 102 (*Prionus*)

*bucharicus* Semenov, 1900: 328 (*Prionus*)

*asiaticus* Faldermann, 1837: 263 (*Prionus*) E: KZ ST A: AB AR GG IN KZ TR

#400

*areschanus* Fairmaire, 1905: 79 (*Prionus*)

*henkei* Schaufuss, 1879: 475 (*Prionus*)

*besikanus* Fairmaire, 1855: 318 (*Prionus*) E: AL BU GR MC SB TR A: CY TR

*batelkai* Sláma, 1996: 75 (*Prionus*)

*consimilis* Holzschuh, 1981: 92 (*Prionus*) A: IN

*lefebvrei* Marseul, 1856: 47 (*Prionus*) A: IS JO LE SI SY TR

#182

*persicus* L. Redtenbacher, 1850: 49 (*Prionus*) A: IN IQ TR

*compressicornis* Semenov, 1933: 293 (*Prionus*)

*jakowlewii* Semenov, 1899a: 105 (*Prionus*)

*petrovitzi* Holzschuh, 1981: 91 (*Prionus*) A: IN

*tangerianus* Sláma, 1996: 76 (*Prionus*) N: MO

#78

*zarudnii* Semenov, 1933: 292 (*Prionus*) A: TD

**genus *Microarthron* Pic, 1900b: 2** type species *Polyarthron komarowi* Dohrn, 1885  
*komaroffi* Dohrn, 1885: 64 (*Polyarthron*) A: KZ TD TM UZ

**genus *Minipriopus* Danilevsky, 2000d: 189** type species *Prionus pavlovskii* Semenov, 1935  
*pavlovskii* Semenov, 1935b: 239 (*Prionus*) A: AF TD (Kulyab env.)

#233

#345

**genus *Monocladum* Pic, 1898e: 28** type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844  
*aegyptiacum aegyptiacum* Guérin-Méneville, 1844: 214 (*Polyarthron*) N: EG LB A: IS JO SI AFR

*afrum* Baudi di Selve, 1889b: 197 (*Polyarthron*)

*baudii* Pic, 1898f: 30 (*Polyarthron*)

*unipectinatum* White, 1853a: 21 (*Polyarthron*)

*aegyptiacum arabicum* Villiers, 1961b: 449 A: SA YE

*aegyptiacum granulipenne* Holzschuh, 1993b: 112 [RN] A: SA YE

*arabicum* Fuchs, 1969: 381 [HN] (*Prionus*)

*iranicum* Villiers, 1961b: 449 A: IN

**genus *Opisognathus* J. Thomson, 1861: 330** type species *Prionus forficatus* Fabricius, 1798

*forficatus* Fabricius, 1798: 141 (*Prionus*) N: MO

*javieri* Blanchard, 1842: 129 (*Prionus*)

**genus *Parapsilotarsus* Danilevsky, 2018c: 484** type species *Prionus potaninei* Lameere, 1912  
*potaninei* Lameere, 1912b: 195 (*Prionus*) A: SCH

**genus *Plumipriopus* Lin & Danilevsky, 2017: 50** type species *Prionus boppei* Lameere, 1912  
*boppei* Lameere, 1912b: 195 (*Prionus*) A: XIZ YUN

#123

*plumicornis* Pu, 1987: 90 (*Prionus*) A: XIZ

**genus *Pogonarthron* Semenov, 1899e: 257** type species *Polyarthron bedeli* Semenov, 1899

**subgenus *Multicladum* Danilevsky, 2014j: 268** type species *Prionus semenovianus* Plavilstshikov, 1936  
*semenovianum* Plavilstshikov, 1936: 92 (*Prionus*) A: AF TD (Kulyab env.)

**subgenus *Pogonarthron* Semenov, 1899e: 257** type species *Polyarthron bedeli* Semenov, 1899

*bedeli* Semenov, 1899e: 249 (*Polyarthron*) A: TD

*petrovi ivanovae* Pak & Skrylnik, 2014: 7 A: TD

*petrovi petrovi* Danilevsky, 2004c: 11 A: TD

*tschitscherini brunnescens* Danilevsky & Shapovalov, 2017: 854 A: KI ?UZ

*tschitscherini pallidus* Danilevsky & Shapovalov, 2017: 855 A: KI UZ

*tschitscherini tschitscherini* Semenov, 1889b: 225 (*Polyarthron*) A: KI

*tschitscherini* Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]

**subgenus *Pseudomonocladum* Villiers, 1961b: 445** type species *Polyarthron minutum* Pic, 1905

*minutum loeffleri* Fuchs, 1956: 75 [= 1957: 289] (*Prionus*) A: IN

*minutum minutum* Pic, 1905d: 300 (*Polyarthron*) A: IN

*minutum obenbergeri* Heyrovský, 1939a: 27 (*Prionus*) A: IN  
*semenowi* Lameere, 1912b: 224 (*Prionus*) A: IQ

**genus *Polyarthron* Audinet-Serville, 1832: 189** type species *Prionus pectinicornis* Fabricius, 1793

*Neynis* Gistel, 1848a: xi [unnecessary substitute name]

*pectinicornis desvauxii* Fairmaire, 1868b: 499 N: AG

*moissoni* Pic, 1893f: cclx [= 1893b: 107]

*pici* Lameere, 1912b: 229 (*Prionus*)

*pectinicornis fairmairei* Pic, 1893b: 110 [RN] N: AG LB TU AFR

*barbarum* Fairmaire & Coquerel, 1866: 67 [HN]

*chatanayi* Lameere, 1915a: 59 (*Prionus*)

*pectinicornis jolyi* Pic, 1895g: ccclxxxv N: AG MO

*filali* Kocher, 1956: 124

*lothei* Villiers, 1946: 35 (*Prionus*)

*reymondi* Kocher, 1956: 124

*saharensis* Pic, 1898e: 27

*pectinicornis pectinicornis* Fabricius, 1793: 251 (*Prionus*) N: MO (Western Sahara) AFR

*faurebigueti* Pic, 1898l: 165

*gaillardii* Lameere, 1912b: 231 (*Prionus*)

*philbyi* Villiers, 1968: 846 A: SA

**genus *Polylobarthron* Semenov, 1899e: 258** type species *Polyarthron margelanicum* Théry, 1896

*margelanicum* Théry, 1896: 108 (*Polyarthron*) A: KI KZ UZ

*semirufum* Pic, 1900b: 3 (*Polyarthron*)

*unionis* Pic, 1898e: 34 (*Polyarthron*)

**genus *Prionoblemma* Jakovlev, 1887b: 318** type species *Prionoblemma przewalskyi* Jakovlev, 1887

*Usprion* Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915

*przewalskyi* Jakovlev, 1887b: 319 A: XIN

*semenovianum* Plavilstshikov, 1915e: 134 (*Usprion*)

**genus *Prionomma* White, 1853a: 19** type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratus* Gmelin, 1790) #520

**subgenus *Ancyloprotus* White, 1853a: 19** type species *Ancyloprotus bigibbosus* White, 1853

*bigibbosum* White, 1853a: 19 A: AP GUX HAI NP SD YUN ORR #626

**genus *Prionus* Geoffroy, 1762: 198** type species *Cerambyx coriarius* Linnaeus, 1758

*Prionellus* Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817

*antonkozlovi* Drumont & Komiya, 2021: 127 A:FUJ

*coriarius* Linnaeus, 1758: 389 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MD

ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB AR GG IN KZ SY TR WS #428 #655

*burdajewiczi* Bodemeyer, 1927b: 74

*prionus* DeGeer, 1775: 59 (*Cerambyx*)

*schaufussi* Jakovlev, 1887c: 326

*tridentatus* Linnaeus, 1758: 354 (*Scarabaeus*)

*vicinus* Jakovlev, 1887c: 325

*corpulentus* Bates, 1878b: 720 A: AF KA NP PA

*delavayi delavayi* Fairmaire, 1887a: 130 A: SCH YUN

*delavayi lorenci* Drumont & Komiya, 2006: 11 A: FUJ HUB GUA GUI JIX SCH SHA XIZ YUN ZHE #123

*elegans* Demelt, 1972b: 89 A: PA

*elliotti* Gahan, 1906a: 16 A: AF PA

*evae* Demelt, 1972b: 89 A: PA

*dacatrai* Pesarini & Sabbadini, 1997: 98

*gahani* Lameere, 1912b: 189 A: CHQ GAN SCH YUN #123

*galantorum* Drumont & Komiya, 2006: 27 A: SCH YUN

*insularis insularis* Motschulsky, 1858a: 36 A: ANH BEI ES FE FUJ GAN HEB HEI HEN HKG ?HUB HUN JA JIA JIL JIX LIA NC

NMO SC ?SCH SHA SHN SHX TIA ?XIN ?YUN ZHE #123 #526

*ichikii* Nishiguchi, 1941: 31

*tetanicus* Pascoe, 1867c: 412

*insularis yakushimanus* K. Ohbayashi, 1964: 19 A: JA

*komiya* Lorenc, 1999: 13 A: LE SY TR

*kucerai* Drumont & Komiya, 2006: 22 A: GAN HEN NIN SHA SHX

*lameerei* Semenov, 1927: 235 A: SCH YUN

*laminicornis* Fairmaire, 1897e: 254 A: HEB SCH SHA TIA "North China" #123 #225

*heterotarsus* Lameere, 1915a: 58

*mali* Drumont, Xi & Rapuzzi, 2015: 104 A: YUN

*murzini* Drumont & Komiya, 2006: 23 A: YUN

*nakamurai* N. Ohbayashi & Makihara, 1985: 11 A: TAI

*puae* Drumont & Komiya, 2006: 20 A: GUX YUN

*scabripunctatus* Hayashi, 1971: 1 A: TAI  
*sejunctus* Hayashi, 1959a: 4 A: JA  
*sifanicus* Plavilstshikov, 1934f: 220 A: CHQ SCH #123  
*siskai* Drumont & Komiya, 2006: 15 A: SCH XIZ YUN ORR  
*vartianorum* Fuchs, 1967: 431 A: AF PA #274  
genus *Prionus*, species incertae sedis  
*sterbai* Heyrovský, 1950: 128 A: IN

**genus *Priotyrranus* J. Thomson, 1857b: 120** type species *Prionus mordax* White, 1853

**subgenus *Chollides* J. Thomson, 1877: 264** type species *Chollides closteroides* J. Thomson, 1877

*Cnethocerus* Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyrranus closteroides* J. Thomson, 1877)

*Derechinus* Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyrranus closteroides* J. Thomson, 1877)

*Prionacus* Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyrranus closteroides* J. Thomson, 1877)

*closteroides closteroides* J. Thomson, 1877: 265 (*Chollides*) A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX LIA #123  
NMO SCH SHA TAI TIA YUN ZHE ORR

*delatouchii* Fairmaire, 1902c: 317 (*Derechinus*)

*messi* Bates, 1878a: 273 (*Cnethocerus*)

*rabieri* Lameere, 1912a: 174

*strigicornis* Fairmaire, 1896a: 127 (*Prionacus*)

*testaceus* Kano, 1933b: 130

*closteroides lutauensis* N. Ohbayashi & Makihara, 1985: 13 A: TAI (Ludau Is.)

*hueti* Drumont, 2008: 4 A: YUN ORR

**genus *Pseudopriopus* Pic, 1898e: 33** type species *Polyarthron bienerti* Heyden, 1885

*altimontanus* Kabakow & Dolin, 1996: 45 (*Prionus*) A: AF

*bienerti bienerti* Heyden, 1885c: 311 (*Polyarthron*) A: IN TM

*banghaasi* Pic, 1901i: 32 (*Polyarthron*)

*pluschewskyi* Jakovlev, 1887a: 157 (*Polyarthron*)

*bienerti waitzbaueri* Adlbauer & Drumont, 2010: 73 A: JO

**genus *Psilotarsus* Motschulsky, 1860e: 537** [1861c: 443] type species *Prionus brachypterus* Gebler, 1830

*Brachypriopus* Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830

*Otiartes* J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)

*Prionoxys* Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830

*Psilopus* Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830

*Psilopus* Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus*, Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)

*brachypterus alpherakii* Semenov, 1900: 324 (*Prionus*) A: XIN

*brachypterus aralensis* Danilevsky, 2000a: 8 A: KZ UZ

*brachypterus brachypterus* Gebler, 1830: 179 (*Prionus*) A: KZ XIN #123 #400

*laidens* Motschulsky, 1860e: 537 [1861c: 443]

*brachypterus hemipterus* Motschulsky, 1845a: 90 (*Prionus*) E: ST A: KZ UZ

*longipennis* Motschulsky, 1860e: 537 [1861c: 443]

*brachypterus pubiventris* Semenov, 1900: 332 (*Prionus*) A: KZ #278

*hypogymna* Semenov, 1900: 331 (*Prionus*)

*heydeni alatauensis* Danilevsky, 2014i: 54 A: KZ

*heydeni arkitensis* Danilevsky, 2000a: 27 A: KI

*heydeni heydeni* Ganglbauer, 1888b: 265 (*Prionus*) A: KI UZ

*minusculus* Semenov, 1935b: 249 (*Prionus*)

*heydeni talassicus* Danilevsky, 2000a: 29 A: KI

*hirticollis auliensis* Danilevsky, 2000a: 19 A: KI KZ UZ #278

*hirticollis hirticollis* Motschulsky, 1860e: 537 [1861c: 443] A: KZ TD UZ #400

*hirticollis nudicollis* Danilevsky, 2000a: 19 A: KZ

*lesnei* Semenov, 1933: 293 (*Prionus*) A: IN

*turkestanicus* Semenov, 1888: 157 (*Prionus*) A: TD TM UZ

*curticornis* Ganglbauer, 1888b: 266 (*Prionus*)

*ruficornis* Fairmaire, 1892b: cxxiii (*Prionus*)

**genus *Unilapriopus* Lin & Danilevsky, 2017: 46** type species *Prionus unilamellatus* Pu, 1987

*unilamellatus* Pu, 1987: 90 (*Prionus*) A: XIZ

subfamily **Lepturinae** Latreille, 1802

tribe **Caraphiini** N. Ohbayashi, Lin & Yamasako, 2016

**genus *Caraphia* Gahan, 1906a: 75** type species *Caraphia cribrata* Gahan, 1906

*Neosalpinia* Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933

*Noctileptura* Chemsak & Linsley, 1984: 281 type species *Noctileptura squamosa* Chemsak & Linsley, 1984

*ebenina* Holzschuh, 1989: 361 A: GUX ORR #163

*granulifera* Holzschuh, 1984a: 141 A: NP #163

*huai* N. Ohbayashi & Lin, 2016: 195 A: GUA HAI  
*laticeps* Pic, 1922c: 10 (*Microrhabdium*) A: YUN  
*lepturoides babai* Makihara, 1982b: 127 A: JA (Ryukyus)  
*lepturoides lepturoides* Matsushita, 1933b: 304 (*Neosalpinia*) A: JA  
*paulastoni* N. Ohbayashi & Lin, 2016: 199 A: HKG  
*taiwana* Chou & N. Ohbayashi, 2008: 136 A: HAI TAI #163  
*thailandica* Hayashi & Villiers, 1987: 2 A: HAI YUN ORR #163

### tribe Encyclopini LeConte, 1873

**genus *Encyclops* Newman, 1838a: 392** type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1827)  
*Microrhabdium* Kraatz, 1879c: 99 type species *Microrhabdium macilentum* Kraatz, 1879  
*concinus* Holzschuh, 1991c: 7 A: SCH  
*hubeiensis* N. Ohbayashi & W.-K. Wang, 2004: 454 A: HUB  
*luteoscelis* Chou & N. Ohbayashi, 2010: 360 A: TAI  
*macilentus* Kraatz, 1879c: 99 (*Microrhabdium*) A: FE ?NC SC #63  
*parallelus* Pic, 1914e: 17 (*Microrhabdium*)  
*ussuricus* Tsherepanov, 1975b: 42  
*obscurellus* Holzschuh, 2015a: 42 A: YUN  
*olivaceus* Bates, 1884a: 211 A: FE (Kunashir) JA  
*jozanensis* Matsushita, 1933b: 169 (*Microrhabdium*)  
*viridipennis* Makihara, 1978: 49 A: TAI

### tribe Enoploderini Danilevsky, 1997

**genus *Enoploderes* Faldermann, 1837: 309** type species *Enoploderes sanguineus* Faldermann, 1837  
**subgenus *Enoploderes* Faldermann, 1837: 309** type species *Enoploderes sanguineus* Faldermann, 1837  
*Pyrotrichus* LeConte, 1862: 41 type species *Pyrotrichus vitticollis* LeConte, 1862  
*Xylostylon* Reitter, 1879b: 82 [1880: 484] type species *Xylostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)  
*sanguineus* Faldermann, 1837: 310 E: ST UK A: AB AR GG IN TR  
*lederi* Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)  
**subgenus *Pyrenoploderes* Hayashi, 1960: 12** type species *Enoploderes bicolor* K. Ohbayashi, 1941  
*bicolor* K. Ohbayashi, 1941a: 1 A: JA ?SK #63 #522

### tribe Lepturini Latreille, 1802

**genus *Acanthoptura* Fairmaire, 1894a: 224** type species *Acanthoptura spinipennis* Fairmaire, 1894  
*denticollis* Holzschuh, 1993a: 17 A: SCH  
*impressicollis* Pic, 1920f: 117 (*Leptura*) A: SCH YUN  
*sericeicollis* Holzschuh, 1993a: 18 A: SCH  
*simplicicollis* Holzschuh, 1993a: 16 A: SCH  
*spinipennis* Fairmaire, 1894a: 224 A: SCH XIZ  
*truncatipennis* Holzschuh, 1993a: 16 A: YUN

**genus *Alosterna* Mulsant, 1863: 576** type species *Leptura tabacicolor* DeGeer, 1775  
*Allosterna* Stierlin, 1898: 479 [unjustified emendation]  
*anatolica* Adlbauer, 1992: 490 A: TR  
*barimani* Danilevsky, 2010f: 3 A: IN  
*chalybeella* Bates, 1884a: 216 (*Grammoptera*) A: FE (Sakhalin, Kunashir) JA  
*japonica* Pic, 1935d: 11 (*Grammoptera*)  
*diversipes* Pic, 1929b: 9 (*Grammoptera*) A: FE HEI JIL NC SC  
*perpera* Danilevsky, 1988c: 367  
*ingrica* Baeckmann, 1902: 280 (*Grammoptera*) E: BY CT EN LA NT PL SK ST UK WS #517  
*libani* Márkus & Németh, 2016: 24 A: LE  
*pauli* Pesarini, Rapuzzi & Sabbadini, 2004: 158 E: GR  
*scapularis* Heyden, 1879a: 325 [1879b: 69] (*Strangalia*) A: AB IN TM TR  
*talyschensis* Reitter, 1885: 391  
*tabacicolor azerbaijanica* Danilevsky, 2014i: 386 A: AB  
*tabacicolor erythropus* Gebler, 1841b: 612 (*Leptura*) A: ES FE JA KZ MG NT WS #276  
*bivittis* Motschulsky, 1860b: 146 (*Grammoptera*)  
*plavilstshikovi* Podány, 1963b: 49  
*testacea* Motschulsky, 1860b: 146 (*Grammoptera*)  
*tabacicolor hirayamai* Fujita, 2018: 21 A: JA  
*tabacicolor sachalinensis* Danilevsky, 2012m: 904 A: FE (North Sakhalin)  
*tabacicolor subvittata* Reitter, 1885: 391 E: ST A: AB AR GG IN TR  
*caucasica* Plavilstshikov, 1936: 305  
*tabacicolor tabacicolor* DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA  
LS LT LU MC MD ME NE NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: KZ TR WS  
*bicoloripes* Pic, 1914e: 65 (*Allosterna*)

*chrysomeloides* Schrank, 1781a: 158 (*Leptura*)  
*dispar* Pic, 1892i: 140  
*genii* Gmelin, 1790: 1877 (*Leptura*)  
*laevis* Fabricius, 1793: 340 (*Leptura*)  
*solstitialis* Herbst, 1784: 103 (*Leptura*)  
*tabacicolor tenebris* Danilevsky, 2012m: 904 A: FE ?NC NE SC  
*tabacicolor tokatensis* Pic, 1901n: 59 A: TR

**genus *Anastrangalia* Casey, 1924: 280** type species *Leptura sanguinea* LeConte, 1859  
*Marthaleptura* K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873  
*dissimilis dissimilis* Fairmaire, 1900: 639 (*Leptura*) A: FUJ HUN QIN SCH SHA YUN #400  
*dissimilis niitakana* Kano, 1933a: 264 (*Leptura*) A: TAI #526  
*hirayamai* Matsushita & Tamanuki, 1943: 80 (*Leptura*) (“Inokashira bei Tokyo” - wrong locality) #526  
*dubia dubia* Scopoli, 1763: 47 (*Leptura*) E: AL AN AU BH BU ?BY CR CZ FR GE GR HU IT LS L† MC ME PL RO SB SK SL SP SZ  
 UK N: AG A: TR  
*basinotata* Pic, 1932d: 31 (*Leptura*)  
*birubronotata* Pic, 1941b: 1 (*Leptura*)  
*chamomillae* Fabricius, 1801: 359 (*Leptura*)  
*cincta* Fabricius, 1801: 356 (*Leptura*)  
*curierensis* Pic, 1945b: 6 (*Leptura*)  
*graeca* Pic, 1932d: 31 (*Leptura*)  
*limbata* Laicharting, 1784: 166 (*Leptura*)  
*luctuosa* Mulsant, 1839: 278 (*Leptura*)  
*notata* Olivier, 1800: 11 (*Leptura*) #373  
*planeti* Pic, 1945b: 5 (*Leptura*)  
*dubia moreana* Pic, 1906h: 96 (*Leptura*) E: GR (Peloponnese)  
*atrovittata* Pic, 1941b: 1 (*Leptura*)  
~~*birubrosignata* Pic, 1941b: 1 (*Leptura*)~~  
*inbasalis* Pic, 1917g: 4 (*Leptura*)  
*dubia melanota* Faldermann, 1837: 315 (*Leptura*) E: ST A: AB AR GG IN TR  
*dereensis* Pic, 1932d: 31 (*Leptura*)  
*distincta* Tournier, 1872: 347 (*Leptura*)  
*circascutellaris* Pic, 1945b: 6 (*Leptura*)  
~~*curierensis* Pic, 1945b: 6 (*Leptura*)~~  
*curtelineata* Pic, 1941e: 5 (*Leptura*)  
*ratchaensis* Pic, 1911: 4 (*Leptura*)  
*starcki* Schilsky, 1892: 205 (*Leptura*)  
*triangulifera* Reitter, 1898d: 195 (*Leptura*)  
*kasaharai* Makihara, 2002: 339 A: JA (Ryukyus)  
*montana montana* Mulsant & Rey, 1863: 179 (*Leptura*) E: GR (Samos) A: C Y LE SY TR #591  
*bogasana* Pic, 1932d: 31 (*Leptura*)  
*claudiusi* Pic, 1941b: 1 (*Leptura*)  
*juliae* Pic, 1941b: 1 (*Leptura*)  
*leuthneri* Ganglbauer, 1886c: 516 (*Leptura*)  
*mulsanti* Pic, 1941b: 1 (*Leptura*)  
*nigerrima* Pic, 1892v: 415 (*Leptura*)  
*pernigra* Reitter, 1898d: 193 (*Leptura*)  
*semisanguinea* Reitter, 1898d: 193 (*Leptura*)  
*victoris* Pic, 1941b: 1 (*Leptura*)  
*montana steineri* Sama, 1994a: 10 E: GR (Crete)  
*renardi* Gebler, 1848: 420 (*Leptura*) E: NT A: ES FE KZ MG NC (Deoknip) NMO WS XIN #63  
*mongolica* Pic, 1922d: 18 (*Leptura*)  
*reyi* Heyden, 1889a: 203 (*Leptura*) [RN] E: AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SP ST SV SZ UK A:  
 KZ  
*inexpectata* Jansson & Sjöberg, 1928: 212 (*Leptura*)  
*ochracea* Rey, 1885b: 277 (*Leptura*) [HN]  
*rubriola* Bates, 1878b: 720 (*Leptura*) A: AF FUJ KA NP PA ORR  
*kashmirica* Plavilstshikov, 1927b: 105  
*sanguinolenta* Linnaeus, 1760: 196 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC MD  
 ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR GG KZ TR WS iNTR #400  
*bonaerensis* Burmeister, 1865: 177 (*Leptura*) [Argentina]  
*ignita* Geoffroy, 1785: 89 (*Stenocorus*)  
~~*melanura* Ström, 1765: 394 (*Leptura*) [HN]~~ #568  
*sandoeensis* Palm, 1953: 124 (*Leptura*)  
*variabilis* DeGeer, 1775: 137 (*Leptura*)  
*scotodes continentalis* Plavilstshikov, 1936: 371 (*Leptura*) A: FE NC NE SC SCH SHA #400  
*scotodes scotodes* Bates, 1873: 194 (*Leptura*) A: FE JA  
*kongoensis* Matsushita, 1933b: 201 (*Leptura*)  
*rufonotata* Pic, 1953a: 14 (*Leptura*)  
*sequensi* Reitter, 1898d: 194 (*Leptura*) A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN

*baikalensis* Pic, 1907a: 6 (*Leptura*)  
*baicalica* Pic, 1911a: 4 (*Leptura*)  
*diversenotata* Pic, 1907a: 6 (*Leptura*)  
*pulchrina* Reitter, 1898d: 194 (*Leptura*)  
*rufopaca* Reitter, 1898d: 194 (*Leptura*)  
*sachalinensis* Matsushita, 1933a: 104 (*Leptura*)  
*tristina* Reitter, 1898d: 194 (*Leptura*)

**genus *Anoplodera* Mulsant, 1839: 285** type species *Leptura sexguttata* Fabricius, 1775

**subgenus *Anoplodera*ulsant, 1839: 285** type species *Leptura sexguttata* Fabricius, 1775

*atramentaria* Ganglbauer, 1889a: 59 (*Leptura*) A: GAN NMO

*corvina* Holzschuh, 1993a: 11 A: GAN

*fokienensis* Pic, 1922a: 7 (*Leptura*) A: FUJ

*kingana* Pic, 1903e: 105 (*Leptura*) A: SCH

*septemnotata* Pic, 1928e: 143 (*Leptura*)

*sexnotatipennis* Pic, 1928e: 143 (*Leptura*)

*peregrina* Holzschuh, 1993a: 12 A: GAN

*porphyrophora* Fairmaire, 1889a: 64 (*Leptura*) A: SCH

*przewalskii* Miroshnikov, 2000c: 186 A: NMO

*rufihumeralis* Tamanuki, 1938b: 167 (*Leptura*) A: CH FE NC

#400

*rufipes astrabadensis* Pic, 1900n: 82 A: AB IN

#142

*rufipes izzilloi* Sama, 1999a: 45 E: IT (Basilicata)

*rufipes krueperi* Ganglbauer, 1882: 707 (*Leptura*) E: GR

#142

*rufipes lucidipes* Sama, 1999a: 46 A: TR

*rufipes rufipes* Schaller, 1783: 296 (*Leptura*) [HN] E: AL AU BH BU BY CR CZ ?EN FR GE GB GR HU IT LA LT LU MC MD ME

?NT PL RO SB SK SL SP SV SZ UK

#11 #64 #142

*atra* Fabricius, 1775: 197 (*Leptura*) [NO]

#142

*bursensis* Jureček, 1931: 124 (*Leptura*)

*fuscipes* Mulsant, 1839: 287

*villosa* Schoenherr, 1817a: 486 (*Leptura*)

*rufipes ventralis* Heyden, 1886a: 85 [RN] E: BY CT ST UK A: AB AR GG ES KZ TR

#142

*medea* Pic, 1909: 99 (*Leptura*)

*rufiventris* Tournier, 1872: 348 (*Leptura*) [HN]

*sergeii* Miroshnikov, 2000c: 188 A: SCH

*shamaevi* Miroshnikov, 2000c: 188 A: QIN

*sexguttata* Fabricius, 1775: 198 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD

MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG A: GG TR

#11 #133

*atrata* Schilsky, 1889: 339

*biguttata* Mulsant, 1839: 285

*exclamationis* Fabricius, 1793: 343 (*Leptura*)

*guttata* Pic, 1898a: 4

*punctomaculata* Marsham, 1802: 357 (*Leptura*)

*pyrenaica* Pic, 1917a: 5 (*Leptura*)

*semicolon* Schrank, 1798: 694 (*Leptura*)

*vastatorum* Pic, 1917a: 5 (*Leptura*)

*uddmanniana* Harrer, 1784: 225 (*Leptura*)

**subgenus *Falsojudolia* Pic, 1935c: 11** type species *Judolia lunatipennis* Pic, 1935

*lunatipennis* Pic, 1935c: 11 (*Judolia*) A: GAN

**genus *Anoplodromomorpha* Pic, 1901m: 59** type species *Leptura excavata* Bates, 1884a

#526 #302

*carbonaria* Holzschuh, 1993a: 13 A: SHA

*cyanea* Gebler, 1832: 70 (*Leptura*) A: ES FE HEB HEI HUB JA JIL MG NC NMO SC

*densepunctata* Hayashi & Villiers, 1994: 60 A: TAI

*diplosa* Holzschuh, 2003a: 161 A: YUN

*excavata* Bates, 1884a: 217 (*Leptura*) A: ?ZHE JA

#400

*formosana* Matsushita, 1933b: 198 (*Leptura*) A: HAI TAI

*izumii* Mitono & Tamanuki, 1939: 209 (*Leptura*) A: FUJ GUA TAI YUN ZHE

#400 #499

*monticola* Nakane, 1955: 11 A: JA

*kishii* Nakane, 1955: 12

*rubripennis* Pic, 1927f: 8 (*Leptura*) A: FUJ GUA ORR

#400

*granata* Holzschuh, 1989b: 366

#404

*sepulchralis* Fairmaire, 1889a: 63 (*Leptura*) A: FUJ SCH ORR

*tenebraria* Holzschuh, 1995: 10 A: YUN

*villigera* Holzschuh, 1991c: 17 A: YUN ORR

**genus *Carlandrea* Sama & Rapuzzi, 1999: 467** type species *Strangalia syriaca* Pic, 1891

*syriaca* Pic, 1891a: 1 (*Strangalia*) A: TR

**genus *Corennys* Bates, 1884a: 224** type species *Corennys sericata* Bates, 1884a

*Pseudocorennys* Pic, 1953d: 41 type species *Pyrocalymma diversicornis* Pic, 1946 (= *Pyrocalymma conspicua* Gahan, 1906)  
*caduca* Holzschuh, 1998: 28 A: HUB  
*cardinalis* Fairmaire, 1887a: 131 (*Ephies*) A: YUN  
*circellaris* Holzschuh, 1992b: 12 A: SCH  
*conspicua* Gahan, 1906a: 89 (*Pyrocalymma*) A: BT HAI HEB SCH SHA XIZ YUN **ORR**  
*diversicornis* Pic, 1946c: 17 (*Pyrocalymma*)  
*sanguinea* Kano, 1933a: 271 A: HAI TAI  
*sensitiva* Holzschuh, 1998: 29 A: YUN  
*sericata* Bates, 1884a: 225 A: HEB FE (Kunashir) JA NE SC (Mt. Myeongjisan) **#212**  
*taiwana* Hayashi, 1963d: 130 A: TAI

**genus *Cornumutilla* Letzner, 1844: 173** type species *Leptura lineata* Letzner, 1844

*Letzneria* Kraatz, 1879a: 63 type species *Leptura lineata* Letzner, 1844  
*lineata* Letzner, 1844: 173 (*Leptura*) E: AU CZ FR IT NT PL RO SK SZ UK A: ES WS  
*weisi* Heyden, 1892c: 389 (*Letzneria*)  
*quadrivittata* Gebler, 1830: 193 (*Leptura*) E: CT A: ES FE NC (Mt. Duryusan) WS **#63 #648**  
*semenovi* Plavilstshikov, 1936: 313

**genus *Dokhtouroffia* Ganglbauer, 1886a: 129** type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa* Gebler, 1845)

*Dochturovia* Jakobson, 1924c: 238 [unjustified emendation]  
*Dokhturovia* Semenov, 1926: 48 [unjustified emendation]  
*baeckmanni* Jankowski, 1934: 109 [= 1935b: 181] (*Dochturovia*) A: KI UZ  
*nebulosa* Gebler, 1845: 105 (*Stenura*) A: KI KZ ?MG ?SCH XIN ?XIZ  
*turkestanica* Ganglbauer, 1886a: 129  
*vittata* Pic, 1941b: 1 (*Dokhtouroffia*)

**genus *Elacomia* Heller, 1916: 298** type species: *Elacomia collaris* Heller, 1916

*Acantholeptura* Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)  
*michioi* Tippmann, 1955: 95 (*Strangalia*) A: FUJ **#405**  
*semiannulata* Pic, 1916d: 5 (*Leptura*) A: GUX SCH YUN **ORR** **#403 #526**  
*clytoides* Pesarini & Sabbadini, 2015: 34

**genus *Emeileptura* Holzschuh, 1991c: 22** type species *Emeileptura conspecta* Holzschuh, 1991

*bicuspis* N. Ohbayashi, Tichý & Bi, 2018: 32 A: YUN  
*conspecta conspecta* Holzschuh, 1991c: 22 A: SCH  
*conspecta fanjingshana* N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI  
*conspecta leishanica* N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI  
*conspecta nagahatai* N. Ohbayashi, Tichý et Bi, 2018: 30 A: SCH

**genus *Ephies* Pascoe, 1866d: 506** type species *Ephies cruentus* Pascoe, 1866

*apicalis* Kano, 1933a: 270 A: TAI  
*coccineus* Gahan, 1906a: 87 A: BT FUJ GUX HAI YUN **ORR** **#400 #526**  
*gahani* Gressitt, 1940b: 31 A: HAI  
*japonicus japonicus* Nakane & K. Ohbayashi, 1961: 6 A: JA  
*japonicus okinawanus* Hayashi, 1968a: 21 A: JA (Ryukyus)  
*schwarzeri* Hayashi, 1968a: 22 A: TAI  
*sulcipennis* Bates, 1891a: 22 A: HP (Kulu)  
*thailandensis* Hayashi, 1989: 24 A: YUN **ORR**

**genus *Etorofus* Matsushita, 1933a: 204** type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)

**subgenus *Etorofus* Matsushita, 1933b: 204** type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)  
*nemurensis* Matsushita, 1933a: 205 A: FE JA

*circaocularis* Pic, 1934c: 18 (*Strangalia*)  
*niger* Matsushita, 1933a: 205  
*variicornis* Matsushita, 1933a: 205 [HN]  
*pubescens* Fabricius, 1787: 158 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR IT LA LT MC ME NR NT PL RO **#481**  
SB SK SL SP ST SV SZ UK A: ?GG TR  
*anticemaculata* Pic, 1933h: 5 (*Strangalia*)  
*carinthiaca* Pic, 1933h: 16  
*holosericea* Fabricius, 1801: 358 (*Leptura*)  
*obscura* Thunberg, 1787: 56 (*Leptura*)  
*ottoi* Pic, 1907a: 6 (*Leptura*)  
*perobscura* Reitter, 1901a: 77 (*Strangalia*)

**subgenus *Nakanea* K. Ohbayashi, 1963: 9** type species *Leptura vicaria* Bates, 1884a

*vicarius* Bates, 1884a: 218 (*Leptura*) A: FE JA

*adumbratus* Bates, 1884: 220 (*Leptura*)  
*biluteomaculatus* Pic, 1943c: 1 (*Strangalia*)  
*lajoyei* Pic, 1943c: 1 (*Strangalia*)

**genus *Eustrangalis* Bates, 1884a: 221** type species *Eustrangalis distenioides* Bates, 1884a  
*aeneipennis* Fairmaire, 1889a: 63 (*Stenura*) A: SCH SHA YUN **ORR**

*notaticollis* Pic, 1927f: 8  
*anticereducta* Hayashi, 1958b: 46 A: JA  
*distenioides* Bates, 1884a: 222 A: FE (Kunashir) JA  
*latericollis* W.-K. Wang & Jiang, 1994: 193 A: HUB SHA  
*viridipennis* Gressitt, 1935f: 380 A: TAI

#114  
#526

**genus *Formosopyrrhona* Hayashi, 1957a: 37** type species *Corennys cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)

*hozanensis* Matsushita, 1933a: 231 (*Pyrocalymma*) A: ?HAI TAI  
*cinnabarina* Gressitt, 1951a: 122 (*Corennys*)  
*longula* Holzschuh, 1999: 20 A: HUB  
*satoi* Hayashi, 1957b: 45 (*Pyrocalymma*) A: JA (Ryukyus)  
*semilaeticolor* Hayashi, 1974a: 13 A: TAI

#400

**genus *Gahanaspia* N. Ohbayashi, 2014: 17** type species *Leptura miniacea* Gahan, 1906  
*miniacea* Gahan, 1906a: 82 (*Leptura*) A: GUX NP **ORR**

#27

**genus *Gnathostrangalia* Hayashi & Villiers, 1985: 13** type species *Strangalia aurivillei* Pic, 1903

*Pygostrangalia* Pic, 1957: 76 [HN] type species *Strangalina invittaticollis* Pic, 1957 (= *Strangalia kwangtungensis* Gressitt, 1939b)  
*aurivillei* Pic, 1903c: 29 (*Strangalia*) A: GUX HAI **ORR**

#526  
#169

*testaceipes* Pic, 1943c: 1 (*Strangalia*)  
*valeria* Pic, 1930b: 14 (*Parastrangalia*)  
*bilineatithorax* Pic, 1922b: 22 (*Leptura*) A: FUJ GUX HUN **ORR**  
*nigriventralis* Chiang & W.-K. Wang, 1993: 55  
*tonkinea* Murzin, 1988: 162 (*Strangalia*)  
*brevioripennis* Pic, 1955a: 10 (*Strangalia*) A: ?  
*castaneonigra* Gressitt, 1935g: 567 (*Leptura*) A: FUJ GUA HUN ZHE  
*elliptica* L. Chen & Chiang, 1996: 188, 191 A: GUX  
*kurodai* Hayashi, 1976: 5 (*Pygostrangalia*) A: TAI  
*kwangtungensis* Gressitt, 1939b: 9 (*Strangalia*) A: FUJ GUA GUI HAI HUN JIX  
*invittaticollis* Pic, 1957: 76 (*Strangalina*)  
*rufovittata* Pic, 1922c: 10 (*Strangalia*) A: GUX **ORR**  
*silvestrii* Tippmann, 1955: 99 (*Strangalia*) A: FUJ HUB ZHE  
*simianshana* Chiang & L. Chen, 1993: 54 A: CHQ ?SCH  
*tiemushana* Gressitt, 1939b: 93 (*Strangalia*) A: GUI ZHE

#169 #526  
#526  
#526  
#400 #526  
#169  
#114 #526  
#169  
#400 #526

**genus *Gramera* Holzschuh, 2017d: 64** type species *Gramera amoena* Holzschuh, 2017d  
*amoena* Holzschuh, 2017d: 66 A: AP

**genus *Grammoptera* Dejean, 1835: 356** type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)

**subgenus *Grammoptera* Dejean, 1835: 356** type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)

*Fallaciomorpha* Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892  
*abdominalis* Stephens, 1831: 262 (*Leptura*) E: AL AU BE BH BU BY CR CZ DE FR GB GE GR HU IR IT LT LU MC NL PL PT RO  
SK SL SP ST SV SZ TR UK A: AB AR GG IN TR

#461

*analis* Herrich-Schäffer, 1833: Heft 118 (6) (*Leptura*)  
*nigrescens* Weise, 1884: 424  
*variegata* Germar, 1823: 522 (*Leptura*) [HN]

#506

*andrei* Holzschuh, 1999: 10 A: QIN

*angustata* Pic, 1892j: 289 N: AG

*bicoloricornis* Pic, 1935d: 12

*auricollis auricollis* Mulsant & Rey, 1863: 183 N: AG

*auricollis basicornis* Pic, 1924c: 26 E: GR (Crete)

*auricollis bipustulata* Steiner, 1975: 22 E: GR

*auricollis samai* Sláma, 1997: 512 N: AG TU

*baudii baudii* Sama, 1985c: 97 A: CY

*baudii pistacivora* Sama, 1996b: 94 A: IS JO LE SY TR

*coerulea* Jureček, 1933: 128 A: FE ?NC SC

#63

*fulgidipennis* Holzschuh, 1991c: 16 A: GAN

*geniculata* Kraatz, 1886: 234 (“Sierra Jaen in Andalusien”) E: ?FR PT SP

#517

*gracilis* Brancsik, 1914: 58 A: FE NC NE SC

*semenovi* Baeckmann, 1924: 231

*grammopteroides* Pic, 1892d: 44 [= 1892l: clxxxv] (*Leptura*) A: LE SY  
*matsudai* Hayashi, 1974a: 8 A: TAI  
*merkli* Frivaldszky, 1884: 4 A: TR  
*ruficornis flavipes* Pic, 1892h: 139 E: IT (Sicilia) #20  
*ruficornis holomelina* Donisthorpe, 1905: 182 E: GB  
*ruficornis obscuricornis* Kraatz, 1886: 234 A: AB (Talysh) IN  
*ruficornis ruficornis* Fabricius, 1781: 247 (*Leptura*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS  
 LT MC MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK A: TR  
*clavipes* Geoffroy, 1785: 87 (*Stenocorus*)  
*laevis* Herbst, 1784: 103 (*Leptura*)  
*pallipes* Stephens, 1831: 263 (*Leptura*) #20  
*parisina* Thunberg, 1784: 16 (*Leptura*)  
*pumila* Schaller, 1783: 299 (*Leptura*)  
*rufipes* Goeze, 1777: 501 (*Leptura*) [NO]  
*semimetallica* Pic, 1939b: 2 A: GAN  
*solai* Rapuzzi & Sama, 2014a: 2 A: TR  
*ustulata tibialis* Kraatz, 1886: 234 A: AB AR IN TR  
*ustulata ustulata* Schaller, 1783: 298 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA MC MD ME NL  
 NR PL RO SB SK SL ?SP ST SV SZ TR UK A: TR  
*adusta* Gmelin, 1790: 1872 (*Leptura*)  
*barrosi* Pic, 1900c: 6  
*praeusta* Fabricius, 1787: 159 (*Leptura*)  
*semirufescens* Pic, 1947a: 4  
*splendida* Herbst, 1784: 103 (*Leptura*)  
*viridipennis* Pic, 1893c: 111 E: IT (Sicilia)  
**subgenus** *Neoencyclops* Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933  
*brezinai* Holzschuh, 1998: 18 (*Neoencyclops*) A: GAN  
*cyanea* Tamanuki, 1933: 73 A: FE NE NC (Ompo) #400 #526  
*plavilstshikovi* Heyrovský, 1965a: 101  
*debilipes* Holzschuh, 1991c: 15 (*Neoencyclops*) A: SCH  
*elongata* Pic, 1941b: 1 A: CH  
*lenis* Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA  
*paucula* Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA  
*querula* Danilevsky, 1993e: 476 A: NC (Mt. Baekdusan)  
  
**genus** *Gerdianus* Holzschuh, 2011: 270 [RN] type species *Gerdianus gracilis* Holzschuh, 2009  
*Gerdianus* Holzschuh, 2009: 276 [HN] type species *Gerdianus gracilis* Holzschuh, 2009  
*zhujianqingi* Bi & N. Ohbayashi, 2019: 87 A: FUJ ZHE  
  
**genus** *Houzhenzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzhenzia cheni* N. Ohbayashi & Lin, 2012  
*cheni* N. Ohbayashi & Lin, 2012: 18 A: FUJ SHA  
  
**genus** *Huanshengia* Wang Ch.-B. & Liu, 2021: 5 type species *Huanshengia hainana* Wang Ch.-B. & Liu, 2021  
*hainana* Wang Ch.-B. & Liu, 2021: 6 A: HAI  
  
**genus** *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 49 (A243) type species *Strangalia contracta* Bates, 1884a  
*akiyamai* Hayashi, 1978a: 86 A: TAI  
*albopreterminalis* Hayashi & Villiers, 1989: 2 A: TAI  
*angustissima* Gressitt, 1935d: 261 (*Strangalina*) A: TAI  
*atrocincta* Pic, 1928b: 17 (*Strangalina*) A: SE SW ORR  
*auricoma* Holzschuh, 2007: 197 A: YUN ORR  
*bilineaticollis* Pic, 1915c: 12 (*Strangalina*) A: NP XIX #390 #526  
*quadrisignata* Hayashi & Makihara, 1981: 187  
*contracta* Bates, 1884a: 223 (*Strangalia*) A: JA JIX  
*lineatocollis* Gressitt, 1937b: 319 (*Strangalina*)  
*mediolineata* Pic, 1954: 13 (*Strangalia*)  
*ohbayashii* Matsushita, 1933b: 220 (*Strangalia*)  
*tamanukii* Hayashi, 1959b: 61 (*Pygostrangalia*)  
*fukienensis* Pic, 1957: 77 (*Strangalina*) A: FUJ  
*fukiensis* Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ  
*hakonensis* Matsushita, 1933b: 218 (*Strangalia*) A: JA  
*maruokai* Hayashi, 1963a: 52 (*Pygostrangalia*) A: JA (Ryukyus)  
*nigrobaltea* Holzschuh, 2016a: 76 A: YUN  
*rarasanensis* Mitono, 1938: 19 (*Strangalia*) A: TAI  
*shimomurai* N. Ohbayashi & Takahashi, 1985: 89 A: JA  
*sozanensis* Mitono, 1938: 17 (*Strangalia*) A: FUJ GUA GUX HUN JIX TAI ZHE  
 — *lineatocollis* Gressitt, 1937b: 319 (*Strangalina*)

- simillima* Hayashi & Villiers, 1989: 1 #135  
*vittatipennis* Pic, 1914d: 16 (*Strangalia*) A: TAI  
*marginalis* Kano, 1933a: 269 (*Strangalia*)  
*suturalis* Gressitt, 1935d: 262 (*Strangalina*)
- genus *Ischnostrangalis* Ganglbauer, 1889a: 53** type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)  
*antennalis* Holzschuh, 1991c: 21 A: SCH  
*apicata* Holzschuh, 1992b: 8 A: SCH  
*davidi* Pic, 1934g: 83 (*Leptura*) A: SCH  
*fasciolata* Holzschuh, 2011: 273 A: XIZ  
*frugalis annulicornis* Holzschuh, 2011: 274 A: SCH  
*frugalis frugalis* Holzschuh, 1991a: 7 A: SCH  
*manipurensis* Gahan, 1906: 86 (*Leptura*) A: YUN **ORR**  
*ohbayashii* Tichý & Lin, 2021: 3 A: YUN  
*rhododendri* Holzschuh, 2011: 271 A: YUN  
*semenowi* Ganglbauer, 1889a: 53 (*Leptura*) A: SCH YUN #400  
*stricticollis* Fairmaire, 1889a: 62 (*Stenura*) A: SCH #523  
*tibetensis* N. Ohbayashi & Lin, 2013: 48 A: XIZ  
*wenhsini* N. Ohbayashi & Lin, 2013: 45 A: XIZ
- genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 50 (A244)** type species *Leptura dentatipennis* Pic, 1901  
*basiplicata* Fairmaire, 1889a: 60 (*Stenura*) A: FUJ GUA GUI HUB HUN JIX SCH SHA ZHE #225  
*argodi* Théry, 1896: 109 (*Strangalia*)  
*elegans* Tippmann, 1955: 94 (*Strangalia*)  
*dentatipennis* Pic, 1901m: 60 (*Leptura*) A: JA  
*yamasakii* Mitono, 1936: 421 (*Strangalia*) A: FUJ GUI HUN JIX TAI  
*miwai* Mitono, 1943: 587 (*Strangalia*)
- genus *Judolia* Mulsant, 1863: 496** type species *Leptura sexmaculata* Linnaeus, 1758  
*dentatofasciata* Mannerheim, 1852b: 308 (*Grammoptera*) E: NT A: ES FE HEI JA JIL MG NC NMO SC WS XIN #316 #400  
*abbreviata* Motschulsky, 1875: 143 (*Grammoptera*)  
*dentatofasciata* Motschulsky, 1859a: 571 [1859b: 232] [HN]  
*multidisjuncta* Pic, 1914b: 5  
*parallelipipeda* Motschulsky, 1860b: 146 (*Grammoptera*)  
*rostiana* Pic, 1902f: 19 (*Julodia*)  
*rufimembris* Pic, 1917g: 3 (*Leptura*)  
*shirarakensis* Matsumura, 1911: 137 (*Leptura*)  
*japonica* Tamanuki, 1943: 179 (*Strangalia*) A: JA  
*miyatakei* N. Ohbayashi & Bi, 2020: 96 A: ZHE  
*sexmaculata* Linnaeus, 1758: 398 (*Leptura*) E: AN AU BY CT CZ EN FI FR GB GE GR HU IR IT LA LT NR NT PL RO SK SP ST  
SV SZ UK A: KZ  
*alpestris* Pic, 1914b: 5  
*helvetica* Pic, 1914b: 5  
*milliati* Pic, 1945b: 6  
*x-flava* Roubal, 1937: 81  
*testaceofasciata* DeGeer, 1775: 133 (*Leptura*)  
*trifasciata* Fabricius, 1793: 349 (*Leptura*)  
*tyrolensis* Reineck, 1913: 300
- genus *Judolidia* Plavilstshikov, 1936: 399** type species *Judolidia znojko* Plavilstshikov, 1936  
*bangi bangi* Pic, 1901k: 340 (*Leptura*) A: JA #276  
*akitensis* Matsushita, 1931a: 42 (*Leptura*)  
*stygica* Gressitt, 1935b: 168 (*Leptura*)  
*bangi kyushuensis* Kusakabe & N. Ohbayashi, 1992: 28 A: JA #276  
*znojko* Plavilstshikov, 1936: 400 A: FE HEI JIL NC SC
- genus *Kanekoa* Matsushita & Tamanuki, 1943: 79** type species *Leptura azumensis* Matsushita & Tamanuki, 1943  
*Acmaeopidonia* Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955  
*aerifera* Tippmann, 1955: 92 (*Acmaeopidonia*) A: FUJ #526  
*azumensis* Matsushita & Tamanuki, 1943: 79 (*Leptura*) A: JA SC (Jejudo Is.)  
*lalahana* Shimomura, 1980: 115 (*Anoplodera*) A: TAI #406 #526  
*lirata* Holzschuh, 1991c: 17 A: SCH  
*lucidula* Holzschuh, 1999: 12 A: XIZ  
*piliger* Holzschuh, 2003a: 162 A: SCH SHA
- genus *Katarinia* Holzschuh, 1991c: 18** type species *Katarinia cephalota* Holzschuh, 1991

*belousovi* Mirosnikov, 2015b: 289 A: YUN  
*cephalota* Holzschuh, 1991c: 18 A: SCH  
*consanguinea* Holzschuh, 2006a: 211 A: YUN  
*murzini* Mirosnikov, 2015b: 287 A: SHA  
*teledapoides* Holzschuh, 1998: 21 A: SCH

**genus *Kirgizobia* Danilevsky, 1992c: 203** type species *Kirgizobia bohnei* Danilevsky, 1992  
*bohnei* Danilevsky, 1992c: 204 A: KI

**genus *Konoa* Matsushita, 1933b: 196** type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)  
*granulata* Bates, 1884a: 217 (*Leptura*) A: FE JA  
*valida* Matsushita, 1933b: 196 (*Nivellia*)

**genus *Laoleptura* N. Ohbayashi, 2008: 427, 434** type species *Laoleptura phupanensis* N. Ohbayashi, 2008 #176  
*phupanensis* N. Ohbayashi, 2008: 428, 434 A: GUX YUN ORR

**genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64** type species *Strangalia hosohana* K. Ohbayashi, 1952  
*hosohana* K. Ohbayashi, 1952: 414 (*Strangalia*) A: JA  
*nakamurai* Hayashi, 1960a: 17 A: TAI  
*marginipennis* Hayashi & Villiers, 1989: 3 (*Strangalomorpha*) [HN] #135  
*rufithorax* J.-H. Huang & Vives, 2019: 433 A: GUX  
*shaanxiana* Holzschuh, 1992b: 10 A: SHA  
*shirakii* Mitono & Tamanuki, 1939: 213 (*Strangalina*) A: TAI #499 #526

**genus *Leptura* Linnaeus, 1758: 397** type species *Leptura quadrifasciata* Linnaeus, 1758  
**subgenus *Leptura* Linnaeus, 1758: 397** type species *Leptura quadrifasciata* Linnaeus, 1758

*Bothrioleptura* Pesarini & Sabbadini, 2015: 27 type species *Leptura alticola* Gressitt, 1948a #526 #541  
*Rhytidoleptura* Pesarini & Sabbadini, 2015: 29 type species *Leptura christinae* Pesarini, Rapuzzi & Sabbadini, 2015 #526  
*adami* Hergovits, 2020a: 17 A: SCH  
*aethiops* Poda von Neuhaus, 1761: 38 E: AL AU BE BH BY CH CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL RO  
SB SK SL SP ST SZ UK A: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC SHA WS YUN #225  
#372

*adustipennis* Solsky, 1871a: 404 (*Strangalia*)  
*akitai* Fujita, 2018: 23 #517  
*aterrima* Motschulsky, 1860b: 147 (*Stenura*)  
*atra* Scopoli, 1772: 100 (*Prionus*)  
*beckeri* Pic, 1911a: 4  
*chihiroae* Fujita, 2018: 24 #518 #526  
*coreana* Matsushita, 1933a: 104 (*Strangalia*) [HN]  
*letzneri* Gabriel, 1895: 437  
*melanaria* Herbst, 1784: 101  
*semibicolor* Pic, 1912i: 90  
*unicolor* Olivier, 1797: 518

*alticola* Gressitt, 1948a: 43 A: SCH XIZ YUN #400  
*amamiana amamiana* Hayashi, 1960d: 22 A: JA (Ryukyus) #276  
*amamiana watanabei* Hayashi, 1962c: 2 A: JA (Ryukyus) #276  
*ambulatoria* Gressitt, 1951a: 96 A: ANH FUJ GUA GUX HUN JIX SCH YUN ZHE #176 #400 #489  
*annularis annularis* Fabricius, 1801: 363 E: AN AU BH BY CR CT CZ CZ EN FR GE HU IT LA LT MD NT PL RO ?SB SK ST SZ  
UK A: BEI ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE #214

*arcuata* Panzer, 1793a: 12 [HN]  
*mediodisjuncta* Pic, 1902d: 10 (*Strangalia*)  
*annularis mimica* Bates, 1884a: 219 A: FE JA #214 #276  
*harmandi* Pic, 1901m: 61  
*annularis modicenotata* Pic, 1901m: 61 (*Strangalia*) A: JA #276 #425

*infernalis* Pic, 1901m: 61 (*Strangalia*)  
*kinhokuana* Matsushita, 1932: 191 (*Strangalia*)  
*naganoensis* Pic, 1956: 650 (*Strangalia*)  
*onsenensis* Pic, 1956: 650 (*Strangalia*)  
*quadriluteonotata* Pic, 1953a: 14 (*Strangalia*) #425  
*semisuturalis* Pic, 1953a: 14 (*Strangalia*) #425  
*tokioensis* Pic, 1915f: 11 (*Strangalia*)  
*tsumagurohana* K. Ohbayashi, 1955: 61

*annularis nagahatai* Fujita, 2018: 24 A: SC [Ulleung-do Is. = Ulleungdo Is.]  
*arcifera* Blanchard, 1871: 812 (*Strangalia*) A: GUI SCH YUN  
*auratopilosa* Matsushita, 1931a: 42 (*Strangalia*) A: TAI  
*piyanan* Kano, 1933a: 267 (*Strangalia*)  
*quadranglithoracica* Tamanuki, 1943: 145 (*Strangalia*)  
*segregata* Tamanuki, 1943: 146 (*Strangalia*)

*aureopubescens* Hayashi, 1974b: 12 A: JA #611  
*aurosericans* Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HEN HUB HUN JIX SCH SHA ZHE ORR #225 #526  
*mausonensis* Pic, 1903c: 29  
*meridiosinica* Gressitt, 1951a: 99  
*rufimembris* Pic, 1923a: 11 (*Parastrangalis*)  
*sericea* Pic, 1903c: 29  
*aurulenta* Fabricius, 1793: 348 E: AL AN AU BE BH ?BY BU CR CT CZ FR GE GB GR IR HU IT LU MC MD ME PL PT RO SB SK #104 #482 #630  
SL SP ST SZ TR UK N: AG TU A: TR  
*algerica* Pic, 1898a: 6 (*Strangalia*)  
*kitanensis* Dayrem, 1922a: 17 (*Strangalia*)  
*lugdunensis* Pic, 1916a: 2: (*Strangalia*)  
*mesmini* Pic, 1916b: 5 (*Strangalia*)  
*subreducta* Pic, 1915a: 5 (*Strangalia*)  
*viturati* Pic, 1914e: 18 (*Strangalia*)  
*barkamica* Holzschuh, 1998: 22 A: SCH  
*bocakorum* Holzschuh, 1998: 23 A: YUN  
*christinae* Pesarini, Rapuzzi & Sabbadini, 2015: 29 A: SCH  
*daliensis* Holzschuh, 1998: 23 A: YUN  
*dellabrunai* Pesarini & Sabbadini, 2015: 30 A: SCH  
*dembickyi* Hergovits, 2020a: 18 A: SCH  
*dimorpha* Bates, 1873: 195 A: JA  
*doi* Matsushita, 1933a: 105 (*Strangalia*) A: FE (Iturup) #371  
*duodecimguttata* Fabricius, 1801: 363 A: BEI ES FE FUJ HEB HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE #60  
*bisbijuncta* Pic, 1904d: 14  
*kupfereri* Pic, 1912i: 89  
*medijuncta* Pic, 1902d: 10 (*Strangalia*)  
*mediosemijuncta* Pic, 1927e: 13 (*Strangalia*)  
*subobliterata* Pic, 1927e: 10 (*Strangalia*)  
*formosomontana* Kano, 1933a: 268 (*Strangalia*) A: TAI  
*gorodinskii* Hergovits, 2020a: 20 A: GUN  
*gradatula* Holzschuh, 2006a: 216 A: GAN GUX SCH SHA #225  
*grahamiana* Gressitt, 1938a: 46 A: SCH XIZ YUN  
*guerryi* Pic, 1902i: 28 (*Strangalia*) A: SCH XIZ YUN #176 #400  
*jendeki* Hergovits, 2020: 22a A: SHA  
*kabateki* Hergovits, 2020: 23a A: GUN  
*kubani* Holzschuh, 2006a: 214 A: YUN XIZ #176  
*kusamai ketiichii* N. Ohbayashi, 1999: 51 A: JA  
*kusamai kusamai* K. Ohbayashi & Nakane, 1955: 17 A: JA  
*latipennis* Matsushita, 1933b: 214 (*Strangalia*) A: FE JA  
*trigonata* Hayashi, 1955: 33  
*lavinia* Gahan, 1906a: 83 A: NP SCH SD XIZ YUN ORR #526  
*gibbosa* Pesarini & Sabbadini, 2015: 27 #541  
*linwenhsini* N. Ohbayashi & Chou, 2013: 30 A: TAI  
*longeattenuata* Pic, 1939b: 1 A: GUI GUX YUN #176  
*masegakii* Kano, 1933a: 269 (*Strangalia*) A: TAI  
*naxi* Holzschuh, 1998: 21 A: XIZ YUN #60  
*nigroguttata* Pic, 1927b: 27 (*Parastrangalis*) A: GUX XIZ YUN ORR #176 #385  
*fruhstorferi* Hayashi & Villiers, 1985: 19  
*pubevirens* Gressitt, 1935g: 568  
*ochraceofasciata chujoi* Hayashi, 1961a: 21 A: JA  
*ochraceofasciata iijimai* Fujita, 2018: 25 A: JA  
*ochraceofasciata ochraceofasciata* Motschulsky, 1862: 21 (*Stenura*) A: FE FUJ GAN HEI JA JIL NC (Mt. Gwanmobong) NMO XIN ZHE  
*inintegra* Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]  
*isolata* Fujimura, 1956: 3  
*ochraceofasciata ochrotela* Bates, 1873: 196 A: JA #120 #526  
*quadrifasciata lederi* Ganglbauer, 1882: 697 E: ST A: AB AR GG IN TR  
*caucasica* Plavilstshikov, 1924: 226 (*Strangalia*)  
*notatipennis* Pic, 1897b: 5 (*Strangalia*) #569  
*suramensis* Pic, 1915e: 5 (*Strangalia*)  
*quadrifasciata quadrifasciata* Linnaeus, 1758: 398 E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES FE JA (Hokkaido) KO KZ MG QIN SCH SHA WS XIN #526  
*apicalis* Curtis, 1831: 362  
*apicata* Stephens, 1839: 278  
*bidivisa* Schmidt, 1951: 13 (*Strangalia*)  
*guillemoti* Desbrochers des Loges, 1895: 130 (*Stenura*)

*interrupta* Heyden, 1877a: 397 (*Strangalia*)  
*martialis* Pic, 1941c: 1 (*Strangalia*)  
*melgunowi* Jakobson, 1895: 523 (*Strangalia*)  
*mosquensis* Pic, 1915e: 5 (*Strangalia*)  
~~*notatipennis* Pic, 1897b: 5 (*Strangalia*)~~ #569  
*octomaculata* DeGeer, 1775: 132  
*quadripustulata* Fabricius, 1793: 345  
*suramensis* Pic, 1915e: 5 (*Strangalia*)  
*rufoannulata* Pic, 1933b: 26 (*Strangalia*) A: FUJ HUB SCH  
*fisheriana* Gressitt, 1938a: 45  
*semicornis* Holzschuh, 2003a: 166 A: SCH  
*spinosula* Pesarini & Sabbadini, 2015: 32 A: SCH  
*subtilis* Bates, 1884a: 219 A: JA #120 #526  
*ohishii* Matsushita & Tamanuki, 1940: 5  
*taranan* Kano, 1933a: 267 (*Strangalia*) A: TAI #526  
*tatsienlua* Gressitt, 1948a: 45 A: XIZ SCH #60  
*tattakana* Kano, 1933a: 266 (*Strangalia*) A: TAI  
*horishana* Matsushita, 1933b: 214  
*mushana* Tamanuki, 1939a: 144 (*Strangalia*)  
*viktorai* Hergovits, 2020a: 24 A: XIZ  
*yakushimana* Tamanuki, 1943: 153 (*Strangalia*) A: JA  
*yokoyamai* Hayashi, 1961a: 21 A: JA #526  
*yulongshana* Holzschuh, 1991c: 20 A: YUN  
*zonifera* Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HUB NE SCH YUN ZHE  
**subgenus** *Macroleptura* Nakane & K. Ohbayashi, 1957: 47 (241) type species *Leptura thoracica* Creutzer, 1799 #526  
*thoracica* Creutzer, 1799: 125 E: BH BY CT EN FI LA ?LT NT PL RO SB SK SL ST UK A: ES FE FUJ GUI HEB HEI HUB JIL KZ #63 #276 #535  
LIA MG NC NMO SC WS XIN ZHE  
*altaica* Gebler, 1817: 331 (*Leptura*)  
*maculiceps* Schmidt, 1951: 13 (*Strangalia*)  
*mixtepilosa* Schmidt, 1951: 12 (*Strangalia*)  
*obscurissima* Pic, 1900i: 17 (*Strangalia*) #276  
*pliginskii* Schmidt, 1951: 13 (*Strangalia*)  
*ussurica* Pic, 1902c: 8 (*Strangalia*)  
**subgenus** *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a  
*Nona* Sama, 2002: 25 [HN] type species *Strangalia regalis* Bates, 1884  
*quadrizona* Fairmaire, 1902a: 244 (*Strangalia*) A: SCH YUN **ORR** #400  
*anticejuncta* Pic, 1943c: 1 (*Strangalia*)  
*magdelainei* Pic, 1937b: 6 (*Strangalia*)  
*regalis* Bates, 1884a: 223 (*Strangalia*) A: FE JA KO  
*coreana* Pic, 1907c: 20  
*maindroni* Pic, 1901m: 61  
  
**genus** *Lepturalia* Reitter, 1913a: 20 type species *Leptura nigripes* DeGeer, 1775  
*nigripes nigripes* DeGeer, 1775: 136 (*Leptura*) E: BY CT EN FI GI LA ?LT NR NT PL RO SK SL ST SV UK A: ES KZ WS #535  
*intermedia* Chevrolat, 1882: 59 (*Vadonia*)  
*nigripes rufipennis* Blessig, 1873: 251 (*Strangalia*) A: ES FE KZ MG NE WS XIN  
  
**genus** *Lepturobosca* Reitter, 1913a: 17 type species *Leptura virens* Linnaeus, 1758  
*virens* Linnaeus, 1758: 397 (*Leptura*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA ?LT ME NR NT PL RO SB SK  
SL SP ST SV SZ UK A: ES FE KZ MG NE NMO WS XIN #535  
*fuscopubens* Reitter, 1890a: 164 (*Leptura*)  
*kenteiensis* Pic, 1900a: 4 (*Leptura*)  
  
**genus** *Metalloleptura* Gressitt & Rondon, 1970: 36 type species *Strangalia virescens* Aurivillius, 1911  
*gahani* Plavilstshikov, 1921: 110 (*Leptura*) [RN] A: GUX YUN **ORR** #400  
*aureoviridis* Gressitt, 1941: 332 (*Ocalemia*)  
*cribripennis* Gahan, 1906a: 85 (*Leptura*) [HN]  
*laosensis* Gressitt & Rondon, 1970: 36  
*viridescens* Pic, 1923a: 12 (*Ocalemia*)  
*rahoarei* Kano, 1933a: 264 (*Strangalia*) A: TAI  
  
**genus** *Metastrangalis* Hayashi, 1960a: 16 type species *Eustrangalis albicornis* Tamanuki, 1943  
*albicornis* Tamanuki, 1943: 119 (*Eustrangalis*) A: TAI  
*ochraceoventra* Gressitt, 1935d: 256 (*Leptura*) A: TAI  
*plavilstshikoviana* Heyrovský, 1934c: 171 (*Strangalia*) A: CHQ  
*thibetana* Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HEN HUB HUN JIX SCH SHA XIZ YUN ZHE  
*apicicornis* Pic, 1916h: 313 (*Strangalia*)  
*savioi* Pic, 1936d: 16 (*Leptura*)  
*uenoi* Chou & N. Ohbayashi, 2007: 231 A: TAI

**genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 49** type species *Strangalia kurosonensis* K. Ohbayashi, 1936  
*kurosonensis* K. Ohbayashi, 1936a: 11 (*Strangalia*) A: JA  
*lateripicta* Fairmaire, 1895: 178 (*Leptura*) A: FUJ **ORR**

**genus *Munamizoa* Matsushita & Tamanuki, 1940: 4** type species *Nivellia maculata* Matsushita & Tamanuki, 1935  
*maculata* Matsushita & Tamanuki, 1935: 1 (*Nivellia*) A: JA

**genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65** type species *Strangalia chujoi* Mitono, 1938

*abdominalis* Pic, 1927b: 28 (*Strangalina*) A: FUJ **ORR**

*atayal* Chou & N. Ohbayashi, 2014: 347 A: TAI

*binhana* Pic, 1928a: 26 (*Leptura*) A: SCH **ORR**

*binodula* Holzschuh, 2016a: 78 A: HAI

*chujoi* Mitono, 1938: 20 (*Strangalia*) A: TAI

*comis* Holzschuh, 1998: 27 A: NIN SCH

#400

*emeishana* Holzschuh, 1991c: 25 A: SCH

*modicata* Holzschuh, 2008: 153 A: YUN

*semichujoi* Hayashi, 1974a: 11 A: TAI

*sternalis* Holzschuh, 1992b: 11 A: YUN

*tenuecornis* Holzschuh, 2016a: 77 A: FUJ

*torui* Holzschuh, 1989a: 155 A: NP

#224

*trinotata* Pic, 1928: 26 (*Leptura*) A: YUN **ORR**

**genus *Neopiciella* Sama, 1988: 32** type species *Leptura sicula* Ganglbauer, 1886

*kabylana* Pic, 1896a: 103 (*Leptura*) N: AG TU

*chobauti* Dayrem, 1924a: 28 (*Leptura*)

*suberis* Chobaut, 1900: 265 (*Leptura*)

*sicula* Ganglbauer, 1886c: 515 (*Leptura*) E: IT (Sicilia)

*stefaniae* Bellavista, Rapuzzi & Sparacio, 2020: 1002 E: IT (Sicilia)

**genus *Nivellia* Mulsant, 1863: 564** type species *Leptura sanguinosa* Gyllenhal, 1827

*extensa extensa* Gebler, 1833: 305 (*Leptura*) E: FI NT A: ES FE JA MG NC SC WS

*extensa umbratilis* Shimomura & Toyoshima, 1988: 130 A: FE JA

*extensa yuzawai* Shimomura & Toyoshima, 1988: 128 A: JA

*sanguinosa* Gyllenhal, 1827: 21 (*Leptura*) E: AU BY CT CZ ?EN FI GE LA NR NT PL RO SK SV UK A: ES FE GAN HEB HEI HEN

JA JIL KZ LIA MG NC NMO SC WS

*kratteri* Hampe, 1852a: 67 (*Leptura*)

*rubripennis* Matsumura, 1911: 139 (*Leptura*)

*sacheri* Wolfner, 1852: 93 (*Grammoptera*)

**genus *Nivelliomorpha* Boppe, 1921: 86** type species *Leptura inequalithorax* Pic, 1902

*inequalithorax* Pic, 1902i: 28 (*Leptura*) A: BEI HEB LIA NIN NMO SHA SHX

*rufobasalis* Pic, 1939b: 2 (*Leptura*)

**genus *Nustera* Villiers, 1974b: 214** type species *Leptura distigma* Charpentier, 1825

*distigma* Charpentier, 1825: 227 (*Leptura*) E: FR PT SP N: AG MO TU

*bimaculata* Pic, 1891b: 15 (*Strangalia*)

*diversesignata* Pic, 1917g: 4 (*Strangalia*)

*indistigma* Pic, 1917g: 4 (*Strangalia*)

*lopezbayoi* Lauffer, 1904: 374 (*Leptura*)

*medioconexa* Pic, 1945b: 6 (*Strangalia*)

*microstigma* Rungs, 1947: 98 (*Strangalia*)

*neglecta* Chobaut, 1895a: cccx (*Strangalia*)

*notata* Pic, 1891b: 15 (*Strangalia*)

*peyerimhoffi* Dayrem, 1922a: 18 (*Strangalia*)

*sedilloti* Pic, 1937c: 6 (*Strangalia*)

*subscutellaris* Pic, 1901o: 67 (*Strangalia*)

*talarahnsensis* Dayrem, 1922a: 17 (*Strangalia*)

*tenietensis* Pic, 1890c: 157 (*Strangalia*)

*lindbergi* Villiers, 1943: 233 (*Strangalia*) N: MO

*baudoni* Villiers, 1960a: 7 (*Strangalia*)

**genus *Oedecnema* Dejean, 1835: 355** type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)

*gebleri gebleri* Ganglbauer, 1889c: 470 [RN] E: **BY** CT NT ST UK A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN

*decemmaculata* Matsumura, 1911: 136 (*Leptura*) [Hokkaido]

#276 #665

*dubia* Fabricius, 1781: 249 (*Leptura*) [HN]

**genus *Ohbayashia* Hayashi, 1958a: 4** type species *Strangalomorpha nigromarginata* Hayashi, 1953

*fuscoaenea* Hayashi, 1974a: 7 A: TAI  
*nigromarginata nigromarginata* Hayashi, 1953: 40 (*Strangalomorpha*) A: JA  
*nigromarginata rufoflava* Hayashi, 1968c: 12 A: JA

**genus *Pachypidonia* Gressitt, 1935b: 166** type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)  
*bodemeyeri* Pic, 1934c: 17 (*Leptura*) A: JA  
*crassicornis* Gressitt, 1935b: 168  
*kochiana* Matsushita, 1935: 308 (*Leptura*)  
*rubrida rubrida* Hayashi, 1971: 4 A: TAI  
*tavakiliani* Miroshnikov, 2015b: 285 A: YUN

**genus *Pachytodes* Pic, 1891g: 65** type species *Leptura cerambyciformis* Schrank, 1781  
*bottcheri* Pic, 1911a: 5 (*Leptura*) A: WS ES MG NMO  
*orthotrichus* Plavilstshikov, 1936: 393 (*Judolia*)  
*cerambyciformis* Schrank, 1781a: 154 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT LA LS LT LU  
MC MD ME NL NT PL PT RO SB SK SL SP ST SZ ?TR UK A: ?TR #583  
*anticeundulatus* Pic, 1915a: 29 (*Leptura*)  
*beskidicus* Pic, 1915g: 18 (*Leptura*)  
*bisbistigma* Pic, 1906g: 67 (*Leptura*)  
*bisquadristigma* Pic, 1915a: 29 (*Leptura*)  
*breveseparatus* Pic, 1953a: 9  
*decempunctatus* Olivier, 1800: 26 (*Leptura*) #373  
*digoniensis* Pic, 1915a: 29 (*Leptura*)  
*efasciatus* Pic, 1916: 9 (*Leptura*) [“Hongrie”]  
*externeonotata* Pic, 1923g: 13  
*hoverlanus* Roubal, 1937: 81 (*Judolia*)  
*humerifer* Pic, 1915g: 18 (*Leptura*)  
*lateseparatus* Pic, 1953a: 9  
*multiinterruptus* Pic, 1915a: 30 (*Leptura*)  
*octomaculatus* Schaller, 1783: 297 [wrongly numbered as 299] (*Leptura*) [HN]  
*parvonotatus* Pic, 1916: 10 (*Leptura*) [“Europe”]  
*quadrinotatus* Scopoli, 1763: 47 (*Leptura*) [HN]  
*salbachi* Reitter, 1908: 216 (*Pachyta*)  
*sempunctatus* Mulsant, 1839: 244 (*Pachyta*)  
*transylvanicus* Pic, 1916: 9 (*Leptura*)  
*urbisensis* Pic, 1915a: 29 (*Leptura*)  
*valesiacus* Pic, 1915a: 29 (*Leptura*)  
*cometes* Bates, 1884a: 218 (*Leptura*) A: FE JA SC  
*connectus* Nishio, 1950: 20 (*Strangalia*)  
*erraticus* Dalman, 1817a: 490 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD ME PL RO SB SK SL SP ST  
?SZ TR UK A: AB AR GG ES IN KZ SY TR WS XIN #115  
*akbesianus* Pic, 1898a: 6  
*anticedivisus* Pic, 1914c: 14 (*Leptura*)  
*anticonotatus* Pic, 1914c: 13 (*Leptura*)  
~~*atrosuturalis* Pic, 1915a: 38 (*Leptura*)~~  
*eibesanus* Pic, 1914c: 13 (*Leptura*)  
*erythrurus* Küster, 1848b: 90 (*Pachyta*)  
*heyrovskyi* Pic, 1924c: 26 (*Leptura*)  
*hungaricus* Pic, 1913b: 186 (*Leptura*)  
*italicus* Pic, 1916b: 4  
*kalavritanus* Pic, 1913b: 186 (*Leptura*)  
*quinquepunctatus* Pic, 1915g: 18 (*Leptura*)  
*ragusai* Pic, 1923d: 3  
*rosinae* Pic, 1901b: 11 (*Leptura*)  
*rufopicalis* Pic, 1913b: 186 (*Leptura*)  
*rufonotatus* Pic, 1913b: 186 (*Leptura*)  
*russicus* Pic, 1898h: 54  
*septemsignatus* Küster, 1848b: 89 (*Pachyta*)  
*siculus* Pic, 1916b: 4  
*subapicalis* Pic, 1914c: 15 (*Leptura*)  
*testaceofasciatus* Pic, 1913b: 186 (*Leptura*)  
*unijunctus* Pic, 1914c: 14 (*Leptura*)  
*longipes* Gebler, 1832: 67 (*Pachyta*) A: ES FE MG NC NE NO SC  
*amurianus* Pic, 1902f: 19  
*bodoi* Pic, 1914b: 5 (*Leptura*)  
*guttulatus* Motschulsky, 1875: 141 (*Pachyta*)  
*nigrosuturalis* Pic, 1917g: 3 (*Leptura*)  
*octoguttatus* Pic, 1914b: 5 (*Leptura*)

**genus *Paranaspia* Matsushita & Tamanuki, 1940: 5** type species *Leptura anaspoides* Bates, 1873  
*anaspoides* Bates, 1873: 196 (*Leptura*) A: JA NE

#400 #525

*mikadoi* Pic, 1906d: 16 (*Leptura*)  
*coccinea* Mitono, 1936: 423 (*Strangalia*) A: TAI  
*erythromelas* Holzschuh, 2003a: 165 A: SHA  
*frainii* Fairmaire, 1897d: 239 (*Strangalia*) A: BT NP SD #390  
*inadai* N. Ohbayashi, 2001a: 95 A: JA (Ryukyus)  
*muneaka* Mitono & Tamanuki, 1939: 212 (*Strangalia*) A: TAI #526  
*reductipennis* Pic, 1928f: 158 (*Leptura*) A: YUN ORR  
*ruficollis* Pesarini & Sabbadini, 2015: 41 A: YUN  
*yayeyamensis* Hayashi & Yokoyama, 1974: 12 A: JA (Ryukyus)

**genus *Parastrangalis* Ganglbauer, 1889a: 57** type species *Leptura potanini* Ganglbauer, 1889  
*Strangaliella* Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)  
*addenda* Holzschuh, 2011: 274 A: FUJ HAI  
*andrei* Holzschuh, 2007: 192 A: SCH  
*aurigena* Holzschuh, 2007: 185 A: YUN ORR #176  
*bisbidentata* Holzschuh, 2007: 190 A: SHA  
*chekianga* Gressitt, 1939b: 90 (*Strangalia*) A: FUJ SHA ZHE #526  
*communis* Holzschuh, 1993a: 19 A: SCH ORR  
*congesta* Holzschuh, 1995: 11 A: YUN  
*congruens* Holzschuh, 2016a: 73 A: YUN  
*crebrepunctata* Gressitt, 1939b: 91 (*Strangalia*) A: FUJ GUX HUB HUN SCH YUN ZHE  
*dalihodi* Holzschuh, 1999: 13 A: TAI  
*denticulata* Tamanuki, 1939a: 145 (*Strangalomorpha*) A: TAI  
*diffluata* Holzschuh, 1999: 15 A: SCH  
*emotoi* Hayashi & Makihara, 1981: 186 (*Strangaliella*) A: NP  
*eucera* Holzschuh, 1995: 12 A: YUN  
*holzschuhi* Chou & N. Ohbayashi, 2014: 349 A: TAI  
*houhensis* N. Ohbayashi & W.-K. Wang, 2004: 456 A: HUB  
*impressa* Holzschuh, 1991a: 8 A: YUN  
*inarmata* Holzschuh, 1991c: 27 A: SCH ORR #400  
*insignis* Holzschuh, 1998: 25 A: HUB NIN #400  
*ishigakiensis* Hayashi, 1971: 5 A: JA (Ryukyus)  
*jaroslavi* Holzschuh, 2008: 158 A: TAI  
*lateristriata* Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) A: TAI ORR  
*lesnei* Pic, 1901m: 60 (*Leptura*) A: JA  
*batesi* Tamanuki, 1943: 134 (*Strangalomorpha*)  
*lineigera* Fairmaire, 1889a: 61 (*Stenura*) A: SCH XIZ ORR  
*maridae* Tichý & Viktora, 2017: 506 A: HUB  
*meridionalis* Gressitt, 1942e: 205 (*Strangalia*) A: FUJ GUA HUB  
*mitonoi* Hayashi & Iga, 1951: 75 (*Strangalomorpha*) A: TAI  
*munda* Holzschuh, 1992b: 9 A: YUN  
*negligens* Holzschuh, 1991c: 30 A: SCH  
*nymphula* Bates, 1884a: 220 (*Leptura*) A: JA  
*palleago* Holzschuh, 1998: 25 A: HUB  
*pallesens* Holzschuh, 1993a: 20 A: GAN SHA  
*palpalis* Holzschuh, 1991c: 29 A: SCH  
*phantoma* Holzschuh, 1999: 15 A: TAI  
*potanini* Ganglbauer, 1889a: 57 (*Leptura*) A: GAN  
*protensa* Holzschuh, 1991c: 28 A: SCH  
*puliensis* Hayashi, 1976: 4 (*Strangaliella*) A: TAI  
*sculptilis* Holzschuh, 1991c: 30 A: SCH SHA ORR #469  
*shaowuensis* Gressitt, 1951a: 112 (*Strangalia*) A: FUJ GUA HUB SCH  
*subapicalis* Gressitt, 1935d: 263 (*Strangalina*) A: TAI  
*taiwanensis* Chou & N. Ohbayshi, 2010: 364 A: TAI  
*tenuicornis* Motschulsky, 1862: 20 (*Strangalia*) A: JA #178  
*shikokensis* Matsushita, 1935: 309 (*Strangalia*) #178  
*tomentosa* Tamanuki, 1943: 129 (*Strangalomorpha*) A: TAI #526  
*yanoi* Tamanuki, 1939a: 146 (*Strangalina*) A: TAI #135

**genus *Pedostrangalia* Sokolov, 1897: 461** type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétériés, 1832)  
**subgenus *Neosphenalia* Löbl, 2010: 60** type species *Leptura verticalis* Germar, 1822  
*Sphenalia* K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822  
*adaliae* Reitter, 1885: 390 A: CY TR  
*ariadne* K. Daniel, 1904b: 355 (*Leptura*) E: GR (Crete)  
*emmipoda* Mulsant, 1863: 531 (*Strangalia*) E: GR (Rodós) A: ?IN LE SY TR #634  
*adanensis* Pic, 1917a: 6 (*Strangalia*)

*chehirensis* Pic, 1933d: 6 (*Strangalia*)  
*insuturata* Pic, 1891b: 15 (*Strangalia*)  
*perroudi* Pic, 1933d: 6 (*Strangalia*)  
*subsignata* Pic, 1901j: 235 (*Strangalia*)  
*tambei* Pic, 1917a: 6 (*Strangalia*)  
*femoralis* Motschulsky, 1861b: 40 (*Stenura*) A: ES FE JA JIL NC SC  
*diversipes* Heyden, 1884: 298 (*Leptura*)  
*murayamai* Matsushita, 1937: 102 (*Strangalia*)  
*xanthoma* Bates, 1873: 195 (*Leptura*)  
**kurda** Sama, 1996c: 104 A: AR GG IN IQ TR **#181**  
*raggii* Sama, 1992b: 300 A: CY  
*riccardoi carmelita* Sama, 1996b: 94 A: IS LE **#177**  
*riccardoi riccardoi* Holzschuh, 1984c: 344 A: JO SY  
*verticalis* Germar, 1822: 9 (*Leptura*) E: AL BH BU CR GR IT MC ?MD ME RO SB SL A: TR  
*graeca* Pic, 1901l: 52 (*Strangalia*)  
*taygetana* K. Daniel, 1904b: 366 (*Leptura*)  
*verticenigra* Pic, 1892v: 416 (*Leptura*) E: GR (Samos) A: GG TR  
*erinnys* K. Daniel, 1904b: 356 (*Leptura*)  
**subgenus** *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétériés, 1832)  
*afghanistana* Satô & N. Ohbayashi, 1976: 485 A: AF  
*bicolorata* Holzschuh, 2019c: 80 A: GUA  
*imberbis* Ménétériés, 1832: 231 (*Leptura*) A: AB AF IN TM **#345**  
*angulicollis* Heyden, 1879a: 323 [1879b: 67] (*Strangalia*)  
*kassjanowi* Sokolov, 1897: 461  
*quadriceps* Holzschuh, 2019c: 80 A: UP  
*quadrimaculata* L. Chen & Chiang, 1996: 189, 191 A: SCH  
*revestita* Linnaeus, 1767: 638 (*Leptura*) E: AL AU BE BH BU CR CZ DE FR GB GE GR HU IT MD NL PL PT RO SK SL SP SV SZ  
 TR UK  
*barbanti* Pic, 1933f: 5 (*Strangalia*)  
*bicoloraticeps* Pic, 1911c: 17 (*Leptura*)  
*brevenotaticollis* Pic, 1933d: 14 (*Strangalia*)  
*discicollis* W. G. H. Scriba, 1867: 32 (*Strangalia*)  
*diversipennis* Pic, 1911c: 16 (*Leptura*)  
*ferruginea* Mulsant, 1839: 254 (*Strangalia*)  
*fulvilabris* Mulsant, 1839: 254 (*Strangalia*)  
*fuscicornis* Marsham, 1802: 357 (*Leptura*)  
*gabilloti* Pic, 1911c: 18 (*Leptura*)  
*lectorica* Dayrem, 1916: 17 (*Leptura*)  
*labiata* Mulsant, 1839: 254 (*Strangalia*)  
*marsolanensis* Dayrem, 1916: 17 (*Leptura*)  
*rubra* Geoffroy, 1785: 89 (*Stenocorus*)  
*rufomarginata* Mulsant, 1839: 254 (*Strangalia*)  
*rufonotata* Pic, 1914e: 18 (*Strangalia*)  
*schleicheri* Pic, 1934g: 38 (*Leptura*)  
*villica* Fabricius, 1775: 196 (*Leptura*)  
*vitticollis* Mulsant, 1839: 254 (*Strangalia*)  
*signifera* Holzschuh, 1999: 13 A: HUB **#629**  
*tokatensis* Sama, 1996c: 103 A: GG TR  
*tricolorata* Holzschuh, 1991c: 19 A: SCH **ORR** **#400**  
*ulmi* Holzschuh, 1982b: 147 A: PA  
  
**genus** *Pseudalosterna* Plavilstshikov, 1934e: 131 type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)  
*aritai* K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudalosterna*) A: JA (Ryukyus)  
*aureola* Holzschuh, 2006a: 208 A: YUN  
*binotata binotata* Gressitt, 1935d: 259 (*Anoplodermomorpha*) A: TAI **#526**  
*binotata tippmanni* Hayashi, 1984: 17 [RN] A: FUJ **#400**  
*orientalis* Tippmann, 1955: 93 (*Anoplodera*) [HN]  
*brevia* Gressitt, 1935d: 260 (*Anoplodermomorpha*) A: TAI  
*cyanea* Tamanuki, 1943: 27 (*Pidonina*)  
*cuneata* Holzschuh, 1999: 11 A: HUB SHA **#225**  
*discalis* Gressitt, 1935g: 569 (*Anoploderomorpha*) A: HAI SCH **#400**  
*elegantula* Kraatz, 1879c: 105 (*Grammoptera*) A: FE JA (Tsushima Is.) NC NE SC **#276**  
*orientalis* Plavilstshikov, 1934e: 132  
*rufomaculata* Pic, 1915e: 5 (*Leptura*)  
*fuscopurpurea* N. Ohbayashi & Shimomura, 1986: 48 A: TAI  
*gorodinskii* Holzschuh, 2003a: 160 A: GAN  
*imitata* Holzschuh, 2003a: 157 A: GUI

*jitkae* Tichý & Viktora, 2017: 501 A: HUB  
*longigena* Holzschuh, 2003a: 159 A: SHA  
*misella* Bates, 1884a: 216 (*Leptura*) A: JA #276 #400  
*mupinensis* Gressitt, 1935g: 570 (*Anoploderomorpha*) A: FUJ SCH #400  
*obliquata* Holzschuh, 1989b: 364 A: GUX ORR #315  
*pullata* Matsushita, 1933b: 198 (*Leptura*) A: TAI  
*submetallica* Hayashi, 1974a: 9 (*Anoplodera*) A: TAI  
*takagii* Hayashi, 1961b: 38 (*Pseudallosterna*) A: JA (Ryukyus)  
*tryznai* Holzschuh, 1999: 11 A: SHA  
*wolongana* Holzschuh, 2003a: 157 A: SCH

**genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787** type species *Leptura livida* Fabricius, 1777  
*livida bicarinata* N. Arnold, 1869: 137 (*Grammoptera*) E: BY CT EN ?FI KZ LA LT NT PL ST SV UK A: AB AR GG ES FE IN KI KZ TR WS XIN #477 #517  
*livida desbrochersi* Pic, 1891k: xvi (*Vadonia*) A: AB AR GG TR  
*corallipes* Reitter, 1894e: 247 (*Leptura*)  
*livida hatayensis* Özdikmen, 2015d: 319 A: TR  
*livida irakensis* Özdikmen & Ali, 2017: 376 A: IQ ?SY #553  
*livida livida* Fabricius, 1777: 233 (*Leptura*) E: AL AU BE BU BH BY CR CZ DE FR GB GE HU IR IT MC ME NL ?PL PT SK SL ?SP SZ TR UK  
*pastinacae* Panzer, 1795: 275 (*Leptura*)  
*livida pecta* K. Daniel & J. Daniel, 1891: 38 (*Leptura*) E: IT  
*livida setosa* Danilevsky, 2013h: 29 E: BU GR MD RO TR UK A: ?IS ?LE TR ~~?SY~~ #553

**genus *Pygostrangalia* Pic, 1954: 13** type species *Strangalia vittaticollis* Pic, 1926a  
*Insularestrangalia* Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935  
*cornix* Holzschuh, 2007: 196 (*Mimostrangalia*) A: FUJ #526  
*dulcis* Bates, 1884a: 222 (*Strangalia*) A: JA #400 #526  
*kinoshitai* Kano, 1933a: 265 (*Strangalia*)  
*kappazanensis* Kano, 1933a: 265 (*Strangalia*) A: SCH TAI #526  
*mitonoana* Gressitt, 1953a: 28 (*Strangalia*) [RN]  
*mitonoi* Gressitt, 1951a: 117 (*Strangalia*) [HN]  
*kiangsiensis* Hayashi & Villiers, 1985: 51 (*Mimostrangalia*) A: GUA JIX #526  
*kurosawai* Hayashi, 1966a: 4 A: TAI  
*loimailia* Gressitt, 1940b: 33 (*Strangalia*) A: FUJ HAI JIL #526  
*longicornis longicornis* Gressitt, 1935f: 382 (*Strangalia*) A: JA (Ryukyus) #526  
*longicornis obscuricolor* Gressitt, 1951a: 117 (*Strangalia*) [RN] A: GUI HAI HUB ZHE #526  
*obscura* Gressitt, 1940b: 34 (*Strangalia*) [HN]  
*vittaticollis* Pic, 1926a: 22 (*Strangalia*) A: FUJ ORR  
*phungi* Pic, 1930a: 15 (*Strangalina*)  
*subbrevelineata* Pic, 1928a: 27 (*Strangalia*)

**genus *Pyrocalymma* J. Thomson, 1864: 159** type species *Pyrocalymma pyrochroides* J. Thomson, 1864  
*pyrochroides* J. Thomson, 1864: 160 A: NP SCH SD XIZ YUN ORR #400

**genus *Pyrocorennys* N. Ohbayashi & Niisato, 2009: 160** type species *Pyrocalymna latipennis* Pic, 1927  
*latipennis latipennis* Pic, 1927b: 26 (*Pyrocalymna*) A: GUX YUN ORR  
*brevipennis* Pic, 1947c: 17 (*Pyrocalymna*)  
*latipennis taiwanensis* Hayashi, 1969a: 61 (*Formosopyrrhona*) A: TAI

**genus *Pyrrhona* Bates, 1884a: 224** type species *Pyrrhona laeticolor* Bates, 1884  
*laeticolor laeticolor* Bates, 1884a: 224 A: JA #400  
*laeticolor takakuwai* Kusama, 1971: 24 A: JA

**genus *Rapuzziana* Danilevsky, 2006b: 2** type species *Rapuzziana hangaiensis* Danilevsky, 2006  
*hangaiensis* Danilevsky, 2006b: 2 A: MG

**genus *Robustanoplodera* Pic, 1954: 13** type species *Anoplodera bicolorimembris* Pic, 1954 #403 #526  
*Koichius* Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935  
*Tamanukia* Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935  
*bicolorimembris* Pic, 1954: 13 (*Anoplodera*) A: FUJ YUN ORR  
*albopubescent* Hayashi & Villiers, 1985: 41, 44 #470  
*lepesmei* Pic, 1956b: 649 (*Leptura*) #400 #526  
*inauraticollis* Pic, 1933b: 26 (*Leptura*) A: SCH  
*taiyal* Shimomura, 1993: 228 A: TAI  
*tricolor* Gressitt, 1935d: 258 (*Anoplodera*) A: TAI

**genus *Rutpela* Nakane & K. Ohbayashi, 1957: 48 (A242)** type species *Leptura maculata* Poda von Neuhaus, 1761  
*inermis* K. Daniel & J. Daniel, 1898a: 74 (*Strangalia*) A: AB AF IN TM #334 #345  
*elboursensis* Pic, 1905e: 390 (*Strangalia*)  
*maculata irmanica* Sama, 1996c: 105 A: TR  
*maculata maculata* Poda von Neuhaus, 1761: 37 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT  
LA ?LT LU MC MD ME NL NR NT PL RO SB SK SL ST SV SZ TR UK A: KZ TR #535  
*alsatica* Pic, 1906g: 67 (*Leptura*)  
*armata* Herbst, 1784: 101 (*Leptura*)  
*bifenestrata* Pic, 1933d: 2 (*Strangalia*)  
*binotata* Mulsant, 1839: 258 (*Strangalia*)  
*calcarata* Olivier, 1800: 14 (*Leptura*) #373  
*dayremi* Pic, 1903a: 4 (*Strangalia*)  
*discoininterrupta* Pic, 1945a: 13 (*Strangalia*)  
*disconotata* Pic, 1908b: 3 (*Leptura*)  
*dromensis* Pic, 1945a: 13 (*Strangalia*)  
*elongata* DeGeer, 1775: 134 (*Leptura*)  
*externepunctata* Mulsant, 1839: 258 (*Strangalia*)  
*fasciata* Scopoli, 1763: 54 (*Cerambyx*)  
*impunctata* Mulsant, 1839: 258 (*Strangalia*)  
*nicodi* Pic, 1933d: 6 (*Strangalia*)  
*pacifica* Pic, 1945a: 13 (*Strangalia*)  
*punctatofasciata* Mulsant, 1839: 258 (*Strangalia*)  
*quinquemaculata* Gmelin, 1790: 1868 (*Leptura*)  
*rubea* Geoffroy, 1785: 86 (*Stenocorus*)  
*scopoliana* Laicharting, 1784: 145 (*Leptura*)  
*sinuata* Fabricius, 1793: 347 (*Leptura*)  
*subspinosa* Fabricius, 1793: 347 (*Leptura*)  
*undulata* Mulsant, 1839: 259 (*Strangalia*)  
*wuenschi* Roubal, 1937: 81 (*Strangalia*)  
*maculata manca* Schaufuss, 1863: 121 (*Strangalia*) E: BU FR IT PT SP ST TR UK A: AB AR GG IN TR SY #133 #134  
*kricheldorffi* Wagner, 1928: 121 (*Leptura*)  
*nigricornis* Stierlin, 1864: 153 (*Strangalia*) #20  
*nigrofasciata* V. Petagna, 1792: 247 (*Leptura*) [HN]

**genus *Saligranta* Chou & N. Ohbayashi, 2011: 9 [RN]** type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010  
*Pseudostrangalia* Chou & N. Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010  
*puyuma* Chou & N. Ohbayashi, 2010: 368 (*Pseudostrangalia*) A: TAI  
*svihlai* Holzschuh, 1989b: 368 (*Strangalia*) A: GUX ORR

**genus *Sinostrangalis* Hayashi, 1960a: 13** type species *Strangalia ikedai* Mitono & Tamanuki, 1939 #499  
*ikedai* Mitono & Tamanuki, 1939: 211 (*Strangalia*) A: CHQ FUJ GUI GUX NE SCH TAI ZHE ORR #489 #499  
*collaris* Holzschuh, 1991c: 31 (*Elacomia*) [HN]  
*simianshana* L. Chen & Chiang, 2000: 33, 36

**genus *Solaia* Sama, 2003: 69** type species *Solaia antonellae* Sama, 2003  
*antonellae* Sama, 2003: 71 A: TR

**genus *Stenoleptura* Gressitt, 1935h: 269** type species *Stenoleptura sandakana* Gressitt, 1935  
*flavovittata* Aurivillius, 1911a: 149 (*Leptura*) A: CH ORR #407

**genus *Stenurella* Villiers, 1974b: 214** type species *Leptura melanura* Linnaeus, 1758  
**subgenus *Crassostenurella* Özdikmen, 2013c: 526** type species *Strangalia approximans* Rosenhauer, 1856  
*approximans* Rosenhauer, 1856: 305 (*Strangalia*) E: PT SP N: MO  
*purpuripennis* Mulsant, 1863: 515 (*Strangalia*)  
*edmundi* Pic, 1901j: 237 (*Strangalia*)  
**subgenus *Iberostenurella* Özdikmen, 2013c: 527** type species *Strangalia hybridula* Reitter, 1902c  
*hybridula* Reitter, 1902c: 188 (*Strangalia*) E: PT SP  
*atriventris* Pic, 1905a: 8 (*Leptura*) [DA]  
*atronotata* Pic, 1918d: 5  
**subgenus *Nigrostenurella* Özdikmen, 2013c: 525** type species *Leptura nigra* Linnaeus, 1758  
*nigra maesta* Danilevsky, 2013a: 172 E: ST A: AB AR GG ?IN TR  
*nigra nigra* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC  
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: TR #7  
*giraudi* Pic, 1946a: 14 (*Strangalia*)  
*picea* Geoffroy, 1785: 87 (*Stenocorus*)  
*varicollis* Schaefer, 1932: 31 (*Stenura*)  
**subgenus *Priscostenurella* Özdikmen, 2013c: 516** type species *Leptura bifasciata* O.F.Müller,  
*bifasciata bifasciata* O. F. Müller, 1776: 93 (*Leptura*) E: AU BE BH BY CR CT CZ EN FR GE HU IT LA LS LT LU MD ME NL NT

PL PT RO SB SK SL SP ST SZ ?TR UK A: AB AR ES GG IN IQ KZ ?TR WS XIN #400  
*albarracina* Wagner, 1927a: 45 (*Leptura*)  
*cruciata* Olivier, 1800: 7 (*Leptura*) #373  
*immaculata* Pic, 1889b: 55 (*Strangalia*)  
*nigriventris* Pic, 1891b: 15 (*Strangalia*)  
*sedakovii* Mannerheim, 1852b: 307 (*Stenura*)  
*ustulata* Laicharting, 1784: 157 [HN] (*Leptura*)  
*bifasciata ferruginipes* Pic, 1895c: 76 (*Strangalia*) [“Bitlis”] A: TR  
*solaris* Rapuzzi & Sama, 2012a: 665 [“Bitlis: 35km E Tatvan”]  
*bifasciata intermedia* Holzschuh, 2006a: 219 E: AL BU GR MC  
*bifasciata lanceolata* Mulsant & Rey, 1863: 177 (*Strangalia*) E: FR SP  
*bifasciata limbiventris* Reitter, 1898a: 21 (*Strangalia*) A: GG TR  
*bifasciata nigrosuturalis* Reitter, 1895a: 88 (*Strangalia*) A: LE SY TR  
*bifasciata sabineae* Rapuzzi & Sama, 2012a: 664 [“Hakkari”] A: IN TR #1  
*bifasciata safronovi* Danilevsky, 2011b: 2 A: TR  
*septempunctata latenigra* Pic, 1915e: 5 (*Strangalia*) [“Asie Mineure”] E: BU ST TR A: AR GG TR  
*anatolica* Heyrovský, 1961a: 45 (*Strangalia*)  
*roberti* Pic, 1915a: 38 (*Leptura*) [“Transsylvanie et Turquie”]  
*septempunctata septempunctata* Fabricius, 1793: 346 (*Leptura*) E: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SK SL ST  
?SZ UK #115  
*atrosuturalis* Pic, 1915a: 38 (*Leptura*)  
*corcyrica* Pic, 1915e: 5 (*Strangalia*)  
*dobiachi* Pic, 1916b: 4 (*Strangalia*)  
*gasturica* Pic, 1915a: 38 (*Leptura*)  
*holtzi* Pic, 1916b: 5 (*Strangalia*)  
*montandoni* Pic, 1915e: 5 (*Strangalia*)  
*notaticollis* Pic, 1915e: 5 (*Strangalia*)  
*pallidicolor* Pic, 1915e: 5 (*Strangalia*)  
*rubronotata* Pic, 1916b: 5 (*Strangalia*)  
*semireducta* Pic, 1915e: 5 (*Strangalia*)  
*suturata* Reiche & Saulcy, 1858: 22 (*Strangalia*) [“Péloponèse”]  
*velebitica* Pic, 1916b: 4 (*Strangalia*)  
*vaucheri* Bedel, 1900: 336 (*Leptura*) E: SP N: MO  
**subgenus** *Stenurella* Villiers, 1974c: 214 type species *Leptura melanura* Linnaeus, 1758  
*melanura melanura* Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS  
LT LU MC MD ME NL NT NR PL PT RO SB SK SL SP ST SV SZ UK A: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN  
*diversiventris* Dufour, 1843: 103 (*Leptura*)  
*georgiana* Pic, 1891g: 63 (*Strangalia*)  
*latesuturata* Pic, 1891g: 63 (*Strangalia*)  
*melanurella* Reitter, 1901a: 78 (*Strangalia*)  
*rubellata* Reitter, 1901a: 77 (*Strangalia*)  
*semicrassa* Pic, 1901n: 58 (*Leptura*)  
*sennii* Sama, 2002: 40 #1 #20  
*similis* Herbst, 1784: 101 (*Leptura*)  
*suturanigra* DeGeer, 1775: 138 (*Leptura*)  
*melanura pamphyliæ* Rapuzzi & Sama, 2010: 182 A: IN TR #3  
*melanura samai* Rapuzzi, 1995: 617 E: BU GR TR A: TR #3  
*melanura zehrae* Özdikmen, Mercan & Cihan, 2012a: 18 A: TR #1  
**subgenus** *Stenurelloides* Özdikmen, 2013c: 523 type species *Leptura jaegeri* Hummel, 1825;  
*jaegeri* Hummel, 1825: 68 (*Leptura*) E: ST UK A: AB AR GG TR  
*fenestrata* Reitter, 1901a: 79 (*Strangalia*)  
*jekeli* Pic, 1901j: 236 (*Strangalia*)  
*mingrelia* Tournier, 1872: 344 (*Strangalia*)  
*oxyptera* Faldermann, 1837: 318 (*Stenura*)  
*novercalis* Reitter, 1901a: 78 E: ST A: GG TR  
**genus** *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859  
**subgenus** *Aredolpona* Nakane & K. Ohbayashi, 1957: 50 (A244) type species *Leptura rubra* Linnaeus, 1758  
*Corymbia* Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758  
*dichroa* Blanchard, 1871: 812 (*Leptura*) A: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX  
ZHE #400  
*muliebris* Heyden, 1886c: 276 (*Leptura*)  
*succedanea* Lewis, 1879b: 464 (*Leptura*) #400  
*rufonotaticollis* Pic, 1915f: 12 (*Leptura*)  
*theryi* Pic, 1915f: 12 (*Leptura*)  
*trisignaticollis* Pic, 1915f: 12 (*Leptura*)  
*rubra numidica* Peyerimhoff, 1918a: 331 (*Leptura*) N: AG  
*rubra rubra* Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: ES KZ WS #655

*dufourii* Lecomte, 1926: 168 (*Leptura*)  
*maculiceps* Gabriel, 1910: 556 (*Leptura*)  
*occipitalis* Mulsant, 1839: 268 (*Leptura*)  
*planata* Swaine & Hopping, 1928: 62 (*Anoploclera*)  
*rubrotestacea* Illiger, 1805: 122 (*Leptura*)  
*salzmanni* Hubenthal, 1902: 291 (*Leptura*)  
*sattleri* Bickhardt, 1902: 362 (*Leptura*)  
*semimarginata* Pic, 1916a: 22 (*Leptura*)  
*testacea* Linnaeus, 1760: 196 (*Leptura*)  
*umbellatarum* Laicharting, 1784: 161 (*Leptura*)

**subgenus** *Batesiata* Miroshnikov, 1998: 594 type species *Leptura tesseraula* Charpentier, 1825 #1 #635  
*tesseraula* Charpentier, 1825: 227 (*Leptura*) E: BU GR HU ME PL RO SB SK ST UK A: AB AR GG TR  
*abchasica* Rost, 1893: 344 (*Leptura*)  
*bisignata* Ménétriès, 1832: 232 (*Leptura*)  
*bisignata* Faldermann, 1837: 313 (*Leptura*) [HNh]  
*dejeani* Ganglbauer, 1889c: 469 (*Leptura*) [RN]  
*impunctata* Heyden, 1877b: 420 (*Leptura*)  
*tesseraula orientalis* Vartanis, 2019a: 14 A: TR #517

**subgenus** *Cribroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1823  
*otini* Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO  
*tizifrensis* Cobos, 1961: 94 (*Leptura*)  
*stragulata* Germar, 1823: 523 (*Leptura*) E: FR PT SP #506  
*hispanica* Pic, 1910a: 27 (*Leptura*)  
*iberica* Pic, 1950a: 15  
*nadari* Pic, 1950a: 15  
*nigrina* Schaufuss, 1863: 121 (*Leptura*)  
*variventris* Schaufuss, 1863: 121 (*Leptura*)

**subgenus** *Hesperoleptura* Vives, 2021: 1 type species *Leptura palmi* Demelt, 1972a  
*palmi* Demelt, 1972a: 74 (*Leptura*) N: CI

**subgenus** *Maculileptura* Danilevsky, 2014i: 274 type species: *Leptura maculicornis* DeGeer, 1775 #622  
*maculicornis* DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD NR NT  
 PL RO SB SK SL ST SV SZ TR UK A: ?GG #83  
*maculosa* Gmelin, 1790: 1874 (*Leptura*)  
*ondreji* Sláma, 1993: 59 (*Brachyleptura*) E: GR  
*pallens* Brullé, 1832: 264 (*Leptura*) E: AL BU BH CR GR MC ME RO SB TR A: TR  
*picticornis* Reitter, 1885: 390 (*Leptura*) E: GR  
*simplonica* Fairmaire, 1885: 317 (*Leptura*) E: FR IT SZ

**subgenus** *Melanoleptura* Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781 #1  
*scutellata inscutellata* Pic, 1892b: 415 (*Leptura*) A: TR  
*scutellata maritima* Sláma, 2015b: 1118 E: FR #79  
*scutellata melas* P. H. Lucas, 1847: pl. 43 (*Leptura*) E: IT (Sicilia) N: AG TU  
*scutellata miroshnikovii* Danilevsky, 2012m: 915 A: AB IN  
*scutellata ochracea* Faust, 1878: 135 (*Leptura*) E: ST A: AB AR GG TR #78 #635  
*scutellata scutellata* Fabricius, 1781: 247 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD  
 ME PL PT RO SB SK SL SP ST SV SZ TR UK  
*?carbonaria* Scopoli, 1763: 56 (*Cerambyx*) [NO] #174  
*chrysothyreos* Schrank, 1798: 697 (*Leptura*)  
*funerea* Geoffroy, 1785: 89 (*Stenocorus*)  
*nigra* V. Petagna, 1787: 17 (*Rhagium*)  
*ochraceipennis* Pic, 1897c: 31 (*Leptura*)

**subgenus** *Miroshnikovia* Danilevsky, 2014i: 275 type species *Leptura deyrollei* Pic, 1895b  
*deyrollei* Pic, 1895b: 40 (*Leptura*) A: GG TR

**subgenus** *Paracorymbia* Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775 #1  
*benjamini benjamini* Sama, 1993e: 470 (*Corymbia*) A: IS  
*benjamini ehdenensis* Sama & Rapuzzi, 2000: 10 (*Paracorymbia*) A: LE SY  
*excisipes* K. Daniel & J. Daniel, 1891: 6 (*Leptura*) A: SY TR  
*fulva* DeGeer, 1775: 137 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ FR GB GE GR HU IR IT LS LU MC ME NL PL PT RO SB  
 SK SL SP ST SZ TR UK A: TR #133 #482 #517  
*affinis* Marsham, 1802: 353 (*Leptura*)  
*apicalis* Motschulsky, 1875: 142 (*Leptura*)  
*corsica* Pic, 1894c: 206 (*Leptura*)  
*fulvoapicalis* Plavilstshikov, 1932f: 174 (*Leptura*)  
*lutescens* Geoffroy, 1785: 87 (*Stenocorus*)  
*tomentosa* Fabricius, 1793: 340 (*Leptura*)  
*hybrida* Rey, 1885b: 277 (*Leptura*) E: FR IT SP SZ  
*nadezhdae* Plavilstshikov, 1932c: 182 (*Leptura*) E: ST  
*pallidipennis* Tournier, 1872: 346 (*Leptura*) E: ST A: AB GG TR  
*circassica* K. Daniel & J. Daniel, 1891: 31 (*Leptura*)  
*sambucicola* Holzschuh, 1982a: 65 (*Brachyleptura*) A: SY TR

*tonsa* K. Daniel & J. Daniel, 1891: 31 (*Leptura*) E: ST ?UK A: AB AR GG IN TR  
*menetriesi* Ganglbauer, 1889c: 469 [RN] [NO]  
*ustulata* Ménétries, 1832: 231 (*Leptura*) [HN]

**subgenus** *Pyrrholeptura* Lazarev, 2016d: 15 type species: *Leptura pyrrha* Bates, 1884 #635  
*pyrrha* Bates, 1884a: 216 (*Leptura*) A: JA  
*bouvieri* Pic, 1901m: 59 (*Leptura*)

**subgenus** *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859  
*cardinalis* K. Daniel & J. Daniel, 1898a: 76 (*Leptura*) A: KI TD UZ  
*rubidiventris* Jankowski, 1934: 104 (*Leptura*)

*cordigera anojiaensis* Sláma, 1982: 207 (*Brachyleptura*) E: GR (Crete) A: TR  
*cordigera cordigera* Fuessly, 1775: 14 (*Leptura*) E: BE BU DE FR GB GE GR (north-east) IT NL RO SP SZ RO ST TR UK N: LB A: #121  
 AB AR CY GG IN IQ IS LE SY TR  
*auricollis* Chobaut, 1895a: cccx (*Leptura*)  
*epipleuralis* Schaefer, 1932: 31 (*Leptura*)  
*hastata* Sulzer, 1776: 46 (*Leptura*)  
*immaculata* Ragusa, 1889: 236 (*Leptura*)  
*inhastata* Pic, 1902c: 8 (*Leptura*)  
*lamed* Geoffroy, 1785: 86 [HN] (*Stenocorus*)

*cordigera illyrica* G. Müller, 1948: 63 (*Leptura*) E: AL BH CR GR IT (north-east) MC SL  
*eckweileri* Holzschuh, 1989a: 154 (*Vadonia*) A: PA  
*erythroptera* Hagenbach, 1822: 7 (*Leptura*) E: AL AU BH BU CR CZ FR GE GR HU IT ME RO SB SK SP ST SZ A: AB AR GG IN TR

*rufipennis* Mulsant, 1839: 272 (*Leptura*)  
*fontenayi* Mulsant, 1839: 271 (*Leptura*) E: AZ FR PT SP N: AG MO TU  
*erythrodera* Chobaut, 1896: 201 (*Leptura*)  
*nigrovittata* Chobaut, 1896: 201 (*Leptura*)  
*pici* Chobaut, 1896: 201 (*Leptura*)

*gladiatrix* Sama, 2008: 220 N: MO  
*heydeni* Ganglbauer, 1889c: 469 (*Leptura*) A: IS LE SY TR  
*silbermanni* Lefebvre, 1835: 303 (*Leptura*) [NO] ["Syrie Mont Liban"]  
*incisipennis* Reitter, 1895a: 85 (*Leptura*)  
*maceki* Holzschuh, 1991c: 19

*igai* Tamanuki, 1943: 93 (*Leptura*) A: JA  
*ivoroberti* Sama, 2010: 920 E: GR  
*oblongomaculata* Buquet, 1840: 396 (*Leptura*) E: IT (Sardegna, Sicilia) N: AG ?MO TU  
*biparadoxa* Dayrem, 1922a: 17 (*Leptura*)  
*extrema* Dayrem, 1930: 70 (*Leptura*)  
*latedecorata* Pic, 1898i: 64 (*Leptura*)  
*obliterata* Pic, 1898i: 64 (*Leptura*)  
*obscurithorax* Pic, 1898a: 4 (*Leptura*)  
*trinoticollis* Pic, 1934e: 20 (*Leptura*)  
*uxoria* Dayrem, 1927: 67 (*Leptura*)

*rufa attaliensis* K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: TR  
*gevneensis* Özdikmen & Turgut, 2008b: 549  
*rufa dimidiata* K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: IQ TR  
*rufa excelsa* Costa, 1863: 24 (*Leptura*) E: IT  
*rufa nigropicta* Fairmaire, 1866b: 278 (*Leptura*) A: TR  
*rufa realis* Danilevsky, 2012m: 912-913 E: ST A: AB AR GG TR  
*rufa rubromarginata* Plavilstshikov, 1932f: 174 (*Leptura*) A: IN  
*rufa rufa* Brullé, 1832: 263 (*Leptura*) E: AL BH BU CR GR IT MC ME RO ?SB A: TR  
*slamai* Sama, 2010: 49 E: GR (Crete)

*martini* Sláma, 1985: 17 (*Brachyleptura*) [HN]  
*tangeriana* Tournier, 1875: 475 (*Leptura*) N: MO  
*atlasica* Escalera, 1914a: 496  
*birufonotata* Pic, 1919a: 22 (*Leptura*)  
*maroccana* Heyden, 1886a: 85 (*Leptura*) [RN]  
*nigromaculata* Pic, 1913b: 138 (*Leptura*)  
*olcese* Pic, 1894f: 108  
*rufonotata* Pic, 1913b: 138 (*Leptura*)  
*tangeriana* Heyden, 1881b: 251 (*Leptura*) [HN]

*tripartita* Heyden, 1889b: 329 (*Leptura*) A: IN IQ TR  
*morgani* Pic, 1905d: 300 (*Leptura*)  
*trisiinata* Fairmaire, 1852a: 92 (*Leptura*) E: FR PT SP  
*martini* Pic, 1945b: 6 (*Leptura*)  
*semirufula* Kraatz, 1880: 376 (*Leptura*)

**subgenus** *Variileptura* Danilevsky, 2014i: 267 type species: *Leptura variicornis* Dalman, 1817  
*variicornis* Dalman, 1817a: 482 (*Leptura*) E: BY CT EN LA NT PL ST UK A: ES FE GUX HEB HEI JA JIL KZ MG NC NE NMO  
 SC SHA WS XIN #400 #517  
*tsuyukii* Fujita, 2018: 22 #526

**genus *Strangalia* Dejean, 1835: 355** type species *Leptura luteicornis* Fabricius, 1775  
*Ophistomis* J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861  
*Ophistomis* Gemminger, 1872: 2875 [unnecessary emendation]  
*Strangalina* Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758  
*Sulcatostrangalia* K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935  
*attenuata* Linnaeus, 1758: 398 (*Leptura*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IR IT LA LS LT LU MC MD NL  
NR NT NE PL RO SK SL SP ST SV SZ TR UK **A:** AB AR ES FE HEB GG JA JIX KZ MG NC NE SC SW TR WS XIN  
*balcanica* Pic, 1915e: 6 (*Typocerus*)  
*brunnescens* Balbi., 1892: 49 (*Leptura*)  
*grenieri* Pic, 1912c: 3 (*Leptura*)  
*imperfecta* Gerhardt, 1910: 556 (*Leptura*)  
*obscuriventris* Pic, 1901n: 59 (*Typocerus*)  
*ucranica* Laxman, 1770: 596  
*fortunei* Pascoe, 1858: 265 **A:** ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH SHA ZHE **#225**  
*nigrocaudata* Fairmaire, 1887a: 135  
*obscuricornis* Pic, 1925f: 188  
*fujitai* Shimomura, 1994: 345 **A:** TAI  
*gracilis* Gressitt, 1935f: 381 **A:** JA (Ryukyus)  
*matsumurai* Fujita, 2018: 25 **#526**  
*klapperichi* Pic, 1957: 76 **A:** FUJ  
*koyaensis* Matsushita, 1933b: 219 **A:** JA  
*haraguro* K. Ohbayashi, 1958b: 18  
*linsleyi* Gressitt, 1951a: 116 **A:** FUJ HUN JIX ZHE **#489**  
*takeuchii* Matsushita & Tamanuki, 1935: 2 **A:** FE (Kunashir) JA

**genus *Strangalomorpha* Solsky, 1873: 253** type species *Strangalomorpha tenuis* Solsky, 1873  
*austera* Holzschuh, 2003a: 164 **A:** YUN  
*cavernosa* Holzschuh, 1998: 27 **A:** HUB  
*multiguttata* Pic, 1914d: 16 (*Strangalia*) **A:** YUN  
*?senensis* Pic, 1938: 134 (*Leptura*) **#266**  
*platyfaciata* Chiang, 1963: 64 (*Strangalia*) **A:** YUN  
*signaticornis* Ganglbauer, 1889a: 52 (*Leptura*) **A:** GAN SHA  
*tenuis aenescens* Bates, 1884a: 221 **A:** JA  
*atricolor* Kano, 1933b: 130  
*tenuis tenuis* Solsky, 1873: 254 **A:** FE GAN HEI JA (Tsushima Is.) JIL NC NMO SC  
*virididorsalis* Chou & N. Ohbayashi, 2010: 362 **A:** GUX TAI

**genus *Teratoleptura* N. Ohbayashi, 2008: 419** type species *Strangalia mirabilis* Aurivillius, 1902  
*mirabilis mirabilis* Aurivillius, 1902: 207 (*Strangalia*) **A:** FUJ GUA GUX HAI **ORR**  
*carpo* Pic, 1903c: 28 (*Ocalemia*)  
*gigantia* Chiang, 1981: 78 (*Strangalia*)

**genus *Thrangalia* Holzschuh, 1995: 10** type species *Thrangalia diaboliella* Holzschuh, 1995  
*diaboliella* Holzschuh, 1995: 11 **A:** YUN

**genus *Turnaia* Holzschuh, 1993a: 14** type species *Turnaia opaca* Holzschuh, 1993  
*furva* Holzschuh, 2006a: 209 **A:** SCH  
*opaca* Holzschuh, 1993a: 15 **A:** GAN

**genus *Unicornileptura* Bi, Chen & N. Ohbayashi, 2022: 146** type species *Unicornileptura emeiensis* Bi, Chen & N. Ohbayashi, 2022  
*emeiensis* Bi, Chen & N. Ohbayashi, 2022: 146 **A:** SCH  
*laticollis* Bi, Chen & N. Ohbayashi, 2022: 148 **A:** HUB

**genus *Vadonia* Mulsant, 1863: 559** type species *Leptura unipunctata* Fabricius, 1787  
*Neovadonia* Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787  
*bicolor* L. Redtenbacher, 1850: 50 (*Leptura*) **A:** AB IN TR  
*tuerki* Heyden, 1879a: 326 [1879b: 70] (*Leptura*)  
*bipunctata adusta* Kraatz, 1859: 97 (*Leptura*) **E:** HU RO SK  
*litigiosa* Mulsant, 1863: 564  
*rufonotata* Pic, 1926d: 10 (*Leptura*)  
*bipunctata aralensis* Danilevsky, 2019: 83 **A:** KZ  
*bipunctata bipunctata* Fabricius, 1781: 245 (*Leptura*) **E:** CT ST **A:** KZ WS  
*beckeri* Pic, 1941d: 14 (*Leptura*) [HN]  
*fischeri* Zubkov, 1829: 168 (*Leptura*)  
*bipunctata globicollis* Desbrochers des Loges, 1870: 127 (*Leptura*) **E:** MD RO ST UK  
*mulsantiana* Plavilstshikov, 1936: 341 (*Leptura*)

*bilitigiosa* Pic, 1941d: 15  
*bipunctata laterimaculata* Motschulsky, 1875: 141 (*Leptura*) E: UK (Crimea)  
*puchneri* Holzschuh, 2007: 183  
*bipunctata sareptana* Pic, 1941d: 15 E: KZ ST A: KZ #1  
*bipunctata steveni* Sperk, 1835: 158 (*Leptura*) E: HU MD RO ST UK  
*bipunctata teberdensis* Danilevsky, 2014i: 247 E: ST  
*bipunctata urdensis* Danilevsky, 2014i: 244 E: KZ A: KZ  
*bitlisiensis* Chevrolat, 1882: 59 A: AB AR IN TR  
*armeniaca* Pic, 1903a: 4 (*Leptura*)  
*bistigmata* Pic, 1890e: clxxvi  
*cribricollis* Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)  
*bolognai* Sama, 1982: 207 A: TR  
*ciliciensis* K. Daniel & J. Daniel, 1891: 13 A: TR  
*danielorum* Holzschuh, 1984a: 142 A: TR  
*dojranensis dojranensis* Holzschuh, 1984c: 343 [Macedonia] E: AL GR MC SB  
*dojranensis mahri* Holzschuh, 1986a: 121 [Philippi bei Kavala] E: BU GR #504  
*frater* Holzschuh, 1981: 96 A: TR  
*grandicollis grandicollis* Mulsant & Rey, 1863: 182 [Smime] E: AL BU GR MC A: TR #11  
*bisignata* Brullé, 1832: 264 (*Leptura*) [HN]  
*inapicalis* Pic, 1897c: 31 (*Leptura*) [DA]  
*grandicollis laurae* Pesarini & Sabbadini, 2007a: 25 E: GR  
*gusmii* Pesarini & Sabbadini, 2009: 16 E: GR  
*hirsuta* K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) E: BU ?MD RO ?UK #272 #363  
*imitatrix* K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: CR IT  
*insidiosa* Holzschuh, 1984a: 143 E: GR  
*instigmata* Pic, 1890e: clxxvi A: IN TR #152  
*ispirensis* Holzschuh, 1993a: 14 A: TR  
*klichai* Vartanis, 2017: 341 A: GR  
*mainoldii* Pesarini & Sabbadini, 2004d: 162 E: GR  
*moesiaca* K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: AL BU GR MC RO SB TR UK A: TR #648  
*beali* Pic, 1926d: 13 [1927j: 157] [DA]  
*bipunctata* Kraatz, 1859: 97 [HN]  
*monostigma* Ganglbauer, 1882: 29 (*Leptura*) A: TR  
*parnassensis* Pic, 1925d: 6 (*Leptura*) E: GR  
*aspoeckorum* Holzschuh, 1975a: 84  
*persica* Vartanis, 2017: 343 A: IN  
*samosensis* Vartanis, 2016: 678 E: GR  
*saucia* Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) E: BU RO UK (Crimea) #272 #351  
*soror soror* Holzschuh, 1981: 95 A: TR  
*soror tauricola* Holzschuh, 1993a: 14 A: TR  
*unipunctata albanica* Vartanis, 2019b: 104 E: AL  
*unipunctata dalmatina* J. Müller, 1907: 662 (*Leptura*) E: CR  
*unipunctata gallica* Podaný, 1963a: 9 E: FR #78  
*unipunctata ikariaensis* Danilevsky & Vartanis, 2015: 225 E: GR #83  
*unipunctata makedonica* Holzschuh, 1989a: 154 [“Lekanis-Gebirge”] E: GR  
*unipunctata occidentalis* K. Daniel & J. Daniel, 1891: 17 (*Leptura*) E: FR IT SP ?N: MO AG  
*xambeui* Pic, 1931c: 6 (*Leptura*)  
*unipunctata ohridensis* Holzschuh, 1989a: 154 E: AL GR MC #11  
*unipunctata syricola* Holzschuh, 1993a: 13 A: LE SY TR #584  
*unipunctata unipunctata* Fabricius, 1787: 157 (*Leptura*) [NP] E: AU BH BU CR CT CZ FR GR HU IT KZ MD ?PL RO SB SK SL SP  
ST TR UK A: AB AR GG KZ TR  
*obscurepilosa* Pic, 1892p: lxxxiv (*Leptura*)  
*pilosa* Forster, 1771: 44 (*Leptura*) [NO]  
*uninstigmata* Pic, 1891b: 9 (*Leptura*)  
*vartanisi* Danilevsky, 2014e: 259 A: TR  
**genus *Xenoleptura* Danilevsky, Lobanov & Murzin, 1981: 787** type species *Leptura hecate* Reitter, 1896  
*hecate* Reitter, 1896: 48 (*Leptura*) A: KI KZ TD UZ XIN  
*auliensis* Pic, 1901d: 19 (*Strangalia*)  
**genus *Xenophyrama* Bates, 1884a: 210** type species *Xenophyrama purpureum* Bates, 1884  
*purpureum* Bates, 1884a: 210 A: JA  
**genus *Xestoleptura* Casey, 1913: 248** type species *Xestoleptura corusca* Casey, 1913  
*baeckmanni* Plavilstshikov, 1936: 333 (*Leptura*) A: CH FE JIL NC (Mt. Maisan) #63  
*changbaishanensis* Gao, Meng & Yan, 2011: 400 (*Munamizoa*) #517  
*nigroflava* Fuss, 1852a: 75 (*Grammoptera*) E: RO

*rufiventris* Gebler, 1830: 193 (*Leptura*) [HN] A: ES FE KZ MG NMO WS XIN #400  
*jenseni* Gressitt, 1951a: 83 (*Anoplodera*)  
*maculata* Gebler, 1841b: 614 (*Leptura*) [HN]  
*theresae* Pic, 1912c: 2 (*Leptura*)

tribe Lepturini, incertae sedis

*Leptura miaoi* Z. Wang & L.-Y. Zheng, 2003: 95, 398 A: JIL

### tribe Oxymirini Danilevsky, 1997

**genus *Neoxymirus* Miroshnikov, 2013b: 455** type species *Toxotus mirabilis* Motschulsky, 1838 #1  
*mirabilis* Motschulsky, 1838: 183 (*Toxotus*) E: ST A: AR AB GG IN TR  
*atripes* Pic, 1935d: 7

**genus *Oxymirus* Mulsant, 1862: 464** type species *Cerambyx cursor* Linnaeus, 1758  
*cursor* Linnaeus, 1758: 393 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MC MD  
NL NR NT PL RO SB SK SL SP ST SV SZ UK A: WS #359 #517  
*luctuosus* Latreille, 1804: 310 (*Leptura*)  
*niger* Olivier, 1800: 19 (*Stenocorus*) #373  
*noctis* Linnaeus, 1767: 630 (*Cerambyx*)  
*semiobscurus* Pic, 1900m: 62  
*spaceki* Roubal, 1934b: 140  
*verneulii* Mulsant, 1839: 233 (*Toxotus*)  
*vittatus* Gmelin, 1790: 1865 (*Cerambyx*)

### tribe Rhagiini Kirby, 1837

**genus *Acapnolymma* Gressitt & Rondon, 1970: 34** type species *Capnolymma sulcaticeps* Pic, 1923  
*sulcaticeps* Pic, 1923a: 12 (*Capnolymma*) A: YUN ORR #400

**genus *Akimerus* Audinet-Serville, 1835b: 212** type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)  
*Acimerus* Fairmaire, 1865: 184 [unjustified emendation]  
*ariannae* Pesarini & Sabbadini, 2007a: 19 E: GR #209  
*berchmansi* Breit, 1915: 353 A: TR  
*schaefferi* Laicharting, 1784: 130 (*Leptura*) E: AU BH BU CR CT CZ FR GE HU MD PL PT RO SK SP ST ?SZ UK #115  
*cinctus* Fabricius, 1787: 146 (*Rhagium*)  
*dentipes* Mulsant, 1842a: 209 [1842b: (3)] (*Toxotus*)

**genus *Apioccephalus* Gahan, 1898: 42** type species *Apioccephalus punctipennis* Gahan, 1898  
*licheneus* Gahan, 1906a: 74 A: UP

**genus *Brachyta* Fairmaire, 1865: 185** type species *Leptura interrogationis* Linnaeus, 1758  
**subgenus *Brachyta* Fairmaire, 1865: 185** type species *Leptura interrogationis* Linnaeus, 1758  
*amurensis* Kraatz, 1879b: 69 (*Pachyta*) A: FE NC NE SC

*bisbioculata* Pic, 1910a: 18  
*inapicalis* Pic, 1910a: 18  
*korbi* Pic, 1910a: 18  
*semilunata* Pic, 1910a: 18

*danilevskiyi danilevskiyi* Tshernyshev & Dubatolov, 2005: 49 A: FE (Sakhalin, Kunashir) JA

*danilevskiyi hanabusa* Hirayama, 2018b: 28 [RN] A: JA

*japonica* Fujimura, 1956: 2 (*Evodinus*) [HN]

*interrogationis duodecimmaculata* Fabricius, 1781: 248 (*Leptura*) ["Sibiria"] A: FE HEI JIL MG NC NMO XIN #128 #400  
*kraatzii* Ganglbauer, 1889c: 468 #1

*interrogationis ebenina* Mulsant, 1839: 240 (*Pachyta*) E: FR #95

*bimaculata* Mulsant, 1839: 240 (*Pachyta*)

*curvilineata* Mulsant, 1839: 239 (*Pachyta*)

*dorensis* Pic, 1933d: 2 (*Evodinus*) ["France: Monte-Dore"]

*flavonotata* Mulsant, 1839: 239 (*Pachyta*)

*interrogationis eitschbergeri* Danilevsky & Peks, 2015: 1085 E: GE CZ

*interrogationis gabzdili* Danilevsky & Peks, 2016: 178 E: PL SK ?UK

*interrogationis interrogationis* Linnaeus, 1758: 398 (*Leptura*) E: FI NR NT SV #128

*interrogationis lederi* Lazarev, 2011: 861 E: ST (Dagestan)

*interrogationis mannerheimii* Motschulsky, 1860b: 148 (*Evodinus*) A: ES MG WS #1

*bioculata* Kraatz, 1879b: 68 (*Pachyta*)

*cruciata* Kraatz, 1879b: 69 (*Pachyta*)

*crucifera* Kraatz, 1879b: 68 (*Pachyta*)

*externereducta* Pic, 1926d: 10

*marginalis* Motschulsky, 1875: 139 (*Pachyta*)

*mulsanti* Pic, 1934f: 31 (*Evodinus*)

*multiguttata* Pic, 1934f: 31 (*Evodinus*) #95

*obsidiana* Motschulsky, 1875: 140 (*Pachyta*)  
*plavilstshikovi* Pic, 1934f: 31 (*Evodinus*) #95  
*prescutellaris* Pic, 1934f: 31 (*Evodinus*) #95  
*reducta* Pic, 1926d: 10  
*suturalis* Pic, 1926d: 10  
*interrogationis marginella* Fabricius, 1793: 346 (*Leptura*) ["Italia"] E: AU GE FR IT LS SZ #95  
*immaculata* Pic, 1934f: 28 (*Evodinus*) ["Suisse: Lac Chambex"]  
*mesmini* Pic, 1933d: 2 (*Evodinus*) ["Sarna"]  
*milliati* Pic, 1934f: 24 (*Evodinus*) ["Hautes Alpes: Monétier"]  
*modanensis* Pic, 1933d: 2 (*Evodinus*) ["France: Modane"]  
*perroudi* Pic, 1933d: 2 (*Evodinus*) ["Chamonix"]  
*subinterrupta* Pic, 1934f: 24 (*Evodinus*) ["Briançon", "Monétier"]  
*interrogationis miroshnikovii* Lazarev, 2011: 860 E: ST A: GG  
*interrogationis russica* Herbst, 1784: 102 (*Leptura*) ["Rußland"] E: BY CT EN LA ?LT MD NT ST UK A: KZ WS #128 #535  
*altaiensis* Pic, 1900n: 82  
*interrogationis shapsugorum* Lazarev, 2011: 860 E: ST  
*interrogationis zubovi* Lazarev, 2016a: 196 E: NT A: WS  
*punctata lazarevi* Danilevsky, 2014i: 137 A: FE NC  
*punctata punctata* Faldermann, 1833: 67 (*Pachyta*) A: ES MG NMO  
*quadrinotatus* Pic, 1916b: 3 (*Evodinus*)  
*reductemaculata* Pic, 1915a: 41 (*Evodinus*)  
*sajanensis* Pic, 1916b: 3 (*Evodinus*)  
*sochondensis* Tshernyshev & Dubatolov, 2005: 45  
*subunicolor* Pic, 1916b: 3 (*Evodinus*)  
*turanensis* Pic, 1927e: 13  
*sachalinensis* Matsumura, 1911: 135 A: FE JA JIL  
**subgenus** *Fasciobrachyta* Danilevsky, 2014i: 113 type species: *Leptura bifasciata* Olivier, 1800  
*balcanica* Hampe, 1871: 336 E: AL BU CR GR RO SB ?TR A: TR #534  
*bifasciata bifasciata* Olivier, 1795: 23 (*Leptura*) [HN] A: ES FE GAN HEB HEI JIL LIA MG NC NMO QIN SC SCH XIZ #373  
*daurica* Gebler, 1817: 329 (*Leptura*)  
*quadripunctata* Schoenherr, 1817a: 491 (*Leptura*)  
*reducta* Pic, 1907a: 6 (*Evodinus*)  
*ussurica* Pic, 1913b: 98  
*bifasciata japonica* Matsushita, 1933a: 178 (*Evodinus*) A: ?FE (Sakhalin) JA  
*bifasciata plasoni* Breit, 1915: 353 (*Evodinus*) A: ?ES ?FE HEB MG NMO #1 #400  
*bifasciata thibetana* Pic, 1907a: 5 (*Evodinus*); 1907d: 104 (*Evodinus*) ["Kuku-Nor"] A: QIN #1  
*bifasciata wanga* Z. Wang, 2014: 122, 1123 A: NMO #1  
*bureschi* Kantardjiewa-Minkowa, 1957: 542 (*Evodinus*) A: BU RO #534  
*caucasica caucasica* Rost, 1892a: 309 [1892b: 81] A: GG  
*conjuncta* Rost, 1893: 344  
*caucasica kubanica* Miroshnikov, 1990a: 26 E: ST  
*delagrangei* Pic, 1891h: 102 A: TR  
*petriccionei* Rapuzzi, Bologna & Poloni, 2019: 96 E: IT  
**subgenus** *Variobrachyta* Danilevsky, 2014i: 117 type species: *Leptura variabilis* Gebler, 1817  
*borni* Ganglbauer, 1903: 151 (*Evodinus*) E: FR (Alpes de Haute-Provence)  
*guerryi* Pic, 1906h: 86 (*Evodinus*)  
*notatipennis* Pic, 1906h: 86 (*Evodinus*)  
*rostri alexeevi* Lazarev, 2010b: 193 E: ST  
*rostri baksaniense* Lazarev, 2010b: 193 E: ST  
*rostri rostri* Pic, 1900n: 82 E: ST A: GG  
*brevinotata* Pic, 1901e: 16  
*causicola* Plavilstshikov, 1936: 197 (*Evodinus*)  
*variabilis aberrans* Villiers, 1960a: 6 (*Evodinus*) A: FE NC NE #316  
*variabilis basarukini* Danilevsky, 2014i: 124 A: FE (Sakhalin)  
*variabilis chukotensis* Danilevsky, 2014i: 123 A: FE  
*variabilis dongbeiensis* Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI #131  
*variabilis ivlievi* Danilevsky, 2014i: 123 A: FE  
*variabilis kurayensis* Danilevsky, 2014i: 128 A: WS  
*variabilis phlaesa* Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI  
*variabilis scapularis* Mannerheim, 1849: 245 (*Pachyta*) A: ES FE MG NE NMO  
*cincta* Villiers, 1960a: 6 (*Evodinus*)  
*comosa* Solsky, 1871a: 400 (*Pachyta*)  
*heyrovskiyi* Pic, 1926d: 10  
*instriolata* Pic, 1912c: 2 (*Evodinus*)  
*intermedia* Pic, 1916b: 3 (*Evodinus*)  
*multisignata* Pic, 1915a: 41 (*Evodinus*)  
*mutabilis* Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]  
*obscuripennis* Pic, 1900c: 6 (*Evodinus*)  
*pici* Villiers, 1960a: 6 (*Evodinus*)

*preapicalis* Pic, 1902c: 8  
*prescutellaris* Pic, 1902c: 8  
*reductesignatus* Pic, 1915a: 41 (*Evodinus*)  
*semifulva* Pic, 1900n: 82  
*sinuatosignata* Pic, 1915c: 4 (*Evodinus*)  
*solskyi* Kraatz, 1879b: 71 (*Pachyta*)  
*subfasciata* Pic, 1926d: 10  
*subjuncta* Pic, 1926d: 10  
*sublineata* Pic, 1916b: 3 (*Evodinus*)  
*variabilis shapovalovi* Lazarev, 2014a: 273 A: KZ  
*variabilis sinuatolineata* Pic, 1915a: 41 (*Evodinus*) A: ES MG #1  
*breiti* Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*)  
*discobilineata* Pic, 1928c: 2  
*variabilis striatiformis* Plavilstshikov, 1936: 196 (*Evodinus*) A: MG #1  
*variabilis striolata* Gebler, 1817: 330 (*Leptura*) A: ES #1  
*brevelineata* Pic, 1926d: 10  
*eurinensis* Tsherepanov, 1978a: 97 (*Evodinus*)  
*variabilis testaceimembris* Pic, 1916b: 2 (*Evodinus*) A: FE #316  
*rufimembris* Pic, 1926d: 13  
*variabilis tungusensis* Danilevsky, 2014i: 121 A: ES  
*variabilis tuvensis* Danilevsky, 2014i: 127 A: ES ?MG ?NMO WS  
*variabilis variabilis* Gebler, 1817: 320 (*Leptura*) E: CT NT A: ES KZ WS ?XIN #400  
*constricta* Germar, 1823: 520 (*Leptura*) #506  
*variabilis yakutensis* Danilevsky, 2014i: 122 A: ES

**genus *Capnolymma* Pascoe, 1858: 265** type species *Capnolymma stygia* Pascoe, 1858  
*brunnea* Gressitt & Rondon, 1970: 33 A: YUN ORR  
*laotica* Gressitt & Rondon, 1970: 33 A: YUN ORR

**genus *Carilia* Mulsant, 1863: 489** type species *Leptura virginea* Linnaeus, 1758  
*Neogaurotes* Podaný, 1962: 225 type species *Leptura virginea* Linnaeus, 1758  
*adelpha* Ganglbauer, 1889a: 47 (*Gaurotes*) A: NMO QIN SCH  
*aeneovirens* Holzschuh, 1993a: 6 (*Gaurotes*) A: SCH  
*atricornis* Pu, 1992b: 591, 617 (*Gaurotes*) A: YUN XIX  
*atripennis* Matsushita, 1933: 76 (*Gaurotes*) A: JA  
*aureopurpurea* Hayashi, 1955: 24 (*Gaurotes*)  
*hayashii* Podaný, 1962: 225 (*Gaurotes*)  
*kurosawai* Hayashi, 1951b: 75 (*Gaurotes*)  
*tamanukii* K. Ohbayashi, 1949: pl. 3 (*Gaurotes*)  
*cuprifera* Holzschuh, 1993a: 10 (*Gaurotes*) A: GAN  
*filiola* Holzschuh, 1998: 5 (*Gaurotes*) A: SHA  
*glabratula* Holzschuh, 1998 (*Gaurotes*): 6 [RN] A: SCH  
*glabricollis* Holzschuh, 1993a: 8 (*Gaurotes*) [HN]  
*oligothrix* Chiang, 2001: 77 (*Gaurotes*) [RN]  
*glabricollis* Pu, 1992b: 592, 618 (*Gaurotes*) A: YUN  
*latiuscula* Holzschuh, 1993a: 8 (*Gaurotes*) A: SCH  
*lucidivirens* Holzschuh, 1998: 6 (*Gaurotes*) A: SHA  
*otome* K. Ohbayashi, 1959: 1 (*Gaurotes*) A: JA  
*flaviventris* Hayashi, 1960a: 6 (*Gaurotes*)  
*kinugasai* Hayashi, 1960a: 6 (*Gaurotes*)  
*wakejimai* Fujita, 2018: 21 #526  
*perforata* Holzschuh, 1993a: 11 (*Gaurotes*) A: GAN  
*pictiventris* Pesarini & Sabbadini, 1997: 100 (*Gaurotes*) A: YUN  
*pilipennis* Holzschuh, 2016a: 73 (*Gaurotes*) A: SCH  
*spinipennis* Pu, 1992b: 590, 617 (*Gaurotes*) A: SCH  
*tibetana* Podaný, 1962: 227 (*Gaurotes*) A: XIX  
*tuberculicollis* Blanchard, 1871: 812 (*Pachyta*) A: FUJ HEI HEN HUB NMO SCH SHA XIX  
*davidis* H. C. Deyrolle, 1878: 133 (*Gaurotes*)  
*obscuripes* Pic, 1939b: 1 (*Gaurotes*)  
*virginea aemula* Mannerheim, 1852b: 306 (*Pachyta*) E: CT ST A: ES FE HEI HUB JIL KZ MG NMO SHX WS  
*ruficollis* Solsky, 1871a: 403 (*Pachyta*)  
*virginea komensis* Tamanuki, 1938b: 167 (*Gaurotes*) A: HEI JIL NC SC #317  
*coreana* Tamanuki, 1939b: 101 (*Gaurotes*)  
*nigriventris* Tamanuki, 1938b: 167 (*Gaurotes*) [HN]  
*virginea kozhevnikovi* Plavilstshikov, 1915c: 105 (*Gaurotes*) A: FE HEI JIL  
*nigriventris* Jureček, 1921: 25 (*Gaurotes*)  
*sibirica* Podaný, 1962: 236 (*Gaurotes*)  
*virginea thalassina* Schrank, 1781a: 160 (*Leptura*) E: AU FR IT SL

*nupta* Mulsant, 1839: 241 (*Pachyta*)  
*virginea virginea* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC MD  
 ME NR NT PL RO SB SK SL SV SZ ST UK A: WS  
*brunnescens* Schmidt, 1951: 11 (*Gaurotes*)  
*notaticollis* Pic, 1916a: 10 (*Gaurotes*)  
*sanguinaria* Pic, 1917g: 4 (*Gaurotes*)  
*vidua* Mulsant, 1839: 242 (*Pachyta*)  
*violacea* DeGeer, 1775: 144 (*Leptura*) [HN]  
*violacea* Pallas, 1773: 724 (*Leptura*)

**genus *Cortodera* Mulsant, 1863: 572** type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)  
*Acmaeopsilla* Casey, 1913: 240 type species *Acmaeops falsus* LeConte, 1860  
*Leptacmaeops* Casey, 1913: 219 type species *Leptura longicornis* Kirby, 1837  
*Taiwanocarilia* Hayashi, 1983: 30 type species *Gaurotes ater* Tamanuki, 1943 #18  
*alpina alpina* Ménétrières, 1832: 230 (*Pachyta*) ["Alpes du Caucase"] E: ST (Dagestan) A: AB GG  
*beckeri* Desbrochers des Loges, 1875: 51 (*Pachyta*) ["Daghestan"]  
*confusa* Reitter, 1891b: 34 (*Cartodera*) ["Von Schalbus-Dagh"]  
*alpina armeniaca* Pic, 1898k: 114 ["Caucase"] A: AR TR (Artvin, Ardahan, Kars, Erzerum, Igdir)  
*alpina baksaniensis* Danilevsky, 2014i: 199 E: ST (Kabardino-Balkaria, above Tyrnyauz)  
*alpina fischtensis* Starck, 1894: 11 E: ST (NW Caucasus: Mt. Fisht)  
*alpina gudissensis* Danilevsky, 2013h: 28 A: GG (N Ossetia)  
*alpina matusiaki* Danilevsky, 2014i: 200 [Mt. Kazbek] E: ST (N Ossetia) A: GG  
*alpina psebayensis* Danilevsky, 2014i: 180 E: ST (NW Caucasus: Psebay) #423  
*alpina rosinae* Pic, 1902c: 8 ["Anatolie: Ak-Chehir"] A: TR #17  
*alpina rosti* Pic, 1892p: lxxiii ["Elbrouz (Caucase)"] E: ST (Mt. Elbrus, Mt. Beshtau, Teberda) A: GG (above Sukhumi)  
*parallela* Pic, 1898k: 111 ["Caucase"]  
*alpina starcki* Reitter, 1888b: 280 E: ST (NW Caucasus) A: GG (Avadkhara)  
*alpina svanorum* Danilevsky, 2014i: 203 A: GG (Svanetia: Latpari Pass)  
*alpina tatvanensis* Danilevsky, 2015d: 1065 A: TR  
*alpina umbripennis* Reitter, 1890d: 245 ["Araxesthal bei Ordubad"] E: ST A: AB AR GG IN  
*alpina xanthoptera* Pic, 1898k: 114 [RN] A: TR (Ankara)  
*alpina zekarensis* Danilevsky, 2014i: 203 A: GG (Zekari Pass above Abastimani)  
*amanusensis* Danilevsky, 2016d: 268 A: TR  
*analis* Gebler, 1830: 189 (*Pachyta*) ["Riddersk"] A: KZ (Ridder) WS (Altai) ?XIN  
*haemorrhoidalis* Pic, 1898k: 114 ["Sibèria"] #5  
*hirta* Gebler, 1830: 190 (*Pachyta*) ["Semel in montibus altaicis"]  
*ruficornis* Pic, 1926d: 6 ["Altai"]  
*atra* Tamanuki, 1943: 214 (*Gaurotes*) A: TAI #18  
*baltea* Holzschuh, 2003a: 154 A: NMO QIN #273  
*bamiyana* Danilevsky, 2014d: 256 A: AF  
*cartinii* Rapuzzi & Sama, 2018: 6 A: TR  
*ciliata ciliata* Danilevsky, 2001a: 13 A: KZ (NE Kazakhstan: Ust-Kamenogorsk env.)  
*ciliata milaenderi* Danilevsky, 2001a: 15 E: CT (Ufa env.: Alkino)  
*ciliata sakmarensis* Danilevsky, 2006b: 3 E: ST (Orenburg env.: Kuvandyk)  
*cirsii* Holzschuh, 1975a: 82 A: TR  
*colchica aestiva* Sama & Rapuzzi, 1999: 466 A: TR (Kars)  
*colchica aishkha* Danilevsky, 2014i: 180 E: ST (NW Caucasus, Aishkha Mt.)  
*colchica aksarayensis* Özdikmen & Özbek, 2012: 931 A: TR  
*colchica bulungensis* Danilevsky, 2014i: 181 E: ST (Kabardino-Balkaria: Bulungu)  
*colchica colchica* Reitter, 1890d: 246 ["Araxesthal"] ~~E: ST~~ A: AB AR ~~TR~~  
*atropyga* Pic, 1929c: 119 [DA]  
*distincta* Pic, 1933d: 6  
*lederi* Pic, 1933d: 6  
*ordubadensis* Reitter, 1890d: 246  
*pygidialis* Reitter, 1890d: 246  
*rutilipes* Reitter, 1890d: 246  
*truncatipennis* Pic, 1929c: 119 [DA]  
*colchica danczenkoi* Danilevsky, 1985: 139 [1987: 615] A: AB (Talysh) IN  
*colchica deyrollei* Pic, 1894a: 66 ["Persath" - Персати] A: GG #1  
*colchica dilizhanica* Danilevsky, 2014i: 178 A: AR (Dilizhan env.)  
*colchica erivanica* Danilevsky, 2014i: 177 [Arailer Mt.] A: AR ~~TR~~  
*colchica erzurumensis* Danilevsky, 2015d: 1058 A: TR  
*colchica libanensis* Danilevsky, 2017e: 838 A: LE #177  
*colchica kalashiani* Danilevsky, 2000b: 39 A: AR (Megri Pass)  
*colchica murzini* Danilevsky, 2014i: 181 E: ST (N Caucasus: Teberda)  
*colchica ossetica* Danilevsky, 2014i: 181 E: ST (N Ossetia)  
*colchica ponomarenkoi* Danilevsky, 2014i: 179 A: AB (Aşağı Ağcakənd)  
*colchica porsukensis* Danilevsky, 2015d: 1060 A: TR

*colchica pseudalpina* Plavilstshikov, 1936: 278 A: GG (Svanetia) #1  
*colchica serowensis* Danilevsky & Hodek, 2021: 16 A: IN  
*kukinae* Danilevsky & Skrylnik, 2021: 11 A: IN  
*differeus differeus* Pic, 1898g: 50 E: GR RO  
*prescutellaris* Pic, 1933d: 5  
*steineri* Sama, 1997b: 112  
*differeus magdae* Danilevsky, 2012m: 916 E: BU RO TR  
*discolor ankarensis* Danilevsky, 2015d: 1063 A: TR  
*discolor bitlisiensis* Danilevsky, 2015d: 1065 A: TR  
*discolor discolor* Fairmaire, 1866b: 277 A: TR #634  
*testaceipes* Pic, 1898k: 112  
*discolor gumushanensis* Danilevsky, 2015d: 1064 A: TR  
*farsensis* Danilevsky, 2014d: 255 A: IN  
*femorata* Fabricius, 1787: 159 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT NR NT PL RO SK SL ST SV SZ  
UK A: ?KZ WS  
*affinis* Schilsky, 1892: 204  
*fusca* Gmelin, 1790: 1868 (*Leptura*)  
*flavipennis* Reitter, 1890d: 243  
*griseipes* Pic, 1889b: 55 (*Grammoptera*)  
*monticola* Abeille de Perrin, 1870: 88  
*suturifera* Reitter, 1890d: 243  
*flavimana angorensis* Danilevsky, 2015d: 1051 A: TR  
*neslihanae* Özdikmen, 2016a: 5 #517  
*flavimana corallipes* Pesarini & Sabbadini, 2009: 17 [Ascale in Erserum] A: ?GG TR #6 #147  
*flavimana flavimana* Walzl, 1838: 471 (*Leptura*) [Istanbul env.] E: AL AU BU GR HU MC RO SB SK TR A: TR #11 #648  
*flavimana inonuensis* Danilevsky, 2015d: 1045 A: TR  
*flavimana karsensis* Danilevsky, 2015d: 1052 A: TR  
*flavimana oezdikmeni* Danilevsky, 2015d: 1053 A: TR  
*flavimana rufipes* Kraatz, 1876b: 344 (*Grammoptera*) [Izmir env.] A: TR #4 #94 #147  
*flavimana schurmanni* Sama, 1997b: 107 [Peloponnese] E: GR #94  
*flavimana sergeyi* Danilevsky, 2015d: 1053 A: TR  
*flavimana sultanensis* Danilevsky, 2015d: 1055 A: TR  
*flavimana torosensis* Danilevsky, 2015d: 1055 A: TR  
*flavimana zoiai* Pesarini & Sabbadini, 2009: 16 [north of Izmir vil., Kozak, about 39°15'N, 27°06'E] A: TR #94  
*goriensis* Danilevsky & Hodek, 2016: 55 A: GG  
*hodeki* Danilevsky, 2018b: 584 A: IN  
*holosericea holosericea* Fabricius, 1801: 366 (*Leptura*) [HN] E: AU BH BU CR GR HU IT RO SK SL ST UK  
*pilosa* Pic, 1898g: 50  
*rubripes* Pic, 1898k: 114  
*semitestacea* Pic, 1898g: 50  
*holosericea pseudoholosericea* Rapuzzi & Sama, 2018: 7 E: AL GR #517  
*holosericea velutina* Heyden, 1876a: 318 E: AL AU BH CR GR IT SL #11  
*birnbacheri* Pic, 1898k: 114  
*hroni* Danilevsky, 2012f: 1 E: BU  
*humeralis aspromontana* G. Müller, 1948: 61 E: IT  
*humeralis humeralis* Schaller, 1783: 297 (*Leptura*) E: AU BE BH BU CR CT CZ FR GE GR HU IT MC MD NL PL RO SB SK SP ST  
SZ TR UK A: TR  
*apicenotata* Schmidt, 1951: 12  
*discoidalis* Pic, 1931c: 6  
*inhumeralis* Pic, 1892i: 140  
*quadriguttata* Herbst, 1786: 171 (*Leptura*)  
*quadrinotata* Gmelin, 1790: 1873 (*Leptura*)  
*schalleri* Gmelin, 1790: 1874 (*Leptura*)  
*spinosula* Mulsant, 1839: 290 (*Grammoptera*)  
*suturalis* Fabricius, 1787: 159 (*Leptura*)  
*humeralis morensis* Danilevsky, 2015d: 1035 E: GR  
*imrasanica* Sama & Rapuzzi, 1999: 464 A: TR  
*ivanovi* Danilevsky, 2013b: 218 A: KZ (Emba River)  
*kadleci* Danilevsky, 2015d: 1061 A: TR  
*kaphanica* Danilevsky, 1985: 137 A: AR IN  
*kareli* Danilevsky, 2018b: 588 A: IN #517  
*kazaryani* Danilevsky, 2014i: 163 A: AR  
*khatchikovi* Danilevsky, 2001b: 13 E: ST (Rostov Region: Kalitva River)  
*kiesenwetteri gusakovi* Danilevsky, 2013d: 425 A: KZ (Kazakhstan: Mugodzhary Mts)  
*kiesenwetteri kiesenwetteri* Pic, 1898g: 49 ["d'Astrakan"] E: ST  
*kiesenwetteri subtruncata* Pic, 1934e: 19 ["Samara"] E: CT (Zhiguli; Syzran env.; Ulynovsk Region)  
*subtruncata* Danilevsky, 2001a: 13 [HN]

*kochi* Pic, 1935d: 4 A: IS  
*kokpektensis* Danilevsky, 2007d: 47 A: KZ  
*komarovi komarovi* Danilevsky, 1996c: 63 ["NW Kazakhstan, Uralsk Area, Furmanovo"] A: KZ  
*komarovi romantzovi* Danilevsky, 2013b: 213 ["Aktobe (Aktyubinsk) Region, Temir river Valley near Pokrovskiy"] A: KZ  
*komarovi sarysuensis* Danilevsky, 2013b: 215 ["Karaganda Region, valley of Taldy-Manak river"] A: KZ  
*komarovi solodovnikov* Danilevsky, 2013b: 213 ["West Kazakhstan, Aktolagay Ridge"] A: KZ  
*longipilis* Pic, 1898g: 50 A: TR  
*rubrofemorata* Pic, 1898k: 113  
*tauricola* Pic, 1908b: 3  
*lowlakanensis* Danilevsky, 2018b: 586 A: IN  
*metallica* Holzschuh, 2003a: 152 A: SCH  
*moldovana* Danilevsky, 1996c: 64 E: MD (Dubossary env.) #648  
*napolovi* Danilevsky, 2015d: 1061 A: TR  
*neali* Danilevsky, 2004a: 2 A: IN IQ #94  
*obscurans* Pic, 1894h: 116 ["Syrie. Akbès"] A: ?SY TR  
*omophloides* Holzschuh, 1975a: 77 [Namrun, İçel] A: TR  
*pseudomophlus* Reitter, 1889a: 40 A: AR AB IN TM TR  
*pumila crataegi* Holzschuh, 1986a: 121 A: IN  
*pumila meltemae* Özdikmen, Mercan & Cihan, 2012d: 746 A: TR #94  
*pumila pumila* Ganglbauer, 1882: 710 E: ST A: AB AR GG  
*caucasica* Pic, 1898k: 79  
*nigripennis* Pic, 1898g: 49  
*pumila sarigolensis* Danilevsky, 2016d: 266 A: TR  
*pumila tournieri* Pic, 1895c: 75 A: AR GG TR  
*ranunculi* Holzschuh, 1975a: 80 A: TR [Muş]  
*reitteri reitteri* Pic, 1891d: 43 ["Sarepta"] E: CT ST UK  
*alexandri* Danilevsky, 1996c: 63 ["Volgograd env., Olkhovka"]  
*obscuripennis* Pic, 1898g: 49 ["Sarepta"]  
*separata* Pic, 1898k: 111 ["Sarepta"]  
*reitteri taurica* Plavilstshikov, 1936: 280 [Simferopol] E: UK (Crymea)  
*beckeriana* Plavilstshikov, 1936: 285 [from Simferopol to Volga]  
*rubenyani* Danilevsky, 2018b: 587 A: IN  
*rubripennis* Pic, 1891h: 102 A: TR  
*obscura* Pic, 1898g: 49  
*semilivida nigriptera* Kasatkin, 2019: 131 A: LE #517  
*semilivida semilivida* Pic, 1892m: xciii ["Syria"] A: ?SY TR #94  
*orientalis* Adlbauer, 1988: 264 #94  
*sibirica shavrovi* Danilevsky, 2001b: 3 ["Minusinsk reg., N Askysz, Abakan"] A: ES  
*sibirica sibirica* Plavilstshikov, 1915f: 347 (*Leptura*) ["Kuznetskij Alatau: fl. Kondoma"] A: WS  
*semenovi* Plavilstshikov, 1936: 284 [Kondoma River]  
*simulatrix* Holzschuh, 1975a: 83 A: TR  
*syriaca didemae* Özdikmen, 2016a: 8 A: TR #517  
*syriaca nigroapicalis* Holzschuh, 1981: 95 A: IN TR  
*syriaca syriaca* Pic, 1901r: 90 A: AB AR IN LE SY TR  
*aureopubens* Pic, 1913b: 178  
*korbi* Pic, 1914b: 4 [DA]  
*takabensis* Danilevsky, 2018b: 585 A: IN  
*tatiana* Miroshnikov, 2011a: 53 A: AB (Ordubad env.)  
*tibialis tibialis* Marseul, 1876: cii (*Judolia*) ["Sarepta"] E: ST (Volgograd env.)  
*pallidipes* Pic, 1898g: 49 ["Russie M<sup>le</sup>"]  
*tibialis rossica* Danilevsky, 2001b: 7 ["Kalach-Khoper"] E: UK ST #648  
*tibialis ruthena* Plavilstshikov, 1936: 286 [Uralsk] E: ST KZ A: KZ  
*transcaspica lobanovi* Kaziutshitz, 1988: 583 [Nakhichevan: Buzgov] A: AB AR IN TU  
*transcaspica persica* Plavilstshikov, 1936: 291 A: IN ?AF #316  
*transcaspica transcaspica* Plavilstshikov, 1936: 290 A: AB AR IN TM  
*turgaica* Danilevsky, 2001b: 9 [Zharkol Lake near Arkalyk] E: WS(Orenburg) A: KZ #140  
*uniformis* Holzschuh, 1975a: 79 A: TR  
*ussuriensis* Tsherepanov, 1978a: 101 A: FE  
*vicina* Pic, 1914b: 4 A: LE  
*villosa aktolagaica* Miroshnikov, 2007: 214 A: KZ (Aktolagay Mts.) #318  
*villosa circassica* Reitter, 1890d: 245 E: ST (NW Caucasus)  
*obscuripes* Reitter, 1890d: 245  
*villosa chivilini* Danilevsky, 2012b: 140 [Volgograd Region: Golubinskoe] E: ST  
*villosa kazakorum* Danilevsky, 2014i: 167 [Rostov Region: Novocherkassk env.] E: ST  
*villosa krasnobaevi* Danilevsky, 2010d: 58 [Lugansk Region] E: ST UK  
*villosa kuvandykensis* Danilevsky, 2012b: 139 E: ST (Orenburg Region, Kuvandyk env.)  
*villosa magdeevi* Danilevsky, 2011a: 42 [Zhiguli] E: CT

*villosa major* Miroshnikov, 2007: 211: E: CT (Bashkiria: Shulgan-Tash)  
*villosa mariae* Danilevsky, 2010d: 59 E: ST (Black Sea Coast: Sukko)  
*villosa mikhailovi* Danilevsky, 2001a: 8 A: WS (Chelyabinsk Region: Arkaim)  
*villosa miroshnikovi* Danilevsky, 2010a: 43 A: GG (Bakuriani)  
*villosa nakhichevanica* Miroshnikov, 2007: 213: A: AB (Ordubad env.)  
*villosa parfentjevi* Miroshnikov, 2007: 215 [Simferopol] E: UK (Crimea: Simferopol; Kerch env.: Chokrak Lake) #318  
*villosa villosa* Heyden, 1876a: 318 E: BH BU CR HU MC MD RO SK UK  
*frivaldszkyi* Kraatz, 1876b: 344 (*Grammoptera*)  
*nigrita* Heyden, 1876a: 318 [DA]  
*umbriventris* Roubal, 1931b: 131  
*villosa zhuravlevi* Miroshnikov, 2007: 214 E: ST (Orenburg env.) A: KZ (NW Kazakhstan: Rozhkovo, Uralsk) #318  
*wewalkai* Holzschuh, 1995: 9 A: TR  
*wittmeri akshehirensis* Danilevsky, 2015d: 1043 A: TR  
*wittmeri gevashensis* Danilevsky, 2015d: 1046 A: TR  
*wittmeri malatyaensis* Danilevsky, 2015d: 1045 A: TR  
*wittmeri sivasensis* Danilevsky, 2015d: 1044 A: TR  
*wittmeri wittmeri* Holzschuh, 1995: 9 A: TR [Niğde] #94

**genus *Dinoptera* Mulsant, 1863: 494** type species *Leptura collaris* Linnaeus, 1758  
*anthracina* Mannerheim, 1849: 246 (*Pachyta*) A: FE MG NC NE NMO SE  
*chrysomelina* Holzschuh, 2003a: 151 A: SHA  
*collaris* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD ME NE NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG ES GAN IN KZ NMO TR WS  
*carneola* Schrank, 1798: 696 (*Leptura*)  
*morio* Fabricius, 1793: 349 (*Leptura*)  
*nigricollis* Mulsant, 1839: 247 (*Pachyta*)  
*ruficollis* DeGeer, 1775: 143 (*Leptura*)  
*sylvestris* Geoffroy, 1785: 88 (*Stenocorus*)  
*concolor* Heyden & Faust, 1888: 45 (*Acmaeops*) A: GG (Sukhumi) TR  
*lota* Holzschuh, 1998: 8 A: GAN SHA #225  
*minuta criocerina* Bates, 1873: 194 (*Acmaeops*) A: JA  
*japonica* Pic, 1907c: 20 (*Acmaeops*)  
*minuta minuta* Gebler, 1832: 69 (*Pachyta*) A: BEI ES FE GUX HEB HEI HEN JIL JIX LIA NC NIN NMO SC SHA SHN SHX ZHE

**genus *Euracmaeops* Danilevsky, 2014i: 147** type species: *Leptura marginata* Fabricius, 1781  
*angusticollis* Gebler, 1833: 304 (*Pachyta*) E: BY CT NT PL A: ES FE JIL MG NC NMO WS XIN #526  
*amurensis* Suvorov, 1915: 346  
*sachalinensis* Tsherepanov, 1978a: 99  
*subbrachypterus* Plavilstshikov, 1915c: 105  
*viridulus* Matsumura, 1911: 134  
*marginatus* Fabricius, 1781: 247 (*Leptura*) E: AU BH BY CR CT CZ EN FI FR GE GR HU IT LA ?LT ME NL NR NT PL ?SB SK SL SP ST SV SZ UK A: ES FE GAN KZ MG NMO TR WS #535  
*annulicornis* Pic, 1933f: 4  
*bicoloripes* Pic, 1933f: 4  
*spadiceus* Schilsky, 1888: 189  
*septentrionis* C. G. Thomson, 1866: 61 (*Pachyta*) E: AU BU BY CT CZ EN FI FR GE IT ?LA LS ?LT NR NT PL RO SK SL ST SV SZ UK A: ES FE HEI JA JIL KZ LIA MG NC NMO SC SHA WS XIN #104 #400 #526 #535  
*alpestris* Pic, 1901f: 25  
*simponicus* Stierlin, 1880: 550 (*Leptura*)  
*smaragdulus* Fabricius, 1793: 342 (*Leptura*) [NP] E: BY CT FI FR ?LT NR NT SV ?SZ A: ES FE HEI JIL KZ LIA MG NC NMO SHA WS XIN #63 #115 #525 #535  
*smaragdinus* Naezen, 1792: 173 (*Leptura*) [NO]

**genus *Evodinellus* Plavilstshikov, 1915g: 355** type species *Leptura borealis* Gyllenhal, 1827  
**subgenus *Evodinellus* Plavilstshikov, 1915g: 355** type species *Leptura borealis* Gyllenhal, 1827  
*borealis* Gyllenhal, 1827: 36 (*Leptura*) E: BY CT EN FI LA LT NR NT PL SK SV UK A: ES FE JA MG NC NE NMO SC WS  
*brunneonotatus* Pic, 1901b: 11 (*Brachyta*)  
*grisescens* Pic, 1889b: 78 (*Pidonia*)  
*interruptelunatus* Schmidt, 1951: 11  
*lateobscurus* Pic, 1901b: 11 (*Brachyta*)  
*obscurissimus* Pic, 1904a: 3  
*pallenscens* Fujimura, 1956: 2  
*pictus* Mäklin, 1845: 549 (*Pachyta*)  
*schrammi* Pic, 1945b: 6  
*separatus* Pic, 1945b: 6  
**subgenus *Brachytodes* Planet, 1924: 96** type species *Rhagium clathratum* Fabricius, 1793  
*clathratus* Fabricius, 1793: 306 (*Rhagium*) E: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK  
*atromultiplicatus* Pic, 1945b: 5

*atroreductus* Pic, 1915a: 41  
*brunnipes* Mulsant, 1839: 238  
*diversesignatus* Pic, 1945b: 5  
*flecki* Schmidt, 1958: 77  
*gallicus* Pic, 1945b: 5  
*holobrunneus* Schmidt, 1958: 77  
*leprieuri* Pic, 1945b: 5  
*morginsius* Pic, 1945b: 5  
*nigerrimus* Schmidt, 1958: 74  
*nigrescens* Gredler, 1873: 74 (*Pachyta*)  
*nigritus* Pic, 1891b: 6 (*Brachyta*)  
*obscuratus* Schmidt, 1958: 73  
*pedemontanus* K. Daniel & J. Daniel, 1898b: 87 (*Brachyta*)  
*reticulatus* Fabricius, 1794: 453 (*Leptura*)  
*semicinctus* Drapiez, 1819a: 52 (*Leptura*)  
*signatus* Panzer, 1793a: 13 (*Leptura*)  
*tricoloratus* Schmidt, 1958: 77  
*vesubiensis* Pic, 1945b: 5

**genus *Fallacia* Mulsant & Rey, 1863: 180** type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)

*elegans* Faldermann, 1837: 319 (*Grammoptera*) E: CT ST TR A: AB AR GG IN TR

*inapicalis* Pic, 1901e: 16  
*lederi* Kraatz, 1879f: 280  
*longicollis* Mulsant & Rey, 1863: 180  
*mingrelia* Kraatz, 1879i: 279  
*subnotata* Pic, 1901e: 16

**genus *Gaurotina* Ganglbauer, 1889a: 49** type species *Gaurotina superba* Ganglbauer, 1889

*flavimarginata* Pu, 1992b: 591, 617 (*Gaurotes*) A: NIN SCH #400

*labrangica* Danilevsky & Rapuzzi, 1996: 10 A: GAN

*nigroantennata* L. Chen & Chiang, 2000: 31, 35 A: JIL TIA

*nitida* Gressitt, 1951a: 62 A: GAN NIN SHA #400

*piligera* Pu, 1992b: 591, 617 (*Gaurotes*) A: SCH

*pulchra* Holzschuh, 1991c: 8 A: SCH

*sichotensis* Danilevsky, 1988c: 372 A: FE KO #517

*superba* Ganglbauer, 1889a: 50 A: GAN JIL QIN SCH SHA YUN #400

**genus *Gnathacmaeops* Linsley & Chemsak, 1972: 135** type species *Leptura pratensis* Laicharting, 1784

*brachypterus* K. Daniel & J. Daniel, 1898a: 73 (*Acmaeops*) A: KI KZ XIN

*pratensis* Laicharting, 1784: 172 (*Leptura*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT LA ?LT MC MD ?ME NR NT

PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE GG KI KZ MG NC (Bujeongowon) NMO UZ WS XIN NAR #63 #535

*lateralis* Estlund, 1796: 127 (*Leptura*)

*obscuripennis* Pic, 1901: 24 (*Acmaeops*)

*spretus* Lentz, 1857: 147 (*Pachyta*)

*suturalis* Mulsant, 1839: 246 (*Pachyta*)

*strigilatus* Fabricius, 1793: 341 (*Leptura*)

*ustulatus* Motschulsky, 1860b: 148 (*Pachyta*)

**genus *Japanocorus* Danilevsky, 2012m: 919** type species *Toxotus caeruleipennis* Bates, 1873

*caeruleipennis* Bates, 1873: 193 (*Toxotus*) A: FE (Sakhalin, Kunashir) JA

*galloisi* K. Ohbayashi, 1961a: 16 (*Toxotus*)

**genus *Lemula* Bates, 1884a: 211** type species *Lemula decipiens* Bates, 1884a

**subgenus *Lemula* Bates, 1884a: 211** type species *Lemula decipiens* Bates, 1884a

*aequipilosa* N. Ohbayashi & Chou, 2019: 459 A: TAI

*brunneipennis* Shimomura, 1979: 271 A: TAI

*coerulea* Gressitt, 1939b: 84 A: FUJ SHA ZHE #225 #526

*confusa* Holzschuh, 2009a: 268 A: ANH FUJ HEN HUB ZHE #436

*crucifera* Shimomura, 1979: 274 A: TAI

*cyanipennis* Hayashi, 1974a: 3 A: TAI #436

*longipennis* Shimomura, 1979: 278 #436

*decipiens* Bates, 1884a: 212 A: JA #517

*formosana aenea* N. Ohbayashi & Chou, 2019: 474 A: TAI

*formosana formosana* N. Ohbayashi & Chou, 2019: 474 A: TAI

*fracta* Holzschuh, 1998: 7 A: CHQ SCH SHA #436

*gorodinskii gorodinskii* Holzschuh, 1999: 8 A: GAN SHA #436

*gorodinskii henanica* Holzschuh, 2009a: 269 A: HEN

*holzschuhi* N. Ohbayashi & Chou, 2019: 478 A: HEN HUB  
*japonica* Tamanuki, 1938b: 166 (*Lemura*) A: JA #436  
*jinfoshana* N. Ohbayashi & Chou, 2019: 467 A: CHQ  
*lata lata* Holzschuh, 2009a: 270 A: HEN  
*lata zhejianga* N. Ohbayashi & Chou, 2019: 485 A: ZHE  
*nishimurai* Seki, 1944a: 25 A: JA  
*hiratai* Hayashi, 1944: 23  
*nitidiuscula* N. Ohbayashi & Chou, 2019: 460 A: TAI  
*par* Holzschuh, 1998: 6 A: YUN  
*pilifera* Holzschuh, 1991c: 8 A: SCH  
*rufithorax* Pic, 1901m: 57 A: JA  
*setigera* Mitono & Tamanuki, 1939: 207 A: TAI #499  
*shaanxiensis* N. Ohbayashi & Chou, 2019: 482 A: GAN SHA  
*simillima* N. Ohbayashi & Chou, 2019: 477 A: GUA GUI  
*testaceipennis* Gressitt, 1939b: 85 A: FUJ GUA GUX ZHE TAI #436  
*densepunctata* Hayashi, 1974a: 4 #436  
*inaequalicollis* Pic, 1957: 75 #436  
*obscuripennis* Shimomura, 1979: 276 #436  
*zhani* N. Ohbayashi & Chou, 2019: 466 A: GUA  
**subgenus** *Pseudolemula* N. Ohbayashi & Chou, 2019: 490 type species *Lemula viridipennis* Holzschuh, 1993  
*tichyi* N. Ohbayashi & Chou, 2019: 466 A: HEN SCH  
*viridipennis* Holzschuh, 1993a: 7 A: GAN  
  
**genus** *Macropidonia* Pic, 1901k: 339 type species *Macropidonia ruficollis* Pic, 1901  
*Sieversia* Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887  
*Sivana* Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887  
*bicolor* Ganglbauer, 1887a: 134 (*Sieversia*) A: FE HEB LIA NC SC  
*ruficollis* Pic, 1901k: 340 A: JA JIL  
  
**genus** *Pachyta* Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758  
*Argaleus* LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)  
*Linsleyana* Podaný, 1964b: 43 type species *Pachyta armata* LeConte, 1873a  
*Neopachyta* Bedel, 1906: 93 [RN]  
*bicuneata* Motschulsky, 1860b: 147 A: FE GAN HEI JIL NC SC SHA WS  
*bisbimaculata* Pic, 1900f: 17  
*bisbinotata* Pic, 1907a: 5 (*Neopachyta*)  
*incolumis* Heyden, 1886c: 273  
*degener* Semenov & Plavilstshikov, 1936: 393 A: NMO  
*erebia* Bates, 1884a: 212 A: JA  
*kusamai* Hayashi, 1955: 22  
*uenoi* Makihara, 1995: 451  
*felix* Holzschuh, 2007: 182 A: XIZ YUN #60  
*gorodinskii* Rapuzzi, 2013: 466 A: QIN  
*lamed* Linnaeus, 1758: 391 (*Cerambyx*) E: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL SV SZ UK  
A: ES FE GAN JA JIL MG NC NMO QIN SHA WS XIN  
*pedella* DeGeer, 1775: 129 (*Leptura*)  
*sasakii* Fujita, 2018: 21 #526  
*spadicea* Paykull, 1800: 103 (*Leptura*)  
*mediofasciata* Pic, 1936d: 15 A: HEB JIL NMO QIN SHA  
*nigromarginalis* Pic, 1939b: 2  
*subapicalis* Pic, 1939b: 1  
*perlata* Holzschuh, 1991a: 6 A: KA NP  
*quadrimaculata* Linnaeus, 1758: 397 (*Leptura*) E: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD ME NT  
PL RO SB SK SL SP ST SZ UK A: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN  
*basinotata* Roubal, 1937: 81  
*bimaculata* Schoenherr, 1817a: 489 (*Leptura*)  
*mulsanti* Pic, 1945b: 5  
*timida* Scopoli, 1763: 53 (*Cerambyx*)  
  
**genus** *Pachytella* Heyrovský, 1969b: 226 type species *Pachytella mongolica* Heyrovský, 1969  
*churkini* Danilevsky, 2011: 253 A: MG  
*mongolica* Heyrovský, 1969b: 227 A: MG  
  
**genus** *Paktotus* Holzschuh, 1974a: 84 type species *Paktotus pallidus* Holzschuh, 1974  
*pallidus* Holzschuh, 1974a: 86 A: ?AF PA #454  
  
**genus** *Paragaurotes* Plavilstshikov, 1921: 116 type species *Gaurotes ussuriensis* Blessig, 1873

*doris doris* Bates, 1884a: 212 A: JA ?NIN ?SHA #400  
*amagisana* K. Ohbayashi, 1956a: 7

*doris suvorovi* Semenov, 1914: 17 A: FE (Sakhalin, Kurils) JA #400  
*fairmairei* Aurivillius, 1912: 193 (*Gaurotes*) [RN] A: NIN SCH SHA  
*diversicollis* Pic, 1939b: 1 (*Gaurotes*)  
*donacioides* Fairmaire, 1889a: 59 (*Gaurotes*) [HN]  
*ussuriensis* Blessig, 1873: 247 A: ES FE HEB HEI JIL LIA NC SC

**genus *Pidonia* Mulsant, 1863: 570** type species *Leptura lurida* Fabricius, 1793  
**subgenus *Cryptopidonia* Kuboki, 1981: 530** type species *Pidonia lyra* Kuboki & Suzuki, 1978  
*aenipennis aenipennis* Gressitt, 1935e: 253 (*Pseudopidonia*) A: TAI  
*aenipennis continentalis* Tippmann, 1955: 90 (*Pseudopidonia*) A: FUJ  
*albomaculata* Matsushita, 1931c: 401 (*Pseudopidonia*) A: TAI  
*amentata amentata* Bates, 1884a: 215 (*Grammoptera*) A: JA  
*breuningi* Pic, 1955: 12 (*Pseudopidonia*)  
*oculata* Matsushita, 1933b: 191 (*Pseudopidonia*) #526  
*staudingeri* Pic, 1901c: 12 (*Pseudopidonia*)

*amentata awashimana* Kuboki, 1993c: 235 A: JA (Awashima Is.)  
*amentata kurosawai* K. Ohbayashi & Hayashi, 1960: 13 A: FE (Kurils) JA #276  
*amentata sadoensis* Kuboki, 1993d: 261 A: JA (Sado Is.)  
*anmashana* Kuboki, 1993a: 33 A: TAI  
*approximata* Kuboki, 1977b: 65 A: JA  
*chiaomui* Kuboki, 1995b: 747 A: TAI  
*chui* Chou, 1998: 434 A: TAI  
*dealbata* Kuboki, 1981: 535 A: JA  
*fushani* Kuboki, 1993a: 37 A: TAI  
*hamadryas* Kuboki, 1977c: 268 A: JA  
*hayashii* Koike, 1971: 25 A: JA  
*hohuanshana* Chou, 1998: 438 A: TAI  
*hylophila affinis* Kuboki, 1982b: 118 A: JA  
*hylophila hylophila* Kuboki, 1977b: 67 A: JA  
*ohdaisana* Mizuno, 1978: 39  
*insuturata* Pic, 1901m: 59 A: JA  
*brevinotata* Pic, 1902g: 24 (*Pseudopidonia*)

***kaguyahime* Kuboki, 2020: 252 A: JA**  
*luna* Chou & Wu, 2005: 407 A: TAI  
*lyra* Kuboki & Suzuki, 1978: 297 A: JA  
*masakii* Hayashi, 1955: 28 A: JA  
*hiurai* K. Ohbayashi & Hayashi, 1960: 15  
*lepesmei* Pic, 1956: 647 (*Pseudopidonia*)  
***simillima* K. Ohbayashi & Hayashi, 1960: 14** #600

*miwai* Matsushita, 1933b: 190 (*Pseudopidonia*) A: JA  
*pilushana* S. Saito, 1979: 211 A: TAI  
*subaenea* Gressitt, 1935e: 254 (*Pseudopidonia*) A: JIL TAI  
*taipingshana* Kuboki, 1995b: 753 A: TAI  
*takahashii* Kuboki, 1983: 25 A: TAI  
*yushana* Chou & Wu, 2005: 403 A: TAI

**subgenus *Mumon* Hayashi, 1968b: 15** type species *Grammoptera debilis* Kraatz, 1789  
*aegrota aegrota* Bates, 1884a: 214 (*Grammoptera*) A: JA #400 #526  
*aegrota kubokii* Hayashi, 1984: 22 [RN] A: JA (Tsushima Is.)  
*spectabilis* Kuboki, 1982b: 120 [HN]  
*aegrota telephia* Kuboki, 1996b: 805 A: JA (Sado Is.) #276  
*aestivalis* Kuboki, 1994a: 37 A: TAI  
*alsophila* Kuboki, 1997a: 19 A: TAI  
*amabilis* Kuboki, 1980: 58 A: TAI  
*binigrosignata* Hayashi, 1974a: 5 A: TAI  
*chienhsingi* Kuboki, 1995a: 5 A: TAI  
*confusa* S. Saito, 1980: 294 A: TAI  
*debilis* Kraatz, 1879c: 104 (*Grammoptera*) A: FE HEI NC SC  
*formosana* Tamanuki & Mitono, 1939: 208 A: TAI #526  
*formosissima* Kuboki, 1980: 55 A: TAI #400  
*pudica* Kuboki, 1994a: 33 A: TAI  
*sacrosancta* Kuboki, 1995a: 9 A: TAI

**subgenus *Omphalodera* Solsky, 1873: 244** type species *Omphalodera puziloi* Solsky, 1873  
*changi* Hayashi, 1971: 3 A: SHA  
*heudei* Gressitt, 1939b: 86 (*Pseudopidonia*) A: SHA ZHE #225

*nakabayashii* Kuboki, 2014: 181 A: JA  
*ogasawarai* Kuboki, 2015: 469 A: JA  
*puziloi* Solsky, 1873: 245 (*Omphalodera*) A: FE HEI JA MG NC SC  
*flaviventris* Bates, 1884a: 212 (*Omphalodera*)  
*sakimori* Kuboki, 2015: 466 A: JA (Tsushima Is)  
*testacea* Matsushita, 1933b: 184 (*Omphalodera*) A: JA  
*warusawadakensis* K. Ohbayashi, 1959: 1 A: JA  
**subgenus** *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971  
*chujoi* K. Ohbayashi & Hayashi, 1960: 13 A: JA  
*fujisana* Obika & Kusama, 1971: 233 A: JA  
*oyamae* Oyama, 1908: 19 (*Grammoptera*) A: JA  
*quadrimaculata* Matsushita, 1933b: 192 (*Pseudopidonia*)  
**subgenus** *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793  
*lurida* Fabricius, 1793: 343 (*Leptura*) E: AU BE BH BU BY CR CZ FR GE GR HU IT LA LS LT MD PL RO SK SL SZ UK #472  
*ganglbaueri* Ormay, 1888: 168  
*notaticollis* Pic, 1941d: 15  
*rufithorax* Pic, 1902g: 23  
**subgenus** *Pseudopidonia* Pic, 1900n: 81 type species *Pseudopidonia amurensis* Pic, 1900 #400  
*alpina* An & Kwon, 1991: 43 A: SC  
*alticollis* Kraatz, 1879c: 103 (*Grammoptera*) A: CH FE NC SC  
*rubricollis* Pic, 1931b: 257 (*Pseudopidonia*)  
*rufiventris* Plavilstshikov, 1932f: 87 (*Pseudopidonia*)  
*tristicula* Kraatz, 1879c: 104 (*Grammoptera*)  
*amurensis* Pic, 1900n: 81 (*Pseudopidonia*) A: FE HEI JIL NC SC SHA #400  
*quelpartensis* Hayashi, 1983: 32  
*unifasciata* Plavilstshikov, 1915c: 106 (*Pseudopidonia*)  
*angustata* Kuboki, 1994c: 185 A: TAI  
*armata* Holzschuh, 1991c: 9 A: SCH  
*atripennis* Hayashi, 1978a: 85 A: TAI  
*atritarsis* Holzschuh, 2013b: 92 A: SCH  
*balteata* Holzschuh, 2013b: 88 A: SCH  
*benesi* Holzschuh, 1998: 15 A: SCH  
*bispina* Holzschuh, 1998: 12 A: HUB  
*bivittata* S. Saito, 1980: 291 A: TAI  
*bouvieri* Pic, 1901k: 339 A: JA  
*businskyorum* Holzschuh, 1998: 13 A: HUB  
*chairo* Tamanuki, 1943: 38 A: JA  
*chinensis* Hayashi & Villiers, 1985: 17 A: BEI #400  
*compta* Holzschuh, 1998: 16 A: GAN  
*cuprescens* Holzschuh, 1991c: 10 A: SCH  
*dentipes* Holzschuh, 1998: 8 A: SHA  
*deodara* Kuboki, 1986: 63 A: TAI  
*determinata* Holzschuh, 1998: 14 A: SCH  
*discoidalis* Pic, 1901m: 58 A: JA  
*amagisanus* Hayashi, 1953: 39  
*japonica* Pic, 1953a: 14 (*Pseudopidonia*) [HN]  
*muneaka* Hayashi, 1955: 26  
*tamanukii* Hayashi, 1969b: 71  
*effracta* Holzschuh, 1998: 17 A: SCH  
*elegans* An & Kwon, 1991: 47 A: SC  
*erlangshana* Holzschuh, 2013b: 91 A: SCH  
*exilis* Holzschuh, 1991c: 13 A: SCH  
*falcata* Kuboki, 1997b: 25 A: JA  
*flaccidissima* Kuboki, 1994c: 181 A: TAI  
*foveolata* Holzschuh, 1998: 17 A: YUN  
*frivola* Holzschuh, 1998: 14 A: SCH  
*fumaria* Holzschuh, 2003a: 155 A: SCH  
*gibbicollis* Blessig, 1873: 258 (*Leptura*) A: FE HEI JA (Tsushima Is.) JIL LIA NC SC #60  
*marginata* Pic, 1931b: 258 (*Pseudopidonia*)  
*gloriosa* Kuboki, 1993b: 155 A: TAI  
*gorodinskii* Holzschuh, 1998: 13 A: GAN  
*grallatrix* Bates, 1884a: 214 (*Grammoptera*) A: JA  
*harmandi* Pic, 1901m: 58  
*hamifera* Holzschuh, 1998: 10 A: SHA  
*hayakawai* Kuboki, 2001: 23 A: JA  
*himehana* S. Saito, 1992: 12 A: JA  
*ignobilis* Holzschuh, 1991c: 14 A: SCH

*indigna* Holzschuh, 1991c: 12 A: SCH  
*infuscata* Gressitt, 1939b: 88 (*Pseudopidonia*) A: FUJ ZHE  
*jasha* S. Saito & A. Saito, 1989: 194 A: JA  
*kanwonensis* Danilevsky, 1993d: 111 A: NC (Mt. Geumgangsan)  
*koreana* An & Kwon, 1991: 49 A: SC (Jejudo Is.)  
*kyushuensis* Yamawaki, 1959: 85 A: JA  
*leucanthophila* Kuboki, 1978a: 33 A: JA  
*limbaticollis limbaticollis* Pic, 1902g: 27 (*Pseudopidonia*) A: JA  
*naganoensis* Pic, 1956: 648 (*Pseudopidonia*)  
*nikkokensis* K. Ohbayashi & Hayashi, 1957: 7  
*limbaticollis ohbayashii* Matsushita, 1933b: 191 (*Pseudopidonia*) A: JA  
*tokugoana* Matsushita, 1933b: 194 (*Pseudopidonia*)  
*limbaticollis stephani* Hayashi, 1982b: 152 [RN] A: JA  
*breuningi* K. Ohbayashi & Hayashi, 1957: 5 [HN]  
*longipalpis* Kuboki, 1985: 115 A: TAI  
*longipennis* An & Kwon, 1991: 50 A: SC  
*lucida* Holzschuh, 1991c: 15 A: SCH  
*ludmilae* Holzschuh, 1998: 12 A: HUB  
*luridaria* Holzschuh, 1998: 16 A: SCH  
*maai* Gressitt, 1951a: 73 A: FUJ  
*maculithorax* Pic, 1901k: 338 A: JA  
*lineatocollis* Pic, 1902g: 24  
*rufithorax* Pic, 1956: 647 (*Pseudopidonia*) [HN] #625  
*major* S. Saito, 1979: 214 A: TAI  
*malthinoides* Kraatz, 1879c: 104 (*Grammoptera*) A: FE NC SC  
*quercus* Tsherepanov, 1975b: 38 (*Pseudopidonia*)  
*maoxiana* Holzschuh, 2013b: 89 A: SCH  
*matsushitai* K. Ohbayashi, 1958d: 62 [RN] A: JA  
*ruficollis* Matsushita, 1933b: 193 (*Pseudopidonia*) [HN]  
*maura* Danilevsky, 1996b: 19 A: SC (Samjeongri)  
*meridionalis* Kuboki, 1978b: 85 A: TAI  
*michinokuensis* Hayashi, 1981b: 28 [RN] A: JA  
*japonica* K. Ohbayashi & Hayashi, 1960: 15 [HN]  
*satoi* K. Ohbayashi & Hayashi, 1960: 16  
*mimica* Holzschuh, 2017b: 3 A: SCH #400  
*misena* S. Saito & A. Saito, 1992: 19 A: JA  
*mitis* Holzschuh, 1992b: 8 A: SCH  
*moderata* Holzschuh, 2017b: 4 A: SCH #400  
*modesta* Kuboki, 1997c: 421 A: JA  
*murzini* Holzschuh, 2013b: 86 A: SCH  
*mutata* Bates, 1884a: 215 (*Grammoptera*) A: JA  
*shikokensis* K. Ohbayashi & Hayashi, 1957: 6 [HN]  
*shikokuana* Hayashi, 1968b: 53 [RN]  
*neglecta hizena* Imasaka & Amano, 2001: 337 A: JA  
*neglecta neglecta* Kuboki, 1982a: 7 A: JA  
*nobuoi* Chou, 2009: 110 A: GUX  
*obfuscata* Holzschuh, 1991c: 14 A: SCH  
*obscurior hakusana* K. Ohbayashi & Hayashi, 1960: 14 A: JA  
*yokoyamai* Hayashi, 1968b: 34  
*obscurior obscurior* Pic, 1901k: 338 A: JA  
*bisignata* Pic, 1935d: 12 (*Pseudopidonia*)  
*nagayamai* Hayashi, 1968b: 37  
*occipitalis* Gressitt, 1935e: 255 (*Pseudopidonia*) A: TAI  
*ohminesana* Mizuno, 1987: 111 A: JA  
*orientalis* Matsushita, 1933a: 103 A: JA  
*orophila* Holzschuh, 1991a: 6 A: GUI YUN #400  
*palleola* Holzschuh, 1991c: 11 A: SCH SHA #225  
*pallida* K. Ohbayashi & Hayashi, 1960: 14 A: JA  
*pallidicolor* Hayashi, 1983: 31 A: JA  
*palligera* Holzschuh, 1995: 8 A: YUN  
*palposa* Holzschuh, 2017b: 2 A: SCH #400  
*paradisicola* Kuboki, 1977a: 31 A: TAI  
*pauperula* Holzschuh, 1999: 8 A: SCH  
*picta* Ganglbauer, 1889a: 51 A: GAN NMO  
*propinqua* Danilevsky, 1993e: 477 A: NC SC  
*pullata* Holzschuh, 1998: 11 A: HUB NIN #400  
*qinlingana* Holzschuh, 1998: 11 A: SHA

*rutila* Holzschuh, 1998: 9 A: HUB  
*semiobscura* Pic, 1901k: 338 A: ?FE (Sakhalin Is.) JA #526  
*diversenotata* Pic, 1956: 648 (*Pseudopidonia*) #625  
*nipponensis* Matsushita, 1933b: 190  
*rufoscutellata* Matsushita, 1933b: 192 (*Pseudopidonia*)  
*seorsa* Holzschuh, 1991c: 11 A: NIN SCH #400  
*sertata* Holzschuh, 1998: 18 A: SCH  
*seungmoi* An & Kwon, 1991: 51 A: SC  
*shikokensis amanoi* Hayashi, 1969b: 71 A: JA  
*shikokensis shikokensis* Chûjô & Hayashi, 1951: 4 A: JA  
*sichuanica* Holzschuh, 1992b: 7 A: SCH  
*signata* Matsushita, 1933b: 185 A: JA  
*signifera* Bates, 1884a: 215 (*Grammoptera*) A: JA #400  
*similis* Kraatz, 1879c: 102 (*Grammoptera*) A: FE HEI JIL NC SC  
*rosti* Pic, 1954: 3 (*Pseudopidonia*)  
*subobliterata* Pic, 1954: 3 (*Pseudopidonia*)  
*sororia* Holzschuh, 1992b: 6 A: SCH  
*straminea* Holzschuh, 1992b: 6 A: SCH  
*striolata* Holzschuh, 2013b: 84 A: SCH  
*submetallica* Hayashi, 1974a: 6 A: TAI  
*subsuturalis* Plavilstshikov, 1915c: 107 (*Pseudopidonia*) A: JIL  
*suvorovi* Baeckmann, 1903a: 115 A: FE NC SC  
*suzukii* Kuboki, 1983: 113 A: JA  
*sylvicola* Kuboki, 1977c: 264 A: JA  
*takakuwai* Chou, 2009: 113 A: GUX  
*trilineata* Pic, 1954: 3 (*Pseudopidonia*) A: JA #625  
*takechii* Kuboki, 1986: 297 #625  
*tsukamotoi* Mizuno, 1978: 39 A: JA  
*tsushimana* S. Saito & A. Saito, 1988: 120 A: JA (Tsushima Is.)  
*tsutsuii* Kuboki, 1996a: 368 A: JA  
*tsuyukii* Kuboki, 1994b: 132 A: JA  
*weolseonae* An & Kwon, 1991: 55 A: SC  
*yamato* Hayashi & Mizuno, 1953: 38 A: JA #526  
*higeshiro* Yamawaki, 1977: 61

**genus *Pseudodinoptera* Pic, 1900n: 82** type species *Acmaeops daghestanicus* Pic, 1897  
*daghestanica* Pic, 1897g: 262 (*Acmaeops*) E: ST (Dagestan)

**genus *Pseudogaurotina* Plavilstshikov, 1958b: 722** type species *Gaurotes splendens* Jakovlev, 1893  
*excellens* Brancsik, 1874: 230 (*Pachyta*) E: PL RO SK UK  
*magnifica* Plavilstshikov, 1958b: 720 (*Gaurotes*) A: FE  
*robertae* Pesarini & Sabbadini, 1997: 99 A: SCH  
*splendens* Jakovlev, 1893a: 444 (*Gaurotes*) A: ES ?MG

**genus *Pseudosieversia* Pic, 1902f: 19** type species *Pidonia rufa* Kraatz, 1879  
*Macrorhabdium* Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)  
*japonica amanoi* Hayashi, 1971: 2 A: JA  
*japonica japonica* K. Ohbayashi, 1937: 5 (*Microrhabdium*) A: JA  
*japonica shikokensis* Hayashi, 1959b: 55 A: JA  
*rufa* Kraatz, 1879c: 101 (*Pidonia*) A: FE JIL NC SC #400  
*bicolor* Heyden, 1886c: 276 (*Pidonia*)  
*coreana* Matsushita, 1935: 539 [HN]  
*coreana* Okamoto, 1927: 67 (*Sieversia*)  
*ruficollis* Plavilstshikov, 1915c: 104 (*Macrorhabdium*)  
*spectabilis* Kraatz, 1879e: 228 (*Pidonia*)

**genus *Rhagium* Fabricius, 1775: 182** type species *Cerambyx inquisitor* Linnaeus, 1758  
**subgenus *Hagrium* Villiers, 1978: 85** type species *Rhagium bifasciatum* Fabricius, 1775  
*bifasciatum* Fabricius, 1775: 183 E: AL AU BE BH BU ?BY CR CT CZ DE EN FI FR GB GE GR HU IR IT ?LA LS ?LT LU MC MD  
 ME NL NR PL PT RO SB SK SL SP ST SZ TR UK A: AB AR GG IN TR #104  
*anglicum* Gmelin, 1790: 1844 (*Cerambyx*)  
*bicolor* Olivier, 1800: 16 (*Stenocorus*) #373  
*bimaculatum* Marsham, 1802: 343 (*Leptura*)  
*bistrinotatum* Pic, 1914b: 3  
*deyrollei* Pic, 1909: 123  
*ecoffeti* Mulsant, 1839: 222  
*fasciatum* Pic, 1910d: 19

*gravei* Hubenthal, 1902: 291  
*infasciatum* Pic, 1898a: 3  
*latefasciatum* Pic, 1891b: 2  
*lituratum* Fügner, 1891: 201 (*Stenocorus*)  
*maculatum* Goeze, 1777: 462 (*Cerambyx*)  
*medionotatum* Pic, 1910d: 20  
*nigrolineatum* Donovan, 1801: 73 (*Leptura*)  
*ornatum* Fabricius, 1775: 183  
*parisinum* Geoffroy, 1785: 85 (*Stenocorus*)  
*rufum* Pic, 1910d: 19  
*unifasciatum* Mulsant, 1839: 222  
**subgenus** *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781  
*caucasicum caucasicum* Reitter, 1889c: 287 ?E: ?ST A: AB AR GG TR  
*caucasicum semicorne* Holzschuh, 1974b: 118 A: AB IN  
*elmaliense* Schmid, 1999: 157 A: TR  
*fasciculatum* Faldermann, 1837: 304 E: ST A: AB AR GG TR  
*rufipes* Motschulsky, 1838: 184  
*iranum* Heller, 1940: 842 A: IN  
*mordax* DeGeer, 1775: 124 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC MD  
ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: ES KZ TM WS #517  
*altajense* Podaný, 1964a: 15  
*bifasciatum* Schrank, 1781a: 137 (*Leptura*) [HN]  
*klenkai* Pic, 1915e: 4  
*linnei* Laicharting, 1784: 122  
*morvandicum* Pic, 1927e: 10  
*subdilatum* Pic, 1917g: 3  
*vulgare* Samouelle, 1819: 210  
*pruinatum* Pesarini & Sabbadini, 2011: 42 E: GR  
*pygmaeum* Ganglbauer, 1882: 718 A: AB (Talysh) IN  
*pygmaeum* Ganglbauer, 1886d: 234 (*Stenocorus*)  
*rosti* Pic, 1898b: 18  
*sycophanta* Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT MC MD  
ME NL PL PT RO SB SK SL SP ST SV SZ TR UK A: WS  
*cephalotes* Mulsant, 1839: 224  
*grandiceps* C. G. Thomson, 1866: 50  
*scrutator* Olivier, 1800: 10 (*Stenocorus*) #373  
*syriacum phrygium* K. Daniel, 1906b: 176 A: TR  
*syriacum syriacum* Pic, 1892r: cxi [= 1893d: 414] A: SY TR  
**subgenus** *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758  
*Allorhagium* Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758  
*Hargium* Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758  
*femorale* N. Ohbayashi, 1994: 175 A: JA  
*fortecostatatum* Jureček, 1933: 129 A: SCH YUN  
*heyrovskyi hayakawai* Takakuwa, 1984: 9 A: JA  
*heyrovskyi heyrovskyi* Podaný, 1964a: 28 A: FE JA  
*inquisitor cedri* Reymond, 1953: 201 E: SP N: MO  
*inquisitor fortipes* Reitter, 1898e: 357 A: TR  
*inquisitor inquisitor* Linnaeus, 1758: 393 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS  
LT MD ME NE NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: ES KZ MG TR WS  
*exile* Gmelin, 1790: 1844 (*Cerambyx*)  
*indagator* Fabricius, 1787: 145  
*iberonis* Ericson, 1916: 240  
*investigator* Mulsant, 1839: 227  
*minutum* Fabricius, 1787: 146  
*nubecula* Bergsträsser, 1778: 26 (*Cerambyx*)  
*inquisitor rugipenne* Reitter, 1898e: 357 A: ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE  
*sibiricum* Pic, 1905a: 5  
*inquisitor schtschukini* Semenov, 1898: 601 E: ST A: AB AR GG TR  
*minimum* Podaný, 1964a: 19  
*stshukini* Plavilstshikov, 1915a: 35 [unjustified emendation]  
*japonicum* Bates, 1884a: 209 A: FE (Sakhalin, Kunashir) JA #400  
*morrisonense* Kano, 1933a: 262 A: TAI  
*pseudojaponicum* Podaný, 1964a: 25 A: JA (Tsushima) SC  
*qinghaiense* L. Chen & Chiang, 2000: 32, 36 A: QIN  
*sinense* Fairmaire, 1900: 638 (*Hargium*) A: HEB FUJ SCH #400  
**genus** *Rhondia* Gahan, 1906a: 79 type species *Leptura pugnax* Dohrn, 1878  
*Fairmairia* Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889  
*Rhondiomorpha* Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931

*attelaboides* Pesarini & Sabbadini, 1997: 101 A: YUN  
*bicoloripes* Pic, 1957: 75 A: FUJ  
*bispinosa* Holzschuh, 1998: 7 A: SCH  
*formosa* Matsushita, 1931c: 400 A: TAI  
*cyanea* Tamanuki & Mitono, 1939: 207  
*fragosa* Holzschuh, 1998: 8 A: HUB  
*kabateki* Viktora & Liu, 2018d: 222 A: YUN  
*maculithorax* Pu, 1992b: 592, 618 A: HUB NIN SCH SHA #225 #400  
*hubeiensis* W.-K. Wang & Jiang, 1994: 192  
*oxyoma* Fairmaire, 1889a: 58 (*Pachyta*) A: SCH  
*petrae* Viktora & Liu, 2018d: 224 A: YUN  
*placida* Heller, 1923b: 72 A: HUB ~~MG~~ NMO SCH SHA #490  
*pugnax* Dohrn, 1878: 459 (*Leptura*) A: GUA GUX SCH "North India" XIZ ORR #60 #400

**genus *Sinopidonia* Holzschuh, 1999: 9** type species *Sinopidonia splendida* Holzschuh, 1999  
*splendida* Holzschuh, 1999: 9 A: SCH

**genus *Stenocorus* Geoffroy, 1762: 221** type species *Leptura meridiana* Linnaeus, 1758  
**subgenus *Anisorus* Mulsant, 1862: 467** type species *Cerambyx quercus* Götze, 1783  
*brunnescens* Holzschuh, 1991a: 5 (*Anisorus*) [Hakkari] A: TR  
*heterocerus* Ganglbauer, 1882: 139 (*Toxotus*) A: SY TR  
*nigripennis* Pic, 1896c: 141 (*Anisorus*)  
*homocerus* K. Daniel, 1900: 139 (*Toxotus*) A: TR  
*latus* Pic, 1892r: cxi [= 1893d: 414] (*Toxotus*) ["Haute Syrie"] A: TR #57 #517  
*guveni* Özdikmen, 2014: 702 ["Osmaniye prov., Boğaz plateau"] #517  
*quercus aureopubens* Pic, 1908b: 2 (*Stenochorus*) A: AB AR GG IN TR  
*aureopubescens* Pic, 1912a: 26 [unnecessary RN]  
*quercus quercus* Götze, 1783: 74 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE FR GE GR HU IT MC MD PL RO SB SK SL SP ST  
SZ UK A: ES MG TR WS  
*bajus* Schrank, 1798: 692 (*Leptura*)  
*discolor* Fleischer, 1887a: 237 (*Toxotus*)  
*dispar* Panzer, 1794: 2  
*humeralis* Fabricius, 1787: 158 (*Leptura*) [HN]  
*magdalenae* Pic, 1891b: 4 (*Toxotus*)  
*punctipennis* Reitter, 1914: 178 (*Stenochorus*)  
*unicolor* Fleischer, 1887b: 272 (*Toxotus*) [unnecessary RN]  
**subgenus *Stenocorus* Geoffroy, 1762: 221** type species *Leptura meridiana* Linnaeus, 1758  
*Endemus* Gistel, 1848a: xi [unnecessary RN]  
*Minaderus* Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758  
*Toxotus* Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758  
*amurensis* Kraatz, 1879c: 100 (*Toxotus*) A: BEI FE HEI JIL LIA NC SC #60  
*diversipennis* Pic, 1915e: 4 (*Stenochorus*)  
*lateobscurus* Pic, 1904d: 13  
*obscurissimus* Pic, 1900f: 15 (*Toxotus*) ["sous variété"]  
*sachalinensis* Matsumura, 1911: 133 (*Toxotus*)  
*auricomus* Reitter, 1890e: 250 (*Toxotus*) ["Külek (Silicischer Taurus)"] A: TR #634  
*biformis* Tournier, 1872: 342 (*Toxotus*) A: GG  
*fuscodorsalis* L. Chen & Chiang, 1996: 189, 191 A: JIL  
*gorodinskii* Holzschuh, 1999: 7 A: GAN  
*insitivus insitivus* Germar, 1823: 520 (*Leptura*) E: ST UK A: AB AR GG IN TR #506  
*brevevittatus* Pic, 1945b: 5 (*Stenochorus*)  
*lividipennis* Pic, 1945b: 5 (*Stenochorus*)  
*nigriventris* Pic, 1908b: 2 (*Toxotus*)  
*obscuripennis* Pic, 1900f: 15 (*Toxotus*)  
*rubriventris* Pic, 1915e: 4 (*Stenochorus*)  
*insitivus persicus* Faldermann, 1837: 307 (*Toxotus*) A: AB (Talysh) IN  
*bicoloratus* Pic, 1915e: 4  
*lepturoides* Reitter, 1914: 181 (*Stenochorus*) ["Amur"] A: FE ?NE  
*longevittatus* Fairmaire, 1887c: 329 A: BEI HEB QIN SHA SHX #400  
*meridianus* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC  
MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES KZ WS #466  
*bilineatus* Pic, 1908d: 58 (*Stenochorus*)  
*brevilineatus* Pic, 1941e: 5  
*brevesignatus* Pic, 1941e: 5  
*cantharinus* Herbst, 1784: 93 (*Rhagium*)  
*chrysogaster* Schrank, 1781a: 132 (*Cerambyx*)  
*geniculatus* Geoffroy, 1785: 86  
*glabratus* Latreille, 1804: 311 (*Leptura*)

*grandis* Poda von Neuhaus, 1761: 38 (*Leptura*)  
*lacordairii* Pascoe, 1867d: lxxxiv (*Toxotus*)  
*laevis* Olivier, 1800: 21 #373  
*luteolus* L. Petagna, 1819: 37  
*postsignatus* Pic, 1941a: 13  
*ruficrus* Scopoli, 1763: 48 (*Leptura*)  
*rufiventris* Marsham, 1802: 341 (*Leptura*)  
*sericeus* Olivier, 1800: 20 #373  
*splendens* Laicharting, 1784: 137 (*Leptura*)  
*minutus* Gebler, 1841a: 375 (*Toxotus*) A: KZ MG WS XIN #400  
*obscuripes* Pic, 1901e: 15 (*Toxotus*)  
*tataricus* Gebler, 1841a: 375 (*Toxotus*)  
*schizotarsus* L. Chen & Chiang, 2002: 125, 127 A: GAN  
*serratus* Holzschuh, 1974a: 86 A: TR  
*vittatus* Fischer von Waldheim, 1842: 19 (*Toxotus*) [HN] A: KZ XIN #87  
*obliquus* Motschulsky, 1845a: 86 (*Toxotus*)  
*suvorovi* Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]  
*suworowi* Reitter, 1907a: 208 (*Toxotus*)  
*turkestanicus* Ganglbauer, 1889b: 280 (*Toxotus*)  
*vittidorsum* Reitter, 1890e: 250 (*Toxotus*) A: AB AR GG TR  
**subgenus** *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900)  
*validicornis alaiensis* Pic, 1906b: 6 (*Toxotus*) A: KI #278  
*validicornis karatauensis* Danilevsky, 2012m: 920 A: KZ  
*validicornis mediocris* Danilevsky, 2012m: 920 A: KZ UZ KI  
*validicornis milkoii* Danilevsky, 2014i: 106 A: KI  
*validicornis shapovalovi* Danilevsky, 2019: 82 A: KI  
*validicornis tarbinskyi* Danilevsky, 2014i: 106 A: KI  
*validicornis univittatus* Reitter, 1914: 183 A: KZ KI  
*validicornis validicornis* Pic, 1900f: 16 (*Toxotus*) A: KI UZ #278  
**genus** *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)  
*reinii* Heyden, 1879c: 359 (*Toxotus*) A: JA  
*longicornis* Bates, 1884a: 213  
*nikkoensis* Matsushita, 1933b: 175

### tribe Rhamnusiini Sama, 2009

Rhamnusiini Danilevsky, 1997 [nomen nudum?]

**genus** *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976  
*melanocephalum* Miroshnikov & Lin, 2015: 294 A: YUN  
*rugosipenne* Pic, 1939b: 2 (*Rhamnusium*) A: SHA SHX #225  
*shaanxiense* Miroshnikov & Lin, 2015: 298 A: SHA  
*taiwanum* Hayashi & Ando, 1976: 2 A: TAI  
*wuchaoi* Miroshnikov & Lin, 2015: 300 A: BEI

**genus** *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)

*algericum* Pic, 1896a: 102 N: AG TU  
*nigrum* Pic, 1906e: 27  
*testaceum* Pic, 1896a: 30  
*bicolor bicolor* Schrank, 1781a: 132 (*Cerambyx*) E: AL AU BE BH BU CR CZ EN FI FR GE GR HU IT LU MC MD NL NT PL RO  
 SK SL SP SZ UK  
*atripenne* Bedel, 1897: 43  
*aubei* Pic, 1929b: 9  
*capitale* Pic, 1898a: 2  
*etruscum* Rossi, 1790: 149 (*Rhagium*)  
*glaucopterum* Schaller, 1783: 284 (*Cerambyx*)  
*gracilicorne* Théry, 1895: cclxv  
*humerales* Bedel, 1897: 43  
*inapicale* Pic, 1901h: 31  
*rubroviolaceum* Geoffroy, 1785: 86 (*Cerambyx*)  
*ruficollis* Herbst, 1784: 92 (*Stenocorus*)  
*rufotestaceum* Pic, 1913b: 138  
*salicis* Fabricius, 1787: 154 (*Callidium*)  
*schranksii* Laicharting, 1784: 118 (*Rhagium*)  
*bicolor constans* Danilevsky, 2012e: 48 E: BY CT EN FI KZ LA LT NT ST UK A: KZ  
*bicolor demagii* Tippmann, 1956: 484 E: IT  
*bicolor graecum* Schaufuss, 1862: 311 E: GR  
*limbatum* Pic, 1897c: 30  
*bicolor italicum* G. Müller, 1966: 4 E: IT

*bicolor juglandis* Fairmaire, 1866b: 276 A: TR

*anatolicum* Pic, 1901a: 10

*delagrangei* Pic, 1901a: 10

*geniculatum* Pic, 1901a: 10

*obscuripes* Pic, 1903j: 163

*rufotibiale* Pic, 1917g: 3

*bicolor lenkoranum* Danilevsky, 2012e: 53 A: AB AR (Megri) ?GG IN

*bicolor pesarinii* Rapuzzi, Sama & Sabbadini, 2018: 4 A: TR

*bicolor praeustum* Reitter, 1895a: 85 A: SY TR

#209

*bicolor testaceipenne* Pic, 1897h: 299 E: ST A: AR GG TR

*mesmini* Pic, 1931c: 6

### tribe Sachalinobiini Danilevsky, 2010a

**genus *Sachalinobia* Jakobson, 1899: 39** type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)

*Pseudopachyta* Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis*, Newman, 1844 (= *Toxotus rugipennis* Newman, 1844)

*koltzei* Heyden, 1887a: 304 (*Brachyta*) A: ES FE GUA HEI JA LIA NC NMO SC

#400

*relata* Jakobson, 1899: 40

### tribe Teledapini Pascoe, 1871

**genus *Teledapalpus* Miroshnikov, 2000a: 38** type species: *Teledapalpus murzini* Miroshnikov, 2000

*cremarius* Holzschuh, 1999: 6 (*Teledapus*) A: SHA

*daliensis* Miroshnikov, 2021a: 242 A: YUN

*hospes* Holzschuh, 1999: 6 (*Teledapus*) A: GAN

*linyiejiei* Huang, Li & Zhang, 2021: 441 (*Teledapus*) A: YUN

*lobanovi* Miroshnikov, 2021a: 242 A: SCH

*murzini* Miroshnikov, 2000a: 41 A: SCH

*picatus* Holzschuh, 2003a: 149 (*Teledapus*) A: SCH

#593

*pilosellus* Holzschuh, 2007: 181 A: SCH

*transitivus* Miroshnikov, 2021a: 242 A: YUN

*uenoi* Ohbayashi & Chu, 2021: 200 A: YUN

*zamotajlovi* Miroshnikov, 2000a: 41 A: SCH

*zolitichini* Miroshnikov, 2000a: 41 A: SHA

**genus *Teledapus* Pascoe, 1871: 268** type species *Teledapus dorcadioides* Pascoe, 1871

*celsicola* Holzschuh, 1999: 5 A: XIZ

*dorcadioides* Pascoe, 1871: 269 A: HP UP

#

*ocularis* Holzschuh, 1981: 94 A: PA

*querceti* Holzschuh, 2007: 180 A: UP

### tribe Xylosteini Reitter, 1913

**genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6** type species *Encyclops x-signata* Chiang, 1981

*comata* Bi & Ohayashi, 2020: 258 A: GUA GUX HUN

*polita* Bi & Ohayashi, 2020: 261 A: YUN

*x-signata* Chiang, 1981: 78 (*Encyclops*) A: ?HUN SCH

**genus *Leptorhabdium* Kraatz, 1879d: 118** type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)

*Psilorhabdium* Kraatz, 1879d: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879

*caucasicum* Kraatz, 1879d: 118 (*Psilorhabdium*) E: ST A: AB AR GG TR

*illyricum* Kraatz, 1871d: 415 (*Xylosteus*) E: AL BH CR GR MC SL

*gracile* Kraatz, 1873b: 202 (*Xylosteus*)

*lividipenne* Pic, 1906b: 4

*nitidum* Holzschuh, 1974a: 83 E: GR MC

**genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283** type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986

*bangzhui* N. Ohbayashi & W.-K. Wang, 2004: 452 A: ~~HEN~~ HUB ~~ORR~~

#335

#646

*holzschuhi* Bi et N. Ohbayashi, 2020: 265 A: HEN

*rufiscapus* Bi et N. Ohbayashi, 2020: 263 A: SCH

*wenhsini* Bi et N. Ohbayashi, 2014: 14 A: HAI

**genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288** type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986

*kucerai* Holzschuh, 2015c: 471 A: NP

*kurosawai* N. Ohbayashi & Shimomura, 1986: 288 A: SD

*motuoensis* Bi et N. Ohbayashi, 2014: 11 A: XIZ

*yadongensis* Bi et N. Ohbayashi, 2014: 10 A: XIZ

**genus *Peithona* Gahan, 1906a: 71** type species *Peithona prionoides* Gahan, 1906  
*prionoides* Gahan, 1906a: 72 A: FUJ GUA SD TAI **ORR**

**genus *Xylosteus* Frivaldszky von Frivald, 1837: 180** type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837  
*bartoni* Obenberger & Mařan, 1933: 131 [RN] E: BU GR MC  
*merkli* Pic, 1913b: 178 [Rhilo Dagħ] [HN]  
*migliaccioi* Rapuzzi & Sama, 2018: 2  
*caucasicola* Plavilstshikov, 1936: 496 E: ST A: GG TR (Artvin)  
*kadleci* Miroshnikov, 2000a: 38 A: TR  
*spinolae* Frivaldszky von Frivald, 1837: 180 E: AU BH BU CR IT MC RO SL TR  
*merkli* Pic, 1910h: 66  
*rufiventris* Germar, 1844: 16 (*Rhagium*)

## subfamily **Necydalinae** Latreille, 1825

**genus *Necydalis* Linnaeus, 1758: 421** type species *Necydalis major* Linnaeus, 1758

**subgenus *Eonecydalis* Ohbayashi, 1961: 17** type species *Necydalis formosana* Kano, 1933

*bicolor* Pu, 1992a: 219, 221 A: GUX **ORR**

*formosana* Kano, 1933a: 270 A: TAI

*maculipennis* Pu, 1992a: 219, 221 A: XIZ

*niimurai* Hayashi, 1949b: 14 A: JA

#276

*matsudai* Hayashi, 1949b: 16

**subgenus *Necydalis* Linnaeus, 1758: 421** type species *Necydalis major* Linnaeus, 1758

*Gymnopteron* Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758

*chariessa* Niisato & Liu, 2020: 270 A: YUN

*choui* Niisato, 2004: 430 A: GUX

*christinae* Rapuzzi & Sama, 2014a: 2 A: TR

*esakii* Miwa & Mitono, 1937: 161 A: TAI

*fujianensis* Niisato & Pu, 1998: 446 A: FUJ

*gigantea akiyamai* Hayashi, 1978a: 87 A: JA

*gigantea gigantea* Kano, 1933a: 271 A: FE (Kunashir) JA

*marginalis* K. Ohbayashi, 1948: 14

*hirayamai flava* Niisato, 2008a: 261 A: YUN

*hirayamai flemona* Takakuwa & Niisato, 1996: 78 A: HAI **ORR**

#570

*hirayamai hirayamai* K. Ohbayashi, 1948: 13 A: TAI

*inermis* Pu, 1992a: 218, 221 A: GAN QIN

*lateralis* Pic, 1939b: 2 A: BEI HEB NIN NMO SHA

#400

*major* Linnaeus, 1758: 421 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD ME NL NR NT PL RO

SB SK SP ST SV SZ UK A: AB GG ES FE ?IN JA KZ MG NC SHA WS XIN

#400

*abbreviata* Fabricius, 1775: 199 (*Leptura*)

*aino* Kusama, 1974: 54

*altaica* Pic, 1941b: 2

*duponti* Mulsant, 1839: 299 (*Molorchus*)

*ichneumonea* DeGeer, 1775: 148

*majus* Schrank, 1798: 688 (*Gymnopteron*)

*populi* Büttner, 1818: 245 (*Molorchus*)

*rufiventris* Pic, 1941b: 2

*salicis* Mulsant, 1839: 112

*subnotata* Pic, 1941b: 1

*xantha* Semenov, 1899b: 132

*marginipennis* Gressitt, 1948a: 47 A: SCH

*mizunumai* Kusama, 1974: 51 A: TAI

*moriyai moriyai* Kusama, 1970: 73 A: JA (Ryukyus)

*moriyai tamakii* Ikeda & Matsumura, 2014: 32 A: JA (Ryukyus)

#276

*nanshanensis* Kusama, 1974: 52 A: TAI

*nigra* Pu, 1992a: 217, 220 A: HAI

#400

#524

*niisatoi* Holzschuh, 2003a: 167 A: SCH YUN

*rufiabdominis* S.-C. Chen, 1991: 345 A: HUB

*sabatinellii* Sama, 1994a: 10 A: TR

*sericella* Ganglbauer, 1889a: 46 A: SCH XIZ

*shinborii hainana* Niisato & Yagi, 2005: 143 A: HAI

[*shinborii shinborii* Takakuwa & Niisato, 1996: 81 **ORR** (N. Vietnam)]

*sirexoides* Reitter, 1902a: 82 A: IN

*siricoides* Semenov, 1902: 287 [unjustified emendation]

*strnadi similis* Pu, 1992a: 220 A: HAI

#524

[*strnadi strnadi* Holzschuh, 1989a: 156 **ORR** (N. Vietnam)]

*uenoi* Niisato, 2004: 425 A: SCH  
*ulmi* Chevrolat, 1838: 76 (*Molorchus*) [NP] E: AU BH BU BY CR CZ FR GE GR HU IT LA LT MC MD ME PL RO SB SK SP ST SZ  
 TR UK A: AB AR GG ?IN TR  
*annulata* L. Petagna, 1819: 19 (*Molorchus*) [NO]  
*mesembrina* Plavilstshikov, 1936: 467  
*hadullai* Szallies, 1994: 260  
*panzeri* Harold, 1876: 174  
*xizangia* Bi & Niisato, 2017: 477 A: XIZ  
*yakushimensis* Kusama, 1975: 22 [RN] A: JA  
*brevicornis* Yokoyama, 1971: 93 [HN]  
**subgenus** *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)  
*harmandi* Pic, 1901k: 340 A: JA  
*ogasawarai* Fujita, 2018: 25 #524  
*indica* Pic, 1912d: 19 A: PA  
*indicola* Gardner, 1941: 57 [RN] A: UP  
*indica* Gardner, 1936: 128 [HN]  
*kucerai* Niisato, 2007a: 20, 23 A: UP  
*nepalensis* Niisato & Weigel, 2006: 491 A: NP  
*oblonga* Niisato, 2008a: 257 A: YUN  
*odai* Hayashi, 1951b: 76 A: JA  
*pennata* Lewis, 1879b: 464 A: FE HUB JA ?NC NE SC #400  
*ebenina* Bates, 1884a: 225  
*eo*a Plavilstshikov, 1936: 470  
*morio* Kraatz, 1879c: 106  
*pacifica* Plavilstshikov, 1936: 472  
*semenovi* Plavilstshikov, 1936: 475  
*ussuriensis* Plavilstshikov, 1936: 473  
*sachalinensis* Matsumura & Tamanuki, 1927: 176 A: FE SC (Seoul)  
*akitai* Fujita, 2018: 25 #524  
*solida* Bates, 1884a: 225 A: JA  
*galloisi* Matsumura & Tamanuki, 1927: 176  
*nikkoensis* Matsumura & Tamanuki, 1927: 175  
*towadensis* Matsumura & Tamanuki, 1927: 176  
**genus** *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854  
*vacca* Holzschuh, 1982a: 65 A: BT SCH SHA YUN XIZ #293  
*fulvus* Pu, 1988: 295, 303

## subfamily **Spondylidinae** Audinet-Serville, 1832

### tribe **Anisarthrini** Mamaev & Danilevsky, 1973

**genus** *Anisarthron* Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781  
*Falsanoeme* Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971  
*barbipes* Schrank, 1781a: 148 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SZ UK  
*cyrus* Villiers, 1971: 154 (*Falsanoeme*) A: AB (Talysh) IN  
**genus** *Alocerus* Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiicum* Frivaldszky von Frivald, 1837)  
*Cyamophthalmus* Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiicum* Frivaldszky von Frivald, 1837)  
*marcoi* Sama, 1987: 46 N: MO  
*moesiicum* Frivaldszky von Frivald, 1837: 177 (*Callidium*) E: BH BU CR GR ITi MC PT SP TR N: AG MO TU A: CY IN IQ IS JO  
 LE SY TR  
*ferrugineus* Kraatz, 1863: 100 (*Cyamophthalmus*)  
*fulvus* Mulsant, 1862: 128  
*nitidus* Fairmaire, 1864b: 340 (*Cyamophthalmus*)  
*syriacus* Chevrolat, 1882: 59 (*Smodicum*)  
**genus** *Schurmannia* Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979  
*sicula* Sama, 1979a: 369 E: IT (Sicilia)

### tribe **Asemini** J. Thomson, 1861

**genus** *Arhopalus* Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758  
*Criocephalus* Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758  
*Criocephalum* Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758  
*Hylescopus* Gistel, 1856: 376 [unnecessary substitute name]  
*angustus* Gressitt, 1951a: 36 A: JIA SHA SHG #400  
*biarcuatus* Pu, 1981: 418, 427 A: XIZ  
*brunneus* Gardner, 1942: 67 (*Criocephalus*) A: UP  
*cavatus* Pu, 1981: 419, 428 A: XIZ  
*coreanus* Sharp, 1905a: 153 (*Criocephalus*) A: JA KO NE

*deceptor* Sharp, 1905a: 151 (*Criocephalus*) A: NP XIZ #390  
*exoticus* Sharp, 1905a: 159 (*Criocephalus*) A: NP SHA TAI YUN ORR  
*ferus* Mulsant, 1839: 64 (*Criocephalus*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MA MC MD NL NT PL PT RO SK SL SP ST SV SZ UK N: AG MO MR TU A: AB AR ES CY FE GG IS JO KZ LE NO NE SY TR WS AUsi #11 #182  
*dichrous* Mandl, 1972: 159  
*epibatus* Schiödte, 1864: 521 (*Criocephalum*)  
*polonicus* Motschulsky, 1845a: 88 (*Criocephalum*)  
*foveatus* Chiang, 1963: 64 A: FUJ XIZ YUN  
*pinetorum* Wollaston, 1863: 103 N: CI  
*rusticus rusticus* Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK A: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI HUB IN JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN TD TR WS YUN ZHE N: MO AUsi NTRi #160  
*coriaceus* Motschulsky, 1845a: 89 (*Criocephalum*)  
*lugubris* Gmelin, 1790: 1847 (*Cerambyx*)  
*hispanicus* Sharp, 1905a: 157 (*Criocephalus*)  
*pachymerus* Mulsant, 1839: 64 (*Criocephalus*)  
*tristis* Fabricius, 1787: 154 (*Callidium*)  
*tibetanus* Sharp, 1905a: 159 (*Criocephalus*) A: BT HP KA NP PA UP XIZ #281 #344 #366 #375  
*tobirensis* Hayashi, 1968a: 20 A: JA  
**genus Asemum Eschscholtz, 1830: 66** type species *Cerambyx striatus* Linnaeus, 1758  
*Liasemum* Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873a  
*Onychoplectes* Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758  
*arisanum* Kano, 1930: 42 A: TAI  
*lucidulum* Pesarini & Sabbadini, 1997: 99 A: SCH  
*punctulatum* Blessig, 1872: 182 A: FE HEI JA LIA ?NC SC XIN #400  
*striatum* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ UK A: AB AR BEI ES FE GAN GG HEB HEI HUB JIL KI KZ LIA MG NC NIN NMO QIN SC SCH SHA SHN SHX WS TIA TR XIN YUN ZHE NAR NTR #60 #400  
*agreste* Fabricius, 1787: 152 (*Callidium*)  
*amputatum* Casey, 1912: 259  
*amurense* Kraatz, 1879c: 97  
*atrum* Eschscholtz, 1830: 66  
*brevicorne* Casey, 1912: 261  
*brunneum* Haldeman, 1847: 35  
*buprestoides* Savenius, 1825: 64 (*Callidium*)  
*carolinum* Casey, 1924: 227  
*costulatum* Casey, 1912: 260  
*curtipenne* Casey, 1912: 258  
*dichroum* Gmelin, 1790: 1846 (*Cerambyx*)  
*ebenum* Casey, 1912: 258  
*fulvipenne* Casey, 1912: 260  
*fuscum* Haldeman, 1847: 36  
*gracilicorne* Casey, 1912: 258  
*ishidai* Fujita, 2018: 21 [Hokkaido]  
*japonicum* Matsushita, 1933b: 235 [Honshu] #276  
*juvencum* Haldeman, 1847: 36  
*limbatipenne* Pic, 1916a: 10  
*moestum* Haldeman, 1847: 35  
*obsoletum* Haldeman, 1847: 35  
*parvicorne* Casey, 1912: 260  
*pugetanum* Casey, 1912: 261  
*stocktonense* Casey, 1924: 227  
*substriatum* Haldeman, 1847: 36  
*subsulcatum* Motschulsky, 1860b: 152 [Nord de la Siberie]  
*tomentosum* Plavilstshikov, 1915c: 108  
*theresae* Pic, 1945b: 6  
*tenuicorne tenuicorne* Kraatz, 1879c: 97 E: GR IT PL SP ST SV (Gotska Sandön) UK A: ?GG ?TR #393  
*tenuicorne claricostulatum* Özdikmen & Aytar, 2012c: 1253 A: TR  
**genus Cephalallus Sharp, 1905a: 148** type species *Cephalallus oberthueri* Sharp, 1905  
*oberthueri* Sharp, 1905a: 148 A: AP FUJ GUX HUB JIX TAI XIZ YUN #126  
*unicolor ryukyensis* Makihara, 2003: 353 A: JA (Ryukyus) #276  
*unicolor unicolor* Gahan, 1906a: 97 (*Criocephalus*) A: FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI YUN ZHE ORR  
*projectus* Okamoto, 1927: 63 (*Megasemum*)  
*sharpi* Reitter, 1913a: 43 (*Megasemum*)

**genus *Cephalocrius* Sharp, 1905a:** 148 type species *Criocephalus syriacus* Reitter, 1895  
*syriacus* Reitter, 1895a: 86 (*Criocephalus*) E: AL AZ CR FR GR IT PT SP N: AG CI MO MR TU A: CY IS JO LE SY TR AUSi  
NTRi

**genus *Megasemum* Kraatz, 1879c:** 97 type species *Megasemum quadricostulatum* Kraatz, 1879  
*quadricostulatum* Kraatz, 1879c: 98 A: FE FUJ HEI HUB JA JIL JIX LIA NC SC SHA ?TAI XIZ #400  
*brevior* Pic, 1901c: 11

#### tribe Atimiini LeConte, 1873

**genus *Atimia* Haldeman, 1847:** 56 type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)  
*Myctus* Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937  
*chinensis* Linsley, 1939: 76 A: BEI NMO SHG ZHE #400  
*esakii* Hayashi, 1974a: 15 A: TAI  
*juniperi* Holzschuh, 1984c: 340 A: NP  
*maculipuncta* Semenov & Plavilstshikov, 1937: 253 (*Myctus*) A: MG NMO (Alashan Mts.) #400  
*nadezhdae* Tsherepanov, 1973: 80 A: FE HEI ?NC SC #63 #389 #400  
*okayamensis* Hayashi, 1972: 26 A: JA  
*fujimurai* Hayashi, 1972: 26  
*truncatella* Holzschuh, 2007: 179 A: SHA YUN

**genus *Proatimia* Gressitt, 1951a:** 41 type species *Proatimia pinivora* Gressitt, 1951 #573  
*pinivora* Gressitt, 1951a: 42 A: YUN

#### tribe Nothorhinini Zagaikevich, 1991

**genus *Nothorhina* L. Redtenbacher, 1845:** 109 type species *Callidium muricatum* Dalman, 1817  
*gardneri* Plavilstshikov, 1934b: 1 A: UP  
*punctata* Fabricius, 1798: 149 (*Callidium*) E: AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST SV  
UK A: JA KZ SK TR WS #616  
*muricata* Dalman, 1817b: 193 (*Callidium*)  
*scabricollis* W. Redtenbacher, 1842: 24 (*Callidium*)

#### tribe Saphanini Gistel, 1848

**genus *Drymochares* Mulsant, 1847a:** 518 type species *Drymochares truquii* Mulsant, 1847  
*cavazzutii cavazzutii* Sama & Rapuzzi, 1993: 288 A: AR GG TR  
? *pubescens* Pic, 1907e: 111 (*Drymochares*) [Trébizonde] (see Danilevsky, 2014i: 360)  
*cavazzutii ivani* Sama & Rapuzzi, 1993: 287 E: TR  
*cylindraceus* Fairmaire, 1849: 475 (*Saphanus*) E: PT SP  
*starcki* Ganglbauer, 1888c: 398 E: ST A: GG  
*truquii* Mulsant, 1847a: 519 E: FR IT  
*rufipes* Pic, 1930c: 6

**genus *Oxypleurus* Mulsant, 1839:** 57 type species *Oxypleurus nodieri* Mulsant, 1839 #573 #648  
*nodieri* Mulsant, 1839: 57 E: CR BH FR GR IT PT SP UK N: AG CI MO MR TU A: GG IS LE TR #554  
*bewickii* Wollaston, 1857: 126 (*Blabinotus*)  
*pinicola* Wollaston, 1863: 102  
*scutellaris* Costa, 1855: 38

**genus *Saphanus* Audinet-Serville, 1834b:** 81 type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)  
*kadleci* Rapuzzi & Sama, 2014a: 4 A: TR [Sakarya]  
*piceus bartolonii* Sama & Rapuzzi, 1993: 283 E: GR  
*piceus ganglbaueri* Brancsik, 1886: 71 E: AL BH BU MC TR  
*piceus perovici* Rapuzzi & Koren, 2020: 589 E: CR (Pag Is.)  
*piceus piceus* Laicharting, 1784: 56 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SK SL SZ UK  
*rufipes* Pic, 1908i: 72  
*spinosus* Fabricius, 1793: 320 (*Callidium*)  
*sudeticus* C. F. W. Richter, 1820: pl. 10 (*Prionus*)

#### tribe Spondylidini Audinet-Serville, 1832

**genus *Spondylis* Fabricius, 1775:** 159 type species *Attelabus buprestoides* Linnaeus, 1758  
*Sphondyla* Illiger, 1804: 115 [unjustified emendation]  
*Sphondylis* Gistel, 1848a: 129 [unnecessary substitute name]  
*buprestoides* Linnaeus, 1758: 388 (*Attelabus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MC  
MD ME NL NR NT PL PT RO SB SK ST SL SP SV SZ UK N: MO A: AB ANH AR ES FE FUJ GG GUA GUI HAI HEB HEI  
HEN HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA TAI TR WS YUN ZHE  
*elongatum* Latreille, 1829: 107

*maxillosus* DeGeer, 1775: 84 (*Cerambyx*)  
*sinensis* Nonfried, 1892a: 92  
*zwergi* Bodemeyer, 1927b: 43

#400

### tribe Tetropiini Seidlitz, 1891

**genus *Tetropium* Kirby, 1837: 174** type species *Tetropium cinnamopterum* Kirby, 1837

*Criomorphus* Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)

*aquilonium* Plavilstshikov, 1940a: 37 E: FI NT SV A: WS

#400

*castaneum* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE FUJ GAN GG HEB HEI JA JIL KZ MG NC NIN NMO  
QIN SC SHA SHX TR WS XIN YUN ZHE

*atricorne* Pic, 1931b: 258

*aulicum* Fabricius, 1775: 190 (*Callidium*)

*curiale* Panzer, 1789: 29 (*Callidium*)

*fulcratum* Fabricius, 1793: 320 (*Callidium*)

*impressum* Paykull, 1800: 84 (*Callidium*)

*luridum* Linnaeus, 1767: 634 (*Cerambyx*)

*parcum* Sharp, 1905b: 272

#164

*ruficrum* Schrank, 1789: 77 (*Callidium*)

*confragosum* Holzschuh, 1981: 93 A: BT

*danilevskyi* Sláma, 2005: 1 A: ES

*fuscum fuscum* Fabricius, 1787: 154 (*Callidium*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LS LT MD NL NR  
NT PL RO SB SK SL ST SV SZ UK A: GG KZ TR WS XIN NAR

#28

*arvense* Panzer, 1789: 30 (*Callidium*)

*fuscum lapponicum* Sláma M. 2015c: 1126 E: FI

*gabrielii* Weise, 1905: 136 E: AU BE BY ?CT(Kaliningrad Reg.) CZ DE FR GB GE HU IT IR LA LT LS LU NL PL SL SV SK SZ UK

NARi

#599

*crawshayi* Sharp, 1905b: 271

*gracilicorne gracilicorne* Reitter, 1889c: 287 E: CT NT A: ES FE JA KZ MG NC NE NMO WS XIN

#63

*altajense* Pic, 1902c: 9

*rubripes* Pic, 1902c: 9

*gracilicorne takakuwai* Hirayama, 2018a: 21 A: JA

#524

*gracilicorne* Hayashi, 1983: 29 A: FE HEI JA

*laticolle* Podaný, 1967: 38 A: SCH

#2

*morishimaorum* Kusama & Takakuwa, 1984: 149 A: JA NC

*oreinum* Gahan, 1906a: 95 A: HP KA NP PA SCH UP XIN XIZ ORR

#127 #400

*lobbichleri* Harde, 1959: 1

*scabriculum* Holzschuh, 1993a: 7 A: SCH

*staudingeri* Pic, 1901b: 11 A: BT KI KZ TIA UZ XIN

#400

*tjanshanicum* Semenov, 1907c: 263

*tauricum* Shapovalov, 2007: 71 E: UK (Crimea)

#648

### subfamily Apatophyseinae Lacordaire, 1869

#### tribe Apatophyseini Lacordaire, 1869

**genus *Agastophys* Miroshnikov, 2014a: 25** type species *Toxotus griseopubens* Pic, 1957

*griseopubens* Pic, 1957: 75 (*Toxotus*) A: YUN

#400

*meiyingae* Miroshnikov, 2014d: 196 A: XIZ

**genus *Apatophys* Chevrolat, 1860a: 95** type species *Apatophys toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

**subgenus *Angustophys* Pic, 1956a: 2** type species *Apatophys richteri* Pic, 1956

*danczenkoi* Danilevsky, 2006c: 5 A: IN

*farsicola* Sama, Fallahzadeh & Rapuzzi, 2005: 124 A: IN

*margiana* Semenov & Shchegoleva-Barovskaya, 1936: 77 A: AF KZ TM UZ

#234 #345

*plavilstshikovi* Miroshnikov, 1992: 392

*modica* Gahan, 1906a: 71 A: AF IN PA

*richteri* Pic, 1956a: 2 A: IN

**subgenus *Apatophys* Chevrolat, 1860a: 95** type species *Apatophys toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

*afghanica* Miroshnikov, 2014a: 14 A: AF PA

#517

*anatolica* Heyrovský, 1938: 93 A: TR

*mucurensis* Özdikmen & Tezcan, 2020b: 321 (*Stenocorus*)

#517

*baeckmanniana* Semenov, 1907a: 223 A: KI KZ UZ

*barbara* P. H. Lucas, 1858: clxxix (*Polyarthron*) N: AG TU

*ocularis* Pic, 1901b: 9

*toxotoides* Chevrolat, 1860a: 96

*caspica* Semenov, 1901: 31 E: ST A: AB AF GG IN KZ TM UZ

*centralis* Semenov, 1901: 32 A: XIN  
*hotanica* Danilevsky, 2008b: 35 A: XIN  
*insolita* Miroshnikov et Lin, 2017: 208 A: HEN HUN JIA SCH ZHE  
*kadleci* Danilevsky, 2008b: 29 A: TR  
*karsica* Danilevsky, 2008b: 28 A: TR  
*kashgarica* Semenov, 1901: 29 A: XIN  
*katbehi* Rapuzzi & Sama, 2013: 682 A: JO SY  
*komarowi* Semenov, 1889a: 401 A: AB TD TM  
*niisatoi* Miroshnikov et Lin, 2017: 202 A: SCH  
*pavlovskii* Plavilstshikov, 1954: 470 A: TD UZ  
*roborowskii* Semenov, 1901: 29 A: XIN  
*serricornis* Gebler, 1843: 39 (*Pachyta*) A: GUA KZ MG NMO XIN #196  
*kadyrbekovi* Kadlec, 2006a: 1  
*mongolica* Semenov, 1901: 28  
*obtusicollis* Motschulsky, 1860e: 538 [1861c: 444] (*Psilotarsus*)  
*tomentosa* Gebler, 1845: 105 (*Toxotus*)  
*sieversi* Ganglbauer, 1887c: 21 A: BEI HEB HEN LIA SCH SHN #196  
*sinica* Semenov, 1901: 30 A: SCH  
*vedica* Danilevsky, 2008b: 26 A: AR TR  
*xizangensis* Miroshnikov et Lin, 2017: 188 A: XIZ

**genus *Formosotoxotus* Hayashi, 1960a: 1** type species *Artelida asiatica* Matsushita, 1933 (= *Toxotinus auripilosus* Kano, 1933)  
*auripilosus* Kano, 1933a: 263 (*Toxotinus*) A: TAI  
*asiaticus* Matsushita, 1933b: 172 (*Artelida*)  
*gressitti* Miroshnikov & Lin, 2014: 117 A: XIZ  
*kucerai* Rapuzzi & Sama, 2014a: 3 A: SHA  
*masatakai* N. Ohbayashi, 2007a: 200 A: SD  
*nobuoi* Vives & Niisato, 2006: 273 A: NP

**genus *Protapatophysis* Semenov & Stshhegoleva-Barovskaia, 1936: 26** type species *Apatophysis kashmiriana* Semenov, 1901  
*hindukushensis* Miroshnikov, 2020b: 178 A: PA  
*kabakovi* Danilevsky, 2011e: 102 A: AF  
*kashmiriana* Semenov, 1901: 29 A: KA XIZ #400  
*montana* Gahan, 1906a: 71 A: KA  
*vartianae* Heyrovský, 1971: 81 A: ?HP KA PA #232 #375

**genus *Trypogeus* Lacordaire, 1869: 236** type species *Trypogeus albicornis* Lacordaire, 1869  
*Paranthophylax* Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951  
*aureopubens* Pic, 1903g: 121 (*Toxotus*) A: YUN ORR  
*guangxiensis* Miroshnikov & Liu, 2016a: 255 A: GUX  
*sericeus* Gressitt, 1951a: 50 (*Paranthophylax*) A: FUJ SCH #319  
*superbus* Pic, 1922: 22 (*Toxotus*) A: YUN ORR #410

## subfamily Cerambycinae Latreille, 1802

### tribe Achrysonini Lacordaire, 1868

**genus *Crotchiella* Israelson, 1985: 475** type species *Crotchiella brachyptera* Israelson, 1985  
*brachyptera* Israelson, 1985: 476 E: AZ

**genus *Icosium* P. H. Lucas, 1854: viii** type species *Icosium tomentosum* P. H. Lucas, 1854  
*Cluvia* Stel, 1857b: 63 type species *Cluvia chevrolati* Stel, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)  
*tomentosum atticum* Ganglbauer, 1882: 743 E: BH BU CR ~~CY~~ FRi GR IT MA A: AB CY JO IS LE SY TR #74 #554  
*tomentosum tomentosum* P. H. Lucas, 1854: ix E: MA PT SP IT N: AG LB MO TU  
*chevrolati* Stel, 1857b: 63 (*Cluvia*)

**genus *Neachryson* Fisher, 1940: 201** type species *Neachryson orientalis* Fisher, 1940  
*orientalis* Fisher, 1940: 201 A: UP ORR

### tribe Anaglyptini Lacordaire, 1868

**genus *Anaglyptus* Mulsant, 1839: 91** type species *Leptura mystica* Linnaeus, 1758  
**subgenus *Aglaophis* J. Thomson, 1857f: 315** type species *Aglaophis fasciata* J. Thomson, 1857  
*Epodus* Chevrolat, 1863: 335 type species *Epodus humerosus* Chevrolat, 1863  
*Metaglaophis* K. Ohbayashi, 1960b: 10 type species *Aglaophis colobotheoides* Bates, 1884a  
*colobotheoides* Bates, 1884a: 235 (*Aglaophis*) A: FE JA NC NE QIN SC #400  
*angustefasciatus* Heyden, 1884: 297 (*Aglaophis*)  
~~*arakawai* Kano, 1933a: 276~~ #545

*decemmaculatus* Gressitt, 1935c: 185 (*Aglaophis*) A: FUJ TAI  
*fasciatus* J. Thomson, 1857f: 316 (*Aglaophis*) A: NP SD  
*humerosus* Chevrolat, 1863: 336 (*Epodus*) A: "India"  
*nokosanus* Kano, 1930: 46 (*Aglaophis*) A: TAI #60  
*producticollis* Gressitt, 1951a: 307 A: FUJ GUX ?TAI #400  
*rufobasalis* Tippmann, 1955: 115 (*Anaglyptus*) A: FUJ  
**subgenus** *Akajimatora* Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933  
*bellus* Matsumura & Matsushita, 1933a: 105 A: JA #239  
*dentatipennis* Pic, 1935b: 14 (*Oligoenoplus*)  
*isolatus* Gressitt, 1951a: 304 A: HUB SCH #239  
*lizhigangi* Bi & Niisato, 2018: 75 A: ZHE  
*meridionalis* Matsushita, 1933b: 291 A: TAI  
*ikadaii* Seki, 1939: 309  
**subgenus** *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758  
*abieticola* Holzschuh, 2003b: 307 A: BT NP XIZ #400  
*ambiguus* Holzschuh, 1992b: 44 A: YUN  
*annulicornis* Pic, 1933f: 6 (*Oligoenoplus*) A: GUI SCH ?YUN #25  
*arabicus* Küster, 1847b: 95 (*Clytus*) E: ST A: ?AB AR GG TR  
*deyrollei* Tournier, 1872: 277  
*arakawae amamiensis* Fujita, 1980: 14 A: JA (Ryukyus)  
*arakawae arakawae* Kano, 1933a: 276 (*Aglaophis*) A: JA  
*arakawae kumagensis* Fujita, 1980: 14 A: JA  
*arcanus* Miroshnikov, Bi et Lin, 2014: 256 A: XIZ  
*baeticus* Verdugo, Lencina & Baena, 2019: 95 E: SP  
*bicallosus* Kraatz, 1882c: 335 (*Clytus*) A: TD UZ  
*confusus* Holzschuh, 1999: 42 A: XIZ  
*croesus* Pesarini & Sabbadini, 1997: 47 A: TR  
*danilevskii* Miroshnikov, 2000b: 77 A: AB AR GG IN TR  
*dolosulus* Holzschuh, 2006c: 484 A: UP  
*elegantulus* Miroshnikov, Bi et Lin, 2014: 256 A: YUN  
*flavus* Viktora, Tichý & Rapuzzi, 2013: 81 A: XIZ  
*ganglbaueri* Reitter, 1886: 67 A: AB (Talysh) IN  
*natae* Lobanov, 1994b: 868  
*persicus* Pic, 1906b: 10  
*persicus* Reitter, 1906b: 298 [HN]  
*gibbosus* Fabricius, 1787: 156 (*Callidium*) E: BH CR FR GR HU IT SB SL SP SZ N: AG MO TU  
*immaturus* Pic, 1898a: 12  
*mysticoides* Wagner, 1927b: 96 [HN]  
*obscuricornis* Pic, 1898a: 12  
*rufotinctus* Pic, 1945b: 7  
*wagneri* Pic, 1928c: 6 [RN]  
*graphellus* Holzschuh, 2011: 318 A: YUN **ORR** #400  
*gressitti* Holzschuh, 1999: 42 A: FUJ GUA GUX HUB JIX SHX ZHE #60 #320  
*higashiyamai* Makihara & Hayashi, 1987: 62 [RN] A: TAI #400  
*hirsutus* Makihara & Hayashi, 1987: 5 [HN]  
*kansuensis* Ganglbauer, 1889a: 71 A: GAN HEN SCH #320  
*longispinis* Gardner, 1939: 9 (*Aglaophis*) A: SD  
*luteofasciatus* Pic, 1905i: 153 E: GR  
*moreanus* Demelt, 1970: 30  
*marmoratus* Holzschuh, 1982b: 153 (*Aglaophis*) A: NP UP  
*matsushitai* Hayashi, 1955: 52 A: JA  
*miroshnikovii* Tichý & Lin, 2021: 6 A: YUN  
*mysticoides mysticoides* Reitter, 1894c: 128 ["Centralen Kaukasus"] A: AB AR GG TR  
*mysticoides obscurissimus* Pic, 1901n: 59 ["Tokat"] A: TR #155 #635  
*amasinus* Pic, 1910a: 10 ["Amasya"]  
*anatolicus* Demelt, 1970: 32 ["Samsun: Kavak"]  
*subimpressus* Pic, 1901a: 9 ["Trébizonde"]  
*mystica* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD ME  
NL NR PL RO SB SK SL SP SV SZ TR UK A: LE TR #554  
*albofasciatus* DeGeer, 1775: 82 (*Cerambyx*)  
*bequarti* Pic, 1910b: 3  
*hieroglyphicus* Herbst, 1784: 99 (*Callidium*)  
*litteratus* Gmelin, 1790: 1857 (*Cerambyx*)  
*quadricolor* Scopoli, 1763: 56 (*Cerambyx*)  
*ruficornis* Pic, 1908d: 35  
*niponensis* Bates, 1884a: 234 A: JA #525  
*anticegrus* Matsushita, 1933b: 292  
*kamiyai* Kano, 1933a: 276

*petrae* Viktora & Liu, 2018a: 152 A: YUN  
*praecellens* Holzschuh, 1981: 101 E: GR (Crete)  
*qijuni* Viktora & Liu, 2018a: 154 A: YUN  
*sericellus* Holzschuh & Y.-L. Lin, 2015e: 105 A: TAI  
*simplicicornis* Reitter, 1906b: 298 E: ST A: AB AR GG IN TR  
*abchasicus* Pic, 1911b: 12  
*prolongatus* Pic, 1911b: 12  
*subapicalis* Pic, 1910a: 10  
*subfasciatus* Pic, 1906d: 17 A: HEN JA  
*rufescens* Hayashi, 1955: 49  
*tersus* Viktora & Tichý, 2015a: 10 A: SCH  
*tichyi* Miroshnikov, Bi et Lin, 2014: 257 A: YUN  
*ulmiphilus* Holzschuh, 1982b: 153 (*Aglaophis*) A: KA PA  
*vicinulus* Holzschuh, 1999: 41 A: BEI GAN HEN HUB NIN SCH SHA SHX  
*yakushimanus* Hayashi, 1968c: 14 A: JA  
*zappii* Rapuzzi & Sama, 2014a: 7 E: IT

#60 #320

**genus *Hirticlytus* K. Ohbayashi, 1960b: 9** type species *Anaglyptus comosus* Matsushita, 1941  
*comosus* Matsushita, 1941: 155 (*Anaglyptus*) A: JA

**genus *Oligoenoplus* Chevrolat, 1863: 337** type species *Oligoenoplus ventralis* Chevrolat, 1863  
*Borneoclytus* Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006  
*gonggashanus* Miroshnikov, 2013a: 239 A: SCH  
*modicus* Holzschuh, 2011: 320 A: HEN  
*rosti iwatai* Ikeda, 1987: 12 A: JA  
*rosti rosti* Pic, 1911b: 15 (*Anaglyptus*) A: FE (Kunashir) JA  
*sapporensis* Matsushita, 1933: 100 (*Anaglyptus*)

**genus *Paraclytus* Bates, 1884a: 234** type species *Paraclytus excultus* Bates, 1884a  
*albiventris* Gressitt, 1937c: 455 (*Aglaophis*) A: GUX HUN JIX YUN  
*apicicornis* Gressitt, 1937a: 92 (*Aglaophis*) A: FUJ GAN GUI GUX HUN JIX SCH SHA  
*assamensis* Viktora & Tichý, 2015b: 104 A: AP  
*emili* Holzschuh, 2003a: 229 A: ?SCH YUN  
*excellens* Miroshnikov et Lin, 2012: 248 A: YUN **ORR**  
*excultus* Bates, 1884a: 234 A: FE (Kurils) JA  
*interruptus* Pic, 1915f: 13  
*gongshanus* Viktora & Liu, 2018a: 156 A: YUN  
*helenae* Holzschuh, 1993a: 43 (*Anaglyptus*) A: ?SCH YUN  
*intermedius* Viktora & Tichý, 2015a: 14 A: SCH  
*irenae* Holzschuh, 1993a: 43 (*Anaglyptus*) A: YUN  
*jii* Holzschuh, 1992b: 43 (*Anaglyptus*) A: SCH  
*murzini* Miroshnikov, 2014b: 82 A: SCH  
*ochrocaudus* Gressitt, 1951a: 305 (*Anaglyptus*) A: FUJ  
*primus* Holzschuh, 1992b: 42 A: ?GAN SCH SHA  
*raddei* Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN  
*bieberi* Pic, 1920e: 21 (*Clytus*)  
*reitteri* Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN  
*scolopax* Holzschuh, 1999: 40 (*Anaglyptus*) A: GAN SCH  
*sexguttatus* Adams, 1817: 308 (*Clytus*) E: BU ST TR A: AB AR GG TR  
*bruckii* Kraatz, 1864: 389 (*Clytus*)  
*caucasicus* Motschulsky, 1839: 54 (*Clytus*)  
*disjunctus* Pic, 1909: 123 (*Anaglyptus*)  
*shaanxiensis* Holzschuh, 2003a: 228 A: HUB SCH SHA  
*thibetanus* Pic, 1914f: 38 (*Anaglyptus*) A: XIZ YUN  
*wangi* Miroshnikov et Lin, 2012: 250 A: SCH  
*xiongi* Huang G.-Q., Yan & Zhang 2020: 406 A: YUN  
*yao* Viktora & Tichý, 2015b: 106 A: GUX

#93 #400  
#60

#93

**genus *Yoshiakioclytus* Niisato, 2007c: 577** type species *Epicyltus taiwanus* Chang, 1960  
*breuningii* Tippmann, 1955: 110 (*Epicyltus*) A: FUJ HEN  
*qiao* G.-Q. Huang & L. Chen, 2016: 484 A: HEN SHA  
*ruficaudus* Gressitt, 1951a: 257 (*Epicyltus*) A: FUJ GUA  
*stigmatosus* Holzschuh, 2003a: 210 (*Epicyltus*) A: GAN SHA  
*taiwanus* Chang, 1960: 1 (*Epicyltus*) A: TAI

#148  
#400  
#148  
#148

tribe Brachypteromatini Sama, 2008

**genus *Dolocerus* Mulsant, 1862:** 230 type species *Dolocerus reichii* Mulsant, 1862  
*Brachypteroma* Heyden, 1863: 128 type species *Brachypteroma ottomanum* Heyden, 1863  
*holtzi* Pic, 1905g: 114 (*Brachypteroma*) A: LE SY TR  
*magnanii* Sama, 1987: 51 (*Brachypteroma*) N: AG  
*reichii* Mulsant, 1862: 231 E: AL BU CR GR IT SZ TR A: AB AR GG TR #133  
*mulsantii* Stierlin, 1866: 30 (*Molorchus*)  
*ottomanus* Heyden, 1863: 128 (*Brachypteroma*)

### tribe Callichromatini Swainson & Shuckard, 1840

**genus *Anubis* J. Thomson, 1864:** 177 type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)  
*bipustulatus bipustulatus* J. Thomson, 1865: 569 A:-YUN ORR #100 #321  
*viridis* Pic, 1923b: 9  
*bipustulatus fimbriatus* Bates, 1879a: 412 A: ?SD ORR #321 #610  
*thoracicus* Podany, 1980: 232 (*Polyzonus*) #610  
*cyaneus* Pic, 1924a: 15 A: YUN ORR  
*rugetatus* Pic, 1924: 15  
*inermis* White, 1853a: 171 (*Polyzonus*) A: GUA GUX NP PA SD SE SW "North India" ORR #100  
*rostratus* Bates, 1879a: 412 A: YUN ORR  
*annamitus* Pic, 1946a: 9 #327  
*subobtus* Pic, 1932c: 22 (*Chelidonium*) A: YUN

**genus *Aphrodisium* J. Thomson, 1864:** 173 type species *Callichroma cantori* Hope, 1840 (= *Callichroma cantori* Hope, 1839)  
**subgenus *Aphrodisium* J. Thomson, 1864:** 173 type species *Callichroma cantori* Hope, 1840  
*Tomantaromia* Plavilstshikov, 1934a: 52 type species *Callichroma faldermannii* Saunders, 1853  
*Trichochelidonium* Vives, 2017a 217 type species *T. niisatoi* Vives, 2017 (= *Aphrodisium schoenmanni* Skale & Weigel, 2017 [RN]) #204  
*attenuatum* Gressitt, 1951a: 625 A: FUJ GUA HUB #100  
*basifemorale* Pic, 1902i: 29 (*Aromia*) A: HUB SCH YUN #100  
*cantori* Hope, 1839: 43 (*Callichroma*) A: GUX NP SD UP YUN ORR #100  
*cribricollis* Neervoort van de Poll, 1890: 157 A: NP SD  
*delatouchii* Fairmaire, 1886c: clxii A: FUJ GUX ORR #610  
*distinctipes* Pic, 1904c: 11 (*Aromia*) A: SCH YUN  
*faldermannii basale* Pic, 1925b: 19 (*Aromia*) A: JIA  
*faldermannii faldermannii* Saunders, 1853: 111 (*Callichroma*) A: ANH ES FUJ GUA GUI HAI HEN HUB HUN JIA JIL JIX KO MG  
NMO SCH SHA SHG YUN ZHE #400  
*faldermannii horishanense* Kano, 1933a: 272 A: TAI #283  
*insulare* Gressitt, 1936: 90 (*Aromia*)  
*yugaii* Kano, 1933a: 272  
*faldermannii obscurithorax* Pic, 1925b: 19 (*Aromia*) A: YUN  
*faldermannii rufiventris* Gressitt, 1940c: 174 (*Aromia*) A: FUJ GUX SCH YUN XIZ ORR #400  
*faldermannii subnigripennis* Gressitt, 1937c: 452 (*Aromia*) A: FUJ JIX  
*gibbicollis* White, 1853a: 160 (*Callichroma*) A: ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH SHA SHN TAI YUN ZHE ORR #100  
*gregoryi* Podany, 1971: 265 (*Tomantaromia*) A: YUN  
*hardwickianum* White, 1853a: 162 (*Callichroma*) A: NP SD  
*holzschuhi* Skale & Vitali, 2021: 103 A: YUN ORR  
*inexpectatum* Podany, 1971: 293 A: NO GUX #100  
*major* Gressitt & Rondon, 1970: 148 A: GUX YUN ORR #513  
*metallicollis* Gressitt, 1939b: 97 (*Aromia*) A: FUJ HEB HUB HUN JIX YUN ZHE ORR #100  
*muelleri* Tippmann, 1955: 105 A: FUJ GUA  
*neoxenum* White, 1853a: 154 (*Callichroma*) A: GUX HAI HUB SCH SD TAI XIZ ZHE ORR #100  
*planicollis* Neervoort van de Poll, 1890: 155 A: SD  
*robustum* Bates, 1879a: 408 (*Leontium*) A: SD YUN ORR  
*sauteri* Matsushita, 1933b: 256 (*Chelidonium*) A: ANH FUJ GUX HEN HUN JIX SHN SCH TAI ZHE #100  
*saxosicollis* Fairmaire, 1902a: 245 A: YUN ORR  
*bicoloripes* Pic, 1925b: 18  
*notatipes* Pic, 1925b: 18  
*schwarzeri* Podany, 1971: 292 A: SCH YUN #610  
*semipurpureum* Pic, 1925b: 18 A: YUN ORR #400  
*sinicum* White, 1853a: 159 (*Callichroma*) A: FUJ GAN GUA GUX HUB QIN SCH SHA YUN ZHE ORR #60 #100  
*implicatum* Pic, 1920a: 2 (*Chloridolum*) #204  
*impressicollis* Plavilstshikov, 1934f: 223 (*Chelidonium*) #100 #513  
*subgibbicollis* Pic, 1925b: 17 (*Chelidonium*) #92  
*thibetanum* Pic, 1925b: 18 A: XIZ ORR  
*tricoloripes* Pic, 1925: 18 A: GUI YUN ORR #400  
*vermiculosum* Gressitt, 1942d: 1 A: SD XIZ #610  
*viridescens* Hayashi, 1974a: 26 A: TAI

**subgenus** *Opacaphrodisium* Pic, 1932c: 24 type species *Callichroma griffithii* Hope, 1839  
*griffithii* Hope, 1839: 43 (*Callichroma*) A: GUA GUX SD YUN **ORR** #100  
*zonopteroides* Fleutiaux, 1887: 66 (*Pachyteria*)

**genus** *Aromia* Audinet-Serville, 1834a: 559 type species *Cerambyx moschatus* Linnaeus, 1758  
*Terambus* Gistel, 1848b: [2] [unnecessary substitute name]  
*bungii* Faldermann, 1835: 433 (*Cerambyx*) Ei: GE IT A: ANH BEI CHQ FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB  
HUN JAI JIA JIL JIX LIA NC NIN NMO QIN SC SCH SHA SHG SHN SHX TIA XIN YUN ZHE #523 #524  
*cyanicornis* Guérin-Ménéville, 1844: 222 (*Callichroma*)  
*ruficollis* L. Redtenbacher, 1868: 149  
*moschata ambrosiaca* Steven, 1809: 40 (*Cerambyx*) E: IT PT SP ST TR N: AG MO TU A: AB AR GG IN IQ JO LE SY TR  
#133 #400  
*melancholica* Reitter, 1895d: 210  
*notaticollis* Pic, 1928c: 9  
*rosara* P.H. Lucas, 1847: pl. 41 [1849: 488] N: AG MO TU  
*thoracica* Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)  
*moschata cruenta* Bogatchev, 1962: 96 A: KI TD #521  
*moschata jankovskiyi* Danilevsky, 2007d: 48 A: KI  
*moschata malukhini* Danilevsky, 2019: 84 E: ST (Astrakhan Reg.)  
*moschata moschata* Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT  
LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES GG KZ MG WS  
*alata* Costa, 1855: 25  
*auctumnalis* Westhoff, 1882: 241  
*chlorophana* Fischer von Waldheim, 1823: pl. xlviii [= 1824: 237] (*Cerambyx*)  
*cupricollis* Pic, 1941e: 5  
*odorata* DeGeer, 1775: 63 (*Cerambyx*)  
*perroudi* Pic, 1941e: 5  
*thea* Reitter, 1894f: 306  
*moschata rosara* P. H. Lucas, 1847: pl. 41 [1849: 488] N: AG MO TU #517  
*moschata sumbarensis* Danilevsky, 2007d: 48 A: TM (Kopetdag)  
*moschata vetusta* Bogatchev, 1962: 98 A: KZ  
*orientalis* Plavilstshikov, 1932g: 114 A: BEI CHQ ES FE FUJ GAN HEB HEI HEN HUB JA JIL JIX LIA MG NC NIN NMO SC SCH  
SHA SHN ZHE #100 #400

**genus** *Aromiella* Podaný, 1971: 303 type species *Aromiella fruhstorferi* Podaný, 1971  
*fruhstorferi* Podaný, 1971: 303 A: CH **ORR**

**genus** *Cataphrodisium* Aurivillius, 1907: 8 type species *Purpuricenus rubripennis* Hope, 1842  
*Asiodiphrum* Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1842)  
*castaneae* Gressitt, 1951a: 192 A: YUN **ORR**  
*rubripenne* Hope, 1842b: 128 (*Purpuricenus*) A: FUJ GAN GUA GUI HUB JIA SCH SHA SHN TAI YUN ZHE **ORR** #100  
#176  
*fujianensis* Hua & She, 1987: 54 (*Embrikstrandia*) #176  
*latemaculatum* Pic, 1902i: 29 (*Pachyteria*) #176  
*magnificum* Pic, 1902i: 29 (*Pachyteria*)  
*nigrofasciatum* Plavilstshikov, 1934f: 224 (*Asiodiphrum*)  
*simile* Podaný, 1971: 256 #356

**genus** *Chelidonium* J. Thomson, 1864: 175 type species *Cerambyx argentatus* Dalman, 1817  
*Gracilichroma* Vives, Bentanachs & Chew, 2008: 5 type species *Chelidonium bryanti* Podany, 1974 #252  
*Malayanochroma* Bentanachs & Drouin, 2013: 97 type species *Malayanochroma cheongae* Bentanachs & Drouin, 2013 #252  
*argentatum* Dalman, 1817b: 151 (*Cerambyx*) A: ANH CHQ FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIA JIX NIN SCH SD  
SHA YUN ZHE **ORR**  
*binotaticolle* Pic, 1937d: 108 A: GUA GUI GUX YUN **ORR**  
*buddleiae* Gressitt & Rondon, 1970: 154 A: GUX YUN **ORR**  
*einetum* Guérin-Ménéville, 1844: 220 (*Callichroma*) A: SCH YUN **ORR** #92 #100 #607  
*citri* Gressitt, 1942b: 2 A: CHQ GUI HAI HUB HUN JIX SCH **ORR** #100  
*nepalense* Hayashi, 1976: 9 A: NP  
*zaitzevi* Plavilstshikov, 1933b: 107 A: FE HEB LIA #100  
*flavofasciatum* Blanchard, 1849: pl.12, fig.4 (*Callichroma*) A: YUN #400 #607  
*binotatum* Brongniart, 1892: 245 (*Leontium*)  
*uninotatum* Pic, 1928b: 17  
*venereum* J. Thomson, 1865: 568 #400

**genus** *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* White, 1853  
**subgenus** *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* White, 1853  
[*accensum accensum* Newman, 1842a: 246 (*Callichroma*) A: **ORR**]

<i>accensum</i> kazuoi Hayashi, 1984: 22 A: TAI		
<i>addictum</i> Newman, 1842a: 245 ( <i>Callichroma</i> ) A: ?YUN <b>ORR</b>	#100	#610
— <i>sibuyanum</i> Schwarzer, 1929: 359		#610
<i>violacipes</i> Schwarzer, 1926b: 97		
<i>alcmene</i> J. Thomson, 1865: 568 A: SD		#523
<i>bivittatum</i> White, 1853a: 162 ( <i>Callichroma</i> ) A: BT <b>SD ORR</b>		#610
<i>violaceicolle</i> Pic, 1925: 19		#263
<i>cinnryris</i> Pascoe, 1866d: 518 A: ?YUN <b>ORR</b>	#101	#610
<i>grossepunctatum</i> Gressitt & Rondon, 1970: 170 A: YUN <b>ORR</b>		#400
<i>hainanicum</i> Gressitt, 1940b: 60 A: HAI		
<i>kurosawae kurosawae</i> Hayashi, 1956: 13 A: JA		
<i>kurosawae ohsumiense</i> N. Ohbayashi, 1992: 7 A: JA		
<i>kwangtungum kwangtungum</i> Gressitt, 1939a: 21 A: GUA GUX ZHE		#100
<i>kwangtungum szechuanum</i> Gressitt, 1951a: 205 A: CHQ GUX SCH		
<i>lanyuanum</i> Hayashi, 1984: 20 A: TAI		
<i>laotium</i> Gressitt & Rondon, 1970: 169 A: GUA HAI <b>SD YUN ORR</b>	#100	#610
<i>loochooanum chuioi</i> Makihara, 2005: 121 A: JA (Ryukyus)		
<i>loochooanum loochooanum</i> Gressitt, 1934: 163 A: JA (Ryukyus)		#100
<i>nadleri</i> Skale, 2018a: 234 A: CH <b>ORR</b>		
<i>jeanvoinei</i> Pic, 1937d: 108 ( <i>Chelidonium</i> ) [HN]		#252
<i>nympha</i> White, 1853a: 161 ( <i>Callichroma</i> ) A: AP <b>NP SD</b>	#280	#610
<i>ohbayashii</i> Hayashi, 1971: 8 A: TAI		
<i>perlaetum</i> White, 1853a: 161 ( <i>Callichroma</i> ) A: GUX SD <b>ORR</b>		
<i>plicaticolle</i> Pic, 1932c: 24 A: CHQ GUX SCH YUN		#100
<i>bicoloratum</i> Pic, 1932c: 24		
<i>plicovelutinum</i> Gressitt & Rondon, 1970: 171 A: YUN <b>ORR</b>		#102
<i>scutellatum</i> Gressitt, 1939a: 22 A: GUA		
<i>semipunctatum</i> Gressitt & Rondon, 1970: 171 A: <b>GUX YUN ORR</b>		#610
<i>shibatai</i> Hayashi, 1971: 7 A: TAI		
<i>sieversi</i> Ganglbauer, 1887a: 135 ( <i>Aromia</i> ) A: FE HEI HEN HUB JIL NC SC SHA	#100	#225
<i>bangi</i> Reitter, 1895d: 209 ( <i>Aromia</i> )		
<i>coreanum</i> Fairmaire, 1897c: 232 ( <i>Aromia</i> )		
<i>splendidulum</i> Gressitt, 1940c: 176 A: ANH HAI		#100
<i>taiwanum</i> Gressitt, 1936: 91 A: HAI TAI		#100
<i>thaliodes</i> Bates, 1884a: 226 A: GUX HEI HUB JA JIL LIA NE SC (near Daegu)	#100	#400
<i>japonicum</i> Podány, 1971: 302 ( <i>Aromia</i> )		#332
<i>thomsoni</i> Pascoe, 1859: 24 ( <i>Callichroma</i> ) A: ?TAI <b>ORR</b>		
<i>thoracicum</i> Gressitt, 1942b: 1 A: SCH		
<i>tonguanum</i> Chiang, 1981: 80 A: JIX		
<i>variabile</i> Schwarzer, 1926b: 100 A: ?CH <b>ORR</b>		#610
<b>subgenus</b> <i>Leontium</i> J. Thomson, 1864: 175 type species <i>Leontium viride</i> J. Thomson, 1864		
<i>cupreoviride</i> Gressitt, 1942d: 2 ( <i>Leontium</i> ) A: FUJ YUN		#100
<i>cyaneonotatum</i> Pic, 1925b: 18 A: GUA GUI GUX SCH YUN <b>ORR</b>	#100	#268
<i>jeanvoinei</i> Pic, 1932c: 24 ( <i>Leontium</i> ) A: GUA GUX HAI HKG <b>ORR</b>		#348
<i>lameeri</i> Pic, 1900i: 18 ( <i>Leontium</i> ) A: ANH FUJ GAN GUX HEN HUB HUN JIX SC SHA SHG SHN TAI YUN ZHE	#60	#322
<i>bicolor</i> Kano, 1930: 44 ( <i>Leontium</i> )		
<i>laosense</i> Pic, 1932c: 23 ( <i>Leontium</i> ) A: HAI YUN <b>ORR</b>		#100
<i>nigroscutellatum</i> Gressitt, 1940b: 62 ( <i>Leontium</i> ) A: GUX HAI		#100
<i>punctulatum</i> Pic, 1920f: 119 ( <i>Leontium</i> ) A: YUN <b>ORR</b>		
<i>robusticolle</i> Pic, 1946a: 10 ( <i>Leontium</i> ) A: CH <b>ORR</b>		#92
<i>herteli</i> Podány, 1974: 24 ( <i>Chelidonium</i> )	#252	#400
<i>tenuipes</i> Fairmaire, 1889a: 64 ( <i>Leontium</i> ) A: GUI <b>SCH YUN</b>		#496
<i>implicatum</i> Pic, 1925b: 17 ( <i>Leontium</i> )		
<i>touzalini</i> Pic, 1920f: 118 ( <i>Leontium</i> ) A: YUN		
<i>viride</i> J. Thomson, 1864: 175 A: CHQ FE (Sakhalin, Kurils) HUB JA JIL LIA NC SC SCH YUN		#100
<i>cyaneum</i> Fujimura, 1956: 4 ( <i>Leontium</i> )		
<i>multiplicatum</i> Pic, 1946a: 14 ( <i>Leontium</i> )		#332
<i>tenuatum</i> Bates, 1873: 197 ( <i>Callichroma</i> )		
<b>subgenus</b> <i>Parachloridolum</i> Plavilstshikov, 1934a: 67 type species <i>Callichroma japonicum</i> Harold, 1879		
<i>japonicum</i> Harold, 1879b: 335 ( <i>Callichroma</i> ) A: GUI HEI HUB HUN JA JIL LIA NC NE SC SCH SHN		#100
<i>achardi</i> Pic, 1911d: 19 ( <i>Callichroma</i> )		
<i>coreanum</i> Okamoto, 1924: 190 [HN]		
<b>genus</b> <i>Embrikstrandia</i> Plavilstshikov, 1931c: 278 type species <i>Callichroma bimaculatum</i> White, 1853		
<i>bimaculata</i> White, 1853a: 165 ( <i>Callichroma</i> ) A: CHQ FUJ GAN GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA SHN		#100
TAI YUN ZHE		

*angustefasciata* Pic, 1933a: 12 (*Callichroma*)  
*dauidis* H. C. Deyrolle, 1878: 132 (*Callichroma*)  
*diversicornis* Pic, 1925b: 19 (*Callichroma*)  
*reducta* Pic, 1950b: 3  
*unifasciata* Ritsema, 1896: 376 (*Zonopterus*) A: ANH FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX TAI ZHE  
**ORR** #100  
*vivesi* Bentanachs, 2005: 2-3 A: YUN **ORR**

**genus *Gestriana* Podaný, 1971: 306** [RN] type species *Pachyteria superba* Gestro, 1888  
*Tarsalia* Podaný, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888  
*superba* Gestro, 1888: 128 (*Pachyteria*) A: GUX **ORR**  
*pubemaculata* J.-H. Huang, Zhou & B. Chen, 2006: 62 (*Embrikstrandia*)

**genus *Helymaeus* J. Thomson, 1866: 179** type species *Helymaeus cyanipennis* J. Thomson, 1866  
*pedestris* Pascoe, 1878: 370 A: YE  
*signaticollis* Pascoe, 1878: 370 A: YE

**genus *Ipothalia* Pascoe, 1867a: 314** type species *Ipothalia femorata* Pascoe, 1867 #100  
~~*esmeralda* Bates, 1879a: 418 A: YUN **ORR**~~ #610  
*micaria* Holzschuh, 1990: 188 A: SD  
*plicicollis* Pu, 1981: 420, 428 A: XIZ  
*pyrrha* Pascoe, 1867a: 314 A: FUJ GUX JIX SCH YUN **ORR** #576  
*bicoloripes* Pic, 1920f: 118  
*cambodgensis* Gressitt & Rondon, 1970: 175  
*semipurpurea* Pic, 1927b: 29

**genus *Laosaphrodisium* Bentanachs, 2012a: 71** type species *Leontium optimum* Bates, 1879 #523  
*amadori* Bentanachs, 2012a: 75 A: GUX YUN XIZ **ORR**  
*crassum* Gressitt, 1939a: 24 (*Aphrodisium*) A: FUJ HUB GUA YUN #100  
*subplicatum* Pic, 1937a: 11 (*Chelidonium*) A: GUI ?YUN **ORR**

**genus *Leptochroma* Vives, 2013b: 86** type species *Leptochroma lini* Vives, 2013b  
*lini* Vives, 2013b: 88 A: YUN  
*paralleloelongatum* Hayashi, 1974: 27 (*Chloridolum*) A: TAI #411  
*shanxianum* Vives, 2013b: 90 A: SHX

**genus *Mimochelidonium* Bentanachs & Drouin, 2013: 94** type species *Mimochelidonium sinense* Bentanachs, 2013  
*sinense* Bentanachs & Drouin, 2013: 95 A: GUI

**genus *Odontochroma* Vives 2015b: 115** type species *Odontochroma martinsi* Vives, 2015  
*niisatoi* Vives & Bentanachs, 2007: 635 (*Aphrodisium*) A: YUN **ORR** #426

**genus *Osphranteria* L. Redtenbacher, 1850: 50** type species *Osphranteria suaveolens* L. Redtenbacher, 1850  
*Quettania* Schwarzer, 1931a: 62 type species *Quettania coeruleipennis* Schwarzer, 1931  
*coerulescens* L. Redtenbacher, 1850: 50 A: AF IN IQ PA TR #30 #345  
*inaurata* Holzschuh, 1981: 98  
*coeruleipennis* Schwarzer, 1931a: 63 (*Quettania*)  
*mirabilis* Podany, 1980: 231 (*Polyzonus*)  
*lata* Pic, 1956a: 3 A: AF IN PA #274  
*richteri* Heyrovský, 1959: 4  
*suaveolens* L. Redtenbacher, 1850: 50 A: AF IN

**genus *Pachyteria* Audinet-Serville, 1834a: 553** type species *Cerambyx fasciatus* Fabricius, 1775  
*dimidiata* Westwood, 1848: 60 A: GUX **ORR**  
*luteofasciata* Pic, 1946a: 7  
*obertheri* Ritsema, 1888a: 190  
*scheepmakeri* Ritsema, 1881b: 38  
*timorensis* Hayashi, 1994: 65  
*equestris* Newman, 1841: 79 (*Niraeus*) A: YUN **ORR**  
*fasciata* Fabricius, 1775: 168 (*Cerambyx*) A: CH NP "Himalaya" **ORR**  
*populnea* Schröter, 1776: 349 (*Cerambyx*)  
*voluptosa* J. Thomson, 1865: 568  
*semiplicata* Pic, 1927: 4 A: YUN **ORR** #282

**genus *Paraphrodisium* Bentanachs & Drouin, 2013: 91** type species *Paraphrodisium sinense* Bentanachs, 2013  
*sinense* Bentanachs & Drouin, 2013: 92 A: YUN

**genus *Polyzonus* Dejean, 1835: 324** type species *Saperda fasciata* Fabricius, 1781  
**subgenus *Parapolyzonus* Bentanachs, 2012a: 11** type species *Promeces prasinus* White 1853 #269  
*drumonti* Bentanachs, 2010: 306 **A: YUN ORR**  
*haraldi* Scale, 2020b: 324 **A: SD**  
~~*prasinus* White, 1853a: 170 (*Promeces*)~~ #610  
*polyzonoides* J. Thomson, 1865: 568 (*Chelidonium*) **A: FUJ GUA GUX HAI HUB HUN JIX SCH YUN ZHE ORR** #100 #610  
*trocolii* Bentanachs, 2012a: 21 **A: YUN ORR**  
**subgenus *Polyzonides* Podány, 1980: 230** type species *Polyzonus obtusus* Bates, 1879 #269  
*obtus* Bates, 1879a: 413 **A: ?TAI YUN ORR** #100  
*interruptus* Pic, 1946a: 14  
*opacus* Pic, 1946: 9  
*reductus* Pic, 1946a: 14  
**subgenus *Polyzonus* Dejean, 1835: 324** type species *Saperda fasciata* Fabricius, 1781 #269  
*Calliblepharus* Gistel, 1848a: x [unnecessary substitute name]  
*Pseudopolyzonus* Bentanachs, 2012a: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998 #269  
*auroviridis* Gressitt, 1942b: 3 **A: GUA GUX SCH YUN ORR**  
*balachowskii* Gressitt & Rondon, 1970: 157 **A: YUN XIZ ORR**  
*barclayi* Skale, 2018b: 335 **A: XIZ ORR**  
*?bizonatus* White, 1853a: 171 **A: GUX SD YUN ZHE ORR** #60 #610  
*brevipes* Gahan, 1906a: 217 **A: SD ORR**  
*cuprarius* Fairmaire, 1887a: 132 **A: SCH XIZ YUN ORR** #269  
*democraticus* Lameere, 1890: ccxi **A: UP**  
*fasciatus* Fabricius, 1781: 232 (*Saperda*) **A: ANH BEI CHQ ES FE FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN**  
**JIA JIL JIX LIA MG NC NIN NMO QIN SC SHA SHN SHX YUN ZHE** #100  
*bicinctus* Olivier, 1795: no. 67: 46 (*Cerambyx*)  
*fupingensis* Xie & W.-K. Wang, 2009: 58  
*meridionalis* Bates, 1879a: 413  
*sibiricus* Gmelin, 1790: 1840 (*Cerambyx*)  
*geiseri* Skale, 2018b: 342 **A: SD ORR**  
*latefasciatus* Hüdepohl, 1998: 225 (*Polyzonus*) **A: FUJ YUN ORR** #100 #269  
*laurae* Fairmaire, 1887a: 132 **A: YUN ORR**  
*pakxensis* Gressitt & Rondon, 1970: 159 **A: YUN ORR**  
*russoi* Tippmann, 1955: 106 (*Chelidonium*) **A: FUJ GUA** #269 #283  
*saigonensis* Bates, 1879a: 413 **A: YUN ORR**  
*laosensis* Pic, 1923b: 9  
*siamensis* Podany, 1974: 6, 40 (*Chelidonium*) **A: YUN ORR** #269  
*sinensis* Hope, 1842a: 63 (*Promeces*) **A: CHQ FUJ GUA GUX HEI HKG JIL LIA NO SCH SD YUN ORR** #100 #280  
*subtruncatus* Bates, 1879a: 408 (*Leontium*) **A: GUA HAI HKG SCH SHG YUN ORR** #100 #269  
*tichyi* Skale, 2018b: 352 **A: SCH**  
*violaceus* Plavilstshikov, 1933c: 111 **A: YUN ORR**  
*yunnanum* Podány, 1974: 39 (*Chelidonium*) #575  
**subgenus *Striatopolyzonus* Bentanachs, 2012a: 58** type species *Cerambyx tetraspilotus* Hope, 1835  
*flavocinctus* Gahan, 1894a: 17 **A: FUJ YUN ORR** #100 #400 #269  
*nitidicollis* Pic, 1932: 22 **A: YUN ORR**  
*tetraspilotus* Hope, 1835a: 71 (*Cerambyx*) **A: BT SD YUN ORR** #283 #344  
*latemaculatus* Gressitt & Rondon, 1970: 161,  
*macrospilus* Gahan, 1906: 216;  
*megaspilus* Gahan, 1906a: 215  
*microspilus* Gahan, 1906a: 215  
*quadrimaculatus* White, 1853a: 170  
  
**genus *Rugosochroma* Vives & Lin, 2013: 68** type species *Schwarzerium yunnanum* Vives & Lin, 2013 #612  
*yunnanum* Vives & Lin, 2013: 68 (*Schwarzerium*) **A: YUN**  
  
**genus *Scalenus* Gistel, 1848a: 130 [RN]** type species *Cerambyx hemipterus* Olivier, 1800  
**subgenus *Coloborhomboides* Hüdepohl, 1983: 117** type species *Coloborhomboides schereri* Hüdepohl, 1983  
*drescheri* Fisher, 1936: 176 (*Coloborhombus*) **A: GUX ORR** #284  
*ater* Fisher, 1936: 176 (*Coloborhombus*)  
*flavipes* Fisher, 1936: 176 (*Coloborhombus*)  
*schereri* Hüdepohl, 1983: 117 (*Coloborhomboides*)  
*tibialis* Ritsema, 1895: 159 (*Aphrodisium*) **A: SD ORR** #283  
**subgenus *Scalenus* Gistel, 1848a: 130 [RN]** type species *Cerambyx hemipterus* Olivier, 1800  
*Coloborhombus* J. Thomson, 1865: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1800  
*Colobus* Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1800  
*Nothopeus* Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1800  
*fulvus* Bates, 1879a: 395 (*Coloborhombus*) **A: GUA SD ORR**  
*hemipterus* Olivier, 1800: 127 (*Cerambyx*) **A: FUJ GUA HAI ORR** #373

—~~ater~~ Fisher, 1936: 176 (*Coloborhombus*)

*sericeus* Saunders, 1853: 111 (*Colobus*) A: FUJ GUA SHG YUN

#100

genus *Schmidtiana* Podaný, 1971: 306 [RN] type species *Pachyteria ilocana* Schultze, 1920

*Luzonia* Podaný, 1968: 53 [HN] type species *Pachyteria ilocana* Schultze, 1920

*testaceicornis* Pic, 1926m: 16 (*Pachyteria*) A: SCH YUN ORR

#460

*violaceothoracica* Gressitt & Rondon, 1970: 139 (*Pachyteria*)

#100

genus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925

*Schwarzeriella* Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925

*andrea* Skale, 2021b: 299 A: YUN

*cyaneipes* Pic, 1946a: 9 A: KO

#92

*holzschuhi* Skale, 2021b: 308 A: SHA

*provostii* Fairmaire, 1887d: liv (*Callichroma*) A: BEI HEB HEI HEN HUB JIL LIA NE NMO SC SHA SHN YUN ORR #100

*rubrofemorale* Pic, 1932c: 24 (*Chelidonium*)

#92

*manchuricum* Matsushita, 1943: 574

*quadricolle* Bates, 1884a: 226 (*Chelidonium*) A: HEN HUN JA JIL SC

#100

*semivelutinum* Schwarzer, 1925a: 24 (*Aphrodisium*) A: TAI

*sifanicum* Plavilstshikov, 1934f: 224 (*Chelidonium*) A: SCH

#612

*viridicyaneum* Hayashi, 1956d: 14 (*Chelidonium*) A: JA

*purpureoviolaceum* Hayashi, 1956: 14 (*Chelidonium*)

genus *Sinochroma* Bentanachs & Drouin, 2013: 93 type species *Sinochroma sinensise* Bentanachs & Drouin, 2013

*martini* Skale, 2019: 295 A: YUN ORR

*purpureipes* Gressitt, 1939a: 27 (*Chelidonium*) A: GUA GUX HAI HUB YUN ORR

#100 #252

#517

*violaceimembris* Gressitt & Rondon, 1970: 151

#252

*sinensis* Bentanachs & Drouin, 2013: 94 A: YUN

genus *Turkaromia* Danilevsky, 1993a: 38 type species *Aromia pruinosa* Reitter, 1903

*gromenkoi* Danilevsky, 2000c: 289 A: UZ TD

*pruinosa* Reitter, 1903b: 233 (*Aromia*) A: KZ XIN

genus *Zonopterus* Hope, 1842b: 110 type species *Zonopterus flavitarsis* Hope, 1842

#523

*flavitarsis* Hope, 1842b: 128 A: AP SD YUN ORR

#280

### tribe Callidiini Kirby, 1837

genus *Callidiellum* Linsley, 1940: 254 type species *Semanotus cupressi* Van Dyke, 1923

*rufipenne* Motschulsky, 1861a: 19 (*Callidium*) Ei: BE BH CR FR IT SK SP ST A: GG FE GAN HEB HEN JA JIX NC SC SHA TAI

NARi NTRi

#40

*japonicum* Plavilstshikov, 1933f: 126 (*Callidium*) [HN]

*nigromaculatum* Kano, 1933a: 274 (*Callidium*)

*plavilstshikovi* Matsushita, 1933b: 439 (*Semanotus*) [RN]

*villosulum arisanum* Kano, 1930: 44 A: TAI

*villosulum villosulum* Fairmaire, 1900: 639 Ei: MA A: ANH CHQ FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH YUN ZHE

NARi

#35 #400

genus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758

subgenus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758

*Meridion* Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758

*cedri* Peyerimhoff, 1918a: 332 N: AG MO

*flavosignatum* Pu, 1991d: 343 A: QIN

*hengduanum* Holzschuh, 1999: 39 A: SCH YUN XIZ

#400

*libani* Sama & Rapuzzi, 2002: 111 A: LE

*piceonotatum* Pic, 1933f: 5 A: HUB

*przevalskii* Semenov & Plavilstshikov, 1936: 389 A: NMO SCH

#400

*syriacum* Pic, 1892r: cxi A: SY TR

*orientale* Pic, 1893d: 417

*violaceum* Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU MD

ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE GG HEI JA JIL LIA KZ MG NC NMO TR WS XIN

#63

*janthinum* LeConte, 1851: 34

*salessei* Pic, 1933d: 1

*viridicolle* Pic, 1926a: 23 A: SD

subgenus *Callidoskola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775

*aeneum aeneum* DeGeer, 1775: 89 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU ME NL

NR NT PL RO SB SK SL ST SV SZ UK A: ES FE HEI JA KZ MG WS

*aurichalceum* Gmelin, 1790: 1857 (*Cerambyx*)  
*cognatum* Laicharting, 1784: 58  
*dilatatum* Paykull, 1800: 91  
*semitestaceum* Pic, 1945b: 6  
*variabile* Fabricius, 1775: 188  
*venosum* Eschscholtz, 1818: 483  
*viride* Schoenherr, 1817a: 459  
*viridans* Gmelin, 1790: 1846 (*Cerambyx*)  
*aeneum longipenne* Plavilstshikov, 1940: 300 E: ST A: AB GG TR  
*aeneum pilosicollis* Özdikmen & Aytar, 2014: 599 A: TR  
**subgenus** *Palaeocallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800  
*chlorizans* Solsky, 1871a: 384 (*Semanotus*) A: ES FE HEI JIL LIA MG NC #400  
*viridescens* Motschulsky, 1875: 148  
*coriaceum* Paykull, 1800: 91 E: AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MD NR NT PL RO SB SK SL  
ST SV SZ UK A: ES FE ?HEI ?HEN JA MG ?NMO WS #81 #481 #631  
*aeneipenne* Kriechbaumer, 1862: 107  
*cupripenne* Kriechbaumer, 1862: 208  
*lucidum* Scopoli, 1772: 98 (*Stenocorus*) [NO]  
*kuratai* Yokoyama, 1972: 11 (*Palaeocallidium*) A: JA  
**genus** *Dundaia* Holzschuh, 1993a: 33 type species *Dundaia nitens* Holzschuh, 1993  
*subtuberculata* Pu, 1992b: 597, 619 (*Callidium*) A: SCH SHA #293  
*nitens* Holzschuh, 1993a: 33  
**genus** *Gerdberndia* Holzschuh, 1982a: 71 type species *Gerdberndia atricolor* Holzschuh, 1982  
*atricolor* Holzschuh, 1982a: 71 A: NP  
*ferrocyanea* Hayashi, 1979: 87 (*Prosemanotus*) A: BT NP  
*nubigena* Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: NP ?QIN (Gorin-tshu River)  
**genus** *Leioderes* L. Redtenbacher, 1845: 110 type species *Leioderes kollari* L. Redtenbacher, 1849  
*kollari jacoboi* Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)  
*kollari kollari* L. Redtenbacher, 1849: 482 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SB SK SL  
SP ST SV SZ UK A: GG LE #554 #665  
*tuerki* Ganglbauer, 1886c: 517 (*Callidium*) A: LE SY TR  
*bodemeyeri* Reitter, 1903a: 46 (*Callidium*)  
*karsantianus* Pic, 1910b: 2 (*Lioderes*)  
*lateniger* Pic, 1917g: 5 (*Lioderes*)  
*nigripes* Pic, 1891h: 102 (*Lioderes*)  
**genus** *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871  
*linearis* Hampe, 1871: 335 (*Callidium*) E: AU BH BU CR GR HU MC SK A: TR  
*henschi* Puton, 1888: 23 (*Callidium*)  
**genus** *Oupyrrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872  
*Oupyrrhidium* Plavilstshikov, 1940a: 285 [unjustified emendation]  
*cinnabarinum* Blessig, 1872: 179 (*Callidium*) A: FE HEI HEN JIL LIA NC SC SHA #225  
*chinense* Li, 1992: 178 #225  
*flavum* Z. Wang, 2003: 203  
**genus** *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009  
*testaceus* Niisato, 2009: 208 A: FE (Sakhalin)  
*verigai* Danilevsky, 2012h: 4 A: FE  
**genus** *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)  
**subgenus** *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménétériés, 1832  
*femoralis demelti* Heyrovský, 1962a: 41 E: TR A: TR #133  
*femoralis femoralis* Ménétériés, 1832: 228 (*Callidium*) E: ST A: AB AR GG IN  
*utschderensis* Starck, 1889: 312 (*Callidium*)  
**subgenus** *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789  
*albicinctus* Bates, 1873: 198 A: JA  
*albofasciatus* Motschulsky, 1866: 174 (*Callidium*) [HN]  
*fasciatus* Villers, 1789: 257 (*Cerambyx*) E: AU BH BU CR CZ FR GR HU IT ?LA MD PL RO SB SK SP SZ UK A: CY IS SY TR #74  
#104  
*unifasciatus* Olivier, 1790: 269 (*Callidium*)  
*unifasciatus* Rossi, 1790: 343 (*Callidium*)  
*hauseri* Pic, 1907b: 9 (*Callidium*) A: KZ XIN  
*mediofasciatus* Pic, 1933b: 29 A: FE GUI JIA JIX NC SC SHA #63  
**subgenus** *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777

*Microcallidium* Casey, 1912: 283 type species *Callidium amoenus* Say, 1824: 413  
*Phymatodina* Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874  
*Pseudopoecilium* Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777  
*infasciatus* Pic, 1935b: 36 (*Poecilium*) A: FE FUJ JA JIA JIX ?NC SC SHA SHN SHG #400  
*ussuricus* Plavilstshikov, 1940a: 318  
*vandykei* Gressitt, 1935b: 172  
*jiangi* Z. Wang & L.-Y. Zheng, 2003: 207, 395 A: JIL SC #333  
*kozlovi* Semenov & Plavilstshikov, 1936: 390 A: NMO  
*magnanii* Sama & Rapuzzi, 1999: 468 (*Poecilium*) A: TR  
*murzini* Danilevsky, 1993d: 113 A: FE NC SC #210 #333  
*rufipes rufipes* Fabricius, 1777: 232 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SB SK SL SP ST SZ UK A: TR  
*amethystinus* Fabricius, 1793: 321 (*Callidium*)  
*coeruleus* Goeze, 1777: 507 (*Leptura*)  
*cyaneus* Geoffroy, 1785: 82 (*Leptura*)  
*cyanochrysos* Gmelin, 1790: 1846 (*Cerambyx*)  
*erythropus* Gmelin, 1790: 1846 (*Cerambyx*)  
*gallicus* Gmelin, 1790: 1877 (*Leptura*)  
*rufipes syriacus* Pic, 1891i: 118 (*Callidium*) A: IS LE SY TR #244 #464  
*semenovi* Plavilstshikov, 1935a: 18 A: GUI  
*sinensis* Pic, 1900i: 17 (*Callidium*) A: JIA SHG  
*zemlinae* Plavilstshikov & Anufriev, 1964: 1565 A: FE HEI ?NC SC SHA #225 #333  
**subgenus** *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787  
*Reitteroderus* Sama, 1991: 124 [unnecessary substitute name]  
*abietinus* Plavilstshikov & Lurie, 1960: 124 E: CT A: WS  
*ahenus* Holzschuh, 2007: 242 (*Poecilium*) A: SCH  
*glabratus* Charpentier, 1825: 225 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SP ST SZ UK A: GG LE #115 #464  
*castaneus* L. Redtenbacher, 1849: 483 (*Callidium*)  
*deltili* Chevrolat, 1856b: 435 (*Callidium*)  
*gudenzi* Sama, 1987: 57 (*Poecilium*) N: AG MO  
*lividus* Rossi, 1794: 98 (*Callidium*) E: BH BU CR CT CZ CZ FR GR IT RO SB SL SP ST SZ UK N: AG A: AB GG IS LE SY TR #115  
*asperipennis* Fairmaire, 1879: 217 (*Callidium*)  
*brevicollis* Dalman, 1817b: 191 (*Callidium*)  
*melancholicus* Fabricius, 1798: 151 (*Callidium*)  
*thoracicus* Comolli, 1837: 44 (*Callidium*)  
*tristis* Pic, 1891b: 20  
*puncticollis* Mulsant, 1862: 99 E: BU CT GR HU MC MD RO ?SB SK ST UK A: KZ #180  
*macedonicus* Pic, 1909: 130  
*pusillus barbipes* Küster, 1847a: 78 (*Callidium*) E: CZ GR HU SK  
*pusillus inopinatus* Sláma, 2010: 82 (*Poecilium*) E: GR  
*pusillus pusillus* Fabricius, 1787: 155 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT LU MD NR PL RO SL SP SV SZ TR UK A: TR  
*abdominalis* Bonelli, 1812: 180 (*Callidium*)  
*humeralis* Comolli, 1837: 44 (*Callidium*)  
*luridus* Olivier, 1800: 23 (*Callidium*) #373  
*pusillus rufipennis* Starck, 1889: 312 (*Callidium*) E: ST UK A: AB AR GG IN  
*vandae* Danilevsky, 2010g: 67 E: GR (Kefalonia Is.)  
*wrzecionkoi* Rapuzzi & Sama, 2010b: 183 (*Poecilium*) A: SY TR #565  
**subgenus** *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)  
*Merium* Kirby, 1837: 172 type species *Merium testaceus* Linnaeus, 1758 [suppressed]  
*testaceus* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO MR TU A: AB AR CY FE GG IQ IS JA KZ LE ?NC TR SC SY WS NAR #64 #177 #322  
*anal* L. Redtenbacher, 1849: 481  
*barbarorus* Pic, 1917g: 5  
*carniolicus* Gmelin, 1790: 1858 (*Cerambyx*)  
*crassipes* Goeze, 1777: 507 (*Leptura*)  
*deustus* Gmelin, 1790: 1850 (*Cerambyx*)  
*dimidiatipennis* Chevrolat, 1882: 58  
*elongatus* Iablokoff-Khnzorian, 1953: 60  
*fallax* Villers, 1789: 276 (*Leptura*)  
*femoratus* Geoffroy, 1785: 83 (*Leptura*)  
*fennicus* Linnaeus, 1758: 396 (*Cerambyx*)  
*fulvipennis* Reitter, 1901c: 101 (*Phymatodes*)  
*italicus* Gmelin, 1790: 1851 (*Cerambyx*)  
*luridus* Paykull, 1800: 87 (*Callidium*) [HN]  
*melanocephalus* Ponzani, 1805: 71 (*Cerambyx*)

*nigricollis* Mulsant, 1839: 49  
*nigrinus* Mulsant, 1839: 47  
*praeustus* Fabricius, 1782: 500 (*Callidium*)  
*rufipes* Costa, 1855: 34  
*sellae* Kraatz, 1868: 338 (*Callidium*)  
*similaris* Küster, 1844: 54 (*Callidium*)  
*variabilis* Linnaeus, 1760: 192 (*Cerambyx*)  
*ventralis* Haldeman, 1847: 375 (*Tessaropa*)  
*violaceus* Rossi, 1790: 154 (*Callidium*)

**subgenus *Poecilium* Fairmaire, 1864a: 134** type species *Leptura alni* Linnaeus, 1767  
*alni alni* Linnaeus, 1767: 639 (*Leptura*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR LA LT LU MC MD ME NL  
 NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ TR  
*apicalis* Pic, 1915a: 1 (*Poecilium*)  
*biarcuatus* Piller & Mitterpacher, 1783: 112 (*Leptura*)  
*fauconneti* Pic, 1915a: 1 (*Poecilium*)  
*infuscatus* Chevrolat, 1866: 107 (*Poecilium*)  
*nitidus* Chevrolat, 1882: 58 (*Callidium*)  
*notaticollis* Pic, 1945b: 6 (*Poecilium*)  
*turcicus* Geoffroy, 1785: 83 (*Leptura*)  
*alni lateniger* Pic, 1945b: 6 (*Poecilium*) A: AB (Talysh) IN  
*elburzense* Holzschuh, 1977a: 128 (*Poecilium*)  
*alni pici* Aurivillius, 1912: 349 E: ST A: AB AR GG IN TR #565  
*alnoides* Reitter, 1913a: 40  
*antonini* Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) A: SY TR #565  
*ermolenkoi* Tsherepanov, 1980: 88 A: FE ?NC SC #97  
*eximius* Holzschuh, 1995: 35 (*Poecilium*) A: YUN  
*kasnaki* Sama, 2011: 826 (*Poecilium*) A: TR  
*latefasciatus* Sh. Yang, 2013: 12 A: GUI  
*maaki maaki* Kraatz, 1879c: 106 (*Callidium*) A: FE HEI JIX NC SC  
*maaki sylvaticus* Z. Wang, 2003: 206, 394 A: NMO #400  
*maaki viarius* Danilevsky, 1988c: 371 A: FE JA  
*mizunumai* Hayashi, 1974a: 28 A: TAI  
*quadrinaculatus* Gressitt, 1935b: 171 A: JA TAI #400  
*savioi* Pic, 1935b: 35 A: JIA SHA SHG #225

**genus *Pronocera* Motschulsky, 1859b: 494** type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)  
*Gonocallus* LeConte, 1873a, 171 type species: *Callidium collare* Kirby, 1837  
*Protocallidium* Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844  
*Pseudophymatodes* Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)  
*angusta* Kriechbaumer, 1844: 8 (*Callidium*) E: AU BH CZ GE HU IT PL RO SK UK  
*sibirica* Gebler, 1848: 391 (*Callidium*) A: ES FE MG NC NE NMO SC WS XIN  
*altaiensis* Pic, 1901c: 12 (*Phymatodes*)  
*brevicollis* Gebler, 1833: 302 (*Callidium*) [HN]  
*daurica* Motschulsky, 1859b: 494

**genus *Prosemanotus* Pic, 1933f: 5** type species *Prosemanotus elongatus* Pic, 1933  
*elongatus* Pic, 1933f: 5 A: CH  
*subnotatus* Pic, 1933f: 5

**genus *Pyrrhidium* Fairmaire, 1864a: 133** type species *Cerambyx sanguineus* Linnaeus, 1758  
*sanguineum* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GB GE GR HU IR IT ?LA LS LT  
 LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG TU A: AB AR GG IN SY TR #104

**genus *Rejzekius* Adlbauer, 2008: 17** type species *Rejzekius bicolor* Adlbauer, 2008  
*bicolor* Adlbauer, 2008: 17 A: YE

**genus *Ropalopus* Mulsant, 1839: 40** type species *Callidium clavipes* Fabricius, 1775  
**subgenus *Pronocerodes* Plavilstshikov, 1940a: 248** type species *Rhopalopus ruficollis* Matsumura, 1911  
*aurantiicollis* Plavilstshikov, 1940a: 250 (*Rhopalopus*) A: FE ?NC SC #517 #638  
*ruficollis* Matsumura, 1911: 138 (*Rhopalopus*) A: FE  
**subgenus *Prorrhopalopus* Plavilstshikov, 1921: 121** type species *Rhopalopus signaticollis* Solsky, 1873  
*signaticollis* Solsky, 1873: 177 (*Rhopalopus*) A: FE HEI JA JIL LIA NC SC #63 #400  
*speciosus* Plavilstshikov, 1915c: 108 (*Rhopalopus*) A: FE JIL LIA ?NC SC SHA #97 #225 #400  
**subgenus *Ropalopus* Mulsant, 1839: 40** type species *Callidium clavipes* Fabricius, 1775  
*Calliopedia* Binder, 1915: 186 type species *Rhopalopus reitteri* Binder, 1915 (= *Callidium ungaricum* Herbst, 1784)  
*Euryoptera* Horn, 1860: 571 type species *Euryoptera sanguinicollis* Horn, 1860  
*Rhopalopus* Agassiz, 1846: 325 [unjustified emendation]  
*carolini* Vartanis & Borek, 2019: 610 E: GR

*clavipes* Fabricius, 1775: 188 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT ~~LA~~ LT LU MA MC MD ME NL  
 NT PL RO SB SK SL SP ST SZ TR UK A: AB AR GG FE IN KZ IQ TR WS #186 #265 #517 #557  
*nigricans* Gmelin, 1790: 1857 (*Cerambyx*)  
*nigroplanus* DeGeer, 1775: 88 (*Cerambyx*)  
*viduus* Geoffroy, 1785: 82 (*Leptura*)  
*eleonora* Sama & Rapuzzi, 2002: 114 A: LE SY  
*femoratus* Linnaeus, 1758: 395 (*Cerambyx*) E: AU BE BH BU **BY** CR CT CZ FR GE HU IT LA ?LT LU MD PL RO SK SL SP ST SV  
 SZ TR UK #503  
*castaneipennis* Roubal, 1934a: 43  
*punctuosus* Geoffroy, 1785: 83 (*Leptura*)  
*hanae* Sama & Rejzek, 2002: 105 A: TR  
*ledereri ledereri* Fairmaire, 1866b: 269 (*Rhopalopus*) A: IS JO TR  
*ledereri wittmeri* Demelt, 1970: 31 A: LE SY TR #464  
*lederi* Ganglbauer, 1882: 747 (*Rhopalopus*) E: ST UK A: AB AR GG TR  
*nigripes* Pic, 1926d: 6 (*Rhopalopus*)  
*macropus* Germar, 1823: 514 (*Callidium*) E: AU BH BU BY CR CT CZ GE HU LA LT MD PL RO SB SK SL ST ?SZ TR UK A: AB  
 AR GG IN TR #115 #506  
*caucasicus* Desbrochers des Loges, 1873: cxxxvi (*Callidium*)  
*pilicollis* C. G. Thomson, 1866: 29 (*Callidium*)  
*mali* Holzschuh, 1993a: 34 A: KI KZ UZ  
*nadari* Pic, 1894c: 207 (*Rhopalopus*) A: KI TD UZ  
*nataliyae* Danilevsky & Skrylnik, 2014: 690 A: IN #23  
~~*nubigena* Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: XIZ~~  
*ruber* Gressitt, 1939c: 212 (*Rhopalopus*) A: ANH JIA ZHE #400  
*sculpturatus* Pic, 1931c: 9 (*Rhopalopus*) A: TR IN  
*ungaricus boreki* Rapuzzi, 2017: 865 E: GR #493  
*ungaricus gallicus* Vartanis, 2018b: 55 E: FR #493  
*ungaricus insubricus* Germar, 1823: 154 (*Callidium*) E: AL BH BU CR **CT** FR HU IT RO SB SL ~~?SP~~ ST TR UK A: ?TR #493  
 #506  
*fischeri* Krynicki, 1829: 197 (*Callidium*) #493  
*viridipennis* Pic, 1926d: 6 (*Rhopalopus*)  
*ungaricus occidentalis* López & Baena, 2022: 558 E: SP  
*ungaricus ossae* Karpiński, Szczepański & Kruszelnicki, 2020: 27 E: GR (Thessaly) #493  
*ungaricus siculus* Stierlin, 1864: 152 (*Callidium*) E: IT (Sicilia) #202 #493  
*ungaricus ungaricus* Herbst, 1784: 96 (*Callidium*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SB SK SL SZ UK ?N: AG  
 #493  
*annulus* Costa, 1855: 30  
*cognatus* Laicharting, 1784: 58 (*Callidium*)  
*pannonicus* Gmelin, 1790: 1856 (*Cerambyx*)  
*reitteri* Binder, 1915: 186 (*Rhopalopus*)  
*vogti* Guerry, 1911: 99  
*varini* Bedel, 1870: 94 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SK SL SP SZ UK  
*spinicornis* Abeille de Perrin, 1869: 42 (*Callidium*) [HN]

**genus *Rutjana* Danilevsky, 2020a: 14** type species *Rutjana kashmirensis* Danilevsky, 2020  
*kashmirensis* Danilevsky, 2020a: 17 A: KA

**genus *Semanotus* Mulsant, 1839: 54** type species *Cerambyx undatus* Linnaeus, 1758  
*Anocomis* Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787  
*Hemicallidium* Casey, 1912: 273 type species *Physocnemum amethystinum* LeConte, 1853  
*Sympiezocera* P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852  
*Xenodorum* Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)  
*algericus* Pic, 1905e: 99 N: AG MO  
*magnificus* Bedel, 1921: 60  
*bifasciatus* Motschulsky, 1875: 148 (*Hylotrupes*) A: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX NC NMO QIN  
 SC SCH SHA SHN SHX YUN ZHE  
*latifasciatus* Matsushita, 1933b: 262  
*sinensis* Gahan, 1888b: 61 (*Sympiezocera*)  
*watanabei* Kano, 1933a: 273  
*japonicus* Lacordaire, 1869: 47 (*Sympiezocera*) A: JA ZHE  
*laurasii corsicus* Croissandeau, 1890: 38 (*Sympiezocera*) E: FR (Corse) IT (Sardegna)  
*laurasii laurasii* P. H. Lucas, 1852: cvii (*Sympiezocera*) E: FR SP N: AG MO  
*bonvouloiri* Marseul, 1856: 48 (*Xenodorum*)  
*verneti* Pellet, 1871: 164 (*Callidium*)  
*nigroalbus* Holzschuh, 1984c: 355 A: NP  
*russicus russicus* Fabricius, 1777: 232 (*Callidium*) E: AL AU BU CR CZ GB GR HU IT RO SB SK ST UK A: AB AR GG JO LE SY  
 TR #352  
*russicus persicus* Solsky, 1876: 296 (*Sympiezocera*) A: IN TM (Kopetdag)

*semenovi* Okunev, 1933: 135 A: KI KZ QIN TD UZ XIN #400  
*sinoaster* Gressitt, 1951a: 222 A: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE ORR  
*undatus* Linnaeus, 1758: 396 (*Cerambyx*) E: AU BH BU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SB SK SL ST SV  
 SZ UK A: ES FE MG NE NMO WS XIN  
*yakushimensis* Makihara, 2004a: 15 A: JA

**genus *Turanium* Baeckmann, 1922: 32** type species *Callidium scabrum* Kraatz, 1882  
**subgenus *Chalcoturanium* Jankowski, 1934: 100 [= 1935a: 60]** type species *Turanium johannis* Baeckmann, 1922  
*badenkoi* Danilevsky, 2001e: 587 A: KZ  
*johannis johannis* Baeckmann, 1922: 24 A: KI  
*johannis juglandis* Jankowski, 1934: 100 [= 1935a: 59] A: KI  
**subgenus *Turanium* Baeckmann, 1922: 32** type species *Callidium scabrum* Kraatz, 1882  
*hladili* Kratochvíl, 1985b: 65 A: UZ  
*pilosum* Reitter, 1891a: 33 (*Pronocera*) A: KI KZ TD UZ XIN  
*losi* Karpiński, Plewa & Hilszczański, 2021: 247 [“4 km N of Arkit”] #595  
*rauschorum* Holzschuh, 1998: 44 A: KI KZ  
*scabrum* Kraatz, 1882a: 115 (*Callidium*) E: ST A: KI KZ TD TM UZ WS XIN  
*simplarium* Heyden, 1885a: 296 (*Callidium*)  
*tekeorum* Danilevsky, 2001e: 584 A: IN TM (Kopetdag)

### tribe Callidiopini Lacordaire, 1868

**genus *Becvarium* Holzschuh, 2011: 287** type species *Becvarium bioculatum* Holzschuh, 2011  
*bioculatum* Holzschuh, 2011: 288 A: YUN

**genus *Ceresium* Newman, 1842d: 322** type species *Ceresium raripilum* Newman, 1842 #409  
*Diatomocephala* Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853  
*Paraceresium* Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932  
*Raphidera* Perroud, 1855: 336 type species *Raphidera gracilis* Perroud, 1855  
*Rhaphidodera* Gemminger, 1872: 2831 [unjustified emendation]  
*albomaculatum* Pic, 1926a: 23 A: HAI ORR  
*declaratum* Holzschuh, 1990: 186 A: SD  
*elongatum elongatum* Matsushita, 1933b: 301 A: HKG JA (Ryukyus) TAI #400  
*elongatum tsuchiya* Fujita, 2018: 26 A: JA (Ryukyus)  
*fallaciosum* Holzschuh, 1995: 19 A: YUN ORR  
*flavipes* Fabricius, 1793: 327 (*Callidium*) A: GUA HKG SC ?TAI AFR AUR NTR ORR #63  
*ambiguum* Newman, 1842a: 246 (*Arhopalus*)  
*simplex* Gyllenhal, 1817: 178 (*Stenocorus*)  
*flavisticum* Gressitt & Rondon, 1970: 96 A: YUN ORR #508 #523  
*fuscum fuscum* Matsumura & Matsushita, 1932: 67 A: JA (Ryukyus)  
*fuscum hachijoense* Matsumura & Matsushita, 1932: 68 A: JA #276  
*fuscum shirakii* Hayashi, 1963a: 53 A: JA (Ryukyus)  
*geniculatum* White, 1855: 245 A: GUA HAI HUB YUN ORR #400  
*rufipes* Pascoe, 1869a: 537  
*holophaeum* Bates, 1873: 153 A: JA  
*yusai* Matsushita, 1937: 312  
*inaequalicollis* Pic, 1933b: 28 A: SHG YUN #400  
*joannisi* Pic, 1935f: 171  
*lepidulum* Holzschuh, 1982b: 150 A: SD YUN  
*leucosticticum* White, 1855: 245 A: AP GUA GUI HAI NP PA SD UP YUN ORR #280 #400  
*longicorne* Pic, 1926a: 24 A: HKG HUB JA JIX SC TAI ORR  
*japonicum* Matsushita, 1932: 68  
*tsushimaenum* K. Ohbayashi, 1961a: 17  
*lucifugum* Holzschuh, 1982b: 150 A: NP UP  
*manchuricum* Hayashi, 1957a: 39 A: HEI  
*nilgiriense* Gahan, 1906a: 161 A: YUN ORR  
*particulare* Pic, 1926a: 24 A: CH  
*propinquum* Holzschuh, 1982b: 149 A: NP SD  
*quadrimaculatum* Gahan, 1900b: 121 A: FUJ GUA GUX HEB HUB HUN JIA JIX SCH YUN ZHE ORR ##400  
*rufum* Lameere, 1890: ccxi A: UP  
*sculpticollis* Gressitt, 1942b: 1 A: SCH  
*senile* Holzschuh, 1998: 32 A: YUN  
*signaticollis* Matsumura & Matsushita, 1932: 69 A: JA  
*simile flavopubescens* Kusama & Takakuwa, 1984: 9 A: JA  
*simile miyamotoui* Fujita, 2018: 26 A: JA (Ryukyus)  
*simile simile* Gahan, 1890b: 169 A: JA (Ogasawara Isls.)  
*sinicum innotaticollis* Pic, 1926a: 24 A: CH

*sinicum ornaticolle* Pic, 1907c: 20 A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN **ORR**  
*sinicum sinicum* White, 1855: 245 A: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX **SC** SCH SHA SHG TAI XIZ YUN **#63**  
 ZHE **ORR**  
*sakaiense* Matsushita, 1933b: 302  
*subuniforme* Schwarzer, 1925a: 22 A: TAI  
*swatense* Holzschuh, 1974a: 82 A: PA  
*unicolor pseudounicolor* Kusama & Komiya, 1972: 42 A: JA (Ryukyus)  
*unicolor unicolor* Fabricius, 1787: 147 (*Saperda*) A: JA (Ogasawara & Volcano Isls.) UP "North India" **AUS** **#127**  
~~—~~ *ambiguum* Newman, 1842a: 246 (*Arhopalus*)  
*palauense* Matsushita, 1932: 169  
*simplex* Gyllenhal, 1817: 178 (*Stenochorus*)  
*zeylanicum* White, 1855: 246 A: HKG **ORR** **#400**  
*basilatum* Pic, 1943d: 6

**genus *Cristaphanes* Vives, 2009: 3** type species *Lasiophanes cristulatus* Aurivillius, 1916 **#349**  
*tysoni* Vives, 2017b: 22 A: YUN **ORR** **#349**

**genus *Curtomerus* Stephens, 1839: 275** [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)  
*Cylindera* Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)  
*Cylindrodera* Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)  
*Lampromerus* J. Thomson, 1860: 202 type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)  
*Onchomerus* Dejean, 1835: 332 [NO] type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)  
*Sotenus* Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)  
*flavus* Fabricius, 1775: 191 (*Callidium*) A: JA (Ogasawara Isls.) **NAR NTR ORR**  
*barbatus* Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)  
*boninensis* Matsumura & Matsushita, 1932: 72 (*Trinophylum*)  
*impuncticollis* Fairmaire, 1881: 473 (*Ceresium*)  
*luteus* Stephens, 1831: 249 (*Callidium*)  
*pallidus* Newman, 1833: 510 (*Cylindera*)  
*pilicornis* Fabricius, 1793: 327 (*Callidium*)  
*setiger* Sharp, 1878: 203 (*Sotenus*)  
*subflavus* Chemsak, 1966: 213

**genus *Falsoibidion* Pic, 1922: 24** type species *Falsoibidion fasciatum* Pic, 1922  
*bipunctatum* Lee Seunghyun & Lee Seunghwan, 2016: 64 A: SC  
*shennongjiaensis* P. Wang, Xie & W.-K. Wang, 2020a: 395 A: HUB  
*venustulum* Holzschuh, 2019b: 90 A: GUX

**genus *Gelonaetha* J. Thomson, 1878a: 12** type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)  
*hirta* Fairmaire, 1850: 60 (*Stromatidium*) A: TAI YUN ZHE **ORR** **#452** **#525**  
*curtipes* J. Thomson, 1878a: 13  
*obscura* Sharp, 1878: 204 (*Astrimus*)

**genus *Parasalpinia* Hayashi, 1962c: 4** type species *Parasalpinia kojimai* Hayashi, 1962  
*kojimai* Hayashi, 1962c: 4 A: JA (Ryukyus) TAI  
*laosensis* Gressitt & Rondon, 1970: 102 (*Salpinia*) A: HAI YUN **ORR**

**genus *Stenodryas* Bates, 1873: 153** type species *Stenodryas clavigera* Bates, 1873  
*Ibidiomimus* Pic, 1922e: 28 type species *Ibidiomimus bicoloripes* Pic, 1922  
*apicalis* Gahan, 1906a: 161 (*Ceresium*) A: NP  
*bicoloripes* Pic, 1922e: 28 (*Ibidiomimus*) A: YUN **ORR** **#400**  
*clavigera clavigera* Bates, 1873: 154 A: JA JIX SC (Mt. Soyosan)  
*clavigera impuncticollis* Hayashi, 1974a: 17 A: TAI  
*clavigera insularis* Yokoyama, 1966: 55 A: JA (Ryukyus)  
*cylindricollis* Gressitt, 1951a: 159 A: HEB SHA YUN **#400**  
*fascipennis* Holzschuh, 1984c: 347 A: BT SD  
*nigromaculata* Gardner, 1942: 69 (*Ceresium*) A: BT YUN NP **ORR** **#42**  
*tripunctata* Gressitt & Rondon, 1970: 104  
*punctatella* Holzschuh, 1999: 25 A: HUB SHA **#225**  
*suavis* Holzschuh, 1998: 33 A: SCH  
*ventralis* Gahan, 1906: 160 A: YUN **ORR** **#190**

**genus *Stenygrinum* Bates, 1873: 154** type species *Stenygrinum quadrinotatum* Bates, 1873  
*quadrinotatum* Bates, 1873: 154 A: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO SC  
 SCH SHA SHN TAI YUN ZHE **ORR**

**genus *Teladum* Holzschuh, 2011: 289** type species *Lasiophanes comosus* Holzschuh, 1989  
*angustior* Holzschuh, 2011: 292 A: YUN

genus *Trinophylum* Bates, 1878b: 720 type species *Trinophylum cribratum* Bates, 1878  
*cribratum* Bates, 1878b: 720 Ei: GB A: HP KA PA UP  
*impressipenne* Pic, 1948: 6 (*Callidium*)

#366 #375

### tribe Cerambycini Latreille, 1802

genus *Anarchambyx* Sama, 2007b: 101 type species *Anarchambyx pipposamai* Sama, 2007  
*pipposamai* Sama, 2007b: 103 A: YE

genus *Bulbocerambyx* Lazarev, 2019c: 1194 type species *Neocerambyx grandis* Gahan 1891  
*grandis* Gahan, 1891a: 20 (*Neocerambyx*) A: AP FUJ GUA HAI UP YUN ORR  
*katarinae* Holzschuh, 2009: 285 (*Neocerambyx*) A: AP GUA GUX HAI ORR  
*vitalisi* Pic, 1923c: 12 (*Neocerambyx*) A: FUJ ORR

#458 #536 #635  
#126 #166  
#227 #400

genus *Carinolesthes* Vitali, Gouverneur & Chemin, 2017: 53 type species: *Aeolesthes* (*Pseudaeolesthes*) *pericalles* Gressitt & Rondon, 1970  
*aurosignata* Pic, 1916i: 325 (*Aeolesthes*) A: FUJ XIZ YUN  
*dembickyi* Miroshnikov, 2019c: 261 A: AP  
*ningshanensis* Chiang, 1981: 79 (*Aeolesthes*) A: SHA  
*pericalles* Gressitt & Rondon, 1970: 61 (*Aeolesthes*) A: YUN ORR

genus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758  
subgenus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758  
*Hamaticherus* Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)  
*Hammatocerus* Gistel, 1848a: 130 [unjustified emendation] [HN]

*apiceplicatus* Pic, 1941b: 2 A: IN IQ  
*carinatus* Küster, 1845a: 46 (*Hammaticherus*) E: AL BH BU CR GR IT MA MC SB A: TR #117  
*landrieui* Pic, 1927j: 158  
*minor* Pic, 1926d: 13  
*cerdo acuminatus* Motschulsky, 1853: 79 ["De la Georgie et des pays limitrophes de la mer Caspienne"] E: ST UK A: AB AR GG IN  
IQ IS JO LE SY TR #279 #635  
*klinzigi* Podaný, 1964c: 88 #279  
*cerdo cerdo* Linnaeus, 1758: 392 ["Italia"] E: AL AU BE BH BU BY CR CT CZ FR GBi GE GR HU IR IT LA LU MA MC MD ME  
NL PL RO SB SK SL ST SV SZ TR UK N: MO A: TR  
*heros* Scopoli, 1763: 51  
*cerdo iranica* Heyrovský, 1951a: 156 A: IN #279  
*cerdo manderstjernae* Mulsant & Godart, 1855b: 280 [= 1855a: 180] ["la Crimée"] E: ST UK #517 #635  
*cerdo masaryki* Vartanis, 2018c: 76 E: BU  
*cerdo mirbeckii* P. H. Lucas, 1842: 184 (*Hamaticherus*) N: AG MO PT SP TU  
*tuniscus* Pic, 1891b: 18  
*cerdo pfisteri* Stierlin, 1864: 152 (*Hammaticherus*) E: IT GR #279  
*dux* Faldermann, 1837: 264 (*Hammaticherus*) E: BU MC ST TR UK A: AB AR GG IN IS JO LE SY TR #582 #584  
*intricatus* Fairmaire, 1848: 167 (*Hammaticherus*)  
*nodosus* Mulsant & Rey, 1863: 144  
*orientalis* Küster, 1845a: 45 (*Hammaticherus*)  
*thirkii* Küster, 1845a: 47 (*Hammaticherus*)  
*heinzianus* Demelt, 1976: 65 A: TR  
*kodymi* Sláma, 2015c: 1122 A: SY TR  
*miles* Bonelli, 1812: 178 E: AL AU BH BU CR CZ FR GR HU IT MC ME PT RO SB SK SL SP ST SZ TR UK A: AB AR GG TR  
#205

*militaris* Latreille, 1829: 116 (*Hamaticherus*)  
*nodulosus hermoniacus* Sláma, 2015c: 1121 A: SY  
*nodulosus nodulosus* Germar, 1817: 220 E: AL BH BU CR GR IT MA MC ME RO SB SL ST TR UK A: AB AR CY GG LE TR  
*nodicornis* Küster, 1845a: 43 (*Hammaticherus*)  
*welensii centurio* Czwalińska, 1891: 99 A: IS JO LE SY  
*welensii welensii* Küster, 1845a: 44 (*Hammaticherus*) E: AL BH BU CR FR GR HU IT ME PT RO SB SK SL SP TR UK A: AB CY  
GG IN IQ TR #30  
*velutinus* Brullé, 1832: 252 [HN]

subgenus *Microcerambyx* Mikšić & Georgijevic, 1973: 22 type species *Cerambyx scopoli* Fuessly, 1775

*elbursi* Jureček, 1924a: 47 A: IN  
*elegans* Dohrn, 1873: 74 [HN] #517  
*multiplicatus* Motschulsky, 1860a: 142 A: AB (Talysh) IN  
*paludivagus* P. H. Lucas, 1842: 185 (*Hammaticherus*) N: AG TU  
*scopoli scopoli* Fuessly, 1775: 12 E: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT ?LA LT LU MC MD ME  
NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG SY TR #104

*helveticus* Stierlin, 1878b: 442  
*nitidus* Pic, 1892r: cxi [= 1893d: 417]  
*piceus* Geoffroy, 1785: 74  
*scopolii siculus* Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)

**genus *Derolus* Gahan, 1891a: 26** type species *Hammaticherus mauritanicus* Buquet, 1840  
*Capnocerambyx* Reitter, 1894g: 356 type species *Hammaticherus mauritanicus* Buquet, 1840

~~*Mimoderolus* Pic, 1933a: 11 type species *Aeolesthes (Mimoderolus) uniformis* Pic, 1933~~

#207

*abaii* Holzschuh, 2009a: 288 A: IN

*argentifer* Pic, 1904c: 11 A: YUN

*diversithorax* Pic, 1946b: 109

#400

*asiricus* Holzschuh, 1993b: 117 A: SA

*brevicornis* Holzschuh, 1981: 97 A: IN

*bulbicornis* Gressitt, 1951a: 142 A: XIZ

*discicollis* Gahan, 1906a: 136 A: IN PA **ORR**

[*incultus incultus* Gerstaecker, 1855: 265 (*Cerambyx*) **AFR**]

*incultus yemenensis* Villiers, 1977: 167 A: YE

*iranensis arabicus* Sama, 2007d: 301 A: AE OM

*iranensis iranensis* Pic, 1956a: 3 A: AF IN PA

*iranensis* Lepesme & Breuning, 1958: 179 [HN]

*janae* Holzschuh, 2009: 286 A: IN

[*martini martini* Lepesme & Breuning, 1958: 178 - Djibouti]

*martini hajekae* Villiers, 1968: 847 A: AE SA YE

*mauritanicus* Buquet, 1840: 395 ["295"] (*Hammaticherus*) N: AG LB MO TU

*nerii* Erichson, 1841: 188 (*Hammaticherus*)

*pakistanus* Holzschuh, 1974a: 81 A: PA

*thesigeri* Villiers, 1968: 848 A: SA

*vastus* Holzschuh, 1993b: 118 A: SA YE

*volvulus* Fabricius, 1801: 271 (*Cerambyx*) A: FUJ GUA HAI HP NP ZHE "India" **ORR**

#366

*demissus* Pascoe, 1859: 21 (*Cerambyx*)

*strigicollis* Dalman, 1817b: 158 (*Cerambyx*)

**genus *Dialeges* Pascoe, 1856: 46** type species *Dialeges pauper* Pascoe, 1856

*pauper* Pascoe, 1856: 47 A: AP NP PA SD UP YUN **AFR ORR**

#280

#369

*tenuicornis* Pascoe, 1869a: 522

*undulatus* Gahan, 1891a: 23 A: GUA HAI TAI YUN **ORR**

#400

**genus *Diorthus* Gahan, 1891a: 27** type species *Hammaticherus simplex* White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)

*cinereus* Fabricius, 1793: 265 (*Cerambyx*) [NP] A: AE AF IN NP PA UP YE **AFR ORR**

#127

*holosericeus* Olivier, 1795: 14 (*Cerambyx*)

*inclemens* J. Thomson, 1865: 576 (*Pachydissus*)

*simplex* White, 1853a: 130 (*Hammaticherus*) [W. Africa]

*sordidus* Pascoe, 1888: 491 (*Neocerambyx*)

*vernicosus* Pascoe, 1859: 19 (*Cerambyx*)

*intricarius* Holzschuh, 1984a: 145 A: KA PA

#274

*pellitulus* Holzschuh, 1984a: 144 A: NP

**genus *Dissopachys* Reitter, 1886: 68** type species *Dissopachys pulvinatus* Reitter, 1886

*pulvinatus* Reitter, 1886: 68 A: AB IN TM

**genus *Dymasius* J. Thomson, 1864: 234** type species *Dymasius strigosus* J. Thomson, 1864 (~~= *Cerambyx macilentus* Pascoe, 1859~~)

#400

#617

*angustatus* Pic, 1925b: 16 (*Derolus*) A: HAI **ORR**

#349

*aureofulvescens* Gressitt & Rondon, 1970: 80 A: JIX YUN **ORR**

#400

*duplus* Holzschuh, 2017b: 9 A: YUN

*gracilicornis* Gressitt, 1951a: 147 (*Zegriades*) A: FUJ YUN **ORR**

*miser* Holzschuh, 2005: 14 A: SHA

*querceus* Holzschuh, 2015a: 44 A: SCH

*simplex* Gressitt & Rondon, 1970: 81 A: YUN **ORR**

#623

*subvestitus* Holzschuh, 1984a: 146 A: NP UP

**Genus *Elydnus* Pascoe, 1869a: 509** type species *Elydnus amictus* Pascoe, 1869

#400

#618

*hirayamai* Matsushita, 1941: 153 A: JA (Ryukyus) TAI

#618

*kisanus* Matsushita, 1935: 540 A: TAI

#618

*minutus* Gressitt, 1935f: 379 (*Cerambyx*)

**genus *Gibbocerambyx* Pic, 1923e: 12** type species *Gibbocerambyx aureovittatus* Pic, 1923

*aureovittatus* Pic, 1923e: 12 A: XIZ YUN **ORR** #176  
*aurovirgatus* Gressitt, 1939b: 96 (*Zegriades*) A: ANH GUX HEN HUB HUN SCH ZHE  
*dulcis* Holzschuh, 2019b: 89 A: GUX  
*fulvescens* Gahan, 1894a: 11 (*Dymasius*) A: YUN **ORR** #623  
*maculicollis* Matsushita, 1933b: 248 (*Zegriades*) A: TAI  
*unitarius* Holzschuh, 2003a: 173 A: SHA

**genus *Hemadius* Fairmaire, 1889a: 57** type species *Hemadius oenochrous* Fairmaire, 1889  
*oenochrous* Fairmaire, 1889a: 57 A: ANH FUJ GUX HUB HUN JIX SCH TAI XIZ YUN ZHE **ORR**  
*mushaensis* Kano, 1928: 224 (*Neocerambyx*)  
*stoetzneri* Heller, 1923b: 72 (*Neocerambyx*)

**genus *Hoplocerambyx* J. Thomson, 1864: 229** type species *Hammaticherus spinicornis* Newman, 1842  
*spinicornis* Newman, 1842a: 245 (*Hammaticherus*) A: AF AP BT HP NP PA SD UP **ORR** #126 #280 #366 #400  
*minor* Pic, 1923e: 8 (*Haplocerambyx*)  
*morosus* Pascoe, 1857b: 92 (*Cerambyx*)  
*relictus* Pascoe, 1866d: 528

**genus *Lachnopterus* J. Thomson, 1864: 231** type species *Hammaticherus auripennis* Newman, 1842  
*auripennis* Newman, 1842a: 245 (*Hammaticherus*) A: TAI(Lanyu Is.) **ORR**  
*socius* Gahan, 1891a: 24 (*Hammaticherus*) A: TAI (Lanyu Is.) **ORR**

**genus *Lamellocerambyx* Pic, 1923e: 8** type species *Lamellocerambyx laosensis* Pic, 1923e #277  
*laosensis* Pic, 1923e: 8 A: YUN **ORR**

**genus *Margites* Gahan, 1891a: 26** type species *Cerambyx egenus* Pascoe, 1858  
**subgenus *Margites* Gahan, 1891a: 26** type species *Cerambyx egenus* Pascoe, 1858 #619  
*auratonotatus* Pic, 1923e: 7 A: FUJ GUA GUI HEN HUB HUN JIA JIX SCH  
~~*decipiens* Holzschuh, 1989e: 393 A: BT~~  
*egenus* Pascoe, 1858: 236 (*Cerambyx*) A: GUA NO SCH  
*fulvidus* Pascoe, 1858: 236 (*Pachydissus*) A: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN  
*coreanus* K. Saito, 1932: 440 (*Ceresium*)  
*fuscatus* Holzschuh, 2020: 59 A: SHA  
*lajoyei* Pic, 1926f: 76 A: YUN **ORR**  
*luteopubens* Pic, 1926a: 23 A: SHA YUN **ORR** #400  
*modicus* Gahan, 1906a: 138 A: NP UP **ORR**

**genus *Massicus* Pascoe, 1867a: 319** [RN] type species *Cerambyx pascoei* J. Thomson, 1857b #458 #536  
*Conothorax* J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857b  
*Falsomassicus* Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946  
*pascoei* J. Thomson, 1857b: 122 (*Cerambyx*) A: YUN **ORR** #437  
*taiwanus* Makihara & Niisato, 2014: 24 A: TAI  
*trilineatus* Pic, 1933a: 12 (*Dymasius*) A: AP FUJ GUI GUX HAI JIX TAI YUN **ORR** #400  
*fasciatus* Matsushita, 1933b: 243 (*Mallambyx*) #285  
*venustus* Pascoe, 1859: 19 (*Cerambyx*) A: GUI HAI **ORR**  
*cicatricosus* Gardner, 1926: 198 (*Hoplocerambyx*) #286

**genus *Nadezhdiella* Plavilstshikov, 1931a: 71** type species *Hammaticherus cantori*, Hope, 1845 (= *Hammaticherus cantori*, Hope, 1842)  
*cantori* Hope, 1842a: 61 (*Hammaticherus*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE  
**ORR**  
*lucasi* Brongniart, 1892: 238 (*Cerambyx*)  
*scabricollis* Chevrolat, 1852: 416 (*Hammaticherus*)  
*fulvopubens* Pic, 1933b: 27 (*Plocaederus*) A: CHQ FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX LIA SCH SHA YUN ZHE  
**ORR** #400  
*aurea* Gressitt, 1937a: 91  
*conica* Chiang, 1942: 254  
*japonica* Hayashi, 1972: 27 A: JA (Ryukyus)

**genus *Neocerambyx* J. Thomson, 1861: 194** type species *Cerambyx paris* Wiedemann, 1821 #458 #536 #635  
*Mallambyx* Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blessig, 1872)  
*atratus* Holzschuh, 2018a: 87 (*Massicus*) A: SD  
*dierli* Heyrovský, 1976: 181 (*Massicus*) A: NP  
*elenae* Lazarev, 2019e: 1195 A: HAI  
*gracilipes* Jacquot, 2020: 22 A: XIZ  
*katarinae* Holzschuh, 2009a: 285 A: GUX **ORR**  
*guangxiensis* Zhu L., Yafei L. & Li Ch. 2020: 582 #623  
*paris* Wiedemann, 1821: 167 (*Cerambyx*) A: NP "North India" YUN **ORR**

*raddei* Blessig, 1872: 170 A: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX YUN ZHE

**ORR**

*japonicus* Bates, 1873: 152 (*Mallambyx*)

*rugicollis* Gressitt, 1948a: 48 A: FUJ GUA GUI HAI HKG HUB HUN JIX SCH YUN

**#400 #525 #594**

*theresae* Pic, 1946a: 7 (*Falsomassicus*) A: CH

**genus *Neoplocaederus* Sama, 1991: 123** [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861

*Plocaederus* J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861

*Plocaederus* Gemminger, 1872: 2799 [HN]

*bicolor* Gressitt, 1942a: 1 (*Plocaederus*) A: GUI HAI HEB HUB HUN JIX SHA TAI XIZ YUN

**#225**

*caroli* Leprieur, 1876: viii (*Plocaederus*) N: AG LB MO TU AFR

*jaffeuxi* Vuillet, 1911b: 217 (*Plocaederus*)

*danilevskyi* Lazarev, 2009a: 73: A: UZ (Termez)

*denticornis* Fabricius, 1801: 271 (*Cerambyx*) A: OM SA YE

*atlanticus* Rungs, 1952: 146 (*Plocaederus*)

*cribrithorax* Kolbe, 1897: 297 (*Plocaederus*)

~~*serraticornis* Bertoloni, 1855: 440 (*Hamaticherus*)~~

*elongatulus* Holzschuh, 1993: 113 (*Plocaederus*) A: SA

*laszlokotani* Kotán & Sama, 2011 A: SY

*luristanicus* Holzschuh, 1977a: 127 (*Plocaederus*) A: IN

*lymphaticus* Lameere, 1890: ccx (*Plocaederus*) A: UP

*obesus* Gahan, 1890a: 51 (*Plocaederus*) A: AP BT GUA GUI GUX HAI HKG HP JIX PA SD UP YUN **ORR**

**#60 #366**

*pedestris* Cotes, 1889: 91 (*Plocaederus*) [HN]

*pedestris* White, 1853a: 127 (*Hammaticherus*) A: HP KA "Northern India" **ORR**

**#274 #366**

*humeralis* White, 1853a: 127

*ruficornis* Newman, 1842a: 245 (*Hammaticherus*) A: NP YUN **ORR**

*scapularis* Fischer von Waldheim, 1821: 15 (*Cerambyx*) A: AF IN KI KZ TD TM UZ XIN

*tataricus* Gebler, 1841a: 375 (*Hammaticherus*)

*spinicornis* Fabricius, 1781: 224 (*Lamia*) A: OM SA YE **AFR**

*denticornis* Olivier, 1795: 60 (*Cerambyx*)

*pubipennis* White, 1853a: 126 (*Hammaticherus*)

**genus *Pachydissus* Newman, 1838b: 494** type species *Pachydissus sericus* Newman, 1838

*argentatus* Pic, 1923b: 8 A: XIZ

*murzini* Miroshnikov, 2018c: 212 A: YUN

*parvicollis* Gahan, 1891a: 29 A: HP NP "North India"

**#366**

*schmutzenhoferi* Holzschuh, 1990: 185 A: BT SD

*thibetanus* Pic, 1946d 108 A: XIZ

**genus *Parolesthes* Vitali, Gouverneur & Chemin, 2017: 58** type species: *Aeolesthes laosensis* Gressitt & Rondon, 1970

*laosensis* Gressitt & Rondon, 1970: 64 (*Aeolesthes*) A: YUN **ORR**

**genus *Plavichydissus* Pic, 1946b: 107** type species: *Pachydissus semiplicatus* Pic, 1926

**#277**

*decipiens* Holzschuh, 1989c: 393 (*Margites*) A: BT

**genus *Pseudaolesthes* Plavilstshikov, 1931a: 73** type species *Neocerambyx chrysothrix* Bates, 1873

**#207**

*Niphocerambyx* Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873

*chrysothrix chrysothrix* Bates, 1873: 152 (*Neocerambyx*) A: GUI HEB HEN HUB JA SC SHA SHG SHN YUN ZHE

**#400**

*batesi* Harold, 1875: 295 (*Neocerambyx*)

*chrysothrix fukidai* Fujita, 2018: 26 A: JA (Ryukyus)

*chrysothrix kurosawai* Gressitt, 1965: 62 A: JA (Ryukyus)

*chrysothrix nakamurai* Kusama & Takakuwa, 1984: 9 (*Aeolesthes*) A: JA (Ryukyus)

**#276**

*chrysothrix taiwanensis* Hayashi, 1974a: 16 A: TAI

*chrysothrix tibetana* Gressitt, 1942a: 2 A: GUI GUX HAI XIZ YUN

*chrysothrix yonaguniensis* K. Ohbayashi & N. Ohbayashi, 1965: 1 A: JA (Ryukyus)

*mutabiliaurea* Chiang, 1951: 21 A: GUI GUX

**genus *Pseudopachydissus* Pic, 1933: 11** type species *Pseudopachydissus rufofemoralis* Pic, 1933 [Tonkin]

**#68**

*rufofemoralis* Pic, 1933a: 11 A: GUX **ORR**

**#68**

*taiwanensis* Hayashi, 1992: 138 (*Neocerambyx*) A: TAI

**#68**

**genus *Rhytidodera* White, 1853a: 132** type species *Rhytidodera bowringii* White, 1853

*bowringii* White, 1853a: 133 A: ANH AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN ZHE **ORR**

**#280**

*consona* Holzschuh, 1995: 18 A: AP NP SD

**#126**

*griseofasciata* Pic, 1912j: 16 A: AP HEN HUB SHA YUN **ORR**

**#166**

**#400**

*integra* Kolbe, 1886: 237 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SC (Seoul) SCH TAI (Jinmen Is.) YUN **ORR #400**

*nebulosa* Brongniart, 1892: 240 (*Zatrephus*) [DA]  
*simulans* White, 1853a: 132 (*Hammaticherus*) A: NP **ORR**

**genus *Sinopachys* Sama, 1999b: 48** type species *Neocerambyx mandarinus* Gressitt, 1939  
*mandarinus* Gressitt, 1939c: 209 (*Neocerambyx*) A: HEN HUB HUN SCH SHA SHX

**genus *Taurotagus* Lacordaire, 1868: 249** type species *Taurotagus klugi* Lacordaire, 1868  
*Lacordairesius* Travassos Santos-Dias, 1960: 237 type species *Taurotragus klugi* Lacordaire, 1969  
*griseus* Guérin-Ménéville, 1844: 227 (*Cerambyx*) N: EG A: YE  
*auberti* Fairmaire, 1892a: 118 [DA]  
*greenfieldi* Gahan, 1894c: 408

**genus *Trachylophus* Gahan, 1888b: 59** type species *Trachylophus sinensis* Gahan, 1888  
*chiangi* Lu Y., Li Zh. & Chen L. 2019: 584 A: GUX HUN  
*sinensis* Gahan, 1888b: 60 A: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE **ORR**  
*piyananensis* Kano, 1933a: 261  
*tianmuensis* Lu Y., Li Zh. & Chen L. 2019: 584 A: ZHE

**genus *Trirachys* Hope, 1843: 63** type species *Trirachys orientalis* Hope, 1843 #207  
*Trirhachis* Agassiz, 1846: 378 [unjustified emendation]  
*Trirrhachys* Gemminger, 1872: 2801 [unjustified emendation]  
*holosericeus* Fabricius, 1787: 135 (*Cerambyx*) A: AP FUJ GUA GUX HAI HEN HKG HP KA PA SCH SD SHA TAI UP YUN **ORR**  
#127 #280  
*similis* Gahan, 1890a: 52 (*Pachydissus*)  
*velutina* J. Thomson, 1865: 576 (*Pachydissus*)  
*indicolus* Bates, 1891a: 21 (*Neocerambyx*) A: AF HP NP SD  
*indutus* Newman, 1842a: 245 (*Hammaticherus*) A: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE **ORR**  
*inexpectatus* Holzschuh, 1982b: 148 A: UP  
*orientalis* Hope, 1843: 64 A: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE **ORR**  
*formosanus* Schwarzer, 1925a: 21  
*sartus* Solsky, 1871b: 150 (*Pachydissus*) A: AF AP HP IN KA KI KZ PA TD TM UZ XIZ #280 #366 #370  
*sinens* Gahan, 1890c: 255 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya"  
**ORR**

**genus *Xenoderolus* Sama, 2007b: 98** type species *Microderolus arabicus* Villiers, 1968  
*arabicus* Villiers, 1968: 848 (*Microderolus*) A: OM SA YE #291

**genus *Xenopachys* Sama, 1999b: 46** type species *Dissopachys matthiesseni* Reitter, 1907  
*matthiesseni* Reitter, 1907b: 218 (*Dissopachys*) A: AF IN TM #345  
*schurmanni* Sama, 1999b: 46 A: AF

**genus *Xoanodera* Pascoe, 1857b: 92** type species *Xoanodera trigona* Pascoe, 1857  
*Falsoleanodera* Pic, 1923e: 8 type species *Falsoleanodera maculata* Pic, 1923e #58  
*alia* Holzschuh, 2003: 174 A: YUN **ORR** #508 #523  
*maculata* Pic, 1923e: 8 (*Falsoleanodera*) A: FUJ GUX HAI HUN SCH TAI YUN **ORR** #58 #60  
*maculata* Schwarzer, 1925a: 21 [HN]  
*regularis* Gahan, 1890a: 52 A: NP YUN "North India" **ORR** #400

**genus *Zatrephus* Pascoe, 1857b: 94** type species *Zatrephus pannosus* Pascoe, 1857  
*longicornis* Pic, 1930a: 15 A: GUA **ORR**

#### tribe Certallini Fairmaire, 1864

**genus *Certallum* Dejean, 1821: 111** type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)  
*Cartallum* Audinet-Serville, 1834b: 94 [unjustified emendation]  
*ebulinum* Linnaeus, 1767: 637 (*Cerambyx*) E: AL BU FR GR MA MC PT SP ST TR UK N: AG EG LB MO TU A: AB AR CY GG IN  
IQ IS JO LE SY TR #11 #64  
*monspeliense* Gmelin, 1790: 1842 (*Cerambyx*)  
*nigricolle* Pic, 1891b: 17 (*Cartallum*)  
*ruficolle* Fabricius, 1781: 236 (*Callidium*)  
*tricolor* Chevrolat, 1882: 57 (*Obrium*)  
*martini* Sama, 1990: 287 N: AG MO TU #483  
*nigricorne* Holzschuh, 1991a: 10 (*Cartallum*)  
*thoracicum* Sharp, 1880: 247 (*Cartallum*) A: IN IQ IS JO LE SY TR  
*diversipes* Pic, 1928c: 9 (*Cartallum*)  
*laevicolle* Pic, 1895c: 76 (*Cartallum*)

# tribe Cleomenini Lacordaire, 1868

**genus *Artimpaza* J. Thomson, 1864: 160** type species *Artimpaza odontoceroideus* J. Thomson, 1864

*Cleomenida* Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925

*Falsodebilia* Pic, 1918a: 9 type species *Falsodebilia metallica* Pic, 1918

*Mimistena* Pascoe, 1866d: 513 type species *Mimistena femorata* Pascoe, 1866

*argenteonotata* Pic, 1922c: 10 A: GUA GUX YUN **ORR**

*brevilineata* Tian & L. Chen, 2012: 43 A: YUN

*curtelineata* Pic, 1922b: 23 (*Falsodebilia*) A: GUX YUN **ORR**

*dehra* Gardner, 1939: 13 A: NP UP

*lineata* Pic, 1927a: 24 (*Falsodebilia*) A: GUX YUN **ORR**

*metallica* Pic, 1918a: 10 (*Falsodebilia*) A: YUN **ORR**

*mimetica* Holzschuh, 1989b: 385 A: YUN **ORR**

*obscura* Gardner, 1926: 207 A: NP SD "India"

*patruelis* Holzschuh, 1989b: 383 A: YUN **ORR**

*pulchella* Gressitt, 1935c: 187 (*Cleomenida*) A: TAI

*pulchra* Gressitt & Rondon, 1970: 292 A: HAI **ORR**

*punctigera* Holzschuh, 1982a: 72 A: NP **ORR**

*sausai* Holzschuh, 1995: 31 A: YUN

*setigera japonica* Pic, 1928a: 27 (*Falsodebilia*) A: JA

*nipponica* Hayashi, 1956d: 40

*setigera setigera* Schwarzer, 1925a: 29 (*Cleomenida*) A: TAI

*ruficollis* Matsushita, 1933a: 107 (*Mimistena*)

**genus *Camelocerambyx* Pic, 1922: 32** type species *Camelocerambyx singularis* Pic, 1922

*singularis* Pic, 1922e: 32 A: YUN **ORR**

#310

**genus *Cleomenes* J. Thomson, 1864: 161** type species *Cleomenes diammaphoroides* J. Thomson, 1864

*apicalis* Holzschuh, 1977b: 340 A: BT NP ?XIZ

#60

*atricornis* Holzschuh, 1995: 33 A: BT

*auricollis* Kano, 1933a: 277 A: TAI

*diversevittatus* Fuchs, 1961: 21 A: YUN

*giganteus* Holzschuh, 1995: 34 A: **SCH** YUN

#496

*hainanensis* Viktora, 2019a: 112 A: HAI

*longipennis longipennis* Gressitt, 1951a: 313 A: **GAN** HUB SCH SHA TAI YUN

#60

#496

*longipennis trilineatus* Holzschuh, 2006a: 264 A: YUN

#60

*modicatus* Holzschuh, 1995: 33 A: YUN

*multiplagatus* Pu, 1992b: 599 A: YUN

*nigricollis* Fairmaire, 1895: 148 A: GUX YUN **ORR**

*ornatus* Holzschuh, 1981: 102 A: NP SD YUN

*rufofemoratus* Pic, 1914d: 17 A: FUJ YUN

*semiargentens* Gressitt, 1945a: 127 A: SCH **SHA**

#496

*semilineatus* Pic, 1957: 77 A: FUJ

*takiguchii* K. Ohbayashi, 1936a: 14 A: JA SC (Jeobdo Is.)

*tenuipes constans* Holzschuh, 2019c: 85 A: GUX

*tenuipes tenuipes* Gressitt, 1939b: 106 A: ?GUX HUB TAI YUN ZHE **ORR**

*trinotatithorax* Mitono, 1944: 249 A: HAI

**genus *Dere* White, 1855: 248** type species *Dere thoracica* White, 1855

[*affinis affinis* Gahan, 1906a: 316 - Northern India]

*affinis macilenta* Gressitt, 1940b: 87 A: GUA HAI HKG SCH **ORR**

*femoralis* Holzschuh, 1998: 41 A: YUN

*grahami* Gardner, 1942: 70 A: NP UP

*holonigra* Holzschuh, 2021a: 102 A: YUN

*khatrii* Holzschuh, 1984c: 367 A: NP SD

*kirai* Mitono, 1943: 588 A: TAI

*nigripennis* Holzschuh, 2015d: 59 A: SHA

*opacula* Holzschuh, 1984a: 151 A: NP

*punctifrons* Holzschuh, 1991b: 63 A: YUN **ORR**

*reticulata* Gressitt, 1942a: 4 A: BEI HEN HUB SCH SHA XIZ YUN ZHE **ORR**

#60

*rufeola* Holzschuh, 1998: 40 A: HUN

*subtilis* Holzschuh, 1991b: 63 A: YUN

*thoracica* White, 1855: 249 A: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE **ORR**

**genus *Diplothorax* Gressitt & Rondon, 1970: 312** type species *Diplothorax paradoxus* Gressitt & Rondon, 1970

*brevis* Niisato, 2008b: 283 A: HUB

*fasciatus* Holzschuh, 1982a: 74 A: NP UP  
*ishihamai* Niisato, 1998a: 208 A: YUN  
*kaiyuni* Niisato & Chou, 2014: 159 A: TAI  
*lucens* Holzschuh, 1995: 28 A: SCH  
*punctator* Holzschuh, 2003a: 189 A: SHA  
*sangayi* Holzschuh, 1989c: 394 A: BT CH **ORR**

**genus *Dymorphocosmisoma* Pic, 1918e: 6** type species *Dymorphocosmisoma diversicorne* Pic, 1918 **#400**  
*diversicorne* Pic, 1918e: 6 A: YUN

**genus *Kurarua* Gressitt, 1936: 92** type species *Kurarua constrictipennis* Gressitt, 1936  
*Cleomenella* Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940  
*Sikimpaza* Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961  
*angustissima* Pic, 1903e: 105 (*Debilis*) A: SCH YUN  
*bicolorata* Gressitt & Rondon, 1970: 303 A: YUN **ORR**  
*brevipes* Holzschuh, 1984: 152 A: NP SD  
*chujoi* Makihara, 1982b: 129 A: JA (Ryukyus) TAI  
*constrictipennis* Gressitt, 1936: 93 A: GUX TAI  
*nacerdoides* Pesarini & Sabbadini, 1997: 113 A: YUN  
*nigrescens* Holzschuh, 1999: 31 A: YUN **ORR**  
*pedongensis* Heyrovský, 1961b: 140 (*Sikimpaza*) A: SD  
*rhopalophoroides* Hayashi, 1951b: 78 A: JA  
*ruficeps* Holzschuh, 1991a: 25 A: YUN **ORR**

**#400**

**genus *Nida* Pascoe, 1867a: 312** type species *Nida flavovittata* Pascoe, 1867  
*championi* Gardner, 1926: 208 A: NP SD UP  
*flavovittata* Pascoe, 1867a: 312 A: GUX YUN **ORR**  
*vittidorsa* Pic, 1904c: 10 (*Ceresium*)  
*kala* Gardner, 1936: 136 A: UP

**genus *Paramimistena* Fisher, 1940: 204** type species *Paramimistena polyalthiae* Fisher, 1940  
*assimilata* Holzschuh, 1999: 38 A: SD  
*enterolobii* Gressitt & Rondon, 1970: 308 A: ?SHA **ORR**  
*gracilicornis* Holzschuh, 1999: 38 A: NP  
*polyalthiae* Fisher, 1940: 205 A: SD  
*subglabra* Gressitt & Rondon, 1970: 306 A: SD YUN **ORR**

**genus *Procleomenes* Gressitt & Rondon, 1970: 309** type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970 **#400**  
*jianfenglingensis* Hua, 1986b: 204 A: ?FUJ HAI ?HKG  
*mioleucus* Holzschuh, 1998: 39 A: YUN  
*robustus* Niisato, 1981b: 71 A: TAI

### tribe Clytellini Miroshnikov, 2014c

**#640**

**genus *Clytellus* Westwood, 1854: 240** type species *Clytellus methocoides* Westwood, 1854  
*akiyamai* Niisato, 2015b: 495 A: TAI  
*methocoides* Westwood, 1854: 240 A: GUA GUX HKG JIX **ORR**

**#60 #99 #400**

### tribe Clytini Mulsant, 1839

**genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110** type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997  
*felicisrosettae* Pesarini & Sabbadini, 1997: 111 A: SCH  
*ventripennis* Pic, 1908h: 61 (*Clytus*) A: SCH YUN

**genus *Amamiclytus* K. Ohbayashi, 1964: 21** type species *Amamiclytus nobuoi* K. Ohbayashi, 1964 **#230**  
*hirtipes* Matsushita, 1940: 52 (*Rhaphuma*) A: TAI  
*juni* Niisato & Han, 2011: 40 A: TAI  
*limaticollis* Gressitt, 1939b: 101 (*Rhaphuma*) A: ZHE **#37**  
*nobuoi akusekianus* Niisato, 2005: 383 A: JA (Tokara Isls.)  
*nobuoi nobuoi* K. Ohbayashi, 1964: 21 A: JA (Ryukyus)  
*nubilus* Niisato & Han, 2011: 37 A: TAI  
*setiger* Niisato & Han, 2011: 35 A: TAI  
*subnitidus* Holzschuh, 1984c: 357 A: TAI  
*wenshuani* Niisato & Han, 2013: 165 A: YUN  
*wuxingensis* Sh. Yang & Wang, 2019: 58 A: GUI  
*yulongi* Niisato & Han, 2011: 43 A: TAI

genus *Brachyclytus* Kraatz, 1879c: 107 type species *Brachyclytus singularis* Kraatz, 1879  
*singularis* Kraatz, 1879c: 107 A: FE HEN JA NC SC SHG  
*fukukii* Seki, 1935: 224

genus *Calloides* LeConte, 1873b: 319 type species *Clytus nobilis* Harris, 1837  
*bicolor* Pu, 1991b: 248, 252 A: GUI GUX SCH  
*magnificus* Pic, 1916g: 181 (*Clytus*) A: GAN HEB SCH SHA SHN SHX  
*yunnanensis* J.-X. Zhang & Chen, 2006: 47 A: YUN

#400 #496

genus *Chaetopsilomerus* Niisato et Han, 2017: 202 type species *Chaetopsilomerus hainanensis* Niisato et Han, 2017  
*hainanensis* Niisato et Han, 2017: 202 A: HAI

genus *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787 #517 #653  
subgenus *Basispilus* Özdikmen, 2022: 632 type species *Clytanthus semiformosus* Pic, 1908  
*semiformosus* Pic, 1908f: 14 (*Clytanthus*) A: YUN  
subgenus *Bicoloroimmaculatus* Özdikmen, 2022: 633 type species *Chlorophorus aurivillianus* Plavilstshikov, 1921  
*touzalini* Pic, 1920b: 198 A: YUN  
subgenus *Chlorophoroides* Özdikmen, 2022: 637 type species *Leptura varia* O. F. Müller, 1766  
*aritai* K. Ohbayashi, 1964: 22 (*Rhaphuma*) A: JA (Ryukyus)  
*boninensis* Kano, 1933b: 135 A: JA (Ogasawara Isls.)  
*caragana* Xie & W.-K. Wang, 2012: 55 A: MN NIN NMO #60  
#61

4

*douei* Chevrolat, 1863: 294 (*Anthoboscus*) A: FUJ GUA GUI GUX HAI HUN NP SCH SHA XIZ YUN ORR #225  
*aei* Hayashi, 1979: 90  
*brevejunctus* Pic, 1943a: 1  
*laharae* Gardner, 1942: 72  
*reductus* Pic, 1922c: 13  
*vageapicatus* Pesarini & Sabbadini, 2015: 48  
*flavopubescens* Hayashi, 1968c: 14 A: JA (Ryukyus)  
*graphus* Holzschuh, 1998: 47 A: TAI  
*?hauseri* Pic, 1931r: 258 A: YUN  
*henriettae* Holzschuh, 1984c: 358 A: NP SD  
*hrabovskiy* Kratochvíl, 1985b: 66 A: TM IN  
*japonicus* Chevrolat, 1863: 298 (*Anthoboscus*) A: FE (Sakhalin, Kunashir) GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX  
ZHE ORR  
*griseobimaculatus* Pic, 1924a: 16 (*Clytanthus*)  
*latepubens* Pic, 1924a: 15 (*Clytanthus*)  
*multipectus* Pic, 1943a: 1 (*Chlorophorus* - misprint, not available name)  
*quelpaerti* Pic, 1943a: 1 (*Chlorophorus* - misprint, not available name)  
*rufotinctus* Pic, 1924a: 16 (*Clytanthus*)  
*kanekoi* Matsushita, 1941: 134 A: TAI  
*kobayashii* Komiya, 1976: 31 A: JA (Ogasawara Isls.)  
*kusamai* Satô, 1999: 47 A: JA (Ogasawara Isls.)  
*miwai* Gressitt, 1936: 100 A: ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE #400 #525  
*shirozui* Hayashi, 1965: 110  
*takakuwai* Niisato & Chou, 2017: 316 #364  
*quinquefasciatus* Laporte & Gory, 1841: 101 (*Clytus*) A: GUA GUX HAI JA SC TAI #400  
*rufimembris* Gressitt & Rondon, 1970: 221, 223 A: YUN ORR #39  
*varius damascenus* Chevrolat, 1854: 483 (*Clytus*) E: GR (Rodas) TR N: EG A: CY ?IN IS IQ JO LE SY TR #161 #471  
*varius varius* O. F. Müller, 1766: 188 (*Leptura*) E: ~~AF~~ AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT LS LT MA MC MD ME  
NL PL RO SB SK SL SP ST SZ TR UK A: AB AF AR GG KZ TR WS #345 #400  
*c-duplex* Scopoli, 1786: 46 (*Stenocorus*)  
*ferrugineus* Mulsant, 1839: 87 (*Clytus*)  
*fontanae* Hubenthal, 1923: 141 (*Clytanthus*)  
*gammoides* Geoffroy, 1785: 81 (*Leptura*)  
*incanus* Plavilstshikov, 1924: 229  
*mixtornatus* Fleischer, 1908: 211 (*Clytanthus*)  
*mouinierei* Pic, 1950c: 6  
*nigrofasciatus* Goeze, 1777: 507 (*Leptura*)  
*ornatus* Herbst, 1784: 98 (*Callidium*)  
*strigosus* Gmelin, 1790: 1877 (*Leptura*)  
*venustus* Gmelin, 1790: 1856 (*Cerambyx*)  
*verbasci* Linné, 1767 (*Leptura*)  
*viridicollis* Kraatz, 1871b: 410 (*Clytus*)  
*yakitai* Niisato, 2005: 384 A: JA (Senkaku Isls.)  
*yayeyamensis* Kano, 1933b: 137 A: JA  
*dubius* Matsushita, 1933b: 281

**subgenus** *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787  
*?acrocarmi* Gardner, 1942: 71 A: NP SD  
*amami* Hayashi, 1968a: 24 A: JA (Ryukyus) #400  
*annularis* Fabricius, 1787: 156 (*Callidium*) Ei: BE GE SP A: ANH AP FUJ GUA GUI GUX HAI HEB HEN HKG HP HUB HUN JA  
JIA JIL JIX LIA NP SC SCH SD SHA TAI UP XIZ YUN ZHE NARi NTRi ORR #127 #280 #366 #390 #558  
*bidens* Weber, 1801: 90 (*Callidium*)  
*bisbiinterruptus* Pic, 1953c: 11  
*breveinterruptus* Pic, 1953c: 10 (Tonkin)  
*griseopubens* Pic, 1943b: 3  
*reducticollis* Pic, 1953c: 11  
*subnebulosus* Pic, 1953c: 11  
*annularoides* Holzschuh, 1983: 372 A: NP SD YUN ORR  
*annulatus* Hope, 1831: 28 (*Clytus*) A: FUJ GUA GUI GUX HAI HEN HUB JA JIX NP SCH SD SHA TAI YUN ZHE ORR  
*nigroannularis* Hayashi, 1981a: 9  
*nigroannulatus* Pic, 1943a: 1 #508  
*nigroannulatus* Villiers & Chûjô, 1966: 552 [HN]  
*?oppositus* Chevrolat, 1863: 303 (*Anthoboscus*) #508  
*rufonotatus* Pic, 1943a: 1 #508  
*separatus* Gressitt, 1940b: 78 #508  
*signaticollis* Laporte & Gory, 1841: 103 (*Clytus*) #508 #524  
*viticis* Gressitt & Rondon, 1970: 225 #508  
*insidiosus* Holzschuh, 1986a: 124 A: NP SD YUN  
*nepalensis* Hayashi, 1979: 89 A: NP  
**subgenus** *Circularus* Özdikmen, 2022: 635 type species *Clytus sexguttatus* P. H. Lucas, 1847  
*?amoenus* Castelnau & Gory, 1841: 88 (*Clytus*) A: YE AFR #654  
*sexguttatus* P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU  
**subgenus** *Crassofasciatoides* Özdikmen, 2022: 643 type species *Chlorophorus inhumeralis* Pic, 1918  
*inhumeralis* Pic, 1918b: 4 A: FUJ YUN ORR  
*karausi* Viktora, 2021b: 121 A: HAI ORR  
*lingnanensis* Gressitt, 1951a: 626 A: FUJ GUA GUI HUB HUN #400  
**subgenus** *Circularus* Özdikmen, 2022: 642 type species *Clytus sexguttatus* P. H. Lucas, 1847  
*sexguttatus* P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU  
**subgenus** *Crassofasciatus* Özdikmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781  
*aegyptiacus* Fabricius, 1775: 194 (*Callidium*) E: BU GR MC A: TR  
*macedonicus* Pic, 1935d: 15  
*magdalenae* Théry, 1895: cclxvi (*Clytus*)  
*nigripes* Brullé, 1832: 255 (*Clytus*)  
*rufifrons* Pic, 1917g: 5  
*convexifrons* Holzschuh, 1981: 100 E: GR (Samos) A: TR  
*cursor* Rapuzzi & Sama, 1999: 331 A: TR  
*hungaricus* Seidlitz, 1891b: 828 E: AL AU BH BU CR CZ GR HU MC MD ME RO SB SK A: TR  
*niehuisi* Adlbauer, 1992: 497 A: TR  
*oezdikmeni* Sama & Rapuzzi, 2011a: 87 A: TR  
*robustior* Pic, 1900e: 11 (*Clytanthus*) A: TR  
*trifasciatus* Fabricius, 1781: 244 (*Callidium*) E: AL BH BU CR FR GR HU IT PT RO SL SP SZ N: AG MO TU A: IS SY TR #11  
*balearicus* Pic, 1908d: 91 (*Clytanthus*)  
~~*nigrofasciatus* Goeze, 1777: 507 (*Leptura*)~~  
~~*ornatus* Herbst, 1784: 98 (*Callidium*)~~  
*perfidus* Breit, 1915: 355 [DA]  
*paradoxus* Dayrem, 1924b: 78 (*Clytanthus*)  
*portugallus* Gmelin, 1790: 1854 (*Cerambyx*)  
**subgenus** *Eucrassofasciatus* Özdikmen, 2022: 646 type species *Chlorophorus furcillatus* Holzschuh, 1989  
*furcillatus* Holzschuh, 1989a: 166 A: NP SD  
*ziczac* Holzschuh, 2017c A: UP ORR  
**subgenus** *Eubrevenotatus* Özdikmen, 2022: 645 type species *Clytus latofasciatus* Motschulsky, 1861 (= *Clytus motschulskyi* Ganglbauer, 1887)  
*brevenotatus* Pic, 1922c: 13 A: GUA ORR  
*motschulskyi* Ganglbauer, 1887a: 135 (*Clytus*) A: ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE  
*chasanensis* Tsherepanov, 1982a: 175  
*latofasciatus* Motschulsky, 1861b: 41 (*Clytus*) [HN]  
*obliteratus* Ganglbauer, 1889a: 70 (*Clytanthus*) A: ES MG NMO  
*kaszabi* Heyrovský, 1970b: 140  
*mongolicus* Pic, 1943a: 1 (*Chlorophorus* - misprint, not available name)  
*ubsanurensis* Tsherepanov, 1971: 14  
*proannulatus* Gressitt & Rondon, 1970: 220, 225 A: JAi YUN ORR #42 #374  
*sulcaticeps* Pic, 1924a: 16 (*Clytanthus*) A: ANH FUJ HUB JIA YUN ZHE  
**subgenus** *Humeromaculatoides* Özdikmen, 2022: 650 type species *Chlorophorus navratili* Holzschuh, 1981

*navratili* Holzschuh, 1981: 99 A: UZ (Babatag Mt) TD (Dushanbe env.)  
*pseudoswatensis* Holzschuh, 1983: 373 A: PA  
**subgenus** *Humeromaculatus* Özdikmen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763  
*Sparganophorus* Zamoroka, 2021: 208 type species *Clytus diadema* Motschulsky, 1854 #636  
*albopunctatus* Pic, 1916: 13 (*Clytanthus*) A: YUN  
*anticemaculatus* Schwarzer, 1925a: 27 A: TAI  
*diadema diadema* Motschulsky, 1854a: 48 (*Clytus*) A: ANH BEI FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG  
NC NMO SC SCH SHA SHN SHX YUN ZHE  
*artemisiae* Fairmaire, 1888b: 143 (*Clytus*)  
*breuningii* Heyrovský, 1938: 93  
*herzianus* Ganglbauer, 1887a: 134 (*Clytus*)  
*itoi* Matsushita, 1934a: 240  
*trijunctus* Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)  
*diadema inhirsutus* Matsushita, 1934a: 240 A: FE (Kunashir) JA  
*kurotora* Hayashi, 1961a: 26  
*minomensis* Seki & Suematsu, 1935: 203  
*dinae* Rapuzzi & Sama, 1999: 329 A: SY TR  
*dominici* Sama, 1996c: 110 A: TR  
*duo* Fairmaire, 1888a: 33 (*Clytus*) A: JIA JIX SHA #400  
*?dureli* Pic, 1950e: 507 A: BT NP "India"  
*ahatodae* Chatterjee & Misra, 1971: 91  
*pseudofiguratus* Heyrovský, 1976: 182  
*?fainanensis* Pic, 1918b: 4 A: TAI #508  
*figuratus* Scopoli, 1763: 55 (*Cerambyx*) E: AL AU BH BU BY CD CR CT CZ ?EN FR GE GR HU IT LA LS LT LU MC MD ME NT  
PL PT RO SB SK SL SP ST SZ TR UK A: AB AR ES GG IN KZ TR WS  
*conglobatus* Fügner, 1891: 201 (*Clytus*)  
*cordiger* Aragona, 1830: 26 (*Clytus*)  
*funebis* Laicharting, 1784: 111 (*Clytus*)  
*lamda* Schrank, 1776: 67 (*Leptura*)  
*latifasciatus* Fischer von Waldheim, 1832: 439 (*Clytus*)  
*leucozonias* Gmelin, 1790: 1846 (*Cerambyx*)  
*plebejus* Fabricius, 1781: 243 (*Callidium*)  
*rusticus* O. F. Müller, 1776: 93 (*Leptura*) [HN]  
*tapaensis* Pic, 1924c: 22 (*Clytanthus*)  
*hircanus* Pic, 1905g: 114 (*Clytanthus*) A: IN  
*persicus* Breit, 1915: 355 [DA]  
*hubenyi* Viktora, 2019: 143 A: KI (Chauvay)  
*macaumensis macaumensis* Chevrolat, 1845a [1845b]: 98 (*Clytus*) A: GUA GUX HAI HKG HUB HUN SCH SHA YUN #400  
*nivipictus* Kraatz, 1879c: 91 (*Clytus*) E: GR (Samos) A: IN SY TR  
*cinctiventris* Chevrolat, 1882: 58 (*Clytus*)  
*rubricollis* Laporte & Gory, 1841: 88 (*Clytus*) A: YUN ORR  
*andamanicus* Gahan, 1906: 265  
*strobilicola* Champion, 1919: 223 A: UP  
*tohokensis* Hayashi, 1968a: 23 A: FE JA ?NC SC  
*tsitoensis* Fairmaire, 1888b: 144 (*Clytus*) A: FUJ JIX SCH ZHE #364 #400  
*yachovi* Sama, 1996b: 97 A: IS LE  
**subgenus** *Humeromagnomaculatus* Özdikmen, 2022: 654 type species *Chlorophorus alni* Holzschuh, 1982  
*alni* Holzschuh, 1982b: 152 A: UP  
*arciferus* Chevrolat, 1863: 330 (*Amauresthes*) A: ANH BT HAI JIX NP SCH SD SHG YUN ZHE ORR  
*pieli* Pic, 1924a: 15 (*Clytanthus*)  
*rectefasciatus* Pic, 1937a: 14 (*Clytanthus*)  
*dahanshanus* Niisato & Chou, 2017: 312 A: TAI #400 #446  
*emili* Viktora, 2021b: 117 A: YUN  
*hainanicus* Gressitt, 1940b: 75 A: HAI  
*taihorensis* Schwarzer, 1925a: 27 A: TAI  
*verus* Holzschuh, 1998: 46 A: TAI  
**subgenus** *Immaculatoides* Özdikmen, 2022: 656 type species *Leptura glabromaculata* Goeze, 1777  
*apertulus* Holzschuh, 1992b: 25 A: SCH SHA  
*faldermanni* Faldermann, 1837: 269 (*Clytus*) E: ST A: AB AF AR GG IN KI KZ TD TM ?TR UZ XIN ORR #525  
*caucasicus* Pic, 1897g: 262 (*Clytanthus*)  
*?clermonti* Pic, 1921a: 13 (*Clytanthus*) - "Anatolie"  
*mesmini* Pic, 1908b: 3 (*Clytanthus*)  
*punctomaculatus* Pic, 1893a: 26 (*Clytus*)  
*quinquemaculatus* Gebler, 1845: 104 (*Clytus*)  
*fraternus* Holzschuh, 1992b: 23 A: YUN ORR #400  
*glabromaculatus glabromaculatus* Goeze, 1777: 507 (*Leptura*) E: BEi BH CR FR GEi GR IT LUi MA SL SP SZ #20  
*naevius* Gmelin, 1790: 1877 (*Leptura*)  
*quadripunctatus* Fabricius, 1793: 337 (*Callidium*)

*rugulosus* Broun, 1880: 588 (*Clytus*)  
*sempunctatus* Olivier, 1790: 264 (*Callidium*)  
*uniformis* Pic, 1945b: 7 [HN]  
*villosus* Geoffroy, 1785: 80 (*Leptura*)  
*glabromaculatus glaucus* Fabricius, 1781: 236 (*Callidium*) E: AZ FRi ITi (Sardegna) SP PT N: AG CI MO TU #20  
*consobrinus* P. H. Lucas, 1851a: xxxi (*Clytus*)  
*griseus* Laporte & Gory, 1841: 80 (*Clytus*)  
*indus* Gmelin, 1790: 1854 (*Cerambyx*)  
*lugens* Küster, 1848b: 76 (*Clytus*)  
*nigrosignatus* Fairmaire, 1856b: 531 (*Clytus*)  
*pilosus*, auct.(not Forster, 1771)  
*quinquepunctatus* P. H. Lucas, 1848: xlviii (*Clytus*)  
*thoracicus* Rungs, 1947: 100  
*unifasciatus* Pic, 1898a: 11 (*Clytanthus*)  
*vittatus* Rungs, 1947: 99  
*webbii* Brulle, 1839: 63 (*Clytus*) #20  
*webbei* Laporte & Gory, 1841: 80 (*Clytus*) [HN]  
*ignobilis* Bates, 1878b: 721 (*Clytanthus*) A: KA PA  
*impressithorax* Pic, 1950c: 6 A: "Kashmir"  
*?kinganus* Pic, 1903e: 105 (*Clytanthus*) A: CH  
*innotatus* Pic, 1920a: 2  
*uniformis* Pic, 1920d: 16  
*montanus* Nonfried, 1894: 337 (*Clytus*) A: "Himalaya"  
*mushanus* Matsushita, 1931a: 44 A: TAI  
*probsti* Holzschuh, 1989b: 380 A: TAI  
*trivialis* Holzschuh, 2010: 189 A: CHQ SCH YUN XIZ  
*ursus* Viktora, 2020: 111 A: SCH  
*zelus* Holzschuh, 1989a: 166 A: TAI  
**subgenus** *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963  
*gaudens* Holzschuh, 1992b: 26 A: SCH  
*intactus* Holzschuh, 1992b: 25 A: YUN  
*kanoi* Hayashi, 1963d: 134 A: JA #412  
*praecanus* Holzschuh, 2006b: 289 A: YUN  
*semikanoi* Hayashi, 1974a: 29 A: TAI  
*viridulus* Kano, 1933b: 136 A: TAI  
*parvus* Matsushita, 1933b: 284  
**subgenus** *Interruptus* Özdikmen, 2022: 660 type species *Clytus capensis* Laporte & Gory, 1841  
*capensis* Laporte & Gory, 1841 90 (*Clytus*) A: SA YE AFR  
*caffer* Fähræus, 1872a: 66 (*Xylotrechus*)  
**subgenus** *Octomaculatus* Özdikmen, 2022: 635 type species *Anthoboscus quatuordecimmaculatus* Chevrolat, 1863  
*quatuordecimmaculatus* Chevrolat, 1863: 295 (*Anthoboscus*) A: AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN ORR  
*anticeconfluens* Plavilstshikov, 1927b: 107  
*guerryi* Pic, 1902i: 30 (*Clytanthus*)  
*taiwanus* Matsushita, 1933b: 285 A: FUJ GUA HUB SCH TAI YUN  
**subgenus** *Perderomaculatoides*, 2022: 666 type species *Chlorophorus maculatus* Holzschuh, 2006  
*capillatus* Holzschuh, 2006b: 288 A: YUN ORR #349  
**subgenus** *Perderomaculatus* Özdikmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766  
*adelii* Holzschuh, 1974a: 93 A: IN #636  
*curvatofasciatus* Aurivillius, 1922a: 410 A: JA TAI ORR #654  
*favieri* Fairmaire, 1873: 351 (*Clytus*) N: MO  
*golestanicus* Voříšek, 2012: 2 A: IN  
*gratiosus* Marseul, 1868: 203 (*Clytus*) A: IS LE TR #161  
*?gratiosus sparsus* Reitter, 1886: 67 (*Clytus*) E: GR A: SY TR #161  
*grosseri* Sama & Rapuzzi, 2011a: 85 A: TR  
*pelletieri* Laporte & Gory, 1841: 93 (*Clytus*) N: AG MO TU  
*pelletieri* Laporte & Gory, 1841: 93 (*Clytus*) [wrong original spelling]  
*lepeletieri* Pic, 1891j: 145 [unjustified emendtion]  
*solutus* Dayrem, 1922a: 18 (*Clytanthus*)  
*ringenbachii* Sama, 2004: 148 N: LB  
*ruficornis* Olivier, 1790: 267 (*Callidium*) E: FR PT SP  
*feneoni* Chobaut, 1895b: cccxlii (*Clytanthus*)  
*obscuriceps* Pic, 1917g: 5  
*sartor* O. F. Müller, 1766: 188 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ ?LA LU MC MD ME PL PT RO  
SB SK SL SP ST SZ TR UK A: AB AR CY ?ES GG IN IS JO KZ LE IQ SY TM TR WS #30 #64 #104  
*achilleae* Brahm, 1790: 141 (*Leptura*)  
*angusticollis* Mulsant, 1851a: 123 (*Clytus*)  
*fulvicollis* Mulsant, 1862: 181 (*Clytus*)

*griseus* Gabriel, 1910: 556 (*Clytanthus*)  
*lineola* Scopoli, 1786: 44 (*Stenocorus*)  
*massiliensis* Linnaeus, 1767: 1067 (*Leptura*)  
*mequignoni* Pic, 1945a: 13  
*ruficeps* Pic, 1917g: 5  
*rusticus* Geoffroy, 1785: 81 (*Leptura*)  
*spinosulus* Mulsant, 1862: 182 (*Clytus*)  
*swatensis* Holzschuh, 1974a: 92 A: PA  
*wewalkai* Holzschuh, 1969: 77 A: TR  
**subgenus** *Piopennus* Özdikmen, 2022: 670 type species *Clythantus angustulus* MacLeay, 1886 (Papua-New Guinea)  
*? oppositus* Chevrolat, 1863: 304 (*Anthoboscus*) A: ?TAI #654  
**subgenus** *Pseudomaculatus* Özdikmen, 2022: 671 type species *Chlorophorus elaeagni* Plavilstshikov, 1956  
*elaeagni* Plavilstshikov, 1956: 818 E: KZ ST A: AB KI KZ TD TM UZ  
*eleodes* Fairmaire, 1889a: 65 (*Clytus*) A: GUI GUX HUB SCH SHA XIN XIZ YUN  
*insignifer* Pic, 1902i: 31 (*Clytanthus*)  
*robustus* Pic, 1920d: 16  
*kabateki* Holzschuh, 1998: 46 A: SCH  
*salicicola* Holzschuh, 1993a: 36 A: YUN  
**subgenus** *Sexnigromaculatus* Özdikmen, 2022: 673 type species *Chlorophorus annulifer* Heller, 1926  
*annulifer* Heller, 1926: 26 A: NP UP  
*eckweileri* Holzschuh, 1992b: 24 A: GAN SCH  
*shoreae* Gardner, 1941: 55 A: NP UP #26 #390  
*tredecimmaculatus* Chevrolat, 1863: 305 (*Anthoboscus*) A: FUJ GUA NO  
**subgenus** *Trivittatopennus* Özdikmen, 2022: 675 type species *Chlorophorus muscosus* Bates, 1873  
*muscosus* Bates, 1873: 198 (*Clytanthus*) A: JA SC YUN #413  
*bifasciatus* Kano, 1933b: 135  
**subgenus** *Viridiphorus* Zamoroka, 2021: 207 type species *Callidium herbstii* Brahm, 1790 #636  
*Brevenotatus* Özdikmen, 2022: 635 type species *Clytus distinguendus* Perroud, 1855 (India)  
*assimilis* Hope, 1831: 28 (*Clytus*) A: BT NP  
*copiosus* Holzschuh, 1991b: 46 A: GUI YUN ORR  
*furtivus* Gressitt & Rondon, 1970: 218, 231 A: XIZ ORR  
*crassipes* Pesarini & Sabbadini, 2015: 49  
*hederatus* Heller, 1926: 25 A: GUX YUN ORR  
*herbstii* Brahm, 1790: 148 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SB SP ST  
SV SZ TR UK A: ES KZ TR WS  
*sulphureus* Schaum, 1862: 103 (*Clytus*) [RN]  
*verbasci* Fabricius, 1775: 194 (*Callidium*) [HN]  
*ictericus* Holzschuh, 1991b: 45 A: YUN ORR  
*masatakai* Niisato & Karube, 2006: 222 A: JA (Ogasawara Isls.)  
*minamiwo kitaiwo* Niisato & Karube, 2002b: 250 A: JA (Volcano Isls.)  
*minamiwo minamiwo* Satô & N. Ohbayashi, 1982: 50 A: JA (Volcano Isls.) #413  
*moupinensis* Fairmaire, 1888a: 33 (*Clytus*) A: GUI GUX HUB SCH YUN ZHE  
*immaculatithorax* Pic, 1933a: 12  
*simillimus* Kraatz, 1879c: 91 (*Clytus*) A: ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH  
SHA SHN XIN YUN ZHE  
*duodecimmaculatus* Kraatz, 1879c: 91 (*Clytus*) [RN]  
*griseopubens* Pic, 1904d: 17 (*Clytanthus*)  
*joannisi* Théry, 1896: 108 (*Clytanthus*)  
*sexmaculatus* Motschulsky, 1859b: 494 (*Clytus*) [HN]  
*socius* Gahan, 1906a: 264 (*Caloclytus*) A: SD  
*tixieri* Pic, 1902i: 31 (*Clytanthus*) A: CH ORR  
*vartianae* Holzschuh, 1974a: 91 A: PA  
**subgenus** *Wnotatus* Özdikmen, 2022: 676 type species *Clytanthus chiuuae* Nakamura, 1974  
*chiuuae* Nakamura, 1974a: 14 A: TAI  
*seniculus* Holzschuh, 2006b: 287 A: YUN  
*siegriedae* Holzschuh, 1993a: 36 A: YUN ORR  
*yedoensis* Kano, 1933b: 133 (*Clytus*) A: JA  
**Undetermined species** #653  
*biinterruptus* Pic, 1943a: 1 (*Clorophorus* - misprint, not available name) A: CH  
*butleri* Pic, 1920a: 2 (*Clorophorus* - misprint, not available name) A: SD ORR  
*fuscoapicalis* Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) ("British Bootang" - Darjeeling)  
*curtipennis* Pic, 1943a: 1 A: CH  
*externesignatus* Pic, 1936b: 13 A: YUN  
*micheli* Pic, 1950c: 11 A: CH ORR  
*nodai* Makihara, 1986c: 279 A: JA  
*semisinuatus* Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) A: SD  
*pluridisjunctus* Pic, 1949b: 54 (*Clorophorus*) (Inde)

**genus *Clytobius* Gressitt, 1951a: 261** type species *Clytus davidis* Fairmaire, 1878  
*davidis* Fairmaire, 1878: 132 (*Clytus*) **A:** BEI HEB JIX LIA SHN TIA **#400**

**genus *Clytocera* Gahan, 1906a: 279** type species *Clytocera chionospila* Gahan, 1906  
*montensis* Gressitt & Rondon, 1970: 253 **A:** YUN **ORR** **#400**  
*taiwanensis* Hayashi, 1974a: 30 **A:** TAI

**genus *Clytosaurus* J. Thomson, 1864: 190** type species *Clytosaurus priapus* J. Thomson, 1864  
*siamensis* Jordan, 1894b: 497 **A:** HAI YUN **ORR**  
*signaticollis* Pic, 1922a: 8 (*Xylotrechus*)

**genus *Clytus* Laicharting, 1784: 88** type species *Leptura arietis* Linnaeus, 1758 **#262**  
**subgenus *Clytus* Laicharting, 1784: 88** type species *Leptura arietis* Linnaeus, 1758  
*Clytumnus* J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758  
*Europa* J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758  
*Sphegesthes* Chevrolat, 1863: 333 type species *Leptura arietis* Linnaeus, 1758  
**ambigenus** Chevrolat, 1882: 58 **N:** AG MO TU  
*biinterruptus* Pic, 1895f: cclxxiv  
*externeinterruptus* Pic, 1934c: 22  
*lebouli* Pic, 1932d: 25  
*leprieuri* Pic, 1934e: 20  
*arietis arietis* Linnaeus, 1758: 399 (*Leptura*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK **N:** MR **A:** TR  
*arcuatus* Sulzer, 1761: 12 (*Leptura*)  
*bickhardti* Pic, 1913b: 98  
*bourdilloni* Mulsant, 1839: 81  
*chapmani* Pic, 1937c: 13  
*cloueti* Théry, 1893: ccxiii  
*gazella* Fabricius, 1793: 333 (*Callidium*)  
*heyrowskyi* Pic, 1931c: 14  
*quadrifasciatus* DeGeer, 1775: 81 (*Cerambyx*)  
*arietis lederi* Ganglbauer, 1882: 730 [= 1886: 232] **A:** AB (Talysh) IN TM (Kopetdag)  
*arietis oblitus* Roubal, 1932: 17 **E:** ST **A:** AB AR GG TR  
*arietoides* Reitter, 1900d: 281 **E:** CT ST **A:** ES FE HEI JA JIL KZ LIA MG NC NE NMO WS XIN **#63 #400 #588**  
*sachalinensis* Matsushita, 1933a: 274  
*sibiricus* Pic, 1900d: 11  
*venustus* Plavilstshikov, 1940a: 412  
*auripilis* Bates, 1884a: 230 **A:** HUB JA  
*buglanicus* Kadlec, 2005: 106 **A:** TR  
*ciliciensis* Chevrolat, 1863: 334 (*Sphegesthes*) **A:** SY TR  
*bifarius* Heyden, 1889b: 329  
*delagrangei* Pic, 1945b: 6  
*griseofasciatus* Pic, 1908b: 3  
*reitteri* Théry, 1892: xcvi  
*clavicornis* Reiche, 1860: 734 **E:** IT (Sicilia)  
*crassicornis* Mulsant, 1862: 159  
*depilis* Holzschuh, 2019b: 96 **A:** SHA  
*dongziensis* Viktora, 2020: 104 **A:** SCH  
*famosus* Viktora & Liu, 2018c: 82 **A:** HAI  
*fibularis* Holzschuh, 2003a: 207 **A:** HEB NMO  
*fulvohirsutus* Pic, 1904e: 18 **A:** FE FE HEI JIL NC SC **#588**  
*gulekanus* Pic, 1904h: 65 **A:** TR  
*insignitus* Fairmaire, 1866b: 269 [DA] **A:** TR  
*signifer* Marseul, 1875: 396  
*kabateki* Sama, 1998: 49 **A:** LE SY  
*kumalariensis* Johanides, 2001: 219 **A:** TR  
*lama* Mulsant, 1847c: 421 **E:** AU BU BY CR CZ FR GE GR HU IT LS PL RO SK SL SZ UK  
*bifasciatus* Nicolas, 1901: 29  
*maritimus* Pic, 1945b: 6  
*vesubiensis* Pic, 1900o: 110  
*larvatus* Gressitt, 1939b: 99 **A:** ANH JIX SHA ZHE **#225**  
*madoni* Pic, 1891n: ccxi **A:** IS LE SY TR  
*preapicalis* Pic, 1939c: 17  
*mayeti* Théry, 1892: xcvi **A:** "Siberia"  
*melaenus* Bates, 1884a: 220 **A:** FE (Kunashir) JA JIX LIA NC SC **#400**  
*nigritulus* Kraatz, 1879c: 109 **A:** ES FE HEI JIL NC SC **#588**  
*orientalis* Kano, 1933b: 133 **A:** TAI

*paradisiacus* Rapuzzi & Jeniš, 2015b: 767 E: GR  
*parvigranulatus* Holzschuh, 2006b: 285 A: SHA  
*peyroni* Pic, 1899b: 209 A: LE  
*qingmaiensis* Viktora, 2020: 106 A: SCH  
*quadraticollis* Ganglbauer, 1889a: 66 A: GAN  
*raddensis* Pic, 1904e: 18 A: FE GUI HUB JA NC NE SC SHN  
*hypocrita* Plavilstshikov, 1940a: 416  
*rhamni rhamni* Germar, 1817: 223 E: AL BH CR GR IT MC SL  
*innormalis* Pic, 1927e: 11  
*paliuri* Depoli, 1940: 304  
*rhamni bellieri* Gautier des Cottés, 1862: 77 E: FR GE IT PT SP SZ  
*corsicus* Chevrolat, 1882: 58 (*Clytus*)  
~~*ferruginipes* Pic, 1891b: 26~~  
*siculus* Wagner, 1927b: 93 [HN]  
*rhamni temesiensis* Germar, 1823: 519 (*Callidium*) E: AU BU CT CZ GE HU MD RO SK SL ST TR UK A: AB AR CY GG IN IQ IS  
KZ LE SY TR #104 #186 #482 #506  
*ferruginipes* Pic, 1891b: 26  
*longicollis* Reitter, 1904: 82  
*robertae* Mineau & Teocchi, 1986: 12 E: FR (Alpes de Haute-Provence: Saint-Laurent)  
*rufopicalis* Pic, 1917d: 7 A: XIZ YUN  
*subinterruptus* Pic, 1920b: 197  
*rufobasalis* Pic, 1917f: 353 A: YUN  
*schneideri inapicalis* Pic, 1895a: 38 A: TR  
*schneideri schneideri* Kiesenwetter, 1879a: 313 [1879b: 57] A: AR AB GG IN TR  
*schurmanni* Sama, 1996c: 108 A: TR  
*taurusiensis* Pic, 1903h: 139 (*Chlorophorus*) A: IS TR  
*bytinskii* Heyrovský, 1954: 395  
*triangulimacula* Costa, 1847: 110 E: IT  
*tropicus* Panzer, 1795: 265 (*Callidium*) E: AU BH BU BY CR CZ FR GE GR HU IT MC MD PL RO SK SL SP ST SZ TR UK #90  
*interruptus* Pic, 1931c: 14  
*mucronatus* Laporte & Gory, 1841: 52  
*prescutellaris* Pic, 1931c: 14  
*unicolor* Kano, 1933b: 132 (*Xylotrechus*) A: TAI  
*validus* Fairmaire, 1896a: 128 A: HEN SCH SHX XIZ YUN  
*viridescens* Matsushita, 1933b: 274 A: TAI  
**subgenus** *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985  
*stepanovi* Danilevsky & Miroshnikov, 1985: 272 E: ST A: GG  
*vesparum* Reitter, 1889d: 375 A: AB (Talysh) IN

**genus** *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1823  
*agathus* Holzschuh, 1999: 40 A: GAN SHA  
*capra* Germar, 1823: 518 (*Callidium*) E: AU BH BY CT CZ EN FR GE LA LT MD NT PL RO SK ST SZ UK A: AB ES FE HEI IN  
JIL KZ LIA MG NC NMO SC SCH WS #506  
*obliteratus* Pic, 1943b: 1  
*sachalinensis* Kano, 1933b: 134  
*zenobia* Z. Wang, 2003: 191, 399  
*caproides caproides* Bates, 1873: 200 (*Clytus*) A: FE (Sakhalin, Kunashir) HEI JA JIL LIA #525  
*caproides kamakarii* Yokoyama, 1971: 94 A: JA  
*elegantissimus* Niisato & Chou, 2009: 222 A: GUI  
*formosanus* Gressitt, 1934: 167 A: TAI  
*kusamai* Niisato, 1988b: 138 A: TAI  
*luteomarginatus* Pic, 1914d: 18 (*Clytus*) A: YUN  
*marketae* Viktora, 2015a: 30 A: SD  
*monticallius* Komiya, 1980: 33 A: GUX JA SC  
*multizonus* Gressitt, 1951a: 260 A: FUJ  
*ohbayashii* Niisato & Chou, 2009: 226 A: GUX YUN #347  
*elegans* Pesarini & Sabbadini, 2015: 44 #347  
*petrae* Viktora, 2015a: 31 A: SCH  
*yunamensis* Pic, 1906d: 18 (*Clytus*) A: YUN ORR  
*keiichii* Niisato, 1999: 43

**genus** *Demonax* J. Thomson, 1861: 226 type species *Demonax nigrofasciatus* J. Thomson, 1861  
*Elezira* Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859  
*acanthocerus* Ganglbauer, 1889a: 68 (*Clytanthus*) A: GAN  
*albicinctus* Hope, 1831: 28 (*Clytus*) A: BT NP SD ORR  
*filiformis* Laporte & Gory, 1841: 95 (*Clytus*)  
*alcanor* Gressitt & Rondon, 1970: 270 A: GUX HAI YUN ORR #73

*angulifascia* Aurivillius, 1922a: 11 A: TAI (Lanyu Is.) **ORR**  
*kotoensis* Kano, 1938: 117  
*annamensis* Pic, 1943a: 2 [RN] A: YUN **ORR** #73  
*diversefasciatus* Pic, 1937b: 8 [HN]  
*antireductus* Pic, 1935a: 15 A: CH  
*ascendens* Pascoe, 1859: 27 (*Clytus*) A: NP UP **ORR**  
*geniculatus* Chevrolat, 1863: 280 (*Rhaphuma*)  
*balyi* Pascoe, 1859: 27 (*Clytus*) A: NP "India"  
*bicinctus* Hope, 1831: 28 (*Clytus*) A: NP  
*bidenticornis* Hayashi, 1974a: 34 A: TAI  
*bimaculicollis* Schwarzer, 1925a: 28 (*Chlorophorus*) A: HAI TAI #473  
*kotahirai* Mitono, 1942: 103  
*blairi* Gardner, 1940: 215 A: SD [Kalimpong] **ORR**  
*bowringii* Pascoe, 1859: 28 (*Clytus*) A: ANH FUJ GUA HAI HKG HUB HUN JIX ZHE **ORR** #400 #455  
*gracilipes* Pic, 1935a: 15  
*breveluteobasalis* Pic, 1943a: 2 A: NP  
*buteae* Gardner, 1940: 217 A: NP PA UP  
*christinae* Holzschuh, 1983: 387 A: NP  
*captiosus* Holzschuh, 2019c: 93 A: HUB HEN SHA  
*comparabilis* Viktora, 2020: 115 A: HAI  
*confidens* Holzschuh, 1993a: 39 A: YUN  
*consimilis* Viktora, 2020: 118 A: YUN  
*contrarius* Holzschuh, 1991: 52 A: YUN **ORR** #42  
*corallipes* Pic, 1920a: 1 A: YUN  
*bisbinotatus* Pic, 1920a: 1  
*implicatus* Pic, 1920a: 1  
*curvofasciatus* Gressitt, 1939a: 39 (*Rhaphuma*) A: FUJ JIA GUA GUI HEN HUN SCH SHA SHX TAI ZHE #489  
*triarticulodilatatus* Hayashi, 1974a: 35 (Taiwan) #105  
*determinatus* Holzschuh, 2013a: 11 A: GUI SCH SHA  
*dignus* Gahan, 1894a: 26 A: YUN **ORR**  
*rubricollis* Pic, 1923b: 10  
*dilectus* Viktora, 2021b: 131 A: YUN  
*dirangensis* Viktora, 2021b: 134 A: AP  
*diversefasciatus* Pic, 1920a: 1 A: YUN **ORR**  
*donaubaueri* Holzschuh, 1996: 8 A: YUN  
*dorotheae* Holzschuh, 1983: 385 A: NP  
*elongatus* Gressitt & Rondon, 1970: 263 A: YUN **ORR** #73  
*ferrugatus* Holzschuh, 2013a: 12 A: SCH  
*fimbriatulus* Holzschuh, 2006b: 296 A: YUN  
*flavicomus* Holzschuh, 2016a: 98 A: XIZ  
*formosomontanus* Ikeda & Niisato, 1984: 9 A: TAI  
*fugongensis* Guo & L. Chen, 2005: 408 A: YUN  
*funebri* Lameere, 1890: ccxii (*Clytus*) A: "Hindostan"  
*gemellus* Holzschuh, 2017: 100 A: SCH  
*gertrudae* Holzschuh, 1983: 395 A: BT NP YUN  
*gunjii* Holzschuh, 1983: 387 A: NP  
*hengduanus* Holzschuh, 2006b: 298 A: YUN  
*himalayanus* Pic, 1912j: 94 (*Chlorophorus*) A: HP NP  
*illex* Viktora, 2020c: 111 A: YUN **ORR**  
*ingridae* Holzschuh, 1983: 386 A: NP SD  
*inhumeralis basigriseus* Holzschuh, 2019c: 92 A: ZHE  
*inhumeralis inhumeralis* Pic, 1916g: 181 A: SCH  
*iniquus* Holzschuh, 1993a: 38 A: YUN  
*inops* Holzschuh, 1991b: 58 A: YUN **ORR**  
*invisus* Holzschuh, 2018a: 91 A: YUN  
*izumii* Mitono, 1942: 102 A: TAI  
*jamesi* Holzschuh, 1986a: 125 A: SD  
*jendeki* Holzschuh, 1995: 41 A: YUN  
*katarinae* Holzschuh, 1983: 384 A: NP YUN  
*kezukai* Holzschuh, 1984c: 365 A: TAI  
*kheoe* Gressitt & Rondon, 1970: 272 A: YUN **ORR**  
*kucerai* Holzschuh, 2006b: 295 A: SCH SHA  
*langsonius* Fairmaire, 1895: 181 (*Clytus*) A: YUN **ORR**  
*languidus* Holzschuh, 1992b: 37 A: YUN **ORR** #73  
*leucophaeus* Holzschuh, 1993a: 40 A: SCH  
*leucoscutellatus* Hope, 1831: 28 (*Clytus*) A: AP GUX NP SD **ORR** #280 #400 #659

*castaneorufus* Fairmaire, 1896 (*Chlorophorus*)  
*levipes* Holzschuh, 1991c: 51 A: YUN **ORR** #73  
*ligeratus hainanensis* Mitono, 1944: 248 A: HAI  
*ligeratus ligeratus* Gahan, 1894a: 27 A: YUN **ORR**  
*maestus* Viktora, 2021b: 150 A: HAI  
*longissimus* Pic, 1914d: 18 A: XIZ YUN  
*longissimus* Gressitt, 1935g: 572  
*longithorax* Pic, 1950e: 508 A: NP SD  
*josefinae* Holzschuh, 1983: 383  
*luridicornis* Chevrolat, 1863: 270 A: HKG  
*mali* Gressitt, 1951a: 297 A: GUX YUN  
*mariae* Holzschuh, 1983: 382 A: BT NP  
*marnei* Pic, 1918c: 7 A: GUI YUN  
*manifestus* Viktora, 2020c: 118 A: SHA  
*martialis* Gressitt et Rondon, 1970: 273 A: GUI **ORR** #400  
*masaoi* Niisato, 1984a: 13 A: TAI  
*masatakai* K. Ohbayashi, 1964: 25 A: JA (Ryukyus)  
*matyasi* Viktora, 2016b: 67 A: YUN  
*maximus* Pic, 1922b: 25 A: GUX **ORR**  
*montivagus* Viktora, 2020c: 125 A: YUN  
*multireductus* Pic, 1935a: 16 A: YUN  
*narayani* Holzschuh, 1984c: 366 A: NP SD  
*nebulosus* Gressitt & Rondon, 1970: 262 A: YUN **ORR** #253  
*nigromaculatus* Gahan, 1906a: 284 A: BT NP SD  
*nishiyamai* Niisato, 1984a: 11 A: FUJ TAI  
*occultus* Gressitt & Rondon, 1970: 268 A: YUN **ORR**  
*ohbayashii* Samuelson, 1965a: 79 A: JA (Ryukyus)  
*okunii* Mitono, 1942: 104 A: TAI  
*olivaceus* Gressitt, 1951a: 299 A: FUJ GUA #400  
*palleolus* Holzschuh, 2006b: 291 A: SCH SHA  
*parilis* Holzschuh, 1995: 39 A: GUI YUN #400  
*petrae* Viktora, 2016b: 69 A: YUN  
*pilipes* Holzschuh, 2016a: 101 A: XIZ  
*praesignis* Viktora, 2020c: 129 A: SCH  
*probus* Holzschuh, 1991b: 52 A: YUN **ORR**  
*proculscuti* Li, Tian & Chen, 2013a: 455 A: YUN  
*pseudonotabilis* Gressitt & Rondon, 1970: 262 A: HAI SCH **ORR** #400  
*pseudopsilomerus* Gressitt & Rondon, 1970: 272 A: YUN **ORR** #38  
*pseudotriscutellus* Gressitt & Rondon, 1970: 266 A: GUA GUX HAI **ORR** #400  
*puerilis* Holzschuh, 1991b: 57 A: YUN **ORR** #400  
*pumilio* Holzschuh, 1991c: 48 A: YUN **ORR** #73  
*ravus* Holzschuh, 1992b: 37 A: SCH  
*reductispinosus* Gressitt, 1942c: 30 [RN] A: FUJ HAI  
*brevespinosus* Gressitt, 1940b: 81 [HN]  
*hainanensis* Gressitt & Rondon, 1970: 263 [RN]  
*reticollis* Gahan, 1894a: 28 A: GUX HAI YUN **ORR** #149 #73  
*alboantennatus* Gressitt & Rondon, 1970: 271 #149  
*mongtsenensis* Pic, 1904c: 12 #149  
*reticulicollis* Gressitt, 1940b: 82 A: GUA GUX HAI  
*rosae* Holzschuh, 1983: 393 A: NP SD YUN  
*rosicola* Holzschuh, 2006b: 294 A: YUN  
*rufus* Guo & L. Chen, 2005: 407 A: YUN  
*sabinae* Holzschuh, 1983: 390 A: NP UP  
*salvazai* Pic, 1923b: 10 A: YUN **ORR**  
*nousophi* Gressitt & Rondon, 1970: 270  
*sausai* Holzschuh, 1995: 40 A: YUN  
*sauteri* Matsushita, 1933b: 290 [RN] A: TAI  
*matsushitai* Gressitt, 1936: 97  
*savioi* Pic, 1924a: 16 (*Clytanthus*) A: FE GUI HEB NC SC SHA SHG SHX  
*sawaii* Ikeda, 1990: 7 A: JA (Ryukyus)  
*scutellatus* Holzschuh, 2019c: 88 A: SHA ZHE  
*semiluctuosus* White, 1855: 283 (*Clytus*) A: GUI NP YUN **ORR** #400  
*albobifasciatus* Pic, 1920a: 1  
*mouhoti* Pascoe, 1869a: 604 (*Clytanthus*)  
*praecanus* Chevrolat, 1863: 277 (*Rhaphuma*)  
*semixeniscus* Hayashi, 1962a: 12 A: JA (Ryukyus)

*senex* Holzschuh, 2019c: 92 A: TAI  
*seoulensis* Mitono & Cho, 1942: 3 A: SC SHA #225  
*siccus* Holzschuh, 1991b: 57 A: GUI **ORR** #523  
*sikangensis* Gressitt, 1945a: 126 A: SCH  
*simillimus* Gressitt, 1939b: 103 A: FUJ JIA SCH ZHE #400  
*spinifer* Pic, 1920b: 197 A: YUN  
*stabilis* Holzschuh, 2003a: 222 A: SHA  
*subai* Holzschuh, 1989c: 399 A: BT  
*subobscuricolor* Pic, 1918b: 5 A: YUN  
*substitutus* Gressitt, 1951a: 300 A: TAI  
*sulinensis* Niisato, 1984a: 12 A: TAI  
*tenuiculus* Holzschuh, 1991b: 52 A: YUN **ORR** #73  
*testaceoannulatus* Pic, 1935a: 15 A: YUN **ORR** #73  
*testaceus* Hope, 1831: 28 (*Clytus*) A: NP SD  
*transilis* Bates, 1884a: 229 A: JA  
*traudae* Holzschuh, 1983: 391 A: NP SD YUN #390  
*trudae* Holzschuh, 1983: 392 A: BT NP SD YUN  
*unidenticornis* Hayashi, 1974a: 33 A: TAI  
*uniformis* Pic, 1925b: 21 A: "India"  
*vendibilis* Viktora & Liu, 2018c: 86 A: HAI  
*venosulus* Holzschuh, 2006b: 292 A: SCH  
*viduatus* Holzschuh, 2009: 343 A: **GUX** YUN **ORR** #606  
*xiaozhaizigouensis* Viktora, Liu & Zhang, 2017: 158 A: SCH SHA

**genus *Echinocerus* Mulsant, 1862: 143** type species *Cerambyx floralis* Pallas, 1773  
*Paraplagionotus* Kasatkin, 2005: 51 [unnecessary RN]  
*floralis armeniacus* Reitter, 1890b: 213 (*Plagionotus*) A: AB AR GG JO IN IQ IS LE TR #656  
*anatolicus* Vartanis, 2019: 344 (*Neoplagionotus*) #517  
*araratensis* Pic, 1901b: 11 (*Clytus*)  
*clermonti* Pic, 1913b: 121 (*Plagionotus*)  
*floralis aulicus* Laicharting 1784: 103 (*Clytus*) E: AL AU BH BU CR ~~CT~~ CZ FR GE GR HU IT LA LT MC MD ME ~~NT~~ PL RO SB SK  
 SL SP SZ TR UK A: ES KI KZ TR UZ WS #656  
*basicornis* Reitter, 1890b: 213 (*Plagionotus*)  
*controversus* Schrank, 1798: 679 (*Clytus*)  
*massiliensis* Pic, 1951: 1 (*Plagionotus*)  
*floralis centaureus* Lazarev, 2022a: 207 E: GR #656  
*floralis floralis* Pallas, 1773: 724 (*Cerambyx*) E: CT ST UK A: ES KZ WS #30 #182  
*abruptus* Kraatz, 1871b: 408 (*Clytus*)  
*annulus* Fabricius, 1801: 352 (*Clytus*) #627  
~~*arcuatus* Scopoli, 1772: 97 (*Stenocorus*)~~ #628  
*fasciatus* Herbst, 1784: 98 (*Callidium*)  
*indicus* Gmelin, 1790: 1856 (*Cerambyx*)  
*pruinosis* Kraatz, 1871b: 409 (*Clytus*)  
*variabilis* Motschulsky, 1860a: 144 (*Clytus*)  
*zebra* Dalman, 1817b: 194 (*Clytus*)  
*floralis pilifer* Reitter, 1890b: 213 (*Plagionotus*) A: TR #656

**genus *Epicyltus* Gressitt, 1935b: 173** type species *Clytus yokoyamai* Kano, 1933  
*Eoclytus* Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933  
*insolitus* Holzschuh, 1991: 45 A: YUN **ORR** #36  
*itoi* Niisato, 1981a: 33 A: TAI  
*ussuricus* Pic, 1933d: 10 (*Clytus*) A: FE HEI ?NC SC  
*veceri* Viktora et Tichý, 2016: 66 A: HEN  
*velaris* Holzschuh, 1998: 46 A: SCH  
*yokoyamai* Kano, 1933a: 275 (*Clytus*) A: JA

**genus *Grammographus* Chevrolat, 1863: 285** type species *Grammographus lineatus* Chevrolat, 1863  
*Elezira* Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859  
*arcuatus* Matsushita, 1939: 57 (*Demonax*) A: TAI  
*flavicollis* Matsushita, 1931c: 403 (*Demonax*) A: TAI  
*granulicollis* Hayashi, 1974a: 31 A: TAI  
*?jezoensis* Matsushita & Tamanuki, 1935: 3 (*Demonax*) A: JA #524  
*kanoi* Hayashi, 1963d: 133 [RN] A: TAI  
*monticola* Kano, 1933b: 136 (*Chlorophorus*) [HN]  
*lineatus* Chevrolat, 1863: 286 A: BT "India"  
*nansenensis* Pic, 1903b: 21 (*Demonax*) A: YUN **ORR** #517  
*lineaticollis* Schwarzer, 1931: 64 (*Demonax*)

*notabilis cuneatus* Fairmaire, 1888a: 35 (*Clytus*) A: GAN GUA HEN HUB SCH SHA YUN ZHE #489  
*semiobliteratus* Pic, 1902i: 31 (*Clytanthus*)  
*notabilis notabilis* Pascoe, 1862a: 360 (*Clytus*) A: FUJ GUA GUX HUB JA SC SHA TAI  
*alphabeticus* Chevrolat, 1863: 308 (*Anthoboscus*)  
*spadiceus* Matsushita, 1933b: 285 (*Chlorophorus*)  
*submaculatus* Hayashi, 1974a: 32 A: TAI  
*taiwanensis* Hayashi, 1966a: 6 A: TAI

**genus *Hesperoclytus* Holzschuh, 1986a: 123** type species *Hesperoclytus katarinae* Holzschuh, 1986  
*bozanoi* Pesarini & Sabbadini, 1997: 107 A: SCH SHA #225  
*katarinae* Holzschuh, 1986a: 123 A: BT NP

**genus *Ischnodora* Chevrolat, 1863: 332** type species *Ischnodora macra* Chevrolat, 1863  
*decolorata* Holzschuh, 1995: 38 A: YUN  
*macra* Chevrolat, 1863: 332 A: SD  
*angustula* Holzschuh, 1983: 371  
*munda* Holzschuh, 1990: 191 A: SD  
*sanci* Viktora & Tichý, 2017: 66 A: XIZ  
*sejugata* Holzschuh, 1991a: 11 A: YUN ORR  
*separanda* Holzschuh, 1983: 370 A: NP  
*ugyeni* Holzschuh, 1989c: 397 A: BT

**genus *Isotomus* Mulsant, 1862: 183** type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* Schneider, 1787)  
*Caloclytus* Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)  
*comptus comptus* Mannerheim, 1825: 36 (*Clytus*) E: ST UK A: AB AR GG IN TR #209  
*insularis* Laporte & Gory, 1841: 74 (*Clytus*)  
*perspicillus* Fischer von Waldheim, 1832: 438 (*Clytus*)  
*pubicollis* Laporte & Gory, 1841: 73 (*Clytus*)  
*comptus gilanus* Pic, 1911a: 6 (*Caloclytus*) A: IN #209  
*maculicollis* Holzschuh, 1989a: 169  
*comptus syriacus* Pic, 1902h: 25 [“Syrie”] (*Caloclytus*) A: TR #209  
*meridionalis* Özdikmen & Aytar, 2012b: 691 [Osmaniye prov.: Karatepe, Gündoğan] #209  
*jarmilae* Sláma, 1982: 209 E: GR (Crete) #209  
*speciosus barbarae* Sama, 1977: 66 E IT #209  
*speciosus eggeri* Rapuzzi & Sama, 2018: 19 E: GR  
*speciosus ganglbaueri* Pic, 1900f: 64 (*Caloclytus*) E: BH CR ME ?SB ?SL #14 #209  
*speciosus speciosus* Schneider, 1787: 125 (*Callidium*) E: AL AU BU CR CZ GE GR HU MD PL RO SB SK SL SK ST UK A: ?AB  
?AR ?GG TR #209 #482 #583  
*semipunctatus* Fabricius, 1798: 151 (*Callidium*)  
*stierlinii* Tournier, 1872: 276 (*Clytus*)  
*theresae* Pic, 1897e: 221 (*Clytus*) N: AG TU #209

**genus *Kazuoclytus* Hayashi, 1968a: 23** type species *Xylotrechus lautoides* Hayashi, 1950  
*fukienensis* Gressitt, 1951a: 254 (*Clytus*) A: FUJ JA (Ryukyus) TAI  
*yukawai* Makihara, 2004b: 222 (*Xylotrechus*)  
*lautoides* Hayashi, 1950b: 25 (*Xylotrechus*) A: JA  
*planiantennatus* Lim & Han, 2012: 193 (*Clytus*) A: SC #525

**genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164** type species *Libanoclytus tommaso*i Sama, Rapuzzi & Kairouz, 2010  
*tommaso*i Sama, Rapuzzi & Kairouz, 2010: 166 A: LE

**genus *Neoclytus* J. Thomson, 1860: 67** [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum* Fabricius, 1775)  
*Rhopalopachys* Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860  
*Rhopalomerus* Chevrolat, 1860d: 457 [HN] type species *Clytus cacticus* Chevrolat, 1860  
*acuminatus acuminatus* Fabricius, 1775: 194 (*Callidium*) Ei: AU CR FR HU IT RO SB SK SL SZ NAR NTRi #502  
*americanus* Gmelin, 1790: 1854 (*Cerambyx*)  
*aspericollis* Germar, 1823: 517 (*Callidium*) #506  
*erythrocephalus* Fabricius, 1787: 156 (*Callidium*)

**genus *Neoplagonotus* Kasatkin, 2005: 51** type species *Clytus bobelayei* Brullé, 1832  
*andreui* Fuente, 1908: 21 (*Plagionotus*) E: PT SP #165  
*marcaorum* López-Colón, 1997: 221 (*Plagionotus*)  
*marcorum* López-Colón, 1998: 311 (*Plagionotus*) [unjustified emendation]  
*bednariki* Lazarev, 2022b: 447 A: TR  
*bobelayei bobelayei* Brullé, 1832: 253 (*Clytus*) E: AL BU GR MC RO TR #30  
*bobelayei huseyini* Lazarev, 2016d A: AB AR GG IN ST TM TR UK

*speciosus* Adams, 1817: 309 (*Callidium*) [HN]  
*bobelayei mouzafferi* Pic, 1905g: 114 (*Plagionotus*) A: IN IQ IS JO SY TR #132  
*luristanicus* Pic, 1911a: 6 (*Plagionotus*)  
*persicus* Pic, 1951: 1 (*Plagionotus*)  
*scalaris* Brullé, 1832: 254 (*Clytus*) E: AL BU GR IT MC N: AG MO TU A: ?TR #64 #287  
*interruptus* Dayrem, 1928b: 77 (*Plagionotus*)  
*siculus* Laporte & Gory, 1841: 46 (*Clytus*)  
*vivesi* López-Colón, 1997: 221 (*Plagionotus*)

**genus *Perissus* Chevrolat, 1863: 262** type species *Perissus x-littera* Chevrolat, 1863  
*aemulus* Pascoe, 1869a: 618 A: YUN **ORR**  
*angusticinctus* Gressitt, 1942g: 81 A: HUB ZHE  
*asperatus* Gressitt, 1951a: 266 A: GUA HAI TAI  
*atronotatus* Pic, 1937a: 12 A: YUN **ORR** #400  
*bauhiniae* Gardner, 1936: 135 A: UP  
*biluteofasciatus* Pic, 1918b: 5 A: YUN **ORR** #400  
*cinericius* Holzschuh, 2009a: 337 A: YUN **ORR** #36  
 [clavicornis clavicornis Pic, 1927b: 34 (*Xylotrechus*) - Vietnam]  
*clavicornis luteopubescens* Pic, 1943b: 1 A: CH  
*copei* Viktora & Tichý, 2017: 68 A: XIZ  
*crassicolis* Pesarini & Sabbadini, 1997: 112 A: FUJ  
*dalbergiae* Gardner, 1930: 155 A: PA UP  
*declaratus* Holzschuh, 2003a: 204 A: GUI HUN  
*delectus* Gressitt, 1951a: 267 A: SHA #400  
*delerei* Tippmann, 1958a: 49 A: AF  
*dembickyi* Viktora, 2021b: 157 A: AP  
*demonacoides* Gressitt, 1936: 98 (*Chlorophorus*) A: TAI  
*divinus* Viktora & Liu, 2018c: 91 A: GUX  
*expletus* Viktora & Liu, 2018c: 92 A: YUN  
*fairmairei* Gressitt, 1940c: 180 [RN] A: BEI HEB HEN NC NMO SC SE SHA #400  
*fuliginosus* Fairmaire, 1888b: 145 [HN]  
*semifulvus* Pic, 1916e: 13 [HN]  
*sinho* Danilevsky, 1993d: 114  
*fuliginosus* Chevrolat, 1863: 328 (*Amauresthes*) A: BT JIL NP UP XIZ **ORR** #400  
*basalis* Plavilstshikov, 1927b: 106  
*fulvopictus* Matsushita, 1933b: 276 A: TAI  
*griseus* Gressitt, 1936: 95 A: TAI  
*hooraianus* Matsushita, 1943: 573 (*Rhaphuma*) A: TAI  
*indistinctus* Gressitt, 1940b: 72 A: HAI HKG #400  
*intersectus* Holzschuh, 2003a: 203 A: SCH SHA XIZ  
*jiuzhaigouensis* Viktora, 2016b: 72 A: SCH  
*kankauensis* Schwarzer, 1925a: 26 A: TAI  
*kiangsuensis* Gressitt, 1940c: 180 A: JIA  
*kimi* Niisato & Koh, 2003: 292 A: SC  
*kiusiuensis hisamatsui* K. Ohbayashi, 1958a: 12 A: JA  
*kiusiuensis kiusiuensis* K. Ohbayashi, 1944: 4 A: JA  
*kiusiuensis yamadai* Hayashi, 1962a: 11 A: JA (Ryukyus)  
*laetus* Lameere, 1893a: 283 A: GUA HAI YUN **ORR** #400  
*chungkonensis* Gressitt, 1940b: 73  
*proprius* Gahan, 1894a: 21  
*latepubens* Pic, 1950b: 4 A: CH  
*lubosi* Viktora, 2020c: 137 A: AP  
*luteonotatus* Pic, 1943b: 2 A: CH  
*magdalenae* Holzschuh, 1990: 189 A: NP  
*mimicus* Gressitt & Rondon, 1970: 215 A: FUJ HAI HUB YUN **ORR**  
*multifenestratus* Pic, 1926b: 1 (*Amauresthes*) A: SCH SHA #151 #225  
*mutabilis mutabilis* Gahan, 1894a: 23 A: NP SD YUN **ORR**  
*ogasawarenensis* Endo, 2000: 193 A: JA (Ogasawara Isls.)  
*paulonotatus* Pic, 1902i: 30 (*Clytus*) A: SCH YUN  
*persimilis* Gahan, 1894: 23 A: YUN **ORR**  
*plachetkai* Viktora, 2021b: 160 A: YUN  
*quercus* Gardner, 1940: 218 A: NP UP  
*rayus* Gressitt & Rondon, 1970: 212 A: GUA HAI **ORR**  
*rhaphumoides* Gressitt, 1940c: 181 A: HEN JIA SHA #225 #400  
*rubricollis* Gressitt, 1937c: 453 A: FUJ  
*thibetanus* Pic, 1918b: 5 A: XIZ

*trabealis* Holzschuh, 2003: 205 A: SCH  
*tristiculus* Fairmaire, 1895: 183 (*Clytus*) A: GAN GUI **ORR** #288  
*tsutsumii* Makihara, 1979: 161 A: JA (Ryukyus)  
*tunicatus* Viktora & Liu, 2018c: 94 A: YUN  
*wenroncheni* Niisato, 1986a: 4 A: TAI

**genus *Petraphuma* Viktora, 2018b: 144** type species *Rhaphuma sulphurea* Gressitt, 1941  
*huangjianbini* Viktora & Liu, 2018c: 97 A: YUN  
*meridiosinica* Viktora & Tichý, 2017: 226 (*Rhaphuma*) A: GUX HAI #254  
*pompa* Viktora & Liu, 2018c: 99 A: HAI  
*sulphurea* Gressitt, 1941: 336 (*Rhaphuma*) A: YUN **ORR** #254

**genus *Plagionotus* Mulsant, 1842b: 1** type species *Leptura detrita* Linnaeus, 1758  
*Platynotus* Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758  
*arcuatus arcuatus* Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GE GR HU IR IT LA LT LU  
 MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: GG IN KZ SY TR #64  
*apicalis* Hampe, 1863: 289 (*Clytus*)  
*buyssoni* Dauphin, 1924: 42  
*interrupteconnatus* Schmidt, 1951: 16  
*lunatus* Fabricius, 1782: 500 (*Callidium*)  
*martialis* Pic, 1918d: 15  
*milliati* Pic, 1934e: 20  
~~multiinterruptus~~ Pic, 1933d: 6  
*pagnioni* Pic, 1925d: 10  
*plavilstshikovi* Schmidt, 1951: 15  
*reichei* J. Thomson, 1861: 220 (*Plagyonotus*)  
*salicis* Schrank, 1798: 677 (*Clytus*)  
*stauropolibus* Pic, 1915e: 7  
*tastani* Özdikmen, Atak & Uçkan, 2017b: 89 #559  
*arcuatus ghidottii* Pesarini & Sabbadini, 2011: 47 E: GR (Crete)  
*arcuatus kirgizicus* Lazarev, 2010c: 161 A: KI  
*arcuatus lugubris* Ménétériés, 1832: 229 (*Clytus*) A: AB IN TM  
*flavicornis* Pic, 1898b: 19  
*henoni* Pic, 1933d: 6  
*lenkoranus* Pic, 1933d: 6  
*arcuatus multiinterruptus* Pic, 1933d: 6 A: AB AR TR  
*arcuatus shirazensis* Królik, Kruszelnicki, Lason & Walczak, 2021: 560 A: IN  
*bartholomei* Motschulsky, 1860a: 142 (*Clytus*) A: AB (Talysh) IN  
*admirabilis* Heyden, 1879a: 314 [1879b: 58] (*Clytus*)  
*bieberi* Bodemeyer, 1927b: 93 (*Clythantus*) A: IN #23  
*bisbifasciatus* Pic, 1915f: 13 A: YUN  
*christophi* Kraatz, 1879c: 108 (*Clytus*) A: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA  
*detritus africae* septentrionalis Tippmann, 1952a: 143 N: EG A: SY TR #5 #143 #209  
*detritus caucasicola* Plavilstshikov, 1940: 435 E: ST A: AB AR GG SY TR #5 #209  
*detritus cebecii* Rapuzzi & Sama, 2018: 17 A: TR  
*detritus detritus* Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IT LA LT LU MC MD  
 ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ TR #357 #548  
*anticereductus* Schmidt, 1951: 14  
*apicebimaculatus* Schmidt, 1951: 14  
*convertini* L. Petagna, 1819: 38 (*Callidium*)  
*obscurbasalis* Pic, 1942b: 2  
*rufescens* Pic, 1891b: 24  
*uralensis* Tippmann, 1952a: 144  
*pulcher* Blessig, 1872: 184 (*Clytus*) A: FE HEB HEI JA JIL NC NIN SC SHA SHX  
*lignatorum* Thieme, 1881: 100 (*Clytus*)  
*maculithorax* Pic, 1904d: 15

**genus *Pseudosphegesthes* Reitter, 1913a: 50** type species *Clytus cinereus* Laporte & Gory, 1841  
*bergeri* Sláma, 1982: 207 E: GR (Crete)  
*brunnescens* Pic, 1897g: 262 (*Clytus*) E: ST A: AB AR GG ?IN TR  
*circassica* Pic, 1905a: 10 (*Clytus*)  
*bubeniki* Rapuzzi & Jeniš, 2015a: 749 E: GR  
*cinerea* Laporte & Gory, 1841: 68 (*Clytus*) [NP] E: FR GE IT SP UK  
*auboueri* Desbrochers des Loges, 1873a: 429 (*Clytus*)  
*duponti* Mulsant, 1839: 84 (*Clytus*) [NO]  
*sternii* Kraatz, 1870b: 219 (*Clytus*)  
*giglii* Rapuzzi & Jeniš, 2015a: 751 A: TR  
*longitarsus* Holzschuh, 1974a: 90 A: TR

samai Danilevsky, 2000b: 44 A: TR

**genus *Psilomerus* Chevrolat, 1863: 257** type species *Psilomerus angustus* Chevrolat, 1863  
*laosensis* Gressitt & Rondon, 1970: 277 A: YUN **ORR**  
*suturalis* Gressitt & Rondon, 1970: 278 A: YUN **ORR**

#400  
#400

**genus *Rhabdoclytus* Ganglbauer, 1889c: 479** type species *Clytus acutivittis* Kraatz, 1879  
*Hayashiclytus* K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879  
*acutivittis acutivittis* Kraatz, 1879c: 111 (*Clytus*) A: FE HEI JIL LIA NC SC  
*acutivittis inscriptus* Bates, 1884a: 229 (*Clytanthus*) A: JA  
*alternans* Holzschuh, 2003: 219 (*Hayashiclytus*) A: SHA  
*elongatus* Gressitt, 1940c: 184 (*Rhaphuma*) A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE

#414

**genus *Rhaphuma* Pascoe, 1858: 240 [RN]** type species *Clytus quadricolor* Laporte & Gory, 1841

#501

*Arcyphorus* Gemminger, 1872: 2938 [unjustified emendation]  
*Arcyphorus* Chevrolat, 1863: 287 type species *Arcyphorus histrio* Chevrolat, 1863  
*Rhaphium* A. White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1841  
*acrocarpi* Gardner, 1940: 224 A: SD [Kalimpong]  
*aequalis* Holzschuh, 1991b: 49 A: YUN **ORR**  
*afflata* Holzschuh, 1983: 374 A: NP  
*albicolon* Holzschuh, 2006b: 300 A: SHA  
*albonotata* Pic, 1915f: 12 A: YUN  
*amamiensis* Hayashi, 1983: 38 A: JA (Ryukyus)  
*angustata* Pic, 1920a: 1 (*Chlorophorus*) A: YUN  
*anongi* Gressitt & Rondon, 1970: 247 A: HAI YUN **ORR**  
*anopla* Holzschuh, 1983: 377 A: NP SD  
*aperta* Gressitt, 1951a: 287 A: FUJ SCH  
*aranea* Holzschuh, 1984c: 359 A: NP SD  
*arisana* Seki & Suematsu, 1935: 203 (*Perissus*) A: TAI  
*mushana* Matsushita, 1936: 147

#524

*asellaria* Holzschuh, 2017c: 116 A: YUN **ORR**  
*baibarae* Matsushita, 1931c: 401 A: TAI  
*bhaktai* Holzschuh, 1983: 376 A: NP SD  
*bicolorifemoralis* Gressitt & Rondon, 1970: 249 A: GUA HAI YUN XIZ **ORR**  
*bii* Holzschuh, 2016a: 94 A: XIZ  
*bimaculata* Schwarzer, 1931a: 63 A: UP  
*binhensis* Pic, 1922c: 13 (*Chlorophorus*) A: HAI **ORR**  
~~*binotata* Hua, 1989a: 113 [RN] A: ?YUN **ORR**~~  
~~— *elongata* Gressitt & Rondon, 1970: 240 [HN]~~

#176 #400

#501

*brigitae* Holzschuh, 1991b: 47 A: NP YUN  
*brodskyi* Holzschuh, 1992b: 28 A: YUN **ORR**  
*caraganicola* Viktora & Liu, 2018c: 102 A: XIZ  
*chatterjeei* Gardner, 1940: 219 A: NP UP  
*circumscripta* Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI  
*clarina* Gressitt & Rondon, 1970: 250 A: YUN **ORR**  
*comosella* Holzschuh, 2006b: 301 A: XIZ  
*constricta* Gressitt & Rondon, 1970: 243 A: GUX YUN **ORR**  
*decora* Holzschuh, 1995: 39 A: YUN  
*delicata* Kano, 1933b: 138 A: TAI

#400

#176

#524 #527

~~*ruficollis* Mitono, 1942: 92~~  
*desaii* Gardner, 1940: 220 A: YUN **ORR**  
*diana* Gahan, 1906a: 271 A: GUX YUN **ORR**  
*diminuta diminuta* Bates, 1873: 199 (*Clytanthus*) A: FE JA NC SC  
*misella* Bates, 1884a: 228 (*Clytanthus*)  
*diminuta nitens* Hayashi, 1962a: 12 A: JA (Ryukyus)  
*disconotata* Pic, 1908f: 15 (*Clytanthus*) A: YUN  
*diversevittata* Pic, 1943b: 1 A: CH  
*diversipennis* Pic, 1920d: 18 A: CH  
*eleodina* Gressitt & Rondon, 1970: 244 A: YUN **ORR**  
*encausta* Holzschuh, 1991a: 12 A: YUN **ORR**  
*falx* Holzschuh, 1991b: 51 A: YUN **ORR**  
*familiaris* Holzschuh, 2017c: 116 A: SHA  
*filipedes* Holzschuh, 2016a: 97 A: NP XIZ  
*frustrata* Holzschuh, 1993a: 37 A: YUN  
*fulgurata bhutanica* Holzschuh, 2003b: 306 A: BT  
*fulgurata fulgurata* Gahan, 1906a: 274 A: NP SD

*gracilipes* Faldermann, 1835: 436 (*Clytus*) E: BY CT ?LT NT PL ?RO ST ?UK A: BEI ES FE HEI JIL KZ MG NC NMO SC WS

#583

— *angusticollis* Mulsant, 1851a: 123 (*Clytus*)

*rosinae* Pic, 1935d: 15 (*Chlorophorus*)

*sachalinensis* Matsumura, 1911: 139 (*Clytanthus*)

*tenuicornis* Fairmaire, 1888b: 142 (*Clytus*)

*herminae* Holzschuh, 1984c: 363 A: LIA NP

#400

*horsfieldi* White, 1855: 284 (*Clytus*) A: AP GUX NP SCH SD SHA YUN ORR

#280

*laosensis* Pic, 1923b: 9

*illicata* Holzschuh, 1991: 50 A: YUN ORR

*ilsae* Holzschuh, 1983: 379 A: NP SD

*impressiceps* Pic, 1943b: 1 A: CH

*improba* Holzschuh, 1992b: 32 A: GUX ORR

#400

*improvisa* Holzschuh, 1991a: 48 A: YUN ORR

*indifferens* Holzschuh, 1992b: 33 A: YUN ORR

*intaminata* Holzschuh, 2017c: 121 A: UP

*jianfenglingensis* Viktora & Liu, 2018c: 105 A: HAI

*joshii* Holzschuh, 1984c: 361 A: NP SD

*klapperichi* Tippmann, 1955: 113 A: FUJ

*lacrima* Viktora, 2019c: 192 A: YUN

*lanzui* Holzschuh, 1991: 48 A: YUN ORR

*laojunensis* Tavakilian, 2018: 40 A: YUN

#243

*interrupta* Pesarini & Sabbadini, 2015: 52

#176 #243

*laosica* Gressitt & Rondon, 1970: 241 A: GUI SCH SD YUN ORR

#400

*lepesmei* Pic, 1950e: 507 (*Chlorophorus*) A: SD

#221

*liyinghuii* Viktora & Liu, 2018c: 108 A: YUN

*lubricula* Holzschuh, 2003b: 306 A: SD

*luteopubens* Pic, 1937a: 13 A: YUN ORR

*maceki* Holzschuh, 1992b: 29 A: YUN ORR

#176

*maculicollis* Gressitt & Rondon, 1970: 237 A: GUX HAI YUN ORR

*manipurensis kantiae* Holzschuh, 1989c: 398 A: BT

[*manipurensis manipurensis* Gahan, 1906: 274 - India: Manipur]

*minima* Gressitt & Rondon, 1970: 242 A: GUX HAI ORR

*moerens* Holzschuh, 1983: 378 A: KA NP

*nigrocincta* Matsushita, 1931c: 401 A: TAI

*nigrolineata* Pic, 1915b: 11 A: XIZ ORR

*reducta* Pic, 1927b: 31

*niisatoi* Han, 2017: 221 A: TAI

*nishidai* Hayashi & Makihara, 1981: 196 A: NP SD

*obscurata* Pesarini & Sabbadini, 2015: 50 A: YUN

*ogatai* Mitono, 1942: 91 A: TAI

*parvipilosa* Holzschuh, 2018a: 88 A: XIZ

*patkaina* Gahan, 1906a: 272 A: GUX HAI YUN ORR

*multinterrupta* Pic, 1923b: 10

*paucis* Holzschuh, 1992b: 34 A: YUN ORR

*phiale* Gahan, 1906a: 273 A: HAI ORR

*pieli* Gressitt, 1940b: 79 A: HAI HKG

#400

*pingana* Pic, 1926b: 1 A: CH

*placida* Pascoe, 1858: 240 A: GUA HAI SCH SD YUN ORR

*pictiventris* Gressitt, 1939a: 40

*praeusta* Lameere, 1890: cxxii A: NP

*pseudobinhensis* Gressitt & Rondon, 1970: 249 A: YUN ORR

*puella* Viktora, 2019c: 195 A: SCH

*puncticollis* Holzschuh, 1992b: 34 A: YUN ORR

#400

*quadrimalculata quadrimalculata* Pic, 1923b: 10 A: NP YUN ORR

*quadrimalculata subobliterata* Pic, 1930b: 17 A: YUN

*querciphaga* Holzschuh, 1984c: 364 A: NP SD YUN

#400

*quercus* Gardner, 1940: 222 A: YUN ORR

*rybniceki* Holzschuh, 1992b: 30 A: YUN ORR

#176

*seminuda* Viktora, 2016a: 140 A: SCH

*sharmai* Holzschuh, 1990: 192 A: NP

*squamulifera* Holzschuh, 2016a: 93 A: SCH SHA

*steinkae* Holzschuh, 1991a: 16 A: YUN ORR

*subvarimalculata* Gressitt & Rondon, 1970: 236, 245 A: YUN ORR

#400

*tenerrima* Holzschuh, 1991a: 13 A: YUN ORR

*testaceiceps* Pic, 1915b: 11 A: TAI

*araneipes* Schwarzer, 1925a: 28  
*pallida* Schwarzer, 1925a: 29  
*testaceicolor* Pic, 1920d: 16 A: TAI  
*theryi* Pic, 1900i: 18 (*Clytus*) A: HEB NMO SHG  
*unigena* Holzschuh, 1993: 37 A: YUN **ORR** #42  
*ustulatula* Holzschuh, 2006b: 299 A: SHA  
*virens* Matsushita, 1931c: 402 A: TAI #400  
*formosana* Mitono, 1936: 424  
*notabiloides* Gressitt, 1936: 96  
*virgo* Viktora et Tichý, 2016: 66 A: YUN  
*weigeli* Holzschuh, 2003b: 306 A: NP  
*xenisca* Bates, 1884a: 229 (*Clytanthus*) A: JA  
*zonalis* Holzschuh, 2016a: 96 A: XIZ

**genus *Sclethrus* Newman, 1842a: 247** type species *Ibidion amoenum* Gory, 1833 #427 #523  
*Neocollyroides* Schultz, 1920: 196 type species *Neocollyroides macgregory* Schultz, 1920  
*stenocylindrus* Fairmaire, 1895: 184 A: CHQ GUA GUX HAI HUN SHA YUN **ORR** #60 #225

**genus *Sinoclytus* Holzschuh, 1995: 37** type species *Sinoclytus emarginatus* Holzschuh, 1995  
*emarginatus* Holzschuh, 1995: 37 A: YUN

**genus *Teratoclytus* D.W. Zaitzev, 1937: 213** type species *Teratoclytus plavilstshikovi* D.W. Zaitzev, 1937 #636  
*changi* Hayashi, 1983: 38 A: TAI  
*plavilstshikovi* D.W. Zaitzev, 1937: 213 A: FE JA ?NC NE SC SHX  
*hasegawai* K. Ohbayashi, 1941b: 221 (*Epiclytus*)  
*simplicior* Holzschuh, 1992b: 20 A: SHA

**genus *Xylotrechus* Chevrolat, 1860d: 456** type species *Clytus sartorii* Chevrolat, 1860  
**subgenus *Kostinicytus* Danilevsky, 2009a: 211** type species *Xylotrechus zaisanicus* Plavilstshikov, 1940  
*alakolensis* Karpiński & Szczepański, 2018: 256 A: KZ  
*arnoldii* *arnoldii* Kostin, 1974: 647 A: KZ  
*arnoldii tenebrosus* Shapovalov, 2014: 246 A: KZ  
*katerinae* Shapovalov, 2014: 249 A: KZ  
*medvedevi* Danilevsky, 2009a: 216 A: MG  
*volkovitshi* Shapovalov, 2014: 251 A: TR  
*zaisanicus* Plavilstshikov, 1940a: 354 A: KZ  
**subgenus *Ootora* Niisato & Wakejima, 2008: 442** type species *Clytus villioni* Villard, 1892 #636  
*[khampaseuthi khampaseuthi]* Holzschuh, 2007: 244 – Laos  
*khampaseuthi shibatai* Niisato & Wakejima, 2008: 457 A: GUX  
*magnificus* Pic, 1922c: 12 A: GUX HAI YUN **ORR** #400  
*multiimpressus* Pic, 1911d: 19 A: YUN  
*villioni* Villard, 1892: li (*Clytus*) A: FE (Kunashir) JA  
*nipponicus* Seki, 1935a: 92  
**subgenus *Rusticoclytus* Vives, 1977: 130** type species *Leptura rustica* Linnaeus, 1758 #636  
*adpersus* Gebler, 1830: 181 (*Clytus*) A: ES FE HEI JA KZ MG NC NMO WS XIN #63  
*decemmaculatus* Pic, 1917g: 5  
*pantherinus* Savenius, 1825: 65 (*Clytus*) E: AU **BU** BY CT CZ FI FR GE HU IT LT NT PL RO **SB** SK ST SV SZ A: ES FE KZ MG #505  
 WS XIN  
*apicenotatus* Pic, 1902e: 16  
*jakowlewi* Semenov, 1899b: 134 (*Clytus*)  
*moei* C. G. Thomson, 1874: 552 (*Platynotus*)  
*rusticus* Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MC MD ME NR  
 NT PL PT RO SB SK SL SP ST SV SZ UK N: AG MO A: AB AR ES FE GG HEI JIA JIL IN KZ LIA MG NC NMO SC TD TM  
 TR WS XIN  
*apiceocellatus* Schmidt, 1951: 13  
*atomarius* Fabricius, 1793: 332 (*Callidium*)  
*basinotatus* Pic, 1934e: 20  
*brevetestaceus* Pic, 1934e: 20  
*confusus* Herbst, 1784: 98 (*Callidium*)  
*fauconneti* Pic, 1934e: 20  
*hafniensis* Fabricius, 1775: 190 (*Callidium*)  
*heros* Ganglbauer, 1882: 138 (*Clytus*)  
*liciatu* Linnaeus, 1767: 636 (*Cerambyx*)  
*longipes* Villers, 1789: 256 (*Cerambyx*)  
*maculatus* Gmelin, 1790: 1877 (*Leptura*)  
*octonotatus* Gmelin, 1790: 1846 (*Cerambyx*)  
*omega* Rossi, 1790: 154 (*Callidium*)  
*oo* Schrank, 1781a: 162 (*Leptura*)

*signatus* Geoffroy, 1785: 81 (*Leptura*)  
*subuniformis* Pic, 1902e: 15  
*variegatus* Geoffroy, 1785: 79 (*Leptura*)  
*villosiflavomaculatus* Goeze, 1777: 507 (*Leptura*)  
*viturati* Pic, 1934e: 20  
*salicis* Takakuwa & Oda, 1978: 49 A: ES FE JA ?MG NC NE SC #400  
*nadezhdae* Tsherepanov, 1982a: 63  
**subgenus** *Turanoclytus* Sama, 1994e: 325 type species *Clytus namanganensis* Heyden, 1885 #400  
*asellus* Thieme, 1881: 99 (*Clytus*) A: KI KZ TD TM UZ XIN  
*grumi* Semenov, 1889a: 402 (*Clytus*)  
*ilamensis campadellii* Sama & Rapuzzi, 2003: 92 A: IN  
*ilamensis hadullai* Danilevsky, 2010f: 4 A: AR IN #517  
*ilamensis ilamensis* Holzschuh, 1979a: 115 A: IN  
*ilamensis magnanii* Rapuzzi & Sama, 2018: 14 (*Turanoclytus*) A: TR  
*ilamensis ozdikmeni* Rapuzzi & Sama, 2018: 16 (*Turanoclytus*) A: TR  
*ilamensis zuvandiensis* Lazarev, 2016d: 13 A: AB IN ST #578  
*namanganensis* Heyden, 1885a: 297 (*Clytus*) A: AF KI KZ TD TM UZ XIN  
*bucharensis* Semenov, 1893: 501 (*Clytus*)  
*namaganensis* Heyden, 1885a: 297 (*Clytus*) [wrong original spelling]  
*subcrucifer* Pic, 1903a: 4  
*raghidae* Sama & Rapuzzi, 2000: 14 A: IS LE  
*sieversi baiocchii* Rapuzzi & Sama, 2018: 11 (*Turanoclytus*) [Şirnak] A: TR  
*sieversi deyrollei* Pic, 1897d: 219 (*Clytus*) [Trebizonde] A: TR #209  
*akbesianus* Pic, 1902e: 17 [Akbés] #209  
*sieversi sieversi* Ganglbauer, 1890: 429 (*Clytus*) [Kasikoporan] A: AB AR GG IN TR  
**subgenus** *Xyloclytus* Reitter, 1913a: 46 type species *Clytus chinensis* Chevrolat, 1852 #636  
*altaicus* Gebler, 1836: 342 (*Clytus*) E: CT A: ES FE KZ MG NE NC NMO WS #63  
*popovii* Mannerheim, 1849: 241 (*Clytus*)  
*chinensis chinensis* Chevrolat, 1852: 416 (*Clytus*) Ei: FRi GRi SPi A: ANH BEI ?FE FUJ GAN GUA GUX HEB HEN HKG HUB JA #60 #267  
JIA JIX LIA NC SC SCH SHA SHN SHX XIZ ZHE  
*griseofasciatus* Pic, 1943b: 1  
*kurosawai* Fujita, 2010: 34 #524  
*laterufescens* Pic, 1913a: 19 (*Xyloclytus*)  
*chinensis kobayashii* Fujita, 2010: 34 A: JA  
*sauteri* Schwarzer, 1925a: 26 A: TAI  
*sekii* Matsushita, 1936: 146 #524 #598  
**subgenus** *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860 #429 #523  
*Fulvotrechus* Zamoroka, 2021: 205 type species *Xylotrechus stebbingi* Gahan, 1906 #636  
*Hieroglyphotrechus* Zamoroka, 2021: 205 type species *Clytus antilope* Schönherr, 1817 #636  
*Igneotrechus* Zamoroka, 2021: 205 type species *Xylotrechus pyrrhoderus* Bates, 1873 #636  
*Spinotrechus* Zamoroka, 2021: 204 type species *Clytus grayii* White, 1855 #636  
*albolatífasciatus* Makihara, 1979: 152 A: JA (Ryukyus)  
*antilope antilope* Schoenherr, 1817a: 465 (*Clytus*) E: AL AU BH BU BY CR CT CZ DE FR GE GR HU IT LT MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK A: CY TR #481  
*lento* Paulian, 1986: 96  
*hieroglyphicus* Drapiez, 1819b: 294 (*Callidium*) [HN]  
*sekerai* Paulian, 1986: 95  
*antilope bitlisiensis* S.Marklund & D.Marklund, 2013: 7 A: AB AR GG TR #316  
*antilope obliquefasciatus* Pic, 1890a: 3 (*Clytus*) N: AG MO TU  
*apiceinnotatus* Pic, 1937b: 8 A: YUN XIZ ORR  
*vomeri* Pesarini & Sabbadini, 2015: 47  
*arunensis* Holzschuh, 1982b: 151 A: NP  
*arvicola arvicola* Olivier, 1800: 64 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT KZ LA LT LU MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK N: AG MO #373  
*abbreviatus* Schmidt, 1951: 14  
*herzegovinus* Pic, 1913b: 98  
*heydeni* Stierlin, 1864: 152 (*Clytus*)  
*inbasalis* Pic, 1911a: 6  
*kraatzii* Lederer, 1864: 485 (*Clytus*)  
*subangulosus* Pic, 1934e: 21§  
*tridentatus* Bleuse, 1905: 21 (*Clytus*)  
*arvicola iranica* Rapuzzi & Sama, 2014a: 7 A: AB IN #106  
*arvicola lazarevi* Danilevsky, 2016b: 171 E: ST A: AB AR GG IN ?SY TR  
*arvicola planarius* Danilevsky, 2016b: 169 E: ST UK A: KZ WS  
*atronotatus angulithorax* Gressitt, 1934: 165 A: HUB JA (Ryukyus)  
*atronotatus atronotatus* Pic, 1917h: 11 A: FUJ HAI JIL LIA TAI #400 #525  
*aureobrunneus* Gressitt, 1934: 166 #347  
*cinerascens* Matsushita, 1933b: 268

*formosanus* Schwarzer, 1925a: 26 #347  
*atronotatus draconiceps* Gressitt, 1951a: 240 A: GUA JIX  
*atronotatus generosus* Matsushita, 1933b: 270 A: JA (Ryukyus)  
*badachschanicus* Tippmann, 1958a: 48 A: AF  
*bandaishanus* Mitono, 1941a: 92 A: TAI #347  
*basifuliginosus* Heller, 1926: 23 A: HP NP  
*bilyi* Holzschuh, 2003a: 199 A: YUN **ORR**  
*binotaticollis* Gressitt, 1939a: 36 A: GUA  
*boreosinicus* Gressitt, 1951a: 241 A: HUB SHA  
*brevicillus* Chevrolat, 1863: 323 A: CH  
*buqueti* Laporte & Gory, 1841: 86 (*Clytus*) A: FUJ GUA GUX HAI HUN JIX NP SHA XIZ YUN **ORR** #75  
*brevicornis* Pascoe, 1869a: 608  
*phidias* Newman, 1842a: 246 (*Clytus*)  
*siamensis* Chevrolat, 1863: 318  
*capricornus* Gebler, 1830: 182 (*Clytus*) E: CT KZ PL SK ST UK A: KZ WS  
*chatterjeei* Gardner, 1940: 219 (*Perissus*) A: HAI **ORR** #415  
*chhetrii* Holzschuh, 1989c: 396 A: BT #344  
*chujoi chujoi* Hayashi, 1960d: 24 A: JA (Ryukyus)  
*chujoi ishigakianus* K. Ohbayashi, 1964: 22 (*Perissus*) A: JA (Ryukyus)  
*tinsunshi* K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)  
*clarinus* Bates, 1884a: 231 A: FE JA  
*cuneipennis* Kraatz, 1879c: 110 (*Clytus*) A: ES FE HEB HEI HEN HUB JA JIL LIA NC SC XIN  
*albifilis* Bates, 1884a: 232  
*decolor* Thieme, 1881: 101 (*Clytus*)  
*jilinensis* Z. Wang, 2003: 237, 395  
*pallidipennis* Matsumura, 1906: 154  
*daoi* Gressitt & Rondon, 1970: 206 A: GUX YUN **ORR**  
*deletus* Lameere, 1893a: 282 A: HKG **ORR** #400  
*dembai* Viktora, 2020c: 142 A: AP  
*diversesignatus* Pic, 1908f: 15 A: SCH XIZ YUN #400  
*djoukoulanus* Pic, 1920d: 18 A: YUN  
*dominula* White, 1855: 261 (*Clytus*) A: BEI FUJ GUA HEN NO ZHE #598  
*emaciatus* Bates, 1884a: 231 A: JA #400  
*nijimai* Matsushita, 1933b: 277 (*Perissus*)  
[*gestroi gestroi* Gahan, 1894: 19 – Burma]  
*gestroi laosensis* Gessitt & Rondon, 1970: 201 A: NP **ORR**  
*goetzi* Heyrovský, 1970a: 131 A: GAN  
*grayii grayii* White, 1855: 261 A: BEI FUJ GAN GUA GUI HKG HEB HEN HUB HUN JA JIA LIA NE SC SCH SHA SHG SHN TAI  
XIZ YUN #598 #636  
*grayii hachijoensis* Takakuwa, 1984: 10, 317 A: JA (Izu Is.) #636  
*grayi nakamurai* Fujita, 2017: 48 A: JA (Ryukyus) #636  
*grayii yaeyamanus* Takakuwa, 1984: 10 A: JA (Ryukyus) TAI  
*bisiniapicalis* Takakuwa, 1984: 317  
*hampsoni* Gahan, 1890a: 54 A: BT UP **ORR** #336 #344  
*unicarinatus* Pic, 1917b: 20  
*hircus* Gebler, 1825: 54 (*Clytus*) A: BEI ES FE HEB HEI JA JIL KZ LIA MG ?NC NMO SC WS XIN #598  
*decolor* Thieme, 1881: 101 (*Clytus*)  
*ibex* Gebler, 1825: 53 (*Clytus*) E: CT FI NT PL ST A: BEI ES FE FUJ GAN HEI HUN JIL KZ LIA MG NC NE NIN NMO SC SHA  
WS XIN #598  
*angulosus* Motschulsky, 1875: 150 (*Clytus*)  
*fugitivus* Thieme, 1881: 100 (*Clytus*)  
*rectangulus* Motschulsky, 1875: 149 (*Clytus*)  
*incurvatus contortus* Gahan, 1906a: 249 A: BT FUJ GUA GUX HUB HUN NP SCH SD SHA **ORR** #336 #344 #390  
*unicarinatus* Pic, 1917b: 20  
*biarcuatus* Pic, 1917d: 6  
*incurvatus incurvatus* Chevrolat, 1863: 331 (*Amauresthes*) A: ?BT FUJ GAN GUA HEB HKG HUN ?NP SC (Mt. Soyosan) SCH ?SD  
TAI XIZ YUN **ORR** #60 #63  
*inflexus* Viktora & Liu, 2018c: 110 A: GUX  
*janbar* Niisato & N. Ohbayashi, 2002: 34 A: JA (Ryukyus)  
*javanicus* Laporte & Gory, 1841: 87 (*Clytus*) A: AP GUA GUX HAI HEN HUB HUN JIA NP SCH YUN ZHE **ORR** #280  
#390  
*coffeophagus* G. Richter, 1876: 250 (*Cucujus*)  
*lyratus* Pascoe, 1869a: 610  
*quadripes* Chevrolat, 1863: 315  
*sappho* Pascoe, 1858: 239 (*Clytus*)  
*kayoensis* Mitono & Kira, 1934: 589 A: TAI  
*klapperichi* Gressitt, 1951a: 245 A: FUJ

*kosempoensis* Heyrovský, 1955b: 259 A: TAI  
*kuatunensis* Gressitt, 1951a: 246 A: FUJ GUI YUN  
*kuceraei* Viktora, 2021a: 173 A: SHA  
*latefasciatus latefasciatus* Pic, 1936c: 4 A: FUJ HUN JIX TAI ZHE  
*serraticornis* Mitono, 1941a: 101  
*latefasciatus ochroceps* Gressitt, 1951a: 247 A: CHQ SCH SHA XIN XIZ #400  
*lateralis* Gahan, 1906: 244 A: XIZ YUN **ORR**  
*fracturis* Guo & L. Chen, 2002c: 256  
*junctus* Pic, 1927b: 34  
*multisignatus* Pic, 1916h: 314  
*quadrisignatus* Pic, 1927b: 34  
*triangulifer* Pesarini & Sabbadini, 2015: 46  
*lautus fujitai* Takakuwa, 1984: 10 A: JA (Ryukyus)  
*lautus lautus* Matsushita, 1933b: 273 (*Clytus*) A: JA  
*lepesmei* Pic, 1950e: 508 A: NP SD  
*difformis* Holzschuh, 1983: 369  
*liciatulus* Holzschuh, 2006c: 483 A: SD  
*longithorax* Pic, 1922c: 13 A: HAI NP YUN **ORR** #400  
*marketae* Viktora & Liu, 2018c: 112 A: YUN  
*mixtus* Plavilstshikov, 1940a: 360 A: FE  
*monticola* Gahan, 1906a: 251 (*Clytus*) A: KA PA XIZ YUN  
*mucidulus* Holzschuh, 2009a: 330 A: SHA **ORR** #225  
*multinotatus* Pic, 1904c: 11 A: YUN  
*nigrosulphureus* Gressitt, 1940b: 69 A: HAI  
*ogasawarensis* Matsushita, 1933: 43 A: JA (Ogasawara Isls.)  
*pavlovskii* Plavilstshikov, 1954: 471 A: FE ?NC SC  
*pekingensis* Pic, 1939b: 3 A: BEI HEB SHA #598  
*petrae* Viktora, 2020c: 150 A: SCH  
*pici* Heyrovský, 1935b: 115 A: SCH  
*polyzonus* Fairmaire, 1888b: 143 (*Clytus*) A: BEI FE ~~GUA~~-HEB HUB LIA NC SC SHA ~~YUN~~ #400  
*bifenestratus* Pic, 1916g: 180 #400 #598  
*jeholensis* Kano, 1935: 5  
*pyrrhoderus nigrostermus* Gressitt, 1939a: 38 A: GUA HEN  
*pyrrhoderus pyrrhoderus* Bates, 1873: 200 A: **ANH BEI CHQ** FUJ **GAN** GUA GUI HUB JA JIA NC SC SHA **SHG** SHN SHX ZHE #598  
*quattuordecimmaculatus* Guo & L. Chen, 2002c: 256 A: YUN  
*reductemaculatus ohtsuboi* Fujita, 2010: 35 A: JA (Ryukyus)  
*reductemaculatus reductemaculatus* Hayashi, 1968c: 14 A: JA (Ryukyus)  
*retractus* Holzschuh, 1998: 44 A: SHA  
*robusticollis* Pic, 1936c: 4 (*Clytus*) A: **BEI** GUI **HEB** HUB **HUN** JIX LIA SCH SHA #400 #598  
*rufilius kadowakii* Nakane, 1981: 39 A: JA (Oki Is.)  
*rufilius rufilius* Bates, 1884a: 233 A: **BEI CHQ** FE FUJ **GUA** GUI GUX HAI HEB HEI HEN **HKG** HUB HUN JA **JIL** JIX **LIA** NC SC #598  
SCH SHA SHN **SHX** TAI YUN ZHE **ORR**  
*atrithorax* Pic, 1910g: 30  
*decoloratipes* Pic, 1910g: 30  
*gahani* Stebbing, 1914: 352  
*irinae* Plavilstshikov, 1925: 360  
*magnicollis* Fairmaire, 1888a: 34 (*Clytus*)  
*renominatus* Beeson, 1919: 151  
*rufoapicalis* Pic, 1926b: 1 A: YUN  
*rufobasalis* Pic, 1937b: 7 A: HUB YUN **ORR** #400  
*rufonotatus* Gressitt, 1936: 94 A: TAI  
*savioi* Pic, 1935g: 177 A: GUI HEN HKG HUN YUN ZHE #400  
*securus* Holzschuh, 2009a: 323 A: GUI **ORR** #623  
*tristisfacies* Sh. Yang & W. Yang, 2017: 82  
*shimomurai* Ikeda, 1994: 353 A: TAI  
*sikangensis* Gressitt, 1942b: 3 A: GUI SCH SHA  
*smei* Laporte & Gory, 1841: 37 (*Clytus*) A: AF BT IS NP PA SD **ORR** #274 #280 #390 #439  
*stebbingi* Gahan, 1906a: 244 Ei: ALi **BUi** **CRi** FRi GEi GRi ITi **PTi** SLi SPi SZi N: TUi A: AF BT ISi LEi NP PA SD SYi TAI TD TRi UP #74 #117 #127 #189 #400 #464 #505  
XIN XIZ **ORR**  
*subcarinatus* Gardner, 1939: 8 A: NP UP  
*subdepressus* Chevrolat, 1863: 329 (*Amauresthes*) A: NP SD  
*subditus* Chevrolat, 1863: 314 A: KA  
*subscalaris basalis* Schwarzer, 1925a: 25 A: HAI TAI #347  
*subscalaris subscalaris* Pic, 1917h: 11 A: SC (Jejudo Is.) #347 #525  
*subscutellatus* Chevrolat, 1863: 317 A: HP UP **ORR** #127  
*insipiens* Chevrolat, 1863: 321

*putzeysi* Chevrolat, 1863: 320 #127  
*suzukii* Holzschuh, 1984c: 356 A: TAI  
*takakuwai* Kusama, 1977: 17 A: JA (Ogasawara Isls.)  
*tanoni* Gressitt & Rondon, 1970: 208 A: YUN ORR  
*vinnulus* Holzschuh, 1993a: 35 A: YUN ORR  
*wenii* Han & Niisato, 2010: 249 A: TAI  
*yanoi* Gressitt, 1934: 164 A: ~~BFI~~ GUI ?HEB JA NMO SC ?SHA ORR #598  
*zebratus* Matsushita, 1938a: 93 A: JA  
*zhouchaoi* Viktora & Liu, 2018c: 114 A: YUN  
**subgenus ???**  
*gratus* Viktora, 2020c: 146 A: SCH

## tribe Compsocerini J. Thomson, 1864: 260

**genus *Acrocyrtidus* Jordan, 1894b: 499** type species *Acrocyrtidus fasciatus* Jordan, 1894  
**subgenus *Acrocyrtidus* Jordan, 1894b: 499** type species *Acrocyrtidus fasciatus* Jordan, 1894  
*Lautitia* Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933  
*Mausaridaeus* Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903  
*argenteofasciatus* Pic, 1903c: 30 (*Mausaridaeus*) A: HAI ORR  
*diversinotatus* Pic, 1903c: 30 (*Mausaridaeus*) #444  
*argenteus* Gressitt & Rondon, 1970: 189 A: HAI HUN YUN ORR #400  
*attenuatus* Pic, 1927b: 29 (*Mausaridaeus*) A: HAI ORR #443  
*aureescens* Gressitt & Rondon, 1970: 186 A: YUN ORR #400  
*auricomus* Holzschuh, 1982a: 70 A: NP  
*avarus* Holzschuh, 1989a: 165 A: HUN YUN ORR #400  
~~*aureescens* Gressitt & Rondon, 1970: 186 A: YUN ORR #289~~  
*elegantulus elegantulus* Matsushita, 1933b: 226 (*Lautitia*) A: TAI  
*longipes* Matsushita, 1941: 152 (*Mausaridaeus*) #450  
*elegantulus longicornis* Hayashi, 1962a: 10 A: JA  
*fulvus* Gressitt & Rondon, 1970: 186, 188 A: HAI ORR #261  
*jianfeng* Viktora & Liu, 2018: 122 A: HAI  
*simianshanensis* Chiang & L. Chen, 1994: 107 A: CHQ SCH #400  
*wenxinae* Holzschuh, 2021a: 98 A: GUX  
**genus *Eduardiella* Holzschuh, 1993a: 32** type species *Eduardiella pretiosa* Holzschuh, 1993  
*dayaoshana* Niisato & Liu, 2018: 275 A: GUX  
*pretiosa* Holzschuh, 1993a: 32 A: YUN  
**genus *Eurybatus* J. Thomson, 1861: 233** type species *Eurybatus hariolus* J. Thomson, 1861 #400  
**subgenus *Eurybatodes* Semenov, 1911: 121** type species *Rosalia bouvieri* Boppe, 1910  
*bouvieri* Boppe, 1910: 235 (*Rosalia*) A: SCH XIZ YUN  
**subgenus *Eurybatus* J. Thomson, 1861: 233** type species *Eurybatus hariolus* J. Thomson, 1861  
*Eurybatorosalia* Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911  
*decempunctatus* Westwood, 1848: 59 (*Purpuricenus*) A: AP GUA GUI GUX HAI HUB SD XIZ YUN "North India" ORR #280  
*insulanus* Kriesche, 1920b: 112 (*Rosalia*)  
*dejeani* Vuillet, 1911b: 247 (*Rosalia*) A: SCH  
*ferriei* Vuillet, 1911a: 79 (*Rosalia*) A: JA (Ryukyus)  
*formosus convivus* Csiki, 1911: 612 (*Rosalia*) A: TAI  
*formosus formosus* Saunders, 1839: 178 (*Cerambyx*) A: AP NP SD XIZ ORR #280  
*formosus nigroapicalis* Pic, 1910g: 36 A: YUN #400  
*formosus pallens* Gressitt, 1945a: 124 (*Rosalia*) A: GUI GUX HUB HUN SCH ORR #400  
*gravidus* Lameere, 1887: 166 (*Rosalia*) A: XIZ SD "Himalaya" ORR  
*hariolus* J. Thomson, 1861: 250 A: BT NP SD  
*nakanishii* Hayashi & Makihara, 1981: 189 (*Rosalia*)  
*kubotai* Takakuwa, 1994: 2 (*Rosalia*) A: GUX HAI ORR  
*lateritius* Hope, 1831: 27 (*Lamia*) A: AP NP SD XIZ ORR #280  
*lesnei* Boppe, 1911b: 103 (*Rosalia*) A: JA TAI  
*asahinai* Mitono, 1943: 587  
*pachycornis* Takakuwa & Karube, 1997: 8 (*Rosalia*) A: YUN ORR

**genus *Luteicenus* Pic, 1922: 25** type species *Purpuricenus atromaculatus* Pic, 1922  
*Latecyrtidus* Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011  
*atromaculatus* Pic, 1922: 25 (*Purpuricenus*) A: YUN ORR

*yamasakoi* Vives & Niisato, 2011: 105 (*Latercyrtidus*)  
*cheni* Holzschuh, 2019b: 92 **A:** GUX  
*congruus* Holzschuh, 2019b: 93 **A:** GUX  
*magnificus* Rapuzzi & Sama, 2014a: 6 **A:** GUX

**genus** *Platycyrtidus* Vives & Niisato, 2011: 364 type species *Acrocyrtidus delicatulus* Holzschuh, 2009  
*yinghuii* Viktora & Liu, 2018: 139 **A:** HAI

**genus** *Pseudocallidium* Plavilstshikov, 1934f: 226 type species *Pseudocallidium violaceum* Plavilstshikov, 1934  
*obscuriaeneum* Hayashi, 1969a: 62 **A:** TAI  
*violaceum* Plavilstshikov, 1934f: 226 **A:** SCH SHA

#225

**genus** *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758

*Charmides* Gistel, 1848b: [2] [unnecessary substitute name]

*alpina alpina* Linnaeus, 1758: 392 (*Cerambyx*) **E:** AL AU BH BU BY CR CT CZ FR GE GR HU IT LS MC ME PL RO SB SK SL SP  
ST SV SZ TR UK **A:** AB AR GG TR

*bifasciata* Reitter, 1900b: 131

*brancsiki* Pic, 1911a: 5

*bystricensis* Roubal, 1937: 82

*cepelaki* Pic, 1933d: 6

*connexa* Reitter, 1900b: 131

*croissandeau* Pic, 1891b: 22

*gelineki* Zoufal, 1906: 264

*geminata* Reitter, 1900b: 131

*interrupta* Reitter, 1900b: 131

*korbeli* Roubal, 1937: 82

*kyselyi* Zoufal, 1906: 264

*latemaculata* T. Pic, 1908h: 33

*multimaculata* T. Pic, 1900a: 12

*obliterata* T. Pic, 1900a: 12

*parvonotata* Reitter, 1900b: 132

*prolongata* Reitter, 1900b: 131

*pilosa* Poda von Neuhaus, 1761: 32 (*Cerambyx*)

*quadrinotata* Ragusa, 1905: 8

*quadripunctata* Reitter, 1901d: 202

*transsylvanica* Pic, 1908g: 20

*triformis* Roubal, 1937: 81

*v-notata* T. Pic, 1908: 33

*uzunkumensis* Podaný, 1963a: 10

*alpina syriaca* Pic, 1895e: cclxxxv **A:** TR

*batesi* Harold, 1877: 360 **A:** JA

*coelestis* Semenov, 1911: 118 **A:** BEI FE GUA GUX HEB HEI HEN JIL NC SC SCH SHA SHN XIZ

*houlberti* Vuillet, 1911b: 215

*yanagii* Fujita & Akita, 2020: 43 [Tsushima Is.]

*lameerei* Brongniart, 1890: cxxi **A:** GUX SCH YUN **ORR**

*bireducta* Dayrem, 1935: 25

*quadrinotata* Dayrem, 1935: 25

*semireducta* Pic, 1910g: 30

*unireducta* Pic, 1937a: 11

#525

#400 #525

#400

#517

## tribe Deilini Fairmaire, 1864

**genus** *Deilus* Audinet-Serville, 1834b: 73 type species *Callidium fugax* Olivier, 1790

*Dilus* Agassiz, 1846: 124 [unjustified emendation]

*fugax* Olivier, 1790: 253 (*Callidium*) **E:** AL AU BE BH BU CR CT CZ FR GR HU IT LU MD PL PT RO SK SL SP ST SZ **N:** AG MO

LB TU **A:** AB AR CY GG IS KZ SY TR

#11

*ceramboides* Rossi, 1794: 99 (*Necydalis*)

*rugosicollis kadleci* Rapuzzi & Sama, 2012a: 667 **A:** CY

*rugosicollis rugosicollis* Rapuzzi & Sama, 2012a: 667 **A:** LE TR SY IS

#182

**genus** *Delagrangeus* Pic, 1892q: xciii type species *Delagrangeus angustissimus* Pic, 1892

**subgenus** *Delagrangeus* Pic, 1892q: xciii type species *Delagrangeus angustissimus* Pic, 1892

*Edithia* Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangeus angustissimus* Pic, 1892)

*Mimophymatodes* Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangeus angustissimus* Pic, 1892)

*angustissimus angustissimus* Pic, 1892q: xciii **A:** TR

*asiaticus* Pic, 1920e: 21 (*Mimophymatodes*)

*carbonarius* Reitter, 1899: 160 (*Edithia*)

*angustissimus liviae* Pesarini & Sabbadini, 2004a: 93 **E:** GR (Rodas)

*angustissimus troodi* Sama, 1994f: 556 **A:** CY LE

**subgenus** *Gerti* Sama, 1994f: 557 type species *Delagrangeus schurmanni* Sama, 1985

*schurmanni* Sama, 1985c: 97 N: CI

**genus *Prosyte* J. Thomson, 1864: 248** type species *Oeme filiformis* Buquet, 1859  
*juniperi* Holzschuh, 1993b: 120 A: SA YE

### tribe Graciliini Mulsant, 1839

**genus *Axinopalpis* Dejean, 1835: 332** type species *Obrium gracile* Krynicki, 1832

*Axinuchus* Gemminger, 1872: 2840 [unnecessary RN]

*alberti* Sama, Rapuzzi & Kairouz, 2010: 148 A: LE

*barbarae barbarae* Sama, 1992b: 303 A: CY

*barbarae consobrinus* Sama, 1992b: 303 A: CY

*gracilis christinae* Rapuzzi, 1995: 618 E: GR

*gracilis gracilis* Krynicki, 1832: 162 (*Obrium*) E: AL AU BH BU CR CT CR CZ GE GR HU IT ~~LA LT~~ MC MD ME PL RO SB SK SL  
ST UK A: GG IS SY TR #7 #557

*latior* Pic, 1896b: 35

**genus *Gracilia* Audinet-Serville, 1834b: 81** type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)

*Aphelocera* Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)

*Nothrus* Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)

*Oesyophila* Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)

*minuta* Fabricius, 1781: 235 (*Saperda*) E: AL AU AZ BE BH BU CR CT CZ DE ?EN FI FR GB GE GR HU IR IT KZ ?LA LT LU MA  
MD ME NL NT NR PL PT RO SB SK SL SP ST SV ?SZ TR UK N: AG CI EG MO MR TU A: AB AR GG GUI HEN IN NE NO  
NW SHA TR WS AURi NARi NTRi ORR #115 #104

*albanica* Csiki, 1931: 278

*approximata* Fairmaire, 1883b: clx

*fusca* Haldeman, 1847: 43 (*Nothrus*)

*obliquata* Horn, 1885: 174

*picea* Fabricius, 1793: 317 (*Saperda*)

*pygmaea* Fabricius, 1793: 323 (*Callidium*)

*vini* Panzer, 1799: 10 (*Callidium*)

**genus *Hybometopia* Ganglbauer, 1889b: 282** type species *Hybometopia starcki* Ganglbauer, 1889

*starcki ivani* Sama, 1996c: 106 A: TR

*starcki starcki* Ganglbauer, 1889b: 285 E: ST A: GG TR

**genus *Ischnorrhada* Ganglbauer, 1889a: 61** type species *Ischnorrhada macilenta* Ganglbauer, 1889

*macilenta* Ganglbauer, 1889a: 64 A: GAN SCH

#400 #525

**genus *Lucasianus* Pic, 1891b: 42** type species *Cerambyx levaillantii* P. H. Lucas, 1847

*levaillantii* P. H. Lucas, 1847: pl. 41 (*Cerambyx*) E: FR PT SP N: AG MO

**genus *Nisibistum* J. Thomson, 1878a: 29** type species *Nisibistum kaisanum* J. Thomson, 1878

*kaisanum* J. Thomson, 1878a: 30 A: CH

**genus *Penichroa* Stephens, 1839: 270** type species *Callidium fasciatum* Stephens, 1839

*Exilia* Mulsant, 1862: 195 type species *Callidium timidum* Ménétériés, 1832 (= *Callidium fasciatum* Stephens, 1831)

*Graecoeme* Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006

*Liagrica* Costa, 1855: 59 type species *Callidium timidum* Ménétériés, 1832 (= *Callidium fasciatum* Stephens, 1831)

*fasciata* Stephens, 1831: 250 (*Callidium*) E: AL BH BU CR FR GR IT MA MC ME PT SB SL SP ST TR UK N: AG LB MO TU A:  
AB AR CY GG IN IS SY TR

*bipunctata* Zubkov, 1833: 336 (*Callidium*)

*brunnea* Tourmier, 1872: 280 (*Exilia*)

*champlaini* Knull, 1941: 695 (*Tylonotus*)

*eggeri* Adlbauer, 2006: 381 (*Graecoeme*)

*fagnezi* Pic, 1945b: 6

*fasciolata* Krynicki, 1834: 170 (*Callidium*)

*lugubris* Ragusa, 1884: 333 (*Exilia*)

*timida* Ménétériés, 1832: 228 (*Callidium*)

### tribe Hesperophanini Mulsant, 1839

#### subtribe Daramina Sama, 2008

**genus *Daramus* Fairmaire, 1892a: 121** type species *Daramus serricornis* Fairmaire, 1892

*major macrops* Peyerimhoff, 1943: 27 (*Tetropiopsis*) N: AG LB MO

*mehennii* Sama, 1994d: 176

*sahrawi* Sama & Rapuzzi, 2008: 224

*major major* Pic, 1924c: 30 (*Tetropiopsis*) A: SI

*serricornis* Fairmaire, 1892a: 121 N: EG A: YE OM AFR

# subtribe Hesperophanina Mulsant, 1839

genus *Blabinotus* Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854  
*spinicollis* Wollaston, 1854: 426 N: CI MR

genus *Gnatholea* J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thosmon, 1861  
*biseburata* Mitono, 1939: 148 A: GUI JA (Ryukyus) TAI #400  
*loochooana* K. Ohbayashi & N. Ohbayashi, 1965: 1  
*eburifera* J. Thomson, 1861: 375 A: GUI GUX HAI HKG YUN ORR #400  
*simplex* Gahan, 1890a: 53 A: AP SD ORR #280  
*subnuda* Lacordaire, 1868: 284 A: YUN ORR #400

genus *Hesperoferus* Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)  
*machadoi* Sama & Schurmann, 1983: 61 (*Trichoferus*) N: CI  
*artemisiphagus* Leiler, 1984: 155 (*Hesperophanes*)  
*roridus* Brullé, 1839: 62 (*Callidium*) N: CI  
*canariensis* Demelt, 1971: 5

genus *Hesperophanes* Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787  
*andresi* Sama & Rapuzzi, 2006: 183 N: EG  
*heydeni* Baeckmann, 1923: 66 A: KZ MG NMO XIN  
*melonii* Fancello & Cillo, 2012: 255 E: IT (Sardegna)  
*pilosus* Bodungen, 1908: 179 A: AB  
*sericeus* Fabricius, 1787: 152 (*Callidium*) E: AL BH CR FR GR MA MC ME PT ?SB SP ST ?SZ UK N: AG EG LB MO TU A: AB  
AR CY GG IN IQ IS JO LE SY TM TR #74 #115 #464  
*latreillei* Brullé, 1832: 256 (*Callidium*)  
*rotundicollis* P. H. Lucas, 1842: 185

genus *Jebusaea* Reiche, 1878b: cliii type species *Jebusaea hammerschmidtii* Reiche, 1878  
*Bagdatocerambyx* Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901  
*Pseudophilus* Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893  
*hammerschmidtii* Reiche, 1878b: cliv A: AE IN IQ OM QA SA  
*drurei* Pic, 1901c: 11 (*Bagdatocerambyx*)  
*persica* Reitter, 1907b: 217  
*testacea* Gahan, 1893a: 256 (*Pseudophilus*)

genus *Stromatium* Audinet-Serville, 1834b: 80 type species *Callidium barbatum* Fabricius, 1775  
*Solenophorus* Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1800)  
*auratum* Böber, 1793: 135 (*Saperda*) E: AL BH BU CR FR GR HU IT MA MC ME PT RO SB SP ST TR UK N: AG MO TU LB A:  
AB AR CY GG IN IQ IS JO LE SY TM TR #290  
*fulvum* Villers, 1789: 256 (*Cerambyx*) [HN]  
*inermis* Tournier, 1872: 260  
*pallidum* Zubkov, 1833: 336 (*Callidium*)  
*platifemur* Chevrolat, 1882: 57 (*Hesperophanes*)  
*strepens* Fabricius, 1798: 150 (*Callidium*)  
*unicolor* Olivier, 1800: no. 70: 58 (*Callidium*) #373  
*barbatum* Fabricius, 1775: 189 (*Callidium*) A: AP BT HP NP OM PA YE AFR AURi ORR #126 #291 #366  
*funestum* Boisduval, 1835: 481 (*Callidium*)  
*tranquebaricum* Gmelin, 1790: 1848 (*Cerambyx*)  
*variolosum* Fabricius, 1798: 149 (*Callidium*)  
*longicornis* Newman, 1842a: 246 (*Arhopalus*) A: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO NP SHN TAI YUN ZHE "North  
India" NARi ORR #390  
*abeillei* Pic, 1891b: 44 (*Hesperophanes*)  
*asperulum* White, 1855: 300  
*granulatum* Matsumura, 1927: 21 (*Criocephalus*)

genus *Tetropiopsis* Chobaut, 1899: 356 type species *Tetropiopsis numidica* Chobaut, 1899  
*numidica* Chobaut, 1899: 357 N: AG MO TU  
*guldei* Chobaut, 1905: 157

genus *Trichoferus* Wollaston, 1854: 427 type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus senex* Wollaston, 1854)  
*Hesperandrius* Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793  
*antonioui* Sama, 1994c: 40 A: CY  
*arenbergeri* Holzschuh, 1995: 14 E: IT (Sardegna)  
*berberidis* Sama, 1994c: 40 E: GR (Crete)  
*bergeri* Holzschuh, 1982a: 66 E: GR (Crete)

*campestris* Faldermann, 1835: 435 (*Callidium*) E: AU<sup>i</sup> BE<sup>i</sup> BY<sup>i</sup> CT<sup>i</sup> CZ<sup>i</sup> EN<sup>i</sup> FR<sup>i</sup> GB<sup>i</sup> GE<sup>i</sup> GR<sup>i</sup> HU<sup>i</sup> IT<sup>i</sup> LA<sup>i</sup> LT<sup>i</sup> MD<sup>i</sup> NL<sup>i</sup> PL<sup>i</sup> RO<sup>i</sup> SK<sup>i</sup> ST<sup>i</sup> SW<sup>i</sup> UK<sup>i</sup> N: EG A: AB<sup>i</sup> AR<sup>i</sup> ANH ES FE GAN GUI HEB HEI HEN HP HUB HUN IN IQ IS JA JIA JIL JIX JO KI KZ LE LIA MG NC NMO QIN SC SCH SHA SHN SHX SV<sup>i</sup> SY SZ<sup>i</sup> TD TM UZ XIN XIZ YUN ZHE NAR<sup>i</sup> ORR #31 #353 #540

*flavopubescens* Kolbe, 1886: 219 (*Hesperophanes*)

*rusticus* Ganglbauer, 1887a: 133 (*Hesperophanes*)

*turkestanicus* Heyden, 1886b: 193 (*Stromatium*)

*cisti* Sama, 1987: 50 N: MO

*cribricollis* Bates, 1878b: 720 (*Hesperophanes*) A: KA PA SD

*fasciculatus fasciculatus* Faldermann, 1837: 266 (*Hesperophanes*) E: AL BU CR FR GR IT MA ME PT RO SB SP UK N: AG EG LB MO TU A: AB AR CY GG IN IQ IS JO LE SY TR #182

*affinis* P. H. Lucas, 1842: 186 (*Hesperophanes*)

*elongatulus* Pic, 1896b: 35 (*Hesperophanes*)

*pulverulentus* Erichson, 1841: 188 (*Callidium*)

*subnudus* Dayrem, 1928a: 67 (*Hesperophanes*)

*fasciculatus senex* Wollaston, 1854: 428 N: CI MR

*fissitarsis* Sama, Fallahzadeh & Rapuzzi, 2005: 125 A: IN IQ TR

*georgioui* Sama & Makris, 2001: 166 A: CY

*griseus* Fabricius, 1793: 325 (*Callidium*) E: AL BH BU CR FR GR IT MA ME PT RO SB SP ?ST TR UK N: AG EG LB MO TU A: CY ?GG IQ IS JO LE SY TR #133

*decolor* Pic, 1937c: 14 (*Hesperophanes*)

*tomentosus* P. H. Lucas, 1842: 186 (*Hesperophanes*) #577

*guerryi* Pic, 1916h: 314 (*Hesperophanes*) A: HEB HUB SCH SHA SHN YUN

*holosericeus* Rossi, 1790: 153 (*Callidium*) E: AL BH BU CR FR GR IT MA ME SB SL SP ST SZ UK N: AG LB MO TU A: AB AR GG TR #115

*cinereus* Villers, 1789: 256 (*Cerambyx*) [HN]

*gayi* Winkler, 1929: 1143 [RN]

*nebulosus* Olivier, 1790: 257 (*Callidium*)

*ilicis* Sama, 1987: 50 N: MO

*ivoi* Kadlec, 2005: 103 A: IN TR #583

*kotschyi* Ganglbauer, 1883b: 300 (*Hesperophanes*) E: GR (Samos) A: LE SY TR

*lunatus* Szallies, 1994: 261 (*Hesperophanes*) A: IN TR

*maculatus* Pu, 1991b: 249, 252 A: SCH

*magnanii* Sama, 1992c: 398 E: PT SP

*pallidus* Olivier, 1790: 256 (*Callidium*) E: AU BH BU CR CZ GE GR HU IT PL PT RO SB SK SP ST UK A: TR #583

*mixtus* Fabricius, 1798: 150 (*Callidium*)

*sempustulatus* Companyo, 1858: 571 (*Vesperus*)

*sempustulatum* Companyo, 1863: 792 (*Stromatium*)

*preissi* Heyden, 1894: 85 (*Hesperophanes*) A: TR

*robustipes* Holzschuh, 2003: 169 A: SHA

*samai* Kadlec & Rejzek, 2001: 296 A: TR

*sbordonii* Sama, 1982: 217 A: TR

*semipunctatus* Holzschuh, 2003: 170 A: BEI GAN HEN SC SHA #225 #355 #400

*spartii* G. Müller, 1948: 67 (*Hesperophanes*) E: AL CR GR IT A: TR #583

**genus *Turcmenigena* Melgunov, 1893: 155** [= 1894: 35] type species *Turcmenigena warezowii* Melgunov, 1894

*warezowii* Melgunov, 1893: 155 [= 1894: 35] A: KZ TM UZ XIN

*varentzovi* Plavilstshikov, 1940a: 54 [unjustified emendation]

**genus *Zoodes* Pascoe, 1867a: 319** type species *Stromatium maculatum* White, 1855

*Cornutaemospila* Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927

*basalis* White, 1855: 304 (*Hesperophanes*) A: NP "Himalaya"

*compressus* Fabricius, 1787: 153 (*Callidium*) A: AE AF IN PA ORR #274

*soraya* Villiers, 1974a: 131 (*Gnatholea*)

*formosanus* Niisato, 1982: 41 A: TAI ORR

*fulguratus* Gahan, 1906a: 117 A: YUN ORR

*piceosignatus* Pic, 1927b: 20 (*Cornutaemospila*)

*japonicus* Hayashi, 1963b: 56 A: JA ORR

*liturifer* Walker, 1871: 18 (*Hesperophanes*) N: EG A: SA YE AFR

*denticollis* Fairmaire, 1891: 269 (*Gnatholea*)

*picicornis* Fairmaire, 1888c: 200 (*Gnatholea*)

*maculatus* White, 1855: 301 (*Stromatium*) A: HAI ORR

**genus *Zygoferus* Sama, 2008: 223** type species *Trichoferus pubescens* Sama, 1987

*pubescens* Sama, 1987: 49 (*Trichoferus*) N: AG TU

tribe Hylotrupini Zagajkevitch, 1991

**genus *Hylotrupes* Audinet-Serville, 1834b: 77** type species *Cerambyx bajulus* Linnaeus, 1758

*Hylotrypes* Gistel, 1856: 376 [unnecessary substitute name]

*bajulus* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA  
MC MD ME NL NR NT PL PT RO SB SK SP ST SV SZ TR UK N: AG CI EG LB MO MR TU A: AB AR CY GG IQ IS JO  
JIA LE SHG SY TR WS **AFR AUR NAR NTR ORR** #186

*affinis* Savenius, 1825: 63 (*Callidium*)

*bullatus* Haldeman, 1847: 36

*caudatus* DeGeer, 1775: 86 (*Cerambyx*)

*inaequalis* Casey, 1924: 233

*incertus* Casey, 1924: 234

*koziorowiczi* Desbrochers des Loges, 1873a: 429

*latus* Casey, 1924: 233

*linneianus* Laicharting, 1784: 69 (*Callidium*)

*lividus* Mulsant, 1839: 56

*minutus* Casey, 1924: 235

*nematocerus* Casey, 1924: 234

*pedicellatus* Casey, 1924: 235

*puellus* A. Villa & G. B. Villa, 1833: 36 (*Callidium*)

*puncticollis* Casey, 1924: 234

*quadripunctatus* Geoffroy, 1785: 82 (*Leptura*)

*similis* Marsham, 1802: 335 (*Cerambyx*)

*syriacus* Théry, 1896: 110

*theresae* Pic, 1924c: 26

### tribe Molorchini Gistel, 1848

**genus *Berndgerdia* Holzschuh, 1982a: 68** type species *Berndgerdia balteata* Holzschuh, 1982

*balteata* Holzschuh, 1982a: 68 A: NP UP

**genus *Epania* Pascoe, 1858: 237** type species *Odontocera singaporensis* J. Thomson, 1857b #447

*abdominalis* Holzschuh, 1984c: 350 A: NP

*amoorae* Gardner, 1926: 200 A: UP

*atra* Hayashi, 1978a: 88 A: TAI

*atramentaria* Holzschuh, 2010: 164 A: SCH

*calophylli* Gardner, 1926: 201 A: UP

*dilaticornis dilaticornis* Hayashi, 1950a: 5 A: JA

*dilaticornis kumatai* Hayashi, 1961b: 45 A: JA (Ryukyus)

*morimotoi* Makihara, 2004b: 219

*shibatai* Hayashi, 1976: 8

*discisa* Holzschuh, 2006b: 277 A: GUI

*gemellata* Holzschuh, 1991c: 41 A: GUX ORR #623

*ignota* Holzschuh, 2015d: 46 A: YUN

*immaculata* Kano, 1933b: 131 A: TAI #416

*iriei* Takakuwa, 1981: 6 A: JA (Ryukyus)

*mira* Holzschuh, 1991c: 43 A: GUX ORR #623

*mundali* Gardner, 1936: 132 A: NP UP

*picipes* Holzschuh, 1984a: 148 A: NP

*pudens* Holzschuh, 1993a: 28 A: YUN

*septemtrionalis* Hayashi, 1950a: 3 A: JA SC

*shikokensis maruokai* Hayashi, 1968c: 13 A: JA (Ryukyus)

*shikokensis shikokensis* K. Ohbayashi, 1936a: 13 A: JA

*densepunctata* Hayashi, 1968c: 13

*okinawana* Hayashi, 1976: 7

*subchalybeata* Miwa, 1931: 227 A: TAI

*vietnamica* Niisato & Saito, 1996: 152 A: GUX ORR #623

**genus *Leptepania* Heller, 1924a: 30** type species *Epania longicollis* Heller, 1915

*Helio manes* Newman, 1840a: 17 [HN] type species *Helio manes sidus* Newman, 1840

*Molorchinus* Shabliovsky, 1936: 185 type species *Molorchinus okunevi* Shabliovsky, 1936

*insularis* White, 1855: 179 (*Helio manes*) A: FUJ GUA HKG HUB #400 #525

*japonica* Hayashi, 1949c: 29 (*Molorchus*) A: JA SC

*lantauensis* Hayashi, 1982a: 71 A: HKG

*minuta* Gressitt, 1935d: 265 A: TAI

*kukuanana* Chang, 1978: 61

*okunevi* Shabliovsky, 1936: 186 (*Molorchinus*) A: FE MG

*incognita* Tsherepanov, 1975d: 83 (*Molorchus*)

*ryukyuana* Hayashi, 1963a: 54 A: JA

*sakaii* Hayashi, 1974a: 23 A: TAI (Lanyu Is.)

**genus *Molorchoepania* Pic, 1949a: 9** type species *Epania barbieri* Pic, 1949

*Kobaneus* Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955

*kopetzi* Holzschuh, 2018b: 503 **A: NP**

*mizoguchii* Hayashi, 1955: 51 (*Molorchus*) **A: JA**

*simplexa* Matsushita, 1933b: 228 (*Molorchus*) **A: TAI**

*viticola* Holzschuh, 1998: 35 **A: SHA**

**genus *Molorchus* Fabricius, 1793: 356** type species *Necydalis umbellatarum* Schreber, 1759

**#422**

**subgenus *Caenoptera* C. G. Thomson, 1859: 150** type species *Necydalis minor* Linnaeus, 1758

*abieticola* Holzschuh, 2007: 218 **A: TR**

*akbesianus* Rapuzzi & Sama, 2018: 9 **A: TR**

*changi* Gressitt, 1951a: 171 **A: SCH SHA**

*foveolus* Holzschuh, 1998: 34 **A: YUN**

*fraudator* Pesarini & Sabbadini, 1997: 104 **A: SCH SHA**

**#225**

*ikedai* Takakuwa, 1984: 10 **A: JA**

*juglandis* Sama, 1982: 219 **A: IS LE SY TR**

**#74**

*minor fuscus* Hayashi, 1955: 164 **A: JA**

*minor minor* Linnaeus, 1758: 421 (*Necydalis*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU**

**MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: BEI ES FE GAN GG HEI LIA KZ MG NC QIN SC SHA TR WS XIN**

**NTRi**

**#60 #62 #549**

*ceramboides* DeGeer, 1775: 151 (*Necydalis*)

*dimidiatus* Fabricius, 1775: 199 (*Leptura*)

*medius* Schrank, 1798: 688 (*Gymnopterion*)

*rufescens* Kiesenwetter, 1879a: 316 [1879b: 60]

*monticola* Plavilstshikov, 1931: 38 **A: AB AR GG IN TM**

*pallidipennis* Heyden, 1887b: 321 (*Gymnopterion*) **A: KI KZ UZ XIN**

*pinivorus* Takakuwa & Ikeda, 1980: 35 **A: JA**

*relictus* Niisato, 1996: 376 **A: SCH**

**#225**

*tjanschanicus* Plavilstshikov, 1959: 1678 **A: KZ KI**

**subgenus *Molorchus* Fabricius, 1793: 356** type species *Necydalis umbellatarum* Schreber, 1759

**#422**

*Conchopterus* Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759

*Epanioglaphyra* Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986

**#524**

*Glaphyra* Newman, 1840c: 19 type species *Glaphyra semiusta* Newman, 1840

*Laphyra* Newman, 1842g: 418 [RN] type species *Glaphyra semiusta* Newman, 1840

*Linomius* Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759

*Sinolus* Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861

*aceris* Holzschuh, 2009a: 300 (*Glaphyra*) **A: SCH**

***aerifer* Holzschuh, 2008: 208 (*Glaphyra*) A: GUX ORR**

**#623**

*aureomaculatus* Gressitt & Rondon, 1970: 109 **A: NP YUN ORR**

**#390**

*shimai* Hayashi & Makihara, 1981: 191 (*Glaphyra*)

*baiocchii* Rapuzzi & Sama, 2012a: 667 (*Glaphyra*) **A: IN PA TR**

**#274**

*bassettii* Sama, 1992b: 302 (*Glaphyra*) **A: CY**

*cobaltinus* Hayashi, 1963a: 53 (*Glaphyra*) **A: JA (Ryukyus)**

*concolor* Niisato, 1995: 444 (*Glaphyra*) **A: TAI**

*congruus* Holzschuh, 1998: 39 (*Glaphyra*) **A: GUI**

*contristatus* Holzschuh, 1991c: 44 (*Glaphyra*) **A: SCH**

*cordiger* Holzschuh, 1992b: 14 (*Glaphyra*) **A: SCH**

*cupreoviridis* Hayashi, 1966a: 5 **A: TAI**

*cyanescens* Gressitt, 1951a: 173 **A: FUJ TAI**

*cyanescens* Plavilstshikov, 1952: 287 [HN]

*darjeelingensis* Gardner, 1936: 129 **A: NP SD**

*densepunctatus* Holzschuh, 1977b: 338 **A: BT**

*frivulus* Holzschuh, 1998: 38 (*Glaphyra*) **A: SCH**

*gilvitaris* Holzschuh, 2006a: 239 (*Glaphyra*) **A: SHA**

*gracilis* Hayashi, 1949c: 29 **A: JA**

*fuscipennis* Hayashi, 1963d: 132

*grandinotatus* Holzschuh, 1992b: 15 (*Glaphyra*) **A: SCH**

*grosseri* Voříšek, 2012: 1 **A: IN**

*hederae* Gardner, 1936: 130 **A: HP KA PA**

**#274**

*ishiharai* K. Ohbayashi, 1936a: 12 **A: FE JA ?NC SC**

*kunashiricus* Tsherepanov, 1981: 72

*tsutsuii* Hayashi, 1958b: 47

*jiuyuehanus* Hayashi, 1984: 89 **A: TAI**

*kiesenwetteri hircus* Abeille de Perrin, 1881: 133 **E: ST A: AB AR GG IN TR**

*anatolica* Adlbauer, 1988: 275

*angorensis* Pic, 1912b: 3 (*Caenoptera*)

*kiesenwetteri kiesenwetteri* Mulsant & Rey, 1861a: 189 **E: AU BH BU CR CZ GE GR HU IT MC ?PL RO SK SL ST ?SZ UK #115**

*kiyoyamai* Hayashi, 1974a: 21 A: TAI  
*kobotokensis* K. Ohbayashi, 1963: 10 A: FE JA ?NC SC  
*kojimai* Matsushita, 1939: 56 (*Epania*) A: JA SC  
*kurosawai* Niisato, 1986b: 305 (*Glaphyra*) A: TAI  
*lampros* Holzschuh, 2006b: 280 (*Glaphyra*) A: GUX ORR #623  
*lectus* Holzschuh, 2006b: 281 (*Glaphyra*) A: SHA  
*lishanensis* Hayashi, 1974a: 22 A: TAI  
*liukueiensis* Hayashi, 1984: 90 (*Glaphyra*) A: TAI  
*macellus* Holzschuh, 2015d: 53 (*Glaphyra*) A: YUN  
*malmusii* Sama, 1995a: 370 (*Glaphyra*) A: TR  
*marmottani andalusica* Sláma, 2015b: 1118 (*Glaphyra*) E: SP #79  
*marmottani crovatoi* Sama, 1995a: 373 (*Glaphyra*) E: IT  
*marmottani frischeri* Sama, 1995a: 373 (*Glaphyra*) A: TR  
*marmottani marmottani* Brisout de Barneville, 1863: 118 E: AU BU CT CZ FR GE IT PL SK SP ST SZ A: TR  
*discicollis* Heyden, 1876b: 383  
*modestus* Holzschuh, 2006b: 283 (*Glaphyra*) A: GUI  
*molorchoides* Holzschuh, 1984c: 351 (*Epania*) A: NP  
*moravecii* Holzschuh, 2006b: 238 (*Glaphyra*) A: TAI  
*morii* Makihara, 1984: 13 (*Glaphyra*) A: JA  
*nitidus adachii* Takakuwa & Fujita, 1981: 29 A: JA  
*nitidus nitidus* Obika, 1973: 205 A: JA SC #525  
*perfuga* Holzschuh, 1998: 37 (*Glaphyra*) A: YUN  
*plagiatus* Reiche, 1877a: cxxii E: ST A: AB AR GG IN KZ  
*planicollis* Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) A: HUB  
*plavilstshikovi* Gressitt, 1951a: 174 A: FUJ TAI  
*fukiensis* Plavilstshikov, 1952: 288  
*prolixus* Holzschuh, 1999: 29 (*Glaphyra*) A: GAN  
*rufosternalis* Hayashi, 1984: 87 A: TAI  
*rugatus* Holzschuh, 2015d: 50 (*Glaphyra*) A: YUN  
*sabatinellii* Rapuzzi & Sama, 2018: 10 A: PA  
*saltinii* Pesarini & Sabbadini, 2015: 42 A: YUN  
*satoi* Niisato, 2003: 376 (*Glaphyra*) A: TAI  
*schmidtii* Ganglbauer, 1883b: 300 E: CT CZ GR HU MD ?PL SK ST UK A: AB GG KI KZ TM UZ  
*salicicola* Stiller, 1934: 37 (*Caenoptera*)  
*semenovi* Plavilstshikov, 1940a: 167  
*semitaiwanus* Hayashi, 1984: 88 A: TAI  
*serra* Holzschuh, 2006b: 279 (*Glaphyra*) A: SCH SHA  
*shibatai okinawanus* Hayashi & Matsuda, 1976: 34 A: JA (Ryukyus)  
*shibatai shibatai* Hayashi, 1961b: 44 A: JA  
*sikkimanus* Holzschuh, 2003b: 306 (*Glaphyra*) A: SD  
*starki* Shabliovsky, 1936: 184 A: FE ?NC SC  
*ichikawai* Niisato, 1988a: 89 (*Glaphyra*)  
*ussuriensis* Plavilstshikov, 1940a: 160  
*sterbai* Adlbauer, 1988: 277 A: LE  
*azri* Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)  
*subglaber* Gressitt, 1938b: 150 (*Epania*) A: TAI  
*sungkangensis* Hayashi, 1992: 140 (*Glaphyra*) A: TAI  
*taiwanus* Hayashi & Matsuda, 1976: 32 A: TAI  
*takeuchii ebeninus* Hayashi, 1961b: 45 A: JA (Ryukyus)  
*takeuchii takeuchii* K. Ohbayashi, 1937: 6 A: JA  
*tenuitarsis* Holzschuh, 1981: 97 A: TR  
*terminatus* Holzschuh, 2015d: 52 (*Glaphyra*) A: FUJ  
*uenoi* Niisato, 1995: 441 A: TAI (*Glaphyra*)  
*umbellatarum umbellatarum* Schreber, 1759: 9 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA  
LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG TM TR  
*depressus* Motschulsky, 1845a: 85  
*diversipes* Pic, 1897c: 31  
*minus* Scopoli, 1763: 57 (*Necydalis*)  
*umbellatarum obscuripes* G. Müller, 1948: 66 (*Caenoptera*) E: IT  
*unanims* Holzschuh, 1995: 26 (*Glaphyra*) A: SCH  
*verus* Holzschuh, 2007: 228 (*Glaphyra*) A: GUX ORR #623  
*viridescens* Hayashi & Matsuda, 1976: 36 A: TAI  
*watani* Kano, 1933b: 131 (*Epania*) A: TAI #416  
*subplana* Gressitt, 1951a: 175  
*yui yui* Hayashi, 1984: 88 A: TAI  
**subgenus** *Nathrioglyphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940

*alashanicus* Semenov & Plavilstshikov, 1936: 392 A: NMO  
*heptapotamicus* Plavilstshikov, 1940a: 163 E: ST A: KI KZ NIN UZ XIN #400  
*amygdali* Holzschuh, 1979a: 114  
*kuceraei* Holzschuh, 1998: 36 (*Glaphyra*) A: GAN  
*liui* Gressitt, 1948a: 51 [Yunnan] A: GAN HUB HUN SCH SHA YUN ZHE #45  
*smetanai* Danilevsky, 2011f: 105 [Zhejiang] #45  
**subgenus** *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989  
*asperanus* Holzschuh, 1989a: 161 A: PA  
**subgenus** *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001 #524  
*carus* Holzschuh, 1999: 28 A: GAN #524  
*itoi* Ikeda, 2001: 3 A: JA  
**subgenus** *Yamatoglaphyra* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1953  
*aemulatus* Holzschuh, 1998: 38 A: GAN SCH SHA #225  
*chalybeellus* Holzschuh, 2007: 225 A: HEN  
*hattorii* K. Ohbayashi, 1953: 13 (*Molorchus*) A: JA  
**genus** *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976 #524  
*villosa* Tsherepanov, 1976a: 67 A: FE

### tribe Mythodini Lacordaire, 1868

**genus** *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871  
*concinna* Pascoe, 1871: 273 A: BT GUA GUX HAI SD UP YUN ORR #127 #400

### tribe Oabriini Mulsant, 1839

**genus** *Anatolobrium* Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004  
*eggeri* Adlbauer, 2004b: 421 A: TR

**genus** *Anisogaster* A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862  
*kabateki* Adlbauer, 2005: 1009 A: YE (Suqutra)

**genus** *Bolivarita* Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914  
*oculata* Escalera, 1914a: 499 N: MO #521

**genus** *Chinobrium* Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937  
*mediofasciatum* Gressitt, 1937c: 449 A: JIX ORR  
*opacum* Holzschuh, 1984c: 348 (*Stenhomalus*) A: BT ORR

**genus** *Comusia* J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864  
*Chapaon* Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922  
*Ciopera* Pascoe, 1866d: 510 type species *Ciopera decolorata* Pascoe, 1866  
*Oemospiloides* Fisher, 1940: 197 type species *Oemospiloides bengalensis* Fisher, 1940  
*Ogasawara* Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937  
*bengalensis* Fisher, 1940: 198 (*Oemospiloides*) A: SD  
*bicoloricornis* Pic, 1927: 455 (*Chapaon*) A: YUN ORR  
*testacea* Gressitt, 1937b: 321 (*Ogasawara*) A: JA (Ogasawara Isls. & Ryukyus) TAI  
*thailandica* Hayashi, 1986: 267 A: NP ORR  
*tokii* Niisato & Chou, 2016: 255, 256 A: TAI (Lanyu Is.)  
*wui* Niisato & Chou, 2016: 250, 256 A: TAI (Lanyu Is.)

**genus** *Kuegleria* Holzschuh, 2017: 13 type species *Obrium atricolor* Pic, 1953  
*annulicornis* Pic, 1935b: 13 A: HKG #572

**genus** *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894  
**subgenus** *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894  
*corbetti* Gahan, 1894a: 15 A: GUA GUI HAI YUN ORR #400  
*jelineki* Holzschuh, 1991: 41 A: HAI ORR #400  
*longithoracicum* Chiang, 1963: 65 (*Obrium*) A: YUN

**genus** *Iranobrium* Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967  
*abbreviatum* Adlbauer, 2004c: 431 A: YE (Suqutra)  
*brancuccii* Holzschuh, 1993b: 122 A: OM SA YE  
*buettikeri* Holzschuh, 1993b: 123 A: AE SA YE  
*darwini* Lo Cascio & Grita, 2009: 123 A: YE (Suqutra)  
*davatchii* Villiers, 1967: 338 A: AE IN QA YE  
*grande* Holzschuh, 2015d: 36 A: OM

**genus *Longipalpus* Montrouzier, 1861: 275** type species *Longipalpus palazyanus* Montrouzier, 1861

*Iphrobrium* Gressitt, 1935a: 150 type species *Iphrobrium dilatipenne* Gressitt, 1935

*Nerida* McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940

*dilatipennis* Gressitt, 1935a: 151 (*Iphrobrium*) A: JA (Ryukyus)

*shigarorogi* Kano, 1939: 29 (*Pseudiphra*) A: TAI (Lanyu Is.)

*tahuensis* Chang, 1978: 59 A: TAI

*wenhsini* Niisato, 2013: 63 A: TAI

**genus *Obrium* Dejean, 1821: 110** type species *Cerambyx cantharinus* Linnaeus, 1767

*Diozodes* Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1824 (= *Cerambyx maculatus* Olivier, 1800)

#373

*Phyton* Newman, 1840c: 19 type species *Phyton linum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1800)

#373

*aegetum* Holzschuh, 1982a: 67 A: NP

*angustum* Lazarev, 2020b: 319 A: SCH

*anmashanum* Niisato & Chou, 2018: 78 A: TAI

*brevicorne* Plavilstshikov, 1940a: 138 A: FE JA NC SC

*brunneum* Fabricius, 1793: 316 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MD

NL NT PL RO SB SK SL SP ST SV SZ UK A: AB AR GG TR

*caucasicum* Tournier, 1872: 279

*cantharinum cantharinum* Linnaeus, 1767: 637 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA LT

LU MD NE NL NT PL ~~PL~~ RO SB SK SP ST SV SZ TR UK A: AB AR ES FE GG KZ MG TR WS XIN NTRi #133

*ferrugineum* Fabricius, 1781: 235 (*Saperda*)

*fuscicorne* Gmelin, 1790: 1837 (*Cerambyx*)

*cantharinum shimomurai* Takakuwa, 1984: 9 A: JA

*cephalotes* Pic, 1923e: 7 A: FUJ SHG

*complanatum* Gressitt, 1942e: 208 A: GUA GUI GUX JIX

*coreanum* Niisato & Oh, 2016: 34 A: NC SC

#525

*formosanum* Schwarzer, 1925a: 22 A: TAI

*fractum* Holzschuh, 2003: 178 A: SHA

*fumigatum* Holzschuh, 1995: 23 A: YUN

*fuscoapicale* Hayashi, 1974a: 17 A: JA TAI

*kusamai* Takakuwa, 1984: 10

#448

*hainanum* Niisato & Hua, 1998: 452 A: HAI

*hattai* K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)

[*huae huae* Niisato, 1998b: 273 ORR]

*huae jianbini* Niisato & Chou, 2018: 80 A: FUJ

*mendosum* Holzschuh, 2010: 156 A: HEN

*nakanei* K. Ohbayashi, 1959: 2 A: JA

*nitidum* Niisato & Chou, 2018: 73 A: TAI

*obscuripenne obscuripenne* Pic, 1904e: 17 A: FE HEI JA JIL NC SC

#400

*gracile* Plavilstshikov, 1933g: 167 [HN]

*graciliforme* Lipp, 1939: 225 [RN]

*tsushimaenum* Hayashi, 1974b: 14

*obscuripenne takakuwai* Niisato, 2006c: 383 A: JA

*oculatum* Niisato & Hua, 1998: 454 A: YUN

*posticum* Gahan, 1894a: 14 A: BT NP

*prosperum* Holzschuh, 2008: 182 A: YUN

*randiae* Gardner, 1926: 199 A: UP

*rufograndum* Gressitt, 1937c: 448 A: JIX TAI

*schwarzeri* Hayashi, 1974a: 19 A: TAI

*semiformosanum abirui* Niisato & Takakuwa, 1996: 142 A: JA

*semiformosanum semiformosanum* Hayashi, 1974a: 18 A: TAI

*takahashii* Kusama & Takakuwa, 1984: 278 A: JA (Ryukyus)

*yamasakoi* Niisato & Chou, 2018: 74 A: TAI

*yueyunae* Niisato & Chou, 2018: 79 A: TAI

**genus *Ossibia* Pascoe, 1867a: 311** type species *Obrium fuscatum* Chevrolat, 1856

*Obriaccum* J. Thomson, 1878: 24 type species *Obrium fuscatum* Chevrolat, 1856

*fuscata* Chevrolat, 1856c: 570 (*Obrium*) N: EG MO A: YE AFR

*crinita* Fähræus, 1872a: 55 (*Adiaphorus*)

*senegalense* J. Thomson, 1878a: 24 (*Obriaccum*)

*rubra* Quentin, 1956: 41

*picata* Holzschuh, 1993b: 124 A: SA

**genus *Oxilus* Buquet, 1859: 619** type species *Oxilus terminatus* Buquet, 1859

*Metobrium* Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887

*elegans* Fairmaire, 1887b: 334 (*Obriaccum*) N: EG AFR  
*manzonii* Gestro, 1889: 68 (*Ossibia*) A: YE

**genus *Pseudiphra* Gressitt, 1935a: 152 [RN] type species *Iphra apicalis* Schwarzer, 1925**

*Iriomoteus* Villiers & Chûjô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chûjô, 1970

*Obriomorpha* Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925

*apicalis* Schwarzer, 1925a: 23 (*Iphra*) A: JA TAI **ORR**

*bicolor* *bicolor* Nara & Kusui, 1974: 123 A: JA (Ogasawara Isls.)

*bicolor nigripennis* Takakuwa, 1984: 9 A: JA (Ogasawara Isls.)

*elegans* Villiers & Chûjô, 1970: 55 (*Iriomoteus*) A: JA (Ryukyus)

*obscura* Gressitt, 1951b: 210 A: JA (Ryukyus)

**genus *Pseudobolivarita* Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003**  
*negevensis* Sama & Orbach, 2003: 66 A: IS

**genus *Uenobrium* Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970**

*laosicum* Gressitt & Rondon, 1970: 107 (*Obrium*) A: HAI YUN **ORR**

*piceorubrum* Hayashi, 1971: 5 (*Obrium*) A: TAI

*takeshitai* Niisato & Ohmoto, 1994: 350 (*Obrium*) A: JA (Ryukyus)

**genus *Yemenobrium* Adlbauer, 2005: 1008 type species *Yemenobrium velutinum* Adlbauer, 2005**

*velutinum* Adlbauer, 2005: 1008 A: YE

### tribe Oemini Lacordaire, 1868

**genus *Afroeme* Adlbauer, 2004a: 3 type species *Afroeme kenyensis* Adlbauer, 2004**

*fusca* Gahan, 1900a: 12 (*Oeme*) A: YE (Suqutra) **AFR**

**genus *Cylindroeme* Vives, 2019: 1 type species *Cylindroeme vietnamica* Vives, 2019**

*shii* Wang Y., Xie & Wang W. 2022: 127 A: QIN

*vietnamica* Vives, 2019: 1 A: GUI **ORR**

*yunnanensis* Lin & Li K.-Q. 2022: 295 A: YUN

#663

**genus *Dorjia* Holzschuh, 1989c: 391 type species *Dorjia tenzingi* Holzschuh, 1989**

*tenzingi* Holzschuh, 1989c: 392 A: BT

**genus *Entetraommatius* Fischer, 1940: 199 type species *Entetraommatius quercicola* Fischer, 1940**

*christinae* Holzschuh, 2016a: 81 A: XIZ **ORR**

*quercicola* Fischer, 1940: 199 A: UP

*trifasciatus* Niisato & Lin, 2016: 262 A: YUN

#400

**genus *Fragiliella* Holzschuh, 2013a: 8 type species: *Oemospila callidioides* Gressitt & Rondon, 1970**

*callidioides* Gressitt & Rondon, 1970: 46 (*Oemospila*) A: YUN **ORR**

**genus *Hyphus* Lacordaire, 1868: 226 type species: *Hyphus aurantiacus* Lacordaire, 1868**

*apicalis* Pascoe, 1869a: 505 A: GUX HAI **ORR**

#400

**genus *Hypoeshrus* J. Thomson, 1864: 249 type species *Stenochorus strigosus* Gyllenhal, 1817**

**subgenus *Tibestia* Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935**

*dallonii* Peyerimhoff, 1935: 78 (*Tibestia*) N: AG LB MO **AFR**

*gyllenhalii* Lepesme & Breuning, 1955a: 43

*mirei* Lepesme & Breuning, 1955a: 43

*pallidipes* Quentin, 1956: 40

*peyerimhoffi* Lepesme & Breuning, 1955a: 42

*rungsi* Lepesme & Breuning, 1955a: 42

*wittei* Lepesme & Breuning, 1955a: 44

**genus *Kabatekiella* Holzschuh, 2008: 174 type species *Kabatekiella dalihodi* Holzschuh, 2008**

*dalihodi* Holzschuh, 2008: 175 A: OM YE (Suqutra)

**genus *Meiyingia* Holzschuh, 2010: 144 type species *Meiyingia paradoxa* Holzschuh, 2010**

*holzschuhi* Liu & Ch.-B. Wang, 2016: 293 A: GUX

*jinyunensis* Zh. Li & Chen, 2015: 596 A: CHQ

*paradoxa* Holzschuh, 2010: 145 A: HEN SCH

**genus *Neocarolus* Sama, 2008: 222** type species: *Neomarius thomasi* Holzschuh, 1993  
*thomasi* Holzschuh, 1993a: 24 (*Neomarius*) A: NP PA

**genus *Neomarius* Fairmaire, 1872: 60** type species *Neomarius gandolphii* Fairmaire, 1872  
*gandolphii* Fairmaire, 1872: 60 N: AG TUI

**genus *Nortia* J. Thomson, 1864: 252** type species *Nortia cavicollis* J. Thomson, 1864 #524  
*afghanica* Heyrovský, 1967b: 158 A: AF  
*carinicollis carinicollis* Schwarzer, 1925a: 20 A: FUJ GUX JA (Ryukyus) TAI  
*carinicollis hanatanii* Fujita, 2018: 26 A: JA (Ryukyus)  
*carinicollis kobayashii* Fujita, 2018: 26 A: JA (Ryukyus)  
*carinicollis pruinicollis* Gressitt, 1965: 61 A: JA (Ryukyus) #276  
*fuscata* Holzschuh, 2005: 1 A: NP UP  
*geniculata geniculata* Pic, 1932e: 32 (*Falsostromatium*) A: HAI ORR  
*geniculata satsumana* Niisato & N. Ohbayashi, 2005: 293 A: JA  
*kusuii* Kusama & Nara, 1974: 121 A: JA (Ogasawara Isls.)  
*planicollis* Gressitt, 1942e: 206 A: HKG

**genus *Noserius* Pascoe, 1857b: 95** type species *Noserius tibialis* Pascoe, 1857  
*gardneri* Martins, 1980: 116 [RN] A: NP  
*indicus* Gardner, 1939: 1 [HN]  
*indicus* Gahan, 1906a: 104 (*Hypoeshrus*) A: AE AF GUA HAI IN NP PA #75 #400

**genus *Oemospila* Gahan, 1906a: 104** type species *Oemospila maculipennis* Gahan, 1906  
*Falsostromatium* Pic, 1926l: 455 type species *Falsostromatium elongatum* Pic, 1926  
*maculipennis* Gahan, 1906a: 105 A: BT GUX NP YUN ORR #523  
*elongata* Pic, 1926l: 455 (*Falsostromatium*)

**genus *Oplatocera* White, 1853a: 121** type species *Oplatocera callidioides* White, 1853  
*Hoplitocera* Gemminger, 1872: 2795 [unjustified emendation]  
**subgenus *Epioplatocera* Gressitt, 1951a: 131** type species *Oplatocera oberthuri* Gahan, 1906  
*mandibulata* Miwa & Mitono, 1935: 404 A: CHQ TAI #60  
*mitonoi* Hayashi, 1981b: 30 A: TAI ZHE #60  
*oberthuri* Gahan, 1906a: 108 A: AP BT GUA GUX HUN NP SCH SD SHA YUN ORR #280  
**subgenus *Oplatocera* White, 1853a: 121** type species *Oplatocera callidioides* White, 1853  
*callidioides* White, 1853a: 121 A: SCH "North India" ORR  
*grandis* Gressitt, 1951a: 131 A: SCH ORR

**genus *Pufujia* Holzschuh, 1995: 16** type species *Nortia luteosignata* Pu, 1991 #524  
*luteosignata* Pu, 1991c: 281 (*Nortia*) A: GAN

**genus *Sichuanortia* Niisato & Liu, 2019: 406** type species *Sichuanortia zhouchaoi* Niisato & Liu, 2019  
*zhouchaoi* Niisato & Liu, 2019: 407 A: SCH

**genus *Tetraommatus* Perroud, 1855: 390** [= 1855a: 70] type species *Tetraommatus filiformis* Perroud, 1855  
*Deuteromma* Pascoe, 1857b: 98 type species *Deuteromma callidioides* Pascoe, 1857  
*fragilis* Holzschuh, 1984a: 144 A: NP  
*kuantaoshanensis* Chang, 1978: 62 (*Tetrops*) A: TAI  
*ocularis continentalis* Heller, 1926: 22 A: UP  
[*ocularis ocularis* Pascoe, 1869a: 504 – Moluques]  
*taiwanus* Hayashi, 1978a: 87 A: TAI

**genus *Yementallyrama* Adlbauer, 2007: 7** type species *Yementallyrama nasheri* Adlbauer, 2007  
*nasheri* Adlbauer, 2007: 7 A: OM YE

#### tribe Opsimini LeConte, 1873

**genus *Japonopsimus* Matsushita, 1935: 310** [RN] type species *Paraopsimus orientalis* Matsushita, 1933  
*Paraopsimus* Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933  
*exocentroides* Holzschuh, 1984c: 342 A: BT  
*orientalis* Matsushita, 1933b: 238 (*Paraopsimus*) A: TAI  
*simplex* Gressitt & Rondon, 1970: 44 (*Hypoeshrus*) A: HAI ORR #223

#### tribe Pelossini Tavakilian, 2013

**genus *Pelossus* J. Thomson, 1864: 222** type species *Corethrogaster ruber* J. Thomson, 1858

*Alloeme* Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)  
*Ceresida* Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)  
*Digonium* Pic, 1895c: 76 type species *Digonium longicorne* Pic, 1895  
*Leptosalpinia* Gressitt, 1951a: 624 type species *Leptosalpinia unicolor* Gressitt, 1951  
*Lygrus* Fähræus, 1872a: 55 type species *Lygrus apicalis* Fähræus, 1872  
*Nosoeme* Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894  
*Zoolygrus* Fähræus, 1872c: 194 [RN] type species *Lygrus apicalis* Fähræus, 1872  
*becvari* Sama, 1999c: 178 (*Lygrus*) A: IS JO SI  
*longicornis* Pic, 1895c: 77 (*Digonium*) A: OM SA YE  
*unicolor* Gressitt, 1951a: 625 (*Leptosalpinia*) A: HUB

### tribe Phoracanthini Newman, 1840

**genus *Allotraeus* Bates, 1877: 36** type species *Allotraeus sphaerioninus* Bates, 1877  
*pallidipennis* K. Ohbayashi, 1958c: 36 A: JA  
*sphaerioninus* Bates, 1877: 37 A: JA SC

**genus *Cordylomera* Audinet-Serville, 1834b: 23** type species *Cordylomera nitipennis* Audinet-Serville, 1834 = *Cerambyx spinicornis*  
*Fabricius*, 1775 #189  
*Acanthinomomus* Hope, 1835b: 107 type species *Cerambyx spinicornis* Fabricius, 1775  
*spinicornis* Fabricius, 1775: 167 (*Cerambyx*) Ei: CZ DE FR GB GE IR IT MA SP SV Ai: TR AFR #189  
*angolensis* Veiga-Ferreira, 1971: 7  
*sansibarica* Kolbe, 1893: 248  
*suturalis* Chevrolat, 1858: 242  
*testacea* Buquet, 1844: 233  
*torrida* Olivier, 1795: 31 (*Cerambyx*)

**genus *Nyphasia* Pascoe, 1867a: 313** type species *Nyphasia torrida* Pascoe, 1867  
*apicalis* Gahan, 1893b: 378 A: NP  
*fuscipennis* Gahan, 1890a: 53 A: NP  
*pascoei* Lacordaire, 1868: 309 A: BT YUN NP SD ORR #39

**genus *Nysina* Gahan, 1906a: 153** type species *Sphaerion orientale* White, 1853  
*Neosphaerion* Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925  
*Pseudallotraeus* Pic, 1923a: 13 type species *Pseudallotraeus rufescens* Pic, 1923  
*baibarana* Matsushita, 1933b: 297 A: TAI  
*boninensis* Gressitt, 1937b: 319 (*Pseudallotraeus*) A: JA (Ogasawara Isls.)  
*gracillima* Mitono, 1947b: 24 (*Pseudallotraeus*) A: FUJ GUX HAI TAI ORR #400  
*grahami* Gressitt, 1939a: 68 A: FUJ GUA GUX HEN HUN JIX SCH XIZ YUN  
*insularis amamiensis* Hayashi, 1961b: 42 A: JA (Ryukyus)  
*insularis insularis* Mitono, 1947b: 25 (*Pseudallotraeus*) A: JA (Ryukyus) SC (Jejudo Is) #63  
*insularis yamagami* Fujita, 1980: 12 A: JA (Izu Isls.)  
*orientalis* White, 1853a: 110 (*Sphaerion*) A: YUN ORR  
*rubriventris* Gressitt, 1937a: 90 A: CHQ HAI HUN YUN ORR #400  
*rufescens asiatica* Schwarzer, 1925a: 22 (*Neosphaerion*) A: FUJ GUX HAI HKG TAI ORR #276 #400  
*rufescens rufescens* Pic, 1923a: 13 (*Pseudallotraeus*) A: JA SC (Gageodo Is.) #276 #525  
*japonica* K. Ohbayashi, 1936a: 13  
*sauteri* Matsushita, 1931c: 399 (*Neosphaerion*) A: TAI  
*subtuberculata* Pic, 1933b: 27 (*Pseudallotraeus*) A: CH

**genus *Phoracantha* Newman, 1840a: 19** type species *Stenocorus semipunctatus* Fabricius, 1775  
*recurva* Newman, 1840b: 4 E: GR IT MA PT SP N: CI LB MO TU A: IS LE SY TR AFR AUR NAR NTR #74 #189 #361  
*papua* Gressitt, 1959: 93  
*semipunctata* Fabricius, 1775: 180 (*Stenocorus*) E: FR GR IT MA PT SP N: AG CI EG LB MO MR TU A: CY GG IS JO LE SY TR  
AFR AUR NAR NTR #189  
*hospita* Pascoe, 1864b: 232  
*inscripta* Germar, 1848: 226

### tribe Prothemini Lacordaire, 1868

**genus *Prothema* Pascoe, 1856: 43** type species *Prothema signatum* Pascoe, 1856  
*Sigeum* Pascoe, 1866d: 523 type species *Blemmya humerale* Pascoe, 1857  
*astutum* Holzschuh, 2011: 305 A: YUN  
*auratum auratum* Gahan, 1906a: 235 A: GUA GUI GUX HAI HUN ?NP ?SD YUN ORR  
*auratum cariniscapum* Gressitt, 1937c: 451 A: GUA GUI HUN SCH ORR #521  
*auratum ininterruptum* Pic, 1927g: 109 A: XIZ  
*auratum brunnipenne* Holzschuh, 2015d: 305 A: NP SD  
*cakli* Heyrovský, 1967c: 201 A: HAI YUN ORR

*exclamatione* Pesarini & Sabbadini, 2000: 58 A: SCH  
*lineatum* Pic, 1920a: 2 A: XIZ  
*ochraceosignatum* Pic, 1915b: 10 A: TAI  
*nigrum* Kano, 1930: 42  
*signatum* Pascoe, 1856: 43 A: FUJ GUA GUI GUX HAI HUN JIX NE NO SHA XIZ ZHE **ORR** #225  
*funereum* Pascoe, 1856: 43

### tribe Psebiini Lacordaire, 1868

**genus *Kabatekiipsebium* Rapuzzi, 2015: 583** type species *Kabatekiipsebium yemenensis* Rapuzzi, 2015  
*yemenensis* Rapuzzi, 2015: 754 A: OM YE

**genus *Mourgliana* Holzschuh, 1993b: 125** type species *Mourgliana conspicua* Holzschuh, 1993  
**subgenus *Mourgliana* Holzschuh, 1993b: 125** type species *Mourgliana conspicua* Holzschuh, 1993  
*conspicua* Holzschuh, 1993b: 125 A: SA  
**subgenus *Pseudomourgliana* Sama, 2006: 174** type species *Pseudomourgliana vanharteni* Sama, 2006  
*mollina* Holzschuh, 2006a: 235 A: AE OM  
*vanharteni* Sama, 2006: 175

**genus *Nathrius* Bréthes, 1916: 76** type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839)  
*Deuteroleptidea* Paclt, 1946: 169 [unnecessary substitute name]  
*Leptidea* Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839  
*Leptideella* Strand, 1936: 169 [unnecessary substitute name]  
*berlandi* Villiers, 1946: 68 (*Leptidea*) E: SP N: MO #395  
*brevipennis* Mulsant, 1839: 105 (*Leptidea*) E: AU AZ BE BH BU CR CZ DEi Fli GB GE HU IR IT MA MC MD ME NL NRi PL PT  
RO SB SK ST SL SP SVi ?SZ TR UK N: AG EG LB MO TU A: AB AR GG IN IS KZ LE SHX SY TR **NARi NTRi** #115  
#104  
*manca* LeConte, 1851: 24 (*Gracilia*)  
*minutus* Motschulsky, 1845a: 84 (*Leptidea*)  
*porteri* Bréthes, 1916: 77  
*rufipennis* Dufour, 1851: 351 (*Gracilia*)  
*cypericus* Sláma & Berger, 2006: 56 A: CY

### tribe Pseudolepturini J. Thomson, 1861

**genus *Erythresthes* J. Thomson, 1864: 158** type species *Erythrur bowringii* Pascoe, 1863  
**subgenus *Erythresthes* J. Thomson, 1864: 158** type species *Erythrur bowringii* Pascoe, 1863  
*bowringii* Pascoe, 1863a: 52 (*Erythrur*) A: ANH GUA GUX HKG HUB HUN JIX ZHE #60  
*eximius* Holzschuh, 2009a: 314 A: GUX **ORR** #157

**genus *Erythrur* White, 1853a: 142** type species *Erythrur championi* White, 1853  
*Disidaema* J. Thomson, 1860: 142 type species *Erythrur fortunei* White, 1853  
*Pseudoleptura* J. Thomson, 1860: 142 [RN] type species *Erythrur championi* White, 1853  
*angustatus* Pic, 1916e: 19 A: GUA  
*apicalis* Pic, 1922b: 25 A: GUA GUX **ORR**  
*atripennis* Pic, 1926g: 143  
*bicolor* Westwood, 1848: 60 (*Saperda*) A: BT JIA SD **ORR**  
*biimpressus* Pic, 1943c: 5 A: CH  
*blairi* Gressitt, 1939a: 33 A: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA ?TAI YUN ZHE  
*championi* White, 1853a: 142 A: CE FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH SE SW TAI YUN ZHE **ORR**  
*lineatus* Pic, 1916e: 12  
*schaiblei* Nonfried, 1892a: 92 (*Sternoplistes*)  
*coccineus* Gahan, 1906a: 231 A: FUJ NP "North India" **ORR**  
*congruus* Pascoe, 1863a: 51 A: GUA HKG HUB JIA TAI  
*formosanus* Bates, 1866a: 350 A: TAI  
*fortunei* White, 1853a: 142 A: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE  
*bijunctus* Pic, 1943c: 5  
*multiplicatus* Pic, 1943c: 5  
*lineatus* Pic, 1943c: 4 A: CH  
*multimaculatus* Pic, 1916e: 19 A: GUA SCH  
*quadrisignatus* Pic, 1943c: 4 A: CH  
*rotundicollis* Gahan, 1902: 275 A: YUN **ORR**  
*rubriceps* Pic, 1916e: 12 A: FUJ HEN HUB NE SCH YUN  
*suturellus* Holzschuh, 1984a: 150 A: NP SD  
*taiwanicus* Heyrovský, 1952: 71 A: TAI  
*westwoodi* White, 1853a: 143 A: NP UP **ORR** #127

**genus *Pachylocerus* Hope, 1834: 19** type species *Pachylocerus corallinus* Hope, 1834

*sulcatus* Brongniart, 1892: 240 A: GUI GUX SCH YUN **ORR** #400

tribe **Purpuricenini** J. Thomson, 1861 #400

**genus *Afghanicenus* Heyrovský, 1941a: 36** type species *Purpuricenus nuristanicus* Heyrovský, 1936  
*aulicus* Holzschuh, 1981: 101 A: PA  
*dreesi* Tippmann, 1958a: 57 A: AF  
*nuristanicus* Heyrovský, 1936: 212 (*Purpuricenus*) A: AF

**genus *Amarysius* Fairmaire, 1888b: 140** type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)  
*Asiates* Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770  
*altajensis altajensis* Laxmann, 1770: 597 (*Leptura*) A: GUI HEB HEI JIL KZ LIA NMO WS #400 #525  
*affinis* Motschulsky, 1853: 79 (*Anoplistes*)  
*basilaris* Pic, 1906b: 10 (*Anoplistes*)  
*sellatus* Germar, 1823: 498 (*Cerambyx*) #506  
*altajensis coreanus* Okamoto, 1924: 191 (*Anoplistes*) A: ES FE HEI LIA MG NC SC  
*album* Z. Wang, 2003: 160, 394  
*ausinia* Z. Wang, 2003: 160  
*ussuricus* Tsherepanov, 1975d: 123  
*duplicatus* Tsherepanov, 1980: 91 A: ES FE KZ MG WS  
*minax* Holzschuh, 1998: 43 A: GAN HEN SCH SHA #185 #225  
*sanguinipennis* Blessig, 1872: 175 (*Anoplistes*) E: CT A: BEI ES FE HEB HUB JA KZ LIA MG NC NMO SC SHA WS ZHE #400  
*dilatatus* Fairmaire, 1888b: 141  
*suturalis* Pic, 1906d: 16 (*Anoplistes*) A: FE HEB  
*grallator* Baeckmann, 1924: 233 (*Purpuricenus*)

**genus *Anoplistes* Audinet-Serville, 1834a: 570** type species *Cerambyx halodendri* Pallas, 1773  
*Asias* Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1773  
*agababiani* Danilevsky, 2000b: 41 (*Asias*) A: AR  
*amoenus* Reitter, 1898b: 126 A: XIN NMO #400  
*francisci* Reymond, 1933: 139  
*procerus* Semenov, 1907b: 256 (*Purpuricenus*)  
*churkini* Danilevsky, 2020d: 538 A: KI  
*degener* Semenov, 1907b: 255 (*Purpuricenus*) A: NMO #400  
*diabolicus* Reitter, 1915: 170 A: KZ XIN #400  
*forticornis* Reitter, 1901b: 84 A: KZ KI UZ XIZ  
*maculibasis* Reitter, 1901b: 84  
*galusoi* Kostin, 1974: 648 (*Asias*) A: KZ  
*gobiensis* Namkhaidorzh, 1973: 377 (*Asias*) A: MG  
*halodendri balcanicus* Sláma, 2010: 75 E: AL BU RO #139  
*halodendri ephippium* Steven & Dalman, 1817: 157 (*Cerambyx*) E: ST UK KZ A: KZ  
*elaegni* Fischer von Waldheim, 1823: pl. il [= 1824: 238] (*Purpuricenus*)  
*humeralis* Olivier, 1795: 38 (*Cerambyx*)  
*halodendri halodendri* Pallas, 1773: 724 (*Cerambyx*) A: KI KZ WS  
*nigromaculatus* Pic, 1915e: 6 (*Asiates*)  
*halodendri heptapotamicus* Semenov, 1926: 48 (*Purpuricenus*) A: ES KZ WS  
*halodendri kasatkini* Lazarev, 2014a: 275 E: ST (Dagestan)  
*halodendri minutus* Hammarström, 1892: 191 A: ES MG #562  
*halodendri pirus* Arakawa, 1932: 18 (*Purpuricenus*) A: ES FE GAN GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA NC NIN #185  
NMO QIN SC SCH SHA SHN SHX ?TAI XIN ZHE  
*jacobsoni* Baeckmann, 1904: 311 A: KZ  
*jomudorum* Plavilstshikov, 1940a: 606 (*Asias*) A: IN TM (Kopetdag)  
*chodjaii* Holzschuh, 1974a: 94 (*Asias*)  
*kaszabi* Karpinski, 2020: 192 A: MG #562  
*kozlovi* Semenov & Znoiko, 1934: 211 (*Asias*) A: MG NMG #400  
*mongolicus* Ganglbauer, 1889a: 75 A: HEB MG NMO SHX  
*tuvensis* Tsherepanov, 1978b: 138 (*Asias*) A: ES MG

**genus *Brototyche* Pascoe, 1867a: 317** type species *Brototyche adamsii* Pascoe, 1867  
*adamsii* Pascoe, 1867a: 318 [DA] ["Chosan (Japanese Sea)"] A: KO #208

**genus *Calchaenesthes* Kraatz, 1863: 97** type species *Callidium oblongomaculatum* Guérin-Méneville, 1844  
*diversicollis* Holzschuh, 1977a: 129 A: IN IQ TR  
*oblongomaculata* Guérin-Méneville, 1844: 234 (*Callidium*) E: BU GR RO A: CY JO TR  
*nogeli* Frivaldszky von Frivald, 1845: 183 (*Callidium*)  
*quadrinaculata* Pic, 1912f: 13  
*subjuncta* Pic, 1945b: 6

*pistacivora* Holzschuh, 2003a: 195 A: IN  
*primis* Özdikmen, 2013b: 150 A: CY TR #292  
*sexmaculata* Reiche, 1861: 91 (*Anoplistes*) E: SP N: AG MO TU  
*juncta* Pic, 1922d: 27  
*parvimaculata* Rungs, 1947: 100 (*Purpuricen*)

**genus *Dicelosternus* Gahan, 1900c: 308** type species *Dicelosternus corallinus* Gahan, 1900  
*corallinus* Gahan, 1900c: 309 A: FUJ GUA GUI GUX HAI HUB HUN JIX TAI ZHE #185

**genus *Euryphagus* J. Thomson, 1864: 196** type species *Cerambyx lundii* Fabricius, 1793  
*Eurycephalus* Dejean, 1835: 323 [HN] type species *Cerambyx maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)  
*lundii* Fabricius, 1793: 258 (*Cerambyx*) A: FUJ GUI GUX HAI HP NP SCH ?TAI YUN **ORR**  
*bipunctatus* Schönherr, 1817a: 459 (*Callidium*)  
*maxillosus* Olivier, 1795: 52 (*Cerambyx*) #185  
*nigricollis* Heller, 1913: 155 #185  
*nigripes* Olivier, 1795: 52 (*Cerambyx*)  
*variabilis* Pascoe, 1860b: 120 (*Eurycephalus*) #185  
*miniatus* Fairmaire, 1904a: 145 (*Purpuricen*) A: FUJ GUA GUI GUX HAI HKG JIX YUN **ORR**  
*caputorubeus* S. T. Yu, 1935: 10 (*Purpuricen*)  
*carinifer* Pic, 1910f: 24 (*Purpuricen*)  
*chinensis* Gressitt, 1939a: 47

**genus *Falsanoplistes* Pic, 1915d: 27** type species *Falsanoplistes guerryi* Pic, 1915  
*Bunothorax* Gressitt, 1936: 101 type species *Sternoplistes takasagoensis* Kano, 1933  
*guerryi* Pic, 1915d 27 A: GUI JIA SCH SHA YUN XIZ #400  
*takasagoensis* Kano, 1933a: 278 (*Sternoplistes*) A: TAI **ORR** #185

**genus *Parabunothorax* Pu, 1991b: 247** type species *Parabunothorax rubripennis* Pu, 1991  
*rubripennis* Pu, 1991b: 248, 251 A: GUI YUN **ORR** #185

**genus *Peyeremoceras* Sama, 2009: 22** [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920  
*Eremoceras* Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920  
*surcoufi* Peyerimhoff, 1920a: 22 (*Eremoceras*) N: AG

**genus *Purpuricen* Dejean, 1821: 105** type species *Cerambyx kaehleri* Linnaeus, 1758  
*Acanthoptera* Latreille, 1829: 114 type species *Cerambyx budensis* Götz, 1783 #517  
*Cyclodera* White, 1846: 510 type species *Cyclodera quadrinotata* White, 1846  
*Hamadrias* Gistel, 1848a: 130 [unnecessary substitute name]  
*Philagathes* J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864  
*Porphyrocenus* Reitter, 1913a: 34 type species *Purpuricen spectabilis* Motschulsky, 1858  
*Sternoplistes* Guérin-Méneville, 1844: 224 type species *Purpuricen temminckii* Guérin-Méneville, 1844  
*apicalis* Pic, 1905j: 163 A: IN IQ TR  
*tommasoi* Sama, 2001: 390  
*apiceniger* Pic, 1914b: 7 E: BH CR GR IT ME  
*baeckmanni* Danilevsky, 2007c: 38 E: UK (Crimea) #98 #635  
*barbarus* P. H. Lucas, 1842: 185 N: AG MO TU  
*dumerilii* P. H. Lucas, 1847: pl. 41  
*interruptus* Pic, 1891b: 23  
*limbatus* Pic, 1891b: 23  
*bitlisiensis* T. Pic, 1902: 27 A: TR  
*budensis* Götz, 1783: 72 (*Cerambyx*) E: BH BU CT CR FR GR HU IT MC MD ME RO SB SK SL SP ST TR UK A: AB AR CY GG  
**IN IS LE SY TR WS**  
*affinis* Brullé, 1832: 251  
*ungaricus* Herbst, 1784: 90 (*Lamia*)  
*wredii* Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]  
*caucasicola* Danilevsky, 2015e: 386 E: ST A: AB ?AR GG #635  
*coccineus* Breit, 1917b: 73 E: IT #231  
*comenius* Vartanis & Ambrus, 2015: 315 E: GR  
*cornifrons* Sabbadini & Pesarini, 1992b: 58 [Bingöl] A: TR  
*dalmatinus* Sturm, 1843: 353 E: BH BU CR GR IT MC SL **N: EG A: IS JO LE SY TR** #561  
*biinterruptus* Pic, 1901b: 11  
*bonvouloiri* Pic, 1945b: 6  
*disjunctus* Pic, 1916a: 13  
*hirsutus* Heyrovský, 1969a: 34  
*desfontainii* *desfontainii* Fabricius, 1793: 258 (*Cerambyx*) E: GR (Crete) N: AG LB MO TU  
*nigricollis* Pic, 1892g: 114  
*v-signatis* Pic, 1922d: 27  
*desfontainii inhumeralis* Pic, 1891b: 24 E: GR TR A: JO IS LE SY TR #464

*deyrollei* J. Thomson, 1867d: 164 A: IN TM  
*lederer* Ferrari, 1869: 199  
*mediojunctus* Pic, 1921a: 4  
*ferrugineus* Fairmaire, 1851: 528 E: PT SP  
*fettingi* Schaufuss, 1871: 209  
*hispanicus* K. Daniel & J. Daniel, 1898b: 88  
*globiger ambrusi* Danilevsky, 2012d: 11 A: GAN  
*globiger globiger* Fairmaire, 1888b: 139 A: BEI HEB JIX LIA SHA SHX #185 #400  
*globulicollis* Dejean, 1839: 34 E: AU BH BU CR CT CZ EN FR GR HU IT ME RO SB SK SL SP ST SZ UK A: KZ WS #195  
*grabowskii* Heyrovský, 1913: 35  
*tsherepanovae* Tsherepanov, 1980: 89  
*graecus* Sláma, 1993: 56 E: GR #98  
*hummeli* Pic, 1935c: 11 A: GAN SCH #185  
*foraminifer* Pesarini & Sabbadini, 1997: 106 #185  
*indus* Semenov, 1908: 261 [RN] A: AF KA PA "Punjab"  
*haussknechti* Gahan, 1906a: 186  
*innotatus* Pic, 1910f: 24 A: XIZ YUN ORR  
*interscapillatus barbarae* Rapuzzi & Sama, 2014b: 145 (Carmel range, Daliyat el Karmil) A: IS  
*interscapillatus cypriensis* Lazarev & Ambrus, 2021: 508 A: CY  
*interscapillatus hermonensis* Rapuzzi & Sama, 2014b: 147 A: IS SY (Golan Heights, Mt. Hermon ; Syria: Quatana, Burqush)  
*interscapillatus interscapillatus* Plavilstshikov, 1937b: 247 [RN] A: SY TR (Toros Mts, Nemrut Mts, Mardin, Hatay)  
*humeralis* Pic, 1891b: 23 ["Asie Mineure"] [HN]  
*interscapillatus longevittatus* Pic, 1941b: 2 A: LE #330  
*interscapillatus marivanensis* Danilevsky & Faizi, 2020: [2] A: IN  
*interscapillatus nabateus* Sama, 1999c: 178 A: JO #330  
*interscapillatus nudicollis* Demelt, 1968b: 65 [Antalya] A: TR #521  
*kabakovi* Miroshnikov & Lobanov, 1990: 15 A: AF KA PA  
*kaehler* boryi Brullé, 1832: 251 [Morée: "de Pétalidi, dans le golfe de Messénie"] E: GR #278  
*kaehler carbonarius* Reitter, 1901c: 101 ["dalmatinischen Insel Meleda"] E: BH CR #517  
*kaehler cinctus* A. Villa & G. B. Villa, 1833: 36 - ["Italia"] E: IT #517  
*aetnensis* Bassi, 1834: 471 [Nicolosi, Sicile]  
*tournieri* Pic, 1945b: 6 [Sicile]  
*kaehler corsicus* Vartanis, 2018a E: FR  
*kaehler kaehler* Linnaeus, 1758: 393 (*Cerambyx*) [Italia] E: BE FR GR IT MC PT SB SP SZ  
*bilineatus* Mulsant, 1839: 34 [aux environs de Lyon, les environs de Paris et de Bordeaux]  
*bipunctatus* A. Villa & G. B. Villa, 1833: 36 ["Italia"]  
*ferrarioi* Pic, 1941b: 2 ["Italie"]  
*ruber* Geoffroy, 1785: 75 (*Cerambyx*) ["circa Parisios"]  
*servillei* Audinet-Serville, 1834a: 569 ["environs de Paris"]  
*kaehler litoralis* Depoli, 1913: 22 ["Liburnischen Karst"] E: AL BH CR GR ME SL #517  
*kaehler menetriesi* Motschulsky, 1845a: 87 E: ST A: AB AR GG IN TR  
*astrabadensis* Pic, 1915c: 6  
*causicus* T. Pic, 1902: 27 #331  
*kaehler rossicus* Danilevsky, 2019: 86 E: AU BE BU CT CZ GE HU MD PL RO SK ST TR UK A: TR  
*katerinae* Danilevsky, 2012d: 12 A: SHX  
*lituratus* Ganglbauer, 1887a: 136 A: BEI FE GAN GUI GUX HEB HEN HUB HUN JA JIA JIL JIX LIA NC SC SCH SHA SHX YUN #185  
*komarovi* Semenov, 1908: 260  
*petasifer* Fairmaire, 1888b: 140  
*ritsemai* Villard, 1913: 237  
*rostri* Pic, 1913c: 135  
*malaccensis* Lacordaire, 1869: 176 (*Philagathes*) A: GUA GUX HAI SHA YUN ORR #185 #530  
*diversithorax* Pic, 1922b: 25.  
*fasciatus* Brongniart, 1892: 241  
*subimmaculatus* Pic, 1927b: 30  
*mesopotamicus* Al-Ali & Ismail, 1987b: 536, 543 A: IQ #591  
*montanus* White, 1853a: 138 A: AF HP KA PA UP XIZ "Tibet" #127 #185  
*kashmirensis* Pic, 1906b: 10 (*Sternoplistes*)  
*nanus* Semenov, 1907b: 254 ["Gilan: pr. pag. Molla-ali"] A: IN  
*notatithorax* Pic, 1919a: 22 ["Perse"]  
*neocaucasicus* Rapuzzi & Sama, 2014b: 156 A: TR #98 #635  
*nicocles* Schaufuss, 1871: 209 A: CY  
*nigropunctatus* Pic, 1916a: 13  
*nigronotatus* Pic, 1907g: 169 [Hatay] A: TR  
*konradi* Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]  
*optabilis* Holzschuh, 1984a: 149 A: NP  
*renyvovae latefasciatus* Özdikmen & Tezcan, 2020g: 537 A: TR

*renyvonae* **renyvonae** Sláma, 2001: 225 E: BU CR MC TR SB #98 #635  
*robusticollis* Pic, 1905a: 9 ["Perse"] A: IN  
*sanguinolentus* Olivier, 1800: 93 (*Cerambyx*) A: ?TAI "North India" ORR #373 #400  
*sasanus* Kadlec, 2006a: 3 A: IN ?IQ #537  
*schurmanni* Sláma, 1985: 18 E GR (Crete)  
*creticus* Bernhauer, 1985: 104  
*sideriger richardi* Danilevsky, 2012d: 15 A: GAN  
*sideriger sideriger* Fairmaire, 1888b: 139 A: FE FUJ GUX HEB HEN HUB HUN JIA JIX NC SC SCH SHA #185  
*coreanus* K. Saito, 1932: 441  
*pratti* Gahan, 1888b: 61  
*skypetarum skypetarum* Rapuzzi & Sama, 2014b: 164 E: AL MC GR #64 #521  
*skypetarum zinaidae* Lazarev, 2020e A: TR  
*spectabilis* Motschulsky, 1858a: 36 A: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA SC SCH SHA ?TAI YUN ZHE #63 #185  
*argodi* Pic, 1949b: 53 (*Sternoplistes*)  
*bijunctus* Pic, 1923b: 8 (*Sternoplistes*)  
*subnotatus* Pic, 1910f: 24 A: YUN  
*basipennis* Pic, 1916e: 13  
*talyschensis* Reitter, 1891c: 240 A: AB (Talysh) IN  
*temminckii oliveri* Danilevsky, 2012d: 19 A: GAN  
*temminckii sinensis* White, 1853a: 139 A: AP FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI YUN  
ZHE ORR #185 #280  
*similis* Pic, 1923b: 8 (*Sternoplistes*)  
*temminckii temminckii* Guérin-Méneville, 1844: 224 A: JA  
*japanus* Motschulsky, 1858a: 37  
*kiotensis* Matsushita, 1933b: 312 (*Sternoplistes*)  
*wachanrui* Levrat, 1858: 261 [Turquie] A: AB CY IN IQ SY TR #591  
*aleppensis* Witte, 1872: 208  
*atricolor* Pic, 1912c: 4  
*bilunatus* Schaufuss, 1871: 210 [Cypern]  
*diversipennis* Pic, 1915e: 6 [Aleppo]  
*haussknechti* Witte, 1872: 207 [Kurdistan]  
*quadrinotatus* Pic, 1912a: 35 [Luristan]  
*schoenfeldti* Heyden, 1890: 79 [Sultanabad]  
*zarudnianus* Semenov, 1903: 358 A: IN PA  
*schauffelei* Pic, 1956a: 3  
**genus Quentinius Vives, 2013a: 105** type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)  
*lameerei* Plavilstshikov, 1921: 110 (*Purpuricenus*) [RN] A: SCH XIZ YUN ORR #185  
*cinctus* Lameere, 1890: ccxiii (*Philagathes*) [HN]

### tribe Pyrestini Lacordaire, 1868

**genus Pyrestes Pascoe, 1857b: 96** type species *Pyrestes haematicus* Pascoe, 1857  
*curticornis* Pic, 1923a: 13 A: TAI  
*formosanus* Schwarzer, 1925a: 24  
*densatus* Holzschuh, 1998: 41 A: GAN SCH  
*dohertii* Gahan, 1906a: 229 A: YUN ORR  
*festus* Holzschuh, 1998: 42 A: YUN  
*haematicus* Pascoe, 1857b: 97 A: ANH FUJ GUA GUI HEN HKG HUB HUN JA JIA JIX NC NE NO SC SHA TAI YUN ZHE  
#225  
*cardinalis* Pascoe, 1863a: 50 #417  
*coreanus* Okamoto, 1927: 66 (*Leptoxenus*)  
*hypomelas* Fairmaire, 1887a: 131 A: YUN  
*inaequalicollis* Hayashi, 1962a: 9 A: JA (Ryukyus)  
*longicollis* Pic, 1953c: 8 A: TAI  
*miniatus* Pascoe, 1857b: 97 A: "North India"  
*munekuro* Fujimura, 1956: 3 A: JA  
*nipponicus* Hayashi, 1987: 157  
*nigricollis* Pic, 1947c: 18 A: YUN ORR  
*pascoei* Gressitt, 1939a: 31 A: FUJ GAN GUA HUN JIA NE YUN ZHE  
*pyrrhus* Gahan, 1906a: 228 A: HP NP ORR #366  
*quinesignatus* Fairmaire, 1889a: 65 A: SHA WP #400  
*rufipes nepalicus* Holzschuh, 1990: 189 A: NP  
*[rufipes rufipes* Pic, 1923a: 13 - "North India"]  
*rugicollis* Fairmaire, 1900: 642 A: FUJ GAN GUA HEN HUN JIA YUN ZHE  
*rugosa* Gressitt & Rondon, 1970: 184 A: YUN ORR  
*yayeyamensis* Hayashi, 1972: 28 A: JA (Ryukyus)

### tribe Smodicini Lacordaire, 1869

**genus *Smodicum* Haldeman, 1847: 38** type species *Callidium cucujiforme* Say, 1827 #579  
*Nothorhinomorpha* Pic, 1930e: 62 type species *Nothorhinomorpha deplanata* Pic, 1930e  
*cucujiforme* Say, 1827: 277 (*Callidium*) **Ni: EG NAR NTR**  
*argentinum* Bruch, 1911: 170  
*convergens* Casey, 1912: 269  
*cylindrides* Newman, 1838a: 394 (*Callidium*)  
*deplanata* Pic, 1930e: 63 (*Nothorhinomorpha*) [Egypt]

### tribe Stenhomalini Miroshnikov, 1989

**genus *Stenhomalus* White, 1855: 243** type species *Stenhomalus fenestratus* White, 1855  
**subgenus *Obriopsis* G. Müller, 1948: 65** type species *Obrium bicolor* Kraatz, 1862  
*bicolor bicolor* Kraatz, 1862: 126 (*Obrium*) **E: AL AU BH BU CR CZ GR HU IT MC ME SB SK SL SV A: CY IS SY TR**  
*bicolor yazelae* Özdikmen, 2019a: 9 **A: TR**  
**subgenus *Stenhomalus* White, 1855: 243** type species *Stenhomalus fenestratus* White, 1855  
*Stenomalus* Gemminger, 1872: 2841 [unjustified emendation]  
*baibarensis* Matsushita, 1933b: 307 **A: TAI**  
*cephalotes* Pic, 1928a: 28 **A: HAI ORR**  
*clarinus* Holzschuh, 1995: 23 **A: YUN**  
*cleroides* Bates, 1873: 155 **A: JA SC TAI** #384  
*complicatus* Gressitt, 1948a: 49 **A: SCH SHA SHX YUN**  
*coomani* Gressitt, 1951a: 164 **A: FUJ**  
*dayaoshanus* Niisato & Chou, 2018: 82 **A: GUX**  
*fenestratus* White, 1855: 243 **A: FUJ GUA HKG NE NO NP SCH SHA TAI "North India" ORR**  
*incongruus incongruus* Gressitt, 1939c: 211 **A: BEI JIA SHA SHG** #225  
*incongruus muneaka* Hayashi, 1981b: 29 **A: JA**  
*incongruus parallelus* Niisato, 1988c: 791 **A: JA SC**  
*japonicus* Pic, 1904f: 22 (*Obrium*) **A: FE (Kunashir) JA SC**  
*lighti* Gressitt, 1935b: 170  
*vulcanus* Tsherepanov, 1975c: 79  
*kumaso* Niisato & Makihara, 1991: 164 **A: JA**  
*liui* Niisato, 2015a: 475 **A: HAI**  
*longicornis* Bates, 1873: 155 (*Obrium*) **A: JA**  
*makiharai* Niisato & Chou, 2018: 86 **A: TAI**  
*mecops* Holzschuh, 1990: 187 **A: SD**  
*mirificus* Niisato & Chou, 2018: 84 **A: TAI**  
*nagaoi* Hayashi, 1960c: 11 **A: JA SC (Yeoseodo Is.)** #97  
*odai* Niisato & Kinugasa, 1982: 13 **A: YUN ORR**  
*pallidus* Gressitt, 1935a: 147 **A: TAI**  
*pinicola* Holzschuh, 2015: 34 **A: SCH**  
*ruficollis* Gressitt, 1935a: 149 **A: TAI**  
*taiwanus koshunensis* Seki, 1935a: 91 **A: TAI**  
*taiwanus taiwanus* Matsushita, 1933b: 307 **A: HEB HEN HUB JA LIA NC SC SCH SHA SHX TAI NAR** #216 #225  
*takaosanus* K. Ohbayashi, 1958c: 37 **A: JA**  
*tetricus* Holzschuh, 2007: 214 **A: HUB**  
*unicolor* Niisato & Hua, 1998: 456 **A: ZHE**  
*versicolor* Holzschuh, 1984a: 147 **A: NP**

### tribe Stenopterini Gistel, 1848

**genus *Callimoxys* Kraatz, 1863: 105** type species *Stenopterus gracilis* Brullé, 1832  
*gracilis* Brullé, 1832: 257 (*Stenopterus*) **E: AL BH BU CR GR HU MC ME RO SB SK SL ST UK A: AB AR GG IN TM TR**  
#11 #32 #117  
*retusifer* Holzschuh, 1999: 27 **A: HUB SHA** #225  
*orientalis* Niisato & N. Ohbayashi, 2004: 464

**genus *Callimus* Mulsant, 1846: [5]** type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)  
**subgenus *Callimus* Mulsant, 1846: [5]** type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)  
*Callimellum* Strand, 1928: 2 [unnecessary substitute name]  
*abdominalis* Olivier, 1800: 70 (*Callidium*) **E: AL BH CR FR GR IT SP** #373  
*decorus* Gené, 1839: 38 (*Stenopterus*)  
*diversipes* Pic, 1929b: 9  
*nigricollis* Pic, 1890c: 157  
*akbesianus* Pic, 1892r: cxi [= 1893d: 416] **A: TR**  
*angulatus angulatus* Schrank, 1789: 77 (*Saperda*) **E: AL AU BH BU CR CZ GE GR HU MC MD ME PL RO SB SK SP SZ TR UK N: AG MO A: AB AR GG IN SY TR TM**  
#170 #630

*bourdini* Mulsant, 1846: [7]  
*cyaneus* Fabricius, 1793: 330 (*Callidium*)  
*gallicus* Pic, 1932d: 25 (*Callimellum*)  
*laetus* Motschulsky, 1845a: 85 (*Stenopterus*)  
*variabilis* Bonelli, 1812: 181 (*Necydalis*)  
*angulatus glabrescens* Holzschuh, 1989a: 164 E: AL GR  
*testaceus* Pic, 1922b: 23 A: HP  
**subgenus** *Lampropterus* Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1823 #506  
*Callimomimus* Ieniște, 1952: 719 type species *Callimomimus distinctus* Ieniște, 1952 (= *Necydalis femoratus* Germar, 1823)  
*femoratus* Germar, 1823: 519 (*Necydalis*) E: AL BU GR MC MD ME RO SB ST TR UK A: AB AR GG IN IS CY LE SY TR #74  
#506  
*adonis* Abeille de Perrin, 1881: 139  
*distinctus* Ieniște, 1952: 719 (*Callimomimus*)  
*narcissus* Abeille de Perrin, 1881: 138  
*rumelicus* Apfelbeck, 1899: 292  
*thoracicus* Chevrolat, 1882: 57 (*Callimoxys*)  
**subgenus** *Nathriopterus* Sama, 2002: 62 type species *Stenopterus shensiensis* Gressitt, 1951  
*shensiensis* Gressitt, 1951a: 176 (*Stenopterus*) A: SHA  
*truncatipennis* Gressitt, 1948a: 52 (*Stenopterus*) A: SHA  
**subgenus** *Procallimus* Pic, 1907a: 7 type species *Callimus egregius* Mulsant & Rey, 1863  
*distinctipes* Pic, 1906a: 11 A: IS JO LE  
*egregius* Mulsant & Rey, 1863: 146 E: ST UK A: GG LE SY TR #182  
*obscurithorax* Pic, 1907e: 154  
*khorsanii* Holzschuh, 2006a: 234 A: IN  
*rapillyi* Villiers, 1973a: 33 A: IN  
*semicyaneus* Pic, 1905k: 187 E: GR MC ?A: TR #563  
**genus** *Guerryus* Pic, 1903e: 105 type species *Guerryus aureopubescens* Pic, 1903  
*argyritis* Holzschuh, 1998: 34 A: SCH YUN #400  
*aureopubescens* Pic, 1903e: 105 A: SCH YUN  
**genus** *Holangus* Pic, 1902l: 33 type species *Holangus flavonotatus* Pic, 1902  
*bicolor* Niisato, Chou & Lin, 2018: 94 A: GUX HAI  
*guerryi* Pic, 1904c: 10 A: SCH YUN #400  
*ruficollis* Pic, 1940: 4 A: YUN ORR #240  
*shennongjiaensis* P. Wang, Xie G. & Wang W.-K. 2020b: 146 A: HUB  
**genus** *Kunbir* Lameere, 1890: ccxiii type species *Kunbir telephoroides* Lameere, 1890  
*Debilta* Fairmaire, 1895: 178 [HN] type species *Debilta rufoflavida* Fairmaire, 1895  
*Debilissa* Aurivillius, 1912: 274 [RN] type species *Debilissa rufoflavida* Fairmaire, 1895  
*Kurseonigra* Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930  
*atripennis* Pic, 1925b: 15 (*Debilissa*) A: HUN YUN  
*bicolor* Pic, 1928f: 160 (*Debilissa*)  
*obscuricolor* Pic, 1925b: 16 (*Debilissa*)  
[*atripes atripes* Pic, 1924: 15 (*Debilissima*) ORR (Laos)]  
*atripes bicoloripes* Holzschuh, 2015d: 43 A: SCH SHA  
*carinatus* Pic, 1928f: 159 (*Debilissa*) A: HUB YUN #400  
*cephalotes* Pic, 1928f: 159 (*Debilissa*) A: FUJ YUN  
*crusator* Gressitt & Rondon, 1970: 127 A: YUN ORR  
*laboissierei* Pic, 1930: 16 (*Debilissa*) A: SD  
*nomurai* Hayashi, 1974a: 25 A: HUB HUN TAI #400  
*pallidipennis* Gressitt, 1940b: 56 A: HAI  
*pilosipes* Holzschuh, 2003: 187 A: HUB HUN SHA #400  
*rufoflavidus* Fairmaire, 1895: 179 (*Debilta*) A: YUN ORR  
*diversiceps* Pic, 1928a: 27 (*Debilissa*)  
*shennongjiaensis* X. Wang, P. Wang & W. Wang, 2021: 181 A: HUB  
*simplex* Gressitt & Rondon, 1970: 128 A: YUN ORR  
*telephoroides* Lameere, 1890: ccxiii A: UP  
*testaceus* Pic, 1924a: 15 (*Debilissima*) A: CH ORR  
*vartianorum* Holzschuh, 1974a: 88 A: PA  
**genus** *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858  
**subgenus** *Macromolorchus* Pic, 1922e: 28 type species *Macromolorchus curtipennis* Pic, 1922  
*Hakata* Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936  
*baoshana* Chiang, 1963: 66 A: YUN ORR  
*aglaospadix* Gressitt & Rondon, 1970: 118  
*curtipennis* Pic, 1922e: 28 (*Macromolorchus*) A: HUB ORR #651

*eburata* Holzschuh, 1989a: 162 A: SD YUN  
*hirsuta* Mitono & Nishimura, 1936: 34 (*Hakata*) A: FUJ HUN JA TAI ZHE  
*klapperichi* Tippmann, 1955: 100 (*Hakata*) #418  
*splendida* Chiang, 1981: 79 A: GUX HAI ZHE #400  
**subgenus** *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858  
*fusca* Gressitt & Rondon, 1970: 121 A: YUN **ORR**  
*indica* Hope, 1831: 28 (*Molorchus*) A: **HUB** NP SCH SD YUN **ORR** #651  
*jeanvoinei* Pic, 1933a: 9 A: GUX HAI **HUB** **ORR** #651  
*atricornis* Pic, 1933a: 10  
*melanocephala* Gressitt & Rondon, 1970: 125 A: GUX YUN **ORR** #400  
*neglecta* Yokoi & Niisato, 2009: 348 A: YUN **ORR** #400  
*nigrella* Gressitt, 1942g: 79 A: ANH YUN  
*nigriceps* White, 1855: 181 (*Heliomanes*) A: AP NP XIZ YUN **ORR**  
*inapicalis* Pic, 1922b: 23  
*nigroapicalis* Gressitt et Rondon, 1970: 121 A: YUN **ORR**  
*phoebe* Gardner, 1939: 3 A: NP UP  
*pilosa* Gressitt et Rondon, 1970: 120 A: GUX YUN **ORR** #400  
*scutulata* Holzschuh, 1989a: 163 A: SD YUN  
*tuberosa* Holzschuh, 2003a: 185 A: YUN **ORR** #508  
*uraiensis* Kano, 1930: 43 A: TAI  
**subgenus** *Ocytasia* Pascoe, 1869a: 565 type species *Ocytasia fulvipennis* Pascoe, 1869  
*caldwelli* Gressitt, 1942a: 3 A: FUJ GUA GUX HUN YUN  
*catoxelytra* Gressitt & Rondon, 1970: 119 A: YUN **ORR**  
*formosana burkwalli* Gressitt, 1940b: 54 A: HAI ZHE #489  
*formosana formosana* Heller, 1924a: 32 A: TAI  
*kurarensis* Seki, 1934: 282  
*nigra* Matsushita, 1937: 102  
*formosana iriomotensis* K. Ohbayashi & N. Ohbayashi, 1965: 3 A: JA (Ryukyus)  
*formosana okinawana* K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)  
*formosana rubriventris* Hayashi, 1962a: 8 A: JA (Ryukyus)  
*formosana septentrionalis* Tamu & Tsukamoto, 1952: 9 A: JA  
*tosawai* Kobayashi, 1932: 1 A: JA (Ogasawara Isls.)  
  
**genus** *Microdebilissa* Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925  
*Euchlanis* Pascoe, 1869a: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869  
*Neodeuteromma* Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)  
*aethiops* Holzschuh, 1995: 25 (*Euchlanis*) A: YUN  
*argentifera* Holzschuh, 1984c: 354 (*Euchlanis*) A: BT NP YUN  
*atricornis* Pic, 1940: 4 A: CH **ORR**  
*atripennis* Pu, 1992b: 600, 620 (*Euchlanis*) A: YUN  
*bipartita* Pic, 1925b: 16 A: CH  
*obscura* Pic, 1940: 5  
*diversipes* Pic, 1930b: 16 A: SD  
*furva* Holzschuh, 1993a: 30 (*Euchlanis*) A: YUN **ORR**  
*homalina* Holzschuh, 1993a: 29 (*Euchlanis*) A: YUN **ORR**  
*infirma* Holzschuh, 1989b: 375 (*Euchlanis*) A: YUN **ORR**  
*makiharai* Hayashi, 1982b: 151 (*Euchlanis*) [RN] A: TAI  
*obscura* Hayashi, 1971: 6 [HN]  
*minuta* Pic, 1927b: 30 A: CH **ORR**  
*robustula* Holzschuh, 1990: 188 (*Euchlanis*) A: NP  
*simplicicollis* Gressitt, 1951a: 181 [RN] A: GUA  
*gressitti* Hayashi, 1951b: 80 [RN]  
*serratipennis* Gressitt, 1937c: 450 [HN]  
*testacea* Matsushita, 1933b: 229 A: NP TAI YUN  
*serratipennis* Mitono, 1936: 31 (*Neodeuteromma*)  
  
**genus** *Stenopterus* Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767  
*adlbaueri* Sama, 1995b: 408 A: TR  
*ater* Linnaeus, 1767: 642 (*Necydalis*) E: BH CR FR GR IT MC ME PT SB SK SL SP SZ UK N: AG GG LB MO TU #115  
*auriventris* Küster, 1851: 96  
*flavipes* Pic, 1892e: 66  
*inustulatus* Pic, 1892c: 22  
*nigripes* Costa, 1855: 67  
*praeustus* Fabricius, 1793: 354 (*Necydalis*)  
*ruficollis* Pic, 1918d: 23  
*rufofemoratus* Pic, 1905h: 147  
*subhumeralis* Pic, 1905i: 156

*theryi* Pic, 1918d: 23  
*ustulatus* Mulsant, 1839: 115  
*atricornis* Pic, 1891h: 102 E: AL GR A: SY TR #143 #236  
*creticus* Sama, 1995b: 403 E: GR (Crete)  
*flavicornis* Küster, 1846a: 75 E: AL AU BU CR CZ GR HU IT MC ME RO SB SK SL TR UK A: IS JO LE SY #182  
*procerus* Costa, 1855: 64  
*kraatzii* Pic, 1892c: 21 A: TR  
*mauritanicus* P. H. Lucas, 1847: pl. 42 E: PT SP N: AG MO TU  
*rufus geniculatus* Kraatz, 1863: 104 E: AL BU CR GR MC ME RO SB SL TR A: AB AR GG IN TR #20  
*rufus rufus* Linnaeus, 1767: 642 (*Necydalis*) E: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL SK SL SP ST SZ UK N: CI  
(Gran Canaria)  
*attenuatus* Geoffroy, 1785: 84 (*Leptura*) [HN]  
*rufus syriacus* Pic, 1892c: 22 A: IS LE IQ SY TR #30  
*rufus transcaspicus* Lazarev, 2008: 132 A: TM (Kopetdag) IN  
*similatus mehli* Sama, 1995b: 402 A: CY  
*similatus similatus* Holzschuh, 1979a: 113 E: GR (Ikaria)

### tribe Thraniini Gahan, 1906

**genus *Thranus* Pascoe, 1859: 22** type species *Thranus bimaculatus* Pascoe, 1859  
*Singalia* Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranus gibbosus* Pascoe, 1859)  
*infernalis* Matsushita, 1933b: 225 A: TAI  
*multinotatus latipennis* Hayashi, 1963a: 53 A: JA (Ryukyus)  
*multinotatus multinotatus* Pic, 1922a: 22 A: XIZ YUN **ORR**  
*multinotatus okinawensis* Makihara, 1978: 51 A: JA (Ryukyus)  
*multinotatus signatus* Schwarzer, 1925a: 23 A: FUJ HAI TAI ZHE **ORR**  
*obliquefasciatus* Pu, 1992b: 596 A: YUN  
*capucinus* Holzschuh, 1993a: 31 #293  
*rufescens formosanus* Schwarzer, 1925a: 23 A: TAI #524  
*rufescens rufescens* Bates, 1884a: 258 (*Singalia*) A: JA #524  
*simplex fulvus* Pu, 1992b: 596 A: SCH  
*simplex simplex* Gahan, 1894a: 15 A: AP BT HUB NP SD SCH SHA XIZ YUN **ORR** #126  
*tripagiatus* Gahan, 1906a: 238 A: SD **ORR**  
*variegatus obscurus* Hayashi, 1962a: 8 A: JA (Ryukyus)  
*variegatus variegatus* Bates, 1873: 196 A: JA  
*maculicornis* Plavilstshikov, 1940a: 649  
*sapporensis* Kano, 1933b: 132

### tribe Tillomorphini Lacordaire, 1868

**genus *Cleroclytus* Kraatz, 1884a: 226** type species *Cleroclytus semirufus* Kraatz, 1884  
**subgenus *Cleroclytus* Kraatz, 1884a: 226** type species *Cleroclytus semirufus* Kraatz, 1884  
*francottei* Rapuzzi & Sama, 2010b: 185 A: GAN  
*semirufus collaris* Jakovlev, 1885b: 290 A: KI KZ XIN  
*manifestus* Jakovlev, 1900b: 664  
*strigicollis* Jakovlev, 1900b: 663  
*semirufus savitskyi* Lazarev, 2014: 276a A: MG  
*semirufus semirufus* Kraatz, 1884a: 225 A: AF KI KZ UZ #345  
*vestitus* Jakovlev, 1900b: 664  
**subgenus *Obliqueclytus* Lazarev, 2014a: 276** type species *Anaglyptus banghaasi* Reitter, 1895  
*banghaasi* Reitter, 1895c: 159 (*Anaglyptus*) A: KI TD  
*semenowi* Jakovlev, 1900b: 663  
*gracilis* Jakovlev, 1900b: 665 A: TD  
*baeckmanni* Okunev, 1933: 136  
*grandiculus* Plavilstshikov, 1940a: 542

**genus *Epipedocera* Chevrolat, 1863: 339** type species *Epipedocera zona* Chevrolat, 1863  
*affinis* Chevrolat, 1863: 341 A: NP UP  
*assamensis* Gardner, 1926: 204 A: YUN **ORR**  
*atra* Pic, 1937b: 7 A: HAI YUN **ORR**  
*chakhata* Gardner, 1939: 9 A: BT NP UP  
*djouii* Gressitt, 1951a: 627 A: GUA GUX HKG YUN #364 #408  
*effusa* Holzschuh, 1999: 43 A: GUX **ORR** #508  
*guerryi* Pic, 1903e: 105 A: CH  
*hardwicki* White, 1855: 288 (*Clytus*) [RN] A: NP SD XIZ **ORR**  
*undulata* Hope, 1831: 28 (*Clytus*) [HN]  
*hoffmanni* Gressitt, 1940b: 85 A: HAI  
*laticollis* Gahan, 1906a: 307 A: YUN **ORR**

*lugens* Holzschuh, 1990: 192 A: SD  
*rollei* Pic, 1910g: 30 A: TAI  
*setigera setigera* Holzschuh, 2019b: 97 A: GUX  
*subatra* Gressitt & Rondon, 1970: 283 A: YUN **ORR**  
*vitalisi* Pic, 1922c: 11 A: YUN **ORR**  
*vitiosa* Holzschuh, 2009a: 348 A: GUX **ORR**  
*zona* Chevrolat, 1863: 340 A: GUI GUX NP SD YUN **ORR**

#508  
 #474

**genus *Halme* Pascoe, 1869a: 640** type species *Halme cleriformis* Pascoe, 1869  
*atrocoerulea* Gressitt, 1939b: 104 A: FUJ ZHE  
*basifusca* Kusama & Oda, 1979: 74 A: TAI  
*eburneocincta* Gressitt, 1934: 168 A: TAI  
*masakoe* Niisato, 1984b: 211 A: TAI

**genus *Pseudomyrmecion* Bedel, 1885: cxxxi** type species *Pseudomyrmecion ramalium* Bedel, 1885  
*ramalium* Bedel, 1885: cxxxii N: AG

### tribe Vesperellini Sama, 2008

**genus *Vesperella* Dayrem, 1933: 89** type species *Vesperella pallida* Dayrem, 1933  
*maroccana* Sama, 2008: 228 N: MO  
*pallida* Dayrem, 1933: 89 N: AG

### tribe Xystrocerini Blanchard, 1845

**genus *Jendekia* Holzschuh, 1993a: 24** type species *Jendekia eduardi* Holzschuh, 1993  
*eduardi* Holzschuh, 1993a: 25 A: YUN

**genus *Leptoxenus* Bates, 1877: 37** type species *Leptoxenus ibidiiformis* Bates, 1877  
*Kamuia* Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933  
*bimaculatus* Matsushita, 1933b: 240 (*Kamuia*) A: TAI  
*ibidiiformis* Bates, 1877: 37 A: JA JIX SC TAI  
*ornaticollis* Gressitt & Rondon, 1970: 47 A: YUN **ORR**

**genus *Xystrocera* Audinet-Serville, 1834b: 69** type species *Cerambyx globosus* Olivier, 1795  
*dispar* Fähræus, 1872a: 49 A: AE SA **AFR**

*curticollis* Fairmaire, 1882b: 96  
*nitidiventris* Fairmaire, 1887b: 326  
*parvicollis* Fairmaire, 1892a: 120

*festiva* J. Thomson, 1861: 251 A: AP HAI SD ?TAI YUN **ORR**

*globosa* Olivier, 1795: 27 (*Cerambyx*) N: EG A: ANH AP BT FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISI JA JIA JIX  
 NP PA SC SD SCH SHA SHG SHN TAI UP YUN ZHE **AFRi AURi NTRi ORR** #126 #127 #344 #380

*invittata* Breuning, 1957h: 1241  
*marginalis* Goldfuss, 1805: 44 (*Callidium*)  
*mediovitticollis* Breuning, 1957h: 1241  
*diehli* Heyrovský, 1967d: 39  
*reductevittata* Breuning, 1957h: 1241

*vittata* Fabricius, 1801: 309 (*Stenocorus*) [“Habitat in Brasilia” – wrong locality]  
*viridipicta* Fairmaire, 1896b: 367

#87

### subfamily Lamiinae Latreille, 1825

#### tribe Acanthocinini Blanchard, 1845

**genus *Acanthocinus* Dejean, 1821: 106** type species *Cerambyx aedilis* Linnaeus, 1758

**subgenus *Acanthobatesianus* Wallin, Kvamme & Lin, 2012: 19** type species *Leiopus guttatus* Bates, 1873

*guttatus* Bates, 1873: 384 (*Leiopus*) A: FE (Kunashir) JA JIX NC SC

#291

**subgenus *Acanthocinus* Dejean, 1821: 106** type species *Cerambyx aedilis* Linnaeus, 1758

*Aedilis* Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)

*Astynomus* Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758

*Canonura* Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854

*Graphisurus* Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837

*Lamia* Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758

*Neacanthocinus* Dillon, 1956: 230 type species *Cerambyx obsoletus* Olivier, 1895

*Tylocerina* Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775

*aedilis* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
 MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC

NMO SHA SC SHN TR WS  
*dongbeiensis* Z. Wang, 2003: 258  
*marmoratus* Villers, 1789: 239 (*Cerambyx*)

*montanus* Audinet-Serville, 1835a: 33 (*Aedilis*)  
*obliteratus* Pic, 1917g: 9  
*validus* Matsushita, 1936: 148  
*carinulatus* Gebler, 1833: 302 A: ES FE HEI MG NE NO WS  
*sibiricus* Motschulsky, 1860b: 149 (*Astynomus*)  
*chinensis* Breuning, 1978a: 57 [= 1982a: 24] A: SHG  
*elegans* Ganglbauer, 1884: 534 E: ST (Dagestan) A: AB IN #621  
*griseus* Fabricius, 1793: 261 (*Cerambyx*) E: AL AN AU BE BU BY CR CT CZ EN FI FR GE GR HU IT NT LA LS LT MC MD ME  
ND NR PL PT RO SB SK SL SP ST SV SZ TR UK A: ?AB ?AR CY ES ?FUJ ?GAN ?GG ?GUA ?GUI ?GUX ?HEB ?HEI ?HEN  
?HUB ?JIL ?JIX KZ LE ?LIA MG ?NMO ?SHA SY TR WS ?XIN ?ZHE #74 #553  
*alpinus* L.Redtenbacher, 1849: 494 (*Astynomus*)  
*novaki* Tippmann, 1952b: 153  
*obscurus* Pic, 1891b: 32  
*gundaiensis* Kano, 1933a: 285 A: TAI  
*henschi aetnensis* Rapuzzi & Sama, 2010a: 130 E: IT (Sicilia)  
*henschi henschi* Reitter, 1900c: 177 E: AL AU BH BU CR IT GR MC SL  
*hispanicus* Sama & Schurmann, 1981: 43 E: SP  
*meyeri* Vitali, 2011a: 161 E: PT  
*orientalis* K. Ohbayashi, 1939: 116 A: FE (Kurils) JA ?NC SC #63  
*reticulatus* Razoumowsky, 1789: 152 (*Cerambyx*) E: AL AU BH BU BY CR CZ FR GE GR HU IT PL RO SB SK SL SP SZ UK  
*atomarius* Fabricius, 1793: 271 (*Lamia*)  
*constrictus* Pic, 1891b: 32  
*costatus* Fabricius, 1793: 261 (*Cerambyx*)  
*criticus* Schoenherr, 1817a: 376 (*Lamia*) [RN]  
*sachalinensis* Matsushita, 1933a: 391 A: ES FE JA MG NC SC #63  
*sinensis* Pic, 1916e: 14 A: XYZ YUN  
*subsolanus* Z. Wang, 2003: 262, 395 A: NMO  
*tethys* Z. Wang, 2003: 262, 396 A: LIA  
*xanthoneurus* Mulsant & Rey, 1852: 2 (*Astynomus*) E: IT  
*disjunctus* Pic, 1908b: 6  
*edmondi* Fairmaire, 1852b: lxiii (*Astynomus*)

**genus *Boninella* Gressitt, 1956: 182** type species *Boninella degenerata* Gressitt, 1956

*anoplos* N. Ohbayashi, 1976: 6 (*Miaenia*) A: JA (Ogasawara Isls.)  
*degenerata* Gressitt, 1956: 182 A: JA (Ogasawara Isls.)  
*hirsuta* N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara Isls.)  
*igai* N. Ohbayashi, 1976: 8 (*Miaenia*) A: JA (Ogasawara Isls.)  
*kamezawai* Hasegawa & N. Ohbayashi, 2009: 378 A: JA (Ogasawara Isls.)  
*karubei* Hasegawa & N. Ohbayashi, 2009: 364 A: JA (Ogasawara Isls.)  
*satoi masatakai* Hasegawa & N. Ohbayashi, 2009: 372 A: JA (Ogasawara Isls.)  
*satoi satoi* N. Ohbayashi, 1976: 5 (*Miaenia*) A: JA (Ogasawara Isls.)  
*takakuwai* Hasegawa & N. Ohbayashi, 2009: 369 A: JA (Ogasawara Isls.)

**genus *Boninoleiops* Hasegawa & Makihara, 2001: 71** type species *Boninella kitajimai* Hasegawa & Makihara, 2001  
*kitajimai* Hasegawa & Makihara, 2001: 72 A: JA (Ogasawara)

**genus *Cristenes* Breuning, 1978a: 19** type species *Enes cristatus* Pic, 1928  
*cristatus* Pic, 1928a: 20 (*Enes*) A: NP **ORR**

**genus *Cristerysamena* Breuning, 1963b: 45** type species *Eyssamena cristipennis* Breuning, 1963  
*Cristosydonia* Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963  
*alterna* Holzschuh, 2003b: 312 (*Cristosydonia*) A: NP SD  
*besucheti* Breuning, 1972c: 417 (*Eryssamena*) A: AP

**genus *Driopea* Pascoe, 1858: 243** type species *Driopea clytina* Pascoe, 1858  
**subgenus *Driopea*** Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858  
*schmidi* Breuning, 1972c: 418 A: IN SD UP  
**subgenus *Fasciatodriopea*** Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923  
*chinensis* Breuning, 1967f: 187 (*Dryopea*) A: GUI  
**subgenus *Trichodriopea*** Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965  
*excavatipennis* Breuning, 1965b: 38 (*Dryopea*) A: YUN **ORR**

**genus *Eoporis* Pascoe, 1864a: 15** type species *Eoporis elegans* Pascoe, 1864  
**subgenus *Eoporimimus*** Schwarzer, 1925c: 147 type species *Eoporis bifasciana* Schwarzer, 1925  
*bifasciana* Schwarzer, 1925c: 147 A: TAI  
*differens* Pic, 1926g: 143 A: BT SD TAI YUN **ORR** #282 #344  
*glabrosignata* Pic, 1944b: 10

*mitonoi* Seki, 1946: 11 (*Rondibilis*) A: TAI  
*pedongensis* Breuning, 1969f: 668 A: SD  
*simillima* Hayashi, 1974c: 57 A: TAI

**genus *Euryclytosemia* Hayashi, 1963c: 15** type species *Euryclytosemia nomurai* Hayashi, 1963  
*nomurai* Hayashi, 1963c: 15 A: JA (Ryukyus) TAI (Lanyu Is.)

**genus *Ipochiromima* Sama & Sudre, 2009: 384 [RN]** type species *Mimipochira sikkimensis* Breuning, 1982  
*Mimipochira* Breuning, 1982a: 25 type species *Mimipochira sikkimensis* Breuning, 1982  
*sikkimensis* Breuning, 1982a: 26 (*Mimipochira*) A: SD

**genus *Jordanoleiopus* Lepesme & Breuning, 1955b: 96** type species *Jordanoleiopus maynei* Lepesme & Breuning, 1955  
**subgenus *Polymitoleiopus* Lepesme & Breuning, 1955b: 96** type species *Leiopus africanus* Jordan, 1894a  
*?monoxenus* Kolbe, 1893: 284 (*Lepturges*) [DA] A: OM AFR #337

**genus *Leiopus* Audinet-Serville, 1835a: 86** type species *Cerambyx nebulosus* Linnaeus, 1758  
**subgenus *Carinopus* Wallin, Kvamme & Lin, 2012: 7** type species *Leiopus holzschuhi* Wallin, Kvamme & Lin, 2012  
*campbelli* Gressitt, 1937d: 613 A: JIX  
*fallaciosus* Holzschuh, 1993a: 49 A: FUJ GUA JIX #606  
*flavomaculatus* Wallin, Kvamme & Lin, 2012: 9 A: GUI  
*holzschuhi* Wallin, Kvamme & Lin, 2012: 14 A: CHQ GUI HEN SCH SHA  
*multipunctellus* Wallin, Kvamme & Lin, 2012: 16 A: SCH YUN  
*nigrofasciculosus* Wallin, Kvamme & Lin, 2012: 12 A: ANH SHA  
*nigropunctatus* Wallin, Kvamme & Lin, 2012: 8 A: GUI GUX SCH  
*ocellatus* Wallin, Kvamme & Lin, 2012: 11 A: SHA  
*shibatai* Hayashi, 1974c: 58 A: TAI

**subgenus *Leiopus* Audinet-Serville, 1835a: 86** type species *Cerambyx nebulosus* Linnaeus, 1758  
*Liopus* Agassiz, 1846: 212 [unjustified emendation]  
*Phrurus* Gistel, 1856: 376 [unnecessary substitute name]

*albivittis albivittis* Kraatz, 1879c: 112 (*Liopus*) A: ES FE HEI JIL LIA MG NC SC WS #400  
*ganglbaueri* Csiki, 1901: 116

*albivittis malaisei* Aurivillius, 1928a: 42 A: FE (Kamchatka Peninsula and Magadan Region)

*andreae* Sama, 1994c: 43 A: CY

*bedeli* Pic, 1892j: 289 N: AG TU

*evgeniyi* Danilevsky & Skrylnik, 2014: 691 A: IN

*femoratus* Fairmaire, 1859a: 62 E: BE BU FR GE HU IT LU ME NL RO SB ST TR UK A: AB AR GG IN TR #150 #23 #482

*caspius* Ganglbauer, 1884: 531 (*Liopus*)

*constellatus* Mulsant & Rey, 1863: 159

*pachymerus* Ganglbauer, 1884: 532 (*Liopus*)

*kharazii* Holzschuh, 1974a: 98 E: ST A: AB (Talysh) IN #637

*lisae* Rapuzzi & Sama, 2012a: 679 A: TR

*masaoi* Tamura & Tamura, 1992: 195 A: JA

*montanus* Hayashi, 1968a: 25 A: JA

*montanoides* Breuning, 1978a: 58 (*Acanthocinus*) [RN]

*nebulosus caucasicus* Ganglbauer, 1887d: 25 (*Liopus*) E: ST A: AB AR GG TR

*nebulosus insulanus* Sláma, 1985: 19 E: GR (Crete) #80

*nebulosus nebulosus* Linnaeus, 1758: 391 (*Cerambyx*) E: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR ?HU

IR IT LA LS LU ?MD ?ME NL NR PL ?PT RO ?SB SL ?SP SV SZ TR UK A: ?KZ

*bifasciatus* Goeze, 1777: 464 (*Cerambyx*) [HN]

*dissimilis* Pic, 1889a: 5

*fasciatus* Villers, 1789: 239 (*Cerambyx*) [HN]

*monilis* Geoffroy, 1785: 75 (*Cerambyx*)

*siculus* Pic, 1924c: 22 (*Liopus*)

*unifasciatus* Pic, 1891c: 23 (*Liopus*)

*punctulatus* Paykull, 1800: 57 (*Cerambyx*) E: AU BY CT CZ EN FI GE HU LA LT NT PL SK ST SV ?SZ UK #115

*settei* Sama, 1985d: 408 E: IT

*stillatus* Bates, 1884a: 254 (*Acanthocinus*) A: FE JA HEB HEI JIL JIX NC SC ZHE

*japonicus* Pic, 1901k: 342 (*Liopus*)

*syriacus abieticola* Sama & Rapuzzi, 2010: 186 A: TR

*syriacus syriacus* Ganglbauer, 1884: 532 (*Liopus*) A: CY IS LE SY TR

*major* Pic, 1898n: 125 (*Liopus*)

*syriacus tauricus* Sama & Rapuzzi, 2010: 184 A: ?LE TR #177

*taeniatus* Gmelin, 1790: 1863 (*Cerambyx*) E: AL AU BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MC MD ?ME NR

?NT PL ?PT RO ?SB SK ?SP ST SV SZ UK A: KZ WS #11 #64 #115 #479 #649

*linnei* Wallin, Nylander & Kvamme, 2009: 39

*wrzecionkoi* Sama & Rapuzzi, 2011a: 88 A: SY

**genus *Mimeryssamena* Breuning, 1972c: 417** type species *Mimeryssamena besucheti* Breuning, 1972  
*besucheti* Breuning, 1972c: 418 A: UP

**genus *Mimohoplorana* Breuning, 1960f: 144** type species *Mimohoplorana puncticollis* Breuning, 1960  
*puncticollis* Breuning, 1960f: 144 A: SD

**genus *Mimoxenolea* Breuning, 1960e: 36** type species *Mimoxenolea bicoloricornis* Breuning, 1960  
*Mimaeschopalaee* Breuning, 1961a: 31 type species *Mimaeschopalaee ornata* Breuning, 1961  
*bicoloricornis* Breuning, 1960e: 36 A: SD

**genus *Myromexocentrus* Breuning, 1957a: 20** type species *Myromexocentrus tibialis* Breuning, 1957  
*quadrimaculatus* Hayashi, 1983: 43 A: TAI

**genus *Neacanista* Gressitt, 1940b: 182** type species *Neacanista tuberculipennis* Gressitt, 1940  
*Hoploranomimus* Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939 #323  
*Paracanthocinus* Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964 #323  
*Sternacanista* Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955 #260  
*harmandi* Pic, 1939g: 183 (*Acanthocinus*) A: BT **ORR**  
*retrospinosa* Tippmann, 1955: 130 (*Sternacanista*) A: FUJ GUX **ORR**  
*laosensis* Breuning, 1965d: 53 (*Paracanthocinus*) #365  
*tuberculipennis* Gressitt, 1940b: 182 A: CHQ HAI YUN **ORR** #60 #260

**genus *Neoeryssamena* Hayashi, 1974c: 56** type species *Neoeryssamena mitonoana* Hayashi, 1974  
*mitonoana* Hayashi, 1974c: 56 A: TAI

**genus *Ostedes* Pascoe, 1859: 43** type species *Ostedes pauperata* Pascoe, 1859  
**subgenus *Dentatostedes* Breuning, 1961e: 250** type species *Ostedes subdentata* Breuning, 1961 (= *Eoporis bidentata* Pic, 1933)  
*bidentata* Pic, 1933f: 6 (*Eoporis*) A: SCH  
*subdentata* Breuning, 1961e: 249  
**subgenus *Ostedes* Pascoe, 1859: 43** type species *Ostedes pauperatus* Pascoe, 1859  
*albomarmorata* Breuning, 1969f: 668 A: SD  
*binodosa* Gressitt, 1945a: 130 A: GUA SCH SHA #225  
*brunneovariegata* Breuning, 1961i: 337 A: NP  
*densepunctata* Hayashi, 1962b: 39 A: JA (Ryukyus) #197  
*dentata* Pic, 1936b: 18 A: SCH YUN  
*harmandi* Breuning, 1968d: 231 A: SD  
*inermis dwabina* Gressitt, 1940b: 190 A: HAI HKG #400  
*inermis inermis* Schwarzer, 1925c: 146 A: FUJ GUA TAI **ORR**  
*nubila* Matsushita, 1931c: 405  
*kadleci* Danilevsky, 1992c: 204 A: FE ?NC SC #316  
*niisatoi* Hasegawa, 2017: 255 A: TAI  
*sapporensis* Matsushita, 1933b: 375 (*Rhopaloscelis*) A: JA #197  
*serena* Holzschuh, 2018b: 504 A: NP  
*sikkimensis* Breuning, 1958a: 34 A: SD  
*subfasciata* Matsushita, 1933b: 392 A: TAI  
*tuberculata* Pic, 1925a: 31 (*Eryssamena*) A: CH  
*yamasakoi* Hasegawa, 2017: 262 A: TAI

**genus *Parachydaopsis* Breuning, 1968a: 28** type species *Parachydaopsis laosica* Breuning, 1968  
*shaanxiensis* W.-K. Wang & Jiang, 2002a: 52 A: SHA

**genus *Paraclodia* Breuning, 1974j: 372** type species *Paraclodia besucheti* Breuning, 1974  
*besucheti* Breuning, 1974j: 374 A: NP

**genus *Pararondibilis* Breuning, 1961j: 547** type species *Pararondibilis sikkimensis* Breuning, 1961  
*acrosa* Holzschuh, 2003b: 313 A: NP UP  
*eluta* Holzschuh, 2003b: 314 A: NP  
*macularia* Holzschuh, 2003b: 314 A: KA  
*pinicola* Holzschuh, 2018b: 504 A: NP UP  
*sikkimensis* Breuning, 1961j: 547 A: SD

**genus *Pareoporis* Breuning, 1969e: 197** type species *Pareoporis nigrosignata* Breuning, 1969  
*nigrosignata* Breuning, 1969e: 197 A: NP SD

**genus *Pareryssamena* Breuning, 1969e: 196** type species *Pareryssamena fuscospinosa* Breuning, 1969

*fuscosignata* Breuning, 1969e: 196 A: BT NP SD

**genus *Planeacanista* Hayashi, 1959b: 59** type species *Planeacanista japonica* Hayashi, 1959  
*japonica* Hayashi, 1959b: 60 A: JA

**genus *Pterolophioides* Breuning, 1942a: 165** type species *Pterolophioides laterifuscus* Fairmaire, 1886a  
*stramentosus* Breuning, 1942a: 165 A: YE AFR

**genus *Rondibilis* J. Thomson, 1857f: 306** type species *Rondibilis bispinosa* J. Thomson, 1857

**subgenus *Rondibilis* J. Thomson, 1857f: 306** type species *Rondibilis bispinosa* J. Thomson, 1857

*Eryssamena* Bates, 1884a: 251 type species *Eryssamena saperdina* Bates, 1884a

*Parenes* Aurivillius, 1927: 29 (= 577) type species *Parenes lineata* Aurivillius, 1927

*Polimeta* Pascoe, 1864a: 13 type species *Ostodes spinosula* Pascoe, 1860a

*amanoi* Hayashi, 1961a: 23 (*Eryssamena*) A: JA

***bastiana* Breuning, 1961j: 545 A: NP SD #343**

***besucheti* Breuning, 1972c: 417 (*Eryssamena*) A: AP #280**

***bispinosa* J. Thomson, 1857f: 307 A: IN NP UP "Himalaya"**

*schmidi* Breuning, 1972c: 417 (*Eryssamena*)

*bispinosoides* Hubweber, 2010: 61 A: SHG

*bispinosa* Pic, 1926i: 302 (*Eryssamena*) [HN]

***cambodjensis* Breuning, 1958a: 36 A: NP ORR #29**

*chengtuensis* Gressitt, 1942b: 6 A: SCH

*coreana* Breuning, 1974b: 41 (*Eryssamena*) A: NC SC #63

*elongata elongata* Hayashi, 1963c: 14 A: JA (Ryukyus)

*elongata minor* Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) A: JA (Ryukyus)

*femorata* Gressitt, 1938b: 165 A: JA (Ryukyus) TAI

*grisescens* Pic, 1936b: 19 (*Eryssamena*) A: YUN

*horiensis hongshana* Gressitt, 1937d: 614 A: GUA HUB JIX ZHE #60

*horiensis horiensis* Kano, 1933a: 285 A: TAI

*mushensis* Matsushita, 1933b: 394

*insularis* Hayashi, 1962b: 38 (*Eryssamena*) A: JA

*japonica* Hayashi, 1968a: 26 A: JA

*kuluensis* Breuning, 1958d: 177 (*Eryssamena*) A: KA

***lineaticollis* Pic, 1922b: 26 (*Eryssamena*) A: HAI HKG HUB ORR #400**

*indentata* Pic, 1922b: 26 (*Eryssamena*)

*seatonii* Gressitt, 1940b: 189

*microdentata* Gressitt, 1942g: 89 (*Eryssamena*) A: ZHE

***paralineaticollis* Breuning, 1968a: 27 A: YUN ORR #400 #73**

*parcesetosa* Gressitt, 1939a: 83 A: GUA

***plagiata* Gahan, 1894a: 84 A: NP**

*saperdina* Bates, 1884a: 251 (*Eryssamena*) A: FE (Sakhalin, Kurils) JA

*acuta* Bates, 1884a: 252 (*Eryssamena*)

*spinidorsis* Bates, 1884a: 252 (*Eryssamena*)

*schabliovskiyi* Tsherepanov, 1982b: 30 (*Eryssamena*) A: FE NC NE SC

*semielongata* Hayashi, 1974c: 53 A: TAI

*shibatai* Hayashi, 1974c: 55 (*Eryssamena*) A: TAI

*sikkimensis* Breuning, 1961j: 546 (*Eryssamena*) A: SD

***simillima* Holzschuh, 2003b: 315 A: NP**

*slocumi* Gressitt, 1942b: 6 (*Eryssamena*) A: SCH

***subundulata* Breuning, 1958a: 35 (*Eryssamena*) A: NP "North India"**

***szetschuanica* Breuning, 1963i: 454 (*Eryssamena*) A: NP SCH #29**

*taiwana* Hayashi, 1974c: 54 (*Eryssamena*) A: TAI

*undulata* Pic, 1922c: 14 (*Eryssamena*) A: GUA SC

*multinotata* Gressitt, 1939a: 83

*yunnana* Breuning, 1957a: 11 (*Eryssamena*) A: YUN

**subgenus *Striatorondibilis* Breuning, 1961j: 546** type species *Rondibilis pedongensis* Breuning, 1961

*pedongensis* Breuning, 1961j: 546 A: NP SD

**genus *Transipochira* Breuning, 1977b: 227** type species *Transipochira sikkimensis* Breuning, 1977

*sikkimensis* Breuning, 1977b: 227 A: SD

**genus *Trichacanthocinus* Breuning, 1963d: 24** type species *Trichacanthocinus rondoni* Breuning, 1963 #349

*rondoni* Breuning, 1963d: 24 A: YUN ORR #349

**genus *Trichemeopedus* Breuning, 1975d: 357** type species *Trichemeopedus holzschuhi* Breuning, 1975

*calosus* Holzschuh, 2003b: 311 A: NP

*holzschuhi* Breuning, 1975d: 358 A: BT NP

**genus *Trichodiboma* Breuning, 1961a: 30** type species *Trichodiboma clytoides* Breuning, 1961  
*clytoides* Breuning, 1961a: 30 A: SD

**genus *Trichohoplorana* Breuning, 1961j: 548** type species *Trichohoplorana dureli* Breuning, 1961  
*dureli* Breuning, 1961j: 548 A: SD

*juglandis* Holzschuh, 1989c: 401 A: AP BT

#126

*mutica* Holzschuh, 1990: 193 A: NP

*shirakii* Mitono, 1943: 584 (*Acanthocinus*) A: TAI

#419

*tenuipes* Holzschuh, 2015c: 473 A: NP

**genus *Trichorondibilis* Breuning, 1960a: 20** type species *Trichorondibilis rufipennis* Breuning, 1960  
*rufipennis* Breuning, 1960a: 20 A: SD

*basirufum* Breuning, 1965e: 52 (*Trichonarthon*)

#365

*laosica* Breuning, 1965c: 47

#365

*sikkimensis* Breuning, 1961i: 329 (*Mimaeschopalea*)

#365

**genus *Tuberculipochira* Breuning, 1975d: 359** type species *Tuberculipochira wittmeri* Breuning, 1975  
*similis* Breuning, 1975d: 360 A: BT  
*wittmeri* Breuning, 1975d: 359 A: BT

**genus *Tuberenes* Breuning, 1978a: 20** type species *Eryssamena robustipes* Pic, 1939  
*robustipes* Pic, 1939a: 15 (*Eryssamena*) A: GAN SD  
*sikkimensis* Breuning, 1978a: 21 A: SD

### tribe Acanthoderini J. Thomson, 1860

**genus *Aegomorphus* Haldeman, 1847: 45** type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)  
*clavipes* Schrank, 1781a: 135 (*Cerambyx*) E: AL AU BH BU CR CT CZ DE EN FI FR GE GR HU IT LA LT MD ME NR NT PL RO  
SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB AR ES FE GG HEB KZ JA MG NC (Cheongjin) NE TR WS XIN

*lucidus* Starck, 1890: 71 (*Acanthoderes*)

*varius* Fabricius, 1787: 130 (*Cerambyx*)

*francottei* Sama, 1994e: 331 E: FR GR MC PL RO ?SB

#517

*grisescens* Pic, 1898j: 392 (*Acanthoderes*) A: SY TR

*planiusculus* Holzschuh, 1998: 50

*jaspideus* Germar, 1823: 475 (*Lamia*) Ei: AZ NTR

#506

*krueperi* Kraatz, 1859: 56 (*Acanthoderes*) E: BU GR ME SB

#138

*obscurior* Pic, 1904d: 17 (*Acanthoderes*) E: CT LA PL ST UK A: ES FE KZ MG WS

#255

*wojtylai* Hilszczanski & Bystrowski, 2005: 202

**genus *Berningerus* Lepesme & Breuning, 1955c: 127** type species *Acanthoderes gorillus* J. Thomson, 1858  
*gorilloides* Teocchi, 1987: 26 N: EG

**genus *Callapoecus* Bates, 1884a: 254** type species *Callapoecus guttatus* Bates, 1884  
*guttatus* Bates, 1884a: 254 A: JA

**genus *Oplosia* Mulsant, 1862: 300** type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)  
*Hoplosia* Fairmaire, 1864a: 158 [unjustified emendation]

*Lepargus* Schiödte, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)

*cinerea* Mulsant, 1839: 152 (*Exocentrus*) E: AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA LT NR NT PL RO SB SK SL ST  
SV SZ UK

*fennica* Paykull, 1800: 58 (*Cerambyx*) [HN]

*suvorovi* Pic, 1914e: 65 (*Hoplosia*) A: ES FE JA NC SC

*jezoensis* Matsushita, 1933b: 378

### tribe Agapanthiini Mulsant, 1839

**genus *Agapanthia* Audinet-Serville, 1835a: 35** type species *Cerambyx cardui* Linnaeus, 1767

**subgenus *Agapanthia* Audinet-Serville, 1835a: 35** type species *Cerambyx cardui* Linnaeus, 1767

*Eucrus* Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767

*Segmentaria* Gistel, 1848a: viii [unnecessary substitute name]

*bohémica* Sláma, 2017a: 62 E: CZ

*cardui* Linnaeus, 1767: 632 (*Cerambyx*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT KZ MC ME NL PL PT RO SB SK SL SP  
ST SZ **TR** UK A: KZ

#360 #485

*consobrina* Chevrolat, 1840: 17

*grossa* Pic, 1891g: 63

*marginalis* Mulsant, 1839: 179

*nigroaenea* Mulsant, 1839: 179  
*pannonica* Kratochvíl, 1985a: 3  
*peragalli* Mulsant, 1862: 364  
*suturalis* Fabricius, 1787: 149 (*Saperda*) E: FR GR (Dodecanissos) IT MA PT SP N: AG CI LB MO TU A: AB AR GG CY IN IS IQ  
 JO LE SY TR #485  
*annulata* Fabricius, 1793: 314 (*Saperda*)  
*ruficornis* Pic, 1918d: 5  
*rufofemoralis* Pic, 1946a: 8  
*subacutalis* Chevrolat, 1882: 63  
*velox* Gistel, 1857b: 560  
**subgenus** *Agapanthoplia* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia coeruleipennis* Frivaldszky, 1878  
*coeruleipennis* Frivaldszky, 1878b: 9 A: IN SY TR  
*brevis* Pic, 1891a: 1  
**subgenus** *Amurobia* Pesarini & Sabbadini, 2004b: 128 type species *Agapanthia amurensis* Kraatz, 1879  
*amurensis* Kraatz, 1879c: 115 A: BEI ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG NC NIN NMO SC SCH SHA SHN XIN  
 ZHE  
*melanolopha* Fairmaire, 1900: 643  
*plicatipennis* Pic, 1915e: 8  
*semicyanea* Pic, 1915e: 8  
*japonica* Kano, 1933a: 286 A: JA  
*pilicornis laushanensis* Breuning, 1965g: 92 A: HEN SHN #525  
*pilicornis pilicornis* Fabricius, 1787: 148 (*Saperda*) A: ES FE HUB JIA JIL JIX MG NC NMO SC SCH SHA SHN ZHE  
*fasciculosa* Motschulsky, 1861b: 41  
*yiershiensis* Z. Wang, 2003: 266, 396  
*yagii* Hayashi, 1982b: 147 A: JA  
**subgenus** *Chionosticta* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981  
*niveisparsa* Holzschuh, 1981: 103 A: PA  
**subgenus** *Drosotrichia* Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1800  
*annularis* Olivier, 1800: 11 (*Saperda*) E: PT SP N: AG EG LB MO TU #373  
**subgenus** *Epoptes* Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804  
*Agapanthiella* Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosoviridescens* DeGeer, 1775  
*altaica* Plavilstshikov, 1933d: 113 A: WS  
*alternans alternans* Fischer von Waldheim, 1842: 26 A: ES KZ MG NC (Cheongjin) NMO SC (Mt. Odaesan) WS XIN #63  
*coeruleonigra* Reitter, 1898c: 132  
*ganglbaueri* Semenov, 1893: 503  
*transbaicalica* Suvorov, 1913: 80  
*alternans eualternans* Danilevsky, 2017c: 29 E: ST (Orenburg env.)  
*alternans paralternans* Danilevsky, 2017c: 26 A: KZ  
*alternans songarica* Kostin, 1973: 225 A: KZ (Dzhungarsky Alatau)  
*songarica* Kostin, 1978: 605 [HN]  
*alternans tarbagataica* Kostin, 1978: 605 A: KZ (Tarbagatai)  
*angelicae* Reitter, 1898c: 131 A: IN TM  
*hauseri* Reitter, 1902b: 185  
*jacobsoni* Plavilstshikov, 1915d: 122  
*laticornis* Pic, 1898q: 179  
*subnuda* Reitter, 1905a: 93  
*asphodeli asphodeli* Latreille, 1804: 282 (*Lamia*) E: AL BH BU CR FR GR IT MA MC ?MD PT RO SP ?ST SV ?UK N: MO A: ?AB  
 ?AR ?GG ?KZ SY TR #484 #632  
*insularis* Gautier des Cottés, 1870b: 263  
*mimica* Pic, 1927e: 1  
*reyi* Mulsant & Godart, 1870: 27  
*spencii* Gyllenhal, 1817: 187 (*Saperda*)  
*asphodeli balcanica* Sláma, 2019b: 208 E: GR  
*auliensis* Pic, 1907b: 12 A: KZ UZ  
*amabilis* Holzschuh, 1981: 104  
*cretica* Bernhauer, 1978: 70 E: GR (Crete)  
*cynarae cynarae* Germar, 1817: 222 (*Saperda*) E: AL BH BU CR CZ ?FR ?GE GR HU IT MC ME SB SL RO SK ?SP ST TR WS UK  
 A: AB AR GG ?IN TR #634  
*boeberi* Fischer von Waldheim, 1805 [1806]: 16 (*Saperda*) [DA]  
*decora* Krynicki, 1834: 170 (*Saperda*) [DA]  
*diversicornis* Pic, 1927e: 1  
*cynarae michaeli* Sláma, 1986: 469 E: GR (Crete)  
*cynarae selengensis* Danilevsky, 2021b: 501 A: ES  
*dahli alaiensis* Kratochvíl, 1985b: 68 A: KI UZ TD  
*dahli alexandris* Pic, 1901q: 82 A: KI KZ #249  
*dahli calculensis* Lazarev, 2013d: 128 A: KZ  
*dahli dahli* C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU KZ MC MD ME RO SB SK  
 SL SP ST ?SZ UK A: GG KZ #115 #551  
*gyllenhalii* Ganglbauer, 1883a: 190

*nigricornis* Fabricius, 1793: 314 (*Saperda*) [HN]  
*dahli efimovi* Danilevsky, 2021b: 500 A: WS  
*dahli golestanica* Lazarev, Plewa & Jaworski, 2016: 232 A: IN  
*dahli iliensis* Danilevsky, 2018d: 181 A: KZ ?XIN  
*dahli ismailovae* Lazarev, 2013c: 446 E: ST (Dagestan) A: AB  
*dahli kuleshovi* Danilevsky, 2018d: 179 A: WS (Tomsk Region)  
*dahli lateralis* Ganglbauer, 1884: 541 E: TR A: TR  
*bilateralis* Pic, 1927e: 1 [“Turkestan” - wrong record]  
*orientalis* Pic, 1901q: 83 [DA]  
*dahli lenkorana* Lazarev, Plewa & Jaworski, 2016: 234 A: AB (Talysh) ?IN  
*dahli lepsyensis* Danilevsky, 2018d: 179 A: KZ (Lepsey River) ?XIN  
*dahli malmerendii* Sama, 1981: 504 E: FR (Corse) IT  
*dahli muellneri* Reitter, 1898c: 133 A: KI UZ ?XIN #249  
*dahli mutinensium* Sama & Rapuzzi, 2010: 179 A: LE  
*dahli nitidipennis* Holzschuh, 1984c: 371 A: AB GG #249  
*dahli persica* Semenov, 1893: 505 A: IN #249  
*?itheryi* Pic, 1908b: 6  
*dahli pustulifera* Pic, 1905a: 12 A: JO IS LE SY #182  
*dahli rubenyani* Lazarev, 2013c: 443 A: AB AR IN  
*dahli salviae* Holzschuh, 1975a: 88 A: IN [“Elburz, Südseite, 10 km nördlich Karadj”]  
*dahli sicala* Ganglbauer, 1884: 541 E: IT (Sicilia)  
*dahli simplicicornis* Reitter, 1898c: 133 A: TR  
*dahli subsimplicicornis* Sama & Rapuzzi, 2010: 180 A: LE  
*dahli transcaspica* Pic, 1900g: 14 A: IN TM #249  
*dahli ustinovi* Danilevsky, 2013h: 35 A: ?AF TD (Pamir) #137  
*dahli walteri* Reitter, 1898c: 132 A: AB AR GG IN TR #249  
*erivanica* Pic, 1900e: 14  
*danilevskiyi* Lazarev, 2013b: 235 A: KZ (Syr Darya River near Chardara)  
*daurica daurica* Ganglbauer, 1884: 544 A: ES FE HEI HUB JA JIL LIA MG NC NMO SC SHA XIN #225  
*melancholica* Suvorov, 1913: 79  
*daurica sakaii* Hayashi, 1982b: 149 A: JA  
*detrita* Kraatz, 1882c: 336 A: AF KI KZ TD UZ #345  
*bucharica* Pic, 1901b: 13  
*paki* Rapuzzi, 2012: 958 (Afghanistan)  
*fadli* Sama & Rapuzzi, 2006: 186 N: EG  
*gazanchidisi* Lazarev, 2021: 31 A: BU GR  
*griseocaudata* Kasatkin, 2020c: 234 A: AB  
*kindermanni* Pic, 1905a: 13 A: TR  
*amicula* Holzschuh, 1989a: 176  
*lederi hodeki* Danilevsky, 2018d: 181 A: AB (Talysh) IN  
*lederi lederi* Ganglbauer, 1884: 542 E: ST A: AB AR GG TR #633  
*helianthi* Plavilstshikov, 1935b: 250  
*lopatini* Kaziutshitz, 1988: 583  
*mesmini* Pic, 1927e: 7  
*lopadasae* Rapuzzi & Sparacio, 2017: 958 [Lampedusa Is.] E: IT  
*markusi* Rapuzzi, Sama & Kotán, 2013: 583 E: AL GR #117  
*nicosiensis* Pic, 1927e: 1 A: CY  
*nigriventris* C. O. Waterhouse, 1889: 130 A: AF TM  
*obydovi* Danilevsky, 2000c: 292 [“Taukum desert near Kolshengel village”] A: KZ  
*papaverina* Kasatkin, 2020c: 233 A: TR  
*parauliensis* Danilevsky, 2017c: 24 A: KZ, UZ  
*perovskiensis chulakkurgana* Danilevsky, 2021b: 500 A: KZ  
*perovskiensis perovskiensis* Danilevsky, 2021b: 499 A: KZ  
*probsti* Holzschuh, 1984c: 370 E: GR (Crete)  
*renatae* Steiner & Schmid, 2013 E: GR  
*schmidtii* Holzschuh, 1975a: 89 A: TR  
*schurmanni* Sama, 1979b: 505 [Macedonia: Kastoria, Ohrid] E: BU GR MC #82  
*shovkuni* Shapovalov, 2009: 16 A: KZ  
*subchalybaea* Reitter, 1898c: 134 E: ST A: AB GG #633  
*subacuta* Pic, 1909: 106  
*subflavida* Pic, 1903j: 163 A: TR  
*subnigra* Pic, 1890b: 119 A: GG  
*turanica* Plavilstshikov, 1929c: 131 A: KI KZ UZ XIN  
*uxoria* Sláma, 2017a: 64 E: GR  
*verecunda* Chevrolat, 1882: 63 A: TR  
*delagrangei* Pic, 1894e: 75  
*villosoviridescens* DeGeer, 1775: 76 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT

LU MC MD ME NL NR NT PL PT RO SB SK SL SL SP ST SV SZ UK A: ES KZ MG TR WS  
*acutipennis* Mulsant, 1862: 357  
*angusticollis* Gyllenhal, 1817: 189 (*Saperda*)  
*latreillei* ["latreille"] Fischer von Waldheim, 1805 [?1806]: 17 (*Saperda*)  
*lineatocollis* Donovan, 1797: 71 (*Cerambyx*)  
*nicaeensis* Chevrolat, 1881: xcvi  
*pyrenea* C. Brisout de Barneville, 1863: 117  
*viridescens* Gmelin, 1790: 1864 (*Cerambyx*)  
*zappii* Sama, 1987: 62 N: AG LB MO TU #484  
**subgenus** *Homoblephara* Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817  
*fallax* Holzschuh, 1974a: 95 A: TR  
*korostelevi* Danilevsky, 1985: 385 [= 1987: 620] A: AB AR IN TR  
*maculicornis davidi* Sláma, 1986: 465 E: IT  
*maculicornis maculicornis* Gyllenhal, 1817, app.: 189 (*Saperda*) E: BH BU CT GR HU KZ MC MD RO SL ST TR UK A: KZ TR WS  
 #83 #583  
*trivittata* Gebler, 1830: 188 (*Saperda*)  
*martinae* Danilevsky & Navrátil, 2018: 299 A: IN  
*orbachi* Sama, 1993e: 471 A: IS  
**subgenus** *Mirabilinia* Kasatkin, 2020c: 248 type species: *Agapanthia hirsuticornis* Holzschuh, 1975.  
*hirsuticornis* Holzschuh, 1975a: 86 [Mazandaran] A: IN  
**subgenus** *Smaragdula* Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775  
*amitina* Holzschuh, 1989a: 174 A: IN ["Iran, Zentralprovinz, 35 km NW Ghazvin"] ?TR #583  
*chalybea* Faldermann, 1837: 303 A: AB AR GG IN TR #517  
*chvalkovskyi* Hodek, 2021b: 1164 A: GG  
*frivaldszkyi* Ganglbauer, 1884: 546 E: BU RO A: IS IN IQ JO SY TR  
*gemella* Holzschuh, 1989a: 175 A: CY  
*grosseri* Hodek, 2021a: 88 A: TR  
*incerta* Plavilstshikov, 1930: 12 A: KI TD UZ #574  
*intermedia* Ganglbauer, 1884: 543 E: AU CT CZ DE EN FR GE GR HU IT KZ LA LU MD ME NL NT PL SB SK SP ST SZ UK A:  
 GG KZ #357 #480  
*izzilloi* Rapuzzi, Sama & Kotán, 2013: 582 E: GR  
*kadleci* Hodek, 2021a: 92 A: TR  
*lais* Reiche & Saulcy, 1858: 21 A: IS JO LE SY TR #74 #182  
*mardinensis* Rapuzzi, 2021: 549 A: TR  
*mikhaili* Hodek, 2021b: 1161 A: AR  
*naciyae* Rapuzzi & Sama, 2012a: 676 A: TR  
*osmanlis* Reiche & Saulcy, 1858: 19 ["Constantinople"] E: BU GR HU ME RO SB SK A: TR  
*ozdikmeni* Rapuzzi & Sama, 2012a: 673 A: TR  
*persicola* Reitter, 1894d: 146 ["Astrabad, Araxesthal"] A: AB AR GG IN TM TR #574  
*violaceipennis* Pic, 1904b: 9  
*pesarinii* Sama & Rapuzzi, 2010: 177 E: TR A: SY TR #500  
*petranyi* Kotán, 2014: 64 A: IN  
*posti* Hodek & Tichý, 2021: 30 A: TR  
*psoraleae* Sama & Rapuzzi, 2010: 176 A: LE IS #574  
*rapuzzii* Hodek & Tichý, 2021: 32 A: TR  
*talassica* Kostin, 1973: 223 A: KI KZ  
*violacea* Fabricius, 1775: 187 (*Saperda*) E: AL AU BE BU CT CR CZ FR GE GR HU IT LU MC MD ME NT PL PT SB SK SL SP ST  
 TR UK A: AB AR ES GG KZ TR #104  
*chalybaea* Mulsant, 1839: 177 [HN]  
*caerulea* Schoenherr, 1817a: 437 (*Saperda*)  
*cyanea* Herbst, 1784: 95 (*Saperda*)  
*janthina* Gmelin, 1790: 1842 (*Cerambyx*)  
*micans* Fuessly, 1775: 13 (*Cerambyx*)  
*smaragdina* Krynicky, 1832: 161 (*Saperda*)  
*viti* Rapuzzi & Sama, 2012a: 675 E: CR HU RO SB SK UK #325 #648  
**subgenus** *Stichodera* Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787  
*irrorata* Fabricius, 1787: 147 (*Saperda*) E: FR (Corse) IT PT SP N: AG MO TU  
*granulosa* Chevrolat, 1881: xcv  
*integra* Chevrolat, 1882: 64  
*pubiventris* Mulsant, 1862: 352  
*rorida* Gmelin, 1790: 1838 (*Cerambyx*)  
*soror* Kraatz, 1882c: 336 A: AF KI KZ TD UZ #326 #345  
**subgenus** *Synthapsia* Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817  
*kirbyi kirbyi* Gyllenhal, 1817: 186 (*Saperda*) E: CT CZ FR HU IT KZ MD RO SK SP ST UK  
*latipennis* Mulsant, 1862: 352  
*kirbyi samai* Rapuzzi & Parisi, 2022: 86: A: AB AR GG IN IQ IS SY TM TR  
*kirbyi zawadskyi* Fairmaire, 1866b: 275 ["Kisilgye-Aole" (?Kizilkaya, Burdur prov.), "aussi à Constantinople"] E: AL BH BU CR GR

*valandovens* Sláma, 2015c: 1127**genus *Agapanthiola* Ganglbauer, 1900: 139** type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817)*Calamobiomorphus* Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817*leucaspis* Steven, 1817: 184 (*Saperda*) E: AU BH BU CR CT CZ GR HU MC MD ME RO SB SK ST TR UK A: AB AR GG ES KI KZ MG TD TR UZ WS*cyanella* Dalman, 1817b: 190 (*Saperda*)*euterpe* Ganglbauer, 1900: 139 (*Agapanthia*)*pectoralis* Eschscholtz, 1818: 482 (*Saperda*)*sinae* Dahlgren, 1886: 75 (*Agapanthia*) A: XIN**genus *Aulaconotus* J. Thomson, 1864: 99** type species *Aulaconotus pachypezoides* J. Thomson, 1864*atronotatus* Pic, 1927b: 36 A: FUJ GUA GUI GUX HAI HUN JIX SCH YUN **ORR***varius* Gressitt, 1942b: 5*gracilicornis* Makihara & A. Saito, 1985b: 14 A: TAI*grammopterus* Breuning, 1940b: 186 A: NP **ORR***incorrugatus* Gressitt, 1939b: 117 A: ZHE*pachypezoides* J. Thomson, 1864: 99 A: FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE*breviscapus* Heller, 1923b: 73 (*Phelipara*)*semiaulaconotus* Hayashi, 1974c: 43 (*Pothyne*) A: TAI*szetschuanus* Breuning, 1968f: 709 A: SCH**genus *Calamobius* Guérin-Ménéville, 1847: xviii** type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790)*filum* Rossi, 1790: 152 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT MA MC MD ME NL PL PT RO SB SK SL SL SP ST SZ

TR UK N: AG MO TU A: AB AR CY GG IN IS JO LE SY TR

#65

*decoloripes* Pic, 1945b: 7*gracilis* Creutzer, 1799: 124 (*Saperda*)*hirtus* Fabricius, 1793: 317 (*Saperda*)*magnini* Pic, 1931c: 10*marginellus* Fabricius, 1801: 332 (*Saperda*)*tenuis* Blanco Fernández, 1859: 411 (*Saperda*)**genus *Cleptometopus* J. Thomson, 1864: 95** type species *Cleptometopus terrestris* J. Thomson, 1864*Acroama* Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894*Anapophrena* Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925*Apophrena* Pascoe, 1866c: 323 type species *Apophrena filifera* Pascoe, 1866*Itohigea* Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smermus bimaculatus* Bates, 1873)*Metopoplectus* Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936*Mimocleptometopus* Pic, 1934g: 36 type species *Mimocleptometopus undulatus* Pic, 1934*Smermus* Lacordaire, 1872: 692 type species *Smermus mnischei* Lacordaire, 1872*annulaticornis* Mitono, 1944: 252 A: HAI*aureovittatus* Breuning, 1947a: 63 A: BT*bhutanensis* Breuning, 1975d: 342 A: BT*bimaculatus* Bates, 1873: 383 (*Smermus*) A: JA*bimaculatus* Matsushita, 1938b: 102 (*Itohigea*) [HN]*fuscognatus* Breuning, 1947a: 63 A: SD*indecorus* Holzschuh, 2012: 413 A: NP*indistinctus* Breuning, 1940b: 206 A: NP SD*mimolivaceus* Breuning, 1972a: 50 [RN] A: SD*aureomaculata* Hübepohl, 1990: 454 (*Antennopothyne*)*parolivaceus* Breuning, 1972c: 416 [HN]*minor* Gressitt, 1937a: 93 (*Metopoplectus*) A: ZHE*mnischei* Lacordaire, 1872: 696 (*Smermus*) A: NP SD*rufovittatus* Breuning, 1966a: 109*motuoensis* W.-K. Wang & Jiang, 1999a: 14 A: XIZ*olivaceus* Breuning, 1942a: 172 A: NP **ORR***orientalis* Mitono, 1934: 492 A: TAI*parolivaceus* Breuning, 1966b: 13 A: NP SD*pseudolivaceus* Breuning, 1975d: 341 A: BT*quadrilineatus* Pic, 1924d: 24 (*Pothyne*) A: SD **ORR***flavopictus* Breuning, 1940b: 206*schmidi* Breuning, 1971b: 77 A: AP*grossepunctatus* Breuning, 1967b: 32 [HN]*mussardi* Breuning, 1977a: 60*sikkimensis* Breuning, 1972c: 416 A: SD*similaris* Gressitt, 1945a: 129 (*Metopoplectus*) A: SCH*similis* Gahan, 1894a: 81 (*Smermus*) A: HUN **ORR***subteraeus* Breuning, 1967b: 33 A: SD

*taiwanensis* Gressitt, 1936: 105 (*Metopoplectus*) A: TAI

**genus *Coreocalamobius* Hasegawa, Han & Oh, 2014: 50** type species *Coreocalamobius parantennatus* Hasegawa, Han & Oh, 2014  
*parantennatus* Hasegawa, Han & Oh, 2014: 50 A: ?JA (Tsushima Is.) SC **#517**

**genus *Eucomatocera* White, 1846: 49** type species *Eucomatocera vittata* White, 1846  
*minuta* Pu, 1988: 303 A: XIZ  
*vittata* White, 1846: 49 A: NP SD TAI YUN **ORR**

**genus *Hippocephala* Aurivillius, 1920: 25** type species *Hippocephala suturalis* Aurivillius, 1920  
**subgenus *Hippocephala* Aurivillius, 1920: 25** type species *Hippocephala suturalis* Aurivillius, 1920  
*albosuturalis* Breuning, 1954c: 16 A: FUJ HUN  
*dimorpha* Gressitt, 1937d: 612 A: FUJ GUX JIX SCH ZHE  
*guangdongensis* Hua, 1991: 348 A: GUA  
*proxima* Breuning, 1940b: 195 A: SD  
*suturalis* Aurivillius, 1920: 25 A: FUJ JIX  
**subgenus *Mimosmermus* Breuning, 1966a: 104** type species *Hippocephala fuscostriata* Breuning, 1966  
*argenticstriata* Holzschuh, 2006c: 485 A: NP  
*fuscolineata* Breuning, 1947a: 64 A: BT

**genus *Hyllisia* Pascoe, 1864c: 285** type species *Hyllisia stenideoides* Pascoe, 1864  
*Falsanandra* Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924  
**subgenus *Hyllisia* Pascoe, 1864c: 285** type species *Hyllisia stenideoides* Pascoe, 1864  
*albolateralis* Breuning, 1950d: 259 A: UP  
*chinensis* Breuning, 1948b: 35 A: GUX JIX  
*flava* Breuning, 1950d: 259 A: UP  
*indica* Breuning, 1947a: 62 A: HP  
*lineata* Gahan, 1894a: 79 A: NP  
*ruficolor* Pic, 1934b: 15 (*Hippopsis*) A: FUJ **ORR**  
*rufipes* Pic, 1934d: 133 (*Hippopsis*) A: YUN  
*saigonensis* Pic, 1933b: 30 (*Pothyne*) A: YUN **ORR**  
*strandii* Breuning, 1940b: 198 A: HKG  
*taihokensis* Matsushita, 1933b: 385 (*Pothyne*) A: JA (Ryukyus) TAI  
*oshimana* Breuning, 1955b: 73  
*subvittipennis* Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)

**genus *Neoludwigia* Sama, 2008: 235 [RN]** type species *Agapanthia lixoides* P. H. Lucas, 1847  
*Ludwigia* Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1847  
*lixoides* P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU  
*insuturalis* Pic, 1934c: 22 (*Ludwigia*)

**genus *Parahyllisia* Breuning, 1942a: 170** type species *Parahyllisia annamensis* Breuning, 1942  
*hainanensis* Breuning, 1966a: 81 A: HAI

**genus *Phelipara* Pascoe, 1866c: 322** type species *Phelipara marmorata* Pascoe, 1866  
**subgenus *Phelipara* Pascoe, 1866c: 322** type species *Phelipara marmorata* Pascoe, 1866  
*Diaxenopsis* Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939  
*Falsopothyne* Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932  
*Oncideropsis* Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922  
*Paraphelipara* Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940  
*affinis* Breuning, 1940b: 204 A: NP SD  
*indica* Breuning, 1940b: 204 (*Paraphelipara*) A: NP "North India"  
*marmorata* Pascoe, 1866c: 322 A: YUN **ORR**  
*radovskyi* Hua, 1987: 90 A: GUX

**genus *Pothyne* J. Thomson, 1864: 97** type species *Pothyne variegata* J. Thomson, 1864  
*Neopothyne* Matsushita, 1931a: 46 type species *Neopothyne variegata* Matsushita, 1931  
*acaciae* Gardner, 1930: 160 A: UP "North India"  
*flavescens* Breuning, 1940b: 186  
*albolineata* Matsushita, 1933b: 383 A: TAI  
*alboosternalis* Breuning, 1982a: 12 A: YUN  
*annulata annulata* Breuning, 1942a: 167 A: HAI JA TAI  
*annulata ishigakiana* Takakuwa & Kusama, 1979: 7 A: JA (Ryukyus)  
*annulata nobuoi* Breuning & K. Ohbayashi, 1964: 17 A: JA  
*annulata yonaguniensis* Hayashi, 1976: 17 A: JA (Ryukyus)  
*miyakoensis* Hayashi, 1976: 19  
*chocolatea* Gressitt, 1939a: 88 A: GUA HAI HUN JIX TAI ZHE

**#400**

*combreti* Gardner, 1930: 160 A: UP  
*convexifrons* Gardner, 1930: 161 A: UP  
*distincta* Breuning, 1950d: 256 A: NP SD  
*fasciata* Gressitt, 1951a: 539 A: HUB  
*formosana chocolatoidea* Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)  
*formosana formosana* Schwarzer, 1925c: 146 A: GUA TAI  
*formosana haterumaensis* Takakuwa, 1984: 12 A: JA (Ryukyus)  
*formosana liturata* Matsushita, 1933b: 384 A: JA (Ryukyus)  
*formosana nanshanchina* Takakuwa & Kusama, 1979: 10 A: TAI  
*fusiscapa* Gressitt, 1940b: 194 A: HAI HUB  
*imasakai* Hayashi, 1976: 18 A: JA (Ryukyus)  
*indica* Breuning, 1940b: 188 A: NP **ORR**  
*indistincta* Breuning, 1940b: 187 A: "India"  
*laeviscapa* Breuning, 1950i: 535 A: FUJ  
*lanhsuensis* Hayashi, 1978b: 108 A: TAI (Lanyu Is.)  
*lateralba* Gressitt, 1937d: 611 A: GUX JIX  
*albolateralis* Breuning, 1942a: 166  
*lineolata* Gressitt, 1940b: 195 A: HAI YUN  
*macrophthalma* Breuning, 1940b: 187 A: NP SD  
*obliquetruncata* Gressitt, 1939a: 89 A: FUJ GUA GUX HAI HUN JIX  
*pauloplicata* Breuning, 1934: 14 A: YUN **ORR** #400  
*polyplicata* Hua & She, 1987: 55 A: FUJ GUA GUX HAI JIX ZHE  
*proxima* Breuning, 1940b: 186 A: "North India"  
*rugifrons* Gressitt, 1940b: 196 A: FUJ GUA HAI HUN JIX YUN ZHE  
*septemvittipennis* Breuning, 1962d: 61 A: YUN **ORR**  
*seriata* Gressitt, 1940b: 197 A: HAI  
*sikkimana* Breuning, 1968f: 709 A: SD  
*sikkimensis* Breuning, 1940b: 189 A: NP SD **ORR**  
*nepalensis* Hayashi, 1979: 93  
*silacea* Pascoe, 1871: 278 A: HAI TAI ZHE  
*sinensis* Pic, 1926k: 394 A: YUN  
*suturella* Breuning, 1942a: 167 A: GUI HUN NO  
*thibetana* Breuning, 1950i: 535 A: XIZ  
*variegata hayashii* Breuning, 1953: 19 A: JA (Tokara Isls., Ryukyus)  
*variegata okinoerabua* Takakuwa & Kusama, 1979: 4 A: JA (Ryukyus)  
*variegata ryukyuana* Yokoyama, 1974: 279 [RN] A: JA (Ryukyus)  
*albolateralis* Yokoyama, 1971: 95 [HN]  
*okinawana* Takakuwa & Kusama, 1979: 3  
*variegata variegata* J. Thomson, 1864: 97 A: HKG HUN NP SD TAI YUN **ORR** #400  
*niveosparsa* Pic, 1908f: 16  
*variegata* Matsushita, 1931a: 46 (*Neopothyne*) [HN]  
*variegata yayeyamana* Breuning & K. Ohbayashi, 1966b: 34 A: JA (Ryukyus)  
*virginalis* Takakuwa & Kusama, 1979: 4 A: TAI

**genus *Pseudocalamobius* Kraatz, 1879c: 116** type species *Calamobius japonicus* Bates, 1873  
*bhutanensis* Breuning, 1975d: 340 A: BT  
*burmanensis* Breuning, 1949a: 12 A: NP **ORR**  
*filiformis* Fairmaire, 1888b: 146 A: FUJ HAI HEB HUB HUN SHA ZHE #225  
*japonicus* Bates, 1873: 383 (*Calamobius*) A: JA  
*leptissimus* Gressitt, 1936: 103 A: FUJ GUA TAI  
*luteonotatus* Pic, 1908f: 17 A: NP YUN **ORR**  
*mediomaculatus* Breuning, 1940b: 202  
*montanus* Hayashi, 1959b: 58 A: JA  
*niisatoi* Hasegawa, 1987: 514 A: TAI  
*obscuriscapus* Breuning, 1975d: 339 A: NP  
*okinawanus* Samuelson, 1965b: 125 A: JA (Ryukyus)  
*piceus* Gressitt, 1951a: 543 A: GUA  
*proximus* Breuning, 1940b: 203 A: NP SD  
*pubescens* Hasegawa, 1987: 517 A: TAI  
*rufescens* Breuning, 1940b: 202 A: NP SD **ORR**  
*rufipennis* Gressitt, 1942d: 4 A: GUI SHA XIZ #400  
*szetschuanicus* Breuning, 1947a: 64 A: SCH  
*moupinensis* Breuning, 1967f: 188  
*taiwanensis* Matsushita, 1931c: 404 A: TAI  
*talianus* Pic, 1916e: 15 A: YUN ZHE #400  
*truncatus* Breuning, 1940b: 203 A: NP SD ?XIZ #400 #430

*tsushima* Breuning, 1961c: 156 A: FE FUJ HUB JA (Tsushima Is.) JIX NC SC ZHE #278 #525  
*yunnanus* Breuning, 1942a: 172 A: YUN

**genus *Pseudohyllisia* Breuning, 1942a: 171** type species *Pseudohyllisia madurensis* Breuning, 1942  
*laosensis* Breuning, 1965d: 45 A: HUN **ORR** #392

**genus *Tetraglenes* Newman, 1842c: 300** type species *Tetraglenes insignis* Newman, 1842  
*bacillarius* Lameere, 1893a: 285 A: CH **ORR**  
*hirticornis* Fabricius, 1798: 148 (*Saperda*) A: FUJ GUA GUI GUX HAI NP SD YUN ZHE **ORR**  
*sublineatus* Gressitt, 1935g: 572  
*tonkineus* Pic, 1919b: 11 (*Dorcasta*)  
*insignis* Newman, 1842c: 300 A: PA UP **ORR**

**genus *Theophilea* Pic, 1895b: 39** type species *Theophilea cylindricollis* Pic, 1895  
*cylindricollis* Pic, 1895b: 39 A: AB AR GG TR  
*erzurumensis* Önalp, 1974: 174 (*Agapanthia*)  
*subcylindricollis* Hladil, 1988: 1 E: **AL** AU BU CT CZ HU KZ MD RO SB SK ST UK A: KZ **TR** WS #388 #467 #583

**genus *Trichopothyne* Breuning, 1942a: 168** type species *Trichopothyne strandiella* Breuning, 1942  
*hindostani* Breuning, 1950d: 258 A: UP

tribe Ancyronotini Lacordaire, 1869

**genus *Idactus* Pascoe, 1864c: 273** type species *Idactus tridens* Pascoe, 1864  
*Pseudocrossotus* Breuning, 1978d: 897 type species *Pseudocrossotus enricoi* Breuning, 1978 (= *Idactus ashanticus* Breuning, 1960)  
*Togonius* Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893  
*bettoni* Gahan, 1898: 46 A: SA  
*coquereli* Fairmaire, 1890: 551 (*Dichostates*) A: AE IN OM YE **AFR**  
*iranicus* Breuning, 1975d: 348 #342  
*variegatus* Gestro, 1895: 425  
*hieroglyphicus* Taschenberg, 1883: 179 (*Coptops*) A: YE (Suqutra)  
*granti* Gahan, 1900a: 12  
*maculicornis* Gahan, 1890d: 312 A: YE **AFR**  
*paramaculicornis* Breuning, 1973c: 662 A: PA

**genus *Palimna* Pascoe, 1862a: 346** type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)  
*Apalimna* Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a  
*Cylanca* J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)  
*Goniages* Pascoe, 1865a: 135 type species *Golsinda infausta* Pascoe, 1859  
*annulata* Olivier, 1797: 465 (*Lamia*) A: FUJ HAI UP TAI YUN **ORR**  
*mouhotii* Pascoe, 1866b: 237  
*nodulosa* Schoenherr, 1817a: 395 (*Lamia*)  
*reticulata* Pascoe, 1857a: 50 (*Golsinda*)  
*tessellata* Pascoe, 1857a: 49 (*Golsinda*)  
*formosana* Kano, 1933a: 282 (*Apalimna*) A: TAI  
*fukiena* Gressitt, 1951a: 434 A: FUJ  
*liturata continentalis* Semenov, 1914: 20 (*Apalimna*) A: FE NC NO SC  
*liturata liturata* Bates, 1884a: 241 (*Apalimna*) A: JA #400  
*glabriventris* Kano, 1933a: 282 (*Apalimna*)  
*palimnoides* Schwarzer, 1925b: 62 (*Apalimna*) A: BT FUJ GUX HAI NP SD TAI YUN **ORR**  
*similis* Gressitt, 1940b: 131  
*yunnana* Breuning, 1935b: 153 A: SD YUN **ORR**

**genus *Palimnodes* Breuning, 1938d: 330** type species *Apalimna ducalis* Bates, 1884a  
*ducalis* Bates, 1884a: 242 (*Apalimna*) A: BT HP NP XIX YUN "North India" **ORR** #366  
*mimica* Fairmaire, 1898: 399 (*Palimna*)

**genus *Pseudoparaphloeus* Sama, 2009: 25** [RN] type species *Paraphloeus scorteccii* Breuning, 1968  
*Paraphloeus* Breuning, 1968c: 91 [HN] type species *Paraphloeus scorteccii* Breuning, 1968  
*scorteccii* Breuning, 1968c: 92 (*Paraphloeus*) A: SA YE

**genus *Parorsidis* Breuning, 1935d: 65** type species *Parorsidis birmanica* Breuning, 1935  
*Paranephelotes* Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935  
*nigrosparsa nigrosparsa* Pic, 1926a: 15 (*Drioepa*) A: BT GUA HAI **ORR** #400  
*birmanica* Breuning, 1935d: 65  
*fouqueti* Pic, 1936a: 19 (*Ostedes*)  
*laosensis* Breuning, 1935e: 252 (*Paranephelotes*)

tribe Apodasyini Lacordaire, 1872

#400 #486

genus *Adjinga* Pic, 1926a: 25 type species *Adjinga vittata* Pic, 1926  
vittata Pic, 1926a: 25 A: YUN ORR

genus *Anaesopogonius* Gressitt, 1938a: 53 type species *Anaesopogonius fulvus* Gressitt, 1938  
fulvus Gressitt, 1938a: 53 A: SCH  
ochraceofulvus Hayashi, 1974c: 49 A: TAI  
piceonigris Hayashi, 1972: 39 A: JA (Ryukyus)

genus *Anaesthetis* Dejean, 1835: 348 type species *Saperda testacea* Fabricius, 1781  
*Anaesthetus* Gistel, 1856: 377 [unjustified emendation]  
anatolica Holzschuh, 1969: 79 A: IS LE SY TR  
confossicollis Baeckmann, 1903c: 394 A: ES FE GUI JA JIL JIX ?NC NMO MG SC  
flavipilis Baeckmann, 1903c: 394 ["Barnaul"] A: WS  
lanuginosa Baeckmann, 1903c: 395 A: TM (Kopetdag)  
testacea rufescens Baeckmann, 1903c: 395 E: ST A: AB AR CY GG IN LE TR ?SY #244  
testacea testacea Fabricius, 1781: 235 (*Saperda*) E: AL AN AU BE BH BU BY CR CT CZ FR EN GE GR HU IT KZ LA LT LU MD #468  
ME NL PL RO SB SK SL SP ST SV SZ TR UK A: KZ WS  
fusca Geoffroy, 1785: 84 (*Leptura*)  
livida Herbst, 1784: 95 (*Saperda*)  
teutonica Gmelin, 1790: 1842 (*Cerambyx*)

genus *Anaesthetobrium* Pic, 1923c: 20 type species *Anaesthetobrium luteipenne* Pic, 1923  
*Eunidiopsis* Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939 #580  
*Paraphidola* Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933  
*bicolor* Breuning, 1939b: 220 (*Eunidiopsis*) A: ZHE #580  
*fuscoflavum* Matsushita, 1933b: 377 (*Paraphidola*) A: TAI  
*lieuae* Gressitt, 1942b: 5 A: SCH  
*luteipenne* Pic, 1923c: 20 A: BEI HEN JA JIA SC SHG ZHE #400 #580  
*pallidipes* Holzschuh, 2010: 211 A: SHA

genus *Aragea* Hayashi, 1953: 41 type species *Aragea mizunoi* Hayashi, 1953  
mizunoi Hayashi, 1953: 42 A: JA

genus *Arhopaloscelis* Murzin, Danilevsky & Lobanov, 1981: 790 type species *Rhopaloscelis bifasciata* Kraatz, 1879  
bifasciata Kraatz, 1879c: 113 (*Rhopaloscelis*) A: FE ?NC NE SC  
nipponensis Pic, 1932a: 3 (*Rhopaloscelis*) A: FE (Kunashir) JA

genus *Asaperdina* Breuning, 1976a: 51 type species *Asaperda regularis* Pic, 1923 #400  
brunnea Pesarini & Sabbadini, 2000: 62 A: SHA  
regularis Pic, 1923c: 21 (*Asaperda*) A: CH  
sordida Gressitt, 1951a: 506 (*Pseudanaesthetis*) A: HUB SHG  
whiteheadi Gressitt, 1940b: 177 (*Pseudanaesthetis*) A: HAI

genus *Bonipogonius* Kusama, 1973: 128 type species *Bonipogonius fujitai* Kusama, 1973  
fujitai Kusama, 1973: 129 A: JA (Ogasawara)

genus *Cervoglenea* Gressitt, 1951a: 621 type species *Glenea lata* Gressitt, 1935  
lata Gressitt, 1935c: 191 (*Glenea*) A: TAI

genus *Clytosemia* Bates, 1884a: 253 type species *Clytosemia pulchra* Bates, 1884  
bicincta Gressitt, 1938b: 164 A: TAI  
pulchra nitidipennis Holzschuh, 2019a: 72 A: SHA  
pulchra pulchra Bates, 1884a: 254 A: FE (Kurils) JA

genus *Cristorhodopina* Breuning, 1966d: 15 type species *Cristorhodopina assamensis* Breuning, 1965  
mussardi Breuning, 1966d: 15 A: AP

genus *Cylindilla* Bates, 1884a: 250 type species *Cylindilla grisescens* Bates, 1884a #580  
*Anaesthetomorphus* Pic, 1929b: 6 [RN] type species *Pseudanaesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)  
*Ascoldatimura* Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)  
*Mimatimura* Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)  
*Pseudanaesthetis* Pic, 1929c: 119 [HN] type species *Pseudanaesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)  
grisescens Bates, 1884a: 250 A: CH FE JA ?NC SC  
apicalis Pic, 1929c: 120 (*Pseudanaesthetis*)  
ascoldensis Heyden, 1884: 298 (*Atimura*)

*inornata* Gressitt, 1951a: 514 (*Microestola*) A: GUA  
*makiharai* Hasegawa, 1992: 37 A: JA (Ryukyus) TAI

**genus *Deroplia* Dejean, 1835: 348** type species *Saperda genei* Aragona, 1830

*Belodera* J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)  
*Stenidea* Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)  
*Stenosoma* Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)  
*albida* Brullé, 1839: 62 (*Cerambyx*) N: CI  
*annulicornis* Brullé, 1839: 62 (*Cerambyx*) N: CI  
*costigera* Demelt, 1982: 97 (*Stenidea*) N: CI (Hierro)  
*genei genei* Aragona, 1830: 25 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT ME RO SB SK SL SP ST ?SZ UK A: AB AR  
CY GG IS JO LE SY TR #115 #464 #550  
*foudrasi* Mulsant, 1839: 162 (*Stenosoma*)  
*oblique truncata* Rosenhauer, 1847: 59  
*genei konvickai* Rapuzzi & Sama, 2012a: 677 A: CY  
*genei naviauxi* Villiers, 1970: 136 (*Stenidea*) A: IN  
*gertiana* Sama, 1996a: 86 N: CI (Tenerife)  
*gomeræ* Sama, 1996a: 88 N: CI (Gomera)  
*hesperus* Wollaston, 1863: 110 (*Stenidea*) N: CI (Hierro)  
*lorenzo* García, 2002: 109 N: CI (La Palma)  
*niveopicta* Demelt, 1982: 99 (*Stenidea*) N: CI (Gran Canaria)  
*pilosa* Wollaston, 1862: 181 (*Blabinotus*) N: CI (Lanzarote, Fuerteventura)  
*machadoi* Demelt, 1982: 100 (*Stenidea*)  
*schurmanni* Sama, 1996a: 88 N: CI (Hierro)  
*troberti cruciata* Sama, 1996d: 37 E: GR (Crete)  
*troberti orientalis* Özdikmen & Tezcan, 2020c: 423 A: TR  
*troberti troberti* Mulsant, 1843: 283 (*Stenidea*) E: BH CR FR GR IT ME SP N: AG MO TU A: CY

**genus *Eupogoniopsis* Breuning, 1949b: 23** type species *Eupogonius tenuicornis* Bates, 1884a

*caudatula* Holzschuh, 1999: 46 A: YUN  
*granulata* Jongok Lim, 2013: 359 A: JAi SC #449  
*niisatoi* Yamasako, 2017: 243 A: TAI  
*omeimontis* Gressitt, 1938a: 54 (*Anaespogonius*) A: SCH  
*sepicola* Holzschuh, 1999: 46 A: NP  
*tenuicornis* Bates, 1884a: 249 (*Eupogonius*) A: JA

**genus *Eupogonius* LeConte, 1852: 159** type species *Desmiphora tomentosa* Haldeman, 1847

*Eriopsilus* Bates, 1866b: 193 type species *Eriopsilus nigrinus* Bates, 1866 #486  
*Phydola* J. Thomson, 1864: 110 type species *Phidola maculicornis* Chevrolat, 1862  
*tomentosus* Haldeman, 1847: 50 (*Desmiphora*) Ni: MO NAR  
*pinivorus* Fitch, 1859: 712

**genus *Euseboides* Gahan, 1893b: 385** type species *Euseboides plagiatus* Gahan, 1893

*gorodinskii* Holzschuh, 2006c: 487 A: AP CHQ GUI HP #66 #126  
*liubini* Viktora & Tichý, 2018: 216 A: YUN  
*matsudai matsudai* Gressitt, 1938b: 163 A: JA TAI  
*matsudai spinipennis* Gressitt, 1940b: 137 A: HAI  
*motuoensis* G.-Q. Huang, L. Chen & Li, 2015: 156 A: XIZ  
*plagiatooides* Breuning, 1950f: 266 A: SD  
*plagiatus* Gahan, 1893b: 386 A: AP SD  
*punctatissimus* Holzschuh, 2010: 220 A: HUB GUI  
*reni* G.-Q. Huang, L. Chen & Li, 2015: 157 A: YUN  
*tonkinensis* Breuning, 1973: 45 A: GUI ORR #66

**genus *Falsostesilea* Breuning, 1940b: 168** type species *Stesilea perforata* Pic, 1926

*perforata* Pic, 1926b: 9 (*Stesilea*) A: GUA YUN ORR  
*melli* Breuning, 1964a: 101

**genus *Falsoterinaea* Matsushita, 1938a: 95** [RN] type species *Hirayamaia fusciorufa* Matsushita, 1937 (= *Eupogonius rufipennis* Matsushita, 1933b)

*Hirayamaia* Matsushita, 1937: 103 [HN] type species *Hirayamaia fusciorufa* Matsushita, 1937  
*pakistania* Breuning, 1975d: 349 A: PA  
*rufipennis* Matsushita, 1933b: 377 (*Eupogonius*) A: TAI  
*formosana* Breuning, 1975a: 22 [1976a: 51] (*Pseudanaesthetis*)  
*fusciorufa* Matsushita, 1937: 103 (*Hirayamaia*)

**genus *Graphidessa* Bates, 1884a: 248** type species *Graphidessa venata* Bates, 1884  
*obliquefasciata* Komiya & Kusama, 1974: 138 A: TAI  
*variegata* Hayashi, 1974c: 50 A: TAI  
*venata takakuwai* Fujita, 1980: 15 A: JA (Ryukyus)  
*venata venata* Bates, 1884a: 248 A: JA

**genus *Miccolamia* Bates, 1884a: 252** type species *Miccolamia cleroides* Bates, 1884a  
**subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12** type species *Miccolamia verrucosa* Bates, 1884a  
*glabricula glabricula* Bates, 1884a: 253 A: FE (Sakhalin, Kurils) JA  
*kaniei* Takakuwa & N. Ohbayashi, 1992: 33  
*glabricula sadoensis* Hasegawa & N. Ohbayashi, 2001: 22 A: JA  
*inspinosa* Takakuwa & N. Ohbayashi, 1995: 197 A: JA (Izu Isls.)  
*takakuwai* Hasegawa & N. Ohbayashi, 2001: 12 A: JA  
*tuberculata* Pic, 1918a: 10 (*Pogonocherus*) A: JA  
*verrucosa* Bates, 1884a: 253 A: JA  
*paluræ* Takakuwa & N. Ohbayashi, 1995: 194  
*yakushimensis* Hasegawa & N. Ohbayashi, 2001: 24 A: JA (Yakushima)

**subgenus *Miccolamia* Bates, 1884a: 252** type species *Miccolamia cleroides* Bates, 1884  
*albasetosa* Gressitt, 1951a: 533 A: TAI  
*arunachalensis* Sreedevi & Ghate, 2020: 296, 299 A: AP  
*bicristata* Pesarini & Sabbadini, 1997: 115 A: SHA  
*castaneoverrucosa* Hayashi, 1974c: 52 A: TAI  
*cleroides* Bates, 1884a: 253 A: FE (Kunashir) JA  
*coenosa* Holzschuh, 2010: 207 A: HUB SHA  
*dracuncula* Gressitt, 1942b: 7 A: FUJ SCH  
*relucens* Holzschuh, 2003b: 312 A: NP SD  
*rugosula* Holzschuh, 2003b: 311 A: SD  
*savioi* Gressitt, 1940c: 192 A: JIA SHG  
*tonsilis* Holzschuh, 2010: 207 A: GAN SHA  
*tuberculipennis* Breuning, 1947a: 58 A: FUJ

#514

**genus *Microestola* Gressitt, 1940b: 180** type species *Microestola bidentata* Gressitt, 1940

#580

*Mimopothyne* Breuning, 1956a: 7 type species *Mimopothyne flavolineata* Breuning, 1956

#580

*bidentata* Gressitt, 1940b: 180 A: HAI

*flavolineata* Breuning, 1956a: 7 (*Mimopothyne*) A: ZHE

#400

*formosana* Gressitt, 1951a: 513 A: TAI

*interrupta* Gressitt, 1951a: 514 A: FUJ SHA SCH

#225

*parallela* Gressitt, 1951a: 515 A: ?AF HUB ORR

**genus *Mimectatina* Aurivillius, 1927: 27** type species *Mimectatina singularis* Aurivillius, 1927

*Doius* Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)

*Falsodoius* Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933

*Nipposybra* Breuning, 1939b: 280 type species *Nipposybra fuscoplagiata* Breuning, 1939

*Parasydonia* Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884

*divaricata divaricata* Bates, 1884a: 247 (*Sydonia*) A: FE JA JIA ?NC SC TAI ZHE

*grisea* Matsushita, 1940: 53 (*Doius*)

*rufescens* Matsushita, 1933b: 380 (*Doius*)

*divaricata fulvovariegata* Hayashi, 1963c: 14 (*Doius*) A: JA

*divaricata similis* Takakuwa, 1984: 13 A: JA (Izu Isls.)

*divaricata yayeyamana* Toyoshima, 1982: 35 (*Doius*) A: JA (Ryukyus)

*fukudai* Hayashi, 1969a: 65 (*Doius*) A: TAI

*fuscoplagiata* Breuning, 1939b: 280 (*Nipposybra*) A: JA

*adachii* Hayashi, 1958b: 49 (*Doius*)

*iriei* Hayashi, 1984: 34 A: JA (Ryukyus) TAI

*longipennis* Makihara, 2004a: 20 A: JA

*meridiana meridiana* Matsushita, 1933b: 380 (*Doius*) A: TAI

*meridiana ohirai* Breuning & Villiers, 1973: 50 A: JA

*murakamii* Hayashi, 1978b: 111 A: TAI (Lanyu Is.)

*truncatipennis* Pic, 1944a: 14 (*Sybra*) A: CH ORR

*variegata* Kusama & Takakuwa, 1984: 13 A: JA

**genus *Mimeuseboides* Breuning, 1967b: 33** type species *Mimeuseboides excavatipennis* Breuning, 1967

*excavatipennis* Breuning, 1967b: 33 A: AP

**genus *Mimoscapeuseboides* Breuning, 1976b: 102** type species *Mimoscapeuseboides pedongensis* Breuning, 1976

*pedongensis* Breuning, 1976b: 103 A: SD

**genus *Mimovitalisia* Breuning, 1959b: 82** type species *Zodale tuberculata* Pic, 1924  
*wittmeri* Breuning, 1975d: 354 A: BT NP

**genus *Mimozotale* Breuning, 1951b: 137** type species *Mimozotale flavolineata* Breuning, 1951  
**subgenus *Mimozotale* Breuning, 1951b: 137** type species *Mimozotale flavolineata* Breuning, 1951  
*sikkimensis* Breuning, 1940a: 79 (*Zotale*) A: SD  
**subgenus *Parazotale* Breuning, 1976a: 52** type species *Zotale longipennis* Pic, 1927  
*cylindrica* Hayashi, 1981a: 16 A: NP  
*longipennis* Pic, 1927d: 6 (*Zotale*) A: YUN  
*approximata* Pic, 1927b: 18 (*Zotale*)  
*truncatipennis* Breuning, 1949a: 3, 7 (*Euseboides*) A: ?YUN **ORR**

#350

**genus *Nedine* J. Thomson, 1864: 27** type species *Nedine longipes* J. Thomson, 1864  
*Opsioleus* Pascoe, 1864a: 10 type species *Opsioleus adversus* Pascoe, 1864  
*Parazygocera* Heller, 1924c: 200 type species *Parazygocera spaethi* Heller, 1924  
*sparatis* W.-K. Wang & Jiang, 1999c: 214 A: YUN  
*subspinosa* W.-K. Wang & Jiang, 1999c: 213 A: YUN

**genus *Paranaesthetis* Breuning, 1982a: 27** type species *Paranaesthetis metallica* Breuning, 1982  
*metallica* Breuning, 1982a: 28 A: CH

**genus *Pararhopaloscelides* Breuning, 1947a: 58** type species *Pararhopaloscelides sericeipennis* Breuning, 1947  
*Mimostedes* Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955  
*Punjabostedes* Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957  
*sericeipennis jumlaensis* Holzschuh, 2003b: 312 A: NP  
*sericeipennis sericeipennis* Breuning, 1947a: 58 A: KA PA "Punjab"  
*kashmirensis* Breuning, 1957g: 277 (*Mimostedes*)  
*punjabensis* Breuning, 1957g: 276 (*Mimostedes*)

**genus *Parasophroniella* Breuning, 1943e: 51** type species *Parasophroniella birmanica* Breuning, 1943e  
*birmanica* Breuning, 1943e: 52  
*tonkinensis* Breuning, 1956g: 693

**genus *Parectatosia* Breuning, 1940b: 207** type species *Parectatosia valida* Breuning, 1940  
*valida* Breuning, 1940b: 208 A: "North India"

**genus *Pareuseboides* Breuning, 1948a: 30** type species *Pareuseboides albomarmorata* Breuning, 1948  
*albomarmorata* Breuning, 1948a: 30 A: NP SD

**genus *Paroricopis* Breuning, 1958c: 35** type species *Paroricopis latefasciata* Breuning, 1958  
*latefasciata* Breuning, 1958c: 36 A: BT

**genus *Penthides* Matsushita, 1933b: 430** type species *Penthides flavus* Matsushita, 1933  
*Hirakura* Hayashi, 1957b: 47 type species *Hirakura rufoflava* Hayashi, 1957  
*flavus flavus* Matsushita, 1933b: 431 A: TAI  
*flavus multipubens* Makihara, 1978: 57 A: JA (Ryukyus)  
*modestus* Tippmann, 1955: 135 A: FUJ  
*rufoflavus* Hayashi, 1957b: 48 (*Hirakura*) A: JA

**genus *Pseudanaesthetis* Pic, 1922c: 15** type species *Pseudanaesthetis langana* Pic, 1922  
*assamensis* Breuning, 1966c: 14 (*Sophronica*) A: NP **ORR**  
*? langana* Pic, 1922c: 15 A: FUJ GUA GUI HAI HUN JIX SCH SHA SHN ZHE **ORR**  
*mizunumai* Hayashi, 1974c: 48 A: TAI  
*rufa* Gressitt, 1942c: 3 A: FUJ

#517 #525

**genus *Pseudectatosia* Breuning, 1940b: 209** type species *Pseudectatosia strandiella* Breuning, 1940  
*strandiella* Breuning, 1940b: 209 A: AP BT SD

#126

**genus *Pseudoterinaea* Breuning, 1940b: 178** type species *Pseudanaesthetis bicoloripes* Pic, 1926  
*Duportius* Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926  
*bicoloripes* Pic, 1926a: 26 (*Pseudanaesthetis*) A: FUJ GUA GUX HAI HKG YUN **ORR**  
*laosensis* Breuning, 1965: 34 (*Desisa*)  
*marmorata* Gressitt, 1940b: 158 (*Phesates*)  
*seticornis* Gressitt, 1940b: 176 (*Pseudanaesthetis*) A: HAI

**genus *Quasimesosella* Miroshnikov, 2006: 232** [RN] type species *Microlera ussuriensis* Tsherepanov, 1983  
*Pseudomesosella* Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983  
*ussuriensis* Tsherepanov, 1983: 215 (*Microlera*) A: FE ?NC NE SC #63  
*florovi* Tsherepanov, 1984: 128 (*Miaenia*)

**genus *Rhodopina* Gressitt, 1951a: 439** [RN] type species *Rhodopis pubera* J. Thomson, 1857  
*Rhodopis* J. Thomson, 1857e: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857  
*albomaculata* Gahan, 1890a: 60 (*Rhodopis*) A: AP NP SD **ORR** #126  
*albomarmorata* Breuning, 1958a: 12 A: NP **SCH** SD #496  
*alboplagiata* Gahan, 1890a: 60 (*Rhodopis*) A: NP SD  
*assamana* Breuning, 1966d: 15 A: AP  
*formosana* Breuning, 1954b: 5 (*Rhodopis*) A: TAI  
*integripennis* Bates, 1884a: 243 (*Rhodopis*) A: JA  
*lewisii* *koshikijimana* Komiya, 1984b: 463, 15 A: JA (Ryukyus)  
*lewisii lewisii* Bates, 1873: 313 (*Rhodopis*) A: JA  
*japonica* Breuning, 1940d: 414 (*Rhodopis*)  
*lewisii yakushimana* Komiya, 1984b: 15 A: JA  
*laevipunctata* Breuning, 1958a: 12 A: SD  
*manipurensis* Breuning, 1972c: 416 A: NP **ORR**  
*meshimensis* Makihara, 1980: 66 A: JA  
*modica* Komiya, 1984: 15 A: JA (Ryukyus)  
*nasui* Komiya & Kusama, 1974: 138 A: JA #400  
*okinawensis* Matsushita, 1933b: 350 (*Rhodopis*) A: JA (Ryukyus)  
*okinoerabuana* Hayashi, 1961c: 67 A: JA (Ryukyus)  
*paraseriata* Breuning, 1969e: 193 A: "India"  
*parassamensis* Breuning, 1975d: 352 A: BT  
*pedongensis* Breuning, 1969e: 193 A: SD **YUN** #496  
*pubereoides* Breuning, 1956g: 682 (*Rhodopis*) A: SD  
*sakishimana* Yokoyama, 1966: 57 A: JA (Ryukyus)  
*subuniformis* Gressitt, 1951a: 440 A: TAI  
*tokarensis komiyai* Hayashi, 1969a: 66 A: JA (Izu Isls.)  
*tokarensis orientalis* Yokoyama, 1971: 100 A: JA  
*obscura* Makihara, 1977: 65  
*tokarensis tokarensis* Hayashi, 1956c: 14 A: JA (Tokara Isls.)  
*tuberculicollis* Gressitt, 1942b: 4 (*Rhodopis*) A: SHA SCH #225

**genus *Rhopaloscelis* Blessig, 1873: 205** type species *Rhopaloscelis unifasciata* Blessig, 1873  
*maculata* Bates, 1877: 38 A: FE (Kunashir) JA #291  
*apicalis* Pic, 1907c: 22 (*Clytosemia*)  
*kuwayamana* Kano, 1933a: 286 (*Clytosemia*)  
*schurmanni* Breuning, 1969c: 76 A: AB (Talysh) IN  
*unifasciata* Blessig, 1873: 206 A: ES FE FUJ GUA HKG JA JIL KZ MG NC SC SHA WS ZHE #225  
*obscura* Plavilstshikov, 1915c: 109

**genus *Salvazaon* Pic, 1928b: 21** type species *Salvazaon metallicum* Pic, 1928  
**subgenus *Salvazaon* Pic, 1928b: 21** type species *Salvazaon metallicum* Pic, 1928  
*saginaturn* Holzschuh, 1999: 45 A: JIX

**genus *Similonedine* Hua, 1993: 31** type species *Similonedine brunniofasciata* Hua, 1993  
*brunniofasciata* Hua, 1993: 31 A: FUJ GUX HUN #60

**genus *Sophronica* Blanchard, 1845: 160** type species *Sophronica calceata* Chevrolat, 1855  
*Dasyo* Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858  
*Dasystola* Kolbe, 1894b: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)  
*Dimbrokoa* Pic, 1944a: 16 type species *Dimbrokoa apicalis* Pic, 1944  
*Elithiotes* Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864  
*Eupogonioides* Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)  
*Lasiapheles* Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873  
*Mimanaesthetis* Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926  
*Phunginus* Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922  
*apicalis* Pic, 1922c: 15 (*Phunginus*) A: **HKG** NP UP #572  
*gardneri* Fisher, 1930: 276 (*Eupogonioides*)  
*arabica* Breuning, 1962f: 239 A: YE  
*bicoloripes* Pic, 1928a: 29 (*Mimanaesthetis*) A: JIA SHG **ORR** #400  
*bowringi* Gressitt, 1939c: 213 (*Mimanaesthetis*) A: FUJ HKG  
*brunnea* Fisher, 1940: 206 (*Eupogonioides*) A: NP  
*carissae* Fisher, 1930: 277 (*Eupogonioides*) A: UP

*chinensis* Breuning, 1940a: 48 A: GUI GUX  
*egena* Holzschuh, 2006c: 488 A: AF  
*intricata* Aurivillius, 1926b: 483 A: YE AFR  
*koreana* Gressitt, 1951a: 508 A: SC  
*obrioides* Bates, 1873: 382 (*Lasiapheles*) A: JA TAI  
*paupercula* Holzschuh, 2006c: 488 A: NP  
*pienaari* Distant, 1898: 378 (*Tetraglenes*) A: YE AFR  
*venzoi* Breuning, 1940c: 173  
*pseudintricata* Breuning, 1940a: 55 A: YE AFR  
*sundukovi* Danilevsky, 2009b: 25 A: FE ?NC SC (Yanggugun)  
*talhouki* Holzschuh, 1992a: 306 A: SA  
*tonkinensis* Breuning, 1976a: 51 A: CH ORR  
*wittmeri* Holzschuh, 1992a: 308 A: SA YE

#316

**genus *Sphigmothorax* Gressitt, 1939a: 85** type species *Sphigmothorax bicinctus* Gressitt, 1939  
*bicinctus* Gressitt, 1939a: 85 A: GUA  
*tricinctus* Gressitt, 1951a: 534 A: YUN  
*tsushmanus* Hayashi, 1961a: 23 A: JA (Tsushima Is.)

**genus *Spinozorilispe* Breuning, 1963g: 83** type species *Spinozorilispe fusca* Breuning, 1963  
*fusca* Breuning, 1963g: 84 A: BT

**genus *Sybrinus* Gahan, 1900a: 12** type species *Sybrinus commixtus* Gahan, 1900  
*Arabosybrinus* Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848  
*Sokotrosybrinus* Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903  
*albosignatus* Breuning, 1948b: 16 A: SA YE  
*commixtus* Gahan, 1900a: 12 A: YE (Suqutra)  
*gahani* Aurivillius, 1922b: 299  
*flavescens* Breuning, 1948b: 16 A: SA YE  
*simonyi* Gahan, 1903: 287 A: YE (Suqutra)  
*sokotrensis* Téocchi, Jiroux & Sudre, 2004: 22 (*Arasosybrinus*)  
*x-ornatus* Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)  
*kabateki* Téocchi, Jiroux & Sudre, 2007: 23

**genus *Sybrocentrura* Breuning, 1947a: 57** type species *Sybrocentrura obscura* Breuning, 1947  
*costigera* Holzschuh, 2010: 218 A: SHA  
*fatalis* Holzschuh, 2010: 215 A: SHA  
*obscura* Breuning, 1947a: 57 A: GUX YUN  
*procerior* Holzschuh, 2010: 214 A: GUI  
*ropicoides* Gressitt, 1939c: 214 (*Sydonia*) A: FUJ JIX HAI  
*tenera* Holzschuh, 2010: 219 A: YUN ORR  
*tristicula* Holzschuh, 2010: 216 A: GUI SCH

**genus *Taiwanajinga* Hayashi, 1978b: 109** type species *Taiwanajinga albofasciata* Hayashi, 1978  
*albofasciata* Hayashi, 1978b: 110 A: TAI

**genus *Terinaea* Bates, 1884a: 249** type species *Terinaea atrofusca* Bates, 1884a  
*atrofusca* Bates, 1884a: 250 A: JA  
*rufonigra* Gressitt, 1940b: 175 A: FUJ GUA GUX HAI ZHE  
*tiliae* Murzin, 1983: 584 (*Miaenia*) A: FE ?NC SC SHA

#225

**genus *Ussurella* Danilevsky, 1997b: 44** [RN] type species *Ussuria napolovi* Danilevsky, 1995  
*Ussuria* Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995  
*napolovi* Danilevsky, 1995a: 114 (*Ussuria*) A: FE ?NC NO SC

**genus *Vittatopothyne* Breuning, 1968b: 58** [RN] type species *Falsopothyne flavovittata* Breuning, 1960  
*Falsopothyne* Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960  
*flavovittata* Breuning, 1960a: 16 (*Falsopothyne*) A: SD

**genus *Zotalemimon* Pic, 1925a: 29** type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)  
*Diboma* J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)  
*Donysia* Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933  
*bhutanum* Breuning, 1975a (March): 38 (*Diboma*) A: BT NP  
*bhutanensis* Breuning, 1975d (October): 350 (*Diboma*)  
*ciliatum* Gressitt, 1942e: 212 (*Donysia*) A: FUJ GUA HAI HKG YUN  
*costatum* Matsushita, 1933b: 379 (*Sydonia*) A: FUJ HAI JA (Ryukyus) TAI ZHE

#275

*loochooanum* Breuning, 1940a: 78 (*Diboma*)  
*formosanum* Breuning, 1975a: 38 (*Diboma*) A: TAI  
*lineatoides* Breuning, 1969e: 192 (*Diboma*) A: SD  
*malinum* Gressitt, 1951a: 511 (*Diboma*) A: YUN  
*obscurior* Breuning, 1940a: 78 (*Diboma*) A: UP  
*posticatum* Gahan, 1894a: 77 (*Sybra*) A: HAI SD YUN #400  
*apicale* Pic, 1925a: 29 (*Zotalemimon*)  
*subglabratum* Gressitt, 1938a: 54 (*Sydonia*) A: SCH

### tribe Apomecynini J. Thomson, 1860

**genus *Apomecyna* Dejean, 1821: 108** type species ~~type-species~~ *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

*Anapomecyna* Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925  
*Crassapomecyna* Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896  
*Mecynapus* J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856  
*Parapomecyna* Breuning, 1968g: 345 type species *Parapomecyna flavomaculata* Breuning, 1968 (= *Apomecyna quadrisignata* Quedenfeldt, 1885)  
*Pseudoalbana* Pic, 1895c: 77 type species *Pseudoalbana lameerei* Pic, 1895  
*Vocula* Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)  
*cretacea* Hope, 1831: 28 (*Callidium*) A: AP GUA GUX HAI NP SD YUN **ORR** #280  
*laosensis* Pic, 1938: 124  
*perroteti* J. Thomson, 1868c: 159  
*proba* Newman, 1842c: 299  
*fallaciosa* Breuning, 1938a: 50 A: PA UP  
*flavovittata* Chiang, 1963: 67 A: XIZ YUN  
*histrio histrio* Fabricius, 1793: 288 (*Lamia*) A: AP ES GUI HAI JA (Ryukyus) KO MG NP PA SD TAI UP YUN **ORR** #127  
#280

*alboguttata* Megerle, 1802: 10 (*Saperda*)  
*maculaticollis* Pic, 1918b: 6  
*quadrifasciata* J. Thomson, 1868c: 159  
*histrio okinawana* Makihara, 1992b: 74 A: JA (Tokara Isls., Ryukyus)  
*lameerei* Pic, 1895c: 77 (*Eurycotyle*) N: EG MO A: AE IN IQ IS OM PA SA SI YE **AFR**  
*arabica* Breuning, 1938a: 50  
*mateui* Breuning, 1953: 11

*leucosticta* Hope, 1831: 28 (*Callidium*) A: AF BT NP PA SD YUN **ORR** #400  
*lineata* Pic, 1937a: 14

*longicollis coreana* Breuning, 1967f: 188 A: KO  
*longicollis longicollis* Pic, 1926a: 28 A: GUI HKG JIX YUN **ORR**  
*fouqueti* Pic, 1938: 124

*luteomaculata* Pic, 1925a: 29 (*Anapomecyna*) A: YUN **ORR** #398

*naevia deguchii* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)  
*naevia iriei* Hayashi, 1984: 69 A: JA (Izu Isls., Ryukyus)  
*naevia naevia* Bates, 1873: 317 A: JA NP SC TAI #63 #400  
*naevia tsutsuii* Hayashi, 1956c: 15 A: JA (Tokara Isls.)

*naevia yokoyamai* Hayashi, 1974c: 68 A: JA  
*proxima* Breuning, 1938a: 49 A: GUI **ORR** #400

*saltator* Fabricius, 1787: 141 (*Lamia*) A: AP FUJ GUA GUI GUX HAI HKG HP HUB HUN JA (Ryukyus) JIA JIX NP PA SHA TAI  
YUN ZHE **ORR** #225 #280 #366

*excaviceps* Pic, 1918b: 6  
*multinotata* Pic, 1918b: 5  
*neglecta* Pascoe, 1865a: 152  
*niveosparsa* Fairmaire, 1895: 185  
*pertigera* J. Thomson, 1868c: 160  
*sinensis* Pic, 1918b: 6  
*subuniformis* Pic, 1944a: 14  
*tonkinea* Pic, 1918b: 5

*scortecii* Breuning, 1968c: 90 A: SA YE  
*semihistrio* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) TAI #400 #431  
*tigrina indica* Breuning, 1969f: 656 A: AP SD #280  
*tigrina tigrina* J. Thomson, 1857g: 343 A: YUN **ORR**

**genus *Asaperda* Bates, 1873: 385** type species *Asaperda rufipes* Bates, 1873

*agapanthina* Bates, 1873: 386 A: FE (Sakhalin, Kunashir) JA ?TAI

*confutis* Komiya, 1984a: 14  
*nakayamai* Komiya, 1984a: 14  
*obliquevittata* Komiya, 1984a: 14  
*obscura* Breuning, 1939b: 232  
*yamawakii* Komiya, 1984a: 14

*bicostata bicostata* Hayashi, 1956c: 16 A: JA  
*bicostata okinawana* Komiya, 1984: 372, 14 A: JA (Ryukyus)

*chongqingensis* L. Chen & Chiang, 1993: 65, 67 A: CHQ  
*kani* Hayashi, 1976: 15 A: JA #108  
*maculosa* Pic, 1927k: 199 A: CH ORR  
*meridiana* Matsushita, 1931a: 45 A: FUJ GUA GUI HKG JIX TAI ORR #400  
*takushaensis* Kano, 1933a: 283  
*rufa* Breuning, 1954e: 136 A: SHN  
*rufipes* Bates, 1873: 386 A: ?CH ?FE JA ?NC SC TAI  
*albosuturalis* Breuning, 1957g: 278  
*nigricornis* Breuning, 1957g: 278  
*tsushima* Breuning, 1955e: 658  
*uniformis* Pic, 1907c: 22  
*silvicultrix* Toyoshima & Iwata, 1990: 1 A: JA  
*stenostola* Kraatz, 1879e: 227 A: FE ?ES KZ MG ?NC SC WS  
*tenuicornis* Komiya, 1984a: 15 A: JA  
*wadai* Makihara, 1980: 55 A: JA

**genus *Athyilia* Pascoe, 1864a: 27** type species *Athyilia avara* Pascoe, 1864  
*Enispia* Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864  
*Sodomorphon* Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athyilia nobilis* Breuning, 1960)  
*horishensis* Seki, 1946: 10 (*Enispia*) A: TAI  
*quadristigma* Gressitt, 1940b: 156 (*Enispia*) A: HAI

**genus *Atimura* Pascoe, 1863b: 548** type species *Atimura terminata* Pascoe, 1863  
*affinis* Breuning, 1939b: 240 A: UP ORR  
*apicalis* Gahan, 1894a: 76 A: FUJ SCH TAI ORR  
*combreti* Gardner, 1930: 158 A: NP UP  
*cylindrica* Gressitt, 1940b: 173 A: HAI  
*formosana* Matsushita, 1933b: 371 A: TAI  
*fujiwarai* Hayashi, 1994: 70 A: TAI #400  
*japonica* Bates, 1873: 381 A: JA SHA ORR #225 #525  
*tonkinea* Pic, 1931a: 14  
*koreana* Danilevsky, 1996b: 22 A: SC  
*minima* Breuning, 1939b: 240 A: UP ORR  
*proxima* Breuning, 1939b: 240 A: UP ORR

**genus *Brachysybra* Breuning, 1940d: 427** type species *Brachysybra elliptica* Breuning, 1940  
*elliptica* Breuning, 1940d: 428 A: TAI (Lanyu Is.) ORR

**genus *Callomecyna* Tippmann, 1955: 125** type species *Callomecyna superba* Tippmann, 1955  
*Mimoxenoleoides* Breuning, 1963g: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963  
*leehsuehae* Yamasako & Chou, 2014a: 252 A: TAI  
*superba* Tippmann, 1955: 126 A: CHQ FUJ GUI GUX HUN #60  
*fasciculosa* Breuning, 1963g: 83 (*Mimoxenoleoides*)  
*tigrinula* Holzschuh, 1999: 44 A: SCH

**genus *Coomanum* Pic, 1927h: 111** type species *Coomanum singulare* Pic, 1927  
*Niphosaperda* Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962  
*singulare* Pic, 1927h: 112 A: YUN ORR  
*rondoni* Breuning, 1962d: 49 (*Niphosaperda*)

**genus *Cornallis* J. Thomson, 1864: 47** type species *Cornallis gracilipes* J. Thomson, 1864  
*Parasybrodiboma* Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969  
*gracilipes* J. Thomson, 1864: 47 A: NP SD  
*bootangensis* Breuning, 1968f: 702 (*Hyagnis*)  
*sikkimensis* Breuning, 1969f: 667 (*Parasybrodiboma*)  
*sybroides* Breuning, 1939b: 206 (*Hyagnis*)

**genus *Diaxenes* C. O. Waterhouse, 1884a: 128** type species *Diaxenes taylori* C. O. Waterhouse, 1884  
*dendrobii* Gahan, 1894e: 520 A: SD ORR

**genus *Discolops* Fairmaire, 1886a: 459** type species *Discolops strigicollis* Fairmaire, 1886  
*strigicollis* Fairmaire, 1886a: 459 A: YE AFR  
*aureicornis* Gahan, 1890d: 325 (*Stathmodera*)  
*basalis* Kolbe, 1894: 281  
*grandis* C. O. Waterhouse, 1898: 264 (*Stathmodera*)

**genus *Doliops* G. R. Waterhouse, 1841: 57** [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841 #86  
*Dolops* Agassiz, 1846: 128 [unjustified emendation]

*similis* Miwa & Mitono, 1933: 373 [RN] A: TAI (Lanyu Is.)  
*pachyrrhynchoides* Miwa & Mitono, 1932: 306 (*Aprophata*) [HN]

**genus *Enaretta* J. Thomson, 1864: 325** type species *Enaretta castelnaudi* J. Thomson, 1864  
*Athenes* Fähræus, 1872c: 194 type species *Athenes caudata* Fehreus, 1872  
*Fouquetia* Pic, 1932h: 150 type species *Fouquetia fasciculata* Pic, 1932  
*Phoryctus* Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871  
*Sympiodes* Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886  
*caudata* Fähræus, 1872b: 36 (*Athenes*) A: YE OM **AFR**  
*exigua* Gahan, 1904: 152

**genus *Estigmenida* Gahan, 1894a: 82** type species *Estigmenida variabilis* Gahan, 1894  
*albolineata* Breuning, 1940b: 211 A: SD  
*robusta* Breuning, 1940b: 211 A: SD **ORR**  
*variabilis* Gahan, 1894a: 83 A: YUN **ORR**

#343

#400

**genus *Falsoropica* Breuning, 1939b: 232** type species *Falsoropica clavipes* Breuning, 1939  
*grossepunctata* Breuning, 1968a: 32 A: YUN **ORR**  
*sikkimensis* Breuning, 1973c: 651 A: SD

**genus *Falozorisiella* Breuning, 1963a: 4** [RN] type species *Falozorilipe albosignata* Pic, 1945  
*Falozorilipe* Pic, 1945a: 2 [HN] type species *Falozorilipe albosignata* Pic, 1945  
*albosignata* Pic, 1945a: 2 (*Falozorilipe*) A: GUI

**genus *Hyagnis* Pascoe, 1864c: 280** type species *Hyagnis fistularius* Pascoe, 1864  
*apicatus* Holzschuh, 1984c: 369 A: UP  
*basicristatus* Breuning, 1949a: 3, 8 A: ?AP **ORR**  
*chinensis* Breuning, 1961i: 317 A: GUA  
*kashmirensis* Breuning, 1939b: 206 A: KA  
*pakistanus* Breuning, 1975d: 352 A: NP PA  
*persimilis* Breuning, 1939b: 206 A: "India"  
*intuberculata* Pic, 1946a: 3 (*Atimura*)

#126

**genus *Iproca* Gressitt, 1940b: 165** type species *Iproca acuminata* Gressitt, 1940  
*acuminata* Gressitt, 1940b: 165 A: HAI  
*aoyamaorum* Hasegawa & N. Ohbayashi, 2006: 253 A: JA (Ryukyus)  
*flavolineata* Hayashi, 1971: 10 A: TAI **ORR**  
*ishigakiana* Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)  
*pedongensis* Breuning, 1968f: 701 A: SD

**genus *Microlera* Bates, 1873: 380** type species *Microlera ptinoides* Bates, 1873  
*kanoi* Hayashi, 1971: 9 A: TAI  
*ptinoides* Bates, 1873: 380 A: FE (Kunashir) JA ?NC SC  
*yayeyamensis* Hayashi, 1968c: 15 A: JA (Ryukyus)

#432

#523

**genus *Microleroides* Breuning, 1956g: 691** type species *Microleroides chinensis* Breuning, 1956  
*chinensis* Breuning, 1956g: 692 A: SCH

**genus *Mimatimura* Breuning, 1939b: 241** type species *Mimatimura rufescens* Breuning, 1939  
*subferruginea* Gressitt, 1951a: 496 (*Atimura*) A: FUJ HAI

**genus *Mimophaeopate* Breuning, 1967b: 30** type species *Mimophaeopate assamensis* Breuning, 1967  
*assamensis* Breuning, 1967b: 31 A: AP

**genus *Mimosybra* Breuning, 1939b: 278** type species *Athelais surigaonis* Heller, 1924  
*strandii* Breuning, 1939b: 278 (*Neosybra*) A: TAI **ORR**

#72

**genus *Mycerinopsis* J. Thomson, 1864: 50** type species *Mycerinus aridus* Pascoe, 1862b (= *Hathlia lacteola* Hope, 1841)  
**subgenus *Zotale*** Pascoe, 1866c: 329 type species *Zotale unicolor* Pascoe, 1866  
*apomecynoides* Hayashi, 1972: 29 A: JA (Ryukyus)  
*lineata* Gahan, 1894a: 75 A: FUJ GUA JIX HAI HUN YUN **ORR**  
*subunicolor* Breuning, 1968a: 14 A: YUN **ORR**

**genus *Neosybra* Breuning, 1939b: 276** type species *Neosybra ropicoides* Breuning, 1939  
*costata* Matsushita, 1933b: 370 A: TAI  
*cribrella* Bates, 1873: 318 (*Sybra*) A: JA

*flavovittata* Breuning, 1954b: 21 A: SD  
*flavovittipennis* Breuning, 1963e: 6 A: HUN **ORR**  
*hachijoensis hachijoensis* Hayashi, 1961a: 22 (*Palausybra*) A: JA (Izu Islands)  
*hachijoensis tokaraensis* Makihara, 1977: 53 (*Palausybra*) A: JA  
*mizoguchii depressa* Makihara, 1980: 58 (*Palausybra*) A: JA  
*mizoguchii mizoguchii* Hayashi, 1956d: 41 (*Ropica*) A: JA  
*mizoguchii nobozakiensis* Takakuwa, 2015: 222 A: JA  
*ochreovittata* Breuning, 1939b: 277 A: NP  
*rotundipennis* Breuning, 1939b: 278 A: HKG  
*ryukyuensis* Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)  
*sinuicosta* Gressitt, 1951a: 502 A: TAI

**genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicoides* Breuning, 1962**  
*Rondonia* Breuning, 1962b: 7 [HN] type species *Rondonia ropicoides* Breuning, 1962  
*antennata* Holzschuh, 2015a: 51 A: SCH SHA #400  
*hirayamai* Matsushita, 1941: 156 (*Ropica*) A: TAI #450  
*bisignata* Hayashi, 1976: 16 (*Rondonia*)  
*ropicoides* Breuning, 1962b: 8 (*Rondonia*) A: YUN **ORR**

**genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908**  
*forticornis* Breuning, 1942a: 142 A: SA YE **AFR**  
*sulcata* Aurivillius, 1908: 150 A: SA YE **AFR**

**genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956**  
*chibi* Hayashi, 1974c: 41 A: TAI

**genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978**  
*fulvofasciata* Hayashi, 1978b: 108 A: TAI

**genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890**  
*Parazotalemimon* Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936  
*humeralis* Gahan, 1890a: 65 A: SD YUN **ORR**  
*nigropunctatus* Pic, 1936b: 12 (*Parazotalemimon*)

**genus *Plocia* Newman, 1842c: type species *Plocia notata* Newman, 1842** #220  
*Mimoplocia* Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842  
*notata* Newman, 1842c: 292 A: TAI (Lanyu Is.) **ORR**  
*albicornis* Heyrovský, 1935a: 19 (*Epaphra*)

**genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858**  
*affinis* Breuning, 1939b: 224 A: NP SD  
*assamensis* Breuning, 1972c: 415 A: AP  
*bicostata* Pic, 1926a: 27 (*Sybra*) A: CH  
*caenosa* Matsushita, 1933a: 107 (*Pterolophia*) A: JA (Ryukyus) TAI  
*chinensis* Breuning, 1964a: 403 A: ZHE  
*coomani* Pic, 1926b: 5 A: SD  
*coreana* Breuning, 1980b: 50 A: SC  
*dorsalis* Schwarzer, 1925c: 145 A: BT GUA GUX HAI JA JIA NP SD TAI UP **ORR**  
*burketi* Gressitt, 1937d: 609  
*langana* Pic, 1945a: 3  
*rufescens* Pic, 1926b: 5  
*formosana* Bates, 1866a: 351 A: TAI  
*fuscolaterimaculata* Hayashi, 1974c: 42 A: TAI (Lanyu Is.)  
*honesta* Pascoe, 1865a: 190 A: JA HKG NP TAI **ORR** #400  
*japonica amamiana* Makihara, 1995: 456 A: JA (Ryukyus)  
*japonica japonica* Hayashi, 1972: 37 A: JA  
*japonica tokarana* Takakuwa, 1984: 12 A: JA (Tokara Isls.)  
*lineatithorax* Pic, 1927b: 17 A: NP **ORR**  
*curtelineata* Pic, 1945: 3  
*elongata* Pic, 1929a: 30 (*Sybra*)  
*griseosparsa* Pic, 1927: 17  
*vietnamensis* Breuning, 1972b: 235  
*loochooana hayashii* Breuning, 1958c: 34 A: JA (Ryukyus)  
*loochooana loochooana* Matsushita, 1933b: 361 (*Pterolophia*) A: JA (Ryukyus)  
*ngauchilae* Gressitt, 1940b: 163 A: HAI  
*nodieri* Pic, 1945a: 3 A: NP #390

*pedongensis* Breuning, 1968f: 701 A: SD  
*rosti* Breuning, 1958d: 177 A: KA NP SD  
*signatoides* Breuning, 1939b: 221 A: UP  
*subaffinis* Breuning, 1968f: 701 A: SD  
*sublineata* Gressitt, 1940b: 162 A: FUJ HAI  
*subnotata* Pic, 1925e: 138 A: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHA SHN SHX YUN ZHE #225  
*trichantennalis* Breuning, 1968a: 13 A: FUJ **ORR**  
*tsushimensis* Hayashi, 1972: 38 A: JA  
*umbrata* Gressitt, 1951a: 492 A: FUJ GUA HKG #400  
*variabilis* Schwarzer, 1925b: 68 A: TAI

**genus *Sybra* Pascoe, 1865a: 141** type species *Ropica stigmatica* Pascoe, 1859  
**subgenus *Microzotale* Hayashi, 1956c: 17** type species *Microzotale uenoi* Hayashi, 1956  
*Kirishimoopsis* Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958  
*albodistincta* Takakuwa, 1984: 382 A: JA (Ryukyus)  
*kuri* K. Ohbayashi & Hayashi, 1962: 33 A: JA  
*uenoi sakamotoi* Hayashi, 1958b: 49 (*Kirishimoopsis*) A: JA  
*uenoi uenoi* Hayashi, 1956c: 18 (*Microzotale*) A: JA  
**subgenus *Sybra* Pascoe, 1865a: 141** type species *Ropica stigmatica* Pascoe, 1859  
*Gracisybra* L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisybra flava* L. S. Dillon & E. S. Dillon, 1952  
*Microopsis* L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952  
*Paroopsis* L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952  
*Ropicomorpha* Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927  
*Sybrinura* Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907

*albstictipennis* Breuning, 1963k: 47 A: GUX **ORR** #532  
*alternans* Wiedemann, 1823: 11 (*Lamia*) A: ?TAI NTRi **ORR** #219 #400  
*angustata* Pic, 1926b: 6 (*Atelais*)  
*carolina* Matsushita, 1935: 121  
*fuscovittata* Aurivillius, 1927: 24  
*javaensis* Breuning, 1982a: 10 (*Falsoropica*)  
*ochreovittata* Breuning, 1939a: 77  
*arator* Pascoe, 1865a: 210 A: SD **ORR**  
*icanoides* Breuning, 1942a: 150  
*baculina* Bates, 1866a: 352 A: HKG JA (Ryukyus) TAI  
*fulva* Schwarzer, 1925c: 145 (*Atimura*) #105 #72  
*ishigakii* Breuning & K. Ohbayashi, 1964b: 28 #72  
*kotoensis* Matsushita, 1935: 541  
*miyakoensis* Hayashi, 1972: 31 A: JA (Ryukyus) #175  
*basialbofasciata* Hayashi, 1972: 33 A: JA  
*bioculata bioculata* Pic, 1926i: 302 A: FUJ JIA TAI ZHE **ORR**  
*bioculata quadrinotata* Schwarzer, 1925c: 145 A: JIA TAI YUN ZHE **ORR**  
*obliterata* Pic, 1927g: 109  
*bioculata sikkimana* Breuning, 1969f: 657 A: SD  
*botelensis* Breuning & K. Ohbayashi, 1966: 11 A: TAI  
*breuningii* Gressitt, 1940b: 169 A: HAI  
*chaffanjonii* Breuning, 1969f: 656 A: GUI  
*elongatula* Breuning, 1939b: 270 A: SD  
*flavomaculata* Breuning, 1939b: 263 A: HUB JA SC (Hoenggando Is.)  
*albomarmorata* Breuning, 1961i: 333 [*Neosybra*] A: JA #70  
*flavostriata flavostriata* Hayashi, 1968c: 16 A: JA (Ryukyus) TAI  
*flavostriata miyakojimana* Hayashi, 1972: 33 A: JA (Ryukyus)  
*leucostictica* Breuning, 1939b: 266 A: SD **ORR**  
*ochraceicollis* Breuning, 1940: 162  
*pulvereoides* Breuning, 1939: 268  
*sikkimensis* Breuning, 1939b: 270  
*longipes* Breuning & De Jong, 1941: 104 A: SD  
*maculiclunis* Matsushita, 1931c: 404 A: HKG JA (Ryukyus) TAI  
*marmorea* Breuning, 1939b: 264 A: CH **ORR**  
*mimobaculina* Breuning, 1970c: 90 A: TAI  
*mimogeminata* Breuning & K. Ohbayashi, 1964: 17 A: JA (Ryukyus)  
*carinatipennis* Breuning & Chûjô, 1970: 56  
*miyakoana* Hayashi, 1972: 31  
*musashinoi* Breuning & Chûjô, 1970: 56  
*miscanthivola* Makihara, 1977: 25 A: JA (Ryukyus) TAI  
*multilineata* Pic, 1926c: 16 (*Atelais*) A: YUN #475  
*fuscobiplagiata* Breuning, 1939b: 265  
*narai* Hayashi, 1976: 14 A: TAI

*nishinoi fukidai* Fujita & Hirayama, 2017: 38 A: JA (Ryukyus)  
*nishinoi nishinoi* Fujita & Hirayama, 2017: 36 A: JA (Ryukyus)  
*ordinata okinoerabuensis* Hayashi, 1972: 32 A: JA (Ryukyus)  
*ordinata ordinata* Bates, 1873: 318 A: FUJ GUX HAI JA JIA JIX SHG TAI #420  
*albomaculata* Breuning, 1939b: 264 #420  
*formosana* Breuning, 1964a: 305 #420  
*loochooana* Breuning, 1939b: 263 #420  
*masataakai* Makihara, 2007: 216 #420  
*savioi* Pic, 1925e: 138 #420  
*subtesselata* Breuning, 1960a: 14 #420  
*tenganensis* Breuning, 1965h: 178 #420  
*tokara* Hayashi, 1972: 33 #420  
*oshimana* Breuning, 1958c: 34 A: JA  
*nipponensis* Hayashi, 1972: 32  
*omoro* Hayashi, 1972: 32  
*parvula* Breuning, 1939b: 271 A: "North India"  
*pascoei okinawana* Breuning & K. Ohbayashi, 1967: 4 A: JA (Ryukyus)  
*pascoei pascoei* Lameere, 1893a: 285 A: HAI **ORR**  
*pascoei taiwanella* Gressitt, 1951a: 499 A: JA (Ryukyus) TAI  
*piceomacula* Gressitt, 1951a: 500 A: FUJ  
*posticalis* Pascoe, 1858: 248 (*Ropica*) A: HAI HKG TAI  
*praeusta* Pascoe, 1859: 51 (*Ropica*) A: NP **ORR** #61  
*ceylonensis* Breuning, 1939: 274 #61  
*punctatostriata* Bates, 1866a: 351 A: FUJ GUA HAI JIX TAI  
*gossipi* Matsumura, 1912: 219 (*Homonoxa*)  
*pusilla* Breuning, 1939b: 270 A: "North India"  
*rondoniana* Breuning, 1965: 45 A: TAI  
*unifasciata* Fujimura, 1956: 5 A: JA  
*unipunctata* Breuning, 1939b: 264 A: HKG  
**subgenus** *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a  
*subfasciata mikurensis* Hayashi, 1971: 17 (*Sybrodiboma*) A: JA (Izu Isls.)  
*subfasciata subfasciata* Bates, 1884a: 246 A: JA SC  
*ohbayashii* Breuning, 1960a: 16 (*Hyagnis*)  
*taiwanensis* Hayashi, 1974c: 51 (*Sybrodiboma*) A: TAI  
*trimeresura* Takakuwa, 1984: 12 A: JA (Ryukyus)

**genus** *Xylariopsis* Bates, 1884a: 247 type species *Xylariopsis mimica* Bates, 1884a  
*Falsosybra* Pic, 1928a: 28 type species *Falsosybra fulvonotata* Pic, 1928  
*albofasciata* W.-K. Wang & Jiang, 1998b: 232, 233 A: YUN  
*esakii* Mitono, 1943: 582 A: HUN TAI YUN  
*fujiiwarai* Hayashi, 1994: 71 A: TAI  
*iriei* Hayashi, 1976: 13 A: JA (Ryukyus)  
*mimica* Bates, 1884a: 247 A: BEI FE GAN JA JIA ?NC NE SC **SCH** SHA SHG #60 #606  
*uenoi* Hayashi, 1994: 72 A: TAI

**genus** *Zorilispe* Pascoe, 1865a: 156 type species *Zorilispe fulvisparsa* Pascoe, 1865  
*harai* Hayashi, 1979: 92 A: NP

tribe Astathini J. Thomson, 1864

**genus** *Anastathes* Gahan, 1901: 60 type species *Astathes nigricornis* J. Thomson, 1865  
*nigricornis* J. Thomson, 1865: 560 (*Astathes*) A: FUJ GUI GUX HAI HUN YUN **ORR**  
*atricornis* Pic, 1922c: 15 (*Chreonoma*)  
*parallela* Breuning, 1956f: 486 A: HUB FUJ  
*parva* Gressitt, 1935c: 193 A: FUJ GUA GUX HAI HUN TAI ZHE #489  
*hainana* Gressitt, 1942c: 7 [RN]  
*robusta* Gressitt, 1940b: 222 A: FUJ GUA GUX HAI JIX

**genus** *Bacchisa* Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b  
**subgenus** *Atrobacchisa* Breuning, 1956f: 457 type species *Chreonoma atrocoerulea* Gressitt, 1951  
*atrocoerulea* Gressitt, 1951a: 617 (*Chreonoma*) A: SHA  
**subgenus** *Bacchisa* Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b  
*Chreonoma* Pascoe, 1867b: 348 type species *Chreonoma venustum* Pascoe, 1867  
*atritarsis* Pic, 1912h: 21 (*Chreonoma*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE  
*basalis* Gahan, 1894d: 487 (*Chreonoma*) A: FUJ GUA GUX HAI HKG **ORR**  
*tonkinea* Pic, 1916e: 15 (*Chreonoma*)  
*chinensis* Breuning, 1948e: 119 A: CH

*comata* Gahan, 1901: 67 (*Chreonoma*) A: FUJ GUA GUI GUX HAI HKG YUN ZHE  
*cyaneoapicalis* Gressitt, 1939a: 112 (*Chreonoma*) A: GUA GUI HAI #168  
*dimidiata* Gressitt, 1940b: 224 (*Chreonoma*)  
*cyanipennis* Breuning, 1961i: 338 A: SCH  
*dioica* Fairmaire, 1878: 133 (*Astathes*) A: SCH SHA YUN ORR  
*fortunei flavicornis* Kano, 1933a: 291 (*Chreonoma*) A: TAI  
*fortunei fortunei* J. Thomson, 1857a: 58 (*Plaxomicrus*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN QIN  
SC SCH SHA SHN SHX ZHE  
*obscuricollis* Pic, 1928: 21 (*Chreonoma*)  
*fortunei japonica* Gahan, 1901: 68 (*Chreonoma*) A: FUJ HUN JA NE  
*frontalis* Gahan, 1894a: 100 (*Chreonoma*) A: NP "North India"  
*guerryi* Pic, 1911d: 20 (*Astathes*) A: FUJ GUA GUX HUN JIX YUN ORR #119  
*apicalis* Pic, 1911d: 20 (*Astathes*)  
*nigronotata* Pic, 1912h: 21 (*Chreonoma*)  
*hoffmanni* Gressitt, 1939a: 113 (*Chreonoma*) A: GUA  
*klapperichi* Breuning, 1956c: 236 A: FUJ  
*kweichowensis* Breuning, 1959e: 174 A: GUI  
*pallens* S.-H. Chen, 1936c: 165 (*Chreonoma*) A: GUX HUB JIX #400  
*pallidiventris* J. Thomson, 1865: 559 (*Astathes*) A: HAI YUN ORR  
*aegrota* J. Thomson, 1865: 560 (*Astathes*)  
*pallidicolor* Pic, 1916d: 6 (*Chreonoma*)  
*rigida* Gressitt, 1942c: 6 (*Chreonoma*) A: SCH ZHE  
*violaceoapicalis* Pic, 1923a: 14 (*Chreonoma*) A: GUX YUN ORR  
  
**genus *Cleonaria* J. Thomson, 1864: 119** type species *Cleonaria bicolor* J. Thomson, 1864  
*taiwana* Hayashi, 1984: 36 A: TAI  
  
**genus *Lasiophrys* Gahan, 1901: 71** type species *Lasiophrys latifrons* Gahan, 1901  
*latifrons* Gahan, 1901: 72 A: NP SD #343  
  
**genus *Momisis* Pascoe, 1867b: 361** type species *Momisis aegrota* Pascoe, 1867  
*longicornis* Pic, 1912b: 10 (*Lasiophrys*) A: HAI  
*tiniosensis* Gressitt, 1940b: 226 (*Lasiophrys*)  
*longzhouensis* Hua, 1982: 53 A: GUX  
*monticola* Breuning, 1956f: 467 A: NP SD  
*submonticola* Breuning, 1968: 31 A: GUI ORR #119  
  
**genus *Plaxomicrus* J. Thomson, 1857a: 57** type species *Plaxomicrus ellipticus* J. Thomson, 1857  
*ellipticus* J. Thomson, 1857a: 58 A: GUX HUB JIA NP SCH SHA SHG YUN ZHE ORR  
*ventralis* Gahan, 1901: 70  
*latus* Gahan, 1901: 70 A: BT NP YUN  
*nigriventris* Pu, 1991a: 208, 210 A: YUN  
*pallidicolor* Pic, 1912j: 15 A: GUX ORR  
*sikkimensis* Breuning, 1956f: 464 A: SD  
*szetschuanus* Breuning, 1956f: 463 A: SCH  
*violaceomaculatus* Pic, 1912b: 11 A: YUN ORR  
  
**genus *Tetraophtalmus* Dejean, 1835: 347** type species *Cerambyx splendidus* Fabricius, 1793  
*Astathes* Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842  
*bimaculatus* Fabricius, 1793: 263 (*Cerambyx*) A: PA ORR  
*externus* Pascoe, 1859: 46 (*Astathes*)  
*contentiosus* Pascoe, 1867b: 352 (*Astathes*) A: PA  
*episcopalis* Chevrolat, 1852: 418 (*Astathes*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NC NMO SC  
SCH SHA SHX TAI XIN ZHE  
*formosanus* Breuning, 1956f: 499 (*Astathes*) A: TAI  
*gibbicollis* J. Thomson, 1865: 559 (*Astathes*) A: "North India"  
*holorufus* Breuning, 1968a: 31 (*Astathes*) A: HKG ORR  
*janthinipennis cyanopterus* Gahan, 1900d: 353 (*Astathes*) A: HAI TAI ORR  
*janthinipennis flavus* Chiang, 1963: 68 (*Astathes*) A: YUN  
*janthinipennis janthinipennis* Fairmaire, 1895: 187 A: YUN ORR  
*janthinipennis yunnanensis* Breuning, 1956f: 500 (*Astathes*) A: YUN  
*japonicus* J. Thomson, 1857a: 51 A: "Himalaya"  
*sikanga* Gressitt, 1942c: 6 (*Chreonoma*) A: SCH  
*splendidus* Fabricius, 1793: 263 (*Cerambyx*) A: CH ORR  
*decipiens* Pascoe, 1859: 46 (*Astathes*)  
*flavicornis* Pic, 1939f: 31 (*Astathes*)  
*splendidulus* Aurivillius, 1923a: 583 (*Astathes*)

*violaceipennis* J. Thomson, 1857a: 53 A: GUX NP SD XIZ **ORR**

tribe Batocerini J. Thomson, 1864

**genus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831

**subgenus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831

*Anapriona* Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917

*Cristapriona* Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986

*Cylindrapriona* Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857e

*Humeroapriona* Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840

*Mesapriona* Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866

*Parapriona* Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948

*chemsaki* Hua, 1986c: 209 A: JIX

*cinerea* Chevrolat, 1852: 416 A: AF HP KA PA UP XIZ

#274

*newcombei* Gilmour, 1958: 112

*germari germari* Hope, 1831: 28 (*Lamia*) A: AP BT HP NP SD XIZ **ORR**

#126 #344 #366

*cribrata* J. Thomson, 1878b: 57

*deyrollei* Kaup, 1866: 7

*germari parvigranula* J. Thomson, 1878b: 58 A: GUA HAI YUN **ORR**

*rugicollis rugicollis* Chevrolat, 1852: 418 A: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX **JA** LIA NC  
SC SCH SHA SHN SHX TAI XIZ YUN ZHE

*gressitti* Gilmour, 1958: 76

*japonica* J. Thomson, 1878b: 59

*plicicollis* Motschulsky, 1854a: 48

*rugicollis nobuoi* Breuning & K. Ohbayashii, 1966: 32 A: JA (Ryukyus)

*rugicollis yayeyamai* Breuning, 1976d: 739 A: JA (Ryukyus)

*paucigranula* J. Thomson, 1878b: 58 A: SD YUN

#280

*sublaevis* J. Thomson, 1878b: 57 A: HAI GUX **ORR**

*bicolor* Kriesche, 1920a: 193

*swainsoni basicornis* Fairmaire, 1895: 185 A: HAI YUN **ORR**

*swainsoni swainsoni* Hope, 1840: 79 (*Lamia*) A: AP BEI FUJ GUI HAI HEN JIA NC (Mt. Nangrim-san) SCH YUN **ORR** #126

*daifungensis* Chiang, 1982: 41

*kediana* W.-K. Wang, 1999: 125

*trilineata* Chevrolat, 1852: 416 A: SD **ORR**

*unidentata* Pic, 1936a: 16 A: GUI **ORR**

#400 #433

**genus *Batocera* Dejean, 1835: 341** type species *Cerambyx rubus* Linnaeus, 1758

#523

*Megacriodes* Pascoe, 1866c: 259, 271 type species *Megacriodes saundersii* Pascoe, 1866

#218

*Semibatocera* Kriesche, 1915: 115 type species *Batocera calana*, Parry, 1844 (= *Lamia calana* Parry, 1844)

*Tyrannolamia* Kriesche, 1915: 115 type species *Batocera wallacei* J. Thomson, 1858

*calanus* Parry, 1844: 454 [= 1845: 86] (*Lamia*) A: AP FUJ HAI HP SD XIZ YUN **ORR**

#60 #366

*bimaculata* Schwarzer, 1914: 280

*fabricii* J. Thomson, 1878b: 54

*guttata* Vollenhoven, 1871a: 110 (*Megacriodes*)

*immaculata* Schwarzer, 1914: 280

*narada* Kriesche, 1928: 45

*parryi* Hope, 1845b: 77 (*Lamia*)

*davidis* H. C. Deyrolle, 1878: 131 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE **ORR**

*henrietta* Kriesche, 1915: 138

*obscura* Gilmour & Dibb, 1948: 38

*horsfieldii* Hope, 1839: 42 A: ANH AP BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX KA NP PA SCH SD SHA SHN  
XIZ YUN ZHE **ORR**

#274 #280 #390

*adelpha* J. Thomson, 1859a: 77

*lineolata* Chevrolat, 1852: 417 A: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE **ORR**

*catenata* Vollenhoven, 1871b: 215

*chinensis* J. Thomson, 1857e: 170

*flachi* Schwarzer, 1914: 280

*hauseri* Schwarzer, 1914: 280

*joannisi* Pic, 1901g: 28

*latealba* Pic, 1926i: 303

*variecollis* Schwarzer, 1925b: 60

*numitor* Newman, 1842b: 275 A: AP HAI NP SCH SD XIZ YUN **ORR**

#280

*ajax* J. Thomson, 1858: 455

*ferruginea* J. Thomson, 1858: 456

*javanica* J. Thomson, 1859a: 83

*loki* Kriesche, 1915: 143

*palawanicola* Kriesche, 1928: 47

*rufopunctata* Breuning, 1956a: 1

*sumatrensis* Aurivillius, 1922b: 126 [RN]

*titana* J. Thomson, 1859a: 82

*punctata* Schwarzer, 1925b: 60 A: TAI  
*quercinea* R.-Y. Wang, Zhang & F. Zheng, 1993: 59, 61 A: YUN  
*roylii* Hope, 1833: 64 (*Lamia*) A: AP BT GUX HAI KA NP SD YUN **ORR** #126  
*coreana* Kolbe, 1886: 238  
*downesii* Hope, 1845b: 76  
*ebenina* Vollenhoven, 1871b: 211  
*orientalis* Kriesche, 1915: 119  
*porus* Parry, 1844: 454 [= 1845: 86] (*Lamia*)  
*princeps* L. Redtenbacher, 1844: 551  
*rubus rubus* Linnaeus, 1758: 390 (*Cerambyx*) A: AP FUJ GUA GUI GUX HAI HKG JA (Ryukyus) NP PA SA SCH SHA SHX TAI TR  
UP YUN ZHE **ORR** #166 #218 #402 #525  
*albofasciata* DeGeer, 1775: 106 (*Cerambyx*)  
*albomaculata* Retzius, 1783: 138 (*Cerambyx*)  
*bipunctata* Kriesche, 1915: 134  
*dividopunctata* Gilmour & Dibb, 1948: 61  
*downesii* Hope, 1845b: 76  
*formosana* Kriesche, 1915: 136  
*lombokensis* Breuning, 1947a: 16  
*mniszecchii* J. Thomson, 1859a: 79  
*octomaculata* Fabricius, 1793: 290 (*Lamia*)  
*palawanica* Schwarzer, 1926a: 12  
*punctatella* Kriesche, 1915: 135  
*sabina* J. Thomson, 1878b: 52  
*sarawakensis* J. Thomson, 1858: 452  
*siporensis* Schwarzer, 1930: 122  
*rufomaculata rufomaculata* DeGeer, 1775: 107 (*Cerambyx*) A: AP HKGi IS KA LE NP OM PA SD SI SY TR UP XIZ YE **AFR NTRI**  
**ORR** #126 #189 #274 #280  
*chlorinda* J. Thomson, 1857e: 171  
*cruentata* Gmelin, 1790: 1863 (*Cerambyx*)  
*diana* Nonfried, 1892b: 276  
*flavescens* Gilmour & Dibb, 1948: 68  
*kuntzeni* Kriesche, 1915: 139  
*thysbe* J. Thomson, 1878: 52  
*ushijimai* N. Ohbayashi, 1981: 47 A: TAI

**genus *Microcriodes* Breuning, 1943a: 14** type species *Microcriodes sikkimensis* Breuning, 1943  
*cheni* Bi & Holzschuh, 2019: 52 A: XIZ  
*ohbayashii* Bi & Holzschuh, 2019: 54 A: YUN **ORR**  
*sikkimensis* Breuning, 1943a: 15 A: AP SD XIZ #126 #250  
*wuchaoi* Bi & Lin, 2014: 5 A: XIZ

tribe Ceroplesini J. Thomson, 1860  
 subtribe Ceroplesina J. Thomson, 1860

**genus *Ceroplesis* Audinet-Serville, 1835a: 93** type species *Lamia aethiops* Fabricius, 1775  
*Moecha* J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787  
*aestuans* Olivier, 1800: 123 (*Cerambyx*) N: MO **AFR** #373  
*aegyptiaca* Gilmour, 1956c: 753  
*dakarensis* Fiedler, 1938: 591  
*guineensis* Hintz, 1920: 165  
*nigerica* Fiedler, 1938: 592  
*ornata* Hintz, 1920: 165  
*senegalensis* Fiedler, 1938: 591  
*ubangiensis* Fiedler, 1938: 592  
*elegans* Gestro, 1889: 70 A: SA YE  
*millingeni* Pic, 1895c: 77 A: SA YE

**genus *Thysia* J. Thomson, 1860: 96** type species *Lamia wallichii* Hope, 1831  
*Thysiotis* J. Thomson, 1868c: 201 [RN] type species *Lamia wallichii* Hope, 1831  
*wallichii tonkinensis* Kriesche, 1924: 289 (*Diastocera*) A: GUA GUX **ORR**  
*dalatensis* Breuning, 1968a: 27 (*Diastocera*)  
*savioi* Yen, 1932: 165 (*Diastocera*)  
*wallichii wallichii* Hope, 1831: 27 (*Lamia*) A: AP GUI HP NP PA SD SCH UP YUN **ORR** #368 #369  
*insularis* Fisher, 1935: 609 (*Diastocera*)  
*tricincta* Duncan, 1835: 254 (*Lamia*)  
*trivittata* Gistel & Bromme, 1850: 624 (*Ceroplesis*)

**genus *Titoceres* J. Thomson, 1868d: 201** [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835  
*Ceratites* Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835  
*Paratitoceres* Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962

*arabicus* Breuning, 1962g: 235 (*Paratitoceres*) A: SA YE  
*jaspideus* Audinet-Serville, 1835a: 35 (*Ceratites*) N: MO A: OM SA YE AFR

subtribe Crossotina J. Thomson, 1864

genus *Biobessa* Gahan, 1898: 56 type species *Biobessa beatrix* Gahan, 1898  
*holzschuhi* Téocchi, 1992: 304 A: SA YE

genus *Crossotus* Audinet-Serville, 1835a: 52 type species *Lamia plumicornis* Audinet-Serville, 1835

*Crossotides* Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912

*albicollis* Guérin-Méneville, 1844: 249 N: MO AFR

*obtus* Hintz, 1912: 194

*senegalensis* Breuning, 1950i: 525

*arabicus* Gahan, 1896: 458 A: OM SA YE

[*erlangeri erlangeri* Hintz, 1912: 195 AFR]

*erlangeri saudicola* Téocchi, 1992: 304 A: SA

*kadlec* Sama & Sudre, 2010: 953 A: JE

*katbeh* Sama, 2000b: 107 A: IS JO YE

*strigifrons* Fairmaire, 1886a: 457 (*Dichosthates*) N: EG A: IS JO OM SA SI YE AFR

*albicans* Breuning, 1942a: 145

*nebulos* Fairmaire, 1892a: 124 (*Dichosthates*)

*sublineatus* Gestro, 1892: 788 N: AG MO AFR

*subocellatus* Fairmaire, 1886a: 458 (*Dichosthates*) N: AG EG LB MO SI AFR

*heimschi* Peyerimhoff, 1923b: 318

*phillippsi* Gahan, 1896: 458

*tamer* Sama & Rapuzzi, 2006: 188 N: EG

*tubericollis* Fairmaire, 1891: 271 (*Dichosthates*) N: MO AFR

*bimaculatus* Aurivillius, 1903: 323

*robustus* Jordan, 1894a: 236

*vittatus* Aurivillius, 1914: 30

*vagepictus* Fairmaire, 1886a: 456 A: SA AFR

*adenensis* Breuning, 1969f: 665

*lateralis* Hintz, 1912: 194

*niveicollis* Hintz, 1912: 194

*obliquevittatus* Breuning, 1940c: 166

*xanthoneurus* Sama, 2000a: 92 A: IS JO SI

genus *Ecyroschema* J. Thomson, 1864: 48 type species *Ecyroschema favosum* J. Thomson, 1864

*favos* J. Thomson, 1864: 48 A: YE AFR

genus *Gasponia* Fairmaire, 1892a: 123 type species *Gasponia gaurani* Fairmaire, 1892

*gaurani* Fairmaire, 1892a: 123 A: YE AFR

genus *Moechohecyra* Breuning, 1938c: 231 type species *Moechohecyra indica* Breuning, 1938 [by original designation]

*arctifera* W.-K. Wang & Jiang, 2002a: 52 A: GUI YUN

*verrucicollis* Gahan, 1894a: 60 (*Moechotypa*) A: NP ORR

#338

genus *Moechotypa* J. Thomson, 1864: 55 type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)

*Scotinauges* Pascoe, 1871: 277 type species *Scotinauges diphyis* Pascoe, 1871

*Tylophorus* Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873

*alboannulata* Pic, 1934a: 13 A: GUI GUX HUN SCH

*asiatica* Pic, 1903g: 121 (*Hecyrida*) A: GUI GUX NP SD UP YUN ORR

#127

*sikkimensis* Breuning, 1936: 324

*delicatula* White, 1858a: 268 (*Nyphona*) A: GUI GUX HAI HUN SCH TAI YUN ZHE ORR

*elongata* Pic, 1925b: 29

*diphyis* Pascoe, 1871: 277 (*Scotinauges*) A: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC SCH  
SHA SHX ZHE

#521

*davidis* Fairmaire, 1887c: 328

*fuliginosa* Kolbe, 1886: 221

*wulffiusi* Blessig, 1873: 215 (*Tylophorus*)

*formosana* Pic, 1917e: 7 (*Hecyrida*) A: TAI

*nigricollis* W.-K. Wang & Jiang, 2000c: 185 A: YUN

*paraformosana* Breuning, 1979a: 46 [RN] A: TAI

*formosana* Breuning, 1974j: 372 [HN]

*semenovi* Heyrovský, 1934c: 172 A: SCH

#523

*suffusa* Pascoe, 1862a: 336 (*Niphona*) A: HAI YUN ORR

*arida* J. Thomson, 1864: 55

*thoracica* White, 1858a: 266 (*Nyphona*) A: SD

*infasciculata* Pic, 1926b: 7  
*tuberculicollis* W.-K. Wang & Jiang, 2000c: 186 A: GUI YUN  
*uniformis* Pic, 1922c: 14 (*Hecyrida*) A: GUX ORR

**genus *Paramoechotypa* Breuning, 1938c: 230** type species *Paramoechotypa fasciculata* Breuning, 1938  
*fasciculata* Breuning, 1938c: 230 A: BT

### tribe Dorcadionini Swainson, 1840

**genus *Dorcadion* Dalman, 1817a: 397** type species *Cerambyx glycyrrhizae* Pallas, 1773  
**subgenus *Acutodorcadion* Danilevsky, Kasatkin & Rubenyan, 2005: 135** type species *Dorcadion acutispinum* Motschulsky, 1860  
*absinthium absinthium* Plavilstshikov, 1937a: 30 A: KZ  
*absinthium ishkovi* Kadyrbekov, 2004: 94 A: KZ  
*acutispinum* Motschulsky, 1860c: 310 [= 1860d: 304] A: KZ  
*alexandris* Pic, 1900l: 56 A: KZ  
    *luteolum* Suvorov, 1910b: 63  
    *staudingeri* Pic, 1900k: 29 [HN]  
*arietinum arietinum* Jakovlev, 1898: 678 A: KZ  
*arietinum charynense* Danilevsky, 1996f: 610 A: KZ  
*arietinum chilikense* Danilevsky, 1996f: 611 A: KZ  
*arietinum ketmeniense* Danilevsky, 1996f: 613 A: KZ XIN  
*arietinum lucae* Pic, 1898f: 42 A: XIN  
*arietinum phenax* Jakovlev, 1899c: 68 A: KZ XIN  
    *strandi* Plavilstshikov, 1931b: 274  
*arietinum zhalanash* Danilevsky, 1996f: 614 A: KZ  
*borochorenses* Breuning, 1944: 11 A: XIN  
    *hornianum* Plavilstshikov, 1958a: 394  
*danilevskyi* Dolin & Owtschinikov, 1999: 97 A: KI (Sussamyr Valley)  
*darjae darjae* Danilevsky, 2001f: 632 A: KI (Chong-Kemin Canyon)  
*darjae keminum* Danilevsky & Rubenyan, 2021: 1100 A: KI  
*darjae kungeyense* Danilevsky & Rubenyan, 2021: 1099 A: KI  
*globithorax* Jakovlev, 1895a: 288 A: KZ  
*grande* Jakovlev, 1906b: 42 A: KZ  
*irinae* Danilevsky, 1997c: 59 A: KZ  
*kapchagaicum* Danilevsky, 1996d: 413 A: KZ  
*kastekum aktyuzum* Danilevsky & Rubenyan, 2021: 1102 A: KI  
*kastekum kastekum* Danilevsky, 1996d: 415 [Kastek Pass] A: KI KZ  
*kastekum kichikeminum* Danilevsky & Rubenyan, 2021: 1101 A: KI  
*ataense ataense* Pic, 1901e: 18 [“Aulie-Ata”] A: KI KZ ?UZ #539  
    *kusnezovi* Jakovlev, 1906b: 40 [Aulie-Ata]  
*ataense pumilio* Plavilstshikov, 1951: 114 A: KZ  
*ataense rufidens* Jakovlev, 1906b: 39 A: KZ  
*leopardinum* Plavilstshikov, 1937a: 28 A: XIN  
*mystacinum* Ballion, 1878: 369 A: XIN #539  
*natali* Abramov, 2019: 118 A: KZ  
*nikolaevi* Danilevsky, 1995b: 420 A: KZ  
*ninae* Danilevsky, 1995b: 422 A: KZ  
*nivosum* Suvorov, 1913: 66 (*Compsodorcadion*) A: KZ (Sarybel env.)  
*optatum kadyrbekovi* Danilevsky, 1999b: 20 A: KI  
*optatum matthieseni* Suvorov, 1910b: 66 A: KI  
    *luctuosum* Suvorov, 1913: 76  
*optatum optatum* Jakovlev, 1906b: 38 A: KI KZ  
*optatum toropyginae* Danilevsky, 1999b: 22 A: KI (Ala-Archa Canyon)  
*optatum vallesum* Danilevsky, 1999b: 27 A: KI  
*pantherinum desertum* Danilevsky, 1995b: 427 A: KZ  
*pantherinum ludmilae* Abramov, 2018: 37 A: KZ (low Syr Darya Valley)  
*pantherinum pantherinum* Jakovlev, 1899b: 147 A: KZ  
*pantherinum sabulosum* Danilevsky, 1995b: 426 A: KZ (Kzyl-Orda env.)  
*pantherinum shamaevi* Danilevsky, 1995b: 427 A: KZ (Kapchagay)  
*pelidnum* Jakovlev, 1906b: 38 A: KI  
*profanifuga* Plavilstshikov, 1951: 113 A: KZ  
*songaricum* Ganglbauer, 1884: 477 A: KZ XIN  
    *ininterruptum* Pic, 1897f: 94  
*suvorovi karachokense* Danilevsky, 1996e: 459 A: KZ  
*suvorovi konyrolenum* Danilevsky, 1996e: 458 A: KZ  
*suvorovi suvorovi* Jakovlev, 1906c: 274 A: KZ (Usek River Valley)  
*suvorovi taldykurganum* Danilevsky, 1996e: 461 A: KZ (Taldy-Kyrgan env.)

*suvorovi tekeliense* Danilevsky, 1996e: 459 A: KZ  
*suvorovianum koramense* Danilevsky, 1999b: 32 A: KZ  
*suvorovianum suvorovianum* Plavilstshikov, 1915b: 80 [RN] A: KZ  
*formosum* Suvorov, 1910b: 65 [HN]  
*thianshanense* Breuning, 1947d: 142 A: XIN  
*tianshanskii algaense* Danilevsky, 2012i: 12 A: KZ  
*tianshanskii euzhaisanicum* Danilevsky, 2012i: 20 A: KZ  
*tianshanskii heptapotamicum* Plavilstshikov, 1951: 115 A: KZ  
*tianshanskii otariense* Danilevsky, 2012i: 13 A: KZ  
*tianshanskii parapumilio* Danilevsky, 2012i: 15 A: KZ  
*tianshanskii radkevitschi* Suvorov, 1910b: 61 A: KZ (Chu-Ily Mts)  
*tianshanskii terminum* Danilevsky, 1999b: 23 A: KZ  
*tianshanskii tianshanskii* Suvorov, 1910b: 67 A: KZ  
*tibiale* Jakovlev, 1889: 250 (*Compsodorcadion*) A: KI XIN  
*toropovi* Danilevsky, 1999b: 34 A: KI (Kuvaki Pass)  
*tschitscherini* Jakovlev, 1899b: 153 A: KZ  
*tshitsherini* Plavilstshikov, 1958a: 294, 387 [unjustified emendation]  
*unidiscale* Danilevsky, 1996d: 416 A: KZ (Kaskelen Canyon)  
*urdzharicum* Plavilstshikov, 1937a: 29 A: KZ (Tarbagatay above Urdzhar)  
*zhaisanicum* Shapovalov, 2007: 72 [“north-west part of Chu-Ili mountains”] A: KZ  
**subgenus** *Carinatodorcadion* Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771 #46  
*aethiops aethiops* Scopoli, 1763: 53 [Ljubljana] (*Cerambyx*) E: AL AU BU CR CZ GR HU MC MD RO SB SK SL TR UK  
*bergmanni* Tippmann, 1958b: 151  
*morio* Fabricius, 1787: 141 (*Lamia*)  
*scopolii* Gmelin, 1790: 1835 (*Cerambyx*)  
*aethiops asenovi* Danilevsky, 2014c: 253 E: BU [Asenovgrad]  
*aethiops balthasari* Heyrovský, 1962b: 225 E: AL (Shkodër, Tīrana, Sauk) #571  
*aethiops laevipunctatum* Breuning, 1944a: 14 E: AL (Mali i Thate) MC #571  
*aethiops maderi* Breit, 1923: 147 E: AL (Vora, Kruja, Elbasan) #571  
*aethiops majoripenne* Pic, 1926d: 13 [Saloniki] E: GR #294  
*aethiops propinquum* Breuning, 1962a: 517 [Kozani] E: GR #294  
*aethiops sterbai* Breuning, 1944a: 14 E: AL (Moskopolje=Voskopojë, Kulmak) #571  
*aethiops strumense* Danilevsky, 2014c: 252 E: BU (Petrich, Drangovo) GR (Serres) #141  
*carinatum carinatum* Pallas, 1771: 465 (*Cerambyx*) E: CT KZ ST UK A: KZ  
*pigrum* Schoenherr, 1817a: 398 (*Lamia*)  
*carinatum cylindraceum* Reitter, 1886: 69 E: ST A: AB  
*carinatum igrenum* Danilevsky, 1998b: 137 E: UK (Dnepropetrovsk area)  
*carinatum sunzhenum* Danilevsky, 1998b: 138 E: ST (Nothorn Ossetiya)  
*carinatum uralense* Danilevsky, 1998b: 138 E: ST (Orenburg Reg.: Ayke Lake) A: KZ (Kara-Tugay and Mugodzhary Mts)  
*cervae* Frivaldszky, 1892b: 133 E: HU  
*fulvum erythropterum* Fischer von Waldheim, 1823: Tab. L - 7 E: AL BH BU CR MC MD RO ~~PL~~ SB TR UK #560  
*canaliculatum* Fischer von Waldheim, 1824: 240  
*fulvum fulvum* Scopoli, 1763: 53 (*Cerambyx*) E: AU CZ HU SK SL UK  
*freyi* Tippmann, 1958b: 158  
*frontale* Mulsant & Rey, 1863: 154  
*kulzeri* Tippmann, 1958b: 158  
*nigripenne* Fleischer, 1894: 121  
*rugipenne* Tippmann, 1958b: 155  
*sanguinolentum* Scopoli, 1772: 99 (*Prionus*)  
*fulvum opillicum* Zamoroka, 2019: 365 E: ~~PL~~ UK #560  
*hybridum hedvigae* Jureček, 1933: 127 E: GR  
*hybridum hybridum* Ganglbauer, 1884: 441 E: GR TR  
*ingae* Peks, 1993: 3 E: TR  
**subgenus** *Cribridorcadion* Pic, 1901b: 12 type species *Dorcadion mnischevi* Kraatz, 1873 #46  
*Autodorcadion* Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763  
*Bergerianum* Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysocroum* Breuning, 1943  
*Dzhungarodorcadion* Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899  
*Pedestredorcadion* Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761  
*abstersum* Holzschuh, 1982a: 75 A: TR  
*accola* Heyden, 1894: 87 A: TR  
*glabrolineatum* Pic, 1927e: 6  
*mardinense* Pic, 1900c: 6 #584  
*afflictum* Pesarini & Sabbadini, 1999: 54 A: TR  
*akpazarensis* Bernhauer & Peks, 2015: 453 A: TR  
*akpinarensis* Bernhauer & Peks, 2010a: 196 A: TR  
*albolineatum* Küster, 1847a: 86 A: TR  
*byzantinum* J. Thomson, 1867a: 69

*albonotatum* Pic, 1895b: 39 A: TR  
*albosuturale* Breuning, 1962a: 351 E: AL GR MC  
*amanense* Breuning, 1943b: 94 A: TR  
*amphissae* Breuning, 1974g: 153 E: GR  
*anachoreta* Pesarini & Sabbadini, 2013b: 34 E: GR  
*anatolicum* Pic, 1900g: 12 A: TR  
*brevipenne* Pic, 1902c: 10  
*chehirense* Pic, 1902c: 10  
*ininterruptum* Pic, 1900g: 13 [HN]  
*mediointerruptum* Pic, 1901p: 73  
*subuniforme* Pic, 1902j: 27  
*andirinense* Bernhauer & Peks, 2011b: 218 A: TR #54 #125  
*amaliae* Pesarini & Sabbadini, 2013a: 55 #54 #125  
*apicecontiguum* Özdikmen & Tezcan, 2021: 119 A: TR  
*apicipenne* Jakovlev, 1899b: 61 A: XIN #605  
*apicerufum* Breuning, 1943b: 91 [RN] A: AB AR GG ?IN TR  
*sanguinolentum* J. Thomson, 1865: 548 [HN]  
*thomsonianum* Plavilstshikov, 1948: 126 [RN]  
*aracense* Bernhauer & Peks, 2011a: 204 A: TR  
*arcivagum* J. Thomson, 1867c: 121 A: TR  
*cilicium* Pic, 1904a: 4  
*ardahense* Breuning, 1975c: 10 A: TR  
*arenarioides* Rabaron, 1979: 11 E: GR  
*arenarium abruptum* Germar, 1839: 18 E: AL BH CR #117  
*arenarium arenarium* Scopoli, 1763: 53 (*Cerambyx*) E: CR IT SL SK #180  
*beszedesi* Depoli, 1926a: 11  
*istriatum* Depoli, 1912: 37, 40  
*liburnicum* Depoli, 1912: 37, 39  
*sabandum* Pic, 1945b: 7  
*vittigerum* Panzer, 1797: 24 (*Lamia*)  
*arenarium brattiense* J. Müller, 1905: 135 E: BH CR  
*arenarium dalmatinum* J. Müller, 1905: 134 E: BH CR  
*arenarium hypsophilum* J. Müller, 1905: 135 E: BH CR #117  
*arenarium lemniscatum* Küster, 1847a: 89 E: BH CR  
*mostarense* Pic, 1942a: 1  
*arenarium marsicanum* Fracassi, 1905: 112 (Abruzzi) E: FR IT  
*berytense* Breuning, 1964c: 31 (Beiruth) #324  
*fuscovestitum* Pic, 1905a: 11  
*subcarinatum* J. Müller, 1905: 139  
*arenarium muelleri* Depoli, 1912: 37, 40 E: BH CR  
*arenarium rubrimembris* Pic, 1917g: 6 [RN] E: AL BH CR  
*rubripes* J. Müller, 1905: 135 [HN]  
*arenarium shkypetarum* Heyrovský, 1937b: 91 E: AL #117  
*arenarium velebiticum* J. Müller, 1905: 140 E: BH CR  
*ariannae* Pesarini & Sabbadini, 2008: 115 E: GR  
*artemi* Lazarev, 2019d: 470 A: AR (near north-west shore of Lake Sevan)  
*auratum* Tournier, 1872: 291 A: GG  
*lederi* Kraatz, 1878a: 217 [1878c: 353]  
*avgadiense* Bernhauer & Peks, 2011b: 215 A: TR  
*axillare* Küster, 1847a: 88 E: BU RO  
*kraatzi* Tournier, 1872: 281  
*varnanum* Pic, 1926d: 13  
*bangi bangi* Heyden, 1894: 89 A: TR  
*bangi heinzorum* Braun, 1975a: 17 A: TR  
*bangi roridum* Pesarini & Sabbadini, 1999: 55 A: TR  
*banjkovskiyi* Plavilstshikov, 1958a: 147 A: TR  
*basale* Kraatz, 1873a: 86 A: TR  
*kagyzmanicum* Suvorov, 1915: 120  
*beckeri beckeri* Kraatz, 1873a: 71 E: ST (Dagestan planes) A: AB  
*beckeri koenigi* Jakovlev, 1897: 245 E: ST (Dagestan mts) A: AB  
*impressipenne* Pic, 1900g: 14  
*beloni* Pic, 1891l: lxxvii A: TR  
*biforme* Kraatz, 1873a: 53 A: IN  
*discomaculatum* Pic, 1905k: 187  
*bisignatum* Jakovlev, 1899c: 66 A: ?GG TR  
*bistriatum* Pic, 1898h: 55 A: AB AR  
*bithyniense* Chevrolat, 1856a: 88 A: TR  
*serotinum* J. Thomson, 1865: 549

*blanchardi* Mulsant & Rey, 1863: 147 A: IN TR  
*bodemeyeri* K. Daniel, 1900: 140 A: TR  
*boluense boluense* Breuning, 1962c: 38 A: TR  
*boluense corallinum* Pesarini & Sabbadini, 1999: 53 A: TR  
*boluense imitator* Pesarini & Sabbadini, 1999: 53 A: TR  
*boszdaghense* Fairmaire, 1866b: 275 A: TR  
*grammophilum* J. Thomson, 1867a: 70  
*boucardi* Pic, 1942c: 6 A: ?SY TR  
*brauni* Breuning, 1979b: 92 A: TR  
*bravardi* Pic, 1916a: 22 E: AL GR MC  
*bremeri* Breuning, 1981c: 181 A: TR  
*brenskei* Ganglbauer, 1884: 450 [RN] E: GR  
*aegeasum* Pic, 1942c: 6  
*apicale* Kraatz, 1873a: 76 [HN]  
*nemeense* Breuning, 1974g: 151  
*breuningi* Heyrovský, 1943: 78 E: GR TR  
*brunneicollis* Kraatz, 1873a: 37 A: IN  
*casvinense* Pic, 1905e: 392  
*jakovlevi* Semenov, 1905: 144  
*subfulvovestitum* Pic, 1914b: 8  
*brunoi* Breuning, 1964c: 31 A: LE  
*bulgharmaadense* Breuning, 1946: 116 A: TR  
*buressi* Štěrba, 1922: 2 E: GR  
*cachinno* J. Thomson, 1867c: 120 A: TR  
*immersum* Tournier, 1872: 281  
*caglayaniceritense* Bernhauer & Peks, 2013a: 314 A: TR  
*caprai caprai* Breuning, 1950: 303 A: IN  
*caprai completetomentosum* Breuning, 1974f: 133 (*Pedestredorcadion*) A: IN  
*carinipenne* Pic, 1900g: 13 A: TR  
*caspiense* Breuning, 1956k: 723 A: AB  
*catenatum bleusei* Pic, 1899c: 300 E: GR  
*diversejunctum* T. Pic, 1907j: 179  
*rhodicum* Depoli, 1924: 43  
*catenatum catenatum* Walf, 1838: 469 A: TR  
*bonyi* Pic, 1942b: 1  
*divisum* Germar, 1839: 15  
*dorsale* T. Pic, 1907: 179  
*mancum* Gistel, 1848: 431  
*smyrnanum* Breuning, 1946: 106  
*smyrnense* Pic, 1917a: 10  
*sparsedivisum* Pic, 1911e: 185  
*subobliteratum* T. Pic, 1899: 351  
*thebesianum* Pic, 1942a: 1  
*uninterruptum* T. Pic, 1899: 351  
*catenatum dissimile* Ganglbauer, 1884: 458 E: TR  
*catenatum intercisum* Kraatz, 1873a: 66 A: TR  
*catenatum loratum* J. Thomson, 1867c: 123 A: TR  
*catenatum mytilenense* Kraatz, 1873a: 66 E: GR  
*latevittatum* Kraatz, 1873a: 66  
*catenatum oedemischense* Heyrovský, 1932: 104 A: TR  
*catenatum stefani* Özdikmen & Tezcan, 2020h: 550 A: TR  
*charlottae* Lukat, 2019: 287 E: GR  
*chopardi* Breuning, 1948c: 60 A: IN  
*chrysochroum* Breuning, 1943b: 95 E: GR  
*cinctellum* Fairmaire, 1866b: 272 A: TR  
*cinerarium adygorum* Lazarev, 2011c: 276 E: ST (Adygea)  
*cinerarium azovense* Lazarev, 2011c: 281 E: UK (Berdyansk env.) #648  
*cinerarium bartenevi* Lazarev, 2011c: 287 E: UK (Crimea: Tarkhancut Cape) #648  
*cinerarium belousovi* Lazarev, 2011c: 280 ["Kuba District, Velvelichay River"] A: AB  
*cinerarium cinerarium* Fabricius, 1787: 140 (*Lamia*) E: CT MD ST UK  
*rubripes* Krynicki, 1832: 160  
*tricolor* Fischer von Waldheim, 1805 [?1806]: 15 (*Lamia*)  
*cinerarium demidovi* Danilevsky, 2013e: 429 E: MD (Purkary) UK (Odessa Reg., Nikolaev Reg.) #648  
*cinerarium deniz* Lazarev, 2011c: 279 A: AB (Baku env.)  
*cinerarium gorodinskii* Danilevsky, 1996c: 65 E: UK (Kherson Reg. and Zaporozhye Reg.) #648  
*cinerarium macropoides* Plavilstshikov, 1932b: 183 E: UK (Kharkov Reg.) #648  
*cinerarium mosyakini* Danilevsky, 2021f: 1082 E: UK #648

*cinerarium napolovi* Lazarev, 2011c: 279 A: AB (Shemakha env.)  
*cinerarium novorossicum* Lazarev, 2015: 1109 E: ST (Novorossiysk env.: Gayduk, Verkhnebakanskaya)  
*cinerarium okhrimenkoi* Danilevsky, 2016c: 8 E: ST (Krasnodar Region: Belyi env.)  
*cinerarium panticapaeum* Plavilstshikov, 1951: 116 E: UK (E Crimea) ST (Taman Peninsula)  
*cinerarium papayense* Lazarev, 2014a: 277 E: ST (Krasnodar Reg.: Papay Mt.)  
*cinerarium perroudi* Pic, 1942b: 2 E: UK (most of Crimea)  
*cinerarium sindorum* Lazarev, 2011c: 284 E: ST (Anapa env.: Kumatyr and Shkuratka river)  
*cinerarium skrylniki* Lazarev, 2011c: 282 E: UK (Melitopol env.) #648  
*cinerarium smetanai* Lazarev, 2011c: 281 E: ST (Karachay-Cherkessia and Kabardino-Balkar republics)  
*cinerarium terkense* Lazarev, 2011c: 276 E: ST (Chechnya)  
*cinerarium veniamini* Lazarev, 2011c: 275 E: ST (Krasnodar Reg., Markotkh Ridge)  
*cinerarium zubovi* Lazarev, 2011c: 274 E: MD #633 #648  
*cineriferum* Suvorov, 1910a: 290 A: AB AR  
*cingulatoides cingulatoides* Breuning, 1946: 122 A: IN  
*cingulatoides hassani* Danilevsky, 2010f: 8 A: IN  
*cingulatum* Ganglbauer, 1884: 484 A: IN TR  
*persianum* Breuning, 1943b: 94  
*ursulaheinzi* Bernhauer, 2015: 13 #517 #538  
*ciscaucasicum abramovi* Lazarev, 2009b: 14 E: ST (Taman Peninsula)  
*ciscaucasicum ciscausicum* Jakovlev, 1899c: 59 E: ST (Stavropol Reg. and Kalmykia)  
*borodini* Suvorov, 1915: 118  
*ciscaucasicum mokrzechii* Jakovlev, 1902: 148 E: UK (Kerch Peninsula)  
*coiffaiti* Breuning, 1962a: 392 A: TR  
*complanatum* Ganglbauer, 1884: 485 A: IN  
*condensatum* Küster, 1852: 92 E: BU TR A: TR  
*adampolum* Pic, 1917g: 6  
*inlineatum* Pic, 1917g: 6  
*punctatissimum* Ganglbauer, 1884: 94  
*confluens* Fairmaire, 1866b: 274 A: TR  
*subobscuripes* Pic, 1914b: 9  
*consersum* Pesarini & Sabbadini, 2013a: 56 A: TR  
*corcyricum* Ganglbauer, 1884: 453 E: GR  
*crassicolle* Pesarini & Sabbadini, 2007b: 57 E: GR  
*crux* Billberg, 1817: 175 (*Lamia*) A: TR  
*bifidum* Chevrolat, 1882: 60  
*biinterruptum* Pic, 1901d: 19  
*brevedisjunctum* Pic, 1929b: 9  
*cruciator* Gistel, 1848a: 131  
*graecum* Walzl, 1838: 470  
*grandevittatum* Pic, 1904b: 7  
*integrofasciatum* K. Daniel, 1900: 140  
*lateargenteum* Pic, 1929b: 9  
*lunulatum* Pic, 1900g: 12  
*niveopictum* K. Daniel, 1900: 140  
*subfurcatum* Pic, 1914b: 9  
*culminicola* J. Thomson, 1867c: 122 A: TR  
*czegodaevi* Danilevsky, 1992b: 110 A: AB  
*czipkai* Breuning, 1973a: 54 A: IN  
*danczenkoi* Danilevsky, 1996d: 417 A: AB (Talysh) IN  
*darakiense* Faizi & Nozari, 2020: 595 A: IN  
*daratshitshagi* Suvorov, 1915: 120 A: AR (Tsakhkadzor env.)  
*decipiens* Germar, 1823: 486 (*Lamia*) E: BU HU MD RO SB UK #506 #561  
*jacqueti* Pic, 1902c: 10  
*delagrangiei* Pic, 1894g: 110 A: TR  
*fuscopubescens* Pic, 1900g: 12  
*deyrollei deyrollei* Ganglbauer, 1884: 482 [Bitlis] A: TR  
*deyrollei opacum* Pesarini & Sabbadini, 2013a: 54 [Ahir Dag, Akyokuş Geçidi] A: TR  
*dimidiatum dimidiatum* Motschulsky, 1838: 186 A: AB AR GG IN TR  
*degaullei* Pic, 1948: 13  
*erivanicum* Pic, 1901r: 91  
*transitorium* Pic, 1948: 13  
*dimidiatum kelkiticum* Özdikmen & Hasbenli, 2004: 23 A: TR #15  
*dimidiatum korgei* Breuning, 1966b: 21 A: TR  
*discodivisum* Pic, 1939c: 21 A: IN  
*dokhtouroffi* Ganglbauer, 1886b: 130 A: KI TD UZ #21  
*dokhturovi* Plavilstshikov, 1958a: 51, 145 [unjustified emendation]  
*subcostatum* Heyden, 1887b: 323  
*drusoides* Breuning, 1962a: 375 A: SY TR

*drusum* Chevrolat, 1870: 84 A: IS LE SY  
*apicale* Chevrolat, 1873: 205 [HN]  
*libanoticum* Kraatz, 1873a: 100  
*perrini* Fairmaire, 1881: 88  
*tarabuliense* Ganglbauer, 1889d: 481  
*eflaniense* Bernhauer & Peks, 2011a: 205 A: TR  
*elbursense* Breuning, 1943b: 93 A: IN  
*elegans* Kraatz, 1873a: 73 E: KZ ST UK A: KZ **WS**  
*vicinum* Pic, 1892f: 91  
*enricisturanii densepunctatum* Braun, 1978a: 107 A: TR  
*enricisturanii enricisturanii* Breuning & Ruspoli, 1971: 127 A: TR  
*epirense* Breuning, 1942b: 128 E: GR  
*equestre bernhauerorum* Peks, 2010: 213 A: TR #296  
*equestre bisuturale* Jureček, 1933: 128 [Griechenland, Bos-Dahr-Gebirge bei Drama] E: BU GR TR  
*equestre equestre* Laxmann, 1770: 596 (*Cerambyx*) E: CT **MD** ST UK A: ?GG (?Gagry) **KZ** #608  
*cruciatum* Fabricius, 1787: 140 (*Lamia*)  
*cruciferum* Lepechin, 1774: 231 (*Cerambyx*)  
*pallassii* Fischer von Waldheim, 1805 [?1806]: 14 (*Lamia*)  
*razumoffskii* Fischer von Waldheim, 1805 [?1806]: 13 (*Lamia*)  
*equestre festivum* Pesarini & Sabbadini, 2013a: 58 A: TR  
*equestre nogelli* Fairmaire, 1866b: 270 A: TR  
*nogelii* J. Thomson, 1867a: 58 [HN] "Armenia"  
*equestre reclinatum* Kraatz, 1892: 173 E: AL GR MC SB  
*immaculatum* Kraatz, 1892: 174 ["Balkan"]  
*equestre transsilvanicum* Ganglbauer, 1884: 462 E: **BU** HU RO #529 #608  
*niveoconjunctum* T. Pic, 1900c: 352  
*quadristrigatum* Kraatz, 1893: 70  
*romaniense* T. Pic, 1900c: 352  
*equestre vadimi* Danilevsky, 2021f: 1077 E: UK #648  
*eskipazarense* Bernhauer & Peks, 2011a: 203 A: TR  
*etruscum etruscum* Rossi, 1790: 147 (*Lamia*) E: IT  
*apenninum* Depoli, 1926a: 25  
*apulium* Depoli, 1926a: 25  
*beieri* Pic, 1932d: 18  
*calabricum* Breuning, 1942b: 126  
*femoratum* Brullé, 1832: 259 ("Morée" - Calabria)  
*fuscifrons* Chevrolat, 1882: 60  
*italicum* Küster, 1847b: 99  
*nudum* Küster, 1852: 93  
*romanorum* Pic, 1917g: 7  
*siculum* Depoli, 1926a: 25  
*subiacum* Pic, 1917a: 10  
*etruscum fiorii* Breuning, 1942b: 126 E: IT  
*eugeniae emgei* Ganglbauer, 1886a: 519 E: GR  
*eugeniae eugeniae* Ganglbauer, 1886a: 521 E: GR  
*arcadicum* Breuning, 1946: 104  
*eustriolatum* Danilevsky & Faizi, 2020: [5] A: IN  
*faldermanni* Ganglbauer, 1884: 493 A: IN  
*ferruginipes* Ménétriés, 1836: 151 E: GR TR A: TR  
*subfuscopubens* Pic, 1911a: 7  
*sublineatum* Pic, 1909: 99  
*thracicum* Küster, 1846a: 90  
*formosum formosum* Kraatz, 1871c: 411 A: TR  
*formosum ponticum* Breuning, 1964b: 1 A: TR  
*frustrator* Plavilstshikov, 1958a: 172 [RN] A: AB  
*hypocrita* Plavilstshikov, 1937a: 27 [HN]  
*hypocritellum* Breuning, 1958b: 29 [RN]  
*funestum* Ganglbauer, 1884: 501 E: GR  
*gallipolitanum atritarse* Pic, 1931c: 10 E: GR  
*gallipolitanum fumidum* Pesarini & Sabbadini, 2010: 186 E: GR  
*gallipolitanum gallipolitanum* J. Thomson, 1867a: 59 E: GR TR  
*gandolphe* Tournier, 1872: 288  
*suturaalba* Desbrochers des Loges, 1870: 125  
*gallipolitanum samothrakeanum* Breuning, 1962a: 326 E: GR  
*gashtarovi* Sama, Dascalu & Pesarini, 2010: 287 E: BU RO  
*gazanchidisi* Danilevsky, 2021e: 1063 A: XIN  
*gheisi* Bernhauer, 2015: 12 A: IN  
*glabricolle* Breuning, 1943b: 92 A: TR  
*glaucum glaucum* Faldermann, 1837: 277 A: ?AB ?AR IN

*glaucum lassallei* Lazarev, 2015: 1112 A: IN  
*glaucum murzinianum* Lazarev, 2015: 1113 A: IN  
*goelbasiense goelbasiense* Bernhauer & Peks, 2013a: 310 A: TR  
*goelbasiense karadutense* Bernhauer & Peks, 2013a: 311 A: TR  
*goelbasiense kathaense* Bernhauer & Peks, 2013a: 312 A: TR  
*goelbasiense oeksuezdagense* Bernhauer & Peks, 2013a: 311 A: TR  
*gorbunovi gorbunovi* Danilevsky, 1985: 313, 328, 332 [= 1987: 617] [Bichenek Pass] A: AB AR  
*gorbunovi rubenyani* Lazarev, 2014a: 278 ["Svarantz"] A: AR  
*gortovannyi* Danilevsky, 2017a: 323 A: TR  
*granigerum* Ganglbauer, 1884: 458 E: GR  
*gusakovi* Danilevsky, 2007b: 1 A: GG (Bzyb Ridge)  
*guzeldereense* Bernhauer & Peks, 2012: 213 A: TR  
*guzeldereense* Bernhauer & Peks, 2013b: 336 [unjustified emendation]  
*hacgedigiense* Bernhauer & Peks, 2011b: 216 A: TR  
*haemorrhoidale* Hampe, 1852b: 313 A: IN TR  
*halepense halepense* Kraatz, 1873a: 72 A: SY TR  
*internenotatum* Pic, 1931c: 9  
*internesignatum* Pic, 1914e: 79  
*latealbum* Pic, 1926d: 13  
*latebivittatum* Pic, 1931c: 1  
*halepense sehikamilense* Özdikmen, Mercan & Cihan, 2012c: 604 A: TR  
*hampii aureovittatum* Kraatz, 1873a: 81 A: TR  
*hampii hampii* Mulsant & Rey, 1863: 157 A: TR  
*heldreichi* Kraatz, 1873a: 90 E: GR  
*bilaterale* Chevrolat, 1882: 59  
*presuturale* Pic, 1903a: 5  
*hellmanni* Ganglbauer, 1884: 486 A: IN IQ TR  
*holosericeum holosericeum* Krynicki, 1832: 159 E: BL CT KZ MD PL RO ST UK  
*rossicum* Plavilstshikov, 1927a: 52 [RN]  
*holosericeum tristriatum* Suvorov, 1913: 71 E: ST A: GG [Mt. Kazbek]  
*striatum* Dalman, 1817b: 175 (*Lamia*) [HN]  
*holosericeum ustinovi* Danilevsky, 2021f: 1078 E: UK #648  
*holtzi* Pic, 1905g: 115 A: TR  
*iconiense* K. Daniel, 1900: 140 ["Asia Minor" - Konya] A: TR #52  
*albicolle* Breuning, 1943b: 89 [Konya]  
*fulvovestitum* Pic, 1903a: 5  
*muchei* Breuning, 1962c: 38 ["Çankırı"] #52  
*parescherichi* Breuning, 1966e: 146 [Çorum: Boğazkale]  
*semisetosum* Jakovlev, 1901a: 85 [Konya]  
*subatritarse* Breuning, 1966e: 146 ["Boğazkale" - Turkey: Çorum] #52  
*impressicolle* Kraatz, 1873a: 47 A: SY  
*indutum* Faldermann, 1837: 276 A: AB AR  
*infernale asperatum* Breuning, 1947e: 169 [Diarbekir] A: TR  
*infernale costatidorsum* Özdikmen & Koçak, 2016b: 178 [Konya, Kulu, Kömüşini village env.] A: TR  
*infernale edremite* Breuning, 1966b: 20 [Edremit] A: TR  
*infernale erdemi* Özdikmen, Kaya & Al-Hamadani, 2014: 179 [Çorum] A: TR #517  
*infernale infernale* Mulsant & Rey, 1863: 158 [?Eskişehir province: Bozdağ] A: TR  
*immutatum* Pic, 1903k: 171 [Bos-Dagh, Eski-Chehir]  
*revestitum* K. Daniel, 1900: 140 ["Asia Minor"]  
*rugosum* J. Thomson, 1867a: 46 ["Siberia"]  
*infernale luteosutura* Özdikmen & Koçak, 2016b: 178 [Karaman province, Ayrancı] A: TR  
*infernale miminfernale* Breuning, 1970d: 98 [Binboğa Dağları, Kahramanmaraş] A: TR  
*infernale postalbosuturale* Özdikmen & Koçak, 2015: 672 [Karaman Prov., Elmaşehir distr.] A: TR #517  
*inikliense* Bernhauer & Peks, 2010b: 208 A: TR  
*inopinatum* Pesarini & Sabbadini, 2013a: 51 A: TR  
*inspersum* Holzschuh, 1982a: 76 A: TR  
*insulare* Kraatz, 1873a: 62 E: GR  
*intrusum* Pesarini & Sabbadini, 2009: 26 E: TR  
*invicinum* Pic, 1902b: 93 A: IN TR #538  
*irakense* Al-Ali & Ismail, 1987: 1 A: IQ  
*iranicum* Breuning, 1947d: 141 A: IN  
*ispartense* Breuning, 1962a: 394 A: TR  
*ispirense* Bernhauer & Peks, 2013b: 328 A: TR  
*jacovleviellum hinisense* Bernhauer & Peks, 2016: 91 ["Hinis"] A: TR #172 #187  
*jacovleviellum jacovleviellum* Plavilstshikov, 1951: 120 [Erzurum] A: TR  
*jacovleviellum vartoense* Bernhauer & Peks, 2016: 92 ["Varto Sefgeç"] A: TR #172 #187  
*janatai* Kadlec, 2006b: 11 A: TR

*johannisfranci* Pesarini & Sabbadini, 2007b: 40 E: GR TR  
*kalashiani* Danilevsky, 1992b: 108 A: AB (Talysh) IN  
*karamanense* Özdikmen & Koçak, 2013: 672 A: TR  
*karsense* Suworov, 1915: 118 A: TR  
*kartaldagense* Bernhauer & Peks, 2013a: 314 A: TR  
*kartalense* Lazarev, 2016b: 210 A: TR (Eskisehir prov., Kartal Gecidi)  
*kasikoporanum* Pic, 1902c: 10 A: AR TR  
*kazanciense* Bernhauer & Peks, 2010a: 197 A: TR  
*kharpuense* Danilevsky, 1998a: 49 A: IN  
*khosrovi* Lazarev, 2019d: 472 A: AR (Khosrov Reserv)  
*kindermannii* Waltl, 1838: 470 A: TR  
*griseum* Waltl, 1838: 470  
*kizilcikense hozatense* Bernhauer & Peks, 2015: 452 A: TR  
*kizilcikense kizilcikense* Bernhauer & Peks, 2015: 451 A: TR  
*kizildagense* Bernhauer & Peks, 2012: 212 A: TR  
*karacaorenense* Bernhauer & Peks, 2012: 211 #615  
*karacaorenense* Bernhauer & Peks, 2013b: 336 [unjustified emendation]  
*klavdiae* Danilevsky, 1992a: 92 A: GG (Gori)  
*kocgecense kocgecense* Bernhauer & Peks, 2015: 448 A: TR  
*kocgecense yedigoezense* Bernhauer & Peks, 2015: 449 A: TR  
*koechlini* Pic, 1898h: 56 A: SY  
*komarowi komarowi* Jakovlev, 1887a: 155 A: IN TM  
*janczyki* Breuning, 1963f: 36  
*interruptum* Jakovlev, 1895b: 510 [HN]  
*transcaspicum* Jakovlev, 1901b: 108 [RN]  
*komarowi kryzhanovskii* Plavilstshikov, 1958a: 167 A: TM  
*konradi* Bernhauer & Peks, 2012: 210 A: TR  
*kozanii daccordii* Pesarini & Sabbadini, 2007b: 42 E: GR  
*kozanii kozanii* Breuning, 1962a: 318 E: GR  
*kraetschmeri* Bernhauer, 1988: 98 A: TR  
*krueperi* Ganglbauer, 1884: 453 E: AL GR MC  
*thessalicum* Pic, 1942a: 3  
*viturati* Pic, 1903a: 5  
*kuldschanum* Pic, 1908b: 4 A: XIN  
*albidolimbatum* Pic, 1912a: 9 [“Environs de Przewalsk” – wrong locality]  
*julduasianum* Pic, 1912i: 89  
*kuldzhanum* Plavilstshikov, 1958a: 60, 282 [unjustified emendation]  
*pauli* Pic, 1909: 99  
*kurdistanum kurdistanum* Breuning, 1944a: 12 [“Kourdistan: Diarbékir”] A: TR #509  
*kurdistanum rufulipes* Breuning, 1971c: 437 [“nö Bingol”] A: TR #509  
*kurucanum* Holzschuh, 2007: 249 A: TR  
*kykladicum* Breuning, 1944a: 13 E: GR  
*ladikanum* Braun, 1976b: 173 A: TR  
*ladikense* Breuning, 1975c: 10 [HN]  
*paraladikense* Breuning, 1977a: 60  
*laeve laeve* Faldermann, 1837: 278 A: IN  
*pernudum* Reitter, 1913b: 665  
*persicum* Faldermann, 1837: 282  
*plasoni* Ganglbauer, 1884: 491  
*laeve hyrcanum* Jakovlev, 1899c: 64 A: IN  
*laeve micula* Plavilstshikov, 1937a: 26 A: TR  
*laeve vladimiri* Danilevsky & Murzin, 2009a: 13 A: AR  
*lameerei konyaense* Özdikmen & Koçak, 2016 A: TR  
*lameerei lameerei* Théry, 1896: 109 A: TR  
*lamiae* Breuning, 1962a: 263 E: GR  
*ledouxii* Breuning, 1975b: 65 A: TR  
*linderi* Tournier, 1872: 285 A: TR  
*henrici* Pic, 1905i: 156  
*kollari* Kraatz, 1873a: 87  
*lineatocolle* Kraatz, 1873a: 57 (“Saloniki”) E: AL BU GR MC ME SB #11 #117  
*atrofemoratum* Pic, 1917g: 7  
*pseudolineatocolle* Breuning, 1962a: 334 [“Philippi bei Kawalla”]  
*riveti* Pic, 1927j: 162  
*sinuaticolle* Pic, 1927e: 6  
*lineatopunctatum* Breuning, 1944a: 13 A: IN  
*litigiosum litigiosum* Ganglbauer, 1884: 454 E: ?MD RO  
*litigiosum otshakovi* Suworov, 1913: 81 E: UK (Ochakov env.)

*ljubetense borisi* Heyrovský, 1931: 84 [“Belasitza-Gebirge”, 41°20'N, 22°57'E] E: BU ?GR MC  
*ljubetense heyrovskyi* Breuning, 1943b: 97 [Kozuf Planina, 41°9'N, 22°10'E] E: GR MC  
*ljubetense kaimakcalanum* Jureček, 1929: 143 [40°55'50"N, 21°47'13"E] E: GR MC  
*ljubetense ljubetense* Pic, 1909: 115 [Mt. Ljuboten, 42°12'24" N, 21°07'10"E] E: AL MC SB  
*ljubetense* Breit, 1929: 206 [HN]  
*ljubetense peristeriense* Breuning, 1962a: 248 E: GR [“Mts. Peristeri” about 39°41'N, 21°07'E]  
*lodosi abanozense* Bernhauer & Peks, 2010a: 199 A: TR  
*lodosi lodosi* Sabbadini & Pesarini, 1992a: 29 A: TR  
*lohsei lohsei* Braun, 1976c: 254 [Karaman env, Sertavul pass] A: TR  
*lohsei taskentense* Bernhauer & Peks, 2016: 89 [Konya, Taşkent] A: TR #172  
*longulum* Breuning, 1943b: 89 A: TR  
*lugubre lugubre* Kraatz, 1873a: 41 [Saloniki] E: AL ?BU GR MC #583  
*discosulcatum* Pic, 1926d: 1  
*pseudolugubre* Breuning, 1943b: 96  
*salonicum* Pic, 1916a: 22  
*sparsepilosum* Pic, 1926d: 13 [“Salonique”]  
*lugubre meteorum* Breuning, 1969b: 42 [Meteora] E: GR  
*lugubre minkovae* Heyrovský, 1962b: 225 [Kresna] E: BU #294  
*lugubre parinfernale* Breuning, 1975c: 10 E: GR [Kavala]  
*giachinoi* Pesarini & Sabbadini, 2007b: 45 [Oros Kavala]  
*lugubre thessalicum* Pic, 1916a: 22 [“Thessalie”] E: GR (Pella: Notia - 41°6'6"N, 22°12'30"E e Kilikis: Fanos - 41°4'46"N, 22°28'39"E)  
*pelionense* Breit, 1923: 145 [Mt. Pelion - 39°26'N, 23°03'E]  
*macedonicum* Jureček, 1929: 143 E: AL MC  
*glabriscapus* Breuning, 1943b: 97  
*maceki* Holzschuh, 1995: 41 A: TR  
*macropus* Kraatz, 1873a: 99 [“Amasya”] A: TR #129  
*amasinum* Pic, 1898h: 58 [Amasya] #129  
*atripes* Reitter, 1900a: 88 [Amasya] #129  
*obscurans* Pic, 1892f: 91 [Amasya] #129  
*marandense* Holzschuh, 2007: 248 A: IN  
*martini* Bernhauer, 1988: 100 A: TR  
*mediterraneum* Breuning, 1942b: 125 E: IT  
*megriense* Lazarev, 2009c: 212 A: AR  
*menradi aksarayense* Lazarev, 2016b: 212 ~~(May)~~ A: TR (E Aksaray prov., Gukunkaya & Konya prov., Dinek)  
*menradi diversum* Özdiçmen & Laz, 2022: 1036 A: TR (Kahramanmaraş, Andırın district)  
*menradi menradi* Holzschuh, 1989a: 172 A: TR (Kahramanmaraş province, Afşin district)  
*menradi pilosicollis* Özdiçmen & Koçak, 2016: 355 A: TR (Karaman)  
*merkli* Ganglbauer, 1884: 506 A: TR  
*meschniggi* Breit, 1929: 205 E: GR  
*disconigrolineatum* Heyrovský, 1940: 59  
*olympianum* Meschnigg, 1947: 137  
*mesopotamicum* Breuning, 1944a: 12 A: IQ TR  
*micans majoripunctum* Okutaner, A. Sarıkaya, Ö. Sarıkaya & Özdiçmen, 2021: 175 A: TR  
*micans micans* J. Thomson, 1867a: 61 [“Armenien” –Anatolia] A: TR #129  
*corallicorne* Pic, 1904a: 4 [Ankara]  
*sericatum* Kraatz, 1873a: 98 #129  
*subobesum* Pic, 1942b: 2 [“Amasia”]  
*micans subvestitum* K. Daniel, 1900: 140 A: TR #129  
*subreductum* Pic, 1942b: 2 [“Asie M<sup>re</sup>”] #129  
*minutum atticum* Kraatz, 1873a: 72 E: GR (Evia)  
*luteovittatum* Pic, 1942a: 1  
*multinigranotatum* Pic, 1927e: 6  
*minutum mimarenarium* Breuning, 1974g: 152 E: GR (Fthiotida, Evritania, Fokida)  
*minutum minutum* Kraatz, 1873a: 76 E: GR (Attiki, Fokida, Fthiotida, Viotia)  
*irroratum* Kraatz, 1873a: 76  
*minutum rugicollis* Breuning, 1962a: 263 [“oberhalb der Thermopylen”] E: GR  
*mniszzechi cavernosum* Lazarev, 2014b: 701 A: AR TR  
*mniszzechi georgianum* Lazarev, 2014b: 701 A: GG  
*mniszzechi mniszzechi* Kraatz, 1873a: 39 A: AR IN TR #8  
*moldavicum* Dascalu & Fusu, 2012: 39 E: RO  
*moreanum* Pic, 1907b: 12 E: GR  
*morozovi* Danilevsky, 1992a: 94 A: KZ XIN  
*mosulense* Özdiçmen, Al-Hamadani & Ali, 2013: 1 A: IQ  
*multimaculatum* Pic, 1932d: 22 A: TR  
*murrayi* Küster, 1847a: 84 E: RO SB  
*montandoni* Pic, 1902c: 9  
*triste* Petri, 1885: 56

*murzini* Danilevsky, 2015: 221 A: TR  
*musarti* Pic, 1907b: 10 A: XIN  
*narlianum* Özdikmen, Mercan & Cihan, 2012b: 550 A: TR  
*neslihanbalaе* Özdikmen, 2019b: 19 A: TR  
*nigrostriatum* Adlbauer, 1982: 104 A: TR  
*nigrosuturatum* Reitter, 1897b: 236 A: AB AR  
*griseipenne* Breuning, 1943b: 92  
*nitidum* Motschulsky, 1838: 185 A: AR GG TR  
*suturatum* Ferrari, 1865: 481  
*niveisparsum* J. Thomson, 1865: 548 A: GG TR  
*cretosum* Ferrari, 1865: 479  
*postobliteratum* Pic, 1942c: 1  
*sobrinum* Pic, 1898h: 55  
*nobile altinyaylaense* Bernhauer & Peks, 2014b: 106 A: TR #156  
*nobile blandulum* Holzschuh, 1977a: 131 A: TR #156  
*nobile elazigi* Fuchs & Breuning, 1971: 439 A: TR #156  
*holzschuhi* Breuning, 1974g: 148  
*nobile gencense* Bernhauer & Peks, 2014b: 110 A: TR #156  
*nobile hanneloreae* Bernhauer & Peks, 2014b: 107 A: TR #156  
*nobile ivani* Pesarini & Sabbadini, 2011: 47 A: TR (Bingöl, Kardeşler 38°54'43"N, 40°38'16"E) #156  
*nobile musense* Bernhauer & Peks, 2014b: 109 A: TR #156  
*nobile nihalae* Rapuzzi & Sama, 2012a: 671 A: TR #156  
*nobile nobile* Hampe, 1852b: 313 A: TR #156  
*nobile plavilshchikovi* Lazarev, 2019c: 19 A: AB (Talysh) ?IN  
*nobile rapuzzisamai* Lazarev, 2019c: 14 A: TR  
*nobile sarkislaense* Bernhauer & Peks, 2014b: 105 A: TR #156  
*nobile semivelutinum* Kraatz, 1873a: 82 A: ?IN TR #156  
*nurense* Danilevsky & Murzin, 2009a: 20 A: IN  
*obenbergeri* Heyrovský, 1940: 58 E: GR  
*marani* Heyrovský, 1940: 59  
*obtusicolle* Pic, 1926d: 2 A: XIN  
*obtusum marashense* Breuning, 1948c: 59 A: TR  
*obtusum obtusum* Breuning, 1944a: 13 A: TR  
*oetalicum* Pic, 1902f: 19 E: GR  
*oezdurali* Önalp, 1988: 361 A: TR  
*olegpaki* Danilevsky & Skrylnik, 2021: 17 A: IN  
*olympicum convexum* Breuning, 1943b: 90 A: TR  
*olympicum flavosuturale* Krätschmer, 1987: 340 A: TR  
*olympicum olympicum* Kraatz, 1873a: 78 A: TR  
*obsoletum* Kraatz, 1873a: 78 #51  
*oreophilum* Ganglbauer, 1884: 500  
*subalpinum* Kraatz, 1873a: 78  
*ortrudae* Braun, 1978b: 185 A: TR  
*ossae* Heyrovský, 1941c: 79 E: GR  
*ossaum* Meschnigg, 1947: 137  
*ovacikense* Bernhauer & Peks, 2015: 449 A: TR  
*paracinerarium* Breuning, 1974g: 149 A: TR ("Mut, Sertavulpass" 36°54'57.60"N, 33°16'1.20"E) #50  
*paramicans kalechikense* Lazarev, 2016b: 212 A: TR (Ankara prov., Kozayagi NW Kalecik)  
*paramicans keskinense* Lazarev, 2016b: 212 A: TR (Kirikkale prov., Keskin)  
*paramicans paramicans* Lazarev, 2016b: 210-211 A: TR (Çorum prov. & north Yozgat prov.)  
*pararenarium* Breuning, 1969b: 42 E: GR  
*pararufipenne pararufipenne* Braun, 1976c: 257 A: TR  
*pararufipenne rassei* Braun, 1976c: 261 A: TR  
*parceapicatum* Pesarini & Sabbadini, 2013b: 41 A: TR  
*parcepunctatum* Breuning, 1948c: 60 A: IN  
*parilis* Pesarini & Sabbadini, 2013a: 52 A: TR  
*parnassi* Kraatz, 1873a: 72 E: GR  
*oertzeni* Ganglbauer, 1884: 454  
*pasquieri* Breuning, 1975b: 65 A: IN  
*pavesii* Pesarini & Sabbadini, 1999: 57 A: TR  
*pedestre pedestre* Poda von Neuhaus, 1761: 34 (*Cerambyx*) E: AL AU BH BU CR CZ HU MC MD ME RO SB SK SL TR UK #83  
*gogium* J. Thomson, 1867c: 125  
*ruficorne* Pic, 1931c: 10  
*rufipes* Fabricius, 1793: 288 (*Lamia*)  
*zoufali* Tippmann, 1958b: 156  
*pedestre kaszabi* Breuning, 1956e: 404 E: HU

*peksi* Bernhauer, 2010: 190 A: TR  
*peloponesium* Pic, 1902c: 10 E: GR  
*subjunctum* Pic, 1904b: 7  
*weiratheri* Pic, 1929b: 9  
*peloponnesicum* Breuning, 1982b: 146 E: GR  
*pergamenum* Pesarini & Sabbadini, 2009: 22 A: TR  
*petrovitzi* Heyrovský, 1964: 97 A: TR  
*pilosellum obscurimembre* Breuning, 1946: 110 E: GR  
*pilosellum pilosellum* Kraatz, 1873a: 58 E: GR  
*pilosipenne kazdagense* Özdikmen, 2013a: 56 A: TR  
*pilosipenne pilosipenne* Breuning, 1943b: 90 E: GR  
*pilosum* Breuning, 1943: 91  
*pindicum* Breuning, 1966c: 4 E: GR  
*piochardi* Kraatz, 1873a: 85 A: TR  
*elongatum* Pic, 1898h: 58  
*ladikense* Breuning & Villiers, 1967a: 60 (*Pedestredorcadion*)  
*mauricei* Plavilstshikov, 1927a: 51 [RN]  
*quadripustulatum* Ganglbauer, 1884: 457  
*pelops* Jakovlev, 1901a: 83  
*roberti* Pic, 1905a: 11  
*theophilei* Pic, 1901i: 32 [HN]  
*varievittatum* Pic, 1942a: 1  
*pittinorum paraullrichi* Lazarev, 2016b: 216 A: TR (Sülüklü & Mecitözü env.)  
*pittinorum pittinorum* Pesarini & Sabbadini, 1999: 48 A: TR  
*pluto* J. Thomson, 1867a: 47 A: TR  
*poleti* Breuning, 1948c: 59 A: TR  
*ponomarenkoi* Danilevsky, 2010f: 6 A: AB (N Lachin Distr.: Korchu)  
*praetermissum mikhaili* Özdikmen, 2010: 457 A: TR  
*praetermissum praetermissum* Pesarini & Sabbadini, 1999: 47 A: TR  
*preissi* Heyden, 1894: 86 A: TR  
*pseudarcivagum* Breuning, 1943b: 91 A: TR  
*pseudinfernale* Breuning, 1943b: 94 A: TR  
*pseudobithyniense* Breuning, 1962a: 465 A: TR  
*pseudocinctellum* Breuning, 1943b: 90 A: TR  
*pseudoholosericeum* Breuning, 1962a: 300 A: TR  
*pseudonobile* Breuning, 1946: 120 A: IN  
*pseudopreissi* Breuning, 1962a: 411 A: TR  
*pulchrum* Pic, 1908d: 58 A: AB (Murov-Dag) #295  
*punctipenne* Küster, 1852: 94 ["Kleinasien"] E: GR A: TR  
*distinguendum* Pic, 1931c: 10 ["Macédoine"]  
*gebzeense* Breuning, 1974g: 148 [Gebze, Kocaeli] #48  
*punctulatum* Pesarini & Sabbadini, 2013a: 57 A: TR  
*punctulicolle* Breuning, 1944a: 12 A: TR  
*purkynei* Heyrovský, 1925: 45 E: GR MC  
*pusillum berladense* Pic, 1903a: 7 E: RO #238  
*pusillum ochrolineatum* Dascalu, 2018: 50 E: RO  
*pusillum pusillum* Küster, 1847a: 90 E: MD RO UK  
*pusillum tanaiticum* Kasatkin, 2002: 277 E: ST (Rostov-on-Don env.)  
*pusillum vasiliscus* Dascalu, 2018: 50 E: RO  
*pygmaeum* Breuning, 1947e: 168 A: TR  
*quadripustulatum* Kraatz, 1873a: 88 A: TR  
*rarepunctatum* Lazarev, 2016b: 211 A: TR (Kayseri prov., 4km westwards Sariz)  
*regulare dramaticum* Pesarini & Sabbadini, 2010: 190 E: GR  
*regulare regulare* Pic, 1931c: 6 E: BU GR TR  
*reitteri* Ganglbauer, 1884: 492 A: GG  
*resadiyeense* Bernhauer & Peks, 2011b: 219 A: TR  
*ressli* Holzschuh, 2007: 246 A: IN  
*rezai* Danilevsky, 2018b: 589 A: IN  
*rigattii* Breuning, 1966e: 145 A: TR  
*ringenbachi* Rapuzzi & Sama, 2018: 21 A: IQ  
*rizeanum* Breuning & Villiers, 1967b: 60 (*Pedestredorcadion*) A: TR  
*ikizderense* Breuning, 1973a: 54  
*robustum* Ganglbauer, 1884: 500 A: TR  
*rolandmenradi* Peks, 1992: 197 A: TR  
*rosti* Pic, 1900n: 82 A: GG TR  
*kalinowskyi* König, 1901: 10

*rufoapicipenne* Breuning, 1946: 125 [Baiburt] A: TR  
*rufoapicale* Breuning, 1943b: 91 [HN]  
*rufogenum discoflavovittatum* Breuning, 1946: 129 A: XIN  
*rufogenum rufogenum* Reitter, 1895c: 161 A: KZ XIN  
*posticejunctum* Pic, 1909: 99  
*sabanoezueense* Bernhauer & Peks, 2013b: 326 A: TR  
*sapkaianum* Krätschmer, 1987: 337 E: GR  
*sareptanum estriatum* Suvorov, 1913: 72 [“Pjätigorsk”] E: ST #130  
*sareptanum euxinum* Suvorov, 1915: 119 E: ST (from Temryuk to Krasnodar) #316  
*sareptanum kubanicum* Plavilstshikov, 1934d: 120 E: ST  
*sareptanum sareptanum* Kraatz, 1873a: 74 E: KZ ST A: KZ #634  
*sareptanum striatiforme* Suvorov, 1913: 73 [“Kislowodsk”] E: ST  
*sarvabadense* Danilevsky & Faizi, 2020: [3] A: IN  
*saulyi javeti* Kraatz, 1873a: 91 A: SY TR #47  
*destinoi* Fairmaire, 1884: 173 [Akbez]  
*tabense* Pic, 1931c: 1 [“Syria: Aïn-Tab” – Turkey, Gaziantep]  
*univestitum* Pic, 1903a: 5 [Akbez]  
*saulyi saulyi* J. Thomson, 1865: 549 [“Syria”] A: ?SY TR  
*adanense* Pic, 1904a: 4 [Adana]  
*bilatevittatum* Pic, 1927l: 167 [Aleppo]  
*fenestratum* Pic, 1895e: cclxxxiv [“Syria: Aïn-Tab” – Turkey, Gaziantep]  
*simile* Kraatz, 1884b: 234 [Malatia]  
*subelongatum* Pic, 1931c: 1 [Akbez]  
*scabricolle alucranum* Lazarev, 2020a: 52 A: TR  
*scabricolle antonkozlovi* Danilevsky, 2017a: 324 A: TR  
*scabricolle apakoyense* Lazarev, 2020a: 46 A: TR  
*scabricolle araxense* Lazarev, 2020a: 28 A: AB  
*scabricolle artsakhense* Lazarev, 2020a: 24 A: AB  
*scabricolle babakkalense* Lazarev, 2020a: 34 A: IN  
*scabricolle balikesirensense* Breuning, 1962a: 460 A: TR  
*scabricolle buzgoviense* Lazarev, 2020a: 24 A: AB  
*scabricolle caramanicum* K. Daniel & J. Daniel, 1903: 332 A: TR  
*scabricolle corpulentum* Ménétériés, 1832: 226 A: AB IN  
*?lutescens* Kraatz, 1873a: 50  
*scabricolle crassofasciatum* Özdikmen, 2013a: 56 A: TR  
*scabricolle dobrovljanskii* Suvorov, 1915: 116 A: AB #459  
*scabricolle gazii* Lazarev, 2020a: 51 A: TR  
*scabricolle gegarkunicum* Lazarev, 2020a: 17 A: AR  
*scabricolle gilanense* Lazarev, 2013a: 227 A: IN  
*scabricolle hajdajorum* Lazarev, 2020a: 47 A: TR  
*scabricolle inonuense* Lazarev, 2020a: 51 A: TR  
*scabricolle korbium* Lazarev, 2020a: 47 A: TR  
*scabricolle lazistanum* Lazarev, 2020a: 40 A: TR  
*scabricolle modestum* Tournier, 1872: 338 A: AB #491  
*elisabethpolicum* Suvorov, 1915: 119 #491  
*micheli* Pic, 1948: 13  
*scabricolle nakhiczewanum* Danilevsky, 1999a: 28 A: AB  
*scabricolle paiz* Danilevsky, 1999a: 28 A: AB  
*scabricolle paphlagonicum* Breuning, 1962a: 459 A: TR  
*scabricolle pseudosevangense* Lazarev, 2020a: 18 A: AR  
*scabricolle sagezense* Lazarev, 2013a: 227 A: IN  
*scabricolle sahandum* Lazarev, 2020a: 35 A: IN  
*scabricolle salhanum* Lazarev, 2020a: 41 A: TR  
*scabricolle scabricolle* Dalman, 1817b: 174 (*Lamia*) A: AB AR GG ~~TR~~  
*scabricolle sevangense* Reitter, 1889a: 41 A: AR  
*scabricolle shakhbuzum* Lazarev, 2020a: 26 A: AB  
*scabricolle shirakense* Lazarev, 2020a: 13 A: AR TR  
*scabricolle skoupyi* Lazarev, 2013a: 226 A: IN  
*scabricolle subcorpulentum* Breuning, 1946: 121 A: IN  
*scabricolle tavushense* Lazarev, 2020a: 17 A: AR  
*scabricolle tekhense* Lazarev, 2020a: 20 A: AR  
*scabricolle tuzovi* Lazarev, 2020a: 20 A: AB AR  
*scabricolle uludaghicum* Breuning, 1970d: 98 A: TR  
*scabricolle vaykense* Lazarev, 2020a: 19 A: AR  
*scabricolle yahyaliense* Bernhauer & Peks, 2011b: 217 A: TR #153  
*schultzei* Heyden, 1894: 86 A: TR

*scopolii* Herbst, 1784: 91 (*Lamia*) E: BU CR CZ GR HU ?MD PL RO SB SK UK  
*convexicolle* Küster, 1852: 91  
*germanicum* Gmelin, 1790: 1835 (*Cerambyx*)  
*interclarepubens* Breuning, 1956e: 404  
*lineatum* Fabricius, 1787: 141 (*Lamia*)  
*ungaricum* Gmelin, 1790: 1836 (*Cerambyx*)  
*scrobicolle bouilloni* Breuning & Ruspoli, 1975: 116 A: TR #615  
*scrobicolle carolisturanii* Breuning & Ruspoli, 1971: 128 A: TR #615  
*scrobicolle heinzi* Breuning, 1964b: 1 A: TR #615  
*scrobicolle hroni* Lazarev, Tozlu & Tatar, 2021: 37 A: TR  
*scrobicolle morulum* Holzschuh, 1995: 42 A: TR  
*fuscobrevestitum* Breuning, 1971c [unavailable name] #510  
*scrobicolle parabouilloni* Lazarev, Tozlu & Tatar, 2021: 38 A: TR  
*scrobicolle scrobicolle* Kraatz, 1873a: 97 A: TR  
*scrobicolle tatari* Lazarev, Tozlu & Tatar, 2021: 39 A: TR  
*sebenense* Bernhauer & Peks, 2011a: 202 A: TR  
*semenovi aleksandrae* Danilevsky & Rubenyan, 2021: 1098 A: KI  
*semenovi almatense* Danilevsky, 2002: 5 A: KZ (Zailiysky Alatau: plateau Asy)  
*semenovi flavopubescens* Danilevsky, 2002: 13 A: XIN  
*semenovi hauseri* Reitter, 1895c: 160 A: KI (Karakol env.) XIN #400  
*semenovi issykkulense* Pic, 1906h: 96 A: KI (NW Issyk-Kul Lake)  
*bisbicoatum* Pic, 1908d: 52  
*semenovi kaiduense* Danilevsky, 2002: 14 A: XIN  
*semenovi kuvakense* Danilevsky, 2002: 16 A: KI (Kuvaki Pass)  
*semenovi semenovi* Ganglbauer, 1884: 479 A: KI KZ XIN  
*semenovi terskeicum* Danilevsky, 2002: 4 A: KI (SW Issyk-Kul Lake: Ton River)  
*semenovi thaisiae* Danilevsky, 2002: 16 A: KI (S Issyk-Kul Lake: Kadzhi-Say)  
*semenovi uriuktense* Danilevsky, 2002: 9 A: KI (NE Issyk-Kul Lake)  
*semiargentatum burdzhushense* Danilevsky & Murzin, 2009b: 14 A: IN  
*semiargentatum ortrudheinzae* Danilevsky, 1998a: 51 A: IN  
*semiargentatum sarabense* Holzschuh, 1993a: 46 A: IN  
*semiargentatum sementivum* Danilevsky & Murzin, 2009b: 6 A: IN  
*semiargentatum semiargentatum* Pic, 1905d: 300 A: IN  
*descampsi* Villiers, 1967: 339 (*Pedestredorcadion*)  
*shiita* Plavilstshikov, 1951: 118  
*semibrunneum mediocreimpressum* Pic, 1909: 123 ["Anamas Gbg."] A: TR #8 #507  
*anamasum* Pic, 1934g: 33 #8 #445  
*semibrunneum notatum* Pesarini & Sabbadini, 2013a: 62 A: TR  
*semibrunneum semibrunneum* Pic, 1903k: 170 [Eski-Chehir, Bos-Dagh] A: TR  
*semibrunneum sivasense* Özdikmen, 2016b: 307 A: TR (Central Sivas Province: Karayün) #507  
*semibrunneum sivrihisarensense* Özdikmen, 2016b: 308 A: TR (SE Eskişehir Province: Sivrihisar: Paşakadın Village) #507  
*semibrunneum vlasenkoi* Kasatkin, 2020a: 272 A: TR (Isparta, Davraz Dag)  
*semilineatum* Fairmaire, 1866b: 273 A: TR  
*semilucens* Kraatz, 1873a: 84 A: AB (Sevan Ridge) AR (N Sevan Lake: above Dzhih)  
*mesmini* Pic, 1903i: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino" - wrong locality] #421  
*seminudum* Kraatz, 1873a: 83 A: AB (above Ordubad) AR (Megri Pass and environs)  
*impuncticolle* Breuning, 1962a: 452  
*nachycevanicum* Breuning, 1943b: 92  
*septemlineatum abanti* Braun, 1976a: 54 A: TR  
*septemlineatum demirciense* Breuning, 1966b: 19 A: TR  
*septemlineatum novemlineatum* Kraatz, 1873a: 61 A: TR  
*forcipiferum* Kraatz, 1873a: 60  
*septemlineatum octolineatum* Kraatz, 1873a: 61 A: TR  
*septemlineatum septemlineatum* Walzl, 1838: 469 E: BU GR TR  
*apicale* J. Thomson, 1865: 549  
*rufoapicale* Pic, 1942a: 2  
*sericatum* Sahlberg, 1823: 53 E: UK (Crimea: south coast) #633  
*velutinum* Kraatz, 1873a: 96  
*serouense* Kadlec, 2006b: 8 A: IN IQ #555  
*sevliczi* Danilevsky, 1985: 328 [= 1987: 618] A: AR (Goris env.: Sevlich Lake)  
*shestopalovi* Danilevsky, 1993b: 9 A: GG (S slope of Krestovyi Pass and mts westwards)  
*shirvanicum azerbajdzhanicum* Plavilstshikov, 1937a: 25 A: AB (Geokchay env.)  
*shirvanicum shirvanicum* Bogatchev, 1934: 70 A: AB (about 20km W Baku: Pereleshkul)  
*shushense* Lazarev, 2010: 3 A: AB (Shusha env.)  
*sinopense* Breuning, 1962a: 299 A: TR  
*sinuatevittatum* Pic, 1937c: 6 A: TR  
*brevemediolineatum* Pic, 1942c: 6

*sisianense* Lazarev, 2009c: 210 A: AR  
*skoupyorum* Bernhauer & Peks, 2014a: 191 [RN] A: TR  
*skoupyi* Bernhauer & Peks, 2013b: 326 [HN]  
*sodale blumenthali* Breuning, 1966b: 20 A: TR  
*sodale sodale* Hampe, 1852b: 313 A: ?GG TR  
*sodale soganliense* Bernhauer & Peks, 2016: 92 A: TR #172  
*sodale trapesunticum* Breuning, 1946: 124 A: TR  
*sokolowi* Jakovlev, 1899b: 150-151 A: KZ (SE Dzhungarsky Alatau) XIN  
*amymon* Jakovlev, 1906c: 276  
*conicolle* Breuning, 1946: 130  
*dsungaricum* Pic, 1907b: 11  
*jacobsoni* Jakovlev, 1899a: 243  
*melancholicum* Pic, 1907e: 111 #297  
*merzbacheri* Breuning, 1946: 130  
*sonjae* Peks, 1993: 5 A: TR  
*spectabile* Kraatz, 1873a: 38 A: IN  
*steineri* Holzschuh, 1977a: 129 A: TR  
*stephaniae* Pesarini & Sabbadini, 2004c: 142 E: GR  
*striolatum* Kraatz, 1873a: 93 A: ?AB AR GG ?IN TR  
*masculinum* Plavilstshikov, 1927a: 51 [RN]  
*obesum* Tournier, 1872: 340 [HN]  
*suramense* Breuning, 1946: 98 [RN]  
*sturmii* Frivaldszky von Frivald, 1837: 179 E: BU MC TR  
*subcinctellum* Breuning, 1962a: 275 A: TR  
*subdivisum* Breuning, 1955d: 263 A: TR #129  
*subinterruptum* Pic, 1900g: 12 E: TR A: TR  
*indivisum* Pic, 1900g: 12  
*subsericatum majus* Breuning, 1962a: 371 A: TR  
*subsericatum rufipenne* Breuning, 1946: 118 A: TR  
*cankiriense* Breuning, 1962c: 39  
*subsericatum subsericatum* Pic, 1901b: 12 A: TR  
*paphlagoniense* Breuning, 1944a: 12  
*subsericatum vulneratum* Pesarini & Sabbadini, 1999: 51 A: TR  
*sulcipenne argonauta* Suvorov, 1913: 74 A: AR TR #19  
*kurda* Suvorov, 1913: 76  
*sulcipenne caucasicum* Küster, 1847b: 98 A: AR GG  
*impressicorne* Tournier, 1872: 282  
*sulcipenne borzhomiense* Danilevsky, 2014g: 677 A: GG  
*sulcipenne demokidovi* Suvorov, 1915: 115 A: GG (Mukuzani env.) #19  
*sulcipenne goktshanum* Suvorov, 1915: 117 A: AR (NW coast of Sevan Lake)  
*armenum* Suvorov, 1915: 117  
*sulcipenne gubini* Danilevsky, 2014g: 674 A: GG (Dedoplistskaro env.)  
*sulcipenne maljushenkoi* Pic, 1904b: 8 A: AB (Gyanja env.) #19  
*sulcipenne paki* Danilevsky, 2014g: 674 [“South-east Georgia”] A: GG  
*sulcipenne plyushchi* Danilevsky, 2014g: 673 A: GG (Signakhi env.)  
*sulcipenne sulcipenne* Küster, 1847a: 87 A: GG #19  
*sulcipenne zekariense* Danilevsky, 2014g: 678 A: GG (Zekari Pass)  
*susheriense* Breuning, 1970d: 97 A: TR (“au Sud de Susheri [Susehri]” - Sivas) #129  
*syriense* Breuning, 1943b: 94 A: ?SY TR  
*taborskyi* Heyrovský, 1941d: 149 E: GR #583  
*joanninae* Breuning, 1967a: 1  
*lianokladii* Breuning, 1962a: 255  
*margheritae* Breuning, 1964c: 32  
*wewalkai* Breuning, 1974g: 150  
*talyschense sabalanum*, Lazarev, 2017b: 880 A: IN  
*talyschense talyschense* Ganglbauer, 1884: 491 A: AB (Talysh) IN  
*posticeinterruptum* Pic, 1900g: 12  
*talyschense* Plavilstshikov, 1958a: 234 [unjustified emendation]  
*tassii* Breuning, 1964c: 32 E: GR  
*tauricum pittinoi* Pesarini & Sabbadini, 2010: 185 E: GR #583  
*tauricum tauricum* Walzl, 1838: 468 E: BU GR MD RO TR UK #583  
*nigritarse* Kraatz, 1873a: 77  
*taygetanum* Pic, 1902c: 10 E: GR  
*tebriscum* Plavilstshikov, 1951: 119 A: IN  
*tekmanense* Bernhauer & Peks, 2016: 89 A: TR  
*tenebricolum* Özdikmen & Tezcan, 2021: 115 A: TR  
*theophilei costiferum* Pic, 1898h: 57 [“Trebizonde”] A: TR #172

*theophilei kostandagense* Bernhauer & Peks, 2016: 91 [Kostandağ pass] A: TR #172  
*theophilei theophilei* Pic, 1898h: 57 [“Trebizonde”] A: TR  
*kadlecii* Bernhauer & Peks, 2016: 90 [Zigana pass above Trabzon] #172  
*tokatense niksarense* Bernhauer & Peks, 2013b: 327 A: TR #129  
*tokatense tokatense* Pic, 1901b: 12 [Tokat] A: TR #129  
*tuerki* Ganglbauer, 1884: 486 A: IN  
*curtulum* Pic, 1906f: 50  
*lundbladi* Breuning, 1947d: 141 [“Transcaucasie: Achal-Zich” - Akhaltsikhe]  
*tuleskovi* Heyrovský, 1937a: 30 E: GR  
*frigidum* Meschnigg, 1947: 137  
*olympicola* Heyrovský, 1941d: 148  
*turcicum* Breuning, 1963f: 35 A: TR  
*turkestanicum* Kraatz, 1881: 335 A: KI KZ TD ZU #517  
*samarkandiae* Breuning, 1946: 130  
*ullrichi* Bernhauer, 1988: 102 A: TR  
*urmianum* Plavilstshikov, 1937a: 27 A: IN TR  
*valonense* Pic, 1917g: 6 E: AL  
*apfelbecki* Winkler, 1929: 1188  
*valonense* Apfelbeck, 1923: 145 [HN]  
*variegatum* Ganglbauer, 1884: 502 A: SY TR  
*varium* Pesarini & Sabbadini, 2014: 19 A: TR  
*veluchense albanicum* Heyrovský, 1934b: 135 E: AL #125  
*veluchense australe* Pesarini & Sabbadini, 2013b: 39 E: GR  
*veluchense maliacum* Pesarini & Sabbadini, 2013b: 40 E: GR  
*veluchense veluchense* Pic, 1903a: 6 E: GR  
*vincenzae* Pesarini & Sabbadini, 2007b: 60 E: GR  
*wagneri karayaziense* Bernhauer & Peks, 2016: 90 [“15 km ö. Karayazı Köyçeğizgeç, ca 130 km sö. Erzurum”] A: TR #172  
*wagneri wagneri* Küster, 1846a: 87 [“Araratgebirge”] A: AR ?GG TR  
*solyzinusum* Pic, 1942b: 2 #16  
*weyersii* Fairmaire, 1866b: 271 A: TR  
*aolense* Pic, 1942b: 1  
*weyersii* J. Thomson, 1867a: 51 [HN] [“Armenia”]  
*xerophilum* Pesarini & Sabbadini, 2007b: 54 E: GR  
*yilmazi* Özdikmen & Kaya, 2016: 21 A: TR #110  
*zanteanum* Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) E: GR  
**subgenus** *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773  
*Compsodorcadion* Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873  
*abakumovi abakumovi* J. Thomson, 1865: 548 A: KZ (Lepsinsk env.)  
*abakumovi laterale* Jakovlev, 1895a: 287 A: KZ (Gerasimovka env. = Sapak)  
*abakumovi lepsyense* Danilevsky, 2004b: 5 A: KZ (Андреевка env. = Kabanbay)  
*abakumovi sarkandicum* Danilevsky, 2004b: 4 A: KZ (Sarkand env.)  
*aizhanæ* Kadyrbekov, 2004: 94  
*alakoliense* Danilevsky, 1988a: 12 A: KZ (Alakol Lake near Koktuma)  
*cephalotes* Jakovlev, 1889: 252 (*Compsodorcadion*) A: KZ XIN  
*alexii* Suvorov, 1915: 121 (*Compsodorcadion*)  
*crassipes crassipes* Ballion, 1878: 368 A: KZ  
*crassipes glazunovi* Suvorov, 1910b: 69 A: KZ (SE Dzhungarsky Alatau) XIN  
*crassipes validipes* Jakovlev, 1906c: 279 A: KI XIN  
*chantengrii* Breuning, 1943b: 95  
*robustissimum* Pic, 1908d: 35  
*ganglbaueri ganglbaueri* Jakovlev, 1898: 676, 677 A: KZ  
*ganglbaueri paveli* Danilevsky, 2013h: 35 A: KZ  
*gebleri demimetrum* Danilevsky, 1996a: 3 A: KZ  
*gebleri gebleri* Kraatz, 1873a: 33 A: KZ XIN  
*jakovlevianum* Suvorov, 1911a: 60  
*occidentale* Breuning, 1947e: 164  
*pallasii* Gebler, 1848: 402 [HN] (not *pallasii* Fischer von Waldheim, 1805 [?1806])  
*zaisanense* Suvorov, 1911a: 61  
*gebleri lukhtanovi* Danilevsky, 1996a: 4 A: KZ (N Zaysan Lake)  
*gebleri takyr* Danilevsky, 1996a: 5 A: KZ (NE Zaysan Lake: Buran)  
*glycyrrhizae androsovi* Suvorov, 1909b: 93 A: KZ  
*dalilæ* Kadyrbekov, 2004: 94 #517  
*glycyrrhizae chivilini* Danilevsky, 2012a: 46 A: KZ (Aktalagay Mts)  
*glycyrrhizae dostojewskii* Semenov, 1899d: 655 A: KZ (Mangyshlak Peninsula)  
*glycyrrhizae dubianskii* Jakovlev, 1906c: 278 A: KZ WS  
*glycyrrhizae eugenyi* Abramov, 2015: 39 A: KZ [“W Kazakhstan, 55 km E Zhympty”]  
*glycyrrhizae fedorenkoi* Danilevsky, 2001c: 17 A: KZ (Emba env.)

*glycyrrhizae galinae* Danilevsky, 2001c: 23 A: KZ (Arkalyk env.)  
*glycyrrhizae glycyrrhizae* Pallas, 1773: 723 (*Cerambyx*) E: ?ST KZ (Urda env.) A: ?KZ  
*glycyrrhizae guberlense* Danilevsky, 2006a: 19 A: WS (Orenburg Reg., Gay Distr., Kazachya Guberlya)  
*glycyrrhizae inderiense* Suvorov, 1911a: 69 E: KZ A: KZ (Inder Lake env.)  
*glycyrrhizae ishkarganum* Danilevsky, 2009c: 69 [“south most area of Orenburg region, 9 km SE Troitzk”] A: WS  
*glycyrrhizae korshikovi* Danilevsky, 2006a: 9 [“Orenburg reg., Sol-Ilets district, Novoietsk env.”] A: KZ WS  
*glycyrrhizae murati* Danilevsky, 2013f: 434 [“Atyrau Region, about 50km S Kulsary”] A: KZ  
*glycyrrhizae nemkovi* Danilevsky, 2006a: 15 E: ST KZ A: KZ  
*glycyrrhizae nikireevi* Danilevsky, 2001c: 19 A: KZ (Kustanay env.)  
*glycyrrhizae obtusipenne* Motschulsky, 1860e: 538 [1861c: 444] A: KZ (Kzyl-Orda env.)  
*glycyrrhizae striatum* Goetze, 1777: 464 [HN] (not Linnaeus, 1758) (*Cerambyx*) E: CT KZ ST A: KZ #71  
*fimbriatum* Gmelin, 1790: 1862 (*Cerambyx*)  
*iliense* Plavilstshikov, 1937a: 31 [“fl. Ili, Karatshekinskoje”, Карацок = Karashoky]  
*olivieri* J. Thomson, 1867a: 39  
*rufifrons* Motschulsky, 1860c: 311 [= 1860d: 304]  
*glycyrrhizae tobolense* Danilevsky, 2001c: 22 A: KZ (Kustanay region, Adaevka environs)  
*glycyrrhizae turgaicum* Suvorov, 1915: 121 (*Compsodorcadion*) A: KZ  
*akmolium* Suvorov, 1915: 121 (*Compsodorcadion*)  
*glycyrrhizae uvarovi* Suvorov, 1911b: 279 [“Umgegend der Stadt Temir”] A: KZ  
*tenuelineatum* Jakovlev, 1895a: 286 A: KZ (NE Dzhungarsky Alatau: Glinovka = Ushbulak)  
*separatum* Pic, 1897f: 94  
**subgenus** *Maculatodorcadion* Breuning, 1943d: 525 type species *Dorcadion quadrimaculatum* Küster, 1848  
*jansensi* Breuning, 1966b: 21 A: TR  
*quadrimaculatum nodicorne* Tournier, 1872: 287 [Taurus] A: TR  
*quadrimaculatum quadrimaculatum* Küster, 1848b: 79 E: GR TR  
*bimaculatum* Pic, 1898h: 56  
*clementinum* Pic, 1918d: 11  
*innotatum* Pic, 1908a: 2  
~~*triste lesvicum* Mpamnaras, Zafeiriou & Özdikmen, 2020a: 16 E: GR (Lesbos Is.) [not available name!]~~ #494  
*triste lesvicum* Mpamnaras, Zafeiriou & Özdikmen, 2020b: 727 E: GR (Lesbos Is.)  
*triste phrygicum* Peks, 1993: 8 [Antalya: Kaş] A: TR #49  
*triste triste* Frivaldszky von Frivald, 1845: 184 [“Smyrna”] A: TR  
*wolffi* Krätschmer, 1985: 24 A: TR  
**subgenus** *Megalodorcadion* Pesarini & Sabbadini, 1999: 58 type species *Dorcadion ledereri* J. Thomson, 1865 #46 #517  
*Anatolodorcadion* Özdikmen & Kaya, 2015a: 3 type species *Dorcadion dombilicoides* Özdikmen & Kaya, 2013 #46  
*Fusodorcadion* Özdikmen & Kaya, 2015a: 3 type species *Dorcadion parallelum* Küster, 1847 #46  
*dombilicoides* Özdikmen & Kaya, 2013: 494 A: TR  
*escherichi* Ganglbauer, 1897b: 54 A: TR  
*angorensis* Ganglbauer, 1897b: 57  
*egregium* Ganglbauer, 1897b: 56  
*obliquesignatum* Pic, 1900g: 12  
*posticedisjunctum* Pic, 1909: 99  
*glabrofasciatum* K. Daniel, 1900: 140 A: TR  
*imparivittatum* K. Daniel, 1900: 140  
*nudofasciatum* Özdikmen & Şenyüz, 2015: 647 (*Megalodorcadion*) #517  
*ledereri* J. Thomson, 1865: 548 A: TR  
*parallelum* Küster, 1847b: 79 A: TR  
*walteri* Holzschuh, 1991c: 55 A: TR  
**genus** *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781  
**subgenus** *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781  
*altaicum* Suvorov, 1909a: 89 (*Neodorcadion*) A: KZ (NE Zaisan)  
*carinatum blessigi* Ganglbauer, 1884: 512 (*Neodorcadion*) A: ES (Khakassiya) KZ (Zaisan, Ridder) WS (Altay)  
*carinatum bramsoni* Pic, 1901p: 67 (*Neodorcadion*) A: WS (Altay: Chermal env.)  
*gassneri* Breit, 1917a: 65 (*Neodorcadion*)  
*carinatum carinatum* Fabricius, 1781: 222 (*Lamia*) E: CT ST A: ES KZ WS  
*carinatum involvens* Fischer von Waldheim, 1823: pl. I (*Dorcadion*) A: ES FE HEI MG NMO XIN  
*longjiangense* Z. Wang, 2003: 299  
*vestitum* Jakovlev, 1901c: 150, 152 (*Neodorcadion*)  
*carinatum kjahtenum* Danilevsky, 2007a: 31 A: ES (Kyakhta env.)  
*chinganicum chinganicum* Suvorov, 1909a: 90 (*Neodorcadion*) A: NMO  
*chinganicum darigangense* Heyrovský, 1967a: 104 A: MG  
*chinganicum mandshukuoense* Breuning, 1944a: 15 (*Neodorcadion*) A: JIL LIA  
*jilinense* Chiang, 1983: 60, 66 [unnecessary RN]  
*gansuense* Breuning, 1943b: 99 (*Neodorcadion*) A: GAN  
*glaucopterum* Ganglbauer, 1884: 511 (*Neodorcadion*) A: GAN NMO QIN SHA #400  
*albescens* Breuning, 1943b: 99 (*Neodorcadion*)

*annulicorne* Breuning, 1947d: 142  
*atratum* Jakovlev, 1901c: 153 (*Neodorcadion*)  
*griseus* Breuning, 1947d: 142  
*przewalskyi* Jakovlev, 1887b: 317 (*Neodorcadion*)  
*przewalskii* Jakovlev, 1900a: 71 (*Neodorcadion*) [unjustified emendation]  
*kadlecii* Danilevsky, 2007a: 62 A: GAN  
*maurum australe* Danilevsky, 2014a: 151 A: MG  
*maurum katharinae* Reitter, 1898a: 21 (*Neodorcadion*) A: ES MG  
*maurum maurum* Jakovlev, 1889: 247 (*Neodorcadion*) A: ES MG  
*boldi* Heyrovský, 1965b: 45  
*fortecostatum* Heyrovský, 1975: 22  
*grumi* Suvorov, 1909a: 80 (*Neodorcadion*)  
*hirtipes* Jakovlev, 1901c: 159 (*Neodorcadion*)  
*maurum quinquievittatum* Hammarström, 1892: 192 (*Neodorcadion*) A: ES  
*maurum sajanicum* Hammarström, 1892: 193 (*Neodorcadion*) A: ES  
*leucogrammus* Suvorov, 1909a: 82 (*Neodorcadion*)  
*minicarinatum* Danilevsky & Lin, 2012b: 22 A: ANH SHA #400  
*multicarinatum* Breuning, 1943b: 99 (*Neodorcadion*) A: GAN NMO QIN SHA SHX #225  
*oligocarinatum* Danilevsky, 2007a: 55 A: SHX SHA #225  
*ptyalopleurum* Suvorov, 1909a: 84 (*Neodorcadion*) A: ES  
*rubrosuturale kerulenum* Danilevsky, 2007a: 41 A: MG  
*rubrosuturale rubrosuturale* Breuning, 1943b: 98 (*Neodorcadion*) A: HEB NMO  
*shanxiense* Danilevsky, 2007a: 52 A: SHX  
*sifanicum* Suvorov, 1912: 74 (*Neodorcadion*) A: GAN HEN #400  
*sinicum* Breuning, 1948c: 57 A: CH  
*tuense* Plavilstshikov, 1958a: 451 A: ES  
*virgatum subvirgatum* Pic, 1914e: 74 (*Neodorcadion*) A: NMO  
*virgatum taihangense* Danilevsky & Lin, 2012b: 21 A: SHX  
*virgatum virgatum* Motschulsky, 1854b: 65 (*Dorcadion*) A: BEI GAN HEB ?MG NMO SHA SHX TIA #400  
**subgenus** *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823  
*humerale humerale* Gebler, 1823: 130 (*Neodorcadion*) A: ES HEI MG NMO  
*humerale impluviatum* Faldermann, 1833: 66 (*Dorcadion*) A: MG  
*irroratum* Reitter, 1893b: 224 (*Neodorcadion*)  
*humerale quadrilineatum* Breit, 1915: 355 (*Neodorcadion*) A: HEB NMO  
*humerale trabeatum* Jakovlev, 1901c: 148 (*Neodorcadion*) A: BEI FE HEI JIL NMO SHN #400  
*humerale xinganum* S.-N. Chiang & Z. Wang, 2003: 304, 396 A: JIL HEI NMO  
*lutshniki altanelsense* Heyrovský, 1973b: 124 A: MG  
*lutshniki bicoloratum* Danilevsky, 2007a: 158 A: ES  
*lutshniki burenum* Danilevsky, 2007a: 158 [“Buren river valley in Tuva Republic of Russia”] A: ES  
*lutshniki lutshniki* Plavilstshikov, 1937a: 33 (*Neodorcadion*) A: ES  
**subgenus** *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833  
*argaloides* Breuning, 1947e: 172 A: MG NMO  
*brandtii* Gebler, 1841b: 610 (*Dorcadion*) A: KZ (N Zaisan Lake) XIN  
*dux* Jakovlev, 1893b: 120 (*Neodorcadion*)  
*nigrolineatum* Reitter, 1897a: 182 (*Neodorcadion*)  
*consentaneum* Jakovlev, 1899a: 241 (*Neodorcadion*) A: MG  
*hirticolle* Jakovlev, 1901c: 154 (*Neodorcadion*)  
*insigne* Jakovlev, 1901c: 160 (*Neodorcadion*)  
*dorcas dorcas* Jakovlev, 1901c: 163 (*Neodorcadion*) A: MG  
*annulatum* Heyrovský, 1969b: 229  
*morosum* Jakovlev, 1901c: 162 (*Neodorcadion*)  
*pruinatum* Jakovlev, 1901c: 163 (*Neodorcadion*)  
*dorcas scabrosum* Namkhaidorzh, 1972: 524 A: MG  
*egregium egregium* Reitter, 1897a: 180 (*Neodorcadion*) A: MG XIN  
*albitarsale* Breuning, 1966f: 257  
*egregium kabaki* Kadyrbekov, 2004: 93 A: XIN #278  
*exaratum argali* Jakovlev, 1889: 249 (*Neodorcadion*) A: MG #215  
*hircum* Jakovlev, 1906a: 1 (*Neodorcadion*)  
*miraculum* Reitter, 1897a: 182 (*Neodorcadion*)  
*quadricarinatum* Heyrovský, 1970b: 141  
*exaratum exaratum* Ménétériés, 1854: 38 (*Dorcadion*) A: MG NMO  
*rugipenne* Heyrovský, 1967a: 103  
*gorbunovi* Danilevsky, 2004d: 7 A: MG  
*heros* Jakovlev, 1899a: 237 (*Neodorcadion*) A: NIN NMO  
*intermedium intermedium* Jakovlev, 1889: 246 (*Neodorcadion*) A: MG ?NMO  
*kaszabi* Heyrovský, 1965b: 44  
*mongolicum* Jakovlev, 1895b: 508 (*Neodorcadion*)  
*intermedium kozlovi* Suvorov, 1912: 71 (*Neodorcadion*) A: MG NMO

*hedini* Pic, 1935c: 12 (*Neodorcadion*)  
*jakovlevi fangzhoui* Lin et Danilevsky, 2011: 381 A: NMO  
*jakovlevi jakovlevi* Suvorov, 1912: 70 (*Neodorcadion*) A: NMO  
*kaznakovi kaznakovi* Suvorov, 1912: 73 (*Neodorcadion*) A: NIN NMO  
*kaznakovi zhilini* Lin et Danilevsky, 2011: 382 A: NMO  
*licenti* Pic, 1939c: 25 (*Neodorcadion*) A: NMO #400  
*novitzkyi* Suvorov, 1909a: 87 (*Neodorcadion*) A: MG NMO #215  
*oreadis* Reitter, 1897a: 179 (*Neodorcadion*) A: XIN  
*ornatum* Faldermann, 1833: 64 (*Dorcadion*) A: NMO #400  
*princeps* Jakovlev, 1899a: 239 (*Neodorcadion*)  
*oryx* Jakovlev, 1895b: 506 (*Neodorcadion*) A: MG  
*potaninellum* Danilevsky & Lin, 2012b: 23 A: SHA  
*potanini* Jakovlev, 1889: 245 (*Neodorcadion*) A: NMO  
*pseudornatum* Danilevsky & Lin, 2012b: 24 A: SHA  
*savitskyi* Danilevsky, 2014a: 152 A: MG  
*wenhsini* Ch.-W. Yang & Danilevsky, 2013: 93 A: NMO  
*zhaoi* Danilevsky, X. Chen & Lin, 2019: 141 A: NMO  
*zichyi* Csiki, 1901: 115 (*Neodorcadion*) A: MG

**genus *Iberodorcadion* Breuning, 1943d: 524** type species *Cerambyx fuliginator* Linnaeus, 1758  
**subgenus *Baeticodorcadion* Vives, 1976: 166** type species *Dorcadion mus* Rosenhauer, 1856  
*amorii amorii* Marseul, 1856: 48 (*Dorcadion*) E: SP  
*penascosum* Lauffer, 1911: 44 (*Dorcadion*)  
*staudingeri* Chevrolat, 1862: 345 (*Dorcadion*)  
*amorii segurense* Escalera, 1911: 82 (*Dorcadion*) E: SP  
*albacetae* Breuning, 1947e: 161 (*Dorcadion*)  
*segurinum* Lauffer, 1911: 45 (*Dorcadion*)  
*atlantis* Bedel, 1921: 60 (*Dorcadion*) N: MO  
*chiqui* Verdugo, 2014: 165 E: SP  
*isernii* Perez Arcas, 1868: 81 (*Dorcadion*) E: SP  
*ceballosi* Breuning, 1948c: 64 (*Dorcadion*)  
*dispersepunctatum* Escalera, 1924: 195 (*Dorcadion*)  
*impunctatum* Breuning, 1943b: 98 (*Dorcadion*)  
*steparium* Escalera, 1900: 239 (*Dorcadion*)  
*lorquinii cobosi* Vives, 1979: 155 E: SP  
*lorquinii lorquinii* Fairmaire, 1855: 322 (*Dorcadion*) E: SP  
*giganteum* Escalera, 1911: 82 (*Dorcadion*)  
*rufolabrum* Pic, 1912a: 35 (*Dorcadion*)  
*marmottani* Escalera, 1900: 237 (*Dorcadion*) E: SP  
*cabrasense* Nicolas, 1904b: 83 (*Dorcadion*)  
*robustioripenne* Pic, 1941b: 2 (*Dorcadion*)  
*mucidum annulicorne* Chevrolat, 1862: 346 (*Dorcadion*) E: SP (Andalucía) #113  
*mucidum coelloi* Verdugo, 1996: 11 E: SP  
*mucidum lusitanicum* Chevrolat, 1840: 16 (*Dorcadion*) E: PT SP #495  
*boabdil* Flach, 1907: 18 (*Dorcadion*)  
*carinicolle* Breuning, 1948c: 64 (*Dorcadion*)  
*evorense* Breuning, 1943b: 98 (*Dorcadion*) #495  
*mucidum mucidum* Dalman, 1817b: 173 (*Lamia*) E: SP #113  
*handschuchii* Küster, 1848b: 77 (*Dorcadion*)  
*nigrosparsum* Pic, 1941b: 3 (*Dorcadion*) (Málaga) #113  
*mucidum rondense* Verdugo, 2003: 127 E: SP  
*mus grisescens* Escalera, 1900: 240 (*Dorcadion*) E: SP  
*escalerai* Pic, 1900q: 405 (*Dorcadion*)  
*mus mus* Rosenhauer, 1856: 304 (*Dorcadion*) E: SP  
*andalusiicum* Breuning, 1962a: 546 (*Dorcadion*)  
*quadrifuscivittatum* Breuning, 1947e: 162 (*Dorcadion*)  
*rondae* Flach, 1907: 19 (*Dorcadion*)  
*parmeniforme* Escalera, 1902: 288 (*Dorcadion*) E: SP #113  
*suturale* Chevrolat, 1862: 345 (*Dorcadion*) E: SP  
*insuturale* Pic, 1898c: 22 (*Dorcadion*)  
*rufescentimembre* Pic, 1947a: 9 (*Dorcadion*)  
*schaufussi* Pic, 1947a: 9 (*Dorcadion*)  
*suturaloides* Breuning, 1958b: 37 [RN]  
**subgenus *Hispanodorcadion* Vives, 1976: 166** type species *Dorcadion hispanicum* Mulsant, 1851  
*abantense* Saz Fuchó, Corralesño Iñarra & Murria Beltrán, 2016: 54 E: SP  
*abulense abulense* Lauffer, 1902: 105 (*Dorcadion*) E: SP  
*granulosum* Pic, 1904e: 17 (*Dorcadion*)  
*griseum* Escalera, 1911: 83 (*Dorcadion*)

- hispanoloides* Escalera, 1911: 84 (*Dorcadion*)  
*infraciatum* Pic, 1910h: 51 (*Dorcadion*)  
*laufferoides* Escalera, 1911: 83 (*Dorcadion*)  
*nigripenne* Escalera, 1911: 82 (*Dorcadion*)  
*perezoides* Escalera, 1911: 84 (*Dorcadion*)  
*plurilineatum* Escalera, 1911: 84 (*Dorcadion*)  
*puncticolle* Breuning, 1944a: 14 (*Dorcadion*)  
*umbripenne* Escalera, 1908: 336 (*Dorcadion*)  
*umbrosum* Escalera, 1911: 83 (*Dorcadion*)  
*abulense granulipenne* Escalera, 1908: 337 (*Dorcadion*) E: SP  
*aguadoi* Aguado & Tomé, 2000: 68 E: SP  
*albicans albicans* Chevrolat, 1862: 341 (*Dorcadion*) E: SP  
*aestivum* Pic, 1910i: 79 (*Dorcadion*)  
*inalbicans* Nicolas, 1904b: 83 (*Dorcadion*)  
*lainzi* Breuning, 1956k: 726 (*Dorcadion*)  
*multialternatum* Pic, 1910i: 79 (*Dorcadion*)  
*nigrinum* Escalera, 1911: 82 (*Dorcadion*)  
*palentinum* Lauffer, 1911: 27 (*Dorcadion*)  
*palentinum* Escalera, 1911: 81 (*Dorcadion*) [HN]  
*reynosae* Brisout de Barneville, 1866: 418 (*Dorcadion*)  
*albicans demandense* Escalera, 1902: 286 (*Dorcadion*) E: SP  
*incanum* Lauffer, 1911: 28 (*Dorcadion*)  
*albicans marinae* Tomé & Bahillo, 1996: 715 E: SP  
*albicans vanhoegaerdeni* Breuning, 1956k: 725 (*Dorcadion*) E: SP  
*aries* Tomé & Berger, 1999: 393 E: SP  
*becerrae* Lauffer, 1901: 90 (*Dorcadion*) E: SP  
*guadalajaranum* Pic, 1910h: 90  
*loroi* Escalera, 1924: 196 (*Dorcadion*)  
*pruinatum* Escalera, 1902: 285 (*Dorcadion*)  
*saturioi* Escalera, 1924: 198 (*Dorcadion*)  
*bolivari bolivari* Lauffer, 1898: 107 (*Dorcadion*) E: SP  
*diversevittatum* Pic, 1941b: 2 (*Dorcadion*)  
*griseus* Pic, 1900c: 7 (*Dorcadion*)  
*laufferi* Pic, 1900c: 7 (*Dorcadion*)  
*operosum* Pic, 1947b: 1 (*Dorcadion*)  
*paulovittatum* Pic, 1947b: 1 (*Dorcadion*)  
*rodriguezi* Pic, 1900c: 405 (*Dorcadion*)  
*rufipes* Escalera, 1900: 238 (*Dorcadion*)  
*semifulvovittatum* Pic, 1947b: 1 (*Dorcadion*)  
*sparsealbum* Pic, 1941b: 2 (*Dorcadion*)  
*toledense* Pic, 1947a: 9 (*Dorcadion*)  
*bolivari danielae* Saz, 2013: 116 E: SP  
*circumcinctum circumcinctum* Chevrolat, 1862: 341 (*Dorcadion*) E: SP  
*arandae* Schramm, 1911: 306 (*Dorcadion*)  
*ariasi* Chevrolat, 1862: 341 (*Dorcadion*)  
*burgense* Lauffer, 1911: 33 (*Dorcadion*)  
*burgosense* Pic, 1910h: 82 (*Dorcadion*)  
*candidae* Pic, 1914b: 8 (*Dorcadion*)  
*escorialense* Chevrolat, 1866: 107 (*Dorcadion*)  
*sebastiani* Pic, 1901i: 32 (*Dorcadion*)  
*seeboldi* Escalera, 1902: 288 (*Dorcadion*)  
*circumcinctum tenuecinctum* Pic, 1898c: 20 (*Dorcadion*) E: SP  
*rufobasicorne* Pic, 1941b: 3 (*Dorcadion*)  
*ferdinandi* Escalera, 1900: 235 (*Dorcadion*) E: SP  
*fuentei* Pic, 1899a: 81 (*Dorcadion*) E: SP  
*bouvieri* Escalera, 1900: 232 (*Dorcadion*)  
*elvira* Pic, 1904g: 58 (*Dorcadion*)  
*lesnei* Escalera, 1900: 233 (*Dorcadion*)  
*graellsii cinereum* Escalera, 1901: 81 E: SP  
*atienzanum* Pic, 1910h: 51 (*Dorcadion*)  
*auripenne* Escalera, 1908: 334 (*Dorcadion*)  
*cinerarium* Lauffer, 1901: 92 (*Dorcadion*)  
*fuscolineatum* Schramm, 1910: 288 (*Dorcadion*)  
*graellsii graellsii* Graells, 1858: 91 (*Dorcadion*) E: SP  
*alternatum* Chevrolat, 1862: 338 (*Dorcadion*)  
*consanguineum* Lauffer, 1911: 40 (*Dorcadion*)  
*costicollae* Chevrolat, 1862: 339 (*Dorcadion*)  
*latealbidum* Pic, 1910h: 90 (*Dorcadion*)  
*ovale* Chevrolat, 1870: 85 (*Dorcadion*)  
*subbrevelineatum* Pic, 1941a: 5 (*Dorcadion*)  
*graellsii incallosum* Escalera, 1908: 335 (*Dorcadion*) E: SP

*paradoxum* Escalera, 1908: 336 (*Dorcadion*)  
*pulvipenne* Escalera, 1908: 335 (*Dorcadion*)  
*graelisii longipenne* Chevrolat, 1862: 342 (*Dorcadion*) E: SP  
*bisbilineatum* Pic, 1910h: 90 (*Dorcadion*)  
*cazurroi* Lauffer, 1901: 91 (*Dorcadion*)  
*matritense* Schramm, 1910: 288 (*Dorcadion*)  
*oberthueri* Ganglbauer, 1884: 471 (*Dorcadion*)  
*tenuilineatum* Escalera, 1924: 196 (*Dorcadion*)  
*grustani* González, 1992: 3 E: SP  
*heydenii* Kraatz, 1870a: 161 (*Dorcadion*) E: SP  
*internelineatum* Pic, 1910h: 82 (*Dorcadion*)  
*semiglabratum* Pic, 1910h: 82 (*Dorcadion*)  
*stableaui* Chevrolat, 1870: 84 (*Dorcadion*)  
*korbi* Ganglbauer, 1884: 469 (*Dorcadion*) E: SP  
*rubrocarinatum* Pic, 1912a: 35 (*Dorcadion*)  
*martinezii* Perez Arcas, 1874: 145 (*Dorcadion*) E: SP  
*espanoli* Breuning, 1956k: 727 (*Dorcadion*)  
*longelineatum* Pic, 1941a: 5 (*Dorcadion*)  
*molitor molitor* Fabricius, 1775: 176 (*Lamia*) E: FR SP  
*aragonicum* Breuning, 1957e: 51  
*brisouti* Kraatz, 1873a: 68 (*Dorcadion*)  
*donzeli* Mulsant, 1839: 129 (*Dorcadion*)  
*lineola* Illiger, 1806: 238 (*Lamia*)  
*lutshniki* Plavilstshikov, 1915b: 80 (*Dorcadion*) [RN]  
*pseudodonzeli* Breuning, 1957e: 51  
*rubripes* Pic, 1896c: 142 (*Dorcadion*) [HN]  
*senegalense* J. Thomson, 1867a: 54 (*Dorcadion*)  
*superbum* Lauffer, 1911: 34 (*Dorcadion*)  
*tutori* Lauffer, 1911: 34 (*Dorcadion*)  
*molitor navasi* Escalera, 1900: 234 (*Dorcadion*) E: SP  
*caesaraugustae* Lauffer, 1911: 34 (*Dorcadion*)  
*tarraconense* Breuning, 1967e: 93 (*Dorcadion*)  
*mosqueruelense* Escalera, 1902: 283 (*Dorcadion*) E: SP  
*carbonarium* Nicolas, 1904b: 83 (*Dorcadion*)  
*glabrocostatum* Nicolas, 1909: 115 (*Dorcadion*)  
*nigritulum* Escalera, 1924: 197 (*Dorcadion*)  
*prolongatum* Pic, 1908d: 58 (*Dorcadion*)  
*pseuduhagoni* Breuning, 1948c: 62 (*Dorcadion*)  
*neilense almarzense* Escalera, 1902: 279 (*Dorcadion*) E: SP  
*brevipenne* Pic, 1903l: 178 (*Dorcadion*)  
*circumalbum* Escalera, 1924: 199 (*Dorcadion*)  
*costatum* Escalera, 1902: 280 (*Dorcadion*)  
*logronense* Pic, 1903l: 178 (*Dorcadion*)  
*nicolasianum* Plavilstshikov, 1915b: 80 (*Dorcadion*)  
*nigratum* Escalera, 1924: 200 (*Dorcadion*)  
*nivosum* Escalera, 1924: 198 (*Dorcadion*)  
*obscuratum* Escalera, 1924: 199 (*Dorcadion*)f  
*rufipedes* Escalera, 1924: 199 (*Dorcadion*)  
*schrammi* Nicolas, 1904a: 40 (*Dorcadion*)  
*subbrevipenne* Pic, 1904a: 5 (*Dorcadion*)  
*urbionense* Escalera, 1902: 280 (*Dorcadion*)  
*villosladense* Escalera, 1902: 280 (*Dorcadion*)  
*vincenti* Nicolas, 1904a: 39 (*Dorcadion*)  
*neilense neilense* Escalera, 1902: 278 E: SP  
*nudipenne nudipenne* Escalera, 1908: 337 (*Dorcadion*) E: SP  
*riazanum* Pic, 1910h: 51 (*Dorcadion*)  
*nudipenne schrammianum* Plavilstshikov, 1932d: 198 [RN] E: SP  
*perchini* Saz, 2012: 404  
*tricolor* Schramm, 1910: 287 (*Dorcadion*) [HN]  
*subtricolor* Breuning, 1958b: 40 [RN]  
*paulae* Ñarra & Beltrán, 2012: 43 E: SP  
*perezi cercedillanum* Pic, 1900q: 404 (*Dorcadion*) E: SP  
*laufferi* Escalera, 1900: 236 (*Dorcadion*)  
*schrammi* Pic, 1903l: 178 (*Dorcadion*)  
*subpolitum* Lauffer, 1901: 98 (*Dorcadion*)  
*perezi ghilianii* Chevrolat, 1862: 338 (*Dorcadion*) E: SP  
*ebeninum* Lauffer, 1901: 96 (*Dorcadion*)  
*reichei* Chevrolat, 1862: 342 (*Dorcadion*)  
*perezi hispanicum* Mulsant, 1851a: 125 (*Dorcadion*) E: SP  
*albidipenne* Pic, 1907a: 8 (*Dorcadion*)  
*brunneofasciatum* Lauffer, 1901: 94 (*Dorcadion*)

*cebolterense* Lauffer, 1911: 40 (*Dorcadion*)  
*diversepubens* Pic, 1907a: 8 (*Dorcadion*)  
*encaustum* Chevrolat, 1862: 337 (*Dorcadion*)  
*erythropus* Lauffer, 1901: 93 (*Dorcadion*)  
*griseopubescens* Lauffer, 1911: 41 (*Dorcadion*)  
*multilineatum* Pic, 1907a: 8 (*Dorcadion*)  
*nigrolineatum* Chevrolat, 1862: 339 (*Dorcadion*)  
*perezi ortunoi* Hernández, 1991: 278 E: SP  
*perezi perezi* Graells, 1849: 622 (*Dorcadion*) E: SP  
*anthracinum* Chevrolat, 1870: 86 (*Dorcadion*)  
*rutilipes* Nicolas, 1904b: 82 (*Dorcadion*)  
*septemvittatum* Lauffer, 1901: 95 (*Dorcadion*)  
*pseudomolitor* Escalera, 1902: 285 (*Dorcadion*) E: SP  
*segovianum dejeanii* Chevrolat, 1862: 340 (*Dorcadion*) E: SP  
*albolineatum* Escalera, 1924: 200 (*Dorcadion*)  
*baudueri* Pic, 1910h: 91 (*Dorcadion*)  
*carbonicum* Escalera, 1924: 200 (*Dorcadion*)  
*francianum* Breuning, 1956k: 727 (*Dorcadion*)  
*montanum* Lauffer, 1911: 53 (*Dorcadion*)  
*submontanum* Lauffer, 1911: 54 (*Dorcadion*)  
*segovianum segovianum* Chevrolat, 1862: 339 (*Dorcadion*) E: SP  
*castanarensense* Breuning, 1948c: 62 (*Dorcadion*)  
*corralimembris* Pic, 1917g: 6 (*Dorcadion*) [RN]  
*gredosanum* Lauffer, 1911: 50 (*Dorcadion*)  
*merceti* Schramm, 1910: 286 (*Dorcadion*)  
*tornavacense* Lauffer, 1911: 52 (*Dorcadion*)  
*tournieri* Pic, 1910h: 91 (*Dorcadion*)  
*villatorensense* Breuning, 1962a: 606  
*seguntianum belbezei* Escalera, 1914b: 152 (*Dorcadion*) E: SP #24  
*bilibitanum* Escalera, 1914b: 153 (*Dorcadion*)  
*ribotense* Corraleño Iñarra, Murria Beltrán & Saz Fucho, 2013: 106 #24  
*seguntianum intermedium* Escalera, 1902: 287 (*Dorcadion*) E: SP  
*seguntianum seguntianum* K. Daniel & J. Daniel, 1898a: 78 (*Dorcadion*) E: SP #24  
*confluens* Schramm, 1910: 288 (*Dorcadion*)  
*insidiosum* Escalera, 1901: 87 (*Dorcadion*)  
*ruspolii* Breuning, 1974a: 36 (*Dorcadion*)  
*terolense albarium* Escalera, 1902: 283 (*Dorcadion*) E: SP #24  
*terolense terolense* Escalera, 1902: 282 (*Dorcadion*) E: SP #24  
*georgei* Pic, 1904e: 17 (*Dorcadion*)  
*glabripennis* Pic, 1904a: 6 (*Dorcadion*)  
*multiplicatum* Pic, 1908d: 58  
*terolense turdetanum* Lauffer, 1911: 25 (*Dorcadion*) E: SP #24  
*denudatum* Escalera, 1911: 80 (*Dorcadion*)  
*ignotum* Escalera, 1911: 80 (*Dorcadion*)  
*uhagonii pradae* Saz Fucho, 2007: 196 E: SP  
*uhagonii uhagonii* Perez Arcas, 1868: 83 (*Dorcadion*) E: SP  
*avilense* Breuning, 1947e: 158 (*Dorcadion*)  
*cuencanaense* Pic, 1941b: 3 (*Dorcadion*)  
*griseolineatum* Pic, 1894d: cccxlviii (*Dorcadion*)  
*inhumale* Pic, 1898c: 21 (*Dorcadion*)  
*lacunosum* Escalera, 1908: 335 (*Dorcadion*)  
*multidisjunctum* Pic, 1941b: 3 (*Dorcadion*)  
*panteli* Théry, 1892: xcvi (*Dorcadion*)  
*subirreductum* Pic, 1910h: 82 (*Dorcadion*)  
*valencianum* Pic, 1910i: 79 (*Dorcadion*)  
*zarcoi* Schramm, 1910: 285 (*Dorcadion*) E: SP #32  
*curvilineatum* Schramm, 1910: 286 (*Dorcadion*)  
*rugulipennis* Breuning, 1947e: 160 (*Dorcadion*)  
*zenete* Anichtchenko & Verdugo, 2004: 33 E: SP  
**subgenus** *Iberodorcadion* Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758  
*brannani* Schaufuss, 1870: 64 (*Dorcadion*) E: PT  
*lategriseovittatum* Breuning, 1947e: 164 (*Dorcadion*)  
*castilianum* Chevrolat, 1862: 347 (*Dorcadion*) E: SP  
*ardoisi* Schramm, 1909: 297 (*Dorcadion*)  
*fuliginator andianum* Pic, 1917g: 8 (*Dorcadion*) E: SP  
*fuliginator fuliginator* Linnaeus, 1758: 393 (*Cerambyx*) E: AU BE FR GE ~~LA~~ LU NL SZ #641  
*annulicorne* Chevrolat, 1882: 60 (*Dorcadion*) [HN]  
*atrum* Bach, 1856: 32 (*Dorcadion*)  
*chevrolati* Ganglbauer, 1884: 475 (*Dorcadion*) [RN]  
*fasciatum* Geoffroy, 1785: 75 (*Cerambyx*)  
*flavicolle* Breuning, 1957e: 44

*fuliginosum* Schrank, 1798: 658 (*Lamia*)  
*hypocrita* Mulsant, 1862: 255 (*Dorcadion*)  
*jaenneri* Hubenthal, 1908: 43 (*Dorcadion*)  
*mendax* Mulsant, 1853b: 33  
*ovatum* Sulzer, 1776: 45 (*Cerambyx*)  
*quadrilineatum* Mulsant, 1839: 124 (*Dorcadion*)  
*subnitidipenne* Pic, 1917g: 8 (*Dorcadion*)  
*vittiferum* Aurivillius, 1922b: 46 (*Dorcadion*)  
*vittigerum* Fabricius, 1801: 303 (*Lamia*)  
*fuliginator loarrense* Berger, 1997: 40 E: FR SP  
*fuliginator meridionale* Mulsant, 1839: 125 (*Dorcadion*) E: FR  
*alpinum* Chevrolat, 1856b: 435 (*Dorcadion*)  
*guerryi* Pic, 1917g: 8 (*Dorcadion*)  
*fuliginator monticola* Mulsant, 1853b: 27 (*Dorcadion*) E: FR  
*fuliginator navarricum* Mulsant, 1853b: 29 (*Dorcadion*) E: FR SP  
*fuliginator obesum* Gautier des Cottés, 1870b: 263 (*Dorcadion*) E: FR  
*fuliginator pyrenaeum* Germar, 1839: 16 (*Dorcadion*) E: FR SP  
*albodiversum* Pic, 1945b: 7 (*Dorcadion*)  
*curtecostatum* Pic, 1941b: 3 (*Dorcadion*)  
*fuliginator striola* Mulsant, 1862: 258 (*Dorcadion*) E: FR  
*fuliginator urgulli* Breuning, 1976c: 161 (*Dorcadion*) E: SP  
*mimomucidum* Breuning, 1976c: 161 E: PT  
*seoanei kricheldorffi* Pic, 1910i: 79 (*Dorcadion*) E: PT SP  
*cabrerense* Breuning, 1956k: 724 (*Dorcadion*)  
*lainzgalloi* Rodríguez, 1996: 189  
*suturelevatum* Breuning, 1956k: 725 (*Dorcadion*)  
*seoanei laurae* Bahillo, 1994: 65 E: SP  
*seoanei seoanei* Graells, 1858: 93 (*Dorcadion*) E: SP  
*sulcatithorax* Pic, 1909: 186 (*Dorcadion*)  
*spinolae caunense* Lauffer, 1910: 92 (*Dorcadion*) E: SP  
*escalerae* Lauffer, 1901: 89 [HN]  
*laufferianum* Plavilstshikov, 1915b: 80 [RN]  
*spinolae soricinum* Chevrolat, 1862: 347 (*Dorcadion*) E: SP  
*vallisoletanum* Lauffer, 1901: 89 (*Dorcadion*)  
*spinolae spinolae* Dalman, 1817b: 174 (*Lamia*) E: SP  
*basigranosum* Breuning, 1943b: 97 (*Dorcadion*)  
*mulsanti* Brisout de Barneville, 1866: 420 (*Dorcadion*)  
*paganettii* Pic, 1910i: 79 (*Dorcadion*)

**genus *Neodorcadion* Ganglbauer, 1884: 437** type species *Lamia bilineata* Germar, 1823 **#506 #517**  
*Calabrodorcadion* Özdikmen & Kaya, 2015a: 5 type species *Neodorcadion calabricum* Reitter, 1889 **#46**  
*Vacarodorcadion* Özdikmen & Kaya, 2015a: 5 type species *Dorcadion virleti* Brullé, 1832 **#46**  
*bilineatum* Germar, 1823: 485 (*Lamia*) E: AL BH BU CR GR HU MC MD ME RO SB SK TR UK (Odessa env.) **#506**  
*macedonicum* Pic, 1917g: 5  
*calabricum* Reitter, 1889a: 41 E: IT  
*difforme* Pesarini & Sabbadini, 2014: 16 A: TR  
*exornatoides* Breuning, 1962a: 68 A: TR  
*exornatum* Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) E: BU GR RO TR A: TR  
*anticejunctum* Pic, 1917g: 6  
*balcanicum* Tournier, 1872: 284 (*Dorcadion*)  
*labyrinthicum* J. Thomson, 1865: 549 (*Dorcadion*)  
*subdiversum* Pic, 1917g: 6  
*fallax* Kraatz, 1873a: 89 (*Dorcadion*) E: BU GR ~~MV~~  
*laqueatum* Waltl, 1838: 469 (*Dorcadion*) E: BU TR A: TR  
*abeillei* Tournier, 1872: 208 (*Dorcadion*)  
*anceyi* Pic, 1913b: 186  
*bulgaricum* Pic, 1913b: 186  
*diversesparsum* Pic, 1914b: 8  
*interruptum* Mulsant & Rey, 1863: 150 (*Dorcadion*)  
*insparum* Pic, 1914b: 8  
*kadiense* Pic, 1917a: 10  
*lemoulti* Pic, 1914b: 8  
*servilorum* Pic, 1917g: 6  
*sparsenotatum* Pic, 1914b: 8  
*sparsum* Mulsant & Rey, 1863: 152 (*Dorcadion*)  
*subinterruptum* Pic, 1917g: 6  
*orientale* Ganglbauer, 1884: 510 A: TR  
*dispar* Pic, 1892n: xxvii  
*eduardi* Pic, 1900n: 82  
*flaschneri* Pic, 1890d: clxxv

*merkli* Pic, 1893e: cxcvi  
*pelleti* Mulsant & Rey, 1863: 149 (*Dorcadion*) E: GR SB TR A: TR  
*credulum* Pic, 1917a: 10  
*disjunctum* Pic, 1917g: 6  
*segne* Mulsant & Rey, 1863: 155 (*Dorcadion*)  
*virleti* Brullé, 1832: 258 (*Dorcadion*) E: GR  
*acarnanicum* Pic, 1914b: 8  
*ionicum* Pic, 1901l: 52  
*subbinotatum* Pic, 1914b: 8

**genus *Politodorcadion* Danilevsky, 1996d: 407** type species *Dorcadion politum* Dalman, 1823  
*archarlense* Danilevsky, 1996d: 411 (*Dorcadion*) ["Karaganda reg., to the north from Archarly Mts"] A: KZ  
*balchashense balchashense* Suvorov, 1911a: 64, 69 (*Dorcadion*) A: KZ  
*balchashense betpakdalense* Danilevsky, 1996d: 410 (*Dorcadion*) A: KZ (Betpakdala Desert)  
*eurygyne eurygyne* Suvorov, 1911a: 65, 69 (*Dorcadion*) A: KZ WS  
*eurygyne lailanum* Danilevsky, 2007e: 204 A: KZ (Kalbinsky Ridge, about 5km N Samarka)  
*lativittis* Kraatz, 1878b: 219 (*Dorcadion*) A: KZ MG XIN #517  
*altaiense* Pic, 1898f: 44 (*Dorcadion*)  
*cribricollis* Kraatz, 1882b: 196 (*Dorcadion*)  
*politum akmolense* Suvorov, 1911a: 63 (*Dorcadion*) E: ST A: KZ  
*politum knyazevi* Danilevsky, 2020c: 104 A: WS (Omsk Region)  
*politum politum* Dalman, 1823: 68 (*Dorcadion*) A: KZ WS  
*basicorne* Pic, 1929b: 9 (*Compsodorcadion*)  
*conjunctum* Pic, 1898f: 45 (*Dorcadion*)  
*lydiae* Plavilstshikov, 1929b: 209 (*Dorcadion*)  
*politipenne* Pic, 1897f: 94 (*Dorcadion*)  
*politum shapovalovi* Danilevsky, 2006a: 2 E: ST (S Orenburg Region) A: KZ  
*ribbei bobrovi* Danilevsky, 2001f: 631 (*Dorcadion*) A: KZ (Zaysan-city env.)  
*ribbei ribbei* Kraatz, 1878b: 220 (*Dorcadion*) A: KZ (Tarbagatay Mts) XIN  
*corallipes* Ganglbauer, 1884: 476 (*Dorcadion*)  
*rubrofemoratum* Pic, 1897f: 94 (*Dorcadion*)

**genus *Trichodorcadion* Breuning, 1942a: 116** type species *Trichodorcadion gardneri* Breuning, 1942  
*dubiosum* Breuning, 1954f: 265 A: "India"  
*gardneri* Breuning, 1942a: 116 A: NP UP

### tribe Dorcaschematini J. Thomson, 1860

**genus *Cylindrecamptus* Breuning, 1940e: 560** type species *Olenecamptus lineatus* Aurivillius, 1914  
*lineatus* Aurivillius, 1914: 25 (*Olenecamptus*) A: YUN ORR  
*interruptus* Pic, 1922c: 14 (*Olenecamptus*)

**genus *Cylindrepomus* Blanchard, 1853: 268** type species *Cylindrepomus nigrofasciatus* Blanchard, 1853  
*Hippardium* Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907  
*[fouqueti fouqueti]* Pic, 1832h: 138 (*Olenecamptus*) (Saigon)]  
*fouqueti hainanensis* Hua, 1979: 110 (*Olenecamptus*) A: HAI  
*viridipennis* Pic, 1937b: 7 (*Olenecamptus*) A: YUN ORR

**genus *Macrocamptus* L. S. Dillon & E. S. Dillon, 1948: 253** type species *Cylindrepomus virgatus* Gahan, 1890  
*virgatus* Gahan, 1890a: 61 (*Cylindrepomus*) A: AP SD #126

**genus *Microlenecamptus* Pic, 1925a: 22** type species *Cylindrepomus albonotatus* Pic, 1925  
*[albonotatus albonotatus]* Pic, 1925: 22 (*Cylindropomus* - misspelling) (Tonkin)]  
*albonotatus flavosignatus* Breuning, 1965d: 53 A: GUX ORR  
*albonotatus reductesignatus* Rondon & Breuning, 1970: 480 A: GUX ORR #305  
*biocellatus* Schwarzer, 1925b: 63 (*Olenecamptus*) A: ANH GUA HUN TAI  
*virescens* Savio, 1929: 8  
*nakabayashii* Takakuwa, 1992: 102 A: JA (Ryukyus)  
*obsoletus* Fairmaire, 1888b: 145 (*Olenecamptus*) A: BEI FUJ HEB JIA TAI  
*albatus* Matsushita, 1933b: 353 (*Dorcaschema*)  
*signatus* Aurivillius, 1914: 25 (*Cylindrepomus*) A: GUX YUN ORR

**genus *Olenecamptus* Chevrolat, 1835: 134** type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1801)  
*Authades* J. Thomson, 1857e: 191 type species *Authades indianus* J. Thomson, 1857  
*Ibidimorphum* Motschulsky 1860b: 152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860  
*anogeissi* Gardner, 1930: 156 A: HP NP #159  
*bilobus bilobus* Fabricius, 1801: 324 (*Saperda*) A: AP FUJ GUA GUX HAI HEB HKG HP LIA NP PA SCH SD TAI UP YUN ZHE

**AFR AUS ORR**

#126 #159 #400 #525

- dahli* Kriesche, 1926: 375  
*gressitti* L. S. Dillon & E. S. Dillon, 1948: 158  
*luzonensis* L. S. Dillon & E. S. Dillon, 1948: 228  
*rouyeri* Pic, 1916d: 6  
*serratus* Chevrolat, 1835: 134  
*ternatus* L. S. Dillon & E. S. Dillon, 1948: 227  
*tonkinus* L. S. Dillon & E. S. Dillon, 1948: 230  
*bilobus nipponensis* L. S. Dillon & E. S. Dillon, 1948: 229 A: JA (Ryukyus)  
*bilobus quinque maculatus* L. S. Dillon & E. S. Dillon, 1948: 234 A: BT SD  
*clarus* Pascoe, 1859: 44 A: ANH FUJ GUI HEB HEN HUB HUN JA JIA JIX NC SC SCH SHN TAI ZHE  
*cretaceus cretaceus* Bates, 1873: 314 A: HEB HEN HUB JA JIA JIX SC SCH TAI ZHE #63  
*intactus* L. S. Dillon & E. S. Dillon, 1948: 183 #251  
*cretaceus marginatus* Schwarzer, 1925b: 63 A: HEN TAI ORR  
*dominus* J. Thomson, 1860: 362 A: HAI NP YUN ORR #390  
*formosanus* Pic, 1914d: 19 A: HUB JA SC TAI ZHE ORR  
*decemmaculatus* Pic, 1916e: 13  
*hondoensis* Seki, 1941: 453 [31]  
*fukutomii* Hasegawa, 2004: 225 A: JA (Ogasawara Isls.)  
*griseipennis* Pic, 1932g: 138 (*Cylindropemus*) A: GUI HUB SCH YUN ZHE  
*montanus* Gressitt, 1942b: 4 (*Olenocampus*)  
*indianus* J. Thomson, 1857e: 192 (*Authades*) A: AP HAI HP NP SD TAI UP YUN ORR #159 #166  
*albolineatus* Pic, 1916d: 5  
*multinotatus* Pic, 1916f: 141  
*salweeni* Heller, 1926: 39  
*nigromaculatus* Pic, 1915d: 14 A: XIZ  
*octopustulatus* Motschulsky, 1860b: 152 (*Ibidimorphum*) A: ANH ES FE FUJ GAN GUI GUX HEI HEN HUB JA JIL JIX LIA MG NC  
NIN NMO SC SHA ?TAI ZHE ?ORR #60  
*chinensis* L. S. Dillon & E. S. Dillon, 1948: 204  
*choseni* Gilmour, 1956c: 754  
*mordkovitshi* Tshernyshev & Dubatov, 2000: 386 ["East Siberia, Chita Area"]  
*pedongensis* Breuning, 1968: 52 A: SD  
*pseudotrigris* Breuning, 1938c: 226 A: HP SD ORR #159  
*quadriplagiatus* L. S. Dillon & E. S. Dillon, 1948: 197 A: GUX YUN ORR #400  
*riparius* Danilevsky, 2011c: 67 A: FE JA (Tsushima Is.) NC NE SC YUN ZHE  
*siamensis* Breuning, 1936: 319 A: YUN ORR  
*subobliteratus* Pic, 1923c: 19 A: BEI FUJ GUI HEB HUB JIA JIX NE SCH SHA YUN ZHE  
*superbus* Pic, 1908f: 16 A: YUN  
*taiwanus* L. S. Dillon & E. S. Dillon, 1948: 229 A: GUA GUX HAI HKG JA TAI YUN

## tribe Eunidiini Teocchi, Sudre &amp; Jiroux, 2010

#400

- genus *Eunidia* Erichson, 1843: 261** type species *Eunidia nebulosa* Erichson, 1843  
*Anomoesia* Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858  
*Aserixia* Pic, 1925b: 31 type species *Aserixia savioi* Pic, 1925  
*Boucardia* Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925  
*Frixus* J. Thomson, 1857f: 313 type species *Frixus variegatus* J. Thomson, 1857  
*Mycerinella* Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924  
*Paphraecia* Fairmaire, 1894b: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eunidia nebulosa* Erichson, 1843)  
*Semiclinia* Fairmaire, 1897e: 254 type species *Semiclinia denseguttata* Fairmaire, 1898  
*Syessita* Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864  
*Tritomicrus* Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892  
*apicemaculata* Breuning, 1939b: 214 A: PA UP #274  
*arabica* Breuning, 1968c: 90 A: SA YE  
*arabensis* Breuning, 1969d: 104 [unnecessary substitute name]  
*atripennis* Pu & D.-R. Yang, 1993: 301, 305 A: CHQ GUI HUB YUN #60  
*atripes* Breuning, 1960g: 475 A: GUA  
*breuningae* Villiers, 1951: 201 N: EG A: OM SA YE AFR  
*djiboutiana* Breuning, 1974e: 122  
*naviauxi* Villiers, 1977: 168  
*renaudi* Breuning, 1961f: 252  
*submarmorata* Breuning, 1968c: 91  
*flavicans* Breuning, 1954b: 16 A: YE AFR  
*haplotrita* Aurivillius, 1911: 32 [218] A: SA YE  
*kristenseni* Aurivillius, 1911: 29 [215] A: OM SA YE AFR  
*kumatai* Hayashi, 1981a: 10 A: NP  
*lateralis* Gahan, 1893b: 387 A: HAI NP YUN ORR #525  
*cincta* Pic, 1926h: 237 (*Aserixia*)  
*nebulosa nebulosa* Erichson, 1843: 262 A: OM SA YE AFR

*brevicollis* Fairmaire, 1896b: 394 (*Paraphraecia*)  
*distinguenda* Aurivillius, 1926: 480  
*lateritia* Fairmaire, 1903: 255 (*Diadelia*)  
*gabonica* Breuning, 1938c: 214  
*mixta* Gahan, 1909: 73  
*obliquepicta* Fairmaire, 1894b: 332 (*Paraphraecia*)  
*proxima* Breuning, 1938c: 215  
*puncticollis* Fähræus, 1872b: 52  
*rustica* Fähræus, 1872b: 53  
*senilis* J. Thomson, 1868b: 137  
*savioi* Pic, 1925b: 31 (*Aserixia*) A: JIA SHA SHG #225  
*taiwanensis* Hayashi & Nara, 1992: 148 A: TAI  
*fengkangshanensis* Hayashi & Nara, 1992: 149  
*thomsoni* Distant, 1898: 377 A: SA YE AFR  
*albicans* Breuning, 1938: 211  
*apiceclarius* Breuning, 1967g: 297  
*bicoloripennis* Breuning, 1974c: 413  
*clarkei* Breuning, 1974c: 414  
*ferrandi* Aurivillius, 1926: 482  
*guttata* Breuning, 1957b: 71 [RN]  
*guttulata* Aurivillius, 1908: 8  
*pseudoalbicans* Breuning, 1968b: 58 [RN]  
*rubroscapus* Breuning, 1962e: 71  
*subalbicans* Breuning, 1967d: 86  
*suturebrunnea* Breuning, 1977b: 273  
*zavattarii* Breuning, 1942d: 94  
*yemeniensis* Breuning, 1968c: 90 A: YE  
  
**genus *Eunidiella* Breuning, 1940b: 177** type species *Eunidiella pilosa* Breuning, 1940  
*pilosa* Breuning, 1940b: 178 A: SD UP  
  
**genus *Falseunidia* Breuning, 1943a: 52** type species *Falseunidia albosignata* Breuning, 1943  
*albosignata* Breuning, 1943a: 52 A: HP NP SD #280  
  

**tribe Exocentrini Pascoe, 1864**

**genus *Acartus* Fähræus, 1872b: 50** type species *Acartus hirtus* Fähræus, 1872  
*biplagiatus* Aurivillius, 1926: 485 A: YE AFR  
  
**genus *Exocentrus* Dejean, 1835: 339** type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767) #44 #517  
*Bicolorihirtus* Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978  
*Camptomyne* Pascoe, 1864a: 43 type species *Camptomyne callioides* Pascoe, 1864  
*Formosexocentrus* Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925  
*Oligopsis* J. Thomson, 1864: 111 type species *Oligopsis exocentroides* J. Thomson, 1964  
*Parasphigmothorax* Breuning, 1974h: 155 type species *Parasphigmothorax ochreosignatus* Breuning, 1974  
*Pseudocentrus* Fairmaire, 1901: 230 type species *Exocentrus reticulatus* Fairmaire, 1898  
*Striatoexocentrus* Breuning, 1955a: type species *Exocentrus nonymoides* Jordan, 1894  
*adpersus* Mulsant, 1846: [9] [NP] E: AL AU BE BH BU CR CZ CY GE GR HU IT LU MC MD ME NL PL RO SB SK SL SP ST SV  
SZ TR UK A: AB AR GG SY TR #292  
*alemdaghensis* Breuning, 1981c: 182  
*clarae* Mulsant & Rey, 1861b: 206 [1861c: 193]  
*hirsutulus* Faldermann, 1837: 272 (*Astynomus*) [DA]  
*quercus* Rossi, 1790: 143 (*Cerambyx*)  
*revelieri* Mulsant & Rey, 1875a: 413 [=1875b: 77] (original spelling: *revelieri*)  
*alboguttatus alboguttatus* Fisher, 1925: 240 A: GUX HAI KA NP UP YUN ORR #242  
*annamensis* Breuning, 1957a: 15  
*multilineatipennis* Breuning, 1974b: 42 [Indien: Kaluwala] #242  
*alboguttatus obscurior* Pic, 1929a: 30 ["Tonkin"] A: FUJ HUB ORR #242  
*rufescens* Pic, 1929a: 30 [Chine] #242  
*alboguttatus subconjunctus* Gressitt, 1940b: 184 A: GUX HAI HKG #242  
*alboguttatus taiwanensis* Kusama & Tahira, 1978: 22 A: TAI  
*alboseriatus* Gahan, 1894a: 85 A: NP ORR  
*albomultiseriatus* Breuning, 1964b: 6 [RN]  
*alboseriatipennis* Breuning, 1963c: 13 [HN]  
*rubripennis* Pic, 1929a: 29  
*submarginicollis* Breuning, 1965b: 40 [Paksane]  
*alni* Fisher, 1932: 298 A: NP SD  
*ochreosignatus* Breuning, 1974h: 155 #103  
*andamanensis* Fisher, 1932: 231 A: NP ORR #242

*assamensis* Breuning, 1972c: 419 A: AP  
*basirufus* Gressitt, 1940b: 185 A: GUA HAI  
*becvari* Holzschuh, 1999: 48 A: YUN  
*beijingensis* S.-C. Chen, 1993: 197 A: BEI  
*blanditus* Holzschuh, 2010: 199 A: SHA  
*brevisetosus* Gressitt, 1938b: 167 A: HUB TAI YUN **ORR**  
*businskae* Holzschuh, 2007: 266 A: XIZ  
*carissae* Fisher, 1932: 312 A: HP NP PA UP  
*kuluensis* Breuning, 1957g: 277  
*championi* Fisher, 1940: 207 A: BT HP KA NP PA SCH UP  
*kashmirensis* Breuning, 1957g: 277  
*collarti* Breuning, 1958a: 41 A: BT  
*constricticollis* Gressitt, 1940b: 186 A: HAI  
*coronatus* Holzschuh, 2007: 276 A: YUN  
*cudraniae* Fisher, 1932: 314 A: NP UP  
*dalbergiae* Fisher, 1932: 310 A: NP PA UP #274  
*dalbergianus* Gressitt, 1951a: 528 A: HUB  
*diminutus* Holzschuh, 2007: 280 A: GUI  
*diversiceps* Pic, 1931b: 259 A: BT NP SD YUN **ORR** #242  
*lateralis* Pic, 1936: 299 [HN]  
*lateraloides* Breuning, 1958f: 300  
*rufoamplatus* Breuning, 1958f: 300  
*rufobasipennis* Breuning, 1958f: 300  
*testaceus* Fisher, 1932: 322 #242  
*euchromus* Holzschuh, 2007: 279 A: HUN  
*explanatidens* Pic, 1930d: 58 A: BT NP SD  
*fasciolatus fasciolatus* Bates, 1873: 384 A: JA #10  
*curtipennis* Pic, 1918a: 10 ["Japan"]  
*fasciolatus plavilstshikovi* Danilevsky, 2014f: 664 A: FE ?NC NE SC #525  
*fastigatus* Holzschuh, 2007: 275 A: YUN **ORR**  
*ficicola* Fisher, 1932: 315 A: NP UP **ORR**  
*fisheri* Gressitt, 1935b: 175 A: JA JIX #400  
*flemingiae* Fisher, 1932: 297 A: GUI NP SD UP YUN **ORR** #400  
*fuscoscapus* Breuning, 1958f: 299  
*rufiscapus* Pic, 1939e: 344  
*formosofasciolatus* Kusama & Tahira, 1978: 17 A: TAI  
*fulvobrunneus* Kusama & Tahira, 1978: 15 A: TAI  
*fumosus* Gahan, 1894a: 85-86 A: UP **ORR**  
*seticollis* Fisher, 1932: 300  
*galloisi* Matsushita, 1933a: 397 A: JA #63  
*gardneri* Fisher, 1932: 302 A: UP  
*granulicollis* Fisher, 1932: 323-324 A: TAI **ORR** #103  
*rufithorax* Gressitt, 1935e: 286 #103  
*grewiae* Fisher, 1932: 317 A: NP UP  
*himalayanus* Breuning, 1974b: 42  
*guttulatus guttulatus* Bates, 1873: 385 A: JA  
*guttulatus ussuricus* Tsherepanov, 1973c: 138 A: FE NC NE SC  
*hayashii* Samuelson, 1965b: 119 A: JA (Ryukyus)  
*hupehensis hupehensis* Gressitt, 1951a: 528 A: GUI HUB HUN #103  
*immaculatus* Gressitt, 1951a: 529 A: TAI  
*keiichii* Tsuyuki, 1999: 8 A: TAI  
*kentingensis* Kusama & Tahira, 1978: 12 A: TAI  
*kleebergi* Holzschuh, 2003b: 315 A: NP  
*kucerae* Holzschuh, 1999: 48 A: YUN  
*kusamai* Tsuyuki, 1999: 5 A: TAI  
*lineatus* Bates, 1873: 384 A: FE JA JIX NC SC  
*longipennis* Holzschuh, 1999: 50 A: YUN  
*lusitanus* Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT MC MD ME NR  
NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG KZ TR WS  
*balteatus* Gyllenhal, 1817: 163 (*Lamia*)  
*crinitus* Panzer, 1795: 249 (*Cerambyx*)  
*ochreoscutellatus* Breuning, 1974: 155 #103  
*pubicornis* Schrank, 1789: 76 (*Cerambyx*)  
*subpilosus* Piller & Mitterpacher, 1783: 67 (*Cerambyx*)  
*marginatus* Tsherepanov, 1973a: 124 A: FE JIX NC SC #63  
*marui* Makihara, 1986b: 253 A: JA (Ryukyus)  
*melli* Breuning, 1961i: 323 A: HKG #400

*misellomimus* Breuning, 1963b: 48 A: GUX **ORR**  
*montilineatus* Kusama & Tahira, 1977: 39 A: JA  
*m-signatus* Pic, 1933f: 6 A: SCH  
*pici* Breuning, 1958f: 230  
*multiguttulatus* Pic, 1927a: 24 A: HAI **ORR**  
*nakanei* Makihara, 1986b: 254 A: JA (Ryukyus)  
*nanshanensis* Kusama & Tahira, 1978: 14 A: TAI  
*nobuoi nobuoi* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*nobuoi nonakai* Makihara, 1986b: 251 A: JA (Ryukyus)  
*nobuoi okinawensis* Breuning & K. Ohbayashi, 1966: 35 A: JA (Ryukyus)  
*paraguttulatus* Breuning & Chûjô, 1971: 31 #657  
*parassamensis* Breuning, 1975d: 355 A: BT  
*parcus* Holzschuh, 1984a: 157 A: NP  
*parrotiae* Fisher, 1932: 296, 304 A: AF KA PA #103  
*klapperichi* Breuning, 1957c: 12 #103  
*procerulus* Holzschuh, 1984: 154 A: NP  
*pseudopunctipennis* Holzschuh, 1979a: 115 E: ?ST A: AB AR GG IN TM  
*pseudovaripennis* Kusama & Tahira, 1978: 18 A: TAI  
*pubescens* Fisher, 1932: 303 A: NP UP **ORR**  
*punctipennis punctipennis* Mulsant & Guillebeau, 1856: 103 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LU MD PL RO SK  
SL SP ST SZ ?TR UK  
*graecus* Pic, 1901l: 52  
*punctipennis signatus* Mulsant & Rey, 1863: 163 E: ST **TR** A: AB GG ?**IR** TR  
*ravillus* Holzschuh, 1984a: 158 A: NP SD  
*ritae* Sama, 1985a: 65 A: SY TR  
*rondoni* Breuning, 1963b: 47 A: YUN **ORR**  
*satoi* K. Ohbayashi, 1961a: 20 A: JA (Ryukyus)  
*savioi* Pic, 1925e: 138 A: FUJ GUX JIA JIX SHG TAI  
*semiglaber* Breuning, 1968a: 29 A: YUN **ORR**  
*seriatomaculatus* Schwarzer, 1925c: 147 A: TAI **ORR**  
*specularis* Holzschuh, 1989a: 174 A: NP SD  
*spineus* Holzschuh, 2007: 283 A: GUI SHA  
*spurcatus* Holzschuh, 1984a: 156 A: UP  
*stierlini* Ganglbauer, 1883b: 298 E: CT CZ PL ST UK A: ES FE KZ MG NC SC WS #88  
*subbicolor* Breuning, 1958f: 300 [RN] A: NP **ORR**  
*bicolor* Pic, 1929a: 30 [HN]  
*subbidentatus* Gressitt, 1937d: 615 A: FUJ GUA  
*submoerens* Breuning, 1958a: 40 A: HKG  
*subniger* Breuning, 1975d: 356 A: BT  
*subsolanus* Z. Wang, 2003: 369, 397 (*Pogonocherus*) A: HEI  
*superstes* Holzschuh, 1995: 46 A: YUN **ORR**  
*takakuwai* Makihara, 1982a: 43 A: JA (Ryukyus)  
*taniguchii* Makihara, 1986a: 13 A: JA (Ryukyus) TAI (Lanyu Is.)  
*tantillus* Holzschuh, 2007: 264 A: SCH  
*tenellus* Holzschuh, 1984a: 155 A: NP  
*testudineus* Matsushita, 1931a: 47 A: ?CH FE JA SC (Mt. Seoraksan) #63  
*wistariae* Fujimura, 1956: 6  
*theresae* Pic, 1939b: 4 A: BEI **SCH** #496  
*transversifrons* Fisher, 1940: 209 A: KA NP SD UP  
*mediomfasciatus* Hayashi, 1981a: 17  
*trifasciellus* Gressitt, 1940b: 187 A: HAI  
*tsushmanus* Hayashi, 1968a: 27 A: FE JA (Tsushima Is.) NC NE SC #10  
*conjugatofasciatus* Tsherepanov, 1973c: 138  
*ulmicola* Holzschuh, 2007: 284 A: BEI HEB SHA #225  
*variabilis* Holzschuh, 2007: 272 A: YUN **ORR**  
*variepennis* Schwarzer, 1925c: 147 (*Camptomine*) A: TAI  
*venatoides* Kusama & Tahira, 1978: 9 A: TAI  
*vetustus* Holzschuh, 2007: 281 A: SHA  
*zikaweiensis* Savio, 1929: 3 A: FUJ HUB SC JIA SHG  
*saitoi* Matsushita, 1935: 313  
  
**genus *Miaenia* Pascoe, 1864a: 27** type species *Miaenia marmorea* Pascoe, 1864  
**subgenus *Estoliops* Matsushita, 1943: 574** type species *Estoliops fasciatus* Matsushita, 1943  
*fasciata fasciata* Matsushita, 1943: 575 (*Estoliops*) A: JA SC  
*fasciata nobuoi* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)

*fasciata okinawana* N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)  
*fasciata taiwanensis* Kusama & Oda, 1979: 76 (*Estoliops*) A: TAI  
*fasciata yaeyamana* N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)  
*sakishimana deguchii* N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)  
*sakishimana sakishimana* Gressitt, 1951b: 227 A: JA (Ryukyus)  
**subgenus** *Granulimiaena* Breuning, 1963l: 528 type species *Miaenia granulicollis* Gressitt, 1938  
*Granulimiaena* Breuning, 1977b: 259 - wrong subsequent spelling  
*granulicollis* Gressitt, 1938b: 166 A: GUA HKG TAI  
**subgenus** *Indoagocidnus* Breuning, 1956d: 360 type species *Aegocidnus indicus* Breuning, 1956  
*binhana* Pic, 1926e: 48 (*Exocentrus*) A: HAI HKG **ORR**  
*laterimaculata* Gressitt, 1940b: 188  
*honkongensis* Breuning, 1968d: 232 (*Sciades*) A: HKG  
**subgenus** *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864  
*Pseudocidnus* Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873  
*Miaena*, Breuning, 1963l: 527 - wrong subsequent spelling  
*brevicollis* Gressitt, 1951b: 225 A: JA (Ryukyus)  
*changi* Kusama & Oda, 1979: 75 A: TAI  
*elongata* Gressitt, 1951a: 532 A: HUB NP  
*longicollis* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*hirashimai* Samuelson, 1965b: 121  
*maritima* Tsherepanov, 1979: 82 A: FE ?NC SC  
*nakanei* Hayashi, 1956c: 18 A: JA  
*subfasciata* Schwarzer, 1925c: 148 A: TAI  
*tonsa* Bates, 1873: 385 (*Exocentrus*) A: JA SC #346  
*fujiyamai* Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)  
*inhirsuta* Pic, 1907c: 21 (*Exocentrus*)  
*leiopodina* Matsushita, 1933b: 397 (*Exocentrus*)  
**subgenus** *Truncatomiaenia* Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938  
*Sciades* Pascoe, 1864a: 30 [HN] type species *Leiopus suffusus* Pascoe, 1864 #43  
*botelensis* Gressitt, 1951a: 531 (*Nonymoides*) A: TAI (Ludao Is., Lanyu Is.)  
  
**genus** *Nobuosciades* Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933  
**subgenus** *Nobuosciades* Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933  
*bioculatus* Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) A: JA (Ogasawara Isls.)  
*iwojimana* Gressitt, 1956: 158 (*Sciadella*)  
*lanatus* N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara Isls.)  
**subgenus** *Palmisciades* Hasegawa, Takeda & Karube, 2011: 110 type species *Palmisciades clinostigmai* Hasegawa, Takeda & Karube, 2011.  
*clinostigmai* Hasegawa, Takeda & Karube, 2011: 110 A: JA (Ogasawara Isls.)  
  
tribe Gnomini J. Thomson, 1860  
**genus** *Imantocera* Dejean, 1835: 341 type species *Lamia plumosa* Olivier, 1797  
*Himantocera* Gistel, 1848a: xi [unjustified emendation]  
*penicillata* Hope, 1831: 28 (*Lamia*) A: AP BT GUI GUX HKG NP SD XIZ YUN **ORR** #280 #339 #344  
*vicina* Gahan, 1894a: 47 (*Himantocera*) A: NP UP  
  
**genus** *Trichognoma* Breuning, 1956g: 674 type species *Trichognoma chinense* Breuning, 1956  
*chinensis* Breuning, 1956g: 674 A: HUB  
  
tribe Gyaritini Breuning, 1950j  
  
**genus** *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858  
**subgenus** *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858 #217  
*Axinyllium* Pascoe, 1864a: 27, 46 type species *Axinyllium varium* Pascoe, 1864 #217  
*Mimoenispia* Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a  
*auratus* Breuning, 1963: 19 A: YUN **ORR**  
*lungtauensis* Gressitt, 1951a: 484 (*Yimnashana*) A: GUA #217  
*theae* Gressitt, 1951a: 485 (*Yimnashana*) A: FUJ #217  
  
**genus** *Microleropsis* Gressitt, 1937d: 607 type species *Microleropsis rufimembris* Gressitt, 1937  
*rufimembris* Gressitt, 1937d: 608 A: FUJ GUA  
  
**genus** *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937  
**subgenus** *Tinkhamia* Gressitt, 1937d: 605 type species *Tinkhamia hamulata* Gressitt, 1937 #217  
*hamulata hamulata* Gressitt, 1937d: 606 (*Tinkhamia*) A: JIX #217  
*hamulata lantauana* Gressitt, 1937d: 606 (*Tinkhamia*) A: GUA HKG #217

*validicornis* Gressitt, 1951a: 487 (*Tinkhamia*) A: GUA #217  
**subgenus** *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937 #217  
*denticulata* Gressitt, 1937d: 604 A: GUA

**genus** *Yimnashaniana* Hua, 1986a: 181 type species *Yimnashaniana jianfenglingensis* Hua, 1986  
*jianfenglingensis* Hua, 1986a: 181 A: HAI

### tribe Homonoeini J. Thomson, 1864

**genus** *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858  
**subgenus** *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858  
*Brachyhomonoea* Aurivillius, 1923b: 30 type species *Brachyhomonoea conspersa* Aurivillius, 1923  
*Homonoeomorpha* Aurivillius, 1913: 23 type species *Homonoeomorpha flavovariegata* Aurivillius, 1913  
*Microabryna* Pic, 1925b: 28 type species *Microabryna mediodentata* Pic, 1925 (= *Homonoeomorpha flavovariegata* Aurivillius, 1913)  
*Yochostyla* J. Thomson, 1868c: 151 type species *Yochostyla japonica* J. Thomson, 1868  
*brevicornis* Makihara, 1978: 54 A: JA (Ryukyus)  
*japonica japonica* J. Thomson, 1868c: 151 (*Yochostyla*) A: JA  
*kiushuensis* Matsushita & Tamanuki, 1937: 147  
*japonica okinawana* Hayashi, 1963c: 12 A: JA (Ryukyus)  
*lanhsuana* Hayashi, 1974c: 40 A: TAI (Lanyu Is.)  
*lutaiana* Hayashi, 1974c: 41 A: TAI (Lanyu Is.)  
*oscitans* Pascoe, 1858: 252 A: HKG SC SHA TAI  
*plagiata* Schwarzer, 1925b: 64  
*variegata* Schwarzer, 1925b: 64  
*oshimana heiana* Hayashi, 1963b: 57 A: JA (Izu Is.)  
*oshimana oshimana* Breuning, 1939b: 162 A: JA (Ryukyus)  
*sakishimana ishigaki* Hayashi, 1966b: 71 A: JA (Ryukyus)  
*sakishimana sakishimana* Hayashi, 1966b: 70 A: JA (Ryukyus)  
*sakishimana yonaguni* Hayashi, 1966b: 71 A: JA (Ryukyus)  
*senkakuana* Hayashi, 1972: 28  
*stolata* Matsushita, 1931a: 45 (*Tmesisternus*) A: TAI (Lanyu Is.)  
*yagii* Hayashi, 1994: 69 A: TAI (Ludao Is.)

**genus** *Notomulciber* Blackburn, 1894a: 166 type species *Notomulciber carpentariae* Blackburn, 1894  
**subgenus** *Micromulciber* Aurivillius, 1913: 22 type species *Mulciber biguttatus* Pascoe, 1867  
*Kamikiria* Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)  
*gressitti* Tippmann, 1955: 124 (*Kamikiria*) A: FUJ TAI  
*quadrisignatus* Schwarzer, 1925b: 64 (*Micromulciber*) A: JA (Ryukyus) TAI  
*plagiatus* Matsushita, 1933b: 349 (*Kamikiria*)

**genus** *Pseudokamikiria* Breuning, 1964a: 32 type species *Kamikiria klapperichi* Tippmann, 1955  
*klapperichi* Tippmann, 1955: 122 (*Kamikiria*) A: FUJ

### tribe Lamiini Latreille, 1825

#400

**genus** *Aethalodes* Gahan, 1888a: 270 type species *Aethalodes verrucosus* Gahan, 1888  
*verrucosus formosanus* Kriesche, 1924: 285 A: TAI  
*verrucosus verrucosus* Gahan, 1888a: 270 A: FUJ GUA GUI GUX HAI HUB JIX NO SCH ZHE ORR #496  
*armatus* Nonfried, 1892a: 93 (*Trachystola*)  
*nodicollis* Fairmaire, 1900: 640 (*Trachystola*)

**genus** *Arctolamia* Gestro, 1888: 129 type species *Arctolamia villosa* Gestro, 1888  
*fasciata* Gestro, 1891: 222 A: GUX YUN ORR  
*grisea* Pic, 1927b: 35  
*laosica* Breuning, 1965e: 46  
*fruhstorferi* Aurivillius, 1902: 208 A: GUI GUX SCH YUN ORR  
*margaretae* Gilmour, 1950: 537  
*luteomaculata* Pu, 1981: 436 A: YUN  
*alcinoides* Z. Wang, 2014: 604, 1123 #144  
*strandii* Breuning, 1936: 296 A: YUN  
*villosa* Gestro, 1888: 129 A: YUN ORR

**genus** *Echinovelleda* Breuning, 1936: 284 type species *Echinovelleda chinensis* Breuning, 1936  
*chinensis chinensis* Breuning, 1936: 284 A: ANH CHQ HUB HUN #340  
*antiqua* Gressitt, 1951a: 347  
*sangzhiensis* Hua, 1992: 514, 523 (*Parechthistatus*)  
*chinensis dichromata* Bi, 2018: 270 A: GUI HUN  
*inermis* Bi & Chang, 2021: 292 A: HUB HUN

*yanziae* Bi & Chang, 2021: 292 A: GUA

**genus *Echthistatodes* Gressitt, 1938a: 49** type species *Echthistatodes brunneus* Gressitt, 1938  
*brunneus* Gressitt, 1938a: 49 A: SCH  
*gongshanus* Bi, 2016: 296 A: YUN  
*subobscurus* Holzschuh, 1993a: 46 A: YUN

**genus *Hayashiechthistatus* Miyake, 1980: 70** type species *Parechthistatus inexpectus* Hayashi, 1959  
*inexpectus* Hayashi, 1959b: 56 (*Parechthistatus*) A: JA

**genus *Eupromus* Pascoe, 1868: xii** type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)  
*nigrovittatus* Pic, 1930a: 16 A: GUA GUI GUX HUB HUN JIA JIX YUN **ORR**  
*ruber* Dalman, 1817b: 167 (*Lamia*) A: FUJ GUA GUI GUX HUB HUN JA JIA JIX SC SCH TAI ZHE **ORR** #306  
*championi* White, 1858b: 398 (*Monochamus*)  
*sieboldi* Guérin-Méneville, 1844: 238 (*Callimation*)

**genus *Herophila* Mulsant, 1862: 273** type species *Dorcadion fairmairei* J. Thomson, 1857  
*Dorcatypus* J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857  
*fairmairei* J. Thomson, 1857d: 151 (*Dorcadion*) E: GR  
*tristis martinasci* Contarini & Garagnani, 1983: 152 (*Dorcatypus*) E: ?GR IT (Italia : Puglia, Calabria)  
*tristis oblitterata* Pic, 1921a: 5 ["Morea"] E: GR (*Peloponnesus*)  
*moreana* Rapuzzi & Sama, 2018: 22  
*tristis tristis* Linnaeus, 1767: 629 ["Monspelii" - Montpellier] (*Cerambyx*) E: AL AU BH BU CR FR GR HU IT MC ME RO SB SL SZ TR A: TR  
*adpersa* Gmelin, 1790: 1863 ["Carniola"] (*Cerambyx*)  
*beieri* Breuning, 1942e: 135 [Epire] (*Dorcatypus*)  
*bioculatus* Luigioni 1927: 60 [Lazio] (*Dorcatypus*)  
*confirmata* Chevrolat, 1882: 61 ["Oriens?"] (*Dorcatypus*)  
*divisa* Pic, 1921a: 5 ["Marseille"]  
*funerea* Schoch, 1878: 134  
*funesta* Fabricius, 1787: 139 ["in Galliae Sambuco"] (*Lamia*)  
*gennadii* Buquet, 1882: cxxxvii [Grèce] (*Lamia*)  
*interrupta* Pic, 1921a: 5 ["Constantinople"]  
*obsoleta* Fairmaire, 1859a: 62 [Béikos, dans le Bosphore et Constantinople] (*Morimus*)  
*posticalis* Pic, 1921a: 5 ["France M<sup>em</sup>"]  
*pulverulenta* Scopoli, 1772: 95 ["Carniola"] (*Cerambyx*)  
*zajecarensis* Breuning, 1948c: 58 ["Serbie: Zajecar"] (*Dorcadion*)  
*tristis veluchiana* Breuning, 1943b: 96 [Greece: Veluchi] (*Dorcadion*) E: GR #209

**genus *Lamia* Fabricius, 1775: 170** type species *Cerambyx textor* Linnaeus, 1758  
*Morimides* J. Thomson, 1859b: 95 type species *Cerambyx textor* Linnaeus, 1758  
*Pachystola* Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758  
*textor* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN WS XIN #400  
*nigrorugosa* DeGeer, 1775: 64 (*Cerambyx*)  
*noctis* Gronov [Gronovius], 1764: 162 [n.538] (*Cerambyx*) #328  
*tricarinata* Cornelius, 1884: 50  
*unicolor* P. Brown, 1776: 134 (*Cerambyx*) [HN]

**genus *Lamimimus* Kolbe, 1886: 223** type species *Lamimimus gottschei* Kolbe, 1886  
*chinensis* Breuning, 1936: 286 A: GUI YUN  
*gottschei* Kolbe, 1886: 224 A: ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE  
*adelphus* Ganglbauer, 1887a: 137 (*Lamia*)

**genus *Lonyarbon* Bi, 2018: 274** type species *Lonyarbon motuoensis* Bi, 2018  
*motuoensis* Bi, 2018: 275 A: XIZ

**genus *Mesechthistatus* Breuning, 1950c: 222** type species *Echthistatus binodosus* C. O. Waterhouse, 1881  
*binodosus binodosus* C. O. Waterhouse, 1881: 431 (*Echthistatus*) A: JA  
*binodosus insularis* Hayashi, 1955: 55 A: JA  
*fujisanus* Hayashi, 1957b: 46 A: JA  
*furciferus furciferus* Bates, 1884a: 237 (*Echthistatus*) A: JA  
*furciferus meridionalis* Hayashi, 1951b: 79 (*Echthistatus*) A: JA  
*taniguchii* Seki, 1944b: 168 (*Echthistatus*) A: JA  
*hayashii* Yokoyama, 1969: 58

**genus *Microdorcadion* Pic, 1925a: 16** type species *Microdorcadion tuberculatum* Pic, 1925a

*nitidituberculatum* Hua, 1992: 509, 523 (*Morimospasma*) A: HUB HUN #400 #643

**genus *Mimechthistatus* Breuning, 1956i: 706** type species *Echthistatus yamahoi* Mitono, 1943  
*yamahoi* Mitono, 1943: 578 (*Echthistatus*) A: TAI

**genus *Morimospasma* Ganglbauer, 1889a: 78** type species *Morimospasma paradoxum* Ganglbauer, 1889 #643  
**subgenus *Morimospasma* Ganglbauer, 1889a: 78** type species *Morimospasma paradoxum* Ganglbauer, 1889  
*chinense chinense* Breuning, 1942e: 132 (*Parechthistatus*) A: SHA #496  
*chinense orientale* Bi, 2021: 282 A: HEN SHA  
*brachypterum* Bi, 2021: 279 A: HUB  
*paradoxum forticorne* Bi, 2021: 277 A: GAN SCH  
*paradoxum paradoxum* Ganglbauer, 1889a: 80 A: GAN QIN SCH  
*paradoxum diffforme* Pic, 1934a: 12 (*Trachystola*) A: ANH CHQ SHA HUB JIX SCH #643  
*superciliatum asperum* Bi, 2021: 284 A: SCH SHA  
*superciliatum superciliatum* Pu, 1997: 821, 834 (*Neotrachystola*) A: CHQ HUB HUN  
**subgenus *Parvorama* Bi, 2021: 284** type species *Morimospasma tuberculatum* Breuning, 1939  
*bimaculatum* Breuning, 1947a: 1 A: CHQ GUI HUB HUN #643  
*jiangi* Xie G.-L., Zou & Wang W.-K., 2014: 447  
*cheni* Bi, 2021: 287 A: SCH  
*cylindriscapum* Bi, 2021: 288 A: HEN HUB SHA  
*holzschuhi* Bi, 2021: 286 A: GAN SHA  
*dalaolingense dalaolingense* Xie, Zou & Wang W.-K., 2014: 448 A: HUB  
*dalaolingense fasciatum* Bi, 2021: 286 A: SCH  
*granulatum* Chiang, 1981: 80 A: GAN HUB NIN SCH SHA #643  
*shii* Wang P., Xie G.-L. & Wang W.-K., 2022a: 537 A: HUB  
*tuberculatum* Breuning, 1939b: 147 A: ANH HUB ZHE #643 #644

**genus *Morinus* Brullé, 1832: 258** type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)  
*Morinus* Brullé, 1832: 258 [original incorrect spelling]  
*asper asper* Sulzer, 1776: 44 (*Cerambyx*) E: AL CR FR IT SP SZ  
*lugubris* Fabricius, 1793: 283 (*Lamia*)  
*asper funereus* Mulsant, 1862: 279 E: AL AU BEi BH BU ?CR CZ GR HU IT MC MD RO SB SK ?SL UK #354  
*asper ganglbaueri* Reitter, 1894b: 44 E: BH CR ME  
*asper gazanchidisi* Danilevsky, 2019: 88 ["Greece, Mt. Ossa"] E: GR  
*asper graecus* Danilevsky, 2016a: 189 E: GR (Peloponnesus)  
*assamensis* Breuning, 1936: 285 A: XIZ ORR  
*gabzdili* Danilevsky, 2015: 215 E: SK UK #205  
*lethalis* J. Thomson, 1857e: 182 A: SCH YUN ORR  
*morimoides* White, 1858a: 266 (*Leprodera*)  
*quadrimaculatus* Pic, 1925a: 17 (*Trachystola*)  
*trinotatus* Pic, 1925a: 17 (*Trachystola*)  
*whitei* Lacordaire, 1869: 298  
*orientalis* Reitter, 1894b: 43 E: BU TR A: TR  
*verecundus bulgaricus* Danilevsky, 2016a: 187 E: BU  
*verecundus murzini* Danilevsky, 2019: 89 ["Golestan province, mountains southwards Gorgan"] E: IN  
*verecundus verecundus* Faldermann, 1836: 396 (*Lamia*) E: ST UK(Crimea) A: AB AR GG IN TM TR  
*ficitor* Bogatchev, 1949: 183

**genus *Neotrachystola* Breuning, 1942e: 133** type species *Trachystola maculipennis* Fairmaire, 1900  
*incerta* Breuning, 1942e: 134 A: CH  
*maculipennis* Fairmaire, 1900: 639 (*Trachystola*) A: GUA SCH ORR #400  
*subobliterata* Pic, 1925a: 17 (*Trachystola*)

**genus *Parechthistatus* Breuning, 1942e: 131** type species *Echthistatus gibber* Bates, 1873  
*gibber daisen* Miyake & Tsuyi, 1980: 76 A: JA  
*gibber gibber* Bates, 1873: 308 (*Echthistatus*) A: JA  
*gibber grossus* Bates, 1884a: 237 (*Echthistatus*) A: JA  
*gibber longicornis* Hayashi, 1951b: 80 A: JA  
*gibber nakanei* Miyake, 1980: 76 A: JA  
*gibber nankiensis* Yokoyama, 1969: 59 A: JA  
*gibber pseudogrossus* Miyake, 1980: 78 A: JA  
*gibber shibatai* Miyake, 1980: 74 A: JA  
*gibber tanakai* Miyake, 1980: 77 A: JA  
*gibber tsushimanus* K. Ohbayashi, 1961b: 49 A: JA (Tsushima Is.) SC (Yeoseodo Is.) #162

**genus *Paroriaethus* Breuning, 1936: 282** type species *Paroriaethus multispinis* Breuning, 1936  
*multispinis* Breuning, 1936: 283 A: YUN **ORR** #341  
#341

**tribe Mesosini Mulsant, 1839**

**genus *Aesopida* J. Thomson, 1864: 62** type species *Aesopida malasiaca* J. Thomson, 1864  
*malasiaca* J. Thomson, 1864: 62 A: HAI NP SD YUN **ORR**  
*dubiosa* Heller, 1926: 37

**genus *Agelasta* Newman, 1842c: 288** type species *Agelasta transversa* Newman, 1842  
**subgenus *Dissosira* Pascoe, 1865a: 124** type species *Agelasta catenata* Pascoe, 1862a  
*Anthriboscyla* J. Thomson, 1868c: 165 type species *Anthriboscyla mimia* J. Thomson, 1868.  
*Pseudaemocia* Breuning, 1935: 269 type species *Pseudaemocia rufa* Breuning, 1935.  
*cana* Breuning, 1939c: 520 A: TAI  
*gardneri* Breuning, 1938c: 204 A: NP UP  
*helii* Yamasako & Liu, 2017: 218 A: HAI  
*konoii amamiana* Hayashi, 1962a: 13 A: JA (Ryukyus)  
*konoii konoii* Hayashi, 1956c: 13 A: JA (Tokara Isls., Izu Isls.)  
*konoii kumejimana* Kusama & Takakuwa, 1984: 49 A: JA (Ryukyus, Izu Isls.)  
*konoii okinoerabuensis* K. Ohbayashi, 1959: 34 A: JA (Ryukyus)  
*konoii okinawana* Hayashi, 1960d: 27 A: JA (Ryukyus)  
*kumei* Takakuwa, 1991: 52 A: TAI (Ludao Is.)  
*mouhotii* Pascoe, 1862a: 335 A: YUN **ORR**  
*perplexa* Pascoe, 1858: 243 A: FUJ HEN JA JIX LIA SC (Gageodo Is.) TAI ZHE  
*alternans* Schwarzer, 1925b: 62 (*Saimia*)  
*formosana* Pic, 1925b: 30 (*Mimocoptops*)  
*praelongipes* Kusama & Irie, 1976: 20 A: JA (Ryukyus)  
*rufa* Breuning, 1935e: 269 (*Pseudaemocia*) A: JA (Ogasawara Isls.)  
*sikkimensis* Breuning, 1963g: 78 A: SD  
*szetschuanica* Breuning, 1967f: 184 A: SCH  
*tonkinea omeishana* Gressitt, 1951a: 427 A: FUJ SCH  
*tonkinea palminsulana* Gressitt, 1940b: 127 (*Choeromorpha*) A: HAI  
*tonkinea tonkinea* Pic, 1925f: 188 A: NP TAI **ORR**  
*formosana* Schwarzer, 1925b: 61  
*yonaguni kashiwaii* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)  
*yonaguni similis* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)  
*semipraelongipes* Kusama & Takakuwa, 1984: 358  
*yonaguni subkonoii* Breuning, 1964f: 91 A: JA (Ryukyus)  
*yonaguni yonaguni* Hayashi, 1962c: 5 A: JA (Ryukyus)  
*yunnanensis* Breuning, 1954a: 10 A: YUN  
**subgenus *Epagelasta* Breuning, 1939c: 429** type species *Agelasta newmani* White, 1856  
*balteata* Pascoe, 1866b: 236 A: YUN **ORR** #176  
**subgenus *Mesolophus* Gahan, 1894a: 56** type species *Mesolophus humeralis* Gahan, 1894  
*Samiomimus* Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927  
*dayremi* Breuning, 1938c: 209 A: HAI **ORR** #453  
*humeralis* Gahan, 1894a: 57 (*Mesolophus*) A: NP  
*marmorata* Pic, 1927b: 36 (*Samiomimus*) A: FUJ SCH **ORR**  
*pici* Breuning, 1938c: 210 A: FUJ NMO  
*yunnana* Chiang, 1963: 69 A: YUN  
**subgenus *Parasaimia* Breuning, 1935e: 267 [RN]** type species *Mimocoptops laosensis* Pic, 1925  
*Mimocoptops* Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925  
*glabrofasciata* Pic, 1917f: 353 (*Mesosa*) A: YUN  
*hirticornis* Gressitt, 1936: 102 (*Saimia*) A: TAI  
**subgenus *Pseudagelasta* Breuning, 1939c: 487** type species *Agelasta bifasciana* White, 1858  
*bifasciana* White, 1858a: 273 A: HAI JIX NP SD XIZ YUN **ORR** #60 #453  
*bisinuata* Pic, 1937b: 4 (*Mesosa*)  
*savioi* Pic, 1937b: 4 (*Mesosa*)  
*birmanica* Breuning, 1935e: 273 (*Paragelasta*) A: YUN **ORR**  
*fallaciosa* Breuning, 1938c: 208 A: SD YUN

**genus *Anagelasta* Pic, 1925a: 31** type species *Anagelasta apicalis* Pic, 1925  
**subgenus *Anagelasta* Pic, 1925a: 31** type species *Anagelasta apicalis* Pic, 1925  
*apicalis* Pic, 1925a: 32 A: CH NP SD UP **ORR**  
*adspersa* Schwarzer, 1931a: 68 (*Choeromorpha*)  
~~**subgenus *Mesagelasta* Breuning, 1939c: 494** type species *Anagelasta trimaculata* Breuning, 1938~~ #585  
~~*nigromaculata* Breuning, 1938c: 212 A: HP~~

**genus *Anancylus* J. Thomson, 1864: 61** type species *Anancylus calceatus* J. Thomson, 1864  
**subgenus *Paranancylus* Breuning, 1939c: 472** type species *Anancylus socius* Pascoe, 1865  
*albofasciatus* Pic, 1925: 25 A: HAI #271  
*punctifasciata* Gressitt, 1940b: 120 (*Mesocacia*) #271

**genus *Cacia* Newman, 1842c: 290** type species *Cacia spinigera* Newman, 1842  
**subgenus *Corethrophora* Blanchard, 1853: 301** type species *Corethrophora semiluctuosa* Blanchard, 1853  
*shirupiti* Kano, 1939: 31 A: TAI (Lanyu Is.)  
**subgenus *Ipocregyes* Pascoe, 1865a: 113** type specie *Cacia newmanni*, 1857b: 102  
*Falsoereis* Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925  
*arisana* Kano, 1933a: 281 (*Ipocregyes*) A: TAI  
*scopifera* Mitono, 1934: 492 (*Cenodocus*)  
*basialboantennalis* Breuning, 1958a: 6 A: BT  
*bootanana* Breuning, 1968f: 693 A: BT  
*cephaloides* Breuning, 1968a: 8 A: YUN ORR  
*cephalotes* Pic, 1925b: 25 (*Falsoereis*) A: BT HAI SD YUN ORR #271  
*formosana* Schwarzer, 1925b: 60 (*Mesosa*) A: FUJ HUB JIX TAI ZHE  
*lepesmei* Gressitt, 1951a: 423 A: GUX SHA  
*nigrofasciata* Gressitt, 1940b: 122 A: HAI  
*subcephalotes* Breuning, 1968a: 9 A: HAI ORR #453  
*watantakkuni* Kano, 1933a: 280 (*Ipocregyes*) A: TAI  
*yunnana* Breuning, 1938c: 208 A: YUN  
**subgenus *Pericacia* Breuning, 1939c: 459** type species *Lamia cretifera* Hope, 1831  
*cretifera* *cretifera* Hope, 1831: 27 (*Lamia*) A: : GUA GUI GUX HUB NP PA SCH SD SHX UP XIZ YUN #127  
*incensa* Pascoe, 1865a: 112  
*macularia* Gressitt, 1939a: 62  
*cretifera thibetana* Pic, 1917h: 12 (*Mesosa*) A: GUX SCH XIZ YUN  
*thibetana* Pic, 1925b: 27 (*Cacia*) [HN]  
*multirustica* Chiang, 1951: 64 A: GUI

**genus *Choeromorpha* Chevrolat, 1843: 613** type species *Choeromorpha pigra* Chevrolat, 1843  
**subgenus *Choeromorpha* Chevrolat, 1843: 613** type species *Choeromorpha pigra* Chevrolat, 1843  
*lineifrons* Gressitt, 1951a: 429 (*Anagelasta*) A: FUJ HAI #271  
*subfasciata* Pic, 1922b: 26 (*Coptops*) A: YUN ORR

**genus *Clyzomedus* Pascoe, 1865a: 115** type species *Coptops nanus* Pascoe, 1859  
*laosensis* Breuning, 1965e: 35 A: HAI ORR #453  
*transversefasciatus* Breuning, 1938c: 212 A: UP

**genus *Coptops* Audinet-Serville, 1835a: 64** type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)  
*aedificator* Fabricius, 1793: 275 (*Lamia*) A: AP KA OM PA SA ?TAI UP YE AFR ORR #127 #274 #280  
*ambulator* Fabricius, 1775: 171 (*Lamia*)  
*bidens* Wollaston, 1877: 210  
*fuscus* Olivier, 1797: 462 (*Lamia*) [1800: 83 (*Cerambyx*)] #373  
*inhambanensis* Bertoloni, 1876: 263 (*Phymasterna*)  
*parallelus* Audinet-Serville, 1835a: 64  
*quadrisignatus* Fåhræus, 1872b: 30  
*villicus* Olivier, 1797: 468 (*Lamia*) [1800: 102 (*Cerambyx*)] #373  
*albonotatus* Pic, 1917f: 354 (*Pachyosa*) A: SCH YUN ORR  
*albosparsus* Pic, 1926b: 7 (*Mutatocoptops*)  
*annulipes annulipes* Gahan, 1894a: 54 A: YUN "North India" ORR  
*curvatosignatus* Pu, 1992b: 606 A: SCH  
*diversesparsus* Pic, 1917e: 7 (*Pachyosa*) A: YUN  
*nigrosparsus* Pic, 1933a: 13 (*Mutatocoptops*)  
*japonicus* Breuning, 1936: 311 A: TAI  
*leucosticticus leucosticticus* White, 1858a: 272 A: AP GUI GUX NP SD XIZ YUN ORR #126  
*centurio* Pascoe, 1869b: 205  
*lacertosus* Pascoe, 1865a: 121  
*longipes* Pic, 1925b: 29 (*Mutatocoptops*)  
*niveisparsus* Fairmaire, 1904c: 145  
*olivaceus* Breuning, 1935e: 263  
*petechialis* Pascoe, 1865a: 119  
*polyspilus* Pascoe, 1865a: 118  
*vitalisi* Pic, 1926b: 7 (*Mutatocoptops*)  
*leucosticticus rusticus* Gressitt, 1940b: 124 [RN] A: GUX HAI  
*polyspilus* Gahan, 1900d: 351 [HN]  
*licheneus* Pascoe, 1865a: 118 A: FUJ GUA GUX HAI HKG NP YUN ORR

*salvazai* Pic, 1925b: 29 (*Mutatocoptops*)  
*ocellifer* Breuning, 1965: 37 A: YUN **ORR** #59  
*pascoei* Gahan, 1894a: 55 A: GUX **ORR**  
*bidentatithorax* Pic, 1925b: 30 (*Mutatocoptops*)  
*penghuensis* Yamasako & Lin, 2010: 292 A: TAI (Penghu)  
*szechuanicus* Gressitt, 1951a: 431 A: SCH  
*thibetanus* Breuning, 1974d: 79 A: XIZ

**genus *Epimesosa* Breuning, 1939c: 420** type species *Mesosa taliana* Pic, 1917  
*taliana* Pic, 1917h: 13 (*Mesosa*) A: SCH YUN

**genus *Ereis* Pascoe, 1865a: 105** [RN] type species *Eris anthriboides* Pascoe, 1857 #59  
*Eris* Pascoe, 1857: 110 [HN] type species *Eris anthriboides* Pascoe, 1857 (not Koch, 1846, Arachnida)  
*subfasciata* Pic, 1925b: 25 A: GUX HAI **ORR** #59

**genus *Eurymesosa* Breuning, 1939a: 391** type species: *Ereis ventralis* Pascoe, 1865  
*ziranzhiyi* Yamasako & Lin, 2016: 194 A: HUB SHA

**genus *Falsomesosella* Pic, 1925b: 27** type species *Falsomesosella minor* Pic, 1925  
**subgenus *Falsomesosella* Pic, 1925b: 27** type species *Falsomesosella minor* Pic, 1925  
*Gyarancita* Breuning, 1963: 9 type species *Gyarancita rondoni* Breuning, 1963 #217  
*albofasciata* Pic, 1925b: 27 A: YUN  
*bhutanensis* Breuning, 1968e: 859 (*Mesosella*) A: BT NP  
*breuningi* Pic, 1944b: 14 A: CH  
*gardneri* Breuning, 1938c: 197 A: NP SD UP YUN  
*affinis* Breuning, 1938c: 198  
*annamensis* Breuning, 1939c: 516 (*Mesosa*)  
*gracilior* Bates, 1884a: 244 (*Mesosa*) A: JA  
*grisella* White, 1858b: 401 (*Cacia*) A: HKG TAI  
*horishana* Gressitt, 1938b: 161 A: TAI  
*mediofasciata* Breuning, 1968f: 697 A: SD  
*minor* Pic, 1925b: 27 A: YUN  
*minor* Pic, 1926b: 9 (*Mesosa*)  
*nigronotata hakka* Gressitt, 1937d: 597 A: GUA HAI ZHE **ORR** #489  
*[nigronotata nigronotata* Pic, 1930: 19 – Viet-Nam]  
*rufovittata* Breuning, 1938c: 198 A: NP UP  
*transversefasciata* Breuning, 1938c: 198 A: UP  
*subalba* Gressitt, 1938b: 162 A: TAI  
*taibaishana* Lazarev, 2021b: 142 A: HEN SHA #603  
*truncatipennis* Pic, 1944b: 13 A: HEN HUB SHA **ZHE** #60 #489 #603  
*unicolor* Breuning, 1965: 44 A: TAI

**genus *Golsinda* J. Thomson, 1861: 343** type species *Golsinda carolina* J. Thomson, 1861  
*basicornis* Gahan, 1894a: 48 A: GUI HAI YUN **ORR** #59  
*rugicollis* Gressitt, 1940b: 121 (*Mesocacia*) #59

**genus *Hypocacia* Breuning, 1935e: 275** type species *Hypocacia biplagiata* Breuning, 1935  
*shimomurai* Holzschuh, 1989b: 386 A: TAI

**genus *Japanomesosa* Yamasako & N. Ohbayashi, 2007: 344** type species *Mesosa poecila* Bates, 1884a  
*poecila* Bates, 1884a: 245 (*Mesosa*) A: JA

**genus *Leptomesosa* Breuning, 1938c: 392** type species *Mesosa cephalotes* Pic, 1903  
*cephalotes* Pic, 1903g: 121 (*Mesosa*) A: SCH SHA YUN **ORR** #225  
*nodosipennis* Pic, 1917h: 12 (*Mesosa*)  
*langana* Pic, 1917: 12 (*Mesosa*) A: HAI **ORR** #59

**genus *Mesocacia* Heller, 1926: 32** type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)  
*duplicaria* Holzschuh, 2006c: 484 A: NP  
*multimaculata* Pic, 1925b: 24 (*Ereis*) A: BT GUX HAI SD YUN **ORR**  
*assamensis* Heller, 1926: 33

**genus *Mesoereis* Matsushita, 1933b: 338** type species *Mesoereis koshunensis* Matsushita, 1933  
*Trichomesosa* Breuning, 1938: 389 type species *Ereis bifasciata* Pic, 1925 [Tonkin] #69  
*bifasciata* Pic, 1925: 25 (*Ereis*) A: FUJ GUX HAI TAI **ORR** #69  
*koshunensis* Matsushita, 1933b: 339 #69

*kikuchii* Matsushita, 1933b: 339  
*horiana* Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) A: JA (Ryukyus)  
*ohirai* Breuning & Villiers, 1973: 48

**genus *Mesosa* Latreille, 1829: 124** type species *Cerambyx curculionoides* Linnaeus, 1760

**subgenus *Aplocnemia* Stephens, 1831: 236** type species *Cerambyx nubilis* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)

*Aphelocnemia* Stephens, 1832: [414] [emendation, not in usage]

*Haplocnemia* Agassiz, 1846: 172 [unjustified emendation]

*Helixoea* Pascoe, 1865a: 124 type species *Agelasta rupta* Pascoe, 1862

*affinis affinis* Breuning, 1936: 306 A: NP BT SD

*affinis nepalica* Holzschuh, 2003b: 307 A: NP

*andrewsi* Gressitt, 1942c: 3 A: XIX

*angusta* Gressitt, 1951a: 417 A: GUA

*cheni* Gressitt, 1951a: 418 A: HAI HUB

*griseomarmorata* Breuning, 1939c: 517 A: GUX

*jarzabekae* Danilevsky & Müller, 2016: 184 A: IN

*latifasciata* White, 1858b: 401 (*Cacia*) A: FUJ GAN GUA GUI GUX HAI HEB JIA JIX SCH SHX TAI ZHE **ORR #60 #271 #489**

*latifasciata* Matsushita, 1931a: 44

*luteopubens* Pic, 1917c: 7

*longipennis* Bates, 1873: 313 A: KO JA

**#496 #497 #521**

*amakusae* Breuning, 1964f: 91

*posticeconnexa* Hayashi, 1964: 73

*subobliterata* Pic, 1901m: 62

*nebulosa algerica* Pic, 1898h: 58 N: AG TU

*nebulosa nebulosa* Fabricius, 1781: 218 (*Lamia*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD ME  
NL NR PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG TR **#665**

*brevis* Villers, 1789: 257 (*Cerambyx*)

*lineatopunctata* Baudi di Selve, 1889a: 193

*m-nigrum* Schaller, 1783: 291 (*Cerambyx*)

*nubila* Gmelin, 1790: 1832 (*Cerambyx*)

*nebulator* Turton, 1806: 306 (*Cerambyx*)

*silvestrii* Tippmann, 1956: 492

*nigrofasciaticollis* Breuning, 1968a: 5 A: GUX HKG YUN **ORR**

*obscura* Gahan, 1894a: 49 A: YUN **ORR**

**#298**

*tonkinensis* Breuning, 1936: 306 [HN].

*tonkinea* Breuning, 1939c: 404 [RN].

*obscuricornis* Pic, 1894b: 44 E: **ST** A: AB (Talysh) IN

**#661**

*rupta* Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX HKG YUN **ORR**

**#400**

*nhouabayi* Breuning, 1965c: 44

*nigrobifasciata* Pic, 1925b: 30 (*Mimocoptops*)

*unifasciata* Pic, 1922b: 26

*senilis* Bates, 1884a: 245 A: FE (Kunashir) JA

*sikkimensis* Breuning, 1935e: 274 A: SD **ORR**

*sparsenotata* Pic, 1922c: 14 A: HAI **ORR**

**#271**

*maculifemorata* Gressitt, 1940b: 117

**#271**

*tenuefasciata* Pic, 1926b: 9 A: HAI **ORR**

**#453**

*undata* Fabricius, 1793: 270 (*Lamia*) A: GUX **ORR**

*antennata* White, 1858b: 401 (*Cacia*)

**subgenus *Lissomesosa* Yamasako & N. Ohbayashi, 2007: 340** type species *Mesosa cribrata* Bates, 1884a

*cribrata* Bates, 1884a: 245 A: JA

*kirisimana* Matsushita, 1943: 576 A: JA

*shikokensis* K. Ohbayashi, 1963: 11

**subgenus *Mesosa* Latreille, 1829: 124** type species *Cerambyx curculionoides* Linnaeus, 1760

*Dendrobis* Gistel, 1834: 30 [unnecessary substitute name]

*bipunctata* Chiang, 1951: 62 A: GUI GUX

*curculionoides* Linnaeus, 1760: 193 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT ?LA LT MC MD ME NR PL PT  
RO SB SK SL SP ST SV SZ TR UK A: AB AR GG IN TR **#104**

*nigronotata* Pic, 1906h: 86 (*Haplocnemia*)

*oculata* Geoffroy, 1785: 78 (*Leptura*) [HN]

*tokatensis* Pic, 1904a: 6 (*Haplocnemia*)

*japonica* Bates, 1873: 312 A: FE (Sakhalin, Kurils) JA

*mediofasciata* Breuning, 1942a: 142 A: JA

*myops* Dalman, 1817b: 168 (*Lamia*) E: BY CT FI LA LT NT PL ST SV UK A: ?ANH ES FE ?GAN ?GUA ?GUI HEB HEI ?HEN  
?HUB JIL KZ LIA MG NC NMO ?QIN SC ?SCH ?SHA WS XIN ?ZHE

*plotina* Z. Wang, 2003: 323, 396

*stictica* Blanchard, 1871: 812 A: BEI GAN GUI HUB SCH SHA SHN SHX XIX YUN ZHE

*oculicollis* Fairmaire, 1878: 131

<i>rugosa</i> Gressitt, 1951a: 416	#329
<b>subgenus</b> <i>Metamesosa</i> Breuning, 1939c: 411 type species <i>Mesosa basinodosa</i> Pic, 1925	
<i>basinodosa</i> Pic, 1925b: 28 A: HAI YUN	#453
<i>nomurai</i> Hayashi, 1964: 71 A: JA	
<i>sinica</i> Gressitt, 1939b: 113 ( <i>Aesopida</i> ) A: FUJ GUX HUN ZHE	
<b>subgenus</b> <i>Perimesosa</i> Breuning, 1939c: 409 type species <i>Mesosa hirsuta</i> Bates, 1884a	
<i>atrostigma</i> Gressitt, 1942g: 84 A: ANH FUJ GUX SHA TAI ZHE	#60 #225
<i>bimaculata</i> Breuning, 1936: 306 A: SD UP <b>ORR</b>	
<i>binigrovittata</i> Breuning, 1942a: 143 A: FUJ TAI	
<i>binigrovittipennis</i> Breuning, 1968f: 692 A: AP SD	
<i>chassoti</i> Breuning, 1970c: 89 A: TAI	
<i>enodata</i> Holzschuh, 2017c: 124 A: GUI	
<i>guttigera</i> Holzschuh, 2017c: 125 A: GUI	
<i>hirsuta albihirsuta</i> Kusama & Takakuwa, 1984: 11 A: JA	
<i>hirsuta brevihirsuta</i> Makihara, 1980: 53 A: JA (Danjo Is.)	
<i>hirsuta hirsuta</i> Bates, 1884a: 244 A: JA	
<i>harmandi</i> Pic, 1901k: 341	
<i>nigrohumeralis</i> Breuning, 1938c: 203	
<i>hirsuta continentalis</i> Hayashi, 1964: 76 [= 1965: 29] A: FE NC NE SC	
<i>hirsuta konishii</i> Hayashi, 1964: 76 [= 1965: 30] A: JA (Tsushima Is.)	
<i>hyunchaei</i> Yamasako & Hasegawa, 2009: 290 A: SC	
<i>irrorata</i> Gressitt, 1939b: 111 A: FUJ HEN HUB HUN JIX SCH SHA ZHE	#60
<i>medioalbofasciata</i> Breuning, 1969a: 35 A: TAI	
<i>pictipes miyamotoi</i> Hayashi, 1956c: 20 A: JA (Tokara Isls., Ryukyus)	
<i>pictipes pictipes</i> Gressitt, 1937b: 323 A: JA (Ryukyus)	
<i>pieli</i> Pic, 1936d: 16 A: JIX	
<i>setulosa</i> Breuning, 1938c: 202 A: HP NP	
<i>nigromaculata</i> Breuning, 1938c: 212 ( <i>Anagelasta</i> )	#585
<i>yayeyamai</i> Breuning, 1955b: 61 A: JA (Ryukyus)	
<b>subgenus</b> <i>Saimia</i> Pascoe, 1866b: 234 [RN] type species <i>Samia albidorsalis</i> Pascoe, 1865	
<i>Samia</i> Pascoe, 1864a: 96 [HN] type species <i>Samia albidorsalis</i> Pascoe, 1865	
<i>indica</i> Breuning, 1935e: 265 A: UP YUN <b>ORR</b>	
<i>kuntzeni</i> Matsushita, 1933b: 340 A: TAI	
<i>lata</i> Breuning, 1956g: 677 A: "North-west India"	
<i>quadriplagiata</i> Breuning, 1935a: 264 ( <i>Saimia</i> ) A: UP YUN <b>ORR</b>	
<i>subfasciata</i> Gahan, 1894a: 49 A: UP YUN <b>ORR</b>	#298
<i>tonkinensis</i> Breuning, 1935e: 265 ( <i>Saimia</i> )	
<i>marmorata</i> Breuning, 1943e: 47	
<i>rondoni</i> Breuning, 1962b: 63.	
<i>variegata</i> Breuning, 1962b: 15.	
<i>paravariegata</i> Rondon & Breuning, 1970: 326.	
<i>yunnana</i> Breuning, 1938c: 202 ( <i>Saimia</i> ) A: HAI YUN	
<b>genus</b> <i>Metipocregyes</i> Breuning, 1939c: 429 type species <i>Mesosa nodieri</i> Pic, 1933	
<i>nodieri</i> Pic, 1933a: 14 ( <i>Mesosa</i> ) A: GUX HAI YUN <b>ORR</b>	#270 #453
<i>variabilis</i> Yamasako & Lin, 2018: 519 A: HAI GUX	
<i>wenhsini</i> Yamasako & Chou, 2013: 97 ( <i>Hypocacia</i> ) A: TAI	#270
<b>genus</b> <i>Mutatocoptops</i> Pic, 1925b: 29 type species <i>Mutatocoptops alboapicalis</i> Pic, 1925	
<i>alboapicalis</i> Pic, 1925b: 30 A: AP YUN <b>ORR</b>	#126
<i>anancyloides</i> Schwarzer, 1925b: 61 ( <i>Coptops</i> ) A: TAI <b>ORR</b>	
<b>genus</b> <i>Pachyosa</i> Fairmaire, 1897a: 71 type species <i>Pachyosa cervinopicta</i> Fairmaire, 1897	
<i>atronotata atronotata</i> Kusama & Irie, 1976: 19 ( <i>Mesosa</i> ) A: JA(Tokara Isls.)	
<i>atronotata yamawakii</i> Hayashi, 1976: 11 ( <i>Mesosa</i> ) A: JA	
<i>cervinopicta</i> Fairmaire, 1897a: 71 A: JA (Ryukyus)	
<i>guanyin</i> Yamasako & Chou, 2014b: 44 A: TAI	
<i>hirtiventris</i> Gressitt, 1937b: 324 ( <i>Coptops</i> ) A: JA (Ogasawara Isls.)	
<i>itoi</i> Ohbayashi, 1985: 1 ( <i>Mesosa</i> ) A: JA (Ryukyus)	
<i>kojimai</i> Hayashi, 1974c: 37 ( <i>Coptops</i> ) A: TAI	
<b>genus</b> <i>Paragolsinda</i> Breuning, 1956g: 675 type species <i>Paragolsinda fruhstorferi</i> Breuning, 1956g	#299
<i>fruhstorferi</i> Breuning, 1956g: 676 A: HAI <b>ORR</b>	#271
<i>obscura</i> Matsushita, 1933b: 339 ( <i>Mesoereis</i> ) A: TAI	
<i>tonkinensis</i> Breuning, 1938c: 197 ( <i>Mesoereis</i> ) A: HAI <b>ORR</b>	

genus *Paripocregyes* Breuning, 1938c: 204 type species *Paripocregyes brunneomaculatus* Breuning, 1938  
*brunneomaculatus* Breuning, 1938c: 204 A: UP **ORR**

genus *Pseudipocregyes* Pic, 1923c: 20 type species *Pseudipocregyes maculatus* Pic, 1923  
*albosignatus* Breuning, 1974d: 74 A: CH **ORR**  
*maculatus* Pic, 1923c: 20 A: YUN **ORR**

genus *Pseudoclyzomedus* Yamasako, 2009: 282 type species *Pseudoclyzomedus ohbayashii* Yamasako, 2009  
*hainanus* Yamasako & Liu, 2019: 2 A: HAI

genus *Spinipocregyes* Breuning, 1949a: 6 type species *Spinipocregyes nigrescens* Breuning, 1949a  
*wenhsini* Bi, 2013: 104 A: HAI

### tribe Monochamini Gistel, 1848

#13 #521

genus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858

subgenus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858

#89

*Cypriola* J. Thomson, 1864: 16 type species *Cypriola acanthocinoides* J. Thomson, 1864

*Haplohammus* Bates, 1884a: 239 type species *Monohammus luxuriosus* Bates, 1873

*Neanthes* Pascoe, 1878: 372 type species *Monohammus curialis* Pascoe, 1858 (= *Monochamus subfuscus* J. Thomson, 1857)

*affinis* Breuning, 1935d: 55 (*Dihammus*) A: NP SD ZHE

#400 #434

*amamiana amamiana* Hayashi, 1962b: 36 (*Cypriola*) A: JA (Ryukyus)

*amamiana simillima* Breuning & K. Ohbayashi, 1966: 32 A: JA (Ryukyus)

*okinawensis* Breuning & K. Ohbayashi, 1966: 31

*aurata* Gahan, 1888c: 260 (*Monohammus*) A: AP NP **ORR**

#126

*basicornis* Gahan, 1894a: 37 (*Haplohammus*) A: GUX HUN SD YUN **ORR**

*basiplagiata* Breuning, 1935c: 249 (*Dihammus*) A: YUN **ORR**

*battonii* Breuning, 1980a: 16 A: NP

*bifasciata* Westwood, 1848: 59 (*Monohammus*) A: AP HUB SD "Himalaya" **ORR**

*kingana* Pic, 1921b: 6 (*Monohammus*)

*perplexa* Gahan, 1888d: 393 (*Monohammus*)

*boninensis* Hayashi, 1971: 16 A: JA (Ogasawara Isls.)

*bretschneideri* Weigel, 2012: 409 A: AP NP

#390

*breuningii* Gressitt, 1951a: 399 (*Dihammus*) A: GUA

*breviscapus* Hayashi, 1980a: 2 A: NP

*cervina* Hope, 1831: 27 (*Monochamus*) A: AP FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE **ORR** #280

— *fulvicornis* Pascoe, 1875: 64 (*Monochamus*)

*chinensis* Breuning, 1970f: 475 A: GUI

*coreanica* Breuning, 1956c: 234 A: NC (Mt. Geumgangsán)

*coreensis* Breuning, 1967f: 183 A: SC (Seoul)

*crassepunctifrons* Breuning, 1960d: 34 (*Cypriola*) A: SD

*degeneroides* Breuning, 1948a: 8 (*Dihammus*) A: JIX

*elongata* Breuning, 1935c: 251 (*Dihammus*) A: GUI NP SCH SD **ORR**

#280

*fasciculata* Hua, 2009: 192, 331 [RN] A: YUN

*fasciata* Hua, 1992: 492, 524 [HN]

*ferriei* Breuning, 1954d: 73 (*Cypriola*) A: FUJ JA (Ryukyus)

*flocculata flocculata* Gressitt, 1935c: 188 (*Monochamus*) A: TAI

*flocculata paucisetosa* Gressitt, 1938c: 154 (*Dihammus*) A: AP GUI GUX SCH SHA

#126

*formosana* Breuning, 1935c: 251 (*Dihammus*) A: TAI

*fraudator fraudator* Bates, 1873: 309 (*Monohammus*) A: FE FUJ GUA HUN JA JIA NE SC ZHE

#400

*fraudator nigricornis* Makihara, 1977: 63 A: JA

*mogii* Makihara, 1980: 62

*fraudator satoi* Breuning & K. Ohbayashi, 1966: 32 A: JA (Tsushima Is.)

*fraudator yakushimana* Yokoyama, 1971: 99 A: JA

*freudei* Heyrovský, 1976: 184 A: NP

*gardneri* Breuning, 1938c: 186 (*Dihammus*) A: SD

*ginkgovora* Makihara, 1992a: 62 A: JA

*griseipennis* J. Thomson, 1857f: 296 (*Monochamus*) A: AP BT NP SD YUN **ORR**

#280

*griseoplagiata* Breuning, 1935c: 250 (*Dihammus*) A: SD

*grossescapa* Breuning, 1942a: 117 (*Dihammus*) A: TAI

*hachijoensis* Gressitt, 1956: 113 (*Dihammus*) A: JA (Izu Isls.)

*mikurensis* Hayashi, 1969a: 64

*hainana* Breuning, 1959d: 149 (*Cypriola*) A: HAI

*haradai* Hayashi, 1980a: 3 A: NP

*hingstoni* Gilmour, 1956b: 743 (*Dihammus*) A: XIZ

*holosericea* Breuning, 1939b: 158 (*Dihammus*) A: UT XIZ **ORR**

#379

*hunanensis* Breuning, 1963h: 218 A: HUN  
*inaequalis* Gardner, 1937: 8 (*Dihammus*) A: SD  
*iwahashii* Makihara, 1992a: 59 A: JA (Ryukyus)  
*kuniyoshii* Hayashi, 1963c: 11 A: JA (Ryukyus)  
*kusamai* Hayashi, 1969a: 64 A: JA SC  
*laeviceps* Breuning, 1938c: 186 (*Dihammus*) A: SD  
*longicollis* Gilmour, 1956b: 744 (*Dihammus*) A: NP  
*luxuriosa kawadai* Takakuwa, 1984: 431 A: JA (Ryukyus)  
*luxuriosa kuro* Makihara, 1977: 65 A: JA  
*luxuriosa luxuriosa* Bates, 1873: 309 (*Monohammus*) A: FE (Kunashir) JA  
*masatakai* Makihara, 2003: 356 A: JA  
*mutans* Breuning, 1938a: 32 (*Dihammus*) A: AP XIZ **ORR** #126  
*nepalensis* Hayashi, 1980a: 1 A: NP  
*ningshanensis* Danilevsky, 2013h: 34 A: GUI HUB SCH SHA YUN #60  
*nishimurai* Makihara, 1992a: 70 A: JA (Ryukyus)  
*nivosa* White, 1858b: 409 (*Monohammus*) A: NP PA "Himalaya" **ORR**  
*oshimana omoro* Hayashi, 1963c: 11 A: JA (Ryukyus)  
*oshimana oshimana* Breuning, 1954d: 73 (*Cypriola*) A: JA (Tokara Isls., Ryukyus)  
*paracervina* Breuning, 1972b: 237 A: AP **ORR** #280  
*paraspeciosa* Breuning, 1982: 19 A: XIZ  
*permutans occidentalis* Breuning, 1958h: 268 (*Cypriola*) A: SCH  
*permutans okinawana* Gressitt, 1951b: 216 (*Dihammus*) A: JA  
*teragrama* Gilmour, 1951: 67 (*Dihammus*)  
*permutans paucipunctata* Gressitt, 1938b: 157 (*Dihammus*) A: JA TAI YUN  
*permutans permutans* Pascoe, 1857b: 103 (*Monohammus*) A: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI ZHE  
**ORR**  
*severini* Nonfried, 1892a: 94 (*Monohammus*)  
*vicina* Pascoe, 1858: 245 (*Monohammus*)  
*pseudosericans* Breuning, 1949b: 6 A: SHG ZHE **ORR** #400  
*punctifrons* Gahan, 1894a: 36 (*Haplohammus*) A: SD  
*scotti* Breuning, 1936: 289 (*Dihammus*) A: SD  
*sejuncta hamai* Hayashi, 1962b: 36 (*Cypriola*) A: JA  
*sejuncta izuinsulana* Hayashi, 1968a: 25 A: JA (Izu Isls.)  
*sejuncta morii* Makihara, 1980: 65 A: JA  
*sejuncta sejuncta* Bates, 1873: 310 (*Monohammus*) A: FE (Sakhalin, Kunashir) FUJ HUB JA NC SC  
*fraxini* Matsushita, 1933a: 328 (*Dihammus*)  
*fulvicornis* Pascoe, 1875: 64 (*Monochamus*)  
*olivacea* Breuning, 1944b: 471 (*Dihammus*)  
*sejuncta tsushima* Breuning, 1960e: 35 (*Cypriola*) A: JA (Tsushima Is.)  
*semidegenera* Hayashi, 1981a: 14 A: NP  
*semisericea* Pic, 1935b: 17 (*Dihammus*) A: SCH  
*sericans* Breuning, 1938a: 33 (*Dihammus*) A: NP SD UP  
*sericeomicans* Fairmaire, 1889a: 67 (*Monochamus*) A: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**  
*seunghwani* Danilevsky, 2013h: 32 A: FE (Falatsa Mt. near Anisimovka) JIL NC SC **SCH** #496  
*sikkimensis nigrina* Breuning, 1975d: 344 A: AP BT #126  
*sikkimensis rufoantennata* Breuning, 1975d: 345 A: BT NP  
*sikkimensis sikkimensis* Breuning, 1935c: 250 (*Dihammus*) A: SD  
*sobria* Pascoe, 1858: 246 (*Monohammus*) A: TAI **ORR**  
*socia* Gahan, 1888a: 275 (*Haplohammus*) A: FUJ GUX JIA JIX NO  
*speciosa* Gahan, 1888a: 275 (*Haplohammus*) A: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**  
*sublusca boehmeriavora* Makihara, 1992a: 60 A: JA (Ryukyus)  
*sublusca maculihumera* Matsushita, 1933b: 328 (*Dihammus*) A: TAI  
*sublusca sublusca* J. Thomson, 1857f: 293 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA SHN  
**ZHE ORR**  
*curialis* Pascoe, 1858: 246  
*subspeciosa* Breuning, 1963h: 217 A: ZHE  
*sulphurifera* Hope, 1842b: 128 (*Monochamus*) A: SD **ORR**  
*szechuana* Gressitt, 1938c: 155 (*Dihammus*) A: SCH  
*tenuipes* Breuning, 1939b: 158 (*Dihammus*) A: SD  
*ussurica* Plavilstshikov, 1951: 121 (*Dihammus*) A: FE  
*vitalisi* Pic, 1925a: 19 (*Monochamus*) A: FUJ GUA GUX HAI HUN JIX SCH TAI **YUN ZHE ORR** #496  
*ikedai* Mitono, 1943: 581 (*Dihammus*)  
*wittmeri* Breuning, 1975d: 343 A: BT  
*yokoyamai* Hayashi, 1971: 15 A: TAI (Ludao Is., Lanyu Is.)  
**subgenus Dihammus** J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835) #89

*Niphohammus* Matsushita, 1932: 170 type species *Niphohammus korolensis* Matsushita, 1932  
*rusticator formosensis* Breuning & K. Ohbayashi, 1966a: 11 A: TAI (Ludao Is., Lanyu Is.)  
*rusticator rusticator* Fabricius, 1801: 294 (*Lamia*) A: TAI **ORR**  
*bianor* Newman, 1842b: 277 (*Monochamus*)  
*brunnescens* Breuning, 1980: 175 #586  
*fistulator* Germar, 1823: 478 (*Lamia*) #506  
*musiva* Pascoe, 1866b: 251 (*Monochamus*)  
*whiteheadi* Breuning, 1970: 474 #586

**genus Agnioides Breuning, 1956g: 671** type species *Agnioides striatopunctatus* Breuning, 1956  
*Paragniopsis* Breuning, 1965: 59c type species *Paragniopsis ochraceomaculata* Breuning, 1965 #256  
*striatopunctatus* Breuning, 1956g: 671 A: YUN **ORR** #256  
*ochraceomaculata* Breuning, 1965c: 59 (*Paragniopsis*) #256

**genus Agniomorpha Breuning, 1935e: 257** type species *Agniomorpha ochraceomaculata* Breuning, 1935  
*ochraceomaculata* Breuning, 1935e: 257 A: GUI GUX SD **ORR**

**genus Agnoderus J. Thomson, 1864: 83** type species *Agnoderus gnomoides* J. Thomson, 1864  
*gnomoides* J. Thomson, 1864: 83 A: SD

**genus Anamera J. Thomson, 1864: 63** type species *Anamera alboguttata* J. Thomson, 1864  
*gigantea gigantea* Breuning, 1935d: 66 A: PA **ORR**  
*gigantea iliyashenkoi* Jiroux, Garreau & Gurko, 2012: 19 A: PA

**genus Anameromorpha Pic, 1923c: 19** type species *Anameromorpha metallica* Pic, 1923  
*metallica* Pic, 1923c: 19 A: YUN **ORR** #289 #400

**genus Annamanum Pic, 1925a: 23** type species *Annamanum vitalisi* Pic, 1925  
*Uraechopsis* Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894  
*albisparsum* Gahan, 1888b: 62 (*Monochamus*) A: FUJ GUI GUX HUN JIX  
*albonotatum* Pic, 1925a: 22 (*Uraecha*)  
*albomaculatum* Breuning, 1935f: 76 A: CH **ORR**  
*cardoni* Breuning, 1953: 2 A: "India"  
*chebanum* Gahan, 1894a: 41 (*Uraecha*) A: GUA GUX YUN **ORR**  
*flavimaculatum* Shulin Yang & Shaoyong Yang, 2019: 50 A: GUI GUX  
*fuscomaculatum* Breuning, 1979c: 99 A: YUN  
*griseolum* Bates, 1884a: 240 (*Uraecha*) A: JA  
*humale* Pic, 1934a: 35 (*Urecha*) A: YUN **ORR**  
*indicum* Breuning, 1938c: 191 A: SD  
*lunulatum* Pic, 1934a: 34 (*Urecha*) A: GUX YUN **ORR** #200  
*fruhstorferi* Breuning, 1964b: 2 #256  
*longzhouensis* W.-K. Wang & Jiang, 2000a: 47 (*Uraecha*) #200  
*magnum* Holzschuh, 2017c: 127 A: GUI  
*mediomaculatum* Breuning, 1962b: 19 A: GUX **ORR**  
*rondoni* Breuning, 1962i: 21 A: YUN **ORR** #496  
*sikkimense* Breuning, 1942a: 119 A: NP SD  
*touzalini* Breuning, 1979c: 99  
*sinicum* Gressitt, 1951a: 387 A: FUJ JIX SCH YUN ZHE #60  
*strandii* Breuning, 1938c: 191 A: XIZ YUN  
*subauratum* Breuning, 1958h: 266 A: SCH  
*szetschuanicum* Breuning, 1947a: 8 A: SCH  
*wenzhui* Lin & Ge, 2017a: 891 A: HEN HUB SHA  
*yunnanum* Breuning, 1947a: 8 A: YUN

**genus Anoplophora Hope, 1839: 43** type species *Anoplophora stanleyana* Hope, 1839  
*Callophophora* J. Thomson, 1864: 76 [unnecessary replacement name]  
*Cyriocrates* J. Thomson, 1868c: 181 type species *Oplophora horsfieldii* Hope, 1842  
*Falsocyriocrates* Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888  
*Melanauster* J. Thomson, 1868c: 181 type species *Cerambyx chinensis* Forster, 1771  
*Micromelanauster* Pic, 1931d: 49 type species *Monochamus bowringii* White, 1858  
*Mimonemophas* Breuning, 1961h: 309 type species *Mimonemophas quadrifasciatus* Breuning, 1961 #111  
*Oplophora* Hope, 1839: 42 type species *Oplophora sollii* Hope, 1839  
*albopicta* Matsushita, 1933b: 279 (*Cyriocrates*) A: TAI  
*elegans* Kano, 1933a: 279 (*Melanauster*) [HN]  
*ankangensis* Chiang, 1981: 82 (*Paranamera*) A: GUX HEN HUN SHA #256 #516  
*beryllina* Hope, 1840: 79 (*Monochamus*) A: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE **ORR**  
*argentifera* Pic, 1902i: 31 (*Melanauster*)

*melanosticta* White, 1858b: 407 (*Monohammus*)  
*subberyllina* Breuning, 1964e: 47  
*bowringii* White, 1858b: 398 (*Monohammus*) A: FUJ GUA GUX HKG HUB JIX ZHE  
*cheni* Bi & N. Ohbayashi, 2015: 294 A: GUI YUN **ORR** #516  
*chiangi* Hua & Zhang, 1991: 77 A: GUI HUN #516  
*chinensis chinensis* Forster, 1771: 39 (*Cerambyx*) Ei: AU CR FR GE IT NL TR A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN  
HKG HUB HUN JIA JIL JIX LIA SC SCH SHA SHN SHX TAI TRi YUN ZHE **ORR** #56 #188 #189  
*abbreviata* J. Thomson, 1865: 553 (*Callophophora*)  
*afflicta* J. Thomson, 1865: 553 (*Callophophora*)  
*farinosa* Houttuyn, 1766: 536 (*Cerambyx*) [HN]  
*luctuosa* J. Thomson, 1865: 553 (*Callophophora*)  
*perroudi* Pic, 1953a: 3 (*Melanauster*)  
*punctator* Fabricius, 1777: 230 (*Lamia*)  
*sepulchralis* J. Thomson, 1865: 553 (*Callophophora*)  
*sinensis* Gmelin, 1793: 1863 (*Cerambyx*)  
*chinensis viridis* R.-Y. Wang, 1991: 245, 248 A: YUN #400  
*coeruleoantennata* Breuning, 1947b: 23 (*Melanauster*) A: SCH  
*davidis* Fairmaire, 1886b: 355 (*Melanauster*) A: GUX SCH SHA TAI XIZ YUN **ORR**  
*adonis* Pic, 1925a: 20 (*Melanauster*)  
*alboapicalis* Chiang, 1951: 48  
*vitalisi* Pic, 1936b: 16 (*Melanauster*)  
*decemmaculata* Pu, 1999: 82 A: HEB HUN SHA SCH #225  
*elegans* Gahan, 1888e: 450 (*Cyriocrates*) A: GUA GUI HAI HEN YUN **ORR**  
*albonotata* Pic, 1926l: 455 (*Melanauster*)  
*macrospila* Gahan, 1900d: 349 (*Melanauster*)  
*superba* Pic, 1925c: 4 (*Melanauster*)  
*fanjingensis* Sh. Yang, W. Yang & Tian, 2020: 2 A: GUI  
*flavomaculata* Gressitt, 1935f: 385 (*Melanauster*) A: TAI  
*freyi* Breuning, 1947b: 23 (*Melanauster*) A: SCH YUN #522  
*fruhstorferi* Aurivillius, 1902: 209 (*Callophophora*) A: GUX **ORR**  
*depressinotata* Chiang, 1951: 50 (*Cyriocrates*)  
*glabripennis* Motschulsky, 1854a: 48 (*Cerosterna*) Ei: AU CZ FI FR GB GE IT ME NL SK SZ TR A: ANH FE FUJ GAN GUI GUX  
HEB HEI HEN HUB HUN JIA JIL JIX LIA ?NC NIN NMO SC SCH SHA SHN SHX TRi XIZ YUN ZHE **AURi NARi ORRi**  
#56 #180 #188 #189 #358 #517  
*angustata* Pic, 1925a: 21 (*Melanauster*)  
*laevigator* J. Thomson, 1857f: 297 (*Cerosterna*)  
*laglaisei* Pic, 1953a: 3 (*Melanauster*)  
*luteonotata* Pic, 1925a: 21 (*Melanauster*)  
*nankinea* Pic, 1926b: 2 (*Melanauster*)  
*nobilis* Ganglbauer, 1889a: 82 (*Melanauster*)  
*granata* Holzschuh, 1993a: 48 A: GUX **ORR**  
*gressitti* N. Ohbayashi & Bi, 2014: 156 A: AP XIZ **ORR**  
*horsfieldii horsfieldii* Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SCH  
SHA YUN ZHE **ORR** #235  
*voluptuosa* J. Thomson, 1856: 529 (*Cerosterna*)  
*horsfieldii taiwanensis* N. Ohbayashi, 2018: 40 A: TAI  
*huangjianbini* Ch.-B. Wang & L. He, 2021: 4 A: FUJ GUX  
*imitator* White, 1858b: 404 (*Cerosterna*) A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE  
*pirouletii* Fairmaire, 1889a: 66 (*Melanauster*)  
*jianfenglingensis* Hua, 1989b: 301 A: HAI  
*leechi* Gahan, 1888b: 63 (*Melanauster*) A: HEB HEN HUB HUN JIA JIX ZHE  
*longehirsuta* Breuning, 1968a: 23 A: GUX **ORR**  
*parelegans* Chiang, 1981: 81  
*lurida* Pascoe, 1856: 47 (*Monohammus*) A: GAN GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI ZHE #225  
*macularia* J. Thomson, 1865: 553 (*Callophophora*) A: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE SCH TAI ZHE **ORR #525**  
*malasiaca* J. Thomson, 1865: 553 (*Callophophora*) Ei: AU CR CZ GE IT NL A: CH JA NC SC TRi #188 #189  
*multimaculata* Xie & Wang, 2015: 599 (*Mimonemophas*) A: HUB **ZHE** #256 #516  
*ogasawaraensis* Makihara, 1976: 9 A: JA (Ogasawara Isls.)  
*oshimana oshimana* Fairmaire, 1895: 390 (*Melanauster*) A: JA (Ryukyus)  
*oshimana tokunoshimana* Samuelson, 1965b: 89 A: JA (Ryukyus)  
*puxian* C. Wang & He, 2021a: 340 A: SCH  
*quadrifasciata* Breuning, 1961h: 309 (*Mimonemophas*) A: GUX **ORR** #112  
*rubidacorpora* Xie, Shi & W.-K. Wang, 2012b: 2 A: GUI  
*rugicollis* P. Wang, Xie & W.-K. Wang, 2022b (unavailable name - holotype location not published): 97 A: YUN **ORR**  
*ryukyensis* Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)  
*siderea* Bi, Chen & Ohbayashi, 2020: 267 A: GUX GUA  
*similis* Gahan, 1900d: 350 (*Melanauster*) A: ?FUJ ?GUA HAI #516  
*sollii* Hope, 1839: 43 (*Oplophora*) A: GUX SD **ORR**

*stanleyana* Hope, 1839: 43 A: BT NP SD SE SW **ORR**  
*angustata* Pic, 1934a: 11 [HN]  
*chapaensis* Breuning, 1950i: 511  
*gloriosa* Tippmann, 1953: 152  
~~*grisea* Tippmann, 1953: 153~~ #587  
*melancholica* Tippmann, 1953: 153  
*tonkinea* Breuning, 1943c: 285 [RN]  
*tonkinea* Pic, 1907f: 152 (*Callophophora*) A: GUX **ORR**  
*viriantennata* W.-K. Wang & Jiang, 1998c: 335 A: HUB SCH #158  
*wusheana* Chang, 1960: 2 A: TAI  
*zonator* J. Thomson, 1878: 50 (*Cyriocrates*) A: YUN **ORR** #400

**genus *Aristobia* J. Thomson, 1868c: 178** type species *Lamia reticulator* Fabricius, 1781 (designated by Breuning, 1943: 189)  
*angustifrons* Gahan, 1888a: 276 A: YUN **ORR** #400  
*approximator* J. Thomson, 1865: 552 (*Celosterna*) A: AP NP YUN **ORR** #280  
*birmanica* Gahan, 1894a: 40  
*frenayi* Schmitt, 1992: 28 A: YUN **ORR** #400 #435  
*hispida* Saunders, 1853: 112 (*Cerosterna*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ  
 YUN ZHE **ORR**  
*horridula* Hope, 1831: 27 (*Lamia*) A: KA NP PA SCH SD TAI YUN **ORR**  
*fasciculata* L. Redtenbacher, 1844: 552 (*Cerosterna*)  
*reticulator* Fabricius, 1781: 219 (*Lamia*) A: AP FUJ GUA GUX HAI NP SD SHA YUN **ORR** #126 #166 #280  
*clathratrix* J. Thomson, 1865a: 552 (*Celosterna*)  
*voetii* J. Thomson, 1878: 51 A: FUJ GUA GUX HAI HEN HUB JIX SHA YUN **ORR**  
*pulcherrima* Nonfried, 1892a: 94

**genus *Astynoscelis* Pic, 1904b: 8** type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)  
*Saitoa* Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)  
*degener* Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NC NMO SC SCH SHA  
 SHN TAI YUN ZHE  
*contempta* Gahan, 1888b: 62 (*Haplohammus*)  
*longicornis* Pic, 1904b: 8  
*nana* Ganglbauer, 1889a: 81 (*Haplohammus*)  
*savioi* Pic, 1925a: 21 (*Orsidis*)  
*teneburosa* Matsushita, 1937: 104 (*Saitoa*)

**genus *Blepephaeopsis* Breuning, 1938c: 193** type species *Blepephaeopsis nigrosparsus* Breuning, 1938  
~~*taomeiae* Hayashi, Nara & Yu, 1995: 149 (*Uraecheoides*) A: TAI~~ #512  
*yagii* Hayashi, 1992: 150 A: TAI

**genus *Blepephaeus* Pascoe, 1866b: 249** type species *Monohammus succinator* Chevrolat, 1852  
*Parablepephaeus* Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980  
*Perihammus* Aurivillius, 1923b: 21 type species *Perihammus bifasciatus* Aurivillius, 1924 (= *Monohammus infelix* Pascoe, 1856)  
*arrowi* Breuning, 1935d: 70 A: KA PA SD #274  
*fulvus* Pic, 1933a: 13 (*Uraechea*) A: YUN **ORR**  
*pardalinus* Breuning, 1935d: 68  
*indicus* Breuning, 1935d: 70 A: SD XIZ **ORR**  
*infelix* Pascoe, 1856: 48 (*Monohammus*) A: FUJ GUA GUX HUN JIX ?KO SCH SHA ZHE #225 #400  
*bifasciatus* Aurivillius, 1924: 21 (*Perihammus*)  
*multinotatus* Pic, 1925a: 18 (*Nemophas*) A: GUX **ORR**  
*nepalensis* Hayashi, 1981a: 13 (*Perihammus*) A: NP PA #274  
*nigrofasciatus* Pu, 1999: 84 A: HAI  
*nigrosparsus* Pic, 1925b: 28 A: UP YUN **ORR**  
*nigrostigma* W.-K. Wang & S.-N. Jiang, 1998a: 459, 460 A: YUN  
*ocellatus* Gahan, 1888c: 262 (*Monochamus*) A: BT NP YUN ZHE "North India" **ORR**  
*pauloperforatus* Pic, 1930b: 17 (*Epepeotes*)  
*wittmeri* Breuning, 1975d: 342 (*Cypriepepeotes*)  
*puae* Lin, 2011: 44 [RN] A: YUN  
*undulatus* Pu, 1999: 79 (*Perihammus*)  
*stigmatosus* Gahan, 1894a: 44 A: YUN **ORR**  
~~*laosensis* Pic, 1930b: 18 (*Epepeotes*)~~  
*subannulatus* Breuning, 1979c: 100 A: YUN ZHE **ORR** #400  
*subcruciatus* White, 1858b: 410 (*Monohammus*) A: GUA GUX HAI HKG  
*succinator* Chevrolat, 1852: 417 (*Monohammus*) A: AP GUA GUX HAI HKG HUN JIA JIX NP SCH SD SHA SHG TAI XIZ YUN  
 ZHE **ORR** #126 #225  
*fleutiauxi* Lameere, 1893a: 283  
*fuscomaculatus* Breuning, 1948a: 11 (*Perihammus*)  
*humeralis* Pic, 1925: 23

*obfuscatus* White, 1858b: 410  
*scutellaris* Fairmaire, 1895: 179  
*sublineatus* White, 1858b: 410  
*variegatus* Gressitt, 1940b: 107 A: HAI YUN **ORR**  
*sciamai* Breuning, 1962b: 19 (*Paramelanauster*)

**genus *Cereopsius* Pascoe, 1857b: 105** type species *Cereopsius exoletus* Pascoe, 1857  
*Etymestia* Pascoe, 1866c: 228 type species *Cereopsius helena* White, 1858  
*Vitticereopsius* Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935  
*aureomaculatus* Breuning, 1968a: 24 A: YUN **ORR** #400  
*praetorius* Erichson, 1834: 268 (*Lamia*) A: TAI (Lanyu Is.) **ORR**  
*elpenor* Pascoe, 1862: 344  
*shamankariyali* Kano, 1939: 30

**genus *Cerosterna* Dejean, 1835: 341** type species *Lamia gladiator* Fabricius, 1801 (= *Lamia scabrator* Fabricius, 1781)  
*Celosterna* J. Thomson, 1860: 85 type species *Celosterna gladiator* (Fabricius, 1801) (= *Lamia scabrator* Fabricius, 1781) #300  
*Coelosterna* Gemminger, 1872: 3024 [unnecessary emendation]  
*Falsopriona* Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925  
*Loxotropoides* Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935  
*Psaromaia* Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866  
*Toxosterna* J. Thomson, 1868c: 178 type species *Lamia spinator* Fabricius, 1798  
*Trichocelosterna* Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906  
*scabrator* Fabricius, 1781: 224 (*Lamia*) A: NP PA UP **ORR**  
*gladiator* Fabricius, 1801: 284 (*Lamia*)  
*griseator* Aurivillius, 1920: 12 (*Celosterna*)  
*murina* Nonfried, 1894: 82 (*Aristobia*)  
*renei* Pascoe, 1888: 501 (*Psaromaia*)  
*spinator* Fabricius, 1798: 145 (*Lamia*)

**genus *Combe* J. Thomson, 1864: 83** type species *Monohammus brianus* White, 1858  
*brianus* White, 1858b: 409 (*Monohammus*) A: NP  
*fulguratus* J. Thomson, 1864: 84

**genus *Coscines* Bates, 1890: 246** type species *Coscines* *porosus* Bates, 1890  
*minuta* Pu, 1985b: 271 A: YUN  
*porosa* Bates, 1890: 247 A: GUA HEN SCH SHA YUN ZHE  
*grossefoveata* Breuning, 1958h: 262 (*Trichocoscines*)  
*multiperforata* Pic, 1920a: 2 (*Monochamus*)  
*salicis* Gressitt, 1951a: 380 A: SCH YUN ZHE  
*foveata* Chiang & Li, 1984: 99 (*Haplothrix*) #301

**genus *Cremnosterna* Aurivillius, 1920: 12** type species *Monohammus carissimus* Pascoe, 1857  
*carissima* Pascoe, 1857b: 104 (*Monohammus*) A: NP XIX YUN **ORR**  
*laosensis* Breuning, 1965e: 47 (*Jeanvoinea*)  
*maculosa* J. Thomson, 1865: 552 (*Celosterna*)  
*ocellata* Nonfried, 1892c: 379 (*Celosterna*)  
*pardalis* J. Thomson, 1865: 552 (*Celosterna*)  
*tessellata* White, 1858b: 404 (*Celosterna*)  
*vittata* Gilmour, 1956c: 747  
*plagiata* White, 1858b: 403 (*Celosterna*) A: PA YUN **ORR** #274

**genus *Cribragapanthia* Pic, 1903g: 121** type species *Cribragapanthia scutellata* Pic, 1903  
*scutellata* Pic, 1903g: 121 A: GUI GUX SCH YUN **ORR**

**genus *Cribrohammus* Breuning, 1966b: 1** type species *Cribrohammus chinensis* Breuning, 1966 #226  
*Pseudagapanthia* Breuning, 1971b: 77 type species *Cribrohammus chinensis* Breuning, 1966  
*chinensis* Breuning, 1966b: 2 A: YUN  
*fragosus* Holzschuh, 1998: 48 A: SCH SHA #225

**genus *Cyanagapanthia* Breuning, 1968a: 25** type species *Cyanagapanthia bicolor* Breuning, 1968  
*arescens* W.-K. Wang & L.-Y. Zheng, 2002b: 79 A: YUN  
*bicolor* Breuning, 1968a: 25 A: YUN **ORR** #400

**genus *Dolichoprosopus* Ritsema, 1881c: 149** type species *Dolichoprosopus maculatus* Ritsema, 1881  
*sameshimai* N. Ohbayashi, 2001b: 265 A: JA  
*yokoyamai* Gressitt, 1937b: 322 (*Monochamus*) A: JA

**genus *Euoplia* Hope, 1839: 42** type species *Euoplia polyspila* Hope, 1839

*polyspila* Hope, 1839: 452 A: YUN **ORR**

**#664**

**genus Epepeotes Pascoe, 1866b: 249** type species *Lamia lusca* Fabricius, 1787

*Diochares* Pascoe, 1866c: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (= *Lamia fimbriata* Olivier, 1800 = *Cerambyx desertus* Linnaeus, 1758)

**#373**

*Falsomonochammus* Pic, 1943b: 3 type species *Falsomonochammus diverseglabratus* Pic, 1943

*Mengelotes* L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941

[*ambigenus ambigenus* Chevrolat, 1841: 228 (*Monochammus*) **ORR**]

*ambigenus formosanus* Gressitt, 1951a: 361 A: TAI

*himalayanus* Breuning, 1950a: 1 A: NP **ORR**

**#390**

*luscus* Fabricius, 1787: 139 (*Lamia*) A: HKG HP JIX SCH YUN **ORR**

**#348 #521**

*alorensis* Breuning, 1960e: 29

*enganensis* Gahan, 1907: 80

*fumosus* Pascoe, 1866c: 301

*soembanicus* Schwarzer, 1931a: 66

*uncinatus* Gahan, 1888a: 271 A: AP BT NP SD XIZ YUN "North India" **ORR**

**#126**

*lineatus* Pic, 1944a: 14 (*Pseudopsacotha*)

*salvazai* Pic, 1925a: 18

*vittatus* R.-Y. Wang, 1991: 244, 248 A: SCH

**genus Epicedia J. Thomson, 1864: 78** type species *Lamia carcelli* Guérin-Ménéville, 1833 (= *Lamia maculatrix* Perty, 1831)

*maculatrix* Perty, 1831: xlii (*Lamia*) A: HP

*carcelli* Guérin-Ménéville, 1833b: 491 (*Lamia*)

*pleuricosta* J. Thomson, 1857e: 179 (*Leprodera*)

**genus Erythrotres Lazarev, 2020d: 171** type species *Erythrotres murzini* Lazarev, 2020

*murzini* Lazarev, 2020d: 172 A: SCH

**genus Eutaenia J. Thomson, 1857e: 184** type species *Ceroplesis javeti* J. Thomson, 1857 (= *Lamia trifasciella* White, 1850)

*Eutaeniopsis* Gahan, 1888a: 277 type species *Lamia trifasciella* White, 1850

*trifasciella* White, 1850: 13 (*Lamia*) A: FUJ GUA GUX HKG HUN JIX YUN **ORR**

*javeti* J. Thomson, 1857b: 127 (*Ceroplesis*)

*trifasciata* J. Thomson, 1864: 72

**genus Falsagnia Breuning, 1938b: 93** type species *Falsagnia obenbergeri* Breuning, 1938

*obenbergeri* Breuning, 1938b: 93 A: SD

**genus Falsocylindropomus Pic, 1927b: 35** type species *Falsocylindropomus maculosus* Pic, 1927

**#400**

*maculosus* Pic, 1927b: 35 A: GUX **ORR**

**genus Gibbohammus W.-K. Wang & Jiang, 1999b: 121** type species *Gibbohammus stricticollis* W.-K. Wang & Jiang, 1999

*stricticollis* W.-K. Wang & Jiang, 1999b: 122 A: HAI

**genus Hainanhammus Gressitt, 1940b: 108** type species *Hainanhammus griseopubens* Gressitt, 1940

*griseopubens* Gressitt, 1940b: 108 A: HAI

**genus Haplothrix Gahan, 1888a: 278** type species *Haplothrix simplex* Gahan, 1888

*amicator* Gahan, 1888c: 261 (*Monochamus*) A: AP SD

**#126**

**#280**

**genus Hechinoschema J. Thomson, 1857e: 181** type species *Hechinoschema spinosa* J. Thomson, 1857

*spinosa* J. Thomson, 1857e: 182 A: SD **ORR**

**#280**

*armata* White, 1858b: 405 (*Monohammus*)

**genus Macrochenus Guérin-Ménéville, 1843: 59** type species *Cerambyx tigrinus* Olivier, 1797

*Mecotagus* Pascoe, 1866c: 252 type species *Cerambyx tigrinus* Olivier, 1797

*assamensis* Breuning, 1935d: 61 A: XIZ YUN **ORR**

*guerinii* White, 1858a: 274 (*Pelargoderus*) A: AP GUX NP SCH SD XIZ YUN **ORR**

**#60**

**#166**

*isabellinus* Aurivillius, 1920: 12

*tigrinus* Olivier, 1797: 468 (*Lamia*) [1800: 101 (*Cerambyx*)] A: PA SD **ORR**

**#280**

**#373**

*birmanus* J. Thomson, 1878: 49

*tesselatus* Guérin-Ménéville, 1843: 58

*tonkinensis* Aurivillius, 1920: 12 A: GUA GUI GUX HAI HUB YUN **ORR**

*inarmatus* Gressitt, 1940b: 92 (*Psacotha*)

*semijunctus* Pic, 1944a: 11

**genus Mecynippus Bates, 1884a: 240** type species *Mecynippus pubicornis* Bates, 1884

*ciliatus* Gahan, 1888a: 273 (*Monohammus*) A: CHQ GUA GUX HAI HKG JIX SCH YUN **ORR**

**#307**

*delkeskampi* Breuning, 1961i: 311 (*Mimothestus*)  
*luteicornis* Xie, Shi & W.-K. Wang, 2012a: 67 (*Mimothestus*)  
*rondoni* Breuning, 1964e: 50 (*Monohammus*)  
*pubicornis* Bates, 1884a: 241 A: HUB JA KO #308

**genus *Meges* Pascoe, 1866: 272c** type species *Monohammus gravidus* Pascoe, 1858 #647  
*Magninia* Clermont, 1932 type species *Magninia tonkinea* Clermont, 1932: 215 #647  
*gravidus* Pascoe, 1858: 245 (*Monohammus*) A: ANH FUJ HEN HUN SHA SHN ZHE ORR #60 #647  
*multimaculatus* Pic, 1933c: 31 (*Apriona*)  
*tonkineus* Clermont, 1932: 215 (*Magninia*) A: GUX HAI ORR #647

**genus *Mimocoelosterna* Breuning, 1940b: 125** type species *Mimocoelosterna flavescens* Breuning, 1940  
*hainanensis* Breuning, 1966g: 289 A: HAI

**genus *Mimocratotragus* Pic, 1926j: 323** type species *Mimocratotragus superbus* Pic, 1926  
*superbus* Pic, 1926j: 324 A: HUN YUN

**genus *Mimognoma* Breuning, 1959d: 151** type species *Mimognoma szetschuanensis* Breuning, 1959  
*szetschuanensis* Breuning, 1959d: 151 A: SCH

**genus *Mimorsidis* Breuning, 1938a: 33** type species *Mimorsidis lemoulti* Breuning, 1938  
*scutellata* Gressitt, 1951a: 404 A: FUJ  
*taiwanensis* Hayashi, 1974c: 47 A: TAI  
*yaeyamensis* Samuelson, 1965b: 96 A: JA (Ryukyus)  
*ishigakiana* Breuning & Villiers, 1973: 49 (*Acalolepta*)

**genus *Mimothestus* Pic, 1935e: 15** type species *Mimothestus annulicornis* Pic, 1935  
*annulicornis* Pic, 1935e: 16 A: GUA GUI GUX HKG HUB YUN ORR  
*atricornis* Pu, 1999: 81 A: HAI

**genus *Monochamus* Dejean, 1821: 106** type species *Cerambyx sutor* Linnaeus, 1758 #521 #635  
**subgenus *Monochamus* Dejean, 1821: 106** type species *Cerambyx sutor* Linnaeus, 1758  
*Ceratades* Gistel, 1834: 29 [unnecessary substitute name]  
*Monohammus* Dejean, 1835: 340 [unjustified emendation]  
*abruptus* Holzschuh, 2015d: 73 A: SHA  
*alboapicalis* Pic, 1934a: 9 (*Thrysimia*) A: GUX ORR  
*strandiellus* Breuning, 1935b: 153  
*alternatus alternatus* Hope, 1842a: 61 A: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN  
ZHE ORR  
*tesserula* White, 1858b: 408 (*Monohammus*)  
*alternatus endai* Makihara, 2004a: 17 A: JA TAI  
*basifossulatus* Breuning, 1938c: 185 A: NP YUN ORR  
*bimaculatus* Gahan, 1888c: 260 (*Monohammus*) A: AP GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE ORR #280  
*ingranulatus* Pic, 1925a: 20 (*Monohammus*)  
*binigricollis* Breuning, 1965d: 51 A: GUI YUN ORR #400  
*bootangensis* Breuning, 1947a: 9 A: BT  
*desperatus* J. Thomson, 1857f: 295 A: SD  
*fredericus* White, 1858b: 408 (*Monochamus*)  
*dubius* Gahan, 1894a: 35 (*Monohammus*) A: FUJ GUA GUI GUX HAI NP SCH SD SHA TAI XIZ YUN #400  
*sintikensis* Matsushita, 1939: 58  
*sparsenotatus* Pic, 1920a: 2  
*foraminosus* Holzschuh, 2015d: 74 A: SCH  
*foveatus* Breuning, 1961c: 142 A: YUN  
*galloprovincialis cinerascens* Motschulsky, 1860b: 150 (*Monochamus*) E: NT A: ES FE HEI JIL MG NMO WS  
*sibiricus* Pic, 1908b: 5 (*Monohammus*)  
*galloprovincialis galloprovincialis* Olivier, 1800: No. 67: 125 (*Cerambyx*) E: FR IT(Sicily) PT SP N: AG MO TU #373  
*parendeli* Théry, 1891: xxiii (*Monohammus*)  
*subrufopubens* Pic, 1912g: 18  
*galloprovincialis pistor* Germar, 1818: 242 (*Lamia*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT MC MD ME  
NL NT PL RO SB SK SL ST SV SZ TR UK A: KI KZ WS #357  
*lignator* Krynicki, 1832: 158  
*nitidior* Abeille de Perrin, 1870: 87 (*Monohammus*)  
*unifasciatus* Pic, 1905a: 12 (*Monohammus*) ["Altai"]  
*galloprovincialis tauricola* Pic, 1912g: 18 A: JO SY TR #74  
*galloprovincialis transitivus* Lazarev, 2017a: 18 A: AB AR GG ST TR  
*gardneri* Breuning, 1938c: 185 A: SD

*grandis* C. O. Waterhouse, 1881: 431 A: FE (**Kunashir, Shikotan**) JA  
*guerryi* Pic, 1903g: 121 (*Monohammus*) A: GUA GUI GUX HUB HUN SCH YUN **ORR**  
*granulipennis* Breuning, 1938a: 52 (*Melanauster*) **#309**  
*guttulatus* Gressitt, 1951a: 394 [RN] A: FE HEI HEN JIL LIA NIN NC SC **#400**  
*guttatus* Blessig, 1873: 196 (*Monohammus*) [HN]  
~~*hiekei* Breuning, 1964g: 445 A: BT~~ **#589**  
*impluviatus* Motschulsky, 1859a: 571 (*Monohammus*) E: CT NT A: ES FE HEI KO MG NMO SHA WS  
*silvicola* Z. Wang, 2003: 331, 397 **#400**  
*karlitzingeri* Tavakilian & Jiroux, 2015: 77 A: FUJ SCH **ORR**  
*itzingeri* Breuning, 1938c: 190 (*Melanauster*) [HN]  
*latefasciatus* Breuning, 1944b: 435 [RN] A: GUX **ORR**  
*unifasciatus* Breuning, 1935e: 251 [HN]  
*luteodispersus* Pic, 1927b: 35 (*Monohammus*) A: FUJ **ORR**  
*maruokai* Hayashi, 1962c: 8 A: JA (Ryukyus)  
*masaoi* Kusama & Takakuwa, 1984: 431 A: JA (Ryukyus)  
*nigromaculatus* Gressitt, 1942c: 2 A: SHA XIZ **#225**  
*nitens* Bates, 1884a: 238 (*Monohammus*) A: FE (**Kunashir, ?Sakhalin**) JA SC  
*griseonotatus* Pic, 1921b: 6 (*Monohammus*)  
*rectus* Holzschuh, 2015d: 72 A: HEN SHA  
*saltuarius occidentalis* Sláma, 2017b: 934 E: AU BH BY CR CT CZ GE HU IT LA LT NT PL RO SK SL UK  
*saltuarius saltuarius* Gebler, 1830: 184 (*Monohammus*) E: ?CT ?NT A: ES FE KZ HEI JA JIL JIX MG NC NMO SC SHA SHN SHX **#313**  
*?WS XIN ZHE*  
*sartor sartor* Fabricius, 1787: 137 (*Lamia*) E: AU BH BU BY CR CZ FR GB GE HU IT LS PL RO SK SL SZ UK  
*mulsantii* Seidlitz, 1891a: 749 [1891b: 844] (*Monohammus*)  
*okenianus* Gistel, 1857a: 49 (*Monohammus*)  
*sartor urussovii* Fischer von Waldheim, 1805 [?1806]: 12 (*Cerambyx*) E: BY CT EN FI LA LT NR NT PL ST SV UK A: ES FE KZ  
MG NC NIN NMO NW HEB HEI HEN JA JIL SC SHA WS XIN  
*quadrimaculatus* Motschulsky, 1845a: 86 (*Monohammus*)  
*schaufusi* Pic, 1912g: 18  
*sparsutus* Fairmaire, 1889a: 67 A: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE  
*subconvexicollis* Breuning, 1967f: 183 A: BT  
*subfasciatus kumageinsularis* Hayashi, 1955: 35 A: JA  
*subfasciatus meridianus* Hayashi, 1955: 57 A: JA  
*subfasciatus shikokuensis* Breuning, 1956a: 1 A: JA  
*subfasciatus subfasciatus* Bates, 1873: 308 (*Monohammus*) A: FUJ JA JIX SC TAI  
*beloni* Pic, 1901k: 341 (*Monohammus*)  
*fascioguttatus* Gressitt, 1938b: 156  
*subgranulipennis* Breuning, 1974h: 153 A: GUI  
*subtriangularis* Breuning, 1972c: 416 A: AP  
*sutor longulus* Pic, 1898c: 23 (*Monohammus*) A: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE  
*sutor sutor* Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT ME NL NR  
NT PL RO SB SK SL SL SP ST SV SZ UK A: GG KZ MG WS **NARI**  
*atomarius* DeGeer, 1775: 65 (*Cerambyx*)  
*heinrothi* Cederhjelm, 1798: 88 (*Lamia*)  
*obscurior* Abeille de Perrin, 1869: 42 (*Monohammus*)  
*pellio* Germar, 1818: 244 (*Lamia*)  
*rosenmuelleri* Cederhjelm, 1798: 89 (*Lamia*) [DA]  
*taiheizanensis* Mitono, 1943: 580 A: TAI  
*talianus* Pic, 1912h: 20 A: GUI XIZ YUN **#400**  
*tonkinensis* Breuning, 1935c: 249 A: GUA **ORR**  
**subgenus** *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)  
*Lophoptera* Perroud, 1855: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855  
*Zephyropepharus* Hayashi, 1962c: 6 type species *Opepharus asiaticus* Hayashi, 1962  
*asiaticus* Hayashi, 1962: 7 A: JA (Ryukyus)  
*kaszabi* Heyrovský, 1955b: 260 A: TAI **#602**  
**subgenus** *Tibetobia* Frivaldszky, 1892a: 118 type species *Tibetobia szechenyiana* Frivaldszky, 1892 (= *Monohammus millegranus* Bates, 1891)  
*millegranus* Bates, 1891b: 80 (*Monohammus*) A: FUJ GUI SCH XIZ YUN  
*szechenyianus* Frivaldszky, 1892a: 119 (*Tibetobia*)  
*touzalini* Pic, 1920b: 198 (*Monohammus*)  
**genus** *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878  
*yagii* Hayashi, 1994: 74 A: TAI  
**genus** *Nanohammus* Bates, 1884a: 243 type species *Nanohammus rufescens* Bates, 1884  
*Microcyos* Pic, 1934a: 9 type species *Microcyos annulicornis* Pic, 1934

*Pararhodopis* Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894  
*Rarasanus* Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941  
*aberrans* Gahan, 1894a: 59 (*Rhodopis*) A: GUX **ORR**  
*myrrhatus* Pascoe, 1878: 374 (*Euthyastus*) A: AP #126  
*oshimanus* Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)  
*rufescens* Bates, 1884a: 244 A: HUB JA  
*griseonotatus* Pic, 1931c: 14  
*sinicus* Pic, 1926c: 16 (*Orsidis*) A: FUJ GUA HKG HUN JIA JIX SCH  
*blairi* Gressitt, 1937d: 598 (*Rhodopis*)  
*strandii* Breuning, 1935: 173 (*Rhodopis*)  
*subfasciatus* Matsushita, 1941: 157 (*Rarasanus*) A: TAI  
*taiyal* Gressitt, 1951a: 628  
*yunnanus* W.-K. Wang & Jiang, 2000b: 80 A: YUN  
**genus Neodihammus Breuning, 1935d: 60** type species *Neodihammus pici* Breuning, 1935  
*pici* Breuning, 1935d: 60 A: SE SW  
**genus Neoxenicotela Breuning, 1947a: 10** type species *Neoxenicotela mausoni* Breuning, 1947  
*Maaia* Gressitt, 1951a: 384 type species *Maaia terminata* Gressitt, 1951  
*mausoni* Breuning, 1947a: 11 A: FUJ GUX HAI **ORR** #60  
*flavotarsus* W.-K. Wang & L.-Y. Zheng, 2002a: 377, 379 (*Parapolytrechus* –wrong spelling of *Parapolytretus* Br.) #167  
*terminata* Gressitt, 1951a: 385 (*Maaia*)  
**genus Paragnia Gahan, 1893b: 384** type species *Paragnia fulvomaculata* Gahan, 1893  
*fulvomaculata* Gahan, 1893b: 385 A: GUI SD YUN **ORR**  
*aureomaculata* Chiang & Li, 1984: 100 (*Stegenagapanthia*)  
**genus Paraleprodera Breuning, 1935e: 253** type species *Lamia crucifera* Fabricius, 1793  
*carolina* Fairmaire, 1900: 641 (*Archidice*) A: FUJ **GAN** GUI HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR** #225 #496  
*diophthalma diophthalma* Pascoe, 1857a: 49 (*Morimus*) A: ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX **SC** SCH SHA YUN #546  
ZHE  
*bioculata* Fairmaire, 1900: 641 (*Leprodera*)  
*diophthalma formosana* Schwarzer, 1925: 58 (*Leprodera*) A: TAI  
*insidiosa* Gahan, 1888d: 391 (*Leprodera*) A: NP **SCH** SD YUN  
*bimaculata* W.-K. Wang & Jiang, 2000b: 80 #547  
*imbasalis* Pic, 1925a: 18 (*Epepeotes*)  
*unimaculata* Pic, 1925a: 19 (*Epepeotes*)  
*itzingeri* Breuning, 1935e: 255 A: TAI  
*mesophthalma* Bi & Lin, 2012: 6 A: XIZ  
*stephana* White, 1858b: 406 (*Monohammus*) A: BT GUX NP SD XIZ YUN **ORR**  
*fasciata* W.-K. Wang, 1997: 440 #76  
*officinator* White, 1858b: 409 (*Monohammus*)  
*quadrinotata* J. Thomson, 1865: 554 (*Archidice*)  
*triangularis* J. Thomson, 1865: 554 (*Epicedia*) A: GUX YUN **ORR**  
*lecta* Gahan, 1888d: 389 (*Leprodera*)  
**genus Paraepepeotes Pic, 1935: 16** type species *Paraepepeotes breuningi* Pic, 1935  
*Parepepeotes* Breuning, 1938c: 182 type species *Paraepepeotes breuningi* Pic, 1935  
*affinis* Breuning, 1938c: 183 (*Parepepeotes*) A: UP **ORR**  
*albomaculatus* Gahan, 1888a: 272 (*Epepeotes*) A: BT "North India"  
*breuningi* Pic, 1935b: 16 A: SCH SHA XIZ YUN **ORR** #60 #225  
*guttatus* Guérin-Ménéville, 1844: 242 (*Monohammus*) A: AP NP SCH SD "Himalaya" **ORR** #126 #280  
*punctulatus* Westwood, 1848: 12 (*Monohammus*)  
*marmoratus* Pic, 1925a: 19 (*Monohammus*) A: YUN **ORR**  
*szetschuanicus* Breuning, 1969e: 188 (*Parepepeotes*) A: SCH  
*westwoodi* Westwood, 1848: 12 (*Monohammus*) A: SD "Himalaya"  
**genus Paramelanauster Breuning, 1936: 294** type species *Paramelanauster bimaculatus* Breuning, 1936  
*flavosparsus* Breuning, 1936: 295 A: YUN **ORR**  
**genus Parapolytretus Breuning, 1943c: 143, 165** type species *Cycos rugosus* Matsushita, 1933 #167  
*Breuningia* Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933  
*rugosus* Matsushita, 1933b: 335 (*Cycos*) A: TAI  
**genus Pareutaenia Breuning, 1948a: 11** type species *Pareutaenia flavostellata* Breuning, 1948  
*arnaudi* Breuning, 1962b: 18 A: GUX **ORR**

**genus *Parhaplothrix* Breuning, 1935e: 255** type species *Parhaplothrix strandi* Breuning, 1935  
*szetschuanica* Breuning, 1935e: 256 A: GUX SCH

**genus *Paruraecha* Breuning, 1935d: 64** type species *Paruraecha szetschuanica* Breuning, 1935

**subgenus *Arisania* Gressitt, 1936: 106** type species *Arisania submarmorata* Gressitt, 1936

*acutipennis* Gressitt, 1942e: 209 (*Arisania*) A: GUA GUI SHA YUN

*submarmorata* Gressitt, 1936: 107 (*Arisania*) A: SHA TAI

#225

**subgenus *Paruraecha* Breuning, 1935d: 64** type species *Paruraecha szetschuanica* Breuning, 1935

*sikkimensis* Breuning, 1938c: 192 A: SD

*szetschuanica* Breuning, 1935d: 65 A: SCH

**genus *Pelepphaeus* Kusama & Takakuwa, 1984: 14** type species *Cereopsius decoloratus* Schwarzer, 1925

*decoloratus* Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI

*ishigakianus* Yokoyama, 1971: 97 (*Blepepphaeus*) A: JA (Ryukyus)

*lutaensis* Takakuwa, 1991: 55 A: TAI (Ludao Is.)

*nobuoi* Breuning & K. Ohbayashi, 1966: 31 (*Blepepphaeus*) A: JA (Ryukyus)

*okinawanus doii* Fujita, 2002: 10 A: JA (Ryukyus)

*okinawanus okinawanus* Hayashi, 1962: 6 (*Blepepphaeus*) A: JA (Ryukyus)

*satoi* Makihara, 2003: 358 A: JA (Ryukyus)

*yayeyamai* Breuning, 1955b: 60 (*Blepepphaeus*) A: JA (Ryukyus)

*caesius* Takakuwa, 1984: 13

*yonagunii* Breuning & K. Ohbayashi, 1964: 27 (*Blepepphaeus*) A: JA (Ryukyus)

*ziczac* Matsushita, 1940: 54 (*Eutymestia*) A: TAI

#450

*formosana* Matsushita, 1941: 156 (*Eutenia*)

**genus *Peribasis* J. Thomson, 1864: 86** type species *Monohammus helenor* Newman, 1851

*pubicollis* Pascoe, 1866c: 231 A: BT ORR

#264

*albisparsa* Ritsema, 1888c: 203

**genus *Pharsalia* J. Thomson, 1864: 85** type species *Pharsalia malasiaca* J. Thomson, 1864

**subgenus *Antennopharsalia* Breuning, 1944b: 330** type species *Pharsalia antennata* Gahan, 1894

*antennata* Gahan, 1894a: 46 A: FUJ GUX SCH SD YUN ORR

#496

*rondoni* Breuning, 1963d: 20

*tuberculifera* Pic, 1903b: 22 (*Triammatus*)

**subgenus *Cycos* Pascoe, 1866b: 244** type species *Monohammus subgemmatus* J. Thomson, 1857

*gibbifera* Guérin-Méneville, 1844: 243 (*Monohammus*) A: SD

*subgemmata* J. Thomson, 1857f: 294 (*Monochamus*) A: FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" ORR

*georgia* White, 1858b: 407

*rondoniana* Breuning, 1964: 46 (*Anoplophora*)

#309

**subgenus *Pharsalia* J. Thomson, 1864: 85** type species *Pharsalia malasiaca* J. Thomson, 1864

*mandli* Tippmann, 1955: 118 A: FUJ

*pulchra pulchra* Gahan, 1888a: 280 A: GUX HAI HUN ORR

*albofasciata* Pic, 1932b: 34

*ferruginea* Gahan, 1906a: 116

*nigrofasciata* Aurivillius, 1913: 14

*thibetana* Breuning, 1982: 17 A: XIZ

**genus *Polytretus* Gahan, 1893b: 382** type species *Polytretus cribripennis* Gahan, 1893

*cribripennis* Gahan, 1893b: 383 A: SD XIZ ORR

**genus *Propedicellus* G.-Q. Huang, J.-B. Huang & Liu, 2020: 518** type species *Propedicellus guoliangi* G.-Q. Huang, J.-B. Huang & Liu, 2020

*guoliangi* G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 A: YUN

*qiului* G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 A: GUX

**genus *Psacotha* Gahan, 1888d: 400** type species *Monohammus hilaris* Pascoe, 1857

*hilaris botelensis* K. Ohbayashi & N. Ohbayashi, 1965: 4 A: TAI (Lanyu Is.)

*hilaris hilaris* Pascoe, 1857b: 103 (*Monohammus*) Ei: FR (Rhône-Alpes) IT A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB

HUN JA JIA JIX NE SC SCH SHA TAI YUN ZHE ORR

#488

*albomaculata* Kano, 1933a: 278

*flavoguttata* Fairmaire, 1887a: 133 (*Diochaes*)

*machidai* Seki, 1935b: 292

*suzukii* Shiraki, 1913: 611 (*Hammoderus*)

*szetschuanica* Breuning, 1943c: 220

*hilaris insularis* Hayashi, 1960d: 25 A: JA

*hilaris intermedia* Breuning & K. Ohbayashi, 1966: 31 A: JA (Ryukyus)

*hilaris ishigakiana* K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)

*iriomotensis* Hayashi, 1969a: 63  
*hilaris macronotata* Hayashi, 1956c: 20 A: JA (Tokara Isls.)  
*hilaris maculata* Hayashi, 1962: 17 A: JA (Ryukyus)  
*hilaris miyakejimana* Matsushita, 1937: 314 A: JA (Izu Isls.)  
*hilaris miyakoana* K. Ohbayashi & N. Ohbayashi, 1965: 5 A: JA (Ryukyus)  
*hilaris teneburosa* Matsushita, 1933b: 322 A: JA (Ryukyus)  
*hilaris yonaguniana* K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)  
*nigrostigma* W.-K. Wang, Jiang & L.-Y. Zheng, 2002: 177 A: YUN  
*rubra* Gressitt, 1938a: 49 A: SCH

**genus *Pseudoechthistatus* Pic, 1917e: 6** type species *Pseudechthistatus obliquefasciatus* Pic, 1917  
*acutipennis* Chiang, 1981: 80 A: SCH  
*chiangshunani* Bi & Lin, 2016: 65 A: YUN **ORR**  
*glabripennis* Bi & Lin, 2016: 77 A: YUN **ORR**  
*granulatus* Breuning, 1942e: 133 A: ?SCH YUN  
*hei* Xie & W.-K. Wang, 2019: 184 A: YUN  
*holzschi* Bi & Lin, 2016: 69 A: YUN  
*obliquefasciatus* Pic, 1917e: 7 A: YUN  
*pufujiae* Bi & Lin, 2016: 73 A: YUN  
*rugosus* Huang, 2020: 593 A: YUN  
*sinicus* Bi & Lin, 2016: 63 A: YUN

**genus *Pseudomacrochenus* Breuning, 1943c: 271** type species *Pelargoderus antennatus* Gahan, 1894  
*affinis* Breuning, 1960e: 30 A: SD  
*albipennis* Chiang, 1981: 81 A: SCH  
*antennatus* Gahan, 1894a: 34 (*Pelargoderus*) A: FUJ HAI SCH YUN **ORR**  
*apicalis* Gahan, 1900d: 348 (*Pelargoderus*)  
*perplexus* Schwarzer, 1926a: 11 (*Pelargoderus*)  
*rufulosus* Fairmaire, 1902b: 268 (*Mecotagus*)  
*oberthueri* Breuning, 1955b: 59 A: SCH  
*spenicollis* Breuning, 1949a: 5 A: YUN **ORR**  
*wusuuae* He, Liu & Wang, 2017: 113 A: SCH

#343

#382

**genus *Pseudomeges* Breuning, 1944b: 299** type species *Hammaticherus marmoratus* Westwood, 1848  
*aureus* Bi, Chen & Lin, 2022: 248 A: YUN  
*marmoratus* Westwood, 1848: 11 (*Hammaticherus*) A: AP BT "Himalaya" **XIZ**  
*varioli* Le Moul, 1946: 136 A: GUA HAI SCH YUN **XIZ ORR**  
*gigas* Lepesme 1947: 411

#126

#647

#647

#126

**genus *Pseudonemophas* Breuning, 1944b: 281** type species *Monochamus baluanus* Aurivillius, 1923  
*versteegii* Ritsema, 1881d: 155 (*Monochamus*) A: AP FUJ HAI NP SCH SD YUN **ORR**  
*albescens* Pic, 1920a: 2 (*Monochamus*)  
*glabronotatus* Pic, 1934g: 34 (*Monochamus*)  
*siamensis* Breuning, 1982: 17 (*Anoplophora*)  
*subuniformis* Pic, 1934g: 34 (*Monochamus*)

#280

**genus *Pseudopsacotha* Pic, 1935b: 16** type species *Pseudopsacotha albonotata* Pic, 1935  
*albonotata albonotata* Pic, 1935b: 16 A: GUA GUI GUX HAI JIX **ORR**  
*albonotata psacothaeoides* Gressitt, 1942f: 6 (*Epepeotes*) [RN] A: HAI  
*tonkinensis* Gressitt, 1940b: 93 (*Epepeotes*) [HN]

#400

**genus *Pseudorsidis* Breuning, 1944: 495** type species *Diochares griseomaculata* Pic, 1916  
*griseomaculata* Pic, 1916e: 18 (*Diochares*) A: YUN

**genus *Pseudotrachystola* Breuning, 1943c: 187** type species *Trachystola rugiscapus* Fairmaire, 1900  
*rugiscapus* Fairmaire, 1900: 640 (*Trachystola*) A: ?FUJ ?SCH ZHE  
*strix* Gressitt, 1939b: 109 (*Leprodera*)  
*yei* Xiang, Xie & Wang, 2016: 121 A: HUB

#400

**genus *Pseuduraecha* Pic, 1925a: 23** type species *Pseuduraecha sulcaticeps* Pic, 1925  
*punctiventris* Heller, 1926: 28 (*Dihammus*) A: FUJ GUX SCH  
*nigronotata* Pic, 1935g: 178 (*Uraecha*)  
*sulcaticeps* Pic, 1925a: 23 A: CH

**genus *Rufohammus* Breuning, 1939b: 147** type species *Rufohammus rufescens* Breuning, 1939  
*rufescens* Breuning, 1939b: 148 [1939d] A: ?GUX **ORR**

**genus *Sarothrocer* White, 1846: 47** type species *Sarothrocer lowii* White, 1846  
*lowii* White, 1846: 47 A: AP **ORR** #166

**genus *Spinaristobia* Breuning, 1963e: 8** type species: *Spinaristobia rondoni* Breuning, 1963,  
*rondoni* Breuning, 1963e: 8 A: HAI **ORR** #310

**genus *Stegenagapanthia* Pic, 1924a: 18** type species *Stegenagapanthia albobittata* Pic, 1924  
*albobittata* Pic, 1924a: 18 A: GUX HAI SHA **ORR**

**genus *Sternohammus* Breuning, 1935c: 253** type species *Dihammus femoralis* Aurivillius, 1928  
*sericeus* Breuning, 1938c: 187 (*Paradihammus*) A: SD  
*yunnanus* W.-K. Wang & Jiang, 1998a: 462 A: YUN

**genus *Sternorsidis* Breuning, 1959c: 126** type species *Sternorsidis brunnea* Breuning, 1959  
*brunnea* Breuning, 1959c: 126 A: SD

**genus *Stratioceros* Lacordaire, 1869: 303** type species *Stratioceros princeps* Lacordaire, 1869  
*Cacoscapus* J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* J. Thomson, 1878  
*princeps* Lacordaire, 1869: 303 A: AP YUN **ORR** #280  
*mouhoti* J. Thomson, 1878: 48 (*Cacoscapus*)

**genus *Taeniotes* Audinet-Serville, 1835a: 90** type species *Lamia subocellata* Olivier, 1792 (= *Cerambyx farinosus* Linné, 1758)  
*Metoscopius* Gistel, 1848a: 131 [unnecessary substitute name]  
*cayennensis* J. Thomson, 1859c: 98 Ei: AZ **NTR**  
*azoricus* Kolbe, 1888: 180

**genus *Thermonotus* Gahan, 1888d: 399** type species *Thermonotus nigripes* Gahan, 1888  
*Gibbanamera* Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923  
*nigripes* Gahan, 1888d: 399 A: SD YUN #400  
*ruber* Pic, 1923c: 20 (*Gibbanamera*) A: YUN **ORR**

**genus *Trachystolodes* Breuning, 1943c: 188** type species *Trachystola bimaculatus* Kriesche, 1924  
*huangjianbini* Huang, Guo & Liu, 2020: 52 A: FUJ  
*neltharion* C. Wang & He, 2021b: 295 A: YUN  
*tianjialini* Yu. Wang, Xie & W. Wang, 2021: 137 A: HUB  
*tonkinensis* Breuning, 1943c: 188 A: FUJ GUA GUX HAI JIX SCH YUN **ORR**

**genus *Trichoscinestes* Breuning, 1954d: 70** type species *Trichoscinestes szetschuanica* Breuning, 1954  
*szetschuanica* Breuning, 1954d: 71 A: SCH

**genus *Trichohammus* Breuning, 1938c: 189** type species *Trichohammus granulatus* Breuning, 1938  
*granulatus* Breuning, 1938c: 189 A: BEI

**genus *Uraecha* J. Thomson, 1864: 84** type species *Uraecha bimaculata* J. Thomson, 1864  
*albobittata* Breuning, 1956c: 233 A: FUJ  
*angusta* Pascoe, 1857a: 49 (*Monohammus*) A: ANH BEI FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ ZHE  
**ORR** #200  
*attenuata* Pic, 1925a: 23  
*bimaculata* Matsushita, 1933b: 330 (*Orsidis*) [HN]  
*horishana* Matsushita, 1935: 312 [RN]  
*bimaculata bimaculata* J. Thomson, 1864: 85 A: JA NC SC  
*bimaculata brevicornis* Makihara, 1980: 60 A: JA  
*chinensis* Breuning, 1935d: 61 A: ANH BEI FUJ HEB HEN HUN JIA SHA ZHE #200 #225  
*gilva gilva* Yokoyama, 1966: 56 A: JA  
*gilva hachijoensis* Hayashi, 1969a: 64 A: JA (Izu Isls.)  
*guerryi* Pic, 1903e: 105 A: YUN  
*obliquefasciata* Chiang, 1951: 54 A: GUI  
*oshimana* Breuning, 1954d: 70 A: JA (Ryukyus)  
*punctata* Gahan, 1888b: 63 A: FUJ GUA HAI HKG JIX YUN **ORR** #60 #200  
*yunnana* Breuning, 1936: 296 A: **GAN** SCH YUN #496  
*perplexa* Gressitt, 1942d: 3 #200

**genus *Xenicotela* Bates, 1884a: 242** type species *Xenicotela fuscata* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)  
*convexicollis* Gressitt, 1942g: 83 (*Monohamus*) A: TAI ZHE #662  
*distincta* Gahan, 1888d: 392 (*Monohamus*) A: NP SD YUN

~~quadrinotata~~ Pic, 1925a: 17 (*Trachystola*)  
 tonkinensis Pic, 1926g: 143 (*Nephelotes*)  
~~trinotata~~ Pic, 1925a: 17 (*Trachystola*)  
*griseomaculata* Xie, Barclay & Chen, 2022: 152 A: CHQ  
*pardalina* Bates, 1884a: 239 (*Monohammus*) A: JA SC (Mt. Seoraksan)  
*fuscata* Bates, 1884a: 242

**genus *Xenohammus* Schwarzer, 1931b: 204** type species *Xenohammus bimaculatus* Schwarzer, 1931  
*albomaculatus* W.-K. Wang & Jiang, 2000b: 78, 80 A: SCH  
*bimaculatus* Schwarzer, 1931b: 204 A: FUJ GUA GUI GUX HAI JIX SCH TAI ZHE  
*filicornis* Gressitt, 1935f: 383 (*Monohammus*)  
*flavoguttatus* Pu, 1999: 83 A: HAI  
*griseomarmoratus* Breuning, 1956c: 233 A: FUJ  
*nebulosus* Schwarzer, 1931b: 205 A: TAI

#496

#### tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

**genus *Morimonella* Podaný, 1979b: 43** type species *Morimonella bednariki* Podaný, 1979  
*bednariki* Podaný, 1979b: 43 E: ST (NW Caucasus) A: GG (Gagry env.)

#### tribe Morimopsini Lacordaire, 1869

**genus *Aconodes* Pascoe, 1857b: 106** type species *Aconodes montanus* Pascoe, 1857  
*Centrura* Guérin-Ménéville, 1843: 61 [HN] type species *Centrura costata* Guérin-Ménéville, 1843  
*Dioxippe* J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852  
*Chambaganorum* Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925  
*breuningii* Gouverneur, 2015: 88 A: BT  
*submontanus* Breuning, 1975d: 345 [HN]  
*euphorbiae* Holzschuh, 2003b: 309 A: NP  
*latefasciatus* Holzschuh, 1984a: 153 A: NP  
*lima* Holzschuh, 1989a: 173 A: BT  
*montanus* Pascoe, 1857b: 107 A: NP SD  
*multituberculatus* Breuning, 1947a: 6 (*Centrura*) A: BT  
*nepalensis* Heyrovský, 1976: 183 A: NP  
*pedongensis* Breuning, 1956g: 667 A: SD  
*piniphilus* Holzschuh, 2003b: 309 A: BT  
*sikkimensis* Breuning, 1940b: 118 (*Centrura*) A: SD  
*truncatus* Breuning, 1939b: 144 (*Centrura*) A: SD

#378

**genus *Dolophrades* Bates, 1884a: 237** type species *Dolophrades terrenus* Bates, 1884a  
*Dorcadiohammus* Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)  
*annulicornis* Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI  
*punctatus* Pic, 1933a: 8 (*Dorcadiohammus*)  
*subdenudatus* Gressitt, 1938b: 153  
*mustanganus* Holzschuh, 2003b: 308 A: NP  
*terrenus* Bates, 1884a: 238 A: JA

**genus *Falsotrachystola* Breuning, 1950c: 218** type species *Trachystola asidiformis* Pic, 1916  
*asidiformis* Pic, 1916i: 326 (*Trachystola*) A: YUN  
*dongi* G.-Q. Huang, 2019: 50 - A: YUN  
*torquata* Holzschuh, 2007: 250 A: YUN **ORR**

#645

**genus *Lamidorcadion* Pic, 1934g: 33** type species *Lamidorcadion annulipes* Pic, 1934  
*annulipes* Pic, 1934g: 34 A: SCH YUN XIZ  
*tuberosum* Holzschuh, 1993a: 47 A: YUN

**genus *Laoechinophorus* Gouverneur, 2016: 26** type species *Laoechinophorus unifasciatus* Gouverneur, 2016  
*yunnanus* Yamasako, Vives & Liu, 2021: 96 A: YUN

**genus *Morimidius* Breuning, 1939b: 156** type species *Morimidius flavosparsus* Breuning, 1939  
*flavosparsus* Breuning, 1939b: 156 A: YUN **ORR**  
*shihongliangi* Bi, 2020: 360 A: XIZ

#590

**genus *Mimodorcadion* Breuning, 1942a: 115** type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Ménéville, 1844)  
*indicum* Guérin-Ménéville, 1844: 241 (*Dorcadion*) A: "India"  
*griseum* Breuning, 1942a: 115

**genus *Morimopsis* J. Thomson, 1857e: 182** type species *Morimopsis lacrymans* J. Thomson, 1857

*amiri* Bi, 2020: 356 A: YUN

*assamensis* Breuning, 1966d: 14 A: AP

*cheni* Bi, 2020: 357 A: XIZ

*dalihodi* Holzschuh, 2003b: 308 A: NP

*dembickyi* Weigel, 2018: 510 A: AP

*dongdongi* Bi, 2020: 353 A: XIZ

*glabripennis* Holzschuh, 2003b: 308 A: BT

*granulipennis* Breuning, 1966b: 1 A: SD

*hartmanni* Weigel, 2018: 513 A: NP

*holzschuhi* Weigel, 2018: 512 A: NP

*lacrymans* J. Thomson, 1857e: 183 A: NP SD

#258

*mussardi* Breuning, 1966d: 14 A: AP

*schmidtii* Weigel, 2018: 511 A: NP

*svachai* Bi, 2020: 358 A: YUN

*truncatipennis* Breuning, 1940d: 410 A: "North India", SD XIZ

#590

*unicolor* Breuning, 1975d: 347 A: BT XIZ

#590

**genus *Petromorphus* Bi, 2016: 299** type species: *Petromorphus yunnanus* Bi, 2016

*yunnanus australis* Bi, 2016: 300 A: YUN

*yunnanus yunnanus* Bi, 2016: 299 A: YUN

**genus *Pseudhepomidion* Breuning, 1936: 283** type species *Pseudhepomidion assamense* Breuning, 1936

*Morimopsidius* Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948

*albomaculatum* Bi, 2020: 363, 364 A: XIZ

*longipenne* Bi, 2020: 362, 364 A: XIZ

*triangulare* Breuning, 1948a: 5 (*Morimopsidius*) A: BT SD

*hiekei* Breuning, 1964e: 445 (*Monochamus*)

#258

**genus *Sinodorcadion* Gressitt, 1939b: 107** type species *Sinodorcadion punctulatum* Gressitt, 1939

*chinense* Xie & W.-K. Wang, 2020: 292 A: HUB

*jiangi* Xie, Shi & W.-K. Wang, 2013: 584 A: ZHE

*liyanae* C. Wang & He, 2021c: 139 A: GUI

*magnispinicolle* Xie, Shi & W.-K. Wang, 2013: 585 A: ZHE

*punctulatum* Gressitt, 1939b: 108 A: ZHE

*punctuscapum* Xie, Shi & W.-K. Wang, 2013: 587 A: ZHE

*zenghuaae* Xie & W.-K. Wang, 2020: 293 A: GUX

**genus *Sinomimovelleda* Chiang, 1963: 66** type species *Sinomimovelleda dentihumeralis* Chiang, 1963

*dentihumeralis* Chiang, 1963: 66 A: SCH

### tribe Nyctimeniini Gressitt, 1951

**genus *Nyctimenius* Gressitt, 1951a: 629 [RN]** type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)

*Nyctimene* J. Thomson, 1857f: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)

*chiangi* G.-Q. Huang, L. Chen & Liu, 2014: 437 A: YUN

*tristis* Fabricius, 1793: 314 (*Saperda*) A: HAI NP SD YUN ORR

*lineatus* Fabricius, 1801: 326 (*Saperda*)

*testaceovittatus* Pic, 1926g: 144 (*Nyctimene*)

*vittatus* Pascoe, 1866c: 330 (*Nyctimene*)

### tribe Parmenini Mulsant, 1839

**genus *Deucalion* Wollaston, 1854: 430** type species *Deucalion oceanicus* Wollaston, 1854

*oceanicus* Wollaston, 1854: 433 N: SG

**genus *Leprosoma* Pascoe, 1864c: 278 [RN]** type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)

*Leprosoma* J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)

*gibba* Brullé, 1839: 62 (*Lamia*) N: CI

*asperata* J. Thomson, 1860: 23 (*Leprosoma*)

*pedestris* Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

**genus *Paradeucalion* Breuning, 1950b: 153** type species *Deucalion desertarum* Wollaston, 1854

*desertarum* Wollaston, 1854: 430 (*Deucalion*) N: MR (Desertas Is.)

*maderense* Krátký & Aguiar, 2019: 3 N: MR

**genus *Parmena* Dejean, 1821: 108** type species *Lamia unifasciata* Rossi, 1790  
*aurora* Danilevsky, 1980: 852 A: AB IN #581  
*balearica balearica* Vives, 1998: 28 E: SP (Mallorca)  
*balearica minoricensis* Vives, 1998: 30 E: SP (Minorca)  
*balteus* Linnaeus, 1767: 1067 (*Cerambyx*) E: BE FR IT SZ  
*balteata* Fabricius, 1793: 262 (*Cerambyx*) – wrong subsequent spelling  
*fasciata* Villers, 1789: 239 (*Cerambyx*)  
*gauthieri* Stöcklein, 1940: 341  
*bialookii* Danilevsky, 2017b: 21 A: TR  
*bicincta* Küster, 1849: 69 E: AL BH CR  
*breuningii* Vives, 1979: 156 [Sierra de Maria (Almeria)] E: SP #463  
*cruciata* Pic, 1912c: 4 E: SP  
*schrammi* Pic, 1945b: 7  
*europaea* Danilevsky, 2017: 1 [“Ukraine, Yareski (49°50'N, 33°54'E) in Poltava Region”] E: MD RO UK  
*istanbulensis* Danilevsky & Hizal, 2017: E: TR A: TR #500  
*lodosi* Özdikmen & Tezcan, 2020a: 198 A: TR  
*lukati* Sama, 1994a: 12 A: TR  
*mergallii* Sama, 1984: 218 E: AN FR SP  
*mutilloides* Sabbadini & Pesarini, 1992: 27 A: TR  
*novaki* Sama, 1997a: 98 E: GR  
*pilosa pilosa* Brullé, 1832: 260 E: AL BH CR GR IT SL ?UK  
*hirsuta* Küster, 1846a: 95  
*pilosa inclusa* Mulsant, 1862: 242 E: FR IT MA N: LB  
*dahlui* Mulsant, 1862: 245  
*pontocircassica* Danilevsky & Miroshnikov, 1985: 289 E: ST UK (Crimea) A: AB AR GG TR  
*pubescens* Dalman, 1817b: 176 (*Lamia*) E: IT SP N: AG MO TU  
*algorica* Laporte, 1840: 485  
*minuta* Pic, 1891b: 29  
*soldatii* Cocquempot, 2020: 124 N: TU  
*slamai* Sama, 1986: 23 E: GR (Crete, Rodos, Lesbos) TR  
*solieri* Mulsant, 1839: 119 [Marseille] E: FR IT  
*lanzai* Sama, 1985b: 76 [Poraggia Grande, Corsica] #245  
*pilosa* Solier, 1835: 100 [HN] [Marseille, Montredon]  
*striatopunctata* Sama, 1994f: 554 A: GG TR #171 #581  
*[samai* Özdikmen, 2021f: 1440] - unavailable name #581  
*[sericata* Sama, 1996c: 114] - unavailable name  
*subpubescens* Hellrigl, 1971: 445 E: IT  
*unifasciata* Rossi, 1790: 147 (*Lamia*) E: AL BH CR FR GR IT MC SL SZ #64

**genus *Plectrura* Motschulsky, 1845b: 370** type species *Plectrura spinicauda* Motschulsky, 1845  
**subgenus *Phlyctidola* Bates, 1884a: 236** type species *Phlyctidola metallica* Bates, 1884  
*metallica metallica* Bates, 1884a: 236 (*Phlyctidola*) A: FE HUB JA NC NE #63  
*mandshurica* Jakobson, 1899: 43  
*sachalinica* Jakobson, 1899: 44  
*metallica yoshihiroii* Takakuwa, 1984: 12 A: JA

**genus *Xylotoles* Newman, 1840: 12** type species *Xylotoles lentus* Newman, 1840 (*Saperda grisea* Fabricius, 1775)  
*griseus* Fabricius, 1775: 186 (*Saperda*) Ei: GBi AUR #386  
#386

**tribe Petrognathini Blanchard, 1845**

**genus *Falsimalmus* Breuning, 1956: 453** type species *Falsimalmus niger* Breuning, 1956 #492  
*niger* Breuning, 1956j: 359 A: YUN

**genus *Ioesse* J. Thomson, 1864: 68** type species *Ioesse sanguinolenta* J. Thomson, 1864  
*Macrocelosterna* Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924  
*rubra* Pic, 1925c: 3 (*Macrocelosterna*) 68 A: HAI YUN ORR

**genus *Ithocritus* Lacordaire, 1872: 447** type species *Monohammus ruber* Hope, 1839  
*multimaculatus* Pic, 1934g: 35 A: GUX ORR  
*fascicollis* Breuning, 1935b: 171  
*ruber* Hope, 1839: 43 (*Monohammus*) A: NP SD YUN ORR #311  
*similis* Bi & Lin, 2020: 455 A: YUN

**genus *Pseudapriona* Breuning, 1936: 304** type species *Pseudapriona flavoantennata* Breuning, 1936  
*Parajoesse* Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21  
*flavoantennata* Breuning, 1936: 304 A: AP XIX ORR #126

*medogensis* Chiang & Chen, 1992, 69 (*Ioesse*)  
*nagaensis* Breuning, 1982a: 21 (*Parajoesse*)  
*niger* Pu, 1988: 300, 303 (*Ithocritus*)

### tribe Phrynetini J. Thomson, 1864

**genus *Calothyrsa* J. Thomson, 1868c: 168** type species *Phryneteta margaritifera* Westwood, 1848  
*margaritifera* Westwood, 1848: 11 (*Phryneteta*) A: NP YUN "Himalaya"

**genus *Phryneteta* Dejean, 1835: 341** type species *Lamia marmorea* Olivier, 1797

*Inesida* J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775  
*leprosa* Fabricius, 1775: 178 (*Lamia*) Ei: FR MA Ai: TR AFR  
*brunicornis* Guérin-Ménéville, 1844: 239 (*Lamia*)

#189

### tribe Phytoeciini Mulsant, 1839

**genus *Conizonia* Fairmaire, 1864a: 176** type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)  
**subgenus *Conizonia* Fairmaire, 1864a: 176** type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)

*allardi allardi* Fairmaire, 1866a: 68 N: AG

*?elegantula* Fairmaire, 1871: 402

#107

*leprieuri* Pic, 1892g: 104 [1892o: lii]

*allardi guyi* Sama, 2005a: 37 N: MO

*aresteni* Pic, 1951: 11 N: MO

*detrita* Fabricius, 1793: 308 (*Saperda*) N: AG MO TU

*maculosa* Mulsant, 1839: 201 (*Phytoecia*)

*vittigera* Fabricius, 1801: 318 (*Saperda*)

*guerini* Breme, 1840: 277 (*Saperda*) N: AG TU

*glauca* Erichson, 1841: 189 (*Saperda*)

*luteopubens* Pic, 1918d: 17

*lineata* Pic, 1918d: 11

*mounai* Sama, 2005a: 40 N: MO

*simia* Sama, 2005a: 38 N: AG

*warnieri* P. H. Lucas, 1847: pl. 43 (*Phytoecia*) N: AG MO TU

*aumontiana* P. H. Lucas, 1851b: xli (*Phytoecia*)

*bicoloricornis* Pic, 1942a: 1

*cinerea* Guérin-Ménéville, 1841: 9 (*Saperda*) [HN]

*coquerelii* Fairmaire, 1873: 353

*?elegantula* Fairmaire, 1871: 402

#107

*fuscicornis* Heyden, 1863: 130 (*Phytoecia*)

*henoni* Pic, 1891b: 49

*heterogyna* Fairmaire, 1871: 402

*inlateralis* Pic, 1942d: 3

*invittata* Pic, 1942a: 1 [DA]

*mimeuri* Pic, 1950d: 93

*poweli* Pic, 1941a: 13

*pygidialis* Pic, 1911a: 9

*vittithorax* Pic, 1900e: 16

**subgenus *Conizonioides* Özdikmen, 2015a: 50** type species *Conizonia kalashiani* Danilevsky, 1992b

*annularis* Holzschuh, 1984a: 160 A: TR

*anulifera* Löbl & Smetana, 2013: 41 [unjustified emendation]

*georgiana* Navrátil & Rozsival, 2016: 1 (*Coptosia*) A: GG (Gori env.)

*kalashiani* Danilevsky, 1992b: 113 ["Mt. Arailer near Egvard"] A: AR

**genus *Eurycoptosia* Reitter, 1913b: 666** type species *Phytoecia bodoani* Pic, 1912

*bodoani* Pic, 1912a: 10 (*Phytoecia*) A: AB (Talysh) IN

**genus *Iranocoptosia* Villiers, 1967: 340** type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer, 1886)

*fausti* Ganglbauer, 1886c: 521 (*Phytoecia*) A: IN TM (Kopetgag)

*balachowskyi* Villiers, 1967: 340

**genus *Kabylophytoecia* Sama, 2005d: 149** [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842

*Tala* Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842

*cirteensis* P. H. Lucas, 1842: 187 (*Phytoecia*) N: AG TU

**genus *Linda* J. Thomson, 1864: 122** type species *Amphionycha femorata* Chevrolat, 1852

**subgenus *Dasyllinda* J. Thomson, 1868c: 184** type species *Dasyllinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)

*apicalis apicalis* Pic, 1906d: 17 A: GUI SCH XIZ YUN

*gibbosicollis* Pic, 1915c: 12

*nigriventris* Heller, 1923b: 74

*subcincta* Pic, 1924a: 19

*apicalis yunnana* Breuning, 1978b: 7 A: GUI SCH XIZ YUN  
*yunnanica* Breuning, 1979a: 46 [RN]  
*fasciculata* Pic, 1902i: 32 A: SCH SHA YUN  
*vitalisi* Vuillet, 1912: 300 (*Dasyllinda*)  
*scopigera* J. Thomson, 1868c: 185 (*Dasyllinda*) A: AP NP SD XIZ YUN **ORR** #280  
*rubripennis* Pic, 1923a: 14  
*testacea* Saunders, 1839: 179 (*Saperda*) [HN]  
**subgenus** *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852  
*Miocris* Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902  
[*annamensis annamensis* Breuning, 1954g: 556 **ORR** (Annam)]  
*annamensis yunnanensis* Breuning, 1960f: 147 A: YUN  
*annulicornis* Matsushita, 1933b: 424 A: FUJ GUI GUX TAI YUN #400  
*subannulata* Breuning, 1966b: 19 [RN]  
*subannulicornis* Breuning & K. Ohbayashi, 1964b: 30 [HN] (not *subannulicornis* Breuning, 1956)  
*atricornis* Pic, 1924a: 19 A: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH SHA YUN ZHE  
*bimaculicollis* Breuning, 1954g: 558 A: XIZ **ORR**  
*femorata* Chevrolat, 1852: 418 (*Amphionycha*) A: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN  
*melanoptera* Fairmaire, 1895: 187 (*Amphionycha*)  
*fraterna* Chevrolat, 1852: 419 (*Amphionycha*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN ZHE  
*luteonotata* Pic, 1907c: 24  
*pratti* Pic, 1902a: 3  
*seminigra* Fairmaire, 1887a: 134  
*subtestacea* Pic, 1906d: 17  
*frontalis* Pu, 1988: 304 A: XIZ #523  
*gracilicornis* Pic, 1907c: 24 A: SCH YUN  
*macilenta* Gressitt, 1947: 551 A: SCH SHA #225  
*major* Gressitt, 1942b: 8 A: ANH FUJ GUI SHA #225  
*nigroscutata ampliata* Pu, 1993: 361 A: GUI SCH #400  
*nigroscutata nigroscutata* Fairmaire, 1902a: 245 (*Miocris*) A: GUI HUB HUN SCH XIZ YUN **ORR**  
*rubescens* Hope, 1831: 28 (*Saperda*) A: AP BT NP SD #280 #523  
*bisbimaculata* Pic, 1930d: 59 (*Miocris*)  
*fulva* Fairmaire, 1895: 188  
*semitra* Holzschuh, 2003b: 315 A: NP  
*semivittata* Fairmaire, 1887a: 134 (*Oberea*) A: SCH YUN #400  
*subtestaceicolor* Pic, 1916e: 17 (*Oberea*)  
*tricotata* Gressitt, 1947: 554  
*signaticornis* Schwarzer, 1925c: 154 A: TAI  
*stolata* Pesarini & Sabbadini, 1997: 127 A: SCH  
*subannulicornis* Breuning, 1956c: 236 A: FUJ  
*subatricornis* Lin & X.-K. Yang, 2012: 3 A: BEI CHQ FUJ HEB NIN SCH SHA #60  
*zayuensis* Pu, 1981: 428 A: XIZ  
**genus** *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843  
**subgenus** *Eumallosia* Danilevsky, 1990: 364 type species *Mallosia herminae* Reitter, 1890 #517  
*Anatolomallis* Özdikmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.  
*Anatolomallosia* Özdikmen & Aytar, 2012a: 659 type species *Mallosia nonnigra* Özdikmen & Aytar, 2012a  
*Submallosia* Özdikmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895  
*armeniaca* Pic, 1897a: 188 A: AR IN TR  
*caucasica* Pic, 1898o: 168  
*haiastanica* Danilevsky, 2007b: 3  
*brevipes* Pic, 1897a: 188 A: AR IN TR  
*cribratofasciata* K. Daniel, 1904a: 309  
*costata* Pic, 1898m: 124 [Kurdistan] A: IN TR  
*gobustanica* Danilevsky, 1990: 366 A: AB (Maraza env.)  
*herminae* Reitter, 1890c: 241 A: AB (Nakhichevan) IN  
*imperatrix imperatrix* Abeille de Perrin, 1885: cxl [Bloudan (Antiliban)] A: IN IQ LE SY TR #182  
*robusta* Pic, 1901e: 19 [Syria]  
*imperatrix tauricola* K. Daniel, 1904a: 308 A: TR #67  
*jakowlewi* Semenov, 1895: 204 (*Phytoecia*) A: IN  
*iranica* K. Daniel & J. Daniel, 1898a: 79  
*kurdistanica* Breuning, 1970b: 30 [Kurdistan] A: IN  
*nonnigra* Özdikmen & Aytar, 2012a: 656 A: TR  
*tamashaczi* Sama & Székely, 2010: 896 A: IN  
**subgenus** *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843  
*graeca* Sturm, 1843: 356 (*Saperda*) E: GR  
*cardoriensis* Pic, 1900o: 109  
*tomentosa* Sturm, 1843: 355 (*Dorcadion*)  
**subgenus** *Semnosia* K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837

*Eusemnosia* Özdikmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837 #517  
*baiocchii* Sama, 2000a: 94 (*Semnasia*) A: SY  
*galinae* Danilevsky, 1990: 364 A: AB GG (Vashlovan) #12  
*interrupta capulcu* Koçak & Kemal, 2013: 2 ["Hakkari"] A: TR  
*interrupta interrupta* Pic, 1905b: 28 ["Kurdistan"] A: IN TR  
*mirabilis devexula* Holzschuh, 1989a: 176 ["Hakkari"] A: TR  
*mirabilis mirabilis* Faldermann, 1837: 283 (*Saperda*) A: IN IQ TR  
*bitlisiensis* Pic, 1902k: 42 ["Bitlis"]  
*delagrangae* Pic, 1902k: 42 ["Monts Amanus"]  
*ganglbaueri* Kraatz, 1884b: 233 ["Malatia"]  
*kotschyi* Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]  
*multimaculata* Pic, 1902k: 42 ["Malatia"]  
*scovitzii* Faldermann, 1837: 284 (*Saperda*) A: AB AR GG ?IN TR  
*atricornis* Pic, 1915e: 10  
*semilimbata* Pic, 1900g: 14  
*tristis* Reitter, 1888a: 134 A: AB IN  
*angelicae* Reitter, 1890c: 242  
*lederi* Pic, 1908e: 14

**genus Mallosiola Semenov, 1895: 205** type species *Mallosia regina* Heyden, 1887  
*regina* Heyden, 1887b: 319 (*Mallosia*) A: TD  
*lopatini* Heyrovský, 1969a: 34 (*Mallosia*)

**genus Micromallosia Pic, 1900g: 15** type species *Micromallosia theresae* Pic, 1900  
*heinzorum* Holzschuh, 1991a: 27 (*Mallosia*) A: TR  
*heydeni* Ganglbauer, 1888a: 76 (*Phytoecia*) A: TR  
*theresae* Pic, 1900g: 15 A: TR

**genus Mimocoptosia Breuning & Villiers, 1972: 37** type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia luteovittigera* Pic, 1906)  
*luteovittigera* Pic, 1906a: 4 (*Phytoecia*) A: IN TR  
*iraniensis* Breuning & Villiers, 1972: 37

**genus Nupserha Chevrolat, 1858: 358** [RN] type species *Saperda fricator* Dalman, 1817  
*Sphenura* Dejean 1835:350 [HN] type species *Saperda fricator* Dalman, 1817  
*acuta* Holzschuh, 1986b: 152 A: SD  
*alexandrovi* Plavilstshikov, 1915c: 109 (*Oberea*) A: FE JIL  
*infrequens* Cherepanov, 1996: 136 #544  
*ambigua* Lameere, 1893a: 286 A: YUN **ORR** #523  
*annulata annulata* J. Thomson, 1857c: 147 (*Stibara*) A: BT NP PA SD  
*subannulicornis* Pic, 1916d: 7 (*Oberea*)  
*annulata mustangensis* Holzschuh, 1990: 194 A: NP  
*atriceps* Breuning, 1948e: 121 A: GUI GUX SD UP **ORR**  
*basipilosa* Holzschuh, 1986b: 148 A: NP SD  
*bicolor* J. Thomson, 1857c: 147 (*Stibara*) A: AP UP **ORR** #280  
*brevior* Pic, 1908f: 18 (*Oberea*) A: YUN  
*cauta* Holzschuh, 1986b: 150 A: NP  
*clypealis clypealis* Fairmaire, 1895: 188 (*Oberea*) A: GUI HKG TAI YUN ZHE **ORR** #400 #489  
*bisbinotaticollis* Pic, 1917h: 13 (*Oberea*)  
*clypealis formosana* Breuning, 1960c: 19 A: TAI  
*dubia* Gahan, 1894a: 93 A: AP FUJ GUX HAI NP PA SD TAI UP YUN **ORR** #523  
*fricator fricator* Dalman, 1817b: 183 (*Saperda*) A: ?AP FUJ GUX HAI ?NP ?SD TAI **ORR** #624  
*bipartipennis* Pic, 1943b: 3 (*Stibara*)  
*haddeni* Gressitt, 1940d: 419  
*inopinata* Gilmour, 1965: 482  
*lineatipes* Pic, 1928b: 22  
*producta* Schwarzer, 1931b: 212  
*rufopicea* Schwarzer, 1930: 127  
*fumigera* Holzschuh, 2021b: 576 A: NP  
*fuscoapicalis* Breuning, 1949a: 15 A: NP SD **ORR**  
*fuscodorsalis* W.-K. Wang & Jiang, 2002b: 126 A: SD YUN #280  
*infantula* Ganglbauer, 1889a: 83 (*Oberea*) A: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE  
*bisbinotata* Pic, 1928b: 23 (*Oberea*)  
*subvelutina* Gressitt, 1937d: 619  
*infuscata* Breuning, 1960c: 31 A: XIZ  
*lateralis* Holzschuh, 2021b: 574 A: NP #624  
*lenita* Pascoe, 1867b: 410 (*Glenea*) A: NP PA SD UP **ORR** #523  
*annamensis* Pic, 1939a: 18

*nigromaculata* Pic, 1926c: 18  
*longipennis* Pic, 1926c: 18 A: XIZ  
*malabarensis* Pic, 1939a: 17 A: UP **ORR**  
*marginella binhensis* Pic, 1926c: 18 A: FUJ HUN **ORR**  
*marginella marginella* Bates, 1873: 390 (*Oberea*) A: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG NC SC SHA SHN TAI ZHE  
*minor* Pic, 1939a: 17 A: FUJ GUX YUN **ORR**  
*multimaculata* Pic, 1939a: 16 A: YUN **ORR**  
*nigriceps* Gahan, 1894a: 90 A: AP NP YUN **ORR** #166  
*nigricollis* Breuning, 1960c: 13 A: "North India"  
*nigrohumeralis* Pic, 1927k: 200 A: YUN **ORR**  
*nitidior* Pic, 1939a: 18 A: HP **ORR** #366  
*pallidipennis flavipennis* Breuning, 1950a: 16 A: BT JIX NP SD XIZ #391 #400  
*pallidipennis pallidipennis* L. Redtenbacher, 1844: 552 (*Phytoecia*) A: BT JIX KA NP SD UP XIZ **ORR**  
*pseudinfantula* Breuning, 1948e: 119 A: GUX  
*quadrioculata* Thunberg, 1787: 57 (*Saperda*) A: NP GUX HAI YUN "North India" **ORR**  
*carinata* J. Thomson, 1857c: 146 (*Stibara*)  
*corrugata* Gressitt, 1940b: 211  
*costata* Wiedemann, 1923: 112 (*Saperda*)  
*noticeps* Pic, 1926c: 17  
*rotundicollis* Breuning, 1950d: 263 A: BT KA NP PA SD #274  
*schmidi arunensis* Holzschuh, 1990: 195 A: NP  
*schmidi darjeelingensis* Holzschuh, 1990: 195 A: SD  
*schmidi schmidi* Breuning, 1966d: 16 A: AP NP SD  
*schmidtambaensis* Holzschuh, 1990: 195 A: NP  
*sericans* Bates, 1884a: 260 (*Oberea*) A: FE (Kunashir) JA  
*spinifera spinifera* Gressitt, 1948b: 63 A: BT CHQ GUI SCH SD #168 #400  
*subabbreviata* Pic, 1916e: 16 (*Oberea*) A: SCH YUN  
*szetschuanica* Breuning, 1947d: 148 A: SCH  
*taliana* Pic, 1916e: 16 (*Oberea*) A: GUI GUX XIZ YUN **ORR** #400  
*brevilineata* Pic, 1928b: 23 (*Oberea*)  
*lemoulti* Pic, 1916e: 18 (*Oberea*)  
*pseudomarginella* Breuning, 1947d: 148  
*tatsienlui* Breuning, 1948e: 120 A: SCH  
*testaceipes* Pic, 1926c: 18 A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN  
*batesi* Gressitt, 1937d: 618  
*thibetana* Breuning, 1948e: 120 A: SCH XIZ  
*ustulata ustulata* Erichson, 1834: 270 (*Saperda*) A: GUX **ORR**  
*cosmopolita* J. Thomson, 1857c: 146 (*Stibara*)  
*grandis* Pic, 1939a: 17  
*seminigra* Breuning, 1960c: 48  
*variabilis* Gahan, 1894a: 92 A: GUX HKG YUN **ORR** #400  
*apicalis* Aurivillius, 1926: 21 (*Stibara*) [HN]  
*apicalis* Pic, 1925f: 188 (*Stibara*) #523  
*latetestacea* Pic, 1942d: 16 (*Stibara*) #523  
*ventralis* Gahan, 1894a: 91 A: HUN SD XIZ YUN **ORR**  
*pseudovernalis* Breuning, 1950d: 263  
*yunnana* Breuning, 1960c: 36 A: YUN  
*yunnanensis* Breuning, 1960c: 19 A: YUN  
  
**genus Oberea Dejean, 1835: 351** type species *Cerambyx linearis* Linnaeus, 1760 #9 #523  
**subgenus Amaurostoma** J. Müller, 1906: 223 type species *Cerambyx erythrocephalus* Schrank, 1776  
*donceeli* Pic, 1907c: 23 A: ES FE GAN HEB MG NIN NMO SHA SHX XIN  
*obscuripennis* Pic, 1939b: 3  
*erythrocephala amanica* Holzschuh, 1993a: 50 A: SY TR #53  
*erythrocephala bicolor* Reiche, 1878a: cxlix E: PT SP (Andalusía) N: MO  
*maroccana* Pic, 1914b: 11  
*reichei* Plavilstshikov, 1927a: 64 [unnecessary RN]  
*erythrocephala calvescens* G. Müller, 1948: 15 E: IT  
*erythrocephala erythrocephala* Schrank, 1776: 67 (*Cerambyx*) E: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT MC MD ME  
PL PT RO SB SK SL SP SZ TR UK A: AB AR GG IN ?KI KZ LE SY TR WS  
*anatolica* Pic, 1901d: 19  
*cincta* Gebler, 1830: 186 (*Saperda*)  
*erivanica* Pic, 1917a: 11  
*hungarica* Pic, 1914b: 11  
*insidiosa* Mulsant, 1862: 396  
*luteicollis* Gebler, 1833: 303 (*Saperda*)  
*melitana* Reiche, 1878a: cxlix

*montandoni* Pic, 1914b: 11  
*planeti* Pic, 1945b: 5  
*richteri* Bau, 1888: 425  
*schurmanni* Heyrovský, 1962a: 42 #53  
*sinuatesignata* Pic, 1945b: 7  
*theophilei* Pic, 1914b: 11  
*erythrocephala rubricollis* Özdikmen & Tezcan, 2020d: 447 A: TR  
*euphorbiae* Germar, 1813: 131 (*Saperda*) E: AU BU CT CZ HU IT MD RO SK ST ?TR UK A: AB AR KZ WS #564  
*imitans* G. Müller, 1948: 76  
*intermedia* Breuning, 1947c: 59 [HN]  
*histrionis* Pic, 1917a: 11 E: AU CZ HU MD PL RO SK UK #91  
*moravica* Kratochvíl, 1989: 1  
*ressli* Demelt, 1963: 150 A: TR #201  
*ruficeps muchei* Breuning, 1981a: 26 A: TD (Gissar Ridge, Anzob Pass)  
*ruficeps ruficeps* Fischer von Waldheim, 1842: 18 A: KI KZ TD UZ WS XIN  
*semirufa* Kraatz, 1882a: 115  
*taygetana* Pic, 1901d: 27 E: AL GR #236  
**subgenus Oberea** Dejean, 1835 351 type species *Cerambyx linearis* Linnaeus, 1760  
*Isosceles* Newman, 1842d: 318 type species *Isosceles macilenta* Newman, 1842  
*acuta* Gressitt, 1951a: 629 A: SCH YUN #592  
*angustata* Pic, 1923b: 11 A: FUJ ORR #400  
*obscuripennis* Breuning, 1967c: 40  
*atroantennalis* Breuning, 1960b: 39 [= 1962f: 190] A: FUJ NP #400  
*atropunctata* Pic, 1916e: 17 (Yunnan) A: SCH YUN  
*bicallosicollis* Pic, 1933f: 7 A: SCH  
*bicoloricornis* Pic, 1915c: 13 A: XIZ #201  
*binotaticollis binotaticollis* Pic, 1915c: 13 A: TAI #465  
*griseopennis* Schwarzer, 1925c: 154  
*binotaticollis chinensis* Breuning, 1982a: 29 A: SCH  
*binotaticollis ichangensis* Breuning, 1969e: 670 A: HUB  
*birmanica* Gahan, 1894a: 96 A: GUX SCH YUN ORR  
*lajoyei* Pic, 1919b: 12  
*bisbipunctata bisbipunctata* Pic, 1916e: 17 ?A: GUA GUI GUX NE SCH ZHE ORR #592  
*bisbipunctulata* Breuning, 1960b: 34 [= 1962f: 191] A: SD  
[*bivittata bivittata* Aurivillius, 1911: 40– Indonesia]  
*bivittata medioplagiata* Breuning, 1960b: 51 [= 1962f: 158] A: NP SD YUN ORR  
*bootangensis* Breuning, 1960b: 55 [= 1962f: 177] A: SD NP  
*breviantennalis* Kurihara & N. Ohbayashi, 2006: 257 A: TAI  
*brevithorax* Gressitt, 1936: 108 A: FUJ HAI TAI ZHE ORR #184  
*inepta* Gressitt, 1939b: 122  
*clara* Pascoe, 1866b: 265 A: YUN ORR  
*armata* Gahan, 1894a: 95  
*fingeriventris* W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75  
*conica* W.-K. Wang, Y.-Z. Le & Jiang, 2002: 74 A: YUN  
*consentanea* Pascoe, 1867b: 426 A: BT NP SD ORR #523  
*inbrevicollis* Pic, 1928d: 16  
*posticata* Pic, 1926b: 10 [HN]  
*rufopyga* Pic, 1926b: 10  
*coreana* Pic, 1912h: 21 A: SC #424 #525  
*coreensis* Gressitt, 1951a: 633 A: FE NC SC #525  
*coxalis* Gressitt, 1940a: 14 [RN] A: GUA  
*discipennis* Gressitt, 1939a: 100 [HN]  
*curialis* Pascoe, 1866b: 264 A: CH ORR  
*brevicollis* Pascoe, 1867b: 420  
*nonfriedi* Pic, 1923a: 14  
*curtilineata* Pic, 1916i: 326 A: YUN  
*depressa* Gebler, 1825: 51 (*Saperda*) A: ES FE FUJ KZ MG NC NE SC SHA WS XIN  
*altaica* Gebler, 1830: 187 (*Saperda*)  
*amurica* Suvorov, 1913: 78  
*rosinae* Pic, 1904d: 18  
*rufomaculata* Kôno & Tamanuki, 1926: 278, 293  
*transbaicalica* Suvorov, 1913: 78  
*distinctipennis* Pic, 1902a: 2 A: FUJ GUA HAI SCH XIZ ORR  
*lateriventris* Gressitt, 1939a: 101  
*subparallela* Pic, 1928b: 23  
*thibetana* Pic, 1916e: 16  
*diversimembris* Pic, 1923b: 11 A: XIZ ZHE ORR  
*diversipes* Pic, 1919b: 11 A: CHQ FUJ GUA GUI HAI HEN HUN SCH SHA XIZ YUN ORR #145

*brevicollis* Fairmaire, 1895: 190 [HN]  
*fairmairei* Aurivillius, 1923a: 532 [RN] #145  
*elongatipennis* Pic, 1940: 11 A: GUI  
*ferruginea* Thunberg, 1787: 57 (*Saperda*) A: FUJ GAN GUA GUX HUB HUN NP SD SHA YUN #400  
*atricornis* Fabricius, 1793: 308 (*Saperda*)  
*elongata* Olivier, 1800: 19 (*Saperda*) #373  
*maculiventris* Pic, 1923a: 15 [HN]  
*notativentris* Pic, 1924d: 30 [RN]  
*prolixa* Pascoe, 1867b: 424  
*semiargentata* Pic, 1923a: 15  
*flavescens* Breuning, 1947d: 146 A: SCH SHA #184 #225  
*flavipennis* Kurihara & N. Ohbayashi, 2007: 199 A: TAI  
*formosana* Pic, 1911d: 20 A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SCH SHA TAI ZHE ORR #60  
*formososylvia* Kurihara & N. Ohbayashi, 2007: 207 A: TAI  
*fuscipennis* Chevrolat, 1852: 419 (*Isosceles*) A: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX SCH SHA SHG XIZ YUN ZHE  
**ORR** #145 #225  
*cephalotes* Breuning, 1947d: 147  
*fulveola* Bates, 1873: 390  
*hanoiensis* Pic, 1923: 12 #145  
*holoxantha* Fairmaire, 1888a: 35  
*pieli* Pic, 1924: 19  
*rosi* Gressitt, 1940b: 214  
*rufotestacea* Pic, 1923b: 12  
*sinensis* Pic, 1902: 2  
*theryi* Pic, 1902a: 2  
*unicolor* Breuning, 1956c: 236 #523  
*fusciventris* Fairmaire, 1895: 189 A: SE SW ORR  
*gracillima gracillima* Pascoe, 1867b: 422 A: ANH AP FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH  
SHN TAI ZHE ORR  
*angustatissima* Pic, 1908f: 17  
*horiensis* Matsushita, 1931a: 47  
*langana* Pic, 1902l: 35  
*michikoi* Yokoyama, 1971: 101  
*nigriventris* Bates, 1873: 389 #9  
*subannulipes* Pic, 1913a: 19  
*grossepunctata* Breuning, 1947d: 145 A: SHN YUN  
*hebesens* Bates, 1873: 389 A: JA JIA  
*herzi* Ganglbauer, 1887c: 23 A: BEI FE HEB JIA JIL ?NC QIN SC SHN  
*teranishii* K. Ohbayashi, 1936b: 17 ["Ikuecho, Osaka" (Japan) – wrong label]  
*heudei* Pic, 1936a: 23 A: SHG  
*heyrovskyi* Pic, 1927e: 10 A: FE ?NC NE SC  
*himalayana* Breuning, 1972c: 420 A: NP UP ORR  
*holatripenoides* Löbl & Smetana, 2010: 59 A: BEI #400  
*holatripennis* Breuning, 1982a: 29 [HN]  
*humeralis* Gressitt, 1939a: 103 A: FUJ GUA HUN JIX NE ORR  
*inclusa* Pascoe, 1858: 261 A: FUJ GUA GUX HEN HUB JIA JIX NMO SCH ZHE  
*discipennis* Fairmaire, 1889a: 68  
*incompleta* Fairmaire, 1897e: 255 A: SCH  
*infranigrescens* Breuning, 1960b: 36 A: HEI NIN SC (Jindo Is.) JA #63 #400  
*infratestacea* Pic, 1936a: 24 A: CHQ FUJ JIX SHG ORR #145  
*isigakiana* Matsushita, 1941: 158 A: JA (Ryukyus)  
*japonica* Thunberg, 1787: 57 (*Saperda*) A: FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA SHN ZHE  
*japonica* Bates, 1873: 388 [HN]  
*niponensis* Bates, 1884a: 260 [RN]  
*komiyai* Kurihara & N. Ohbayashi, 2006: 261 A: TAI  
*kostini* Danilevsky, 1988b: 35 E: CT (Udmurtia) A: ES KZ WS #394  
*lacana* Pic, 1923a: 16 A: SD YUN ORR  
*lama* Gressitt, 1942c: 5 A: XIZ ORR  
*laosensis* Breuning, 1963b: 52 A: YUN ORR  
*latipennis* Gressitt, 1939a: 104 A: GUA JIX ORR #400  
*leucothrix* Toyoshima, 1982: 33 A: JA  
*licenti* Pic, 1939b: 3 [Chine: Fei hien] A: BEI FE NC SC ZHE #652  
*chinensis* Tsherepanov, 1985: 147 [RN]  
*scutellaris* Fairmaire, 1888b: 147 [HN]  
*scutellaroides* Breuning, 1947c: 58 [RN] #63 #400  
*linearis* Linnaeus, 1760: 191 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD ME NL  
NR PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG TR #133  
*cylindricollis* Gray, 1832: 119 (*Saperda*)

*fulvipes* Geoffroy, 1785: 79 (*Leptura*)  
*limbata* Mulsant, 1839: 197  
*parallela* Scopoli, 1763: 47 (*Leptura*)  
*regularis* Poda von Neuhaus, 1761: 38 (*Leptura*)  
*lutea lutea* Thunberg, 1787: 57 (*Saperda*) A: SD **ORR**  
*maculicollis* P. H. Lucas, 1842: 187 E: SP N: AG MO #487  
*mauritanica* P. H. Lucas, 1842: 187  
*medioobliterata* Pic, 1945b: 7  
*semijuncta* Pic, 1945b: 7  
*mixta* Bates, 1873: 389 A: JA ZHE  
*morio* Kraatz, 1879c: 117 A: ES FE MG NC NE QIN SC #400  
*pictibasis* Reitter, 1902b: 186  
*nigriceps* White, 1844: 425 (*Saperda*) A: ANH GUI HAI HKG **ORR** #400  
*binhana* Pic, 1923b: 12  
*notata* Pic, 1936a: 24 A: ANH FUJ GUA GUX GUI HUN JIA JIX SCH SHG TAI ZHE #400 #592  
*shimomurai* Kurihara & N. Ohbayashi, 2007: 209  
*oculata* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC  
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA MG #63  
?NC NMO SC SHA SHN SY TR WS XIN  
*borysthenica* Mokrzecki, 1900: 294  
*inoculata* Heyden, 1892a: 81  
*quadrimaculata* Donisthorpe, 1913: 158  
*tomensis* Kiseleva, 1927: 131  
*okinawana* Kusakabe, 1992: 40 A: JA (Ryukyus)  
*pedemontana* Chevrolat, 1856b: 436 E: AU BH BU CR HU IT RO SL SZ ?A: TR #564  
?konienensis Breuning, 1960b: 39  
*melanura* Gredler, 1857: 151  
*posticata* Gahan, 1894a: 94 A: AP HAI NP SD TAI **ORR** #280 #400  
*pseudoposticata* Breuning, 1960b: 53 A: NP **ORR**  
*pupillata* Gyllenhal, 1817: 185 (*Saperda*) E: AU BE BH BY CR CT CZ EN FR GE GR HU IT LA LS LT MC MD NT PL RO SL SK  
SP ST SZ UK  
*alsatica* Pic, 1915e: 10  
*luteonotata* Pic, 1918d: 5  
*cognata* Lentz, 1857: 145  
*pupillatoides* Breuning, 1947d: 145 A: SHA #201  
*reductesignata* Pic, 1916e: 17 A: FUJ HUB TAI **ORR**  
*kiotensis* Pic, 1916e: 17  
*rubroantennalis* Lin & Ge, 2017b: 920 A: SCH SHA #201  
*ruficornis* Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE **ORR**  
*pseudoformosana* Li, Cuccodoro & Chen, 2014: 57 #517  
*rufiniventris* Breuning, 1968a: 41 A: GUX **ORR**  
*rufosternalis* Breuning, 1960b: 42 [= 1961b: 95] A: SCH SHA YUN #225  
*savioi* Pic, 1924a: 19 A: JIA SHG ZHE  
*shibatai* Hayashi, 1962: 40 A: JA (Ryukyus)  
*shirahatai* K. Ohbayashi, 1956b: 762 A: JA  
*shirakii* Hayashi, 1963c: 16 A: JA (Ryukyus)  
*simplex* Gressitt, 1942g: 91 A: ANH CE NE SHG  
*sobosana* K. Ohbayashi, 1956b: 761 A: JA  
*strigicollis* Gressitt, 1942g: 92 A: JIX  
*subelongatipennis* Breuning, 1955b: 77 A: GUI  
*subsericea* Breuning, 1960b: 42 [= 1962f: 180] A: GUI YUN  
*sylvia* Pascoe, 1858: 261 A: NE #184  
*taiwana* Matsushita, 1933b: 423 A: TAI  
*taihokuensis* Breuning, 1960b: 51 [= 1962f: 168] #184  
*tatsienlui* Breuning, 1947d: 145 A: SCH  
*tienmuana* Gressitt, 1939b: 124 A: SHA ZHE #462  
*toi* Gressitt, 1939b: 106 A: GUA JIX #184  
*tsuyukii* Kurihara & N. Ohbayashi, 2007: 206 A: SC TAI #63  
*umebayashii* K. Ohbayashi, 1964: 24 A: JA (Ryukyus)  
*uninotaticollis* Pic, 1939d: 16 A: FUJ GUX JIX SHA YUN ZHE **ORR** #225 #523  
*unipunctata* Gressitt, 1939b: 125  
*vittata* Blessig, 1873: 223 A: ES FE JA (Tsushima Is.) MG NC NE SC SHA #225 #525  
*longissima* Pic, 1905a: 15  
*walkeri* Gahan, 1894d: 487 A: FUJ GUA GUI GUX HAI HEN HKG JIX SCH SD SHA YUN ZHE **ORR** #225  
*atroanalis* Fairmaire, 1895: 189  
*bicoloritarsis* Pic, 1923b: 11  
*changii* Gressitt, 1942c: 5  
*robustior* Pic, 1923b: 12

wiskotti Z. Wang, 2003: 347, 397 A: JIL  
 yaoshana Gressitt, 1942g: 93 A: GUI GUX  
 yasuhikoi Kusakabe, 2001: 17 A: JA  
 yunnana Pic, 1926b: 10 A: GUA YUN **ORR**  
 yunnanensis Breuning, 1947d: 147 A: GUX HAI YUN **ORR**

**genus Obereopsis Chevrolat, 1855: 289** type species *Obereopsis obscuritarsis* Chevrolat, 1855

*Paroberea* Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)

*annulicornis* Breuning, 1957d: 107 A: BT NP "North India"

*aterrima* Breuning, 1949a: 17 A: BT "India"

*atritarsis* Pic, 1920c: 3 (*Oberea*) A: XIZ

*atrosternalis* Breuning, 1957: 104 A: NP SD

*bicoloripes* Pic, 1916e: 16 (*Oberea*) A: TAI

*bimaculicollis* Breuning, 1949a: 20 A: "India"

[*bipuncticollis bipuncticollis* Breuning, 1949a: 4, 19 – Burma]

*bipuncticollis bootanana* Breuning, 1957d: 89 A: SD

#343

*bootangensis* Breuning, 1970f: 488 A: SD

*borchmanni* Breuning, 1959c: 131 A: "North India"

*darjeelingensis* Breuning & Heyrovský, 1964: 30 A: SD

*flavicornis* Fairmaire, 1889a: 69 (*Oberea*) A: JIX

*flavodiscalis bhutanensis* Breuning, 1975d: 362 A: BT

*flavodiscalis flavodiscalis* Breuning, 1982a: 29 A: SD

*infranigra* Breuning, 1962f: 181 (*Oberea*) A: NP

*kankauensis* Schwarzer, 1925c: 153 (*Oberea*) A: FUJ SCH TAI

*tetrastigma* Gressitt, 1951a: 601 (*Oberea*)

*limbata* L. Redtenbacher, 1844: 553 (*Phytoecia*) A: KA NP UP

#391

*himalayana* Breuning, 1972c: 420

*lineaticeps* Pic, 1911d: 21 (*Oberea*) A: TAI ZHE

*jainanensis* Pic, 1912h: 21 (*Oberea*)

*longipes* Breuning, 1957d: 109 A: SD NP

*luteicornis* Breuning, 1957d: 105 A: SD NP "India"

*maculithorax* Matsushita, 1933b: 421 (*Oberea*) A: SCH TAI

*pulla* Matsushita, 1933b: 421 (*Oberea*)

*modica* Gahan, 1894a: 97 (*Oberea*) A: NP GUX JIA SHG "North India" **ORR**

#400

*binhensis* Pic, 1926b: 29 (*Oberea*)

*diversicornis* Pic, 1923a: 15 (*Oberea*)

*pallidicornis* Gahan, 1894a: 98 (*Oberea*)

*rufonotaticeps* Pic, 1923c: 21 (*Oberea*)

*semisericea* Pic, 1923a: 15 (*Oberea*)

*nepalensis* Breuning, 1975d: 362 A: NP

*nigriceps nigriceps* Breuning, 1957d: 81 A: SD

*nigripes* Breuning, 1957: 83 A: YUN **ORR**

*obscura nigroabdominalis* Breuning, 1972c: 420 A: NP SD UP

*obscura obscura* Breuning, 1957d: 57 A: AP

#166

*paratricollis* Breuning, 1967b: 36 A: AP

*pedongensis* Breuning, 1960f: 148 A: SD

*pseudannulicornis* Breuning, 1982a: 29 A: SD

*quadrinotaticollis lachungi* Breuning, 1982a: 28 A: SD

[*quadrinotaticollis quadrinotaticollis* Breuning, 1949a: 4, 18 **ORR** (Burma)]

[*rubetra rubetra* Pascoe, 1858: 261 (*Oberea*) – Malaysia, Indonesia]

*insularis* Fisher, 1937: 198 (*Oberea*)

*rubetra sikkimana* Breuning, 1982a: 29 (*Oberea*) A: SD

*rufescens* Breuning, 1960f: 148 A: SD

*sericea* Gahan, 1894a: 96 (*Oberea*) A: AP SD

#343

*sericeoides* Holzschuh, 2006c: 488 A: BT NP SD

*signaticornis* Matsushita, 1933b: 423 (*Oberea*) A: TAI

*sikkimensis* Breuning, 1957d: 108 A: NP SD UP

#391

*subteratra* Breuning, 1957d: 75 A: SD "North India"

*trinotaticollis* Breuning, 1967b: 36 A: NP **ORR**

*truncata* Breuning, 1957d: 109 A: SD

#343

*varieantennalis* Breuning, 1982a: 28 A: SD

**genus Oxyliia Mulsant, 1862: 398** type species *Phytoecia languida* Ménétériés, 1839

*Coptosia* Fairmaire, 1865: 177 type species *Phytoecia languida* Ménétériés, 1839

#206

*argentata argentata* Ménétériés, 1832: 227 (*Saperda*) E: UK A: AB AR GG IN TR

*argentata languida* Ménétériés, 1839: 42 (*Phytoecia*) A: CY IN IQ IS JO LE SY TR

*duponchelii* Brullé, 1832: 260 (*Saperda*) E: AL BU MC GR  
*atomaria* Frivaldszky von Frivald, 1837: 178 (*Saperda*)  
*vestita* Küster, 1848b: 82 (*Phytoecia*)

**genus *Paramallosia* Fuchs, 1955b: 273** type species *Paramallosia afghanica* Fuchs, 1955  
*afghanica* Fuchs, 1955b: 274 A: AF TM (Kopetdag)

**genus *Paraserixia* Breuning, 1954g: 442** type species *Paraserixia flava* Breuning, 1954  
*flava* Breuning, 1954g: 442 A: SD

**genus *Pardaloberea* Pic, 1926b: 9** type species *Pardaloberea curvaticeps* Pic, 1926  
*curvaticeps* Pic, 1926b: 10 A: YUN **ORR**

**genus *Phytoecia* Dejean, 1835: 351** type species *Cerambyx cylindricus* Linnaeus, 1758  
**subgenus *Barbarina* Sama, 2010: 49** type species *Phytoecia behen* Sama & Rejzek, 1999 **#517**

*behen* Sama & Rejzek, 1999: 330 A: TR

*chehirensis* Breuning, 1943b: 103 (*Conizonia*) A: TR

*nausicae* Rejzek & Kakiopoulos, 2004: 405 E: GR

*nepheloides* Sama, 1997a: 100 A: SY

**subgenus *Cardoria* Mulsant, 1862: 436** type species *Saperda scutellata* Fabricius, 1793

*scutellata* Fabricius, 1793: 317 (*Saperda*) E: AU CT CZ GE GR HU MD RO SB SK ST UK A: AB AR GG IN TR WS **#140**

*obscuricolor* Pic, 1952d: 691

**subgenus *Cinctophytoecia* Breuning, 1947d: 143** type species *Phytoecia cinctipennis* Mannerheim, 1849

*albostuturalis* Breuning, 1947d: 143 A: BEI GAN HEB NIN **#400**

*approximata* Pu, 1992b: 613, 621 A: YUN

*cinctipennis* Mannerheim, 1849: 242 A: BEI ES FE HEB MG NC NIN NMO SC SHA **#225 #400 #525**

*corensis* Breuning, 1955e: 658

*guilleti callosicollis* Pic, 1933e: 7 A: SCH YUN **#400**

*guilleti guilleti* Pic, 1906a: 4 A: SCH YUN

*obscurithorax* Pic, 1922b: 27

*kukunorensis* Breuning, 1943b: 102 A: QIN

*punctipennis* Breuning, 1947d: 143 A: ZHE **#400**

*sareptana* Ganglbauer, 1888e: 376 A: ES FE HUB

*densepubens* Pic, 1939b: 3

*testaceolimbata* Pic, 1933e: 7 A: SCH YUN

**subgenus *Coptosiella* Kasatkin, 2015a: 127** type species *Phytoecia antoniae* Reitter, 1889

*antoniae* Reitter, 1889a: 42 A: AB AR GG IN TM TR

*uniformis* Pic, 1933d: 11 (*Coptosia*)

**subgenus *Fulgophytoecia* Pic, 1900h: 16** type species *Phytoecia circumdata* Kraatz, 1882

*Pseudallosia* Breuning, 1967a: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967

*circumdata* Kraatz, 1882c: 337 A: AF KI KZ UZ TD

*parterufipennis* Breuning, 1967a: 2 (*Pseudomallosia*)

*sellata* Ganglbauer, 1887e: 296

*pilosicollis* Holzschuh, 1981: 107 A: KZ UZ

*valentinae* Skrylnik, 2010: 258 A: AF

**subgenus *Helladia* Fairmaire, 1864a: 176** type species *Saperda flavescens* Brullé, 1832

*adelpha* Ganglbauer, 1886c: 522 A: AR (Byurakan) CY SY TR

*diversepubens* Pic, 1952d: 691

*alziari* Sama, 1992b: 306 (*Helladia*) E: GR A: CY IS JO LE SY TR

*ariannae* Pesarini & Sabbadini, 2011: 51 A: TR

*armeniaca* Frivaldszky, 1878b: 10 [=1879a: 318; =1879b: 62] A: AB AR GG IS JO LE SY TR **#182 #517**

*carnea* Heyden, 1879a: 319 [=1879b: 63]

*demeltiana* Lazarev, 2016d: 14 [RN] A: TR

*demelti* Sama, 2003: 73 (*Helladia*) [HN]

*diademata* Faldermann, 1837: 297 A: AB AR GG IN TR

*dorud* Sama, Rapuzzi & Rejzek, 2007: 160 (*Helladia*) A: IN (Lorestan, Dorud) #

*eumperialis* Faizi & Danilevsky, 2020: 592 A: IN

*fatima fatima* Ganglbauer, 1884: 570 ["Persien"] A: AB IN SY TR

*fatima nigroapicalis* Breuning, 1944a: 16 ["de l'Irak: Bagdad"] A: IQ IN

*fatima ninives* Sama, 1994b: 33 ["Irak, Mossul", "NE Irak, Kurdistan, Rawandiz"] A: IQ TR **#517**

*ferrugata* Ganglbauer, 1884: 574 A: IS JO LE SY TR **#182**

*dilaticollis* T. Pic, 1900b: 67

*flavescens* Brullé, 1832: 262 (*Saperda*) E: AL GR MC

*fumigata* Küster, 1848b: 81

*humeralis caneri* Özdikmen & Turgut, 2015: 384 A: TR **#55**

*humeralis humeralis* Walzl, 1838: 471 (*Saperda*) E: GR (Rodos) TR A: AB CY GG IN IQ IS LE SY TR **#22 #517**

*frontalis* Chevrolat, 1882: 63

*scapularis* Chevrolat, 1882: 63  
*humeralis scapulata* Mulsant, 1851b: 194 [1852: 54] A: SY TR  
*mersinensis* Pic, 1900p: 140  
*imperialis* Sama & Rejzek, 2001: 239 A: IN (Azarbaygan-e-Garbi, Serou, 37°39'N, 44°45'E)  
*insignata* Chevrolat, 1854: 485 A: IS JO LE SY #312  
*bethaniensis* T. Pic, 1900b: 67  
*millefolii* Adams, 1817: 311 (*Saperda*) E: BU GR ST ?TR UK A: AB AR GG IN TR  
*azurea* Steven, 1817: 190 (*Saperda*)  
*excelsa* Stierlin, 1876: 479  
*orbicollis* Reiche & Saulcy, 1858: 15 ["Naplouse"] A: IS JO LE SY  
*damascena* Pic, 1899b: 210  
*edessensis* Reitter, 1898e: 358 [Urfa = Edessa]  
*scapipicta* Reitter, 1898e: 358 [Akbes]  
*schmiedeknechti* Pic, 1899b: 209  
*paulusi bludanica* Sama, 2000a: 99 A: SY  
*paulusi paulusi* Holzschuh, 1971: 67 A: LE  
*plasoni* Ganglbauer, 1884: 571 A: AB AR IN TM TR  
*pontica* Ganglbauer, 1884: 574 A: IS JO SY TR  
*praetextata nigricollis* Pic, 1891h: 102 A: SY TR  
*praetextata praetextata* Steven, 1817: 184 (*Saperda*) E: BU RO ?ST (N Caucasus) TR UK (Crimea) A: AB AR ?GG TR #83  
*implagiata* Reitter, 1898b: 126  
*pretiosa* Faldermann, 1837: 298 E: ?ST (Derbent) A: AB AR GG IN ?LE TR #182 #192  
*testaceovittata natali* Lobanov, 1994a: 105 ["(Caucasus Major), 14 km W Kilyazi"] A: AB #396  
*testaceovittata testaceovittata* Pic, 1934c: 18 (*Musaria*) ["Ins. Kojun, Lac Urmia"] [= Pic, 1949c: 61] A: IN  
*iranica* Villiers, 1960b: 99 (*Helladia*)  
**subgenus** *Kalashania* Danilevsky, 2010a: 43 type species *Phytoecia erivanica* Reitter, 1899  
*erivanica* Reitter, 1899: 161 [RN] A: AB AR GG IN TR  
*nigritarsis* Pic, 1895b: 40 [HN] ["Wan"]  
*rosinae* Pic, 1900c: 7  
*pici* Reitter, 1892: 64 A: AB AR GG IN IQ TR #181  
*truncatipennis* Pic, 1919a: 22 A: IN  
**subgenus** *Metallidia* Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012  
*alinae* Kasatkin, 2012: 143 A: TR  
*lisae* Rapuzzi & Sama, 2018: 26 A: CY  
**subgenus** *Musaria* J. Thomson, 1864: 120 type species *Leptura affinis* Harrer, 1784  
*affinis affinis* Harrer, 1784: 209 (*Leptura*) [NP] E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SB SK SL SP ST  
SZ UK A: KZ  
*bipunctata* Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]  
*compacta* Pic, 1890b: 120 [HN]  
*haemorrhoidalis* Fabricius, 1793: 453 (*Saperda*)  
*janus* Frölich, 1793: 154 (*Saperda*)  
*milliati* Pic, 1945b: 7 ["Massif Chartreuse"]  
*mutata* Pic, 1892a: 4 [RN]  
*nigrina* Pic, 1891b: 38  
*nigritarsis* Schoenherr, 1817a: 435 (*Saperda*)  
*oculata* Scopoli, 1763: 47 (*Leptura*) [NO]  
*subaurata* Pic, 1889b: 68  
*affinis altaica* Suvorov, 1913: 79 (*Musaria*) A: ES KZ WS  
*affinis boeberi* Ganglbauer, 1884: 559 [RN] ["Caucasus, Türkei"] E: ST A: AB AR GG IN TR  
*flavipes* Gyllenhal, 1817: 436 (*Saperda*) - nota - "Caucaso" [HN]  
*melichari* Pic, 1914b: 10  
*persathensis* Pic, 1895b: 40  
*affinis m-notata* Pic, 1911e: 185 ["Caucase occidental"] E: ST (mountains from Dagestan to Teberda) #517  
*melichari* Pic, 1952d: 693 ["Im hohen Nordkaukasus"]  
*teberdensis* Pic, 1952d: 693  
*affinis nigrohirta* G. Müller, 1948: 76 E: IT  
*affinis nigropubescens* G. Müller, 1948: 76 ["la razza caucasica"] E: ST (NW Caucasus) A: ?AR GG ?IN TR  
*affinis trimaculatocollis* Özdikmen & Tezcan, 2020g: 517 A: TR  
*affinis tuerki* Ganglbauer, 1884: 575 ["Brussa in Kleinasien"] E: BU TR A: SY TR #83  
*affinis volgensis* Kraatz, 1883: 276 ["Wolga"] E: ST (SE Russia)  
*anatolica* Fuchs & Breuning, 1971: 75 A: TR  
*argus* Frölich, 1793: 155 (*Saperda*) E: AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK  
*astarte astarte* Ganglbauer, 1886c: 523 A: SY (north) TR (south-east)  
*astarte lederi* Pic, 1899d: 391 E: ST A: AB AR GG IN TR #194  
*astarte perrini* Pic, 1892l: clxxxvi [1892d: 44] A: LE SY (Bloudan) #552  
*abeillei* Pic, 1934d: 134 (*Musaria*)  
*cephalotes* Küster, 1846b: 61 E: CR GR IT  
*faldermanni* Faldermann, 1837: 296 E: ST UK A: AB AR GG KZ

*blessigi* Morawitz, 1863: 172  
*pubicollis* Pic, 1917g: 10 (*Musaria*)  
*rostri* Pic, 1900h: 16 (*Musaria*)  
*griseicornis* Pic, 1892l: clxxxvii [1892d: 44] A: TR  
*kurdistanica* Ganglbauer, 1884: 572 A: AB AR GG IN IQ TR  
*caucasica* Pic, 1897g: 262 (*Musaria*)  
*innotaticeps* Pic, 1931c: 10  
*korbi* Pic, 1898p: 334  
*luristanica* Pic, 1917g: 9 (*Musaria*)  
*plyushchi* Danilevsky & Skrylnik, 2021: 18 A: IN  
*puncticollis krupitskyi* Danilevsky, 2014h: 687 [Hakkâri prov., Ağaçdibi, 37°30'02"N, 43°46'49"E,] A: JO TR #517 #591  
*puncticollis persica* Ganglbauer, 1884: 572 ["Perse"] A: IN #517  
*diversicollis* Pic, 1917g: 9 (*Musaria*) ["Perse"]  
*puncticollis puncticollis* Faldermann, 1837: 291 E: ST A: AB AR GG IN IQ TR  
*aladaghensis* Reitter, 1906a: 37 ["Ala-Dagh in Persien"]  
*gamborensis* Pic, 1917g: 9 (*Musaria*) ["Caucase : Gambor"]  
*mardiniensis* Heyden, 1894: 87  
*trimaculata* Pic, 1917g: 9 (*Musaria*) ["Monts Taurus"]  
*turcica* Pic, 1952b: 4 (*Musaria*) [Turquie]  
*puncticollis stygia* Ganglbauer, 1884: 572 [Schaku am Caspischen Meere] A: IN TM #648  
*rubropunctata* Goeze, 1777: 507 (*Leptura*) E: FR IT SP  
*jourdani* Mulsant, 1839: 202  
*nigrescens* Pic, 1891b: 38  
*obscurior* Pic, 1896c: 142  
*punctata* Geoffroy, 1785: 80 (*Leptura*)  
*punctulata* Gmelin, 1790: 1877 (*Leptura*)  
*tirellii* Luigioni, 1913: 168 E: GR IT  
*wachanrui* Mulsant, 1851a: 127 E: GR (Rodas) ST A: IN IS JO LE SY TR  
*alboscuteolata* Chevrolat, 1854: 485  
*berytensis* Pic, 1952d: 696  
*binodosa* Chevrolat, 1882: 61  
*bisulcata* Chevrolat, 1882: 61  
*breuningi* Pic, 1952d: 696  
*coyei* Pic, 1952d: 695  
*haasi* Pic, 1952d: 696  
*innotaticeps* Pic, 1952d: 696  
*irregularisignata* Pic, 1952d: 696  
*jekeli* Pic, 1917g: 10 (*Musaria*)  
*jezabel* Reiche & Saulcy, 1858: 13  
*marsabana* Pic, 1952d: 696  
*microquadrignata* Pic, 1952d: 696  
*obscuricornis* Pic, 1897a: 189  
*pallidithorax* Pic, 1898b: 24 (*Musaria*)  
*rufomaculata* Pic, 1917g: 9  
*syriaca* Chevrolat, 1854: 484  
*trinitatithorax* Pic, 1952d: 696  
*tripunctata* Chevrolat, 1882: 61  
**subgenus** *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835  
*adusta* Reitter, 1889a: 43 A: TR  
*alepensis* Pic, 1931c: 2 A: SY #143  
*aligamgami* H.Özdikmen & G.Özdikmen, 2016: 494 A: TR #110  
*balcanica balcanica* Frivaldszky von Frivald, 1835: 268 (*Saperda*) E: BU GR TR A: IN IQ TR #109 #517  
*subvitticollis* Breuning, 1951a: 92 [Amasia] #109  
*balcanica skoupyi* Danilevsky, 2021a: 8 A: IN  
*dantchenko* Danilevsky, 2008a: 7 A: AR  
*furkani* H.Özdikmen & G.Özdikmen, 2016: 495 A: TR  
*inapicalis* Pic, 1905f: 107 A: SY TR  
*latepubens* Pic, 1926d: 6 (*Helladia*)  
*kazaryani* Danilevsky, 2020b: 196 A: AR  
*longicornis* Pesarini & Sabbadini, 2009: 27 A: TR  
*merkli* Ganglbauer, 1884: 560 A: SY TR  
*mesopotamica barbarae* Rapuzzi, 2021: 554 A: TR  
*mesopotamica mesopotamica* Breuning, 1948d: 91 A: IN IQ SY  
*pauliraputii* Sama, 1993d: 295 (*Neomusaria*) A: TR  
*salvicola* Holzschuh, 1989a: 176 A: TR  
*shokhini* Kasatkin, 2010: 61 A: TR #517  
*suworowi* Pic, 1905c: 38 A: TR  
*suworowi* König, 1906: 26  
*waltli* Sama, 1991: 127 [RN] A: IS JO LE SY TR

*modesta* Waltl, 1838: 471 (*Saperda*) [HN]  
**subgenus** *Obereina* Ganglbauer, 1886c: 524 type species *Phytoecia rubricollis* P. H. Lucas, 1847 (= *Saperda melanocephala* Fabricius, 1787) **#259**  
*Rubrophytoecia* Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787  
*melanocephala* Fabricius, 1787: 148 (*Saperda*) E: IT N: AG MO TU  
*lineaticollis* Levrat, 1859: 35  
*rubricollis* P. H. Lucas, 1847: 505, pl. 43  
**subgenus** *Opsilia* Mulsant, 1862: 387, 431 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulescens* Scopoli, 1763)  
*aspericollis* Holzschuh, 1981: 106 A: KZ (Karatau Ridge)  
*badenkoi* Danilevsky, 1988a: 16 A: KZ (Narunkol env.)  
*brevicornis* Kasatkin, 2013: 265 A: AF  
*bucharica* Breuning, 1943b: 101 A: AF TD (Isfara env.)  
*breuningi* Dahlgren, 1988: 114  
*chinensis* Breuning, 1943: 102 A: HEB  
*coerulescens coerulescens* Scopoli, 1763: 49 (*Leptura*) E: AL AU BE BH BU ?BY CH CR CT CZ FR GE GR HU IT ?LA LS LT LU  
MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK N: AG MO TU A: AB AR **ES** GG IN IQ IS JO KI KZ LE NE TD TR SY  
UZ WS **#104 #556**  
[*caerulescens*, alternative spelling]  
*aeruginosa* O. F. Müller, 1776: 95 (*Leptura*)  
*aeruginosa* Mulsant, 1839: 210 [HN]  
*chlorizans* Chevrolat, 1860c: 303  
*cobaltina* Chevrolat, 1860b: 270  
*echii* Chevrolat, 1860c: 302  
*estrelana* Pic, 1930c: 6 (*Opsilia*)  
*flavescens* Mulsant, 1843: 284 [HN]  
*flavicans* Mulsant, 1851a: 137 [RN]  
*grisescens* Chevrolat, 1860b: 269  
*incerta* Mulsant, 1862: 433 (*Opsilia*)  
*nigrita* Nedelkow, 1905a: 204  
*obscura* Brisout de Barneville, 1863: 116  
*subcoerulea* Geoffroy, 1785: 77 (*Leptura*)  
*tienschanica* Fuchs, 1965: 111  
*trilineata* Schoenherr, 1817a: 433 (*Saperda*)  
*virescens* Fabricius, 1782: 499 (*Saperda*)  
*viridiuscula* Goeze, 1777: 506 (*Leptura*)  
*coerulescens cretensis* Breuning, 1947c: 60 E: GR  
*molybdaena* Dalman, 1817b: 186 (*Saperda*) E: AU BU CZ GE GR HU IT ?KZ PT RO SB SK SP ST ?SZ UK A: ?AB ?AR ES ?GG IN  
KZ TM TR WS N: AG MO TU **#115**  
*longitarsis* Reitter, 1911: 271  
*prasina kotaika* Miroshnikov, 2009b: 244 A: AR TR  
*prasina prasina* Reitter, 1911b: 270 A: AB (Talysh) IN ?TM **#591**  
*irakensis* Breuning, 1967h: 435 - "Iraq, Sultan-Bulagh" [Iran, Hamadan province, 52 km NW Hamadan city, Soltân Bolâghî] **#591**  
*schurmanni* Fuchs, 1971: 159 E: MC  
*tenuilinea* Fairmaire, 1876: 98 N: AG MO TU  
*mateui* Breuning, 1951a: 365  
*transcaspica* Fuchs, 1955a: 228 A: KZ TM UZ **#517**  
*uncinata* W. Redtenbacher, 1842: 25 (*Saperda*) E: AL AU BH BU CR ?CT CZ FR GE HU MD PL RO SB SK ST UK A: ?TM TR **#11 #583**  
*glabricollis* Roubal, 1934b: 140  
*varentzowi* Semenov, 1896: 257 E: ST A: AB AR GG IN KI KZ TD TM UZ  
*immundula* Reitter, 1911b: 270  
**subgenus** *Paracoptosia* Danilevsky, 2017f: 1137 type species *Saperda compacta* Ménéttriés, 1832 **#206**  
*albovittigera* Heyden, 1863: 130 E: BU GR MC TR A: TR  
*languida* Fairmaire, 1865: 177 (*Coptosia*) [HN]  
*reichei* Kraatz, 1876c: 287 (*Coptosia*)  
*semiannulicornis* Pic, 1936c: 4 (*Coptosia*)  
*vittigera* Fairmaire, 1868a: pl. 54, fig. 256 (*Coptosia*)  
*bithynensis* Ganglbauer, 1884: 573 A: **IN** LE TR **#464 #591**  
*amasina* Pic, 1949c: 60 (*Coptosia*)  
*conjuncta* Pic, 1901b: 13 (*Coptosia*) [DA]  
*latevittata* Breuning, 1963a: 10 (*Conizonia*)  
*limbata* Pic, 1949c: 61 (*Coptosia*) [DA]  
*piciana* Jakobson, 1924: 239 [RN]  
*trilinea* Pic, 1892s: cxii  
*trilineata* Pic, 1892s: cxii [= 1893d: 419]  
*brunnerae* Sama, 2000a: 98 (*Coptosia*) A: **JO LE SY** **#591**  
*compacta* Ménéttriés, 1832: 228 (*Saperda*) A: AB AR GG IN TR **#591**  
*rufobrunnea* Heyden, 1894: 88 (*Conizonia*)  
*demelti* Breuning, 1973b: 143 (*Conizonia*) A: TR

*ganglbaueri* Pic, 1936c: 3 (*Coptosia*) A: CY IS JO LE SY TR  
*gianassoi* Sama, 2007a: 97 (*Coptosia*) A: IN  
*minuta* Pic, 1891a: 2 A: TR  
*kurda* Jakobson, 1924c: 239 [RN]  
*mardinensis* Pic, 1901b: 13 (*Coptosia*)  
*sancta* Reiche, 1877b: cxxxvi A: IS JO LE SY #191  
*nigrosuturata* Bytinski-Salz, 1956: 221 (*Coptosia*)  
*schuberti* Fuchs, 1965: 110 (*Conizonia*) A: TR  
*schuleae* Özdikmen & Koçak, 2022: 622 A: TR  
*tauricola* Breuning, 1943b: 104 (*Conizonia*) A: TR  
*urartica* Kasatkin, 2015b: 43 A: AR IN TR  
**subgenus** *Parobereina* Danilevsky, 2018e: 131 type species *Phytoecia vittipennis* Reiche, 1877  
*forticornis forticornis* Breuning, 1947b: 22 A: KA PA  
*forticornis povolnyi* Heyrovský, 1971: 82 A: AF  
*heinzi* Lazarev, 2019a: 123 A: PA  
*kashanica* Danilevsky, 2020b: 197 A: IN  
*magnanii* Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanis*) A: IN  
*nigrofemorata* Breuning, 1947b: 23 A: KA  
*nivea* Kraatz, 1882a: 116 A: KI KZ TD UZ  
*ochraceipennis* Kraatz, 1882c: 337 A: AF KI KZ TD UZ #517  
*pallidipennis* Plavilstshikov, 1926c: 340 [HN]  
*plavilshchikovi* Lazarev, 2019f: 1335 [RN] #459  
*pashtunica* Lazarev, 2019a: 122 A: AF  
*remaudierei* Villiers, 1967: 341 (*Blepisanis*) A: IN  
*repetekensis* Semenov, 1935a: 279 A: TM  
*tatyanae* Skrylnik, 2010: 260 A: AF  
*tekensis* Semenov, 1896: 258 A: AF IN TM  
*vittipennis leuthneri* Ganglbauer, 1886c: 523 A: IS SY TR  
*akbesiana* Pic, 1900j: 20  
*inhumeralis* Pic, 1900c: 7 (*Obereina*)  
*samai* Özdikmen & Turgut, 2008c: 572  
*vittipennis pallidior* Pic, 1901o: 67 (*Obereina*) A: TR  
*vittipennis pravei* Plavilstshikov, 1926a: 8 [= 1926c: 339] A: AB AR GG IN TM TR  
*vittipennis vittipennis* Reiche, 1877c: cxli E: AL BU GR SB A: ?LE TR #213  
*tokatensis* Pic, 1933d: 11  
*volkovitshi* Danilevsky, 2010e: 24 A: TR  
**subgenus** *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758  
*Hoplotoma* Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1847  
*acridula* Holzschuh, 1981: 105 A: KI TD UZ  
*aenigmatica* Sama, Rapuzzi & Rejzek, 2007: 166 A: IN TR #584  
*algerica* Desbrochers des Loges, 1870: 126 N: AG MO  
*nigritarsis* Chevrolat, 1882: 62  
*rufotibialis* Pic, 1926d: 6  
*ambrusi* Faizi & Danilevsky, 2020: 593 A: IN  
*annulicornis* Reiche, 1878a: cli N: AG MO #487  
*annulipes* Mulsant & Rey, 1863: 165 A: TR  
*asiatica asiatica* Pic, 1891h: 102 A: TR  
*achilleae* Holzschuh, 1971: 68  
*asiatica sublineata* Holzschuh, 1984a: 159 A: AB AR TR  
*atripes* Pic, 1922a: 8 A: BEI #400  
*bangi* Pic, 1897a: 189 A: AR GG IN TR #517  
*bialookii* Danilevsky, 2010e: 22 A: TR  
*bodemeyeri* Reitter, 1913b: 665 A: IN TR #591  
*brunneicollis* Pu, 1992b: 613 A: SCH  
*caerulea baccueti* Brullé, 1832: 262 (*Saperda*) [Peloponnes: Modon env.] E: GR A: TR #154  
*caerulea bethseba* Reiche & Saulcy, 1858: 17 ["Palestine"] N: EG A: IN IQ IS JO LE SY TR #209  
*caerulea caerulea* Scopoli, 1772: 102 (*Leptura*) E: AL AU BH BU BY CR ?CT CZ GR HU IT ?LA MC MD ME PT RO SB SK SL SP  
ST ?SZ TR UK A: AB AR GG IN KZ SY TD TM TR UZ WS #115 #104  
[*coerulea*, alternative spelling; **original spelling: *cærulea***]  
*coelestis* Townson, 1797: 469 (*Saperda*)  
*flavimana* Creutzer, 1796: 15 (*Saperda*)  
*gilvimana* Ménétrés, 1832: 227 (*Saperda*)  
*rufimana* Schrank, 1789: 77 (*Saperda*)  
*viridis* Gronov [Gronovius], 1764: 163 [n. 546] (*Cerambyx*) #193  
*coeruleipennis* Breuning, 1947b: 22 A: KA  
*coeruleomicans* Breuning, 1947b: 22 A: JA  
*croceipes* Reiche & Saulcy, 1858: 17 [RN] A: AB AR CY GG IQ IN IS LE SY TR

*annulifera* T.Pic, 1900b: 67  
*longicollis* Costa, 1875: 27  
*macilenta* Mulsant & Wachanru, 1863: 421 [RN]  
*puncticollis* Mulsant & Wachanru, 1852: 175 [HN]  
*cylindrica* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG IN KZ TR WS XIN #11  
*cinerea* DeGeer, 1775: 75 (*Cerambyx*)  
*fuliginosa* Scopoli, 1786: 49 (*Leptura*)  
*grandis* Pic, 1891a: 2 [DA]  
*kaemmereri* Schatzmayr, 1928: 47  
*silphoides* Schrank, 1781a: 145 (*Cerambyx*)  
*simplonica* Stierlin, 1878a: 438  
*verna* O. F. Müller, 1776: 94 (*Leptura*)  
*drurei* Pic, 1909: 153 A: IQ  
*erythrocnema* P. H. Lucas, 1847: pl. 43 E: FR PT SP N: AG MO TU  
*grenieri* Fairmaire, 1861: xi  
*brevis* Chevrolat, 1882: 62  
*cosettae* lablokoff-Khnzorian, 1953: 61  
*ferrea* Ganglbauer, 1887c: 22 A: BEI ES FE HEB HEI HUB GAN GUA MG NE NMO SHA SHX ?WS ZHE #400  
*analis* Mannerheim, 1849: 244 [HN]  
*atrophygidialis* Pic, 1939b: 3  
*mannerheimi* Breuning, 1951a: 368 [RN]  
*nikitini* Hayashi, 1957: 40  
*flavipes* Fabricius, 1801: 329 (*Saperda*) N: MO  
*gamzeae* Özdkimen, 2017a: 23 A: TR #110  
*gaubilii* Mulsant, 1851a: 129 N: AG MO #487  
*gabilloti* Pic, 1891b: 39  
*griseipes* Pic, 1890f: cxi  
*impunctata* Pic, 1895b: 64  
*innotata* Pic, 1898a: 14  
*peregrina* Reiche, 1877b: cxxxv  
*separata* Pic, 1895b: 70  
*geniculata geniculata* Mulsant, 1862: 420 A: CY IN IQ IS JO LE SY TR  
*ingeniculata* T. Pic, 1900b: 67  
*nazarena* Reiche, 1877b: cxxxvi  
*palaestina* Pic, 1930c: 3  
*geniculata orientalis* Kraatz, 1871a: 272 [RN] E: BU GR TR  
*donatellae* Rapuzzi & Sama, 2010b: 187  
*fuscicornis* Mulsant & Rey, 1863: 168 [HN]  
*gougeleti* Fairmaire, 1880: 251 N: MO  
*griseola* Breuning, 1951a: 359 [RN] A: HP  
*grisea* Breuning, 1947b: 21 [HN]  
*icterica* Schaller, 1783: 292 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT LU MC MD ME PL PT RO SB SK SL SP ST SZ TR  
UK N: MO A: ?GG KZ WS (Kemerovo, Kurgan Region) #11 #487  
*ephippium* Fabricius, 1793: 317 (*Saperda*)  
*ragusana* Küster, 1844: 55 (*Oberea*) [DA]  
*subannulipes* Pic, 1915: 11  
*kabateki* Sama, 1997a: 104 A: SY  
*kartalensis* Danilevsky, 2010e: 21 A: TR  
*lahoulensis* Breuning, 1951a: 359 A: KA  
*malachitica* P. H. Lucas, 1847: pl. 43 E: IT PT SP N: AG MO TU  
*bolivari* Perez Arcas, 1874: 149  
*hispanica* Breuning, 1951a: 364 [\**hispancia* " - wrong original spelling (misprint), see correct spelling in the Index, p. 458]  
*parvula* Breuning, 1960a: 23  
*manicata* Reiche & Saulcy, 1858: 17 A: IS LE SY TR  
*marki* Danilevsky, 2008a: 11 A: AR  
*martinae* Danilevsky & Hodek, 2021: 19 A: IN  
*mongolorum* Namkhaidorzh, 1979: 584 A: MG  
*napolovi* Danilevsky, 2012c: 4 A: IS  
*nigricornis* Fabricius, 1782: 499 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD ME NT  
PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG KZ TR WS #517  
*canaliculata* Fröhlich, 1793: 144 (*Saperda*)  
*caroni* Mulsant & Godart, 1876: 419  
*julii* Mulsant, 1862: 429  
*melanocera* Gmelin, 1790: 1838 (*Cerambyx*)  
*solidaginis* Bach, 1856: 39  
*tristriga* Reitter, 1913a: 70  
*pubescens* Pic, 1895b: 64 E: BH BU CR GR MC ST TR A: AB AR GG IN IS JO LE SY TR #83 #182  
*glaphyra* K. Daniel, 1906b: 177  
*pustulata adulta* Ganglbauer, 1884: 572 A: IN ("Astrabad") #291

*adnexa* Pic, 1947a: 1 (“Asterabad”)

*pustulata cihanae* Özdikmen, 2017b: 54 [Konya] **A: SY TR** #550

*pustulata murina* Marseul, 1870: 384 [“Sarepta”] **E: ST A: KZ KI UK UZ**

*pulla* Ganglbauer, 1886a: 130

*gibbicollis* Reitter, 1893a: 114

*kryzhanovskii* Kostin, 1973: 230

*pustulata pilipennis* Reitter, 1895c: 161 **A: AB AR IN TR** #397

*vexans* Reitter, 1895c: 162

*pustulata pustulata* Schrank, 1776: 66 (*Cerambyx*) **E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD ME PL PT RO**

**SB SK SL SP SZ ST UK A: AB AR GG KI KZ LE TD TR UZ** #464

*brevenotata* Pic, 1936c: 4

*lineola* Fabricius, 1781: 235 (*Saperda*)

*macedonica* Pic, 1929b: 9

*obscuripes* Pic, 1895b: 65

*posegana* Piller & Mitterpacher, 1783: 67 (*Cerambyx*)

*vulnerata* Schaller, 1783: 293 (*Cerambyx*)

*rabatensis* Sama, 1992a: 41 **E: SP N: MO**

*rufipes latior* Pic, 1895b: 66 **A: SY TR**

*rufipes rufipes* Olivier, 1800: 25 [France: “Var”] (*Saperda*) **E: BH BU CR CT FR GR (Crete) IT PT SL SP ST ?SZ ?UK N: AG MO A:**

**ES GG ?JIL IN KI KZ ?LIA ?NMO ?SHX TD TM TR UZ WS** #115 #373 #400 #467

*coeca* Küster, 1848a: 85 (*Oberea*)

*femoralis* Mulsant, 1862: 416 [l’Algérie]

*ledereri* Mulsant, 1851a: 132

*ludovici* Pic, 1891e: 133 [1891m: cxxxv] [“Sarepta”]

*schreiberi* Ganglbauer, 1884: 561 #303

*sibirica* Gebler, 1833: 304 (*Saperda*)

*umbellatarum* Gistel, 1831: 303 (*Saperda*)

*rufiventris* Gautier des Cottes, 1870a: 104 **A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC**

**NMO SC SHA SHN SHX TAI ZHE ORR**

*abdominalis* Chevrolat, 1882: 62

*atrimembris* Pic, 1915f: 14

*hakutorana* Z. Wang, 2003: 365, 397

*pieli* Pic, 1952d: 699

*punctigera* Blessig, 1873: 226

*tonkinea* Pic, 1902l: 34

*tristigma* Pic, 1897a: 190

*ventralis* Bates, 1873: 388

*rufovittipennis* Breuning, 1972c: 419 **A: UP**

*rungsii* Antoine, 1953: 221 **N: MO**

*sikkimensis* Pic, 1907f: 152 **A: KA NP SD**

*kashmirica* Breuning, 1943b: 101

*reductevittata* Breuning, 1943b: 101

*stenostoloides* Breuning, 1943b: 101 **A: ES FE HEI LIA NMO** #198

*subannularis* Pic, 1901b: 14 **A: TR**

*vaulogeri* Pic, 1892k: 314 **N: AG**

*virgula centaureae* Sama, Rapuzzi & Rejzek, 2007: 163 **A: IN TR** #517 #584

*virgula virgula* Charpentier, 1825: 225 (*Saperda*) **E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD ME PL PT RO**

**SB SK SL SP ST SZ TR UK A: AB AR CY ES GG IN IS JO KI KZ LE SY TD TM TR UZ WS XIN** #517

*bravardi* Pic, 1947a: 1

*cyclops* Küster, 1848a: 88

*grisea* Pic, 1891o: 139

*major* Pic, 1901b: 14

*punctum* Ménétériés, 1832: 227 (*Saperda*)

*viridipes* Rapuzzi & Sama, 2018: 24 **A: TR**

*vulneris eremita* Sama, 1999a: 53 **E: IT**

*vulneris vulneris* Aurivillius, 1923a: 566 [RN] **E: BH CR FR IT MC SL**

*vulnerata* Mulsant, 1851a: 131 [HN]

*staudingeri* Pic, 1947a: 1

*paganettii* Breuning, 1944: 16

**subgenus Pseudocoptosia** Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891

*cinerascens* Kraatz, 1882c: 337 (*Phytoecia*) **A: AF IN KI KZ TD TM UZ**

*sokolowi* Semenov, 1895: 206, 209 (*Phytoecia*)

*eylandti* Semenov, 1891: 380 (*Phytoecia*) **A: AF KI KZ TM TD UZ**

*glasunowi* Semenov, 1895: 207, 210 (*Phytoecia*)

*kubani* Holzschuh, 1991c: 56 **A: TD**

**subgenus Pseudomusaria** Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886

*farinosa* Ganglbauer, 1886c: 522 (*Phytoecia*) **A: IN TM**

*mucida* Semenov, 1893: 506 (*Phytoecia*)

**genus *Pilemia* Fairmaire, 1864a:** 175 type species *Phytoecia tigrina* Mulsant, 1851  
**subgenus *Pilemia* Fairmaire, 1864a:** 175 type species *Phytoecia tigrina* Mulsant, 1851  
*angusterufonotata* Pic, 1952a: 2 **E:** AL GR #236  
*inarmata* Holzschuh, 1984b: 168  
*annulata annulata* Hampe, 1852b: 315 (*Phytoecia*) **A:** AB AR IN TR  
*annulata wawerkana* Reitter, 1905b: **240** **A:** TR ["Akbes"]  
*angorensis* Pic, 1952a: 2  
*breverufonotata* Pic, 1952a: 2 **A:** TR  
*maculifera* Holzschuh, 1984b: 170  
*griseomaculata* Pic, 1891h: 102 **A:** LE SY TR #464  
*laterufonotata* Pic, 1952a: 2  
*halperini* Holzschuh, 1999: 51 (*Phytoecia*) **A:** JO IS #591  
*samii* Özdikmen & Turgut, 2010: 97 **A:** TR  
*serriventris* Holzschuh, 1984b: 169 **E:** BU  
*smatanai* Holzschuh, 2003: 240 **A:** TR  
*tigrina* Mulsant, 1851a: 134 (*Phytoecia*) **E:** BU HU MD RO SB ?ST UK **A:** ?AR TR #313 #583  
*anchusae* Fuss, 1852b: 138  
*vagecarinata* Pic, 1952a: 3 **A:** SY TR #241  
**subgenus *Pseudopilemia* Kasatkin, 2018:** 157 type species *Saperda hirsutula* Frölich, 1793  
*ghobarii* Danilevsky, 2018b: 589 (*Phytoecia*) **A:** IN  
*hirsutula hirsutula* Frölich, 1793: 141 (*Saperda*) ["Oesterreich"] **E:** AL BH BU CR GR HU KZ MC MD ME RO SB SK SL ST UK **A:**  
AB AR GG IN IS JO LE KZ SY TR WS  
*androsensis* Breuning, 1963a: 10 (*Oxyilia*) - Grèce : Ile d'Andros  
*atomaria* Townson, 1797: 470 (*Saperda*) - Hungary  
*buglanica* D.Marklund & S.Marklund, 2014: 276 (*Phytoecia*) - Bingöl #241  
*ciliciae* Breuning, 1951a: 406 (*Phytoecia*)  
*evae* D.Marklund & S.Marklund, 2014: 274 (*Phytoecia*) - Bingöl #241  
*holosericea* Faldermann, 1837: 287 (*Saperda*) - "Transcaucasia"  
*obsoleta* Ganglbauer, 1889d: 487 - "Transcaucasien, Pontus".  
*tournieri* Pic, 1952a: 2 (*Phytoecia*) - Sicile  
*hirsutula homoisthes* Ganglbauer, 1888d: 197 **A:** IN TM  
*hirsutula kostali* Scořepa, 2022: 14 (*Phytoecia*) **A:** IN  
*konyaensis* Danilevsky, 2010e: 20 **A:** TR  
*kruszelnickii* Szczepański & Karpiński, 2017: 142 (*Phytoecia*) **E:** GR  
*moreana* Breuning, 1943b: 102 (*Phytoecia*) **E:** GR #183  
*hladilorum* Holzschuh, 2006a: 274  
*holtzi* Pic, 1952a: 3  
  
**genus *Pteromallosia* Pic, 1900h:** 16 type species *Phytoecia albolineata* Hampe, 1852  
*albolineata* Hampe, 1852b: 314 (*Phytoecia*) **A:** AB AR GG IN ?LE TR #182  
*fulvolineata* Reitter, 1891a: 33 (*Phytoecia*)  
  
**genus *Pygoptosia* Reitter, 1895a:** 86 type species *Phytoecia speciosa* Frivaldszky, 1884  
*darzerkensis* Rapuzzi, 2021: 557 **A:** TR  
*eugeniae* Ganglbauer, 1884: 568 (*Phytoecia*) **A:** IN ?TR #471 #584  
*speciosa* Frivaldszky, 1884: 5 (*Phytoecia*) **A:** IN LE SY TR  
*lineolata* Reitter, 1895a: 86 (*Phytoecia*)  
*pictipennis* Pic, 1909: 106 (*Phytoecia*)  
  
**genus *Semiangusta* Pic, 1893d:** 421 type species *Conizonia delagrangei* Pic, 1891  
*ambrusi* Danilevsky, 2012m: 934 **A:** IN  
*delagrangei* Pic, 1891a: 2 (*Conizonia*) **A:** TR  
*brevior* Pic, 1897a: 188 (*Phytoecia*)  
*brevis*, Plavilstshikov, 1927a: 65 (wrong spelling – unavailable name)  
*katarinae* Holzschuh, 1974a: 99 (*Phytoecia*) **A:** TR  
*rebeccae* Sama & Rejzek, 2002: 106 **A:** IN  
  

**tribe Pogonocherini Mulsant, 1839**

**genus *Parmenopsis* Ganglbauer, 1882:** 693 type species *Parmena caucasica* Leder, 1880  
*caucasica* Leder, 1880: 484 (*Parmena*) **E:** ST **A:** GG TR  
  
**genus *Pogonocherus* Dejean, 1821:** 107 type species *Cerambyx hispidus* Linnaeus, 1758  
**subgenus *Pityphilus* Mulsant, 1862:** 302 type species *Cerambyx ovatus* Goeze, 1777  
*decoratus* Fairmaire, 1855: 320 **E:** AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD ME NL NR NT PL SB  
SK SL SP ST SV SZ TR UK **A:** TR WS #133  
*ehdenensis* Sama & Rapuzzi, 2000: 18 **A:** LE  
*fasciculatus fasciculatus* DeGeer, 1775: 71 (*Cerambyx*) **E:** AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA

LS LT LU MA MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK N: MR A: AB AR ES FE GG HEI KZ MG ?NC NE  
 SC TR WS XIZ #400  
*costatus* Motschulsky, 1859a: 234  
*pullus* Matsushita, 1931b: 376  
*setifer* O. F. Müller, 1776: 92 (*Cerambyx*)  
*fasciculatus hondoensis* K. Ohbayashi, 1963: 12 A: JA  
*inermicollis* Reitter, 1894e: 247 E: ST A: GG TR  
*ovatoides* Rapuzzi & Sama, 2014a: 9 E: IT  
*ovatus* Goeze, 1777: 474 (*Cerambyx*) [NP] E: AL AU BE BH CR CZ FR GE GR HU IT LA LU NL PL RO SK SL SP SZ #472  
*multipunctatus* Georg, 1857: 64  
*ovalis* Gmelin, 1790: 1863 (*Cerambyx*)  
*schlumbergeri* Dufour, 1851: 351  
*scutellaris* Mulsant, 1846: [11]  
*subovatus* Mulsant, 1839: 155  
*ressli* Holzschuh, 1977a: 132 A: AB IN  
*sturanii* Sama & Schurmann, 1982: 66 E: SP  
*zubovi* Danilevsky, 2015c: 588 E: UK (Crimea)  
**subgenus** *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758  
*Eupogonocherus* Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758  
*Pogonocherus* Gistel, 1848a: 131 [unjustified emendation]  
*Pogonochaerus* Gemminger, 1873: 3116 [unjustified emendation]  
*Strophinus* Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758  
*anatolicus* K. Daniel & J. Daniel, 1898a: 76 (*Pogonochaerus*) E: GR (Rodos) A: CY LE SY TR #553  
*barbarae* Rapuzzi & Sama, 2012a: 678 A: SY TR #143  
*caroli* Mulsant, 1862: 313 E: FR GB SP SV SZ  
*griseus* Pic, 1889b: 67 ["département du Var"]  
*cedri* Peyerimhoff, 1917: 318 (*Pogonochaerus*) N: AG  
*creticus* Kratochvíl, 1985a: 1 E: GR (Crete)  
*dimidiatus* Blessig, 1873: 208 A: FE GAN HEI JA JIL NC SC SCH SHA #225 #521  
*bicristatus* Kraatz, 1879c: 114  
*seminiveus* Bates, 1873: 382  
*tristiculus* Kraatz, 1879c: 115  
*eugeniae eugeniae* Ganglbauer, 1891: 131 (*Pogonochaerus*) E: AL AU BH CR CZ GR IT RO ?TR A: ?TR #314  
*pici* Plavilstshikov, 1929e: 34 (unavailable name).  
*eugeniae taygetanus* Pic, 1903a: 8 (*Pogonochaerus*) E: GR (Peloponnisos)  
*hispidulus* Pillar & Mitterpacher, 1783: 35 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ EN FR GR HU IR IT LA LS LT LU MC  
 MD ME NL NT PL PT RO SB SK SL SP ST SV SZ UK N: MR A: AB AR GG KZ (north-east) TR  
*bickhardti* Pic, 1927e: 1 (*Pogonochaerus*)  
*bidentatus* C. G. Thomson, 1866: 85  
*hispidus* Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD  
 ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: AG TU A: AB AR GG TR  
*dentatus* Geoffroy, 1785: 76 (*Cerambyx*)  
*pilosus* Fabricius, 1787: 134 (*Cerambyx*)  
*rufescens* Pic, 1917a: 6 (*Pogonochaerus*)  
*marcoi* Sama, 1993b: 29 E: IT  
*neuhausi* J. Müller, 1916: 98 (*Pogonochaerus*) E: BH CR GR IT N: AG MO TU  
*icosiensis* Peyerimhoff, 1918b: 143 (*Pogonochaerus*)  
*paradimidiatus* Lazarev, 2021a: 57 A: GAN SCH  
*pepa* Verdugo & Torres-Méndez, 2010: 110 E: SP N: MO  
*perroudi brevipilosus* Holzschuh, 1993a: 50 E: GR (Crete)  
*perroudi perroudi* Mulsant, 1839: 158 E: AL BH BU CR FR GR IT SP ST TR UK N: AG EG MO TU A: GG CY IS LE TR  
*vaulogeri* Pic, 1927e: 1 (*Pogonochaerus*)  
*pesarinii* Sama, 1993c: 21 N: MO  
*plasoni* Ganglbauer, 1884: 526 (*Pogonochaerus*) E: BH CR GR  
*sieversi* Ganglbauer, 1887b: 139 (*Pogonochaerus*) ?E: ?UK A: AR GG TR  
*caucasicus* Ganglbauer, 1891: 132 [HN] (*Pogonochaerus*)  
*kuksha* Plavilstshikov, 1924: 225 (*Pogonochaerus*)  
*slamai* Danilevsky, 2015c: 590 A: CY  
**subgenus** *Trichorondonia* Breuning, 1965c: 60 type species *Trichorondonia hybolasioides* Breuning, 1965  
*Neopogonocherus* Lazarev, 2021a: 63 type species *Pogonochaerus pillosipes* Pic, 1907 #566  
*hybolasioides* Breuning, 1965c: 60 A: GUX ORR  
*pillosipes* Pic, 1907c: 21 (*Pogonochaerus*) A: CH "Chine orientale" #566  
*pillosipes* Pic, 1907c: 21 (*Pogonochaerus*) [incorrect original spelling]

#### tribe Prosopocerini J. Thomson, 1864

**genus** *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)  
**subgenus** *Alphitopola* J. Thomson, 1857f: 299 type species *Aphitopola lactea* J. Thomson, 1857

*Anybostetha* Quedenfeldt, 1888: 201 type species *Anybostetha saperdoides* Quedenfeldt, 1888  
*Hodoeporus* J. Thomson, 1858: 188 type species not specified  
*Galactesthes* Fairmaire, 1897b: 152 type species *Galactesthes nivosus* Fairmaire, 1897  
*Lepesmia* Breuning, 1956g: 672 type species *Lepesmia rufula* Breuning, 1956  
*Parachariesthoides* Breuning, 1976e: 1033 type species *Parachariesthoides allaeri* Breuning, 1976  
*Pseuderemon* Breuning, 1966i: 181 type species *Pseuderemon bifuscomaculipennis* Breuning, 1966  
*Scapochariesthoides* Breuning, 1974k: 111 type species *Scapochariesthoides macrophthalma* Breuning, 1974  
*Zalatida* Fähræus, 1872b: 33 type species *Zalatida paykullii* Fähræus, 1872

*unicolor* Gahan, 1898: 52 (*Alphitopola*) A: SA AFR

*albescens* Breuning, 1938e: 110

*parvula* Breuning, 1934: 90

*patriziana* Breuning, 1934: 89

**subgenus** *Dalterus* Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892

*Timoreticus* Peringuey, 1896: 181 type species *Monohammus degeeri* Fähræus, 1872

*dejeani* Gahan, 1890d: 315 A: YE AFR

## tribe Pteropliini J. Thomson, 1860

**genus** *Abryna* Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842

*coenosa coenosa* Newman, 1842c: 289 A: SE SW TAI ORR

*subuniformis* Pic, 1925a: 30

*obscura* Schwarzer, 1925b: 65 A: JA TAI

*oshimensis* Breuning, 1955b: 64 (*Palimna*)

*superba* Pic, 1932d: 24

*uniformis* Breuning & K. Ohbayashi, 1966b: 32

*regispetri* Paiva, 1860: 5 A: YUN ORR

**genus** *Albana* Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846

*m-griseum* Mulsant, 1846: [13] E: FR SP

*accentifera* Fairmaire, 1856a: 543 (*Pogonocherus*)

[*grisea* Mulsant, 1846: [13] unused original spelling]

**genus** *Alidus* Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893

*biplagiatus* Gahan, 1893a: 258 A: GUA NP YUN ORR

#400

**genus** *Alidus* Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893

*Paramispila* Breuning, 1959: 75 type species *Aphelocnemia bispecularis* White, 1858

*bispecularis* White, 1858b: 401 (*Aplocnemia*) A: GUA NP YUN ORR

*biplagiatus* Gahan, 1893a: 258

**genus** *Anaches* Pascoe, 1865a: 160 type species *Sthenias dorsalis* Pascoe, 1858

*albaninus* Gressitt, 1942g: 85 (*Pterolophia*) A: ANH ANH FUJ GAN GUX ?HEB ?HEI HEN HUB HUN JIA JIX SCH SHA ZHE

#225 #542

*cylindricus* Gressitt, 1939b: 114 (*Sthenias*) A: FUJ HUN ZHE

#542

*dorsalis* Pascoe, 1858: 251 (*Sthenias*) A: CHQ FUJ GUI GUX HP KA NP SCH SD YUN ZHE ORR

#60 #533

*albonotata* Pic, 1932c: 25 (*Anaches*)

*m-signatus* Lin & Weigel, 2022: 124 A: GUX HUN ZHE

*medioalbus* Breuning, 1956c: 234 (*Paramesosella*) A: FUJ

#542 #650

*murzini* Lazarev, 2020g: 57 (*Sthenias*) A: SCH

#542 #623 #650

*semicylindricus* Hayashi, 1974c: 45 (*Sthenias*) A: GUI TAI

#168 #650

*wenhshini* Holzschuh & Y.-L. Lin, 2013: 152 A: TAI

*yitingi* Holzschuh & Y.-L. Lin, 2013: 154 A: TAI

**genus** *Cyphoscyla* J. Thomson, 1868a: 65 type species *Cyphoscyla lacordairei* J. Thomson, 1868

*Hoabinhia* Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a

*lacordairei* J. Thomson, 1868: 66 A: YUN ORR

*multituberculata* Pic, 1934a: 12

**genus** *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862

**subgenus** *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862

*Mesopenthea* Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925

*chinensis* Breuning, 1938c: 373 A: CH

*dispersa* Pic, 1944a: 10 (*Mesosella*) A: YUN

*kuraruana* Matsushita, 1935: 312 (*Mesosella*) A: TAI

*subfasciata* Pascoe, 1862a: 348 (*Praonetha*) A: GUA GUX HAI HEN HKG HUB JIA NP UP YUN ZHE ORR

#127 #390

*infasciata* Pic, 1944a: 10 (*Mesosella*)

*latefasciata* Pic, 1924b: 79 (*Mesosella*)

*major* Pic, 1925b: 28 (*Mesosella*)

*rufa* Pic, 1936a: 17 (*Falsomesosella*)

*variabilis* Schwarzer, 1925b: 67 (*Mesopenthea*) A: TAI

*yunnana* Breuning, 1974d: 72 (*Mesoereis*) A: YUN #69  
**subgenus** *Cylindrostyrax* Aurivillius, 1911: 212 type species *Cylindrostyrax apomecynoides* Aurivillius, 1911 (= *Desisa lunulata* Pascoe, 1866)  
*quadriplagiata* Breuning, 1938c: 372 A: NP PA **ORR** #75  
*takasagoana* Matsushita, 1933b: 364 A: FUJ GUA HAI TAI

**genus** *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864  
**subgenus** *Callegesina* Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943  
*anfracta* Gressitt, 1940b: 155 (*Enispia*) A: HAI  
**subgenus** *Cuphisia* Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866  
*cleroides* Gahan, 1890a: 63 (*Enispia*) A: NP "North India" **ORR**  
*digitata* Pesarini & Sabbadini, 2000: 62 A: SCH  
*guerryi* Pic, 1926c: 12 (*Enispia*) A: CH  
*salicivora* Holzschuh, 2007: 253 A: YUN  
*subfasciata* Pic, 1926b: 2 (*Gyaritus*) A: GUI **ORR** #400  
*tarsata* Holzschuh, 2007: 252 A: YUN  
**subgenus** *Callienispia* Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925  
*Larica* Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)  
*anterufipennis* Breuning, 1958a: 16 A: NP SD  
**subgenus** *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864  
*Neogesina* Fisher, 1925: 215 type species *Neogesina ornata* Fisher, 1925  
*Platyzeargyra* Fisher, 1925: 213 type species *Platyzeargyra bakeri* Fisher, 1925  
*albofasciata* Hayashi, 1974c: 46 A: TAI  
*albolineata* Breuning, 1942c: 132 A: YUN **ORR**  
*amoenula* Holzschuh & Y.-L. Lin, 2013: 155 A: TAI  
*basirufa* Breuning & Heyrovský, 1961: 142 A: SD  
*bhutanensis* Breuning, 1975d: 338 (*Similosodus*) A: BT  
*diffusa* Holzschuh, 2007: 255 A: YUN  
*generosa* Holzschuh, 2003b: 310 A: NP  
*lacertosa* Holzschuh, 2007: 256 A: GUI  
*lanigera* Holzschuh, 2007: 259 A: GUI  
*nomurai* Hayashi, 1994: 70 A: TAI  
*parteaalboantennata* Breuning, 1965d: 30 A: YUN #400  
*picina* Holzschuh, 2007: 258 A: SHA  
*setosa* Gressitt, 1937d: 603 (*Enispia*) A: JIX  
*umbrina* Holzschuh, 2007: 260 A: GUI SHA #400  
**subgenus** *Nijijimaia* Matsushita, 1933b: 386 type species *Nijijimaia bifasciana* Matsushita, 1933  
*Baeckmanella* Shabliovsky, 1936: 186 type species *Baeckmanella iljinskyi* Shabliovsky, 1936 (= *Nijijimaia bifasciana* Matsushita, 1933)  
~~*Pseudenisipia* Breuning, 1938c: 388 type species *Pseudenisipia albomarmorata* Breuning, 1938c~~ #642  
*bifasciana bifasciana* Matsushita, 1933a: 387 (*Nijijimaia*) A: CH FE JA NC SC  
*coreana* Breuning, 1950e: 266  
*iljinskyi* Shabliovsky, 1936: 187 (*Baeckmanella*)  
*bifasciana tsushimae* Breuning & K. Ohbayashi, 1964: 27 A: JA (Tsushima Is.)  
*flavoapicalis* Hayashi, 1971: 14 A: JA (Ryukyus)  
*flavopicta* Breuning & Heyrovský, 1961: 144 A: NP SD  
*formosana* Schwarzer, 1925b: 68 (*Enispia*) A: TAI  
*fujiwarai* Toyoshima, 1999: 32 A: JA  
*fuscolaterimaculata* Hayashi, 1971: 13 A: TAI  
*picea* Hayashi, 1962: 16 A: JA (Ryukyus)  
*shibatai* Hayashi, 1962: 15 A: JA (Tokara Isls., Ryukyus)  
*sikkimensis* Breuning, 1940b: 145 A: SD

**genus** *Gibbomesosella* Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932  
*nodulosa* Pic, 1932b: 33 (*Mesosella*) A: GUX **ORR**  
*taiwana* Yamasako & Chou, 2018: 69 A: TAI

**genus** *Macropraonetha* Breuning, 1961j: 542 type species *Desisa pterolophioides* Gressitt, 1942  
*pterolophioides* Gressitt, 1942a: 6 (*Desisa*) A: FUJ GUI GUX HUN #400

**genus** *Marmylaris* Pascoe, 1866a: 88 type species *Hathlia buckleyi* Pascoe, 1857  
*buckleyi* Pascoe, 1857b: 107 (*Hathlia*) A: NP SD **ORR**  
*truncatipennis* Breuning, 1940b: 140 A: NP SD

**genus** *Mesosella* Bates, 1884a: 246 type species *Mesosella simiola* Bates, 1884  
*kumei* Takakuwa, 1984: 12 A: JA  
*simiola* Bates, 1884a: 246 A: JA

**genus *Mimectatosia* Breuning, 1959e: 173** type species *Mimectatosia compacta* Breuning, 1959  
*compacta* Breuning, 1959e: 173 A: SD

**genus *Mispila* Pascoe, 1864a: 58** type species *Mispila venosa* Pascoe, 1864

**subgenus *Dryusa* Pascoe, 1864a: 58** type species *Dryusa flexuosa* Pascoe, 1864

*sonthianae* Breuning, 1963: 59 A: GUX **ORR**

**subgenus *Mispila* Pascoe, 1864a: 58** type species *Mispila venosa* Pascoe, 1864

*Diatylus* Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)

*curvilinea* Pascoe, 1869b: 206 A: AP GUX YUN **ORR**

*multilineata* Pic, 1925a: 24 (*Alidus*)

~~—*zonaria* Lacordaire, 1872: 365~~

*khamvengae* Breuning, 1963k: 57 A: GUX **ORR**

*punctifrons* Breuning, 1938c: 381 A: YUN **ORR**

*tholana* Gressitt, 1940b: 157 (*Enispia*) A: HAI YUN

**subgenus *Trichomispila* Breuning, 1939a: 71** type species *Trichomispila picta* Breuning, 1939

*pedongensis* Breuning, 1968f: 704 A: SD

#126

#400

**genus *Nipholophia* Gressitt, 1951a: 458** type species *Nipholophia chujoi* Gressitt, 1951

*chujoi* Gressitt, 1951a: 458 A: TAI

**genus *Niphona* Mulsant, 1839: 169** type species *Niphona picticornis* Mulsant, 1839

**subgenus *Hamatoniphona* Pic, 1936e: 31** type species *Camptocnema longicornis* Pic, 1926

*longicornis* Pic, 1926b: 8 (*Camptocnema*) A: HUN SCH YUN XIZ **ORR**

*lateralis* Breuning, 1938c: 241

*tibetana* Gressitt, 1951a: 457

**subgenus *Niphona* Mulsant, 1839: 169** type species *Niphona picticornis* Mulsant, 1839

*Aelara* J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860

*Camptocnema* J. Thomson, 1864: 54 type species *Niphona lateralis* White, 1858

*Falsoniphona* Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925

*Ocheutes* J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864

*albofasciata* Breuning, 1938c: 238 A: HEB

*appendiculata* Gerstaecker, 1871: 78 A: SA

*belligerans* Pesarini & Sabbadini, 1997: 114 A: GUX

*cantonensis* Gressitt, 1939a: 71 A: GUA HAI HKG

*chinensis* Breuning, 1938c: 240 A: CH

*excisa* Pascoe, 1862a: 337 A: HAI **ORR**

*falaizei* Breuning, 1962b: 67 A: YUN **ORR**

*fasciculata* Pic, 1917e: 7 (*Ocheutes*) A: XIZ YUN **ORR**

*furcata* Bates, 1873: 314 (*Aelara*) A: HEN HUB JA JIA JIX SC TAI ZHE

*fuscatrix* Fabricius, 1793: 291 (*Lamia*) A: HP KA NP PA SD **ORR**

*cylindracea* White, 1858a: 268

*spinicollis* Bates, 1891a: 22 (*Ocheutes*)

*hookeri* Gahan, 1900d: 351 A: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN **ORR**

*indica* Breuning, 1938c: 239 A: AE AF IN OM PA **ORR**

*assimilis* Breuning, 1938c: 239 [Britisch Indien: Punjab, Chichowatni]

*grisea* Breuning, 1938c: 241

*lateraliplagiata* Breuning, 1943: 49 A: YUN **ORR**

*longesignata* Pic, 1936e: 31 A: GUX YUN **ORR**

*lutea* Pic, 1925b: 27 (*Falsoniphona*) A: HKG **ORR**

*obliquata* Breuning, 1938c: 240 A: CH

*obscura* Breuning, 1938c: 241 A: NP "India or."

*parallela* White, 1858a: 267 (*Nyphona*) A: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" **ORR**

*malaccensis* Breuning, 1938c: 240

*minor* Lameere, 1893a: 284 (*Aelara*)

*minuta* Pic, 1926b: 8

*picticornis* Mulsant, 1839: 169 E: AL BH BU CR FR GR IT MA ME SP N: AG MO TU A: CY IS JO LE SY TR

*plagiata* White, 1858a: 267 A: YUN **ORR**

*pluricristata* Pesarini & Sabbadini, 2000: 60 A: SCH

*similis* Breuning, 1938c: 238 A: YE **AFR**

*stoetneri* Breuning, 1938a: 57 A: SCH

*stramentosa* Breuning, 1938a: 57 A: PA "Punjab"

*subgrisea* Breuning, 1973c: 654 A: PA

*tibialis* Gahan, 1893a: 257 A: HP **ORR**

*variegata* Breuning, 1938c: 239 A: UP

*yanoi reducta* Gressitt, 1940b: 144 A: HAI

*yanoi yanoi* Matsushita, 1934a: 240 A: JA (Ryukyus) TAI

#400

#280

#366

**subgenus** *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989  
*longzhouensis* Hua, 1989a: 74 A: GUX

**genus** *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943  
*sikkimense* Breuning, 1957g: 276 A: SD

**genus** *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923  
*pellita* Heller, 1923a: 44 A: "India" ORR

**genus** *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940  
*alboplagiata* Breuning, 1948b: 3 A: SD  
*fasciculata* Breuning, 1940: 143 A: YUN ORR  
*stheniformis* Breuning, 1940b: 143 A: NP UP  
*sthenioides* Breuning, 1938c: 374 (*Desisa*) A: KA

#343

**genus** *Paramispilopsis* Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947  
*indica* Breuning, 1947a: 37 A: SD

#343

**genus** *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928  
*simplex* Pic, 1928b: 20 (*Anaches*) A: NP

**genus** *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona niponoides* Breuning, 1970  
*rotundipennis* Breuning, 1974h: 151 A: SHA

#606

**genus** *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938  
*melanura* Pascoe, 1857b: 106 (*Pterolophia*) A: NP TAI YUN ORR  
*moensii* Ritsema, 1881a: 15 (*Praonetha*)  
*montana* Pascoe, 1865a: 165 (*Praonetha*)  
*quadraticollis* Pascoe, 1865a: 168 (*Praonetha*)  
*uniformis* Breuning, 1938c: 368 A: SD

**genus** *Pseudomiccolamia* Pic, 1916e: 14 type species *Pseudomiccolamia pulchra* Pic, 1916  
*pulchra* Pic, 1916e: 14 A: YUN

**genus** *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956  
*borchmanni* Breuning, 1956c: 235 A: FUJ

**genus** *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1942  
*strandi* Breuning, 1942a: 129 A: HAI

**genus** *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842  
**subgenus** *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864

*albiovittata* Breuning, 1938c: 250 A: FUJ  
*bicostata* Breuning, 1943a: 26 A: YUN  
*bilatevittata* Breuning, 1942a: 127 A: FUJ  
*brunnea* Breuning, 1938c: 308 A: YUN ORR  
*camela* Pic, 1926a: 30 A: HAI ORR  
*chekiangensis* Gressitt, 1942g: 87 A: FUJ GUA HEN ZHE ORR  
*cylindricollis* Gressitt, 1942a: 4 A: XIZ  
*gibbosipennis gibbosipennis* Pic, 1926a: 32 A: TAI  
*crispipennis* Matsushita, 1931c: 403

#400

*gibbosipennis iriomotei* Breuning & K. Ohbayashi, 1966: 33 A: JA (Ryukyus)  
*gibbosipennis kuniyoshii* Hayashi, 1968c: 17 A: JA (Ryukyus)  
*gibbosipennis subcrispipennis* Breuning & K. Ohbayashi, 1964: 16 A: JA  
*jugosa carinissima* Takakuwa, 1984: 12A: JA [Tsushima Is]  
*jugosa jugosa* Bates, 1873: 315 (*Praonetha*) A: FE (Sakhalin, Kunashir) JA NC (Mt. Geumgangsán)  
*lineatipennis* Breuning, 1974j: 371 A: TAI  
*luzonica* Breuning, 1938c: A: JAi (Ryukyus) ORR  
*nitidomaculata* Pic, 1944a: 13 (*Ropica*) A: CH  
*ochreomaculata* Breuning, 1940b: 140 A: SD  
*postscutellaris* Breuning, 1967b: 30 A: AP  
*sikkimensis* Breuning, 1938c: 329 A: SD  
*sinensis* Fairmaire, 1900: 642 (*Praonetha*) A: FUJ JIX SCH  
*sulcatithorax* Pic, 1926a: 31 A: SCH YUN  
*humero-gibbosa* Pic, 1926a: 31

#451

#400

**subgenus** *Arabopraonetha* Téocchi, 1992: 302 type species *Pterolophia arabica* Téocchi, 1992

*arabica* Téocchi, 1992: 302 A: SA YE  
**subgenus** *Armatopraonetha* Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894  
*bifasciata* Breuning, 1968d: 227 A: SD  
**subgenus** *Curtolophia* Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974  
*curticornis* Breuning, 1974h: 165 A: SD  
**subgenus** *Gibbopraonetha* Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926  
*quadrigibbosa* Pic, 1926a: 32 A: YUN  
*quadrigibbosipennis* Breuning, 1968e: 857 A: SCH  
**subgenus** *Hylobrotus* Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872  
*annulata* Chevrolat, 1845a [1845b]: 99 (*Coptops*) A: FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX ?NC NP SC  
SCH SD SHA TAI YUN ZHE **ORR** #390  
*annulicornis* Pic, 1925e: 138  
*bowringii* Pascoe, 1865a: 170 (*Praonetha*)  
*lacosa* Pic, 1926b: 3  
*scutellata* Schwarzer, 1925b: 66  
*discalis* Gressitt, 1951a: 468 A: GUA GUX HAI **ORR**  
*formosana* Schwarzer, 1925b: 66 A: JA (Ryukyus) TAI  
*humerosopunctata* Breuning, 1938c: 320 A: UP  
*latefascia* Schwarzer, 1925b: 65 A: JA (Ryukyus) TAI  
*fainanensis* Pic, 1926a: 32  
*horii* Breuning & K. Ohbayashi, 1967: 3  
*yayeyamai* Breuning, 1961a: 9  
*lateralis* Gahan, 1894a: 65 A: TAI YUN **ORR**  
*moupinensis* Breuning, 1973c: 657 A: SCH  
*obscuroides* Breuning, 1938c: 274 A: BT SD  
*oculata* Breuning, 1938c: 271 A: NP UP  
*postfasciculata* Pic, 1934b: 11 A: GUA HAI HKG NP SD UP YUN **ORR**  
*arctofasciata* Gressitt, 1940b: 147  
*gerardiniae* Breuning, 1938c: 272  
*subfasciculata* Breuning, 1938c: 291  
*subunicolor* Breuning, 1965: 44 A: TAI  
*szetschuanensis* Breuning, 1973c: 658 A: SCH  
*tibialis* Breuning, 1938c: 275 A: NP SD  
*trilineicollis* Gressitt, 1951a: 475 A: FUJ GUA HUN JIX  
*tuberculator* Fabricius, 1781 (*Lamia*) A: AP **AFR ORR** #166  
*yunnanensis* Breuning, 1974i: 237 A: YUN  
**subgenus** *Lychrosis* Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863  
*caballina* Gressitt, 1951a: 476 (*Lychrosis*) A: FUJ GUA GUX HUN YUN  
*caballina* Chiang, 1951: 74 [HN]  
*gressitti* Hubweber, 2010: 61 A: HAI  
*fasciata* Gressitt, 1940b: 152 (*Lychrosis*) [HN]  
*humerosa* J. Thomson, 1865: 550 (*Mycerinus*) A: GUI UP YUN **ORR** #400  
*albonotata* Pic, 1918a: 10 (*Lychrosis*)  
*mimica* Gressitt, 1942g: 88 (*Lychrosis*) A: FUJ GUA JIX ZHE  
*obscuricolor* Breuning, 1943a: 29 A: YUN  
*varipennis* J. Thomson, 1865: 550 (*Mycerinus*) A: "North India"  
*zebrina* Pascoe, 1858: 252 (*Hathlia*) A: FUJ GUA GUX HAI HUB HUN JIX NP SD TAI  
**subgenus** *Mimoron* Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934  
*brevegibbosa* Pic, 1926a: 32 A: HAI HKG NP SD UP **ORR**  
*gardneri* Schwarzer, 1931a: 71 (*Cenodocus*)  
*dalbergicola* Gressitt, 1951a: 467 A: FUJ HEB #400  
*pedongensis* Breuning, 1968f: 705 A: NP SD  
*phungi* Pic, 1925a: 28 A: NP YUN **ORR**  
*ropicoides* Breuning, 1968e: 857 A: SD #343  
**subgenus** *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938  
*kanoi* Hayashi, 1966a: 7 A: TAI  
**subgenus** *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albolateralis* Breuning, 1938  
*rondoniana* Breuning, 1963k: 54 A: SCH **ORR** #400  
*subropicoides* Breuning, 1968e: 857 A: GUI  
**subgenus** *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925  
*adachii* Hayashi, 1983: 41 (*Pseudale*) A: JA (Tsushima Is.) #438 #522  
*dorsotubercularis* Hayashi, 1984: 33 (*Pseudale*) A: TAI  
*fasciata* Schwarzer, 1925b: 67 (*Pseudale*) A: TAI  
*izumikurana* Hayashi, 1971: 13 (*Pseudale*) A: JA (Izu Isls.)  
*jiriensis* Danilevsky, 1996b: 21 A: SC  
*coreana* M. Hasegawa & Lee, 2000: 198  
*koshikijimana* Makihara, 2006: 10 (*Pseudale*) A: JA

*kyushuensis* Takakuwa, 1988: 103 A: JA  
*obovata* Hayashi, 1971: 12 (*Pseudale*) A: JA (Ryukyus)  
*oshimana* Breuning, 1955b: 64 A: JA (Ryukyus)  
*nobuoi* Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)  
*suginoi* Makihara, 1986a: 9 A: TAI  
**subgenus** *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842  
*Acroptycha* Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888  
*Alyattes* J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864  
*Cormia* Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864  
*Eurycotyle* Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873  
*Incamelomorpha* Pic, 1926b: 4 type species *Pterolophia depensis* Pic, 1926  
*Praonetha* Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823  
*Praonetha* Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853  
*Prioneta* Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853  
*Prionetopsis* J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)  
*Theticus* J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858  
*albonigra* Gressitt, 1940b: 146 A: HAI  
*alboplagiata* Gahan, 1894a: 70 A: YUN **ORR**  
*albomaculipennis* Breuning, 1962d: 51  
*bifasciculata* Breuning, 1940d: 422  
*flavovittata* Breuning, 1938a: 47  
*alternata* Gressitt, 1938a: 51 A: SCH  
*angusta angusta* Bates, 1873: 317 (*Praonetha*) A: JA #523  
*angusta multinotata* Pic, 1931c: 1 A: ES FE MG NC NE SC SHA #225 #237  
*burakowskii* Heyrovský, 1973a: 117  
*mandshurica* Breuning, 1938a: 46  
*selengensis* Lyamtzeva, 1979: 79  
*ussuriensis* Plavilstshikov, 1954: 473  
*apicefusca* Breuning, 1938c: 319 A: AF PA SD "North-West India" #280  
*arcuata* Breuning, 1938c: 306 A: GUI  
*baiensis* Pic, 1926a: 30 A: FUJ **ORR**  
*bigibbera* Newman, 1842d: 323 (*Mesosa*) A: JA (Ogasawara Isls.) TAI **ORR**  
*binodosa* Bates, 1866a: 350 (*Praonetha*)  
*camura* Newman, 1842f: 371  
*saipana* K. Ohbayashi, 1941b: 225  
*bimaculaticeps* Pic, 1926b: 3 A: CH  
*bituberata* Breuning, 1938c: 328 A: SD  
*bituberculata* Breuning, 1938c: 270 A: SD  
*bottangensis* Breuning, 1968e: 854 A: BT  
*brahma* Holzschuh, 2006c: 486 A: NP  
*carinata* Gahan, 1894a: 72 A: NP  
*carinipennis* Gressitt, 1942e: 210 A: GUA  
*castaneivora* K. Ohbayashi & Hayashi, 1962: 33 A: JA SC (Jejudo Is.) #525  
*caudata caudata* Bates, 1873: 315 (*Praonetha*) A: JA SC TAI  
*caudata curtipennis* Makihara, 1980: 59 A: JA  
*chinensis* Breuning, 1982: 14 A: CH  
*consularis* Pascoe, 1866b: 240 (*Praonetha*) A: BT GUA GUI GUX HAI YUN SD **ORR** #344  
*cervina* Gressitt, 1939a: 74  
*crisulata* Fairmaire, 1896b: 391 (*Praonetha*)  
*notaticeps* Pic, 1934b: 12  
*ochreomaculipennis* Breuning, 1968e: 852  
*crassipes* Wiedemann, 1823: 111 (*Lamia*) A: GUAi **ORR**  
*iliaca* Pascoe, 1865a: 178 (*Praonetha*)  
*imbuta* Newman, 1842: 381  
*dalbergiae* Breuning, 1938c: 268 A: UP  
*densefasciculata* Breuning, 1938c: 269 A: BT "Himalaya" **ORR**  
*elegans* Breuning, 1938c: 321 A: FUJ **ORR**  
*elongata* Pic, 1934b: 12 A: CH  
*elongatissima* Breuning, 1938c: 255 A: "North India"  
*externemaculata* Breuning, 1938c: 292 A: SCH  
*fuchsi* Breuning, 1970a: 9 A: TAI  
*fukiena* Gressitt, 1940c: 189 A: FUJ  
*fulvescens* Breuning, 1938c: 324 A: UP  
*granulata* Motschulsky, 1866: 174 (*Pogonocherus*) A: ANH FUJ GAN GUI GUX **HEB** HEI HUB JA JIA JIL JIX LIA NC NIN SC SCH  
TAI ZHE #400  
*rigida* Bates, 1873: 316 (*Praonetha*) #596  
*granulosa* Breuning, 1938c: 294 A: SD  
*holzschuhi* Breuning, 1975d: 335 A: PA

*hongkongensis* Gressitt, 1942e: 211 A: HKG  
*indica* Breuning, 1938c: 328 A: "India"  
*indra* Holzschuh, 2012: 218 A: NP  
*inexpectata* Breuning, 1938c: 255 A: UP  
*kaleea inflexa* Gressitt, 1940a: 11 A: FUJ GUA SCH TAI  
*kaleea kaleea* Bates, 1866a: 351 (*Praonetha*) A: GUI HAI JA (Ryukyus) TAI  
*subleiopodina* Breuning & K. Ohbayashi, 1964: 16  
*kiangsina* Gressitt, 1937d: 601 A: FUJ JIX SCH  
*krishna* Holzschuh, 2006c: 487 A: NP  
*kubokii* Hayashi, 1976: 20 A: JA (Ryukyus) TAI  
*kusamai* Hasegawa & Makihara, 1999: 28 A: JA (Ogasawara Isls.)  
*lama* Breuning, 1943a: 20 A: XIZ  
*lateralba* Schwarzer, 1925b: 68 (*Albana*) A: TAI  
*leiopodina* Bates, 1873: 317 (*Praonetha*) A: FUJ JA JIX  
*subangusta* Matsushita, 1933b: 362  
*ligata* Pascoe, 1862a: 350 (*Praonetha*) A: SD  
*apicalis* Schwarzer, 1924: 238  
*lunigera* Aurivillius, 1913: 25 A: AP NP **ORR** #126  
*maacki* Blesig, 1873: 211 (*Eurycotyle*) A: BEI FE HEB JIX NC NE SC SHA SHG SHN ZHE #225 #400  
*chahara* Gressitt, 1940c: 188  
*latenotata* Pic, 1927i: 153 (*Sybra*)  
*marmorata* Breuning, 1938c: 322 A: SD  
*matsushitai* Breuning, 1938c: 289 A: TAI  
*multifasciculata* Pic, 1926a: 30 A: YUN **ORR**  
*nigricans* Breuning, 1938c: 323 A: SD  
*nigrobiarcuata* Breuning, 1938a: 45 A: UP  
*nigrofasciculata* Breuning, 1938c: 295 A: YUN **ORR**  
*nigroplagiata* Breuning, 1938c: 320 A: UP  
*nigrovirgulata* Breuning, 1939b: 196 A: NP SD  
*obscura* Schwarzer, 1925b: 66 A: TAI  
*schwarzeri* Mitono, 1944: 161  
*obscurata* Breuning, 1938c: 269 A: NP SD "Himalaya"  
*occidentalis* Schwarzer, 1931a: 72 A: AP UP #280  
*omeishana* Gressitt, 1945a: 128 A: SCH  
*pedongana* Breuning, 1968d: 228 A: SD  
*penicillata* Pascoe, 1862a: 349 (*Praonetha*) A: YUN **ORR**  
*tonkinea* Pic, 1926b: 3  
*persimilis* Gahan, 1894a: 71 A: FUJ GUA HKG HP HUB NP SD UP YUN **ORR**  
*subexternefasciata* Pic, 1926a: 29  
*persimiloides* Breuning, 1968e: 854 A: SCH  
*postalbofasciata* Breuning, 1962b: 23 A: YUN **ORR**  
*postfuscomaculata* Breuning, 1973c: 655 A: CH **ORR**  
*pseudobscuroides* Breuning, 1938c: 318 A: SD  
*pseudoculata* Breuning, 1938c: 265 A: NP UP #390  
*pseudoculatoides* Breuning, 1968d: 227 A: SD  
*pseudotincta* Breuning, 1938c: 295 A: SD  
*quadrifasciata* Gahan, 1894a: 71 A: NP  
*quadrivittata* Breuning, 1938c: 319 A: UP  
*reduplicata* Gressitt, 1951a: 471 A: HUB TAI  
~~*rigida* Bates, 1873: 316 (*Praonetha*) A: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE~~ #596  
*rubricornis* Gressitt, 1951a: 472 A: FUJ HUN  
*rufobrunnea* Breuning, 1938c: 267 A: SD  
*salebrosa* Breunin, 1938: 289 A: YUN **ORR**  
*serrata* Gressitt, 1939a: 52 A: SCH SHA #225  
*serricornis* Gressitt, 1937d: 599 [RN] A: FUJ HEB HUB JIX ZHE  
*rigida* Gahan, 1894d: 485 [HN]  
*shiva* Holzschuh, 2006c: 486 A: NP  
*sikkimana* Breuning, 1973c: 657 A: SD  
*spincornis* Breuning, 1938c: 256 A: "India"  
*sthenioides grossepunctipennis* Breuning, 1969f: 660 A: BT SD  
*sthenioides sthenioides* Breuning, 1938c: 309 A: SD  
*subbicarinata* Breuning, 1968e: 853 A: SD  
*subbitubericollis* Breuning, 1968a: 2 [RN] A: YUN **ORR**  
*subtubericollis* Breuning, 1965e: 48 [HN]  
*subtubericollis* Breuning & Heyrovský, 1964: 27 A: SD YUN #400  
*suisapana* Gressitt, 1951a: 473 A: HUB

*szetschuanica* Breuning, 1973c: 656 A: SCH  
*tenebrica* Breuning, 1938c: 324 A: HP  
*thibetana* Pic, 1926a: 32 A: XIZ  
*touzalini* Breuning, 1973c: 655 A: SD  
*transversefasciata* Breuning, 1938c: 252 A: FUJ SD UP YUN **ORR**  
*transverseplagiata* Breuning, 1938c: 275 A: NP UP  
*tsurugiana* Matsushita, 1935: 541 (*Desisa*) A: JA  
*japonica* Breuning, 1939b: 195  
*tubericollis* Breuning, 1938a: 46 A: SD  
*variantennalis* Breuning, 1970a: 10 A: TAI  
*wittmeri* Breuning, 1975d: 337 A: BT PA #274  
*yunnana* Breuning, 1968e: 855 A: YUN  
*yunnanica* Hubweber, 2010: 61 A: YUN  
*yunnanensis* Breuning, 1982: 14  
*zonata* Bates, 1873: 315 (*Praonetha*) A: JA TAI #525  
**subgenus** *Sociopraonetha* Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894  
*nigrocincta* Gahan, 1894a: 69 A: BT  
*atrofasciata* Pic, 1925e: 138 (*Stesilea*)  
*socia* Gahan, 1894a: 70  
*quadratiplagiata* Breuning, 1938a: 44 A: NP  
  
**genus** *Prosoplus* Blanchard, 1853: 290 type species *Prosoplus sinuatofasciatus* Blanchard, 1853 #597  
*Micracantha* Montrouzier 1861 : 271 type species *Micracantha australis* Montrouzier, 1861  
*Prosacanthus* Fauvel, 1862: 163 type species *Prosacanthus Chevrolati* Fauvel, 1862  
*bankii* Fabricius, 1775: 176 (*Lamia*) A: GUA HAI JA (Ogasawara Isls.) TAI **AUR ORR**  
*dentata* Olivier, 1797: 469 (*Lamia*)  
*desjardinsii* Fairmaire, 1889b: xcvi (*Micracantha*)  
*hollandicus* Boisduval, 1835: 491 (*Acanthocinus*)  
*insularis* Pascoe, 1859: 39 (*Niphona*)  
*iratus* Pascoe, 1862b: 464 (*Niphona*)  
*madecassa* Künckel, 1890: pl. 50, fig. 5 (*Micracantha*)  
*miscellus* Pascoe, 1863b: 529 (*Niphona*)  
*musivus* Pascoe, 1864a: 65 (*Aegomomus*)  
*nutans* Sharp, 1878: 209 (*Micracantha*)  
*obliquata* Fairmaire, 1896b: 386 (*Micracantha*)  
*spinipes* Olivier, 1800: N° 67, 103 (*Cerambyx*)  
*spinipes* Fabricius, 1801: 282 (*Lamia*) [HN]  
*torosus* Pascoe, 1864b: 223 (*Niphona*)  
*uchiyamai* Matsushita, 1935: 120 (*Rhytiphora*)  
*vaulogerii* Pic, 1925a: 28 (*Zaera*)  
*metallicus* Pic, 1935g: 178 A: YUN **AU**  
*salomonum* Breuning, 1938c: 357 (*Rhytiphora*)  
  
**genus** *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865  
**subgenus** *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865  
*Sodus* Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865  
~~*bhutanensis* Breuning, 1975d: 338 A: BT~~  
*chinensis* Gressitt, 1951a: 483 A: FUJ  
*taiwanus* Hayashi, 1966a: 8 A: TAI  
*torui* Holzschuh, 1989b: 388 A: TAI  
  
**genus** *Sthenias* Dejean, 1835: 344 type species *Lamia grisator* Fabricius, 1787 #523  
**subgenus** *Albosthenias* Breuning, 1961j: 538 type species *Sthenias albicollis* Gahan, 1860  
*leucothorax* Breuning, 1938c: 370 A: JIA  
*partalbicollis* Breuning, 1968a: 17 A: GUI YUN **ORR** #60  
**subgenus** *Sthenias* Dejean, 1835: 344 type species *Lamia grisator* Fabricius, 1787  
*Anomamomus* Fähræus, 1872c: 194 [RN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1801)  
*Chalarus* Fähræus, 1872b: 45 [HN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1801)  
*Thysanodes* Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842  
*franciscanus* J. Thomson, 1865: 550 A: FUJ GUX HUN SD YUN **ORR**  
*gahani* Pic, 1912d: 19 (*Anaches*) A: YUN  
*gracilicornis* Gressitt, 1937d: 602 A: FUJ GUA GUX HAI HUN JIX XIZ YUN #60  
*gracilis* Breuning, 1938c: 370 A: AP "India or." #126  
*grisator* Fabricius, 1787: 136 A: AP PA UP **ORR** #280  
*longeantennatus* Breuning, 1938c: 369 A: NP **ORR**  
*pascoei* Ritsema, 1888b: 272 A: YUN "North India" **ORR**  
*persimilis* Breuning, 1938c: 368 A: SD UP #377  
*pictus* Breuning, 1938c: 369 A: YUN **ORR**

*nigrosignatus* Breuning, 1965e: 41 (*Paramesosella*)  
*pseudodorsalis* Breuning, 1938c: 369 A: BT NP SD XIZ **ORR**  
*tonkineus* Pic, 1925b: 26 A: CH **ORR**  
*yunnanus* Breuning, 1938c: 370 A: YUN

**genus *Trichoniphona* Breuning, 1968e: 860** type species *Trichoniphona albomarmorata* Breuning, 1968  
*albomarmorata* Breuning, 1968e: 860 A: SD

**genus *Xynenon* Pascoe, 1865a: 159** type species *Sthenias bondii* Pascoe, 1859  
*Falsoxynenon* Pic, 1925a: 26 type species *Falsoxynenon convexum* Pic, 1925 (= *Sthenias bondi* Pascoe, 1859)  
*bondii* Pascoe, 1859: 48 (*Sthenias*) A: SD  
*convexum* Pic, 1925a: 26 (*Falsoxynenon*)

## tribe Saperdini Mulsant, 1839

#523

**genus *Blamada* Lin & Holzschuh, 2013: 95** type species *Blamada rubripronota* Lin & Holzschuh, 2013  
*rubripronota* Lin & Holzschuh, 2013: 97 A: GUX **ORR**

**genus *Cagosima* J. Thomson, 1864: 116** type species *Cagosima sanguinolenta* J. Thomson, 1864  
*sanguinolenta* J. Thomson, 1864: 116 A: FE ?GUX JA  
*kiushiuensis* K. Ohbayashi, 1956a: 8  
*oshimaensis* Kano, 1933a: 287

**genus *Callundine* J. Thomson, 1879: lvi** type species *Callundine lacordairei* J. Thomson, 1879  
*Pseudosaperda* Pic, 1903g: 121 type species *Pseudosaperda goliath* Pic, 1903  
*lacordairei* J. Thomson, 1879: lvii A: BT "India" SCH YUN  
*goliath* Pic, 1903g: 121 (*Pseudosaperda*)

**genus *Dystomorphus* Pic, 1926c: 11** type species *Dystomorphus notatus* Pic, 1926  
*diversus* Holzschuh & Lin, 2017: 273 A: HEN SCH  
*esakii* Hayashi, 1974c: 59 A: TAI  
*nigrosignatus* Pu, Y. Wang & Li, 1998: 82, 83 A: GAN  
*niisatoi* Holzschuh & Lin, 2017: 281 - A: YUN  
*notatus* Pic, 1926c: 12 A: ?GAN ?QIN YUN  
*piceae* Holzschuh, 2003: 238 A: HEN HUB SCH SHA YUN  
*sichuanensis* C.-K. Yu, 1994: 388 A: SCH

#203

#203

**genus *Entelopes* Guérin-Méneville, 1844: 245** type species *Entelopes glaucus* Guérin-Méneville, 1844  
**subgenus *Aspineoentelops*** Hua, 1990: 343 type species *Entelopes longzhouensis* Hua, 1990  
*longzhouensis* Hua, 1990: 343 A: GUX

**genus *Epiglenea* Bates, 1884a: 259** type species *Epiglenea comes* Bates, 1884a  
*comes comes* Bates, 1884a: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX NC SC SCH SHA ZHE YUN **ORR**  
*comes formosana* Schwarzer, 1925c: 153 (*Daphisia*) A: TAI  
*comes szetschuanica* Breuning, 1967c: 40 (*Phytoecia*) A: SCH

**genus *Eumecocera* Solsky, 1871a: 391** type species *Saperda impustulata* Motschulsky, 1860  
*anomala* Bates, 1884a: 259 (*Stenostola*) A: JA  
*morii* Makihara, 2002: 342

*argyrosticta* Bates, 1884a: 258 (*Stenostola*) A: JA  
*japonica* Tamanuki, 1927: 124 (*Paraglenea*)

*callosicollis* Breuning, 1943b: 100 (*Stenostola*) A: FE HEI JIL LIA NC SC

#400

*gleneoides* Gressitt, 1935c: 177 (*Phytoecia*) A: JA

*impustulata* Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEB HEI JA (Tsushima Is.) LIA MG NC NMO SC WS

#400

*acuminata* Fischer von Waldheim, 1842: 26 (*Phytoecia*) [NO]

*impunctata* Motschulsky, 1875: 151 (*Saperda*)

*minamii* Makihara, 1984: 17 A: JA

*trivittata* Breuning, 1947d: 143 (*Stenostola*) A: JA

*brunnescens* Breuning, 1947d: 144 (*Stenostola*)

*unicolor* Kano, 1933a: 290 (*Stenostola*) A: JA JIL

#400

#525

*atrofusca* Hayashi, 1960: 12

*univittata* Breuning, 1947d: 144 (*Stenostola*)

**genus *Eutetrappa* Bates, 1884a: 256** type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)  
*bicostata* Hayashi, 1994: 75 A: TAI  
*chlorotica* Pu & Jin, 1991: 192, 197 A: SCH YUN  
*chrysochloris chrysargyrea* Bates, 1884a: 256 A: JA  
*chrysochloris chrysochloris* Bates, 1879b: 467 (*Glenea*) A: FE JA

#179

*breuningi* Pic, 1952: 13  
*piciella* Breuning, 1956b: 17  
*podanyi* Pic, 1953a: 9 [RN]

*cinnabarina* Pu, 1986: 202 A: GAN HEB HEN HUB SHA SHN #179  
*complexa* Pu & Jin, 1991: 192, 197 A: GAN SHA #179  
*elegans* Hayashi, 1966a: 9 A: TAI YUN #179  
*flavoguttata* Pu & Jin, 1991: 190, 196 A: XIZ **ORR** #179  
*gui* Lin & X.-K. Yang, 2017: 191 A: HAI #179  
*laosensis* Breuning, 1964d: 62 A: YUN **ORR**  
*lini* Chou, Chung & Lin, 2010: 313 A: TAI  
*metallescens* Motschulsky, 1860b: 150 (*Saperda*) A: ES FE HEB HEI JIL LIA NC SC SHA  
*ocelota* Bates, 1873: 387 (*Glenea*) A: FE (Kunashir) JA SC ?TAI #179 #517  
*maculithorax* Pic, 1900i: 19  
*parastigma* Lin & X.-K. Yang, 2017: 162 A: CHQ HEN HUB SHA  
*sedecimpunctata australis* Takakuwa & Hirokawa, 1998: 303 A: JA  
*sedecimpunctata sedecimpunctata* Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEB HEB ?HUB JA JIL LIA NC SC SHA #179  
*carinata* Blessig, 1873: 219 (*Saperda*)  
*duodecimpunctata* Motschulsky, 1860b: 151 (*Saperda*) [HN]  
*motschulskyi* Plavilstshikov, 1915b: 80 (*Saperda*) [RN]  
*rosinae* Pic, 1904d: 17 (*Saperda*)  
*sulphurata* Matsumura, 1906: 141 n° 698, pl. 52, fig. 13 (*Saperda*) [HN]  
*variicornis* Bates, 1884a: 256  
*shaanxiana* Lin & X.-K. Yang, 2017: 182 A: GAN HUB SHA  
*shiqianensis* Pu & Jin, 1991: 190, 196 A: FUJ GUI #179  
*stigma* Pu & Jin, 1991: 191, 196 A: GUI GUX #179  
*tianmushana* Lin & Bi, 2017: 185 A: ZHE  
*velutinofasciata* Pic, 1939b: 2 A: BEI HEB HEI LIA NMO SHA SHX #179  
*nigromaculata* W.-K. Wang & Jiang, 2002c: 145 (*Paraglenea*)  
*weni* G.-Q. Huang & Lin, 2016: 590 A: GUI

**genus *Glenea* Newman, 1842c: 301** type species *Saperda novemguttata* Guérin-Méneville, 1831, designated by J. Thomson, 1879: 1.  
**subgenus *Accolona* Strand, 1942: 392 [RN]** type species *Accola citrina*, 1894 (= *Glenea astathiformis* Breuning, 1958)  
*Accola* Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)  
*astathiformis* Breuning, 1958j: 888 [RN] A: NP SD YUN **ORR** #400  
*citrina* Jordan, 1894b: 503 (*Accola*) [HN]  
**subgenus *Acutoglenea* Breuning, 1958j: 838** type species *Saperda acuta* Fabricius, 1801  
*langana* Pic, 1903f: 107 A: GUX YUN **ORR**  
*atrolateralis* Pic, 1926c: 24  
*nigromarginella* W.-K. Wang & Jiang, 2002b  
**subgenus *Aridoglenea* Breuning, 1958j: 869** type species *Glenea arida* J. Thomson, 1865  
*cancellata* J. Thomson, 1865: 565 A: AP SD YUN **ORR** #280  
*favrei* Pic, 1943d: 7  
*flavorubra* Gressitt, 1940b: 205 A: HAI **ORR**  
*invitticollis* Breuning, 1956b: 99  
*meiyingae* Holzschuh, 2009b: 423 A: NP SD YUN **ORR**  
*shuteae* Lin & X.-K. Yang, 2011a: 40 A: YUN  
*vaga* J. Thomson, 1865: 565 A: NP SD UP YUN **ORR**  
**subgenus *Citrinoglenea* Breuning, 1958j: 885** type species *Glenea citrina* J. Thomson, 1865  
*Laoglenea* Breuning, 1968a: 37 type species *Glenea (Laoglenea) anterufipennis* Breuning, 1968 #222  
*citrina* J. Thomson, 1865: 566 A: YUN **ORR**  
*anthyllis* Pascoe, 1866b: 262  
*gardneriana* Breuning, 1958j: 887 [RN] A: YUN **ORR**  
*bifasciata* Gardner, 1830: 164 [HN]  
**subgenus *Formosoglenea* Breuning, 1969a: 36** type species *Glenea ochreomaculata* Breuning, 1969  
*ochreomaculata* Breuning, 1969a: 35 A: TAI  
**subgenus *Glenea* Newman, 1842c: 301** type species *Saperda novemguttata* Guérin-Méneville, 1831 designated by J. Thomson, 1879: 1  
 (new name for *Sphenura* Laporte, 1840 (nec Lichtenstein, 1820, Aves).  
*Cryllis* Pascoe, 1867b: 363 type species *Cryllis clytoides* Pascoe, 1867  
*Hapochoron* Gistel, 1848a: x [RN]  
*Hemilocallia* Ramírez Hernández, Santos-Silva & Nascimento, 2019: 90, 92 type species *Hemilocallia grishami* Ramírez Hernández, Santos-Silva & Nascimento, 2019  
*Sphenura* Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Méneville, 1831  
*acutoides* Schwarzer, 1925c: 151 A: GUX TAI  
*albosignata* Pic, 1943d: 7  
 [aeolis aeolis J. Thomson, 1879: 19 – Burma]  
*aeolis laosica* Breuning, 1963b: 49 A: YUN **ORR**  
*afghana* Breuning, 1971a: 44 A: AF PA #274  
*annulicornis* Schwarzer, 1925c: 149 A: TAI

*nijimai* Matsushita, 1938a: 94  
*atricilla* Pesarini & Sabbadini, 1997: 120 A: FUJ  
*atricornis apicespinosa* Breuning, 1956h: 763 A: GUX **ORR**  
*[atricornis atricornis* Pic, 1943: 11 – Tonkin]  
*[bedoci bedoci* Pic, 1926: 22 – Tonkin]  
*bedoci mussardi* Breuning, 1967b: 35 A: AP  
*beesoni* Heller, 1926: 46 A: KA PA SD UP **ORR** #246  
*bidiscovittata* Breuning, 1969e: 190 A: SCH  
*bimaculatithorax* Pic, 1946a: 16 A: YUN **ORR**  
*capriciosa* J. Thomson, 1857c: 142 A: BT NP  
*centroguttata* Fairmaire, 1897d: 232 A: FUJ GAN GUA GUX HEN JA SCH SHA TAI XIZ YUN #60  
*issikii* Mitono, 1934: 490  
*chalybeata* J. Thomson, 1861: 57 A: SD  
*inapicalis* Pic, 1926c: 20  
*luteoapicalis* Pic, 1926c: 20  
*mediojuncta* Pic, 1946a: 10  
*changchini* Lin & W. Lin, 2011: 13 A: YUN **ORR**  
*chlorospila chlorospila* Gahan, 1897: 488 A: JA (Ryukyus)  
*chlorospila hachijonis* Matsumura & Matsushita, 1933a: 110 A: JA  
*hayashii* K. Ohbayashi, 1963: 12 [RN]  
*humero-lineata* Hayashi, 1956c: 19 [HN]  
*izuinsularis* Umeya & Fujimura, 1954: 13  
*chlorospila okinawensis* Makihara, 1988: 151 A: JA (Ryukyus)  
*chrysomaculata* Schwarzer, 1925c: 152 A: GUI GUX TAI #168  
*breameri* Kano, 1928: 267  
*chujoi* Mitono, 1937: 149 A: GUA GUI HUB TAI #400  
*citrinopubens* Pic, 1926c: 20 A: GUI GUX HUB SCH YUN  
*coomani* Pic, 1926c: 21 A: HAI YUN **ORR**  
*humerosa* Gressitt, 1940b: 206  
*crucicollis* Breuning, 1956h: 671 A: "India"  
*crucifera* Gahan, 1889: 222 A: BT  
*diana diana* J. Thomson, 1865: 561 A: YUN **ORR**  
*theresae* Pic, 1943c: 15  
*didymoides* Breuning, 1956b: 166 A: SD #343  
*discofasciata* Breuning, 1983: 61 A: JA  
*diverselineata diverselineata* Pic, 1926c: 23 A: YUN **ORR**  
*diverselineatoides* Breuning, 1968a: 34  
*diversenotata* Schwarzer, 1925c: 152 A: FUJ GUX HAI TAI **ORR** #136  
*neohumerosa* Lin & X.-K. Yang, 2011b: 62 #136  
*horishana* Matsushita, 1933b: 412  
*flava* Jordan, 1895: 270 A: BT GUX HUB SD YUN **ORR** #229 #344  
*atroapicalis* Pic, 1926c: 21  
*binhensis* Breuning, 1956h: 683  
*flavosignata* Breuning, 1956h: 736 A: YUN **ORR**  
*formosana* Schwarzer, 1925c: 150 A: TAI  
*fortii* Pesarini & Sabbadini, 1997: 121 A: FUJ  
*glabronotata* Pesarini & Sabbadini, 1997: 122 A: SCH  
*glechomoides* Breuning, 1982: 27 A: SD  
*hauseri* Pic, 1933a: 15 A: HUN SCH SHA YUN #225  
*leopardina* Gressitt, 1942d: 4  
*hieroglyphica* Pesarini & Sabbadini, 1997: 123 A: YUN  
*hwasiana* Gressitt, 1945a: 133 A: SCH YUN  
*indecora* Holzschuh, 2021b: 573 A: NP ?SD #523  
*indiana* J. Thomson, 1857c: 141 (*Stibara*) A: BT NP SD **ORR**  
*inlineata* Pic, 1943d: 6 A: TAI  
*iriei heikichii* Makihara, 1982a: 45 A: JA (Ryukyus)  
*iriei iriei* Hayashi, 1971: 17 A: JA (Ryukyus)  
*iwasakii* Kano, 1933b: 139 A: JA (Ryukyus) TAI  
*stolata* Matsumura & Matsushita, 1933b: 413  
*jeanvoinei* Pic, 1927c: 19 A: YUN **ORR**  
*jini* Lin & Dai, 2012: 6 A: XIZ  
*kusamai* Makihara, 1988: 151 A: JA (Ryukyus)  
*lacteomaculata* Schwarzer, 1925c: 151 A: TAI #136  
*lecta* Gahan, 1889: 219 A: BT **ORR**  
*leucomaculata* Breuning, 1968a: 33 A: GUX **ORR**  
*licenti* Pic, 1939b: 3 A: GAN HUB NIN SCH SHA  
*lineata ihai* Hayashi, 1960d: 29 A: JA (Ryukyus)

*okinawana* K. Ohbayashi & N. Ohbayashi, 1965: 5  
*lineata lineata* Gahan, 1897: 483 A: JA  
*lineosa* Aurivillius, 1923a: 499  
*lineata ryukyensis* Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)  
*lineata sauteri* Schwarzer, 1925c: 150 A: GUA TAI YUN  
*synknensis* Breuning & K. Ohbayashi, 1964b: 29  
*linwenhsini* Lin, 2013: 109 A: GUI  
*luteicollis* Gressitt, 1935c: 190 A: TAI  
[luteicolle Gressitt, 1935c: 190 – original spelling]  
*luteosignata* Pic, 1943c: 15 A: YUN  
*magdelainei* Pic, 1943c: 14 A: YUN **ORR**  
*masakii* Makihara, 1978: 60 A: JA (Ryukyus)  
[maunieri maunieri Pic, 1926c: 22 – Vietnam]  
*maunieri horiensis* Breuning, 1953: 21 A: TAI  
*mitonoana* Gressitt, 1951a: 576 [RN] A: TAI  
*ornata* Mitono, 1934: 491 [HN]  
*mouhoti* J. Thomson, 1865: 567 A: HKG YUN **ORR**  
*albodiversa* Pic, 1946a: 10  
*cochinchinensis* Breuning, 1956b: 174  
*multiinterrupta* Pic, 1947: 14 A: YUN **ORR**  
*nanshanchiana* Hayashi, 1978a: 89 A: TAI  
*nigerrima* Breuning, 1953: 26 A: SD  
*obliqua* Gressitt, 1939b: 119 A: ANH FUJ HEN HUB SHA ZHE **ORR** #60  
*roubali* Heyrovský, 1939b: 68  
*octoguttata* Breuning, 1956h: 685 A: HUB  
*omeiensis* Chiang, 1963: 68 A: SCH SHA #225  
*ornata* Gahan, 1889: 223 A: SD #343  
*pallidipes* Pic, 1926c: 23 A: GUI GUX YUN **ORR** #60  
*papiliomaculata* Pu, 1992b: 608 A: YUN  
*paraornata* Lin, 2013: 113 A: HAI YUN **ORR**  
*pici pici* Aurivillius, 1920: 17 A: GUX YUN **ORR**  
*rufotibialis* Pic, 1947b: 14  
*sexmaculata* Pic, 1947b: 14  
*pici schmidi* Breuning, 1965a: 16 A: AP  
*pieliana nigra* Gressitt, 1940c: 194 A: FUJ GUA GUX HAI JIX #60  
*pieliana pieliana* Gressitt, 1939b: 120 A: FUJ HUB JIX ZHE  
*tiemuschna* Heyrovský, 1939b: 69  
*plagiata* Gardner, 1930: 163 A: BT **ORR**  
*posticata* Gahan, 1894a: 97 A: YUN **ORR**  
*vitalisi* Pic, 1926c: 20  
*problematica* Lin & X.-K. Yang, 2009: 171 A: GAN QIN YUN **ORR**  
*pseudocaninia* Lin & Montreuil, 2009: 166 A: YUN **ORR**  
*pseudoluctuosa* Breuning, 1953: 22 A: SD #343  
*pseudoscalaris miwai* Mitono, 1943: 585 A: TAI  
*pseudoscalaris pseudoscalaris* Fairmaire, 1895: 186 A: GUA GUI GUX **ORR**  
*gressitti* Breuning, 1956h: 725  
*monticola* Gressitt, 1951a: 576 [HN]  
*pulchella* Pascoe, 1858: 260 A: SD **ORR** #280  
*vesta* Pascoe, 1866: 260  
*vestalis* Heller, 1934: 284 #596  
*pulchra* Aurivillius, 1926: 111 A: GUI GUX NP SD XIZ YUN **ORR** #523  
*pulchella* J. Thomson, 1860: 58 [HN]  
*quadriguttata* Pic, 1926c: 22 A: GUX YUN **ORR** #136  
*quatuordecimmaculata* Hope, 1831: 28 (*Saperda*) A: BT NP PA UP **ORR** #274  
*argus* J. Thomson, 1857c: 145  
*relicta formosensis* Breuning, 1960d: 15 A: TAI  
*relicta izuinsulana* Fujita, 1980: 16 A: JA (Izu Is.)  
*relicta relicta* Pascoe, 1858: 258 A: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA ZHE **ORR**  
*rufipes* Gressitt, 1939a: 94 A: FUJ GUA GUX HAI HKG HUN **ORR** #400  
*atropubens* Pic, 1943c: 16  
*sanctaemariae* J. Thomson, 1857c: 141 (*Stibara*) A: BT **ORR**  
*saperdifformis* Breuning, 1953: 25 A: AP  
*semiluctuosa* Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN  
*reitteri* Pic, 1943c: 14  
*siamensis* Gahan, 1897: 481 A: HAI YUN **ORR**  
*sikkimensis* Breuning, 1982: 26 A: SD  
*silhetica* Plavilstshikov, 1927a: 63 [RN] A: FUJ GUA HAI SCH TAI **ORR**

*assimilis* Gahan, 1897: 494 [HN]  
*subabbreviata* Breuning, 1956h: 791 [RN] A: TAI  
*abbreviata* Gressitt, 1951a: 573 [HN]  
*subalcione* Breuning, 1964: 20 A: YUN **ORR**  
*subregularis* Pic, 1943c: 14 A: GUA GUX TAI **ORR**  
*tenuivittata* Gressitt, 1951a: 579  
*subsimilis* Gahan, 1897: 479 A: YUN **ORR**  
*subviridescens* Breuning, 1963e: 11 A: YUN **ORR**  
*suensoni* Heyrovský, 1939b: 70 A: ZHE  
*pieli* Pic, 1943c: 14  
*sulphurea* J. Thomson, 1865: 566 A: ?CH SD **ORR**  
*sulphuroides* Breuning, 1982: 27 A: SCH #400  
*suturata* Gressitt, 1939a: 95 A: ANH FUJ GUA HUB HUN  
*tatsienlui* Breuning, 1956h: 678 A: SCH #400  
*t-notata* Gahan, 1889: 223 A: GUX HUB NP SCH **ORR**  
*tonkinea* Aurivillius, 1925: 19 A: GUX HAI **ORR** #400  
*torquatella* Aurivillius, 1923a: 505 [RN] A: YUN **ORR**  
*torquata* Gahan, 1907: 104 [HN]  
*virens bastiana* Breuning, 1956h: 700 A: NP SD #343  
*[virens virens]* Aurivillius, 1925: 19 **ORR** #521  
*viridescens* Pic, 1927b: 36 A: GUX YUN **ORR**  
*weigeli* Lin & Liu, 2012: 114 A: YUN  
*wenhsini* Lin, 2013: 107 A: GUI  
*zalinensis* Gahan, 1897: 478 A: BT **ORR**  
**subgenus** *Lobungiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014  
*judsoni* Lin & Tavakilian, 2014: 162 A: ?TAI  
**subgenus** *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842 #523  
*nigrorubricollis* Lin et X.-K. Yang, 2009: 11 A: GUA  
**subgenus** *Stiroglenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787  
*cantor cantor* Fabricius, 1787: 142 (*Lamia*) A: GUA GUI GUX HAI HKG JIX SD YUN **ORR**  
*cantator* Fabricius, 1801: 304 (*Lamia*)  
*luzonica* Aurivillius, 1926: 112  
*quadrinotata* Guérin-Méneville, 1843: (*Saperda*) A: YUN **ORR** #176  
*multilineata* Pic, 1926c: 19  
*nigrolineata* Gahan, 1894a: 88  
*spilota* J. Thomson, 1861: 58 A: AP KA NP PA SD UP #127 #274 #280

**genus** *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888  
*cyaneipennis cyaneipennis* Gahan, 1888: 66 A: BT GUA GUX HAI JIX  
*cyaneipennis ikedai* Mitono, 1939: 147 A: TAI  
*cyaneofasciata* Breuning, 1952: 116 A: SD  
*suffusa* Gahan, 1888b: 66 A: FUJ GUX JIX SCH TAI

**genus** *Heteroglenea* Gahan, 1897: 490 type species *Glenea nigromaculata* J. Thomson, 1865  
*bastiensis* Breuning, 1956h: 769 (*Glenea*) A: SD **ORR**  
*fissilis* Breuning, 1953: 20 (*Glenea*) A: YUN XIZ **ORR**  
*gemella* Lin & X.-K. Yang, 2009: 17 A: NP  
*glechoma* Pascoe, 1867b: 409 (*Glenea*) A: JA (Ryukyus) TAI (Lanyu Is.) **AUR ORR** #523  
*fuscovirgata* Fairmaire, 1883a: 53 (*Glenea*)  
*gudalcanalana* Breuning, 1958g: 315 (*Glenea*)  
*hamabovola* Hayashi, 1978a: 91 (*Glenea*)  
*palawana* Breuning, 1956h: 879 (*Glenea*)  
*mediodiscoprolongata* Breuning, 1965: 43 (*Glenea*) A: YUN **ORR**  
*mimoluctuosa* Breuning, 1968a: 34 (*Glenea*)  
*nigromaculata* J. Thomson, 1865: 566 (*Glenea*) A: GUX YUN **ORR**  
*amelia* Gahan, 1889: 224 (*Glenea*)  
*hamifera* Heller, 1926: 49 (*Daphisia*)  
*vicinalis* Lin & X.-K. Yang, 2009: 18 A: NP **ORR**

**genus** *Malloderma* Lacordaire, 1872: 842 type species *Malloderma pascoei* Lacordaire, 1872  
*kuegleri* Holzschuh, 2010: 223 A: YUN **ORR**  
*pascoei* Lacordaire, 1872: 842 A: BT  
*tonkineum* Pic, 1932h: 151  
*pulchrum* Pic, 1926a: 29 (*Paraglenea*) A: GUX **ORR**

**genus** *Mandibularia* Pic, 1925a: 24 type species *Mandibularia nigriceps* Pic, 1925  
*nigriceps* Pic, 1925a: 24 A: XIZ **ORR**

**genus *Menesia* Mulsant, 1856: 157** type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)  
*Daphisia* Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867  
*akemiae* Makihara, 1992b: 78 A: JA  
*albifrons* Heyden, 1886c: 276 A: ES FE WS ?NC SC  
*bipunctata* Zubkov, 1829: 167 (*Saperda*) E: AU BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT NT PL RO SB SK SL ST SZ UK  
A: WS  
*biguttata* W. Redtenbacher, 1842: 26 (*Saperda*)  
*perrisi* Mulsant, 1856: 158  
*quadripustulata* Mulsant, 1862: 343  
*trimaculata* Lentz, 1857: 145 (*Saperda*)  
*flavotecta* Heyden, 1886c: 276 A: ANH FE JIL JA LIA ?NC SC SHA SHN #225 #400  
*tokioensis* Kobayashi & Seki, 1935: 42  
*immaculipennis* Breuning, 1954g: 410 [RN] A: SCH  
*immaculata* Gressitt, 1945a: 132 [HN]  
*matsudai* Hayashi, 1985: 135 A: TAI  
*octoguttata* Breuning, 1954g: 411 A: SCH  
*sulphurata* Gebler, 1825: 52 (*Saperda*) E: ?CT ?ST A: ES FE **GAN** HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI  
WS #124 #211 #496  
*nigrocincta* Pic, 1915e: 10  
*semivittata* Pic, 1915e: 10  
*yuasai* Gressitt, 1935b: 176 (*Praolia*)  
*vitiphaga* Holzschuh, 2003: 237 A: SHA

**genus *Mimocagosima* Breuning, 1968a: 32** type species *Mimocagosima ochreipennis* Breuning, 1968  
*humeralis* Gressitt, 1951a: 561 (*Mandibularia*) A: FUJ GUA GUX YUN #60  
*ochreipennis* Breuning, 1968a: 32 A: SHA YUN **ORR** #225

**genus *Neoserixia* Schwarzer, 1925c: 148** type species *Neoserixia pulchra* Schwarzer, 1925 #523  
**subgenus *Neopraolia*** Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933  
*delicata* Matsushita, 1933b: 407 (*Neopraolia*) A: TAI  
*infasciata* Gressitt, 1935e: 289 #400  
*longicollis* Gressitt, 1935e: 287 #476  
*schwarzeri* Gressitt, 1935e #476  
**subgenus *Neoserixia*** Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925  
*pulchra continentalis* Gressitt, 1939a: 91 A: GUA HAI YUN **ORR** #400  
*pulchra pulchra* Schwarzer, 1925c: 148 A: TAI #400

**genus *Neoxantha* Pascoe, 1856: 45** type species *Neoxantha amicta* Pascoe, 1856  
*amicta* Pascoe, 1856: 45 A: FUJ GUX HUB HUN JIA JIX ZHE  
*immaculata* Pic, 1893g: lxxxvii

**genus *Niponstenostola* K. Ohbayashi, 1958d: 64** type species *Stenostola niponensis* Pic, 1901  
*gressitti* Lin & Ge, 2017b: 922 (*Niponstenostola*) A: SHA #201  
*nigra* Gressitt, 1951a: 552 (*Saperda*) [HN]  
*lineata* Gressitt, 1951a: 609 (*Stenostola*) A: SHA #201  
*niponensis konoii* Kano, 1933b: 140 (*Stenostola*) A: JA  
*jezoana* Matsushita, 1933b: 427 (*Stenostola*)  
*niponensis niponensis* Pic, 1901c: 12 (*Stenostola*) A: JA  
*chichibuensis* Kano, 1933a: 289 (*Stenostola*)  
*niponensis pterocaryai* Hayashi, 1960c: 11 (*Eumecocera*) A: JA

**genus *Ossonis* Pascoe, 1867b: 363, 417** type species *Ossonis clytomima* Pascoe, 1867  
*indica* Breuning, 1954g: 429, 432 A: BT #344

**genus *Paradystus* Aurivillius, 1923a: 184 [RN]** type species *Dystus notator* Pascoe, 1867  
*Dystus* Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867  
*infrarufus* Breuning, 1954: 458, 460 A: YUN **ORR**

**genus *Paraglenea* Bates, 1866a: 352** type species *Glenea fortunei* Saunders, 1853  
*atropurpurea* Gressitt, 1951a: 567 A: FUJ GUX  
*fortunei* Saunders, 1853: 112 (*Glenea*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI YUN  
ZHE **ORR**  
*bisbinotata* Pic, 1915f: 14 (*Glenea*)  
*chloromelas* J. Thomson, 1879: 21 (*Glenea*)  
*fasciata* Pic, 1915f: 14 (*Glenea*)  
*innotata* Pic, 1915f: 14 (*Glenea*)

*innotaticollis* Pic, 1936d: 17  
*notatipennis* Pic, 1914a: 7 (*Glenea*)  
*prescutellaris* Pic, 1953b: 2  
*pubescens* Pic, 1914a: 7 (*Glenea*)  
*savioi* Pic, 1923c: 21 (*Glenea*)  
*szetchwana* Heller, 1926: 48  
*jianfenglingensis* Hua, 1985: 87 A: HAI  
*soluta* Ganglbauer, 1887c: 22 (*Glenea*) A: BEI HEB HEN HUB SCH SHA ZHE #201  
*cinereonigra* Pesarini & Sabbadini, 1997: 126  
*swinhoi swinhoi* Bates, 1866a: 352 A: TAI  
*virides* Pu & Jin, 1991: 191, 196 (*Eutetrappa*) A: SCH #179 #400

**genus *Paramenesia* Breuning, 1952: 139** type species *Paraglenea theaphia* Bates, 1884a  
*kasugensis* Seki & Kobayashi, 1935: 225 (*Glenea*) A: JA TAI  
*subcarinata* Gressitt, 1951a: 557 (*Menesia*) A: GUA HUB SHA #496  
*theaphia* Bates, 1884a: 257 (*Paraglenea*) A: FE (Kunashir) JA

**genus *Parastenostola* Breuning, 1952: 200** type species *Saperda brunnipes* Gahan, 1888  
*brunnipes* Gahan, 1888b: 65 (*Saperda*) A: FUJ HUN JIX  
*quadricolor* Gressitt, 1951a: 561  
*nigroantennata nigroantennata* Lin & X.-K. Yang, 2008: 12 A: GUI GUX HAI #60  
*nigroantennata taiwanensis* Lin & X.-K. Yang, 2008: 15 A: TAI

**genus *Pareutetrappa* Breuning, 1952: 135** type species *Paraglenea eximia* Bates, 1884a  
*eximia* Bates, 1884a: 257 (*Paraglenea*) A: JA NC (Mt. Guemgangsán) #63 #525  
*magnifica caeruleithoracica* Takakuwa, 1984: 14 A: JA (Ryukyus)  
*magnifica magnifica* Schwarzer, 1925c: 148 (*Saperda*) A: TAI  
*olivacea* Breuning, 1952: 138 A: YUN #400  
*simulans* Bates, 1873: 388 (*Phytoecia*) A: HEN JA TAI  
*daisenensis* Matsushita, 1933a: 109 (*Glenea*)  
*sylvia* Gressitt, 1951a: 569 (*Paraglenea*) A: FUJ ORR  
*postjuncta* Pic, 1952c: 13 (*Paraglenea*)  
*weixiensis* Pu, 1992b: 609 A: YUN #400

**genus *Praolia* Bates, 1884a: 261** type species *Praolia citrinipes* Bates, 1884a  
*citrinipes atripennis* Pic, 1923c: 20 (*Serixia*) A: TAI  
*griseipennis* Gressitt, 1938b: 169 (*Serixia*)  
*citrinipes citrinipes* Bates, 1884a: 261 A: JA SC  
*citrinipes ishigakiana* N. Ohbayashi, 1970: 3 (*Serixia*) A: JA (Ryukyus)  
*iriomoteana* N. Ohbayashi, 1970: 3 (*Serixia*)  
*citrinipes takeuchii* Ohmoto, 1990: 31 A: JA (Ryukyus)  
*citrinipes umui* Kusama & Takakuwa, 1984: 14 A: JA (Ryukyus)  
*hayashii* Hayashi, 1974c: 60 (*Serixia*) A: TAI  
*mizutanii* Niisato, 1989: 10 A: JA (Ryukyus)  
*yakushimana* Hayashi, 1976: 22 A: JA

**genus *Saperda* Fabricius, 1775: 184** type species *Cerambyx carcharias* Linnaeus, 1758  
**subgenus *Compsidia* Mulsant, 1839: 182** type species *Cerambyx populneus* Linnaeus, 1758  
*bacillicornis* Pesarini & Sabbadini, 1997: 116 A: GAN QIN  
*bilineatocollis* Pic, 1924a: 19 [“Chang-Hai”] A: FE GAN HEB HEN HUB JIA QIN SCH SHA SHG  
*gilanensis* Shapovalov, 2013: 141 (*Compsidia*) A: IN  
*mariangelae* Pesarini & Sabbadini, 2015: 53 A: SCH  
*populnea balsamifera* Motschulsky, 1860b: 151 (*Compsidia*) A: ES MG ?NMO  
*innotatipennis* Pic, 1910a: 2 [Siberie]  
*populnea lapponica* Wallin, Kvamme & Bergsten, 2017: 129 E: FI NR NT SV A: ?WS  
*populnea populnea* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU  
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: AB AF ANH AR ES FE FUJ GAN GG GUA HEB  
HEI HEN HUB IN JA JIA JIL KI KZ LIA NC NIN NMO QIN SC SHA SHN SHX TD TR UZ WS XIN XIZ NAR #487  
*betulina* Geoffroy, 1785: 78 (*Leptura*)  
*bilineata* Scopoli, 1772: 102 (*Leptura*)  
*decempunctata* DeGeer, 1775: 78 (*Cerambyx*)  
*populi* Duméril, 1860: 607  
*salicis* Zetterstedt, 1818: 258  
*quercus ocellata* Abeille de Perrin, 1895: ccxxix A: IS JO SY TR  
*quercus quercus* Charpentier, 1825: 224 E: AL BH BU GR TR #11  
*viridipennis* Gressitt, 1951a: 554 A: SHA #400  
**subgenus *Lopezcolonia* Alonso-Zarazaga, 1998: 131 [RN]** type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata*)

Scopoli, 1772)  
*Argalia* Mulsant, 1862: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)  
*Nietzscheana* Zubov, 2014: 695 type species *Nietzscheana plutenkoi* Zubov, 2014 #459  
*alberti* Plavilstshikov, 1915b: 80 [RN] A: ES FE GUA HEB JA JIL KZ MG NC SC WS  
*decempunctata* Gebler, 1830: 186 [HN]  
*plutenkoi* Zubov, 2014: 696 A: FE #459  
*hosokawai* Hasegawa, 2017: 189 A: JA SC  
*internescalaris* Pic, 1934g: 36 A: SCH  
*interrupta* Gebler, 1825: 52 A: BEI ES FE FUJ HEN JIL LIA MG NC NIN WS #400  
*laterimaculata* Motschulsky, 1860b: 151  
*jansonis* Z. Wang, 2003: 382, 397 #400  
*kojimai* Makihara & Nakamura, 1985: 18 A: TAI  
*maculosa* Ménéttriés, 1832: 226 A: AB IN  
*octomaculata* Blessig, 1873: 221 A: ES FE JA MG NC SC SHN  
*octopunctata* Scopoli, 1772: 101 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT LT MD PL RO SB SK SL SP ST  
SZ UK A: AB AR GG TR  
*magnini* Dayrem, 1928b: 77  
*sempunctata* Reitter, 1909: 57  
*tiliae* Schrank, 1798: 667  
*tremula* Fabricius, 1775: 186  
*ohbayashii* Podaný, 1963c: 62 [RN] A: JA  
*breuningii* K. Ohbayashi, 1957: 14 [HN]  
*pallidipennis* Gressitt, 1951a: 553 A: SHA  
*perforata* Pallas, 1773: 723 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT MD NR NT PL RO SK  
SP ST SV SZ TR UK N: AG A: AB AR ES FE GG HEI IN JA KZ MG NE TR WS XIN #257 #481  
*albella* Reitter, 1913b: 665  
*algerica* Pic, 1903a: 8  
*decempunctata* Goeze, 1777: 506 (*Leptura*)  
*duodecimpunctata* Brahm, 1790: 176 (*Cerambyx*)  
*pallidipes* Pic, 1904b: 9  
*rudolphi* Cederhjelm, 1798: 92  
*seydlii* Frölich, 1793: 135  
*punctata* Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AN AU BH BU BY CR CT CZ ?EN FR GE GR HU IT KZ LA ?LT MA MC MD  
ME NT PL RO SB SK SL SP ST SZ TR UK N: AG A: AB AR CY GG IN TR WS  
*gallica* Pic, 1918d: 5  
*scalaris hieroglyphica* Pallas, 1773: 723 (*Cerambyx*) E: CT NT ST A: ES FE HEI JIL KZ LIA MG NC SHN WS XIN  
*varia* Gmelin, 1790: 1875 (*Leptura*)  
*variegata* Goeze, 1777: 506 (*Leptura*)  
*coerulescentialbotomentosa* Blessig, 1873: 218  
*scalaris scalaris* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU  
MD ME NE NL NR NT PL RO SB SK SP ST SV SZ TR UK A: AB AR GG KZ TR N: AG  
*algeriensis* Breuning, 1952: 176  
*estellae* Mulsant, 1839: 188  
*fenestrata* Reineck, 1919: 72  
*niethammeri* Podaný, 1963: 72  
*xantha* Demelt, 1960: 182  
*subobliterata* Pic, 1910c: 13 A: FE HEI JA JIL LIA ?NC SC  
*mandschukuoensis* Breuning, 1943b: 104  
*harbinensis* Chiang, 1983: 60, 66 [unnecessary RN]  
*subscalaris* Breuning, 1952: 179 A: YUN  
*tetrastigma* Bates, 1879b: 466 A: JA NC SC TAI  
*jezoana* Matshushita, 1933: 405 (*Cagosima*)  
**subgenus** *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758  
*Amilia* Mulsant, 1862: 376 type species *Saperda phoca* Frölich, 1793 (= *Saperda similis* Laicharting, 1784)  
*Anaerea* Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758  
*carcharias* Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC  
MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG NC  
(Heohangryeong) SCH SHA TR WS XIN  
*grisescens* Mulsant, 1839: 184 (*Anaerea*)  
*oppermanni* Hummel, 1827: 13  
*villosa* Gmelin, 1790: 1837 (*Cerambyx*)  
*similis* Laicharting, 1784: 31 E: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT LA LT MC NR NT PL RO SB SK SL SP ST  
SV SZ UK A: ES FE KI KZ MG XIN TD UZ WS  
*albopubens* Pic, 1925d: 11  
*phoca* Frölich, 1793: 139  
*simulans* Gahan, 1888b: 64 A: HUN JIA JIL JIX SCH SHA #400  
**genus** *Saperdoglenea* Breuning, 1964: 22 type species *Saperdoglenea gleneoides* Breuning, 1964 #400  
*hunanensis* Hua, 1992: 519, 523 A: GUA GUI HUN #523

**genus Savang Breuning, 1963b: 51** type species *Savang vatthanai* Breuning, 1963  
*sulphuratus* Pesarini & Sabbadini, 1997: 117 A: SCH

**genus Serixia Pascoe, 1856: 45** type species *Serixia apicalis* Pascoe, 1856  
**subgenus Serixia** Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856  
*Iole* Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858  
*Iolea* Pascoe, 1862a: 353 [RN]

*albopleura* Gressitt, 1935e: 291 A: TAI  
*aurescens* Breuning, 1965c: 52 A: GUX **ORR**  
*bootangana* Breuning, 1958e: 213 A: BT SD  
*botelensis* Kano, 1933a: 288 A: TAI (Lanyu Is.)  
*chinensis* Breuning, 1948e: 121 A: GUI  
*formosana* Breuning, 1960d: 13 A: TAI  
*juisuiensis* Hayashi, 1974c: 61 A: TAI  
*kisana* Matsushita, 1937: 105 (*Neopraolea*) A: TAI  
*subsericea* Gressitt, 1938b: 170  
*prolata prolata* Pascoe, 1858: 254 (*Iole*) A: HAI HKG **ORR**  
*abbreviata* Gressitt, 1940b: 200  
*tonkinea* Pic, 1922c: 14  
*pubescens* Gressitt, 1940b: 201 A: HAI YUN  
*sedata gigantea* Breuning, 1950c: 217 A: GUX  
*sedata sedata* Pascoe, 1862a: 354 A: GUX HAI HKG YUN **ORR**  
*signaticornis* Schwarzer, 1925c: 149 A: TAI  
*sinica* Gressitt, 1937d: 616 A: JIX  
*testaceicollis* Kano, 1933a: 287 A: TAI

#400

**genus Spinoberea Breuning, 1954g: 528** type species *Oberea subspinoso* Pic, 1922  
*cephalotes* Gressitt, 1942b: 7 (*Nupserha*) A: SCH  
*subspinoso* Pic, 1922e: 28 (*Oberea*) A: SCH YUN **ORR**  
*rufopubens* Gressitt, 1942b: 8 (*Nupserha*)

**genus Stenostola Dejean, 1835: 350** type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)  
*alboscuteallata* Kraatz, 1862: 124 E: GR  
*atra* Gressitt, 1951a: 608 A: SHA  
*basisuturalis* Gressitt, 1935g: 573 A: SCH SHA  
*dubia* Laicharting, 1784: 52 (*Saperda*) E: AU BE BH CR CT CZ DE EN FI FR GE HU IR IT LS LU MD NL NR NT PL RO SB SL SK  
SP ST SL SV SZ UK A: AB AR GG  
*tiliae* Küster, 1846b: 59  
*ferrea ferrea* Schrank, 1776: 66 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL RO  
SB SK SL SP ST SZ UK A: AB AR GG TR  
*nigripes* Fabricius, 1793: 310 (*Saperda*)  
*plumbea* Bonelli, 1812: 180 (*Saperda*)  
*ferrea maculipennis* Holzschuh, 1982b: 155 E: ST UK  
*ivanovi* Danilevsky, 2014f: 662 A: FE SC  
*nigerrima* Breuning, 1947b: 21 (*Phytoecia*) A: JA  
*pallida* Gressitt, 1951a: 610 A: SHA

#478

**genus Stibara Hope, 1840: 79** type species *Stibara tetraspilota* Hope, 1840  
*nigrovittata* Breuning, 1954g: 467 A: "India"  
*rufina* Pascoe, 1858: 259 A: GUX YUN **ORR**

— ~~*diechroma* J. Thomson, 1865: 560~~

#597

*grisescens* Pic, 1928b: 22  
*laosensis* Pic, 1925a: 32  
*obsoleta* J. Thomson, 1860: 60  
*tetraspilota* Hope, 1840: 79 A: AP HP KA NP SD PA **ORR**  
*tricolor* Fabricius, 1793: 309 (*Saperda*) A: GUX YUN **ORR**  
*beloni* Pic, 1907c: 22  
*multipunctata* Pic, 1925f: 188  
*pallidior* Pic, 1943b: 4

#126 #366 #367  
#400

**genus Thermistis Pascoe, 1867b: 438** type species *Lamia croceocincta* Saunders, 1839  
*cheni* Lin & Chou, 2012: 49 A: SCH YUN  
*conjunctesignata* Rondon & Breuning, 1971: 546 A: YUN **ORR**  
*croceocincta* Saunders, 1839: 178 (*Lamia*) A: ANH FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE **ORR**  
*hainanensis* Lin & X.-K. Yang, 2012: 32 A: HAI  
*kaiyuni* Chou & Kurihara, 2012: 45 A: TAI

*nigromacula* Hua, 1992: 521, 523 A: GUX HUN YUN **ORR** #440  
*rubromaculata* Pu, 1984: 61 A: GUI GUX **ORR** #440  
*sagittifera* Pesarini & Sabbadini, 2000: 65 A: SCH  
*sulphureonotata* Pu, 1984: 61 A: GUX **ORR** #517  
*taiwanensis* Nara & S.-K. Yu, 1992: 132 A: TAI  
*xanthomelas* Holzschuh, 2007: 263 A: FUJ GUI GUX HAI YUN **ORR**

**genus *Thyestilla* Aurivillius, 1923a: 491 [RN]** type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)  
*Thyestes* J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)  
*coerulea* Breuning, 1943b: 100 A: SCH  
*gebleri* Faldermann, 1835: 434 (*Saperda*) A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC  
NMO QIN SC SCH SHA SHX ?TAI ZHE  
*curtipennis* Pic, 1952b: 5 (*Phytoecia*)  
*funebis* Gahan, 1888b: 67 (*Thyestes*)  
*infernalis* Pic, 1904e: 17 (*Phytoecia*)  
*kadowakii* Fujimura, 1962: 211  
*lepesmei* Gilmour, 1950: 554  
*nigrinus* Plavilstshikov, 1915c: 109  
*pubescens* J. Thomson, 1864: 116 (*Thyestes*)

### tribe Tetropini Portevin, 1927

**genus *Lenotetrops* Danilevsky, 2012g: 5** type species *Lenotetrops ivanovae* Danilevsky, 2012g  
*ivanovae* Danilevsky, 2012g: 6 A: AF

**genus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498)** type species *Leptura praeusta* Linnaeus, 1758  
*Anaetia* Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758  
*Polyopsia* Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758  
**subgenus *Mimosophronica* Breuning, 1943a: 53** type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903) #228  
*bicoloricornis bicoloricornis* Kostin, 1973: 207, 208 A: KI (Sary-Chelek Lake)  
*bicoloricornis ferganensis* Danilevsky, 2018a: 280 A: KI UZ  
*bicoloricornis nigricornis* Danilevsky, 2018a: 279 A: KI (about 30km S Sary-Chelek Lake)  
*bicoloricornis oshensis* Danilevsky, 2018a: 280 A: KI (Osh env.)  
*brunneicornis* Pu, 1985a: 102 A: XIN  
*elaeagni elaeagni* Plavilstshikov, 1954: 474 [Urda] E: ST (Astrakan Reg.: Dosang) KZ  
*elaeagni plavilstshikovi* Kostin, 1973: 206, 209 A: KZ XIN  
*elaeagni shapovalovi* Danilevsky, 2018a: 266 A: KZ TM UZ  
*formosus bivittulatus* Jankowski, 1934: 112 A: KZ (Almaty env.)  
*formosus formosus* Baeckmann, 1903b: 311 A: KI KZ  
*formosus songaricus* Kostin, 1973: 206 A: KZ (Dzhungarsky Alatau)  
*formosus strandiellus* Breuning, 1943a: 53 (*Mimosophronica*) ["Kuldsha"] A: XIN #146  
*hauseri hauseri* Reitter, 1897c: 225 ["Thian-Schan (Musart)"] A: XIN  
*hauseri kostini* Özdikmen & Turgut, 2008e: 625 [RN] A: KZ (Bayankol env.)  
*niger* Kostin, 1973: 207 [HN]  
**subgenus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498)** type species *Leptura praeusta* Linnaeus, 1758 #228  
*gilvipes adlbaueri* Lazarev, 2012: 951 E: CZ HU PL SK ?SV UK #205 #639  
*gilvipes efetovi* Lazarev, 2012: 949 E: UK (Crimea)  
*gilvipes gilvipes* Faldermann, 1837: 290 (*Anaetia*) E: ST A: AB AR GG TR  
*gilvipes mikati* Sláma, 2019b: 210 E: SK  
*gilvipes murzini* Lazarev, 2012: 950 A: AB IN TM  
*gilvipes niger* Kraatz, 1859: 57 E: IT FR SZ #205  
*muehlfeldi* Mulsant, 1862: 348 (*Polyopsia*)  
*mongolicus* Murzin, 1977: 301 A: ES MG  
*peterkai* Scořepa, 2020: 565 E: AU CZ GE SK  
*praetermitus* Sláma, 2020: 572 E: CZ #511  
*praeustus algiricus* Chobaut, 1894b: cclxxvi [1894a: 32] N: AG  
*praeustus anatolicus* Özdikmen & Turgut, 2008e: 627 (Konya, Antalya, Osmaniye) A: TR SY  
*praeustus angorensis* Pic, 1918d: 11 A: LE SY TR #182 #550  
*praeustus praeustus* Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS  
LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES GG KZ MG SY TR WS #464  
*inapicalis* Pic, 1891b: 37  
*pilosus* Geoffroy, 1785: 78 (*Leptura*) [HN]  
~~*praecestus* Dufour, 1843: 101 (*Saperda*)~~ #543  
*ustulatus* Hagenbach, 1822: 11 (*Saperda*)  
*rosarum* Tsherepanov, 1975a: 34 A: FE HEI #609  
*starkii aquilus* Danilevsky, 2012m: 937, 939 E: ST (Krasnodar env.)

*starkii starkii* Chevrolat, 1859a: 541 E: AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT ?LA LT MD NL NR PL RO  
 SB SK SL SP ST SV SZ UK A: AB TR [Zonguldak] #41 #104  
*mesmini* Pic, 1928c: 6  
*vicinus* Pic, 1928c: 6  
*warncke* Holzschuh, 1977a: 133 A: TR

#### tribe Tragocephalini J. Thomson, 1857h

**genus *Chariesthes* Chevrolat, 1858: 312** type species *Chariesthes multinotata* Chevrolat, 1858  
**subgenus *Sokothesthes* Adlbauer, 2002: 20** type species *Chariesthes socotraensis* Adlbauer, 2002  
*socotraensis* Adlbauer, 2002: 20 A: YE (Suqutra)

**genus *Kerochariesthes* Téocchi, 1990b: 19** type species *Pseudochariesthes variegata* Breuning, 1939  
*Cherochariesthes*, Löbl & Smetana, 2010: 333 (misspelling)  
*holzschuhi* Téocchi, 1992: 300 (*Freapomecyna*) A: SA YE  
*holzschuhi* Teocchi, 1990a: 11 (*Freapomecyna*) (unavailable name - conditional proposal)

**genus *Dinocephalus* Peringuey, 1899: 323** type species *Dinocephalus ornatus* Peringuey, 1899  
*heissi* Holzschuh, 1992a: 296 A: SA

#### tribe Xenoleini Lacordaire, 1872

**genus *Hirtaeschopala* Pic, 1925a: 22** type species *Hirtaeschopala albolineata* Pic, 1925  
*Jezohammus* Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933  
*albolineata* Pic, 1925a: 22 A: SHA YUN ORR #400  
*fasciculata* Breuning, 1938c: 226 A: FUJ GUA ORR  
*obliqua* Gressitt, 1940a: 9 (*Xenolea*)  
*nubila* Matsushita, 1933b: 347 (*Jezohammus*) A: JA SC

**genus *Xenolea* J. Thomson, 1864: 91** type species *Xenolea collaris* J. Thomson, 1864  
*Aeschopala* Pascoe, 1864a: 10 type species *Aeschopala agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)  
*asiatica* Pic, 1925c: 16 (*Aeschopala*) A: GUA GUX HAI HEN HKG HUB JA JIX NP SC SCH TAI UP YUN ZHE ORR #127  
*[collaris collaris]* J. Thomson, 1864: 91 AUR ORR  
*agraria* Pascoe, 1864a: 24 (*Aeschopala*)  
*grisella* Pascoe, 1864a: 25 (*Aeschopala*)  
*laticollis* Pascoe, 1864a: 25 (*Aeschopala*)  
*collaris formosana* Breuning, 1965h: 177 A: TAI

#### tribe Xylorhizini Lacordaire, 1872

**genus *Cyrtogrammus* Gressitt, 1939a: 67** type species *Cyrtogrammus lateripictus* Gressitt, 1939  
*laosicus* Breuning, 1968a: 11 A: HAI ORR #441  
*lateripictus* Gressitt, 1939a: 67 A: GUA GUX HAI YUN ORR #60 #400

**genus *Kuatuniana* Hua, 2002: 212** [RN] type species *Kuatunia subasperata* Gressitt, 1951  
*Kuatunia* Gressitt, 1951a: 437 [HN] type species *Kuatunia subasperata* Gressitt, 1951  
*subasperata* Gressitt, 1951a: 438 (*Kuatunia*) A: FUJ

**genus *Microxylorhiza* Hayashi, 1974c: 38** type species *Microxylorhiza matsudai* Hayashi, 1974  
*matsudai* Hayashi, 1974c: 39 A: TAI

**genus *Parathylactus* Breuning & de Jong, 1941: 65** type species *Thylactus dorsalis* Gahan, 1890  
*dorsalis* Gahan, 1890a: 58 (*Thylactus*) A: NP

**genus *Thylactus* Pascoe, 1866b: 242** type species *Thylactus angularis* Pascoe, 1866  
*anal* Franz, 1954: 95 A: GUA GUI GUX HAI HEN HUN JIX SCH AURi #400 #441  
*chinensis* Kriesche, 1924: 289 A: GUA SCH TAI ORR #199  
*angustatus* Pic, 1925a: 24  
*densepunctatus* Chiang & Li, 1984: 100 A: GUA HAI YUN ORR #60 #441  
*dentipennis* W.-K. Wang & Jiang, 1998a: 462 A: XIZ YUN #441  
*pulawskii* Hua, 1986c: 211 A: GUX HAI ORR #400 #441  
*sikkimensis* Breuning, 1938c: 224 A: NP SD #84  
*simulans* Gahan, 1890a: 58 A: AP GUI HEN HKG HUN JIX NP SD YUN ZHE ORR #84 #280  
*uniformis* Pic, 1934a: 10 A: GUI "South China" #400

**genus *Xylorhiza* Dejean, 1835: 344** type species *Lamia adusta* Wiedemann, 1819  
*adusta* Wiedemann, 1819: 182 (*Lamia*) A: AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE ORR #280  
*venosa* Laporte, 1840: 476

*pilosipennis* Breuning, 1943a: 16 A: FUG GUA GUX HAI HKG HUN YUN **ORR**  
*erectepilosa* Tippmann, 1951: 309

#400

#523

family Cerambycidae, nomina dubia

*Lamia aspera* Roemer, 1789: 46 [pl. 5] E: IT