

Updated: 05.05.2017

A check-list of Longicorn Beetles (Coleoptera, Cerambycoidea) of Europe.

Mikhail L. Danilevsky

A.N. Severtsov Institute, Leninsky pr. 33, 117071 Moscow, Russia

Summary. Complete list (based on publication by J. Althoff and M.L. Danilevsky, 1997) of European (from Portugal to Ural mountains) Vesperidae and Cerambycidae is given. Species introduced and established in Europe are also included. Nominative subgenera or subspecies are not mentioned, if other subgenera or subspecies do not occur in Europe. Each name of the species and subspecies is accompanied by the number of abbreviations indicates the names of the European countries (or territories) where the taxon inhabits. Main or important (but not all) synonyms, as well as taxonomic and geographical notes are also given. The list of used literature mostly includes contemporary publications.

For the East and South East border of Europe I accept Ural mountain ridge, Ural river, Kuma river and Manych valley. Caucasus (with Ciscaucasia), Cyprus and North Africa (with Canary Islands) are not treated. For the limits of North, Central and South parts of European Russia we use the divisions accepted in "A key of the Insects of European Part of the USSR" (see Plavilstshikov, 1965).

I would be extremely grateful to all colleagues for each remark, addition or correction.

I am very grateful to my colleagues who sent me a lot of remarks and corrections to the list:

K. Adlbauer (Graz)
D. Heffern (Houston)
C. Holzschuh (Villah)
S. Kadlec (Litvinov)
D. Kasatkin (Rostov-on-Don)
J. Kurzawa (Tomaszow Maz)
M. Lazarev (Moscow)
A. Lobanov (St.-Petersburg)
O. Mehl (Struer)
A. Miroshnikov (Krasnodar)
S. Murzin (Moscow)
A. Napolov (Riga)
G. Sama (Cesena)
A. Shapovalov (Orenburg)
M. Sláma (Prague)
P. Švacha (České Budějovice)
T. Tichý (Opava)
A. Verdugo (Cadiz)
E. Vives (Barcelona)
A. Zubov (Kishinev)

The abbreviations of European countries and territories:

AL - Albania	LU-Luxembourg	BH – Bosnia & Herzegovina
AU - Austria	MC - Macedonia	CR - Croatia
BE - Belgium	ME - Montenegro	FR - France (without Corsica)
BY - Belorussiya	MA - Malta	FRC - Corsica
BU – Bulgaria	MD - Moldova	GR - Greece (without Crete)

CZ - Czechia	NL - Netherlands	GRC - Crete
DE - Denmark	NR – Norway	KZ - European Kazakhstan
EN - Estonia	PL - Poland	IT-Italy (without Sardinia and Sicilia)
GE - Germany	PT – Portugal	ITA - Sardinia
GB - Great Britain	RO – Romania	ITI - Sicilia
FI - Finland	SB – Serbia	RSN - North of European Russia
HU – Hungary	SK - Slovakia	RSC - Middle of European Russia
IR - Ireland	SL - Slovenia	RSS - South of European Russia
LA - Latvia	SP – Spain	TR - European Turkey
LT - Lithuania	SV - Sweden	UK- Ukraine (without Crimea)
	SZ - Switzerland	UKC - Crimea

List of taxa

VESPERIDAE #331

Vesperus Latreille, 1829	#105
strepens (Fabricius, 1793) FR IT	#1 #322
ssp. strepens (Fabricius, 1793) FR	
ssp. litigiosus Mulsant, 1863 FR IT	#1
ssp. ligusticus Vitali, 2001 IT	#1
aragonicus Baraud, 1964 SP FR	#1
barredai Verdugo, 2009 PT SR	#1
bolivari Oliveira, 1893 PT	#117
= reitteri Cameron, 1912	#1
xatarti Dufour, 1839 SP FR	
fuentei Pic, 1905 SP	
= semiobscurus Pic, 1921	
= rufescens Pic, 1921	
lucasi Barreda, Mejias & Manuel, 2013 SP	#450
nigellus Compte, 1963 SP	
luridus (Rossi, 1794) FR FRC IT ITA ITI CR	
= graecus Guerin, 1833	
= solieri Germar, 1836	
creticus Ganglbauer, 1886 GR	#45
brevicollis Graells, 1858 PT SP	
joanivivesi Vives, 1998 SP ?PT	
sanzi Reitter, 1895 PT SP	
serranoi Zuzarte, 1985 PT	#1
conicicollis Fairmaire et Coquerel, 1866 PT SP ITA	#1
ssp. conicicollis Fairmaire et Coquerel, 1866 SP	
ssp. hispalensis Fuente, 1901 SP PT	#1
= baesuriensis Zuzarte, 1985	
macropterus Sama, 1999 ITA	
[flaveollus Mulsant et Rey, 1863 AL TN]	
[ocularis Mulsant et Rey, 1863 TR]	
gomezi Verdugo, 2004 SP	
jertensis Bercedo et Bahillo, 1999 SP	

CERAMBYCIDAE

PARANDRINAE

Parandrini

Parandra Latreille, 1802
Subgen.: Neandra Lameere, 1912
brunnea (Fabricius, 1798) GE

PRIONINAE

Macrotomini

#99

Prinobius Mulsant, 1842

myardi Mulsant, 1842 PT SP FR FRC IT ITA ITI CR BH ?SS ME AL GR GRC BU TR UKC
#100 #301
ssp. myardi Mulsant, 1842 PT SP FR FRC #20 #399
= germari Mulsant, 1846
ssp. slamorum Danilevsky, 2012 IT ITA ITI CR BH ?SS ME AL GR BU TR UKC #399
= scutellaris Germar, 1817 [HN] #20
ssp. proksi Slama, 1982 GRC #197 #399

Rempanini

#377

Rhaesus Motschulsky, 1875

serricollis (Motschulsky, 1838) AL ME MC GR BU TR

#65

Callipogonini

Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760) PT SP FR FRC IT ITI AL SL CR BH SB ME GR BU ?TR HU AU SZ NL GE CZ
SK PL SV LA LT BY UK UKC RSC RSS
ssp. faber (Linnaeus, 1760) PT SP FR FRC IT ITI AL SL CR BH SB ME GR BU ?TR HU AT SZ NL
GE CZ SK PL SV LA LT BY UK UKC RSC RSS
ssp. opifex Mulsant, 1851 IT ITI #200

Callergates Lameere, 1906

gaillardoti (Chevrolat, 1854) GR

#310

Prionini

Prionus Geoffroy, 1762

coriarius (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME GR BU TR RO HU AU CH BE NL
GE GE LU GB CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ

Mesoprionus Jakovlev, 1887

besikanus (Fairmaire, 1855) AL ?BH SB MC GR BU TR

#53

?= lefebvrei (Marseul, 1856)

#53

batelkai (Slama, 1996) GRC

asiaticus (Faldermann, 1837) RSS KZ

Psilotarsus Motschulsky, 1860

brachypterus (Gebler, 1830) RSC KZ

ssp. hemipterus (Motschulsky, 1845) ?RSC KZ

#97

Meroscelisini	#101		
Tragosoma Audinet-Serville, 1832			
depsarium (Linnaeus, 1767)	SP FR SZ GE IT SL CR BH SB ME AL GR BU AU CZ SK PL	SV NR FI	
EN LT LA BY UK RSN RSC ?RSS			#314 #400
Aegosomatini			
Aegosoma Audinet-Serville, 1832			#164
Subgen.: Aegosoma Audinet-Serville, 1832			
scabricorne (Scopoli, 1763)	GB SP FR FRC IT ITA ITI SL CR BH SB ME MC AL GR BU TR RO HU AU		
SZ BE GE CZ SK BY UK UKC ?MD RSC RSS			#423
LEPTURINAE			
Oxymirini	Danilevsky,1997 in Althoff,Danilevsky,1997		#3 #279 #331
Oxymirus Mulsant, 1862			
cursor (Linnaeus, 1758)	SP FR IT SL CR BH SB MC AL BU RO HU AU SZ CZ SK GE LU BE NL GE PL		
SV NR FI EN LT LA BY UK MD RSN RSC			#400
Xylosteini	#171		
Xylosteus L.Frivaldsky, 1837			
spinolae Frivaldsky, 1838	IT AU SL CR BH SB MC RO BU ?TR	#93	#279
= rufiventris Germar, 1845			#11
= merkli Pic, 1910			
bartoni Obenberger et Maran, 1933	BU MC GR		#11
Leptorhabdium Kraatz, 1879			
illyricum (Kraatz, 1870)	IT SL CR BH ME MC AL GR		#400
nitidum Holzschuh, 1974	MC GR		#340
Rhamnusiini	Danilevsky,1997 in Althoff,Danilevsky,1997		#3 #306 #331
Rhamnusium Latreille, 1829			
bicolor (Schrank, 1781)	SP FR IT ITI SL CR BH SB AL MC GR BU RO HU SZ AU CZ SK	DE BE NL	
LU PL FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ			#4
= gracilicorne Théry, 1894			#4
ssp. bicolor (Schrank, 1781)	SP FR IT ITI SL CR BH SB AL MC GR BU RO HU SZ AU CZ SK GE BE		
NL LU PL	#4		
ssp. constans Danilevsky, 2012	FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ	#4	
ssp. testaceipenne Pic, 1897	UKC		#4
ssp. graecum Schaufuss, 1862	GR TR		
ssp. demaggii Tippmann, 1956	IT		#321
ssp. italicum Müller, 1966	IT		
Enoploderini	Danilevsky,1997 in Althoff,Danilevsky,1997		#3 #306
Enoploderes Faldermann, 1837			
Subgen.: Enoploderes Faldermann, 1837			#165
sanguineum Faldermann, 1837	AL UKC RSS		#165
Rhagiini			#112

Rhagium Fabricius, 1775
Subgen.: Rhagium Fabricius, 1775
inquisitor (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AU SZ BE NL GE
GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #142 #328
ssp. inquisitor (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AT SZ BE NL
GE GE LU GB ?IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #142
ssp. cedri Reymond, 1953 SP #142

Subgen.: Hagrium Villiers, 1978
bifasciatum Fabricius, 1775 PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AT SZ BE
NL GE GE LU GB IR CZ SK NR PL EN ?LV LT UK ?UKC MD ?RSC RSS #142

Subgen.: Megarhagium Reitter, 1913 #171
mordax (DeGeer, 1775) SP FR IT AL SL CR BH SB ME MC BU ?TR RO HU AU SZ BE NL GE GE LU
GB IR CZ SK NR PL EN LA LT BY UK ?UKC MD RSN RSC RSS #142
pruinorum Pesarini & Sabbadini, 2011 GR #392
sycophanta (Schrank, 1781) SP FR IT ?ITI AL SL CR BH SB BU TR RO HU AU SZ BE NL DK GE LU
CZ SK PL SV FI LA LT BY UK ?UKC MD RSN RSC RSS #142
Stenocorus Geoffroy, 1762 #105
=Toxotus Dejean, 1821

Subgen.: Stenocorus Geoffroy, 1762
meridianus (Linnaeus, 1758) SP FR IT AL SL CR BH SB GR BU ?TR RO HU AU SZ BE NL DK GE LU
GB CZ SK NR PL SV FI EN LA LT BY UK MD RSN RSC RSS
insitivus (Germar, 1824) UKC

Subgen.: Anisorus Mulsant, 1862 #368
quercus (Götz, 1783) SP FR IT CR BH SB GR BU ?TR RO HU AU SZ BE NL GE LU CZ SK PL BY UK
MD RSC RSS #251 #265
ssp. quercus (Götz, 1783) SP FR IT CR BH SB GR BU ?TR RO HU AU SZ BE NL GE LU CZ SK PL BY
UK MD RSC RSS

Akimerus Audinet-Serville, 1835
schaefferi (Laicharting, 1784) PT SP FR ?CR BH GR BU HU AU SZ GE CZ SK PL UK MD RSC RSS
#141 #265 #286
ssp. schaefferi (Laicharting, 1784) PT SP FR ?CR BH ?GR BU HU AU SZ GE CZ SK PL UK MD RSC
RSS #141
ssp. ariannae Pesarini et Sabbadini, 2007 GR #141

Pachyta Dejean, 1821
quadrifasciata (Linnaeus, 1758) SP FR IT SL CR BH SB ME MC BU RO HU AU SZ GE CZ SK PL GE
FI EN LA LT BY UK MD RSN RSC RSS
lamed (Linnaeus, 1758) FR IT SL BU RO HU AU SZ GE CZ SK PL GE NR SV FI EN LA LT BY UK
MD RSN RSC
ssp. lamed (Linnaeus, 1758) FR IT SL BU RO HU AU SZ GE CZ SK PL GE NR SV FI EN LV LT BY
UK MD RSN RSC

Brachyta Fairmaire, 1865
Subgen.: Brachyta Fairmaire, 1865 #419
interrogationis (Linnaeus, 1758) FR IT SZ AU GE CZ SK PL NR SV FI EN LA LT BY UK RSN RSC
RSS KZ
ssp. interrogationis (Linnaeus, 1758) NR SV FI RSN #437
ssp. russica (Herbst, 1784) EN LA LT BY UK RSN RSC RSS KZ #437
ssp. zubovi Lazarev, 2016 RSN #437
ssp. ebenina (Mulsant, 1839) FR #437
ssp. eitschbergeri Danilevsky & Peks, 2015 GE CZ #437
ssp. marginella (Fabricius, 1793) FR IT AU GE SZ LU #437
ssp. gabzdili Danilevsky & Peks, 2016 SK PL UK #437

Subgen.: Variobrachyta Danilevsky, 2014d	#419
borni (Ganglbauer, 1903) FR	
variabilis (Gebler, 1817) RSN RSC	
ssp. variabilis (Gebler, 1817) RSN RSC	
Subgen.: Fasciobrachyta Danilevsky, 2014d	#419
balcanica Hampe, 1870 SB AL BU TR RO GR	#263
Evodinellus Plavilstshikov, 1915	#50
Subgen.: Evodinellus Plavilstshikov, 1915	
borealis (Gyllenhal, 1827) SK PL NR SV FI EN LA LT BY UK RSN RSC	#272
Subgen.: Brachytodes Planet, 1924	#50
clathratus (Fabricius, 1793) FR IT SL CR BH MC BU RO HU AU SZ GE CZ SK PL UK MD	
#272	#322
Pseudogaurotina Plavilstshikov, 1958	
excellens (Brancsik, 1874) PL SK RO UK	#233
Carilia Mulsant, 1863	#233 #368
virginea (Linnaeus, 1758) FR BE IT AL LU SL CR BH SB ME MC GR BU RO HU AU SZ BE GE CZ SK	
NO PL SV EN LA LT BY UK ?UKC MD RSN RSC RSS	#201
ssp. virginea (Linnaeus, 1758) FR IT AL SL CR BH SB ME MC GR BU RO HU AU SZ BE GE CZ SK NR	
PL SV EN LA LT BY UK ?UKC MD RSN RSC RSS	
ssp. thalassina Schrank, 1781 FR BE IT LU SL AU	#337
Euracmaeops Danilevsky, 2014d	#236
= Acmaeops auct. (nec LeConte, 1850)	#236 #368
septentrionis (Thomson, 1866) FR IT ?ME SZ AU GE BU RO CZ SK PL NR SV FI EN LA	LT BY UK
RSN RSC	#286
marginatus (Fabricius, 1781) SP FR ?IT SL CR ME AU SZ CZ GR SK BE NL GE PL NR SV FI EN LA LT	
BY UK RSN RSC RSS #141	#286
smaragdulus (Fabricius, 1793) [NP] FR IT SZ PL NR SV FI LT BY RSN RSC	#273 #322
= smaragdinus Naezen, 1792 [NO]	
angusticollis (Gebler, 1833) PL BY RSN RSC	#265 #273
Gnathacmaeops Linsley et Chemsak, 1972	#236 #368
pratensis (Laicharting, 1784) SP FR IT SL BH SB MC AL BU RO HU AU SZ GE CZ SK PL NO SV FI EN	
LA LT BY UK ?UKC MD RSN RSC RSS KZ	#400
Dinoptera Mulsant, 1863	
collaris (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AT SZ BE NL	
GE GE LU GB ?IE CZ SK NR PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ	
#240 #285	
Cortodera Mulsant, 1863	
= Taiwanocarilia Hayashi, 1983	#420
humeralis (Schaller, 1783) SP FR LU CR BH SB GR BU TR RO HU AU SZ CZ SK GE BE PL BY UK MD	
RSS	#201 #265 #290
ssp. humeralis humeralis (Schaller, 1783) SP FR LU IT CR BH SB GR BU TR RO HU AU SZ CZ SK GE	
BE PL BY UK MD RSS #201	#265 #290
ssp. humeralis aspromontana Müller, 1948 IT	#201
ssp. humeralis moreensis Danilevsky, 2015c GR	#436
femorata (Fabricius, 1787) FR IT SL CR BH GR BU RO HU AU SZ CZ SK GE PL NR SV	FI EN LA
LT BY UK RSN RSC RSS	#286
pumila Ganglbauer, 1882 ?RSC RSS	#158 #172
flavimana (Waltl, 1838) SB MC AL GR TR BU RO HU SK	#425
ssp. flavimana (Waltl, 1838) SB MC AL GR TR BU RO HU SK	#89
ssp. schurmanni Sama, 1997 GR	#368
villosa Heyden, 1876 CR BH SB HU ?AT CZ SK RO MD BU UK UKC RSC RSS	#82 #272
	#300
ssp. villosa Heyden, 1876 CR BH SB HU AU CZ SK BU RO MD UK ?UKC RSS	#304

= frivaldszkyi Kraatz, 1876		
= ? nigrita Heyden, 1876		#197
ssp. kazakorum Danilevsky, 2014d E -		#386
ssp. parfentjevi Miroshnikov, 2007 UKC	#304	#386
ssp. krasnobaevi Danilevsky, 2010e UK ?RSC		#343
ssp. chuvilini Danilevsky, 2012c RSS		#386
ssp. zhuravlevi Miroshnikov, 2007 RSS KZ	#304	#386
ssp. magdeevi Danilevsky, 2011d RSC		#343
ssp. major Miroshnikov, 2007 RSC	#304	#308
ssp. kuvandykensis Danilevsky, 2012c RSS		#386
ssp. mikhailovi Danilevsky, 2001 RSC		#343
holosericea (Fabricius, 1801) IT SL CR BH SB ?GR RO HU AU CZ SK UK RSS	#150	
		#197
ssp. holosericea (Fabricius, 1801) IT SL CR BH SB AL ?GR RO HU AU CZ SK UK RSS		
	#425	
?ssp. birnbacheri Pic, 1898 ?AT		#197
?ssp. velutina Heyden, 1876 ?IT	#197	#368
reitteri Pic, 1891 UK UKC RSS RSC		#152
ssp. reitteri Pic, 1891 UK RSS RSC		
= alexandri Danilevsky, 1996		#152
ssp. taurica Plavilstshikov, 1936 UKC		#152
= beckeriana Plavilstshikov, 1936		#152
kiesenwetteri Pic, 1898 ?RSC RSS		#265
ssp. kiesenwetteri Pic, 1898 RSS		
ssp. subtruncata Pic, 1934 ?RSC RSS	#152	#216
ciliata Danilevsky, 2001 RSC		#152
ssp. milaenderi Danilevsky, 2001 RSC		#152
ssp. sakmarenensis Danilevsky, 2005 RSC		
tibialis (Marseul, 1876) ["Sarepta"] UK RSC RSS KZ	#152	#265
ssp. tibialis (Marseul, 1876) RSS	#152	#368
= pallidipes Pic, 1898		#368
ssp. ruthena Plavilstshikov, 1936 RSS KZ	#152	#368
ssp. rossica Danilevsky, 2001 UK RSC RSS		#152
komarovi Danilevsky, 1996 KZ	#152	#405
ssp. komarovi Danilevsky, 1996 KZ	#152	#405
moldovana Danilevsky 1996 MD		#152
khatchikovi Danilevsky, 2001 RSS		#152
differens Pic, 1898 GR RO BU TR	#59	#368 #385
ssp. differens Pic, 1898 GR		
= prescutellaris Pic, 1933: 5 – "Morée"		#368
= steineri Sama, 1997 #59		#368
ssp. magdae Danilevsky, 2012 RO BU TR	#279	#288
hroni Danilevsky, 2012 BU	#93	#279
= umbripennis sensu Sama, Rapuzzi, 1999 (not Reitter, 1890)		
Fallacia Mulsant et Rey, 1863		#381
elegans Mulsant et Rey, 1863 TR		#381
Pidonia Mulsant, 1863		
Subgen.: Pidonia Mulsant, 1863		#368
lurida (Fabricius, 1793) FR IT SL CR BH SB GR BU RO HU AU ?BE SZ GE CZ SK PL LA		LT UK
MD	#92	#322
= notaticollis Pic, 1941		

Lepturini

#306

Grammoptera Dejean, 1835	#306 #409
Subgen.: Grammoptera Dejean, 1835	
ustulata (Schaller, 1763) PT SP FR IT ITI AL SL CR BH SB GR GRC BU RO HU AU SZ BE NL GE GE LU GB CZ SK NR PL SV ?LV ?BY UK ?UKC MD ?RSC ?RSS	#356
ssp. ustulata (Schaller, 1763) PT SP FR IT ITI AL SL CR BH SB GR GRC BU RO HU AU SZ BE NL GE GE LU GB CZ SK NR PL SV ?LV ?BY UK ?UKC MD ?RSC ?RSS	#356
abdominalis (Stephens, 1831) PT SP FR IT SL CR BH MC GR BU TR RO HU AU SZ BE NL GE DE LU GB IR CZ SK PL ?LV BY UK	
= variegata Germar, 1824	
ruficornis (Fabricius, 1781) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AU SZ BE NL GE GE LU GB IR CZ SK NR PL SV EN LT LA BY UK ?UKC MD RSS	#108
ssp. ruficornis (Fabricius, 1781) PT SP FR IT AL SL CR BH SB GR BU TR RO HU AU SZ BE NL GE GE LU GB IR CZ SK NR PL SV EN LT LA BY UK ?UKC MD RSS	
= atra (Fabricius, 1775) [NO]	
= ab. holomelina Pool, 1905 [not available]	#357 #368
= holomelina Donisthorpe, 1905	#357 #368
ssp. flavipes Pic, 1892 ITI	#202
merkli (Frivaldszky, 1884) GR	#263
viridipennis Pic, 1893 ITI	
auricollis Mulsant et Rey, 1863 GR GRC	
ssp. basicornis Pic, 1924 GRC	#43
ssp. bipustulata Steiner, 1975 GR	#63
Cornumutilla Letzner, 1844	
lineata (Letzner, 1844) FR SZ IT AU RO CZ SK PL UK RSN	#160
quadrivittata (Gebler, 1830) ?RSC	#160
Nivellia Mulsant, 1863	
sanguinosa (Gyllenhal, 1827) SB AU GE RO SK PL NR SV FI EN BY UK RSN RSC	
#265	
extensa (Gebler, 1833) ?FI RSN	#261
ssp. extensa (Gebler, 1833) ?FI RSN	#261
Alosterna Mulsant, 1863	
tabacicolor (DeGeer, 1775) SP FR IT ITI AL SL CR BH SB MC GR BU TR RO HU AU SZ BE NL GE GE LU GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD TR RSN RSC RSS KZ	
#368	
ssp. tabacicolor (DeGeer, 1775) SP FR IT ITI AL SL CR BH SB MC GR BU TR RO HU AT SZ BE NL GE GE LU GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD TR RSN RSC RSS KZ	
ssp. bicoloripes Pic, 1914 GR TR	#217
pauli Pesarini, Sabbadini, 2004 GR	
ingrica (Baeckmann, 1902) SK PL EN LT LA BY UK RSN RSC RSS	#96
Vadonia Mulsant, 1863	
unipunctata (Fabricius, 1787) [nomen protectum] SP FR IT SL CR BH SB MC GR BU TR RO HU AU CZ SK ?PL ?LV MD UK UKC RSS RSC KZ	#286 #311 #312 #370
= pilosa Forster, 1771 [nomen oblitum]	#324
ssp. unipunctata (Fabricius, 1787) SL CR BH SB GR BU TR RO HU AU CZ SK PL ?LV MD UK UKC RSS RSC KZ	
ssp. occidentalis K. Daniel & J. Daniel, 1891 FR IT SP	
ssp. gallica Podaný, 1936 FR	#430
ssp. ikariaensis Danilevsky & Vartanis, 2015 GR	#426
ssp. dalmatina Müller, 1906 CR ?GR	
ssp. ohridensis Holzschuh, 1989 MC AL	#425
ssp. makedonica Holzschuh, 1989 GR	
saucia Mulsant et Godart, 1855 RO UKC	#5 #311

hirsuta (K.Daniel et J.Daniel, 1891) RO	#5
bipunctata (Fabricius, 1781) MD UK RSC RSS KZ SL MC ?BU HU SK RO	#198 #311
	#312
ssp. bipunctata (Fabricius, 1781) RSC RSS KZ	#198
ssp. sareptana Pic, 1941 RSS KZ	#198
= beckeri Pic, 1941 [HN]	#198
ssp. urdensis Danilevsky, 2014d	#198
ssp. laterimaculata (Motschulsky, 1875) UKC	#198
= puchneri Holzschuh, 2007	#198
ssp. globicollis (Desbrochers des Loges, 1870) RO MD UK RSS	#198
= mulsantiana Plavilstshikov, 1936	#198
= bilitigiosa Pic, 1941	#198
ssp. steveni (Sperk, 1835) HU MD SK SL UK RSS	#198
ssp. adusta (Kraatz, 1859) SL MC ?BU HU SK RO	#198
= litigiosa Mulsant, 1863	
imitatrix (K.Daniel et J.Daniel, 1891) IT CR SB ?BU	
moesiaca (K.Daniel et J.Daniel, 1891) SB ?AL MC GR BU RO	#218 #400
dojranensis Holzschuh, 1984 SB MC AL GR BU	#221
ssp. dojranensis Holzschuh, 1984 SB MC AL GR	#221 #400
ssp. mahri Holzschuh, 1986 GR BU	#221
grandicollis Mulsant & Rey, 1863 AL BU GR TR	#352 #425
ssp. grandicollis Mulsant & Rey, 1863 AL BU GR TR	#368
= bisignata (Brullé, 1832) [junior homonym]	#218 #334
ssp. laurae Pesarini et Sabbadini, 2007 GR	#221
samosensis Vartanis, 2016 GR	
parnassensis (Pic, 1925) GR	
gusmii Pesarini & Sabbadini, 2009 GR	#389
aspoeckorum Holzschuh, 1975 GR	#56
insidiosa Holzschuh, 1984 GR	
mainoldii Pesarini, Sabbadini, 2004 GR	
monostigma Ganglbauer, 1881 GR	
Pseudovadonia Lobanov, Danilevsky et Murzin, 1981	#390
livida (Fabricius, 1777) PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AU SZ BE NL GE	
LU GB IR CZ SK PL SV EN LT LA BY UK UKC MD RSN RSC RSS KZ	#12 #67
ssp. livida (Fabricius, 1777) ?PT ?SP FR AL SL CR BH SB ME MC HU AU SZ BE NL GE LU GB IR CZ	
SK ?PL SV #12	
ssp. setosa Danilevsky, 2013e BU GR MD RO TR UK	#12
ssp. bicarinata (Arnold, 1869) BY LA LT EN PL UK UKC RSN RSC RSS KZ	#12
ssp. pecta (K. & J.Daniel, 1891) IT	#12
Anoplodera Mulsant, 1839	#41
Subgen.: Anoplodera Mulsant, 1839	
sexguttata (Fabricius, 1775) SP FR IT SL CR BH SB MC GR AL BU TR RO HU AU SZ GE LU BE GB IR	
NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS #425 #446	
rufipes (Schaller, 1783) SP FR LU IT SL CR BH SB MC GR AL BU RO HU AU SZ GE CZ SK PL ?EO LT	
LA BY UK MD ?RSN RSC RSS KZ #92 #371 #425 #427	
ssp. rufipes (Schaller, 1783) SP FR LU IT SL CR BH SB MC GR BU RO HU AU SZ GE CZ SK PL ?EO	
LT LA BY UK MD ?RSN #371 #427	
ssp. ventralis Heyden, 1886 BY UK RSC RSS KZ	#371
= rufiventris (Tournier, 1872)[HN]	
ssp. izzilloi Sama, 1999 IT	
ssp. krueperi (Ganglbauer, 1882) GR	#371
Xestoleptura Casey, 1913	#41
nigroflava (Fuss, 1852) RO	#41

Stictoleptura Casey 1924	
Subgen.: Aredolpona Nakane et K. Ohbayashi, 1957	#67 #197
= <i>Corymbia</i> Des Gozis, 1886	#67
<i>rubra</i> (Linnaeus, 1758) PT SP FR FRC IT SL CR BH SB ME GR BU RO HU AU SZ GE LU	BE GB NL
GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ	#394
ssp. <i>rubra</i> (Linnaeus, 1758) PT SP FR FRC IT ITA SL CR BH SB ME AL GR BU RO HU AU SZ DE LU	
BE GB NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ	
#400	
Subgen.: Stictoleptura Casey 1924	
<i>oblongomaculata</i> (Buquet, 1840) ITI ITA ?FRC	#203
<i>cordigera</i> (Fuesslin, 1775) SP FR FRC NL IT ITI ITA CR BH SB ME MC AL GR GRC BU TR RO SZ BE	
GE CZ UKC #79#272	
ssp. <i>cordigera</i> (Fuesslin, 1775) SP FR FRC NL IT ITI ITA CR BH SB ME MC GR BU TR RO SZ BE GE	
CZ UKC	
ssp. <i>illyrica</i> (Müller, 1948) IT[Venezia Giulia] SL CR BH ME AL GR	
ssp. <i>anojiaensis</i> (Slama, 1982) GRC	#414
<i>trisignata</i> (Fairmaire, 1852) PT SP FR	#141
<i>erythroptera</i> (Hagenbach, 1822) SP FR ?IT CR BH SB MC GR BU RO HU AU SZ GE CZ SK UK	#289
#141	
<i>rufa</i> (Brullé, 1832) IT BH CR SB MC AL GR BU RO	
ssp. <i>rufa</i> (Brullé, 1832) IT BH CR SB MC AL GR BU RO	
ssp. <i>excelsa</i> (A. Costa, 1863) IT	#351
<i>fontenayi</i> (Mulsant, 1839) PT SP FR	
<i>ivoroberti</i> Sama, 2010 GR	#361
<i>slamai</i> Sama, 2010 GRC	#346
= <i>martini</i> (Slama, 1985)	
Subgen.: Cribroleptura Vives, 2000	
<i>stragulata</i> (Germar, 1824) PT SP FR	#67
<i>otini</i> (Peyerimhoff, 1949) SP	#67 #114
Subgen.: Variileptura Danilevsky, 2014d	
<i>variicornis</i> (Dalman, 1817) PL EN LT LA BY UK RSN RSC	#67
Subgen.: Melanoleptura Miroshnikov, 1998	
<i>scutellata</i> (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ	#67 #197
GE LU BE GB IR GE CZ SK PL SV LA BY UK UKC MD RSC RSS	#265
ssp. <i>scutellata</i> (Fabricius, 1781) PT SP FR FRC IT ITA SL CR BH SB ME MC AL	
= <i>carbonaria</i> (Scopoli, 1763)[nomen oblitum]	#286
GR BU RO HU AU SZ GE LU BE GB IR GE CZ SK PL SV LA BY UK UKC MD RSC RSS	
ssp. <i>maritima</i> Sláma, 2015b FR	#431
ssp. <i>melas</i> (Lucas, 1847) ?ES ITI	#113 #178
= <i>melaena</i> auct.	
Subgen.: Maculileptura Danilevsky, 2014d	
<i>maculicornis</i> (DeGeer, 1775) SP FR IT SL CR BH SB ME AL GR BU TR RO HU AU SZ GE BE LU CZ	#67
SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS	#204 #435
<i>simplonica</i> (Fairmaire, 1885) FR IT	#204
<i>ondreji</i> (Slama, 1993) GR	#204
<i>pallens</i> (Brullé, 1832) CR BH SB ME MC AL GR BU RO	
Subgen.: Paracorymbia Miroshnikov, 1998	
<i>fulva</i> (DeGeer, 1775) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU CH GE	#67
LU BE GB IR NL CZ SK ?BY UK RSC RSS	#151 #379
= <i>apicalis</i> (Motschulsky, 1875)	#318
<i>tonsa</i> (J. et K. Daniel, 1891) UKC ?RSS	#151
= <i>ustulata</i> Ménétrés, 1832 [HN]	#151
<i>hybrida</i> (Rey, 1885) SP FR IT SZ	

picticornis (Reitter, 1885) GR GRC #67
Subgen.: Batesiata Miroshnikov, 1998 #197
tesserula (Charpentier, 1825) SB ?AL GR BU RO HU ?DE CZ SK PL UK #400
Anastrangalia Casey, 1924
sanguinolenta (Linnaeus, 1760) SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE NL GB CZ
SK PL NR SV FI EN LT LA BY UK ?MD RSN RSC RSS #307
= sandoeensis (Palm, 1953)
dubia (Scopoli, 1763) SP FR LU IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE CZ SK PL ?LT
?BY UK ?MD #92#379
ssp. dubia (Scopoli, 1763) SP FR LU IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE CZ SK PL
?LT ?BY UK ?MD
ssp. moreana (Pic, 1906) GR #57
reysi (Heyden, 1889) FR IT SL AU RO SZ GE CZ SK PL NR SV FI EN LT LA BY UK RSN RSC ?RSS
#92#230 #286
= inexpectata (Jansson et Sjöberg, 1928)
renardi Gebler, 1848 RSN #262
montana (Mulsant et Rey, 1863) GRC
ssp. steineri Sama, 1994 GRC
Lepturobosca Reitter, 1913 #171
virens (Linnaeus, 1758) SP FR IT SL CR BH SB BU RO HU AU SZ GE ?GB CZ SK PL NR SV FI EN
LT LA BY UK RSN RSC RSS #241
Neopiciella Sama, 1988
sacula (Ganglbauer, 1885) ITI
Pedostrangalia Sokolov, 1897 #49
Subgen.: Pedostrangalia Sokolov, 1897
revestita (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SL CR BH SB AL GR BU TR RO HU AU SZ GE LU
BE GB NL GE CZ SK PL SV UK MD #309 #400
Subgen.: Neosphenalia Löbl, 2010
= Sphenalia K. Daniel, 1904 (HN, not Sphenalia Wood, 1874, in Mollusca)
verticalis (Germar, 1822) IT SL CR BH SB ME MC AL GR BU RO ?MD #238
verticenigra (Pic, 1892) GR #238
emmipoda (Mulsant, 1863) GR #309
ariadne (K. Daniel, 1904) GRC
Etorofus Matsushita, 1933 #49
Subgen.: Etorofus Matsushita, 1933 #49
pubescens (Fabricius, 1787) SP FR IT SL CR BH SB ME AL GR BU RO AU SZ GE CZ SK PL NO SV FI
EN LT LA BY UK RSN RSC RSS
Judolia Mulsant, 1863
sexmaculata (Linnaeus, 1758) ?ES FR IT SZ AU HU RO GE CZ SK GB PL NR SV FI EN LT LA BY
UK RSN RSC RSS #115 #286
parallelopipeda Motsch. 1860 ?RSN #115
= abbreviata Motsch. 1875
= shirarakensis Matsumura, 1911
Pachytodes Pic, 1891
cerambyciformis (Schrank, 1781) PT SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE LU BE
GE NL GB CZ SK PL ?EO LT LA BY UK MD RSC RSS RSN #92 #264
erraticus (Dalman, 1817) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE CZ SK
PL BY UK MD RSC RSS
ssp. erraticus (Dalman, 1817) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE CZ
SK PL BY UK MD KZ RSC RSS
Oedecnema Dejean, 1835
gebleri Ganglbauer, 1889 UK RSN RSC [RN] #265 #289
= dubia (Fabricius, 1781)

Leptura Linnaeus, 1758
Subgen.: Macroleptura Nacane et Ohbayashi, 1957
thoracica (Creutzer, 1799) CR BH SB RO SK SL PL FI EN LT LA BY UK RSN RSC RSS
#52

Subgen.: Leptura Linnaeus, 1758
quadrifasciata Linnaeus, 1758 SP FR IT SL CR BH SB MC AL BU TR RO HU AU SZ GE LU BE GE
NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. quadrifasciata Linnaeus, 1758 SP FR IT SL CR BH SB MC AL BU TR RO HU AU SZ GE LU BE GE
NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
aurulenta Fabricius, 1793 PT SP FR FRC IT SL CR BH SB ME AL GR BU TU RO HU AU SZ GE LU GB
IR CZ SK PL MD UK RSC #307 #309 #322 #379
annularis Fabricius, 1801 ?ES FR ?IT CR BH RO HU AU SZ GE CZ SK PL EN LT LA BY UK ?MD
RSN RSC RSS #6
= arcuata Panzer, 1793
aethiops Poda, 1761 SP FR IT SL CR BH SB ?AL ?GR RO HU AU SZ GE LU BE GE NL CZ SK PL EN
LT LA BY UK ?UKC MD RSN RSC RSS #400
Lepturalia Reitter, 1913 #171
nigripes (DeGeer, 1775) AU RO SK PL NR SV FI EN LT LA BY UK RSN RSC RSS KZ
ssp. nigripes (DeGeer, 1775) AU RO SK PL NR SV FI EN LT LA BY UK RSN RSC RSS KZ
#270

Nustera Villiers, 1974
distigma (Charpentier, 1825) PT SP FR
Strangalia Dejean, 1835 #410
= Strangalina Aurivillius, 1912 #235
attenuata (Linnaeus, 1758) SP FR FRC IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU
BE NL ?GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
#75 #241

Rutpela Nakane et Ohbayashi, 1957 #232
maculata (Poda, 1761) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AT SZ GE
LU BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSC RSS KZ
ssp. maculata (Poda, 1761) FR FRC IT ?ITA SL CR BH SB ME MC AL GR BU RO HU AU CH GE LU
BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK MD RSC RSS KZ #284
ssp. manca (Schaufuss, 1863) PT SP FR IT ITI ?ITA TR UKC #284 #446
=nigricornis (Stierlin, 1864)

Stenurella Villiers, 1974
Subgen.: Stenurella Villiers, 1974 #411
melanura (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE
NL GE GB CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
ssp. melanura (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE
NL GE GB CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
=sennii Sama, 2002 #294
ssp. samai Rapuzzi, 1995 BU GR TR #294 #301 #385

Subgen.: Iberostenurella Özdikmen, 2013 #411
hybridula (Reitter, 1902) PR SP

Subgen.: Crassostenurella Özdikmen, 2013 #411
approximans (Rosenhauer, 1856) PR SP #116

Subgen.: Stenurelloides Özdikmen, 2013 #411
jaegeri (Hummel, 1825) UKC RSC RSS #320

Subgen.: Priscostenurella Özdikmen, 2013 #411
bifasciata (Müller, 1776) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ
GE LU BE NL CZ SK PL EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. bifasciata (Müller, 1776) PT SP FR FRC IT ITI ITA SL CR BH SB ME RO HU AU SZ GE LU BE NL

CZ SK PL EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. intermedia Holzschuh, 2006 AL GR BU MC #295 #400
ssp. lanceolata (Mulsant & Rey, 1863) SP FR #295
ssp. nigriventris (Pic, 1891) FR #295
septempunctata (Fabricius, 1793) IT SZ SL CR BH SB ME MC AL GR BU RO HU AU GE CZ SK PL
UK UKC MD TR #322
ssp.: septempunctata (Fabricius, 1793) IT SZ SL CR BH SB ME MC AL GR BU RO HU AT GE CZ SK
PL UK ?UKC MD
= suturata (Reiche, 1858) #385
ssp. latenigra (Pic, 1915) BU T #283 #385
= anatolica (Heyrovsky, 1961) #283
vaucheri (Bedel, 1900) SP #411
Subgen.: Nigrostenurella Özdikmen, 2013
nigra (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE NL GE
GB CZ SK PL NR SV EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. nigra (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE NL
GE GB CZ SK PL NR SV EN LT LA BY UK UKC MD RSN RSC RSS KZ #406

NECYDALINAE #306

Necydalini

Necydalis Linnaeus, 1758
Subgen.: Necydalis Linnaeus, 1758
ulmi (Chevrolat, 1838) SP FR IT CR BH SB ME MC GR BU RO HU AU SZ GE CZ SK PL ?LT ?LV BY
?MD UK RSS
= hadullai Szallies, 1994 #374
major Linnaeus, 1758 SP FR IT CR BH SB ME AL GR BU RO HU AU SZ GE LU BE NL CZ SK PL NR
SV FI EN LT LA BY UK UKC MD RSN RSC
RSS KZ

SPONDYLIDINAE #102

Saphanini

Oxypleurus Mulsant, 1839
nodieri Mulsant, 1839 PT SP GB FR FRC IT ITI ITA CR GR GRC UKC #140
= pinicola Wallaston, 1863 #197
Saphanus Audinet-Serville, 1834
piceus (Laicharting, 1784) FR IT SL CR BH SB ME MC AL GR RO HU AU SZ GE CZ SK PL UK
ssp. piceus (Laicharting, 1784) FR IT SL CR BH SB RO HU AU SZ GE CZ SK PL UK
ssp. bartolonii Sama et Rapuzzi, 1993 GR
ssp. ganglbaueri Brancsik, 1886 BH ME MC AL GR BU #400
Drymochares Mulsant, 1847
truquii Mulsant, 1847 FR IT #272
cylindraceus (Fairmaire, 1849) PT SP

Anisarthrini #267 #279

Anisarthron Dejean, 1835
barbipes (Schrank, 1781) FR IT CR BH SB ME AL BU RO HU AU SZ GE CZ SK PL UK
#400
Alocerus Mulsant, 1862

moesiacus (Frivaldsky, 1838) PT SP ?IT CR SB AL GR GRC BU #333 #400
Schurmannia Sama, 1979 #34
 sicula Sama, 1979 ITI

Asemini

Arhopalus Audinet-Serville, 1834
Subgen.: Arhopalus Audinet-Serville, 1834 #140
 = Criocephalus Mulsant, 1839
 ferus (Mulsant, 1839) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU RO HU ?AT
 SZ GE LU BE NL GE GB ?IR CZ SK PL SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
 #272 #332 #425
 rusticus (Linnaeus, 1758) PTi SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU RO HU AU CH
 GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
 #332

Subgen.: Cephalocrius Sharp, 1905a #140
 syriacus (Reitter, 1895) PT SP FR FRC IT ITI ITA SZ BH ME GRC #140

Asemum Eschscholtz, 1830
 striatum (Linnaeus, 1758) SP FR IT SL CR BH SB ME AL GR BU RO HU AU SZ GE LU BE NL GE GB
 IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
 tenuicorne Kraatz, 1879 SP IT ITI GR SV UKC #137

Tetropium Kirby, 1837 #7
 = Isarthron Dejean, 1835
 castaneum (Linnaeus, 1758) SP FR IT SL CR BH SB ME ?AL BU GR RO HU AU SZ GE LU BE NL GE
 GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #141
 #400
 gabrieli Weise, 1905 FR IT SL HU AU SZ GE GB IR LU BE NL DE CZ SK PL SV BY UK
 ?RSC(Kaliningrad) #259 #286
 gracilicorne Reitter, 1889 RSC #259
 fuscum (Fabricius, 1787) GB FR IT SL BH SB BU RO HU AU SZ GE BE NL GE CZ SK PL NR SV FI EN
 LT LA BY UK ?UKC MD RSN RSC RSS KZ #106
 ssp. fuscum (Fabricius, 1787) GB FR IT SL BH SB BU RO HU AU SZ GE BE NL GE CZ SK PL NR SV
 FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
 ssp. lapponicum Sláma, 2015c FI #438
 aquilonium Plavilstshikov, 1940 SV FI RSN
 tauricum Shapovalov, 2007 UKC #282

Nothorhina L. Redtenbacher, 1845
 punctata (Fabricius, 1798) PT SP FR IT ITI BH GR GE AU CZ SK PL NR SV FI EN LT LA BY UK RSN
 RSC RSS ?KZ #234 #385
 = muricata (Dalman, 1817)

Spondylidini #27 #306

Spondylis Fabricius, 1775
 buprestoides (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU RO HU AU SZ GE
 LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
 #258

CERAMBYCINAE #306

Achrysonini

Icosium Lucas, 1854

tomentosum Lucas, 1854 SP FRC IT ITA MA CR BH ME SB GR GRC BU #62
 ssp. tomentosum Lucas, 1854 SP FRC ITA ?MT
 ssp. atticum Ganglbauer, 1882 FRi IT CR BH ME SB GR GRC BU #172

Hesperophanini

Hesperophanes Dejean, 1835 #105
 melonii Fancello & Cillo, 2012 ITI #416
 sericeus (Fabricius, 1787) PT SP FR FRC IT ITI ITA CR BH ME MC AL GR UKC #358 #368

Trichoferus Wollaston, 1854

griseus (Fabricius, 1793) PT SP FR FRC IT ITI ITA MA CR BH ME AL GR GRC BU TR RO CZ UKC #299 #322 #446
 fasciculatus (Faldermann, 1837) PT SP FR FRC IT ITI ITA MA CR ME GR SZ BU RO ?UKC #400
 ssp. fasciculatus (Faldermann, 1837) PT SP FR FRC IT ITI ITA MA CR ME AL GR SZ BU RO ?UKC
 arenbergeri Holzschuh, 1995 ITA
 spartii (Müller, 1948) IT ITI SL AL GR GRC #400
 kotschyi Ganglbauer, 1883 GR #238
 berberidis Sama, 1994 GRC
 bergeri Holzschuh, 1981 GRC
 magnanii Sama, 1992 SP
 holosericeus (Rossi, 1790) SP FR FRC SZ IT ITI ITA MA SL CR BH SB AL GR BU UKC #94
 = cinereus (Villers, 1789)
 = gayi Plavilstshikov, 1921
 pallidus (Olivier, 1790) SP FR FRC IT CR BH SB GR BU RO HU AU CZ SK GE PL MD UKC #300
 campestris (Faldermann, 1835) PL LT CZ SK HU RO MD UKC RSC RSS #265 #278 #300 #307

Stromatium Audinet-Serville, 1834

auratum (Böber, 1793) PT SP FR FRC IT ITI ITA SL GE MA CR BH SB ME MC AL GR GRC BU TR RO HU LA UKC RSS #190 #286 #387
 = fulvum (Villers, 1789) #8
 = unicolor (Olivier, 1795) #387

Phoracanthini

Phoracantha Newman, 1840

semipunctata (Fabricius, 1775) PT SP FR FRC IT ITI ITA MA GR
 recurva Newman, 1840 SP PT IT ITA GR #103

Callidiopini

Trinophylum Bates, 1878

cribratum Bates, 1878 GB

Graciliini

Penichroa Stephens, 1839

= Graecoeme Adlbauer, 2006 #271
 fasciata (Stephens, 1831) PT SP FR FRC IT ITI ITA MA SL CR BH SB MC AL GR GRC BU TR UKC #104

= timida (Ménétriés, 1831)

= eggeri Adlbauer, 2006

#271

Gracilia Audinet-Serville, 1834

minuta (Fabricius, 1781) PT SP FR FRC IT ITI ITA MA SL CR BH SB AL GR GRC BU TR RO HU AU
SZ GE LU BE NL GE GB ?IR CZ SK PL NR SV FI EN LT LV UK UKC MD RSN RSC RSS KZ

#9

= albanica Csiki, 1931

Axinopalpis Dejean, 1835

#179

gracilis (Krynicky, 1832) IT SL CR BH SB ME MC AL GR BU RO HU AU CZ SK GE PL LA LT UK
?UKC MD RSC RSS #179

ssp. gracilis (Krynicky, 1832) IT SL CR BH SB ME MC AL GR BU RO HU AU CZ SK GE PL LA LT
UK ?UKC MD RSC RSS

ssp. christinae Rapuzzi, 1995 GR

Lucasianus Pic, 1891

levaillantii (Lucas, 1847) PT SP ?FR

#30 #178

Obrini

Obrium Dejean, 1821

cantharinum (Linnaeus, 1767) SP FR IT BH SB GR BU TR RO HU AU SZ GE LU BE NL ?GB CZ SK PL
NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS KZ #241 #294 #446

brunneum (Fabricius, 1793) SP FR FRC IT SL CR BH SB AL GR BU RO HU AU SZ GE LU BE NL DK
GB CZ SK PL SV EN LT LA BY MD UK UKC ?RSN ?RSC RSS #141 #265 #400 #322

Certallini

Certallum Dejean, 1821

ebulinum (Linnaeus, 1767) PT SP FR IT ITI MA MC AL GR GRC TR UK UKC RSS

= ruficolle Fabricius, 1787

#166 #334 #425 #427

Deilini

Delagrangus Pic, 1892

liviae Pesarini et Sabbadini, 2004 GR

Deilus Audinet-Serville, 1834

fugax (Olivier, 1790) PT SP FR FRC IT ITI ITA SL CR BH ME AL GR GRC BU RO HU AU SZ LU BE
CZ SK PL BY MD UK ?UKC RSC RSS KZ #61 #425

Stenopterini

Stenopterus Illiger, 1804

flavicornis Küster, 1846 IT SL CR BH SB ME MC AL GR TR BU RO HU AU CZ SK UK

#336

rufus (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
GE LU BE NL CZ SK PL MD UK UKC RSS

ssp. rufus (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL RO BU HU AU SZ GE LU BE NL CZ SK
PL MD UK UKC RSS

ssp. geniculatus Kraatz, 1863 GR AL CR BH SB ME MC AU HU BU TR

#47 #301

mauritanicus Lucas, 1847 PT SP

#87 #178

atricornis Pic, 1891 GR

#55

similatus Holzschuh, 1979 GR

creticus Sama, 1995 GRC

ater (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SZ SL CR ME MC ?BU GRC RO SK UKC

#164
 = nigripes Costa, 1855 (Napoli)
Callimus Mulsant, 1846
Subgen.: Callimus Mulsant, 1846
 angulatus (Schrank, 1789) SP FR IT ITI SL CR BH SB MC AL GR GRC BU TR RO HU AU CH GE CZ
 SK PL MD UK #309
 ssp. angulatus (Schrank, 1789) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AT SZ GE CZ
 SK PL MD UK #182
 ssp. glabrescens Holzschuh, 1989 GRC
 abdominale (Olivier, 1795) SP FR FRC IT ITI ITA CR AL #400
Subgen.: Procallimus Pic 1907
 egregius (Mulsant et Rey, 1863) UKC
 semicyaneus Pic, 1905 MC GR #2
Subgen.: Lampropterus Mulsant, 1863
 = Callimomimus Ieniştea, 1952
 femoratus (Germar, 1824) SB MC AL GR BU TR RO MD UK UKC #179 #302
 = adonis (Abeille de Perrin, 1881)
 = narcissus (Abeille de Perrin, 1881)
 = distinctus (Ieniştea, 1952)
Callimoxys Kraatz, 1863
 gracilis (Brullé, 1832) SL CR BH SB ME MC GR AL BU RO HU SK UKC #422 #425 #441

Nathriini

Nathrius Bréthes, 1916
 brevipennis (Mulsant, 1839) PT SP FR FRC IT ITI ITA MA SL CR BH SB MC BU GR GRC TR RO HU
 AU SZ CZ SK GE GB ?IR BE NL GE PL NR SV FI LV MD UK UKC RSS KZ #9
 berlandi (Villiers, 1946) SP #144

Molorchini

Molorchus Fabricius, 1793 #322
Subgen.: Caenoptera C.G. Thomson, 1859 #326
 minor (Linnaeus, 1758) FR IT SL CR BH SB AL GR BU RO HU AU SZ GE LU BE NL GE GB CZ SK PL
 NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS
 ssp. minor (Linnaeus, 1758) FR IT SL CR BH SB AL GR BU RO HU AU SZ GE LU BE NL GE GB CZ
 SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS #400
Subgen.: Molorchus Fabricius, 1793 #10 #326
 = Glaphyra Newman, 1840 #326
 umbellatarus (Schreber, 1759) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ DE LU BE
 NL GE GB CZ SK NR PL SV EN LT LA BY MD UK UKC RSN RSC RSS
 #84
 ssp. umbellatarus (Schreber, 1759) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AT SZ GE LU
 BE NL GE GB CZ SK NR PL SV EN LT LA BY MD UK UKC RSN RSC RSS
 #70 #400
 ssp. obscuripes Müller, 1948 IT
 plagiatus (Reiche, 1877) ?RSC RSS KZ #265
 marmottani (Brisout de Barneville, 1863) SP FR IT SZ BU AU GE CZ SK PL RSC RSS #72 #265
 ssp. marmottani (Brisout de Barneville, 1863) SP FR IT SZ BU AU GE CZ SK PL RSC RSS
 ssp. andalusica Sláma, 2015b FR #432
 ssp. crovatoi Sama, 1995 IT
 kiesenwetteri (Mulsant et Rey, 1861) IT ?ME SZ CR SB ?DE AU ?PL HU RO BU TR UKC RSS

#286	#369		
ssp. kiesenwetteri (Mulsant et Rey, 1861) IT ?ME CR SB SZ ?DE AU ?PL HU ?RO BU UKC RSS			
	#369		
ssp. hircus (Abeille de Perrin, 1881) TR #333			
= anatolicus Adlbauer, 1988			
schmidti Ganglbauer, 1883 GR HU RO CZ SK ?PL UK UKC MD RSC RSS KZ #369			
= salicicola Stiller, 1935			
= ? semenovi Plavilstshikov, 1940			
Brachypteromatini Sama, 2008			#324
Dolocerus Mulsant, 1862			#384
=Brachypteroma Heyden, 1863			#384
reichii Mulsant, 1862 IT ITA ITI FR CR BH ME AL GR TR SZ			#156 #446
= ottomanum Heyden, 1863			#156
Stenhomalini		#331	
Stenhomalus White, 1855			
Subgen.: Obriopsis Müller, 1948			
bicolor (Kraatz, 1862) IT ITI CR SB GR BU HU AU SK			
Cerambycini			
Cerambyx Linnaeus, 1758			
Subgen.: Cerambyx Linnaeus, 1758			
cerdo Linnaeus, 1758 PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC GR BU TR RO HU AU SZ			
GE LU BE NL GE CZ SK PL SV LT ?LV BY MD UK UKC RSC RSS			#242 #265
ssp. cerdo Linnaeus, 1758 FR FRC IT ITI ITA SL CR BH SB ME MC GR BU TR RO HU AT SZ GE			
LU BE NL GE CZ SK PL SV LT LA BY MD UK ?RSC			#265
ssp. pfisteri (Stierlin, 1864) ?IT ITI ?MT ?GR			#13 #385
ssp. mirbecki Lucas, 1842 PT SP			#13
ssp. acuminatus Motschulsky, 1852 RSS			#13
ssp. manderstjernaes Mulsant & Godart, 1855 UKC			#13
welensii Küster, 1846 PT SP FR IT ITI MA SL CR BH SB ME AL GR GRC BU TR RO HU SK ?UK ?UKC			
#400			
= velutinus Brullé, 1832			#8 #289
miles Bonelli, 1812 PT SP FR IT ITI MA SL CR BH SB ME MC AL GR BU TR RO HU AU SK SZ MD			
UKC #249			#309
dux (Faldermann, 1837) MC BU GR UKC			#340
nodulosus Germar, 1817 IT MAi SL CR BH SB ME MC AL GR BU TR RO UKC			#179
ssp. nodulosus Germar, 1817 IT MAi SL CR BH SB ME MC AL GR BU TR RO UKC			
carinatus Küster, 1846 AL CR BH SB ME MC GRC BU MAi			#261 #441
Subgen.: Microcerambyx Miksic et Georgijevic, 1973			#368
= Mesocerambyx Zagaikevich, 1991 [not available]			#77
scopolii Fuesslin, 1775 PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR GRC BU TR RO			
HU AU SZ GE LU BE NL GE ?GB CZ SK PL NR SV ?EO LT ?LV BY MD UK UKC RSN RSC RSS			
#92 #241			
ssp. scopolii Fuesslin, 1775 PT SP FR FRC IT ITA MA SL CR BH SB ME MC AL GR GRC BU TR RO			
HU AU SZ GE LU BE NL GE ?GB CZ SK PL NR SV ?EO LT ?LV BY MD UK UKC RSN RSC RSS			
92# #241			
=? nitidus Pic, 1892 [Anatolia]			#241
ssp. paludivagus (Lucas, 1842) ?SP			#241

ssp. siculus Rapuzzi & Sama, 2010 ITI #241
Derolus Gahan, 1891
mauritanicus Buquet, 1840 ?ES

Purpuricenini #255

Purpuricenus Dejean, 1821 #46 #105
kaehlerii (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
BE GE CZ SK PL BY UK UKC MD RSC RSS
ssp.kaehlerii (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU
SZ BE GE CZ SK PL BY UK UKC MD RSC RSS
schurmanni Slama, 1985 GRC
= creticus K.Bernhauer, 1985
globulicollis Mulsant, 1839 SP FR SZ IT ITI SL CR BH SB GR BU RO HU ?AT CZ SK ?DE RSC RSS
#105 #265 #268 #272
ssp. globulicollis Mulsant, 1839 SP FR SZ IT ITI SL CR BH SB GR BU RO HU ?AT CZ SK ?DE RSC RSS
#105 #265 #268 #272
ssp. skypetarum Rapuzzi & Sama, 2014b AL MC GR #427
budensis (Götz, 1783) SP FR IT SL CR BH SB ME AL MC GR BU RO HU SK UK UKC MD RSC RSS
#251 #286 #370
baeckmanni Danilevsky, 2007 UKC #35
graecus Slama, 1993 GR #35
renyvona Slama, 2001 BU MC CR SB #35 #54
comenius Vartanis & Ambrus, 2015 ΠΚ #428
ferrugineus Fairmaire, 1851 PT SP
dalmatinus Sturm, 1843 IT SL CR BH MC GR BU
desfontainii (Fabricius, 1793) GR GRC ?BU #322
ssp. desfontainii (Fabricius, 1793) GRC
ssp. inhumeralis Pic, 1891 GR ?BU TR #33
Calchaenesthes Kraatz, 1863 #107
oblongomaculata (Guérin-Méneville, 1844) GR BU RO
sexmaculata (Reiche, 1861) SP
Anoplistes Audinet-Serville, 1834 #180
= Asias Semenov, 1914 #180
halodendri (Pallas, 1776) UK RSS KZ #91
ssp. ephippium (Steven et Dalman, 1817) UK RSS KZ
balcanicus Slama, 2010 AL BU ?RO #91
Amarysius Fairmaire, 1888
sanguinipennis (Blessig, 1872) RSC #274

Callichromatini

Aromia Audinet-Serville, 1834
moschata (Linnaeus, 1758) PT SP FR FRC IT AL SL CR BH SB MC GR BU TR RO HU AT SZ BE
NL GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. moschata (Linnaeus, 1758) FR FRC IT AL SL CR BH SB MC BU TR RO HU AU SZ BE NL GE
LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
= thea Reitter, 1894
ssp. ambrosiaca (Steven, 1809) PT SP IT ITI GR TR #446
bungii (Faldermann, 1835) GE #401

Rosaliini

Rosalia Audinet-Serville, 1834
alpina (Linnaeus, 1758) SP FR FRC IT ITI MAi SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE
CZ SK PL BY MD UK UKC RSC RSS #302
ssp. alpina (Linnaeus, 1758) SP FR FRC IT ITI MAi SL CR BH SB ME MC AL GR BU TR RO HU AT SZ
GE CZ SK PL BY MD UK UKC RSC RSS #316

Hylotruperini #77 #279 #331

Hylotrupes Audinet-Serville, 1834
bajulus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA MA AL SL CR BH SB ME MC GR GRC BU TR RO
HU AU SZ BE NL GE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC
RSS #243

Callidiini

Pronocera Motschulsky, 1859
angusta (Kriechbaum, 1844) IT BH RO HU BU AU GE CZ SK PL UK #280

Turanium Baeckmann, 1923
Subgen.: Turanium Baeckmann 1923
scabrum (Kraatz, 1882) RSS #266

Leioderes L. Redtenbacher, 1849 [1848?] #86
kollari L. Redtenbacher, 1849 [1848?] SP FR IT ITI SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ
SK PL NR SV LA LT BY UK ?UKC ?MD RSC RSS #86
ssp. kollari L. Redtenbacher, 1849 [1848?] SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ
SK PL NR SV LA LT BY UK ?UKC ?MD RSC RSS #86 #400
ssp. jakopoi Rapuzzi & Sama, 2010 ITI #86

Semanotus Mulsant, 1839
undatus (Linnaeus, 1758) FR IT SL CR BH SB BU RO HU AU SZ GE CZ SK NR PL SV FI EN LV LT BY
UK RSN RSC ?RSS #408
laurasii (Lucas, 1852) SP FR FRC ITA
ssp. laurasii (Lucas, 1852) SP FR
ssp. corsicus Croissandeau, 1890 FRC ITA
russicus (Fabricius, 1777) IT CR SB AL GR RO HU BU AU SK UK UKC #167 #72
ssp. russicus (Fabricius, 1777) IT CR SB AL GR RO HU BU AU SK UK UKC #400

Ropalopus Mulsant, 1839
Subgen.: Ropalopus Mulsant, 1839
ungaricus (Herbst, 1784) FR IT SL CR BH SB AL BU RO HU AU SZ GE CZ SK PL UK
#22 #265 #400
insubricus (Germar, 1824) SP FR IT SL CR BH SB AL GR BU TR RO MD UK RSC RSS
#272
ssp. insubricus (Germar, 1824) SP FR IT SL CR BH SB AL GR BU TR RO UK #272
ssp. fischeri Krynicki, 1829 MD UK RSC RSS #22
clavipes (Fabricius, 1775) SP FR IT MA SL CR BH SB ME MC AL GR GRC BU TR RO HU AT SZ GE
BE NL GE CZ SK PL LT LA BY UK UKC MD RSN RSC RSS KZ #108
= nigroplanus (DeGeer, 1775)
femoratus (Linnaeus, 1758) SP FR LU IT SL CR BH SB MC GR BU TR RO HU AU SZ GE BE CZ SK PL
SV ?LT LA UK ?RSC #183
= punctatum (Fabricius, 1798) #234
varini (Bedel, 1870) SP FR IT SL CR SB BU GR RO HU AU SZ GE CZ SK PL UK MD
#94
= spinicornis (Abeille de Perrin, 1869)
siculus (Stierlin, 1864) ITI GR #341
macropus (Germar, 1824) SL CR BH SB BU RO HU AU SZ GE CZ SK PL LA LT BY UK UKC MD RSC

RSS #277 #308
 lederi Ganglbauer, 1882 UKC #172 #375

Callidium Fabricius, 1775

Subgen.: Callidium Fabricius, 1775 #197
 violaceum (Linnaeus, 1758) SP FR IT SL CR BH SB AL BU RO HU AU SZ BE NL GE GB IR DE LU CZ
 SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS

Subgen.: Palaeocallidium Plavilstshikov, 1940 #197
 coriaceum Paykull, 1800 FR IT SL BH BU RO HU AU SZ LU CZ SK GE PL NR SV FI EN LA LT BY UK
 RSN RSC RSS #432

= lucidum (Scopoli, 1772) [nomen oblitum] #286

Subgen.: Callidostola Reitter, 1913 #171 #197
 aeneum (DeGeer, 1775) FR IT SL CR BH SB ME AL GR BU RO HU AU SZ BE NL CZ SK GE PL
 NR SV FI EN LT LA BY UK RSN RSC RSS #143

ssp. aeneum (DeGeer, 1775) FR IT SL CR BH SB ME AL GR BU RO HU AU SZ BE NL CZ SK GE PL
 NR SV FI EN LT LA BY UK RSN RSC RSS

Callidiellum Linsley, 1940

rufipenne (Motschulsky, 1861) SP FR IT CR BE RSS #81
 villosulum (Fairmaire, 1900) MA #424

Pyrrhidium Fairmaire, 1864

sanguineum (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME AL GR GRC BU TR RO HU
 AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN ?LV LT BY UK UKC MD RSN RSC RSS
 #140 #143

Phymatodes Mulsant, 1839

Subgen.: Phymatodes Mulsant, 1839
 testaceus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR RO
 HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS
 KZ #427

Subgen.: Melasmetus Reitter, 1913

femoralis Ménériés, 1832 TR
 ssp. demelti Heyrovský, 1962 TR #446

Subgen.: Phymatoderus Reitter, 1913 #171 #197 #368
 = Reitteroderus Sama, 1991 #8

pusillus (Fabricius, 1787) SP FR IT ITA SL CR BH BU RO HU AU SZ BE GE CZ SK PL NO UK UKC
 MD RSN #302

ssp. pusillus (Fabricius, 1787) SP FR IT SL CR BH BU TR RO HU AU SZ BE GE CZ SK PL NR UK MD
 #302

= humeralis Comolli, 1837 #302
 ?ssp. barbipes (Küster, 1847) FR, IT, GR #58
 ssp. rufipenne Stark, 1889 UK UKC RSS
 ssp. inopinatus (Slama, 2010) GR #58
 glabratus (Charpentier, 1825) SP FR IT ITA CR BH SB GR BU HU AU SZ GE CZ SK PL UK UKC
 #40 #164

lividus (Rossi, 1794) SP FR FRC IT ITI ITA CR BH ME GR GRC BU RO BE LU NL GE CZ ?SK ?PL
 UK UKC RSC RSS #15 #272 #286 #333 #370

vandae Danilevsky, 2010 GR #366
 puncticollis Mulsant, 1862 MC BU RO SK UK UKC RSC RSS KZ #454
 abietinus Plavilstshikov et Lurie 1960 RSC RSN #260

Subgen.: Phymatodellus Reitter, 1913 #171 197
 rufipes (Fabricius, 1777) SP FR IT SL CR BH SB MC GR BU RO HU AU SZ GE CZ SK PL UK UKC MD
 RSN #309 #358 #368
 ssp. rufipes (Fabricius, 1777) SP FR IT SL CR BH SB MC BU RO HU AU SZ GE CZ SK PL UK UKC MD
 RSN #358

Subgen.: Paraphymatodes Plavilstshikov, 1934 #197 #368

fasciatus (Villers, 1789) SP FR FRC IT CR BH SB GR BU RO HU AU SZ SK PL UK MD ?LV
#110 #333
= unifasciatus (Rossi, 1790)

Subgen.: Poecilium Fairmaire, 1864 #197 #368

alni (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB GR BU TR RO HU AU SZ LU BE NL DK GE GB
CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ

ssp. alni (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB GR BU TR RO HU AU SZ LU BE NL GE GE
GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #308

ssp. pici Aurivillius, 1912 ?RSS #251
= alnoides Reitter, 1913 #171 251

Lioderina Ganglbauer, 1885

linearis (Hampe, 1870) CR BH MC GR BU HU SK ?AT #272

Anaglyptini #331

Paraclytus Bates, 1884

sexguttatus (Adams, 1817) BU TR #215

Anaglyptus Mulsant, 1839

gibbosus (Fabricius, 1787) SP FR FRC IT ITI SL CR SB SZ #149 #288

mysticus (Linnaeus, 1758) SP FR IT SL CR BH SB MC AL GR BU TR RO HU AU SZ LU BE NL GE GE
GB CZ SK PL NR EN LA LT BY UK UKC MD #276

zappii Rapuzzi & Sama, 2014 IT

arabicus (Küster, 1847) TR

praecellens Holzschuh, 1981 GRC

luteofasciatus Pic, 1905 GR #163
= moreanus Demelt, 1970

Clytini

Plagionotus Mulsant, 1842 #254 #368

arcuatus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB MC AL GR GRC BU TR RO HU AT SZ LU
BE NL GE GE ?GB CZ SK PL NR SV FI ?EO LA LT BY UK UKC MD RSN RSC RSS KZ
#92 #244

ssp. arcuatus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB MC AL GR BU TR RO HU AT SZ LU
BE NL GE GE ?GB CZ SK PL NR SV FI ?EO LA LT BY UK UKC MD RSN RSC RSS KZ
#92 #244 #427

ssp. ghidottii Pesarini & Sabbadini, 2011 GRC #393

detritus (Linnaeus, 1758) PT SP FR FRC IT ITA CR BH SB MC AL GR GRC BU TR RO HU AU SZ BE
NL GE CZ SK PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ #242

ssp. detritus (Linnaeus, 1758) PT SP FR FRC IT CR BH SB MC AL GR GRC BU TR RO HU AU SZ BE
NL GE CZ SK PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ #242 #368

Neoplagionotus Kasatkin, 2005 #254 #324 #368

scalaris (Brullé, 1832) ?ES IT ITI ITA MC GR AL BU #38 #60 #427
= sculus (Laporte et Gory, 1855) #20 #324

bobelayei (Brullé, 1832) MC GR BU TR RO UK UKC RSS #279
= speciosus Adams, 1817 #8

ssp. bobelayei (Brullé, 1832) MC GR BU TR RO UK UKC RSS #445

ssp. huseyini Lazarev, 2016b UK UKC RSS #445

andreui (Fuente, 1910) SP PT #60

= marcae (López-Colón, 1997) [incorrect orig. spelling]

= marcaorum (López-Colón, 1997) #60 #111

= marcorum Vives, 2000: 190 [unjustified emendation]

Echinocerus Mulsant, 1863 #254 #324 #368

= Paraplagionotus Kasatkin, 2005
floralis (Pallas, 1773) SP FR IT SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA LT
UK UKC MD RSN RSC RSS KZ #279

Isotomus Mulsant, 1863
speciosus (Schneider, 1787) ?FR IT ?CH ?DE SL CR BH SB MC AL GR BU RO HU AU CZ SK PL UK
MD ?RSC RSS #98 #379
ssp. speciosus (Schneider, 1787) ?FR IT ?CH ?DE SL CR BH SB MC AL GR BU RO HU AU CZ SK PL
UK MD ?RSC RSS #98 #379
ssp. ganglbaueri (Pic, 1900) CR BH ME ?SL #
barbarae Sama, 1977 IT
comptus (Mannerheim, 1825) UKC RSC
ssp. comptus (Mannerheim, 1825) UKC RSC #379
jarmilae Slama, 1982 GRC

Chlorophorus Chevrolat, 1863 #42
Subgen.: Immaculatus Özdikmen, 2011 #376
glaucus (Fabricius, 1781) PT SP FR FRC ITA #94 #324
= pilosus auct. non Forster, 1771 #324
glabromaculatus (Goeze, 1777) FR IT ITI ITA MA SL CR SZ BE LU GE #94 #272
varius (Müller, 1766) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
GE SV CZ SK PL LT BY UK UKC MD RSC RSS KZ #85
ssp. varius (Müller, 1766) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO HU AU
SZ GE SV CZ SK PL LT BY UK UKC MD RSC RSS KZ #85
elaeagni Plavilstshikov, 1956 RSS KZ
faldermanni (Faldermann, 1837) ?RSS
herbstii (Brahm, 1790) SP FR CR BH SB BU TR RO HU AU SZ GE CZ SK PL SV NR FI EN LA LT BY
UK MD UK ?UKC KZ RSN RSC RSS #16
Subgen.: Humeromaculatus Özdikmen, 2011 #376
figuratus (Scopoli, 1763) PT SP FR IT ITA CR BH SB ME MC AL GR BU TR RO HU AU SZ LU GE CZ
SK PL EN LA LT BY UK UKC MD RSN RSC RSS KZ #90
nivipictus Kraatz, 1779 GR #238
Subgen.: Crassofasciatus Özdikmen, 2011 #376
trifasciatus (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR SB AL GR BU RO HU SZ
#139 #272 #425
hungaricus Seidlitz, 1891 CR BH SB ME MC AL GR BU RO HU AU CZ SK
aegyptiacus (Fabricius, 1775) MC GR GRC BU
= nigripes Brullé, 1832 #8
convexifrons Holzschuh, 1981 GR #238
ruficornis (Olivier, 1790) PT SP FR
Subgen.: Perderomaculatus Özdikmen, 2011 #376
sartor (Müller, 1766) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU
SZ LU GE CZ SK PL ?LV BY UK UKC MD RSC RSS KZ #252 #427
= massiliensis (Linnaeus, 1767) #26
gratiosus (Marseul, 1868) GR #360
ssp. sparsus (Reitter, 1886) GR #360

Rhaphuma Pascoe, 1858
gracilipes (Faldermann, 1835) PL ?RO ?LT BY ?UK RSN RSC #407
Cyrtoclytus Ganglbauer, 1882 #172
capra (Germar, 1824) FR IT BH SB RO AU SZ GE CZ SK PL EN LT LA BY UK MD RSN RSC RSN
KZ #95

Xylotrechus Chevrolat, 1860 #326
Subgen.: Xylotrechus Chevrolat, 1860
arvicola (Olivier, 1795) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
LU BE NL GE CZ SK PL EN LA LT BY UK UKC MD RSC RSS KZ

ssp. arvicola (Olivier, 1795) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU
AU SZ LU BE NL GE CZ SK PL EN LA LT BY UK MD #363

ssp. planarius Danilevsky, 2016a UK UKC RSC RSS KZ #363

antilope (Schönherr, 1817) PT SP FR FRC IT ITI SL CR BH SB AL GR BU TR RO HU AU CH GE CZ
SK PL NR SV LT BY UK UKC MD RSC RSS #242 #286

ssp. antilope (Schönherr, 1817) PT SP FR IT ITI SL CR BH SB AL GR BU TR RO HU AT SZ GE CZ
SK PL NR SV LT BY UK UKC MD RSC RSS

ssp. sekerai Paulian, 1986 FRC #149
= lentoi Paulian, 1986

ibex (Gebler, 1825) GE PL FI BY RSC RSS KZ #265

capricornus (Gebler, 1830) SK CZ PL UK RSC KZ
= capricornis (Chevrolat, 1863)

stebbingi Gahan, 1906 FR IT ITA SL AL GE GR GRC SZ #186 #286 #441

Subgen.: Rusticoelytus Vives, 1977 #155 #324 #326 #385

rusticus (Linnaeus, 1758) PT SP FR LU IT ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE
CZ SK PL EN LA LT BY UK UKC MD RSN RSC RSS KZ #403

pantherinus (Savenius, 1825) FR IT AU RO HU CZ SK GE PL NR SV FI LT BY UK MD RSN RSC RSS
#150 #191 #302

Subgen.: Turanoclytus Sama, 1994 #326

asellus (Thieme, 1881) ?RSS ?KZ #23
= grumi Semenov, 1889 #24

Subgen.: Xyloclytus Reitter, 1912 #155 #171

altaicus (Gebler, 1836) RSC

Pseudosphegthes Reitter, 1913 #171

cinerea (Laporte et Gory, 1836) SP FR GE IT ITI ITA UK
bergeri Slama, 1982 GRC

Clytus Laicharting, 1784

Subgen.: Clytus Laicharting, 1784

tropicus (Panzer, 1795) SP FR FRC CR SB MC GR BU TR RO HU AU SZ GE CZ SK PL BY UK MD
RSC RSS #205

arietis (Linnaeus, 1758) PT SP FR FRC IT SL CR BH SB MC GR BU TR RO HU AU SZ LU BE NL GE
GE GB ?IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS ?KZ #240 #308

= gazella Fabricius, 1793 #219

triangulimacula (Costa, 1847) IT #383

clavicornis Reiche, 1860 ITI

arietoides Reitter, 1899 RSC RSN #240

lama Mulsant, 1847 FR FRC IT SL CR BH SB BU RO HU AU SZ GE CZ SK PL BY UK MD #300

robertae Mineau et Teocchi, 1986 FR #48

rhamni Germar, 1817 PT SP FR FRC IT ITI ITA CR BH SB ME MC AL GR BU TR RO HU AU CH
GE CZ SK BY UK UKC MD RSC RSS KZ #327 #370 #379

ssp. rhamni Germar, 1817 IT CR BH SB MC AL GR

ssp. bellieri Gautier, 1862 PT SP FR FRC IT ITI ITA SZ GE #385

ssp. temesiensis Germar, 1824 BU TR RO HU AU GE CZ SK BY UK UKC MD RSC RSS KZ
#370 #385

Neoclytus Thomson, 1860

acuminatus (Fabricius, 1775) FR IT GE GB SZ SL SB HU CR SK #189

LAMIINAE

Mesosini

Mesosa Latreille, 1829**Subgen.: Mesosa Latreille, 1829**

curculionoides (Linnaeus, 1761) PT SP FR FRC IT ITI ITA SL CR BH SB MC AL GR BU TR RO HU
 AU SZ GE CZ SK PL NR SV LT ?LV BY UK UKC MD RSC RSS KZ #372

Subgen.: Aplocnemia Stephens, 1831

= Aphelocnemia Stephens, 1832

nebulosa (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU TR RO HU AU SZ LU
 BE NL GE GE GB CZ SK PL NR SV BY UK UKC MD RSC RSS

ssp. nebulosa (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU TR RO HU AU
 SZ LU BE NL GE GE GB CZ SK PL NR SV BY UK UKC MD RSC RSS

myops (Dalman, 1817) SV PL FI LT LA BY UK RSN RSC RSS KZ #362

Parmenini**Parmena Dejean, 1821**

balteus (Linnaeus, 1767) FR IT SZ BE #105

mergallii Sama, 1985 SP FR #149 #179

unifasciata (Rossi, 1790) FR IT SZ SL CR BH SB ME MC AI RO GR MD UK #201 #309

europaea Danilevsky, 2017 RO ?MD UK #334 #427

pontocircassica Danilevsky et Miroshnikov, 1985 UKC #447

istanbulensis Danilevsky & Hizal, 2017 TR #334

subpubescens Hellrigl, 1971 IT ITI ITA #447

bicincta (Küster, 1849) CR BH ME AL #286 #400

pilosa Brullé, 1832 SP FR IT ITI MA ?ME CR BH SB ME AL GR ?UK #146

ssp. inclusa Mulsant, 1862 FR IT ?ITI ?MA #146 #400

ssp. pilosa Brullé, 1832 ?ME CR BH SB AL GR ?UK #146

pubescens (Dalman, 1817) SP ITI ITA #146

= algerica (Laporte, 1840)

cruciata Pic, 1912 SP #146

novaki Sama, 1997 GR

slamai Sama, 1986 GRC

balearica Vives, 1998 SP

ssp. balearica Vives, 1998 SP

ssp. minoricensis Vives, 1998 SP #129

solieri Mulsant, 1839 SP FR FRC IT ITA

ssp. solieri Mulsant, 1839 FR IT ITA

ssp. lanzai Sama, 1985 FRC IT

ssp. breuningi Vives, 1979 SP

Monochamini**Anoplophora Hope, 1839**

glabripennis (Motschulsky, 1853) FR GB GE NL AU CZ IT SK TR #231 #454

chinensis (Forster, 1771) FR IT BE CR #231

Monochamus Dejean, 1821

saluarius (Gebler, 1830) IT SL BH RO HU AU CZ SK GE PL BY LA LT UK RSN RSC #277

impluviatus Motschulsky, 1859 RSN RSC

galloprovincialis (Olivier, 1795) PT SP FR FRC IT ITI SL CR BH SB MC AL GR BU RO HU AU SZ

NL GE CZ SK PL SV FI EN LA LT BY MD UK UKC RSN RSC RSS #286

ssp. galloprovincialis (Olivier, 1795) PT SP FR ITI #187 #325 #385

ssp. *pistor* (Germar, 1818) FRC IT SL CR BH SB MC AL GR BU RO HU AU SZ NL GE CZ SK PL
SV FI EN LA LT BY UK MD RSC RSS #324 #385
= *lignator* Krynicky, 1832 [Odessa]
ssp. *cinerascens* Motschulsky, 1860 RSN #325 #385
= *sibiricus* Pic, 1908

sutor (Linnaeus, 1758) PTi SP FR IT SL BH SB ME ?AL BU RO HU AU SZ GE NL CZ SK PL GE BE NR
SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS #309 #325 #400
= *rosenmuelleri* Cederhjelm, 1798 #210
ssp. *sutor* (Linnaeus, 1758) SP FR IT SL BH SB ME ?AL BU RO HU AU SZ GE NL CZ SK PL DK NR SV
FI EN LT LA BY MD UK ?UKC RSC RSS #325
ssp. *longulus* Pic, 1898 RSN #325
sartor (Fabricius, 1787) FR IT SL CR BH SB ?AL BU RO HU AU SZ GE BE NL CZ SK PL LT BY UK
#92 #400
= *fleischeri* Heyrovsky, 1966 [unavailable]

urussovii (Fischer-Waldheim, 1805) NR SV FI EN LA BY UK RSN RSC ?RSS #210
= *rosenmuelleri* auct., nec Cederhjelm, 1798 #210

Psacotha Gahan, 1888

hilaris (Pascoe, 1857) IT #287

Lamiini #324

Herophila Mulsant, 1863 #8
= *Dorcatypus* Thomson, 1864

tristis (Linnaeus, 1767) FR FRC IT ITI ITA SZ AU SL CR BH SB MC AL GR GRC BU TR RO HU
ssp. *tristis* (Linnaeus, 1767) FR FRC IT ITI ITA SZ AU SL CR BH SB MC AL GR GRC BU TR RO HU
= *veluchianum* Breuning, 1943 #347
= *zajecarense* Breuning, 1948 #347
ssp. *martinascoi* (Contarini et Garagnani, 1983) IT
fairmairei (Thomson, 1857) GR
beieri Breuning, 1942 GR

Morimus Brullé, 1832 #8 #170
= *Morinus* Brullé, 1832 (misprint) #8

asper (Sulzer, 1776) SP FR FRC IT ITI ITA SL CR BH SB ME MC AL SZ RO AU ?DE CZ SK UK MD
#36
ssp. *asper* (Sulzer, 1776) SP FR FRC IT ITI ITA AL SZ GR
ssp. *graecus* Danilevsky, 2016 GR #36
ssp. *funereus* (Mulsant, 1863) IT MAi SL CR BH SB ME MC AL GR BU RO HU ?CH AU CZ SK UK MD
#36 #370
ganglbaueri (Reitter, 1894) IT CR BH SB ME ?MC AL GR #36 #94
gabzdili Danilevsky, 2015 SK ?UK #36
orientalis Reitter, 1894 BU TR #36
verecundus (Faldermann, 1836) UKC BU
ssp. *verecundus* (Faldermann, 1836) UKC
ssp. *bulgaricus* Danilevsky, 2016 BU #36

Lamia Fabricius, 1775

textor (Linnaeus, 1758) SP FR IT ?ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL
GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ

Dorcadionini #225 #324

Dorcadion Dalman in Schönher, 1817 #202 #225
Subgen.: Carinatodorcadion Breuning, 1943 #118 #202 #225 #279

= *Dorcadodium* Gistel, 1856
carinatum (Pallas, 1771) ?MD UK UKC RSC RSS KZ #309
 ssp. *carinatum* (Pallas, 1771) MD UK UKC RSC RSS KZ
 ssp. *igrenum* Danilevsky 1998 UK
fulvum (Scopoli, 1763) SL CR BH SB MC BU TR RO ?DE AU HU CZ SK PL MD UK UKC
 #207
 ssp. *fulvum* (Scopoli, 1763) SL HU CZ SK ?DE AU UK
 ssp. *erythropterum* Fischer-Waldheim, 1823 CR BH SB MC BU TR RO PL MD UK UKC
 = *canaliculatum* Fischer-Waldheim, 1824 #354
 = *erythropterum* Fischer-Waldheim, 1824 [wrong spelling]
 ssp. *cervae* Frivaldsky, 1892 HU SK
hybridum Ganglbauer, 1883 GR TR #172
 ssp. *hybridum* Ganglbauer, 1883 GR TR
 ssp. *hedvigae* Jurecek, 1923 GR #365
ingae Peks, 1993 TR ?GR #245
aethiops (Scopoli, 1763) ?IT SL CR SB MC AL GR BU RO SZ GE AU HU CZ SK UK MD
 #207
 ssp. *aethiops* (Scopoli, 1763) ?IT SL CR SB MC AL GR BU RO SZ GE AU HU CZ SK UK MD
 #207
 ssp. *strumense* Danilevsky, 2014b BU GR #417
 ssp. *asenovi* Danilevsky, 2014b BU #417
 ssp. *majoripenne* Pic, 1926 GR #293
 ssp. *propinquum* Breuning, 1962 GR #293 #417
laevipunctatum Breuning, 1944 MC AL ?GR #245
balthasari Heyrovsky, 1962 AL ?GR #245
maderi Breit, 1923 AL ?GR #245
sterbai Breuning, 1944 AL ?GR #245
Subgen.: *Cribridorcadion* Pic 1901 #51 #202 #225
 = *Pedestredorcadion* Breuning, 1943 #279
 = *Autodorcadion* Plavilstshikov, 1958
 = *Bergerianum* Pesarini et Sabbadini, 2004 #250
 = *Megalodorcadion* Pesarini et Sabbadini, 1999 #250
lugubre Kraatz, 1873 MC BU GR #329
 ssp. *lugubre* Kraatz, 1873 [Saloniki] MC GR #329
 = *pseudolugubre* Breuning, 1943 E: GR [“Karatschköi” = Asvestohori 40°38'27"N, 23°1'27"E – near
 Saloniki] #329 #365
 = *discosulcatum* Pic, 1926
 = *salonicum* Pic, 1916
 = *sparsepilosum* Pic, 1926 [“Salonique”]
 ssp. *thessalicum* Pic, 1916 E: GR [“Thessalie” - Pella (Notia - 41°6'6"N, 22°12'30"E) e Kilkis (Fanos
 41°4'46"N, 22°28'39"E) #188 #293 #365 #329
 ssp. *minkovae* Heyrovsky, 1962 BU [Kresna] #245 #329
 ssp. *meteorum* Breuning, 1969 #188 #293
 ssp. *pelionense* Breit, 1923 GR [Mt. Pelion - 39°26'N, 23°03'E] #293
 ssp. *parinfernale* Breuning, 1975 GR [Kavala] #188
 = *giachinoi* Pesarini et Sabbadini, 2007 [Oros Kavala] #188 #293 #329
valonense Pic, 1917 AL ?GR #245
pilosellum Kraatz, 1873 GR
 ssp. *pilosellum* Kraatz, 1873 GR
 ssp. *obscurimembre* Breuning, 1946 GR
etruscum (Rossi, 1790) IT ITI
 ssp. *etruscum* (Rossi, 1790) IT ITI #293
 = *femoratum* Brullé, 1832

= italicum Küster, 1847	
= nudum Küster, 1852	
= fuscifrons Chevrolat, 1882	
= apulum Depoli, 1926	
= calabricum Breuning, 1942	
spp. fiorii Breuning, 1942 IT	
epirensis Breuning, 1942 GR	#293
tassii Breuning, 1964 GR	#293
pindicum Breuning, 1966 GR	#293
bravardi Pic, 1916 MC GR AL	#293 #365
albosuturale Breuning, 1946 AL MC GR	#358 #365 #368
ariannae Pesarini et Sabbadini, 2008	#313
lineatocolle Kraatz, 1873 SB MC AL GR BU	#365 #425 #441
pseudolineatocolle Breuning, 1962 GR	#365
sturmi Frivaldsky, 1837 MC BU ?GR	#245
pedestre (Poda, 1761) CR BH SB MC AL BU TR RO HU AU CZ SK PL UK UKC MD	
#167	#435
ssp. pedestre (Poda, 1761) CR BH SB MC AL BU TR RO HU AU CZ SK UK UKC MD	
#370	#435
ssp. kaszabi Breuning, 1956 HU	#197
johannisfranci Pesarini et Sabbadini, 2007 GR TR	#293
kozanii Breuning, 1962 GR	
ssp. kozanii Breuning, 1962 GR	
ssp. daccordii Pesarini et Sabbadini, 2007 GR	#293
olympicum Kraatz, 1873 TR ?BU ?GR	
= obsoletum Kraatz, 1873	#138
sapkaianum Krätschmer, 1987 GR	#365
gallipolitanum Thomson, 1867 GR TR	
ssp. gallipolitanum Thomson, 1867 GR TR	
ssp. gandolphei Tournier, 1872 GR TR	
ssp. samothraceanum Breuning, 1962 GR	
ssp. atritarse Pic, 1931 GR TR	#248
ssp. fumidum Pesarini & Sabbadini, 2010 GR	#365
breuningii Heyrovsky, 1943 GR TR	#365
regulare Pic, 1931 GR BU TR	#220 #301
ssp. regulare Pic, 1931 GR BU TR	
ssp. dramaticum Pesarini & Sabbadini, 2010 GR	#365
purkynei Heyrovsky, 1925 MC GR	#247
meschniggi Breit, 1928 GR	
= olympianum Meschnigg, 1947	#293
heyrovskyi Breuning, 1943 MC GR	#247
borisi Heyrovsky, 1931 MC BU GR	#247
anachoreta Pesarini & Sabbadini, 2013 GR	#443
ljubetense Pic, 1909 SB MC AL GR	
ssp. ljubetense Pic, 1909 SB MC AL	
ssp. peristeriense Breuning, 1962 GR	
obenbergeri Heyrovsky, 1940 GR	
kaimakalanum Jurecek, 1929 MC GR ?SB	#247
macedonicum Jurecek, 1929 MC ?GR	#245
glabriscapus Breuning, 1943 AL ?GR	#245
tuleskovi Heyrovsky, 1937 GR	#313
= frigidum Meschnigg, 1947	
= olympicola Heyrovsky, 1941	#313

ferruginipes Ménétriés, 1836 TR GR	#245
axillare Küster, 1847 BU RO	#395
moldavicum Dascalu & Fusu, 2012 RO	#395
arenarioides Rabaron, 1979 GR	
arenarium (Scopoli, 1763) FR IT SL CR BH ME AL RO ?HU	#223 #370
ssp. arenarium (Scopoli, 1763) SL CR RO ?HU SK	#454
ssp. abruptum Germar, 1839 AL BH CR	#441
ssp. marsicanum Fracassi, 1905 FR IT	
= subcarinatum Müller, 1905	
ssp. muelleri Depoli, 1912 CR	
ssp. lemniscatum Küster, 1847 CR	
= mostarense Pic, 1942	#296
ssp. velebeticum Müller, 1905 CR	
ssp. dalmatinum Müller, 1905 CR	
ssp. brattiense Müller, 1905 CR	
ssp. rubrimembre Pic, 1917 CR BH ME AL	
ssp. shkypetarum Heyrovsky, 1937 AL	#441
ssp. hypsophilum Müller, 1905 AL CR BH ME	#441
sericatum Sahlberg, 1923 UKC	
mediterraneum Breuning, 1942 IT	
tauricum Waltl, 1838 SB GR BU TR RO MD UK UKC	#305
ssp. tauricum Waltl, 1838 SB BU TR RO MD UK UKC	
ssp. pittinoi Pesarini & Sabbadini, 2010 GR	#365
decipiens Germar, 1824 SB RO HU ?BU SK UK MD	
murrayi Küster, 1847 SB HU RO	
pilosipenne Breuning, 1943 GR	
cinerarium (Fabricius, 1787) MD UK UKC RSS	#300 #302
ssp. zubovi Lazarev, 2011 MD	#380
ssp. demidovi Danilevsky, 2013c UK	#380
ssp. gorodinskii Danilevsky, 1966 UK MD	#380
ssp. cinerarium (Fabricius, 1787) UK RSS	
ssp. macropoides Plavilstshikov, 1932 UK	#380
ssp. skrylniki Lazarev, 2011 UK	#380
ssp. azovense Lazarev, 2011 UK	#380
ssp. perroudi Pic, 1942 UKC	#380
ssp. bartenevi Lazarev, 2011 UKC	#380
ssp. panticapaeum Plavilstshikov, 1951 UKC	#315
sareptanum Kraatz, 1873 RSS KZ	
ssp. sareptanum Kraatz, 1873 RSS KZ	#227
ssp. euxinum Suvorov, 1915 RSS	#225 #227
holosericeum Krynicki, 1832 RO ?HU ?SK PL BY MD UK UKC RSC RSS KZ	
ssp. holosericeum Krynicki, 1832 RO ?HU ?SK PL BY MD UK UKC RSC RSS KZ	
equestre (Laxmann, 1770) SB MC AL GR BU TR HU RO UK UKC MD RSC RSS	#370
ssp. equestre (Laxmann, 1770) UK UKC RSC RSS	
ssp. transsilvanicum Ganglbauer, 1883 RO MD	#172
ssp. reclinatum Kraatz, 1892 SB AL MC GR BU TR	
ssp. bisuturale Jureček, 1933 GR BU	#391
funestum Ganglbauer, 1883 GR	#172
chrysochroum Breuning, 1943 GR	#250
ossae Heyrovsky, 1941 GR	
taygetanum Pic, 1902 GR	
stephaniae Pesarini & Sabbadini, 2004 GR	
granigerum Ganglbauer, 1883 GR	#172

intrusum Pesarini & Sabbadini, 2009 TR	#389
divisum Germar, 1839 GR TR	#299
[?ssp. thebesianum Pic, 1942 GR(Thebes)]	
ssp. bleusei Pic, 1899 GR	
= rhodicum Della Buffa, 1924	
ssp. dissimile Ganglbauer, 1884 TR	
ssp. chioticum Breuning, 1946 GR	
ssp. mytilinense Kraatz, 1873 GR	
gashtarovi Sama, Dascalu & Pesarini, 2010 BU RO	#299 #364
subinterruptum Pic, 1900 TR	#364
moreanum Pic, 1907 GR	#250 #293
eugeniae Ganglbauer, 1885 GR	
ssp. eugeniae Ganglbauer, 1885 GR	#250
= arcadicum Breuning, 1946	#250
ssp. emgei Ganglbauer, 1885 GR	#250
taborskyi Heyrovsky, 1941 GR	#293
lianokladii Breuning, 1962 GR	#293
wewalkai Breuning, 1974 GR	#293
joanninae Breuning, 1967 GR	#293
margheritae Breuning, 1964 GR ?TR	#293
vincenzae Pesarini et Sabbadini, 2007 GR	#293
crassicolle Pesarini et Sabbadini, 2007 GR	#293
peloponesium Pic, 1902 GR	#250
= subjunctum Pic, 1904	#250
= weiratheri Pic, 1929#250	
zanteum Breuning et Villiers, 1967 GR	
insulare Kraatz, 1983 GR	
condensatum Küster, 1852 BU TR ?GR	#245
punctipenne Küster, 1852 GR ?TR	#247
veluchense Pic, 1903 GR	
ssp. veluchense Pic, 1903 GR	
ssp. australe Pesarini & Sabbadini, 2013	#443
ssp. maliacum Pesarini & Sabbadini, 2013	#443
ssp. albanicum Heyrovsky, 1934 AL ?GR	#245 #443
atticum Kraatz, 1873 GR	#293
minutum Kraatz, 1873 GR	#66
ssp. minutum Kraatz, 1873 GR	#293
ssp. mimarenarium Breuning, 1974 GR	#66 #293
ssp. rugicolle Breuning, 1962 GR	#293
= amphissae Breuning, 1974	#66
lamiae Breuning, 1962 GR	#293
brenskai Ganglbauer, 1883 GR	#250
= aeginasum Pic, 1942	#66
= nemeense Breuning, 1974	#66
pararenarium Breuning, 1969 GR	#66 #293
xerophilum Pesarini et Sabbadini, 2007 GR	#293
kykladicum Breuning, 1944 GR	
corcyricum Ganglbauer, 1883 GR	#172
peloponnesicum Breuning, 1982 GR	
parnassi Kraatz, 1873 GR	
= oertzeni Ganglbauer, 1883	#172
krueperi Ganglbauer, 1883 MC AL GR	#172
oetalicum Pic, 1902 GR #293	

heldreichi Kraatz, 1873 GR			
pusillum Küster, 1847 RO UK UKC MD RSS			
ssp. pusillum Küster, 1847 ?RO UK UKC MD			
ssp. tanaiticum Kasatkin, 2002 RSS			#185
ssp. berladense Pic. 1903 RO			
scopolii (Herbst, 1784) ?AU HU ?CZ SK CR SB GR BU RO PL UK MD			
elegans Kraatz, 1873 UK RSC RSS KZ	#17	#185	#265
= viturati Pic, 1903 #293			
litigiosum Ganglbauer, 1883 RO ?BU UK MD			#159 #172
ssp. litigiosum Ganglbauer, 1883 RO ?BU ?MD			
ssp. otshakovi Suvorov, 1913 UK ?MD			#159
ciscaasicum Jakovlev, 1899 RSS UKC	#175	#303	#330
ssp. mokrzejckii Jakovlev, 1902 UKC			#330
septemlineatum Waltl, 1838 GR BU TR			#296
buresi Sterba, 1922 GR #246			
Subgen.: Maculatodorcadion Breuning, 1942			#193 #225
quadrimaculatum Küster, 1848 GR TR			
ssp. quadrimaculatum Küster, 1848 GR TR			
ssp. nodicorne Tournier, 1872 GR TR			
Subgen.: Dorcadion Dalman, 1817			#225
= Compsodorcadion Ganglb. 1883			
glicyrrhizae (Pallas, 1773) RSC RSS KZ			#153
ssp. glicyrrhizae (Pallas, 1773) ?RSS KZ			
ssp. inderiense Suvorov, 1911 KZ			
ssp. nemkovi Danilevsky, 2006 RSC KZ			
ssp. striatum (Goeze, 1777) RSC RSS KZ			#153 #265
= rufifrons Motschulsky, 1860			
Iberodorcadion Breuning, 1943	#195	#202	#225
Subgen.: Iberodorcadion Breuning, 1943			
fuliginator (Linnaeus, 1758) SP FR ?IT AU GE SZ BE NL PL LA			
ssp. fuliginator (Linnaeus, 1758) FR GE AU SZ BE NL LA			#370
ssp. monticola (Mulsant, 1853) FR			
ssp. urgulli Breuning, 1976 SP			#73
ssp. meridionale (Mulsant, 1839) FR ?IT			#73
ssp. navarricum (Mulsant, 1853) SP FR			#119
ssp. loarrense Berger, 1997 SP FR			#120
ssp. pyrenaicum (Germar, 1839) SP FR			
ssp. andianum (Pic, 1917) SP			
ssp. obesum (Gautier, 1870) FR			
ssp. striola (Mulsant, 1863) FR			#73
spinolae (Dalman, 1817) SP			
ssp. spinolae (Dalman, 1817) SP			
= basigranosum (Breuning, 1943)			#148
ssp. caunense (Lauffer, 1910) SP			
ssp. soricinum (Chevrolat, 1862) SP			#148
= vallisoletanum (Lauffer, 1901)			
seoanei (Graells, 1858) PT SP			
ssp. seoanei (Graells, 1858) SP			
ssp. kricheldorffi (Pic, 1910) PT SP			
= lainzgalloi Rodrigues, 1996			#121
ssp. laurae Bahillo, 1994 SP			
castilianum (Chevrolat, 1862) SP			
brannani (Schaufuss, 1870) PT ?ES			

Subgen.: Baeticodorcadion Vives, 1976	#195 #202
amorii (Marseuil, 1856) SP	
ssp. amorii (Marseuil, 1856) SP	
ssp. segurense (Escalera, 1911) SP	
isernii (Pérez-Arcas, 1868) SP	
= ceballosi (Breuning, 1948)	#122 #148
suturale (Chevrolat, 1862) SP	
marmottani (Escalera, 1900) SP	
= robustioripenne (Pic, 1941)	
lorquini (Fairmaire, 1855) SP	
ssp. lorquini (Fairmaire, 1855) SP	
ssp. cobosi (Vives, 1979) SP	
mus (Rosenhauer, 1856) SP	#148
ssp. mus (Rosenhauer, 1856) SP	
= andalusiacum (Breuning, 1962) SP	#148
ssp. grisescens (Escalera, 1900) SP	#148
chiqui Verdugo, 2014 #439	
parmeniforme (Escalera, 1902) SP	#439
mucidum (Dalman, 1817) SP PT	#124
ssp. mucidum (Dalman, 1817) SP	
ssp. annulicorne (Chevrolat, 1862) SP	#196
ssp. rondensis Verdugo, 2003 SP	
ssp. nigrosparsum (Pic, 1941) SP	#124
ssp. coelloi Verdugo, 1996 SP	#123
lusitanicum (Chevrolat, 1840) PT	#124
ssp. lusitanicum (Chevrolat, 1840) PT	#124
ssp. evorense (Breuning, 1943) SP PT	
ssp. mimomucidum (Breuning, 1976) PT	#69
Subgen.: Hispanodorcadion Vives, 1976	#195 #202
albicans (Chevrolat, 1862) SP	
ssp. albicans (Chevrolat, 1862) SP	
= palentinum (Escalera, 1911) SP	#404
= palentinum (Lauffer, 1911) SP	#404
ssp. demandense (Lauffer, 1902) SP	#404
ssp. marinae Tomé et Bahillo, 1996 SP	#128
ssp. vanhoegaerdeni (Breuning, 1956) SP	#71
aries Tomé et Berger, 1999 SP	
heydeni (Kraatz, 1870) SP	
graellsii (Graells, 1858) SP	
ssp. graellsii (Graells, 1858) SP	
ssp. longipenne (Chevrolat, 1862) SP	
ssp. cinereum (Escalera, 1901) SP	
ssp. incallosum (Escalera, 1908) SP	
nudipenne (Escalera, 1908) SP	#145
ssp. nudipenne (Escalera, 1908) SP	#421
ssp. schrammianum Plavilstshikov, 1932[RN] SP	#421
= perchini del Saz Fucho, 2012	#145 #
perezi (Graells, 1849) SP	
ssp. perezi (Graells, 1849) SP	
ssp. hispanicum (Mulsant, 1851) SP	#145
ssp. ghiliani (Chevrolat, 1862) SP	#145
ssp. cercedillanum (Pic, 1900) SP	
ssp. ortunoi Hernandez, 1991 SP	#128

abulense (Lauffer, 1902) SP	
ssp. abulense (Lauffer, 1902) SP	
= puncticolle (Breuning, 1944)	#148
ssp. granulipenne (Escalera, 1908) SP	
segovianum (Chevrolat, 1862) SP	
ssp. segovianum (Chevrolat, 1862) SP	
ssp. dejeanii (Chevrolat, 1862) SP	
fuentei (Pic, 1899) SP	
zenete Anichtchenko et Verdugo, 2004 SP	
martinezii (Pérez-Arcas, 1874) SP	
= espanoli Breuning, 1956	#257
bolivari (Lauffer, 1898) SP	
ssp. bolivari (Lauffer, 1898) SP	
ssp. danielae Saz Fucho, 2013 SP	#
seguntianum (K. Daniel, 1899) SP	#127
ssp. seguntianum (K. Daniel, 1899) SP	#127
= ruspolii (Breuning, 1974)	#125
ssp. belbezei (Escalera, 1914) SP	#421
= bilbilitanum (Escalera, 1914)	#421
= ribotense Corraleño Iñarra A., Murria Beltrán Á. & del Saz Fucho, 2013	
#418	#421
ssp. intermedium (Escalera, 1902)	#127
aguadoi Aguado et Tomé, 2000 SP	
becerrae (Lauffer, 1901) SP	#126
korbi (Ganglbauer, 1883) SP	#172
molitor (Fabricius, 1775) SP FR	
ssp. molitor (Fabricius, 1775) SP FR	
ssp. navasi (Escalera, 1900) SP	
circumcinctum (Chevrolat, 1862) SP	
ssp. circumcinctum (Chevrolat, 1862) SP	
= ariasi (Chevrolat, 1862)	#378
ssp. tenuecinctum (Pic, 1898) SP	#378
= rufobasicorne (Pic, 1941)	
grustani Gonzalez, 1992 SP	
mosqueruelense (Escalera, 1902) SP	#145
pseudomolitor (Escalera, 1902) SP	#109
terolense (Escalera, 1902) SP	
ssp. terolense (Escalera, 1902) SP	
ssp. albarium (Escalera, 1902) SP	#421
ssp. turdetanum (Lauffer, 1911) SP	#421
paulae Iñarra & Beltrán, 2012 SP	
zarcoi (Schramm, 1910) SP	
abantense Saz Fucho, Corraleno Inarra & Murria Beltran, 2016 SP	#449
uhagonii (Pérez-Arcas, 1868) SP	
= cuencaense (Pic, 1941)	
= multidisjunctum (Pic, 1941)	
ssp. uhagonii (Pérez-Arcas, 1868) SP	
ssp. pradae Saz Fucho, 2007 SP	
neilense (Escalera, 1902) SP	
ssp. neilense (Escalera, 1902) SP	
ssp. almarzense (Escalera, 1902) SP	#404
ferdinandi (Escalera, 1900) SP	#194
Neodorcadion Ganglbauer, 1883	#172 #202 #225

virleti (Brullé, 1832) GR ?BU	#319
fallax (Kraatz, 1873) ?MC GR	
bilineatum (Germar, 1824) CR BH SB MC AL GR BU TR HU RO UK MD	
calabricum (Reitter, 1889) IT	
exornatum (Frivaldsky, 1835) BU GR TR RO	
= balcanicum Tournier, 1872	
laqueatum (Waltl, 1838) ?GR ?BU TR	#245
pelleti (Mulsant et Rey, 1863) ?SS GR TR	
Politodorcadion Danilevsky, 1996	#225 #226
politum (Dalman, 1823) ?RSC	#181 #265
ssp. shapovalovi Danilevsky, 2006 ?RSC	
Eodorcadion Breuning, 1947	#338
Subgen. Eodorcadion Breuning, 1947	
carinatum (Fabricius, 1781) RSC	#338
ssp. carinatum (Fabricius, 1781) RSC	
Pteropliini	
Niphona Mulsant, 1839	
= Nyphona Dejean, 1835	#8
picticornis Mulsant, 1839 SP FR FRC IT ITA ITI MA CR BH ME AL GR GRC BU	
Pterolophia Newman, 1842	
Subgen.: Albana Mulsant, 1846	
m-griseum (Mulsant, 1846) SP FR	
Pogonocherini #324	
Pogonocherus Dejean, 1821	
= Eupogonocherus Linsley, 1935	
Subgen.: Pogonocherus Dejean, 1821	#197
sturanii Sama et Schurmann, 1982 SP	
plasoni Ganglbauer, 1883 CR GR	#172
creticus Kratochvil, 1985 GRC	
anatolicus (K. Daniel & J. Daniel, 1898) GR	
hispidulus (Piller et Mitterpacher, 1783) PT SP FR FRC IT ITI SL CR BH MC AL GR	BU RO HU AU
SZ LU BE NL GE GE GB IR CZ SK PL NR SV EN LA LT BY UK ?UKC MD RSN	RSC RSS
#201 #308 #400	
hispidus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU RO HU AU CH LU BE	
NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS	
ovatoides Rapuzzi & Sama, 2014 IT	
pepa Verdugo & Torres-Méndez, 2010 SP	#355
sieversi Ganglbauer, 1886 ?UKC	#162
= caucasicus Ganglbauer, 1891	
= kuksha Plavilstshikov, 1924	
perroudi Mulsant, 1839 SP FR FRC IT ITI ITA SL CR AL GR GRC BU UKC	#40 #286
ssp. perroudi Mulsant, 1839 SP FR FRC IT ITI ITA SL CR AL GR BU UKC	#40 #400
ssp. brevipilosus Holzschuh, 1993 GRC	
caroli Mulsant, 1863 SP FR SV	#134
neuhausi Müller, 1916 IT CR BH GR	
= icosiensis Peyerimhoff, 1917	
marcoi Sama, 1993 IT	
eugeniae Ganglbauer, 1891 IT AU CZ BH AL GR RO	#19 #400
ssp. eugeniae Ganglbauer, 1891 IT AU CZ BH AL GR RO	

ssp. taygetanus Pic, 1903 GR #19
Subgen.: Pityphilus Mulsant, 1863 #132 #197
fasciculatus (DeGeer, 1775) SP FR FRC IT ITI SL CR BH SB ME MC AL GR GRC BU RO HU AT SZ LU
BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
#285 #400
ssp. fasciculatus (DeGeer, 1775) SP FR FRC IT ITI SL CR BH SB ME MC AL GR GRC BU RO HU AU
SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
decoratus (Fairmaire, 1875) SP FR IT SL CR BH SB AL GR BU TR HU AU SZ BE NL GE GE CZ SK PL
NR SV FI EN LA LT BY UK RSN RSC RSS #62 #334 #400 #446
ovatus (Goeze, 1777) SP FR IT SL CR BH AL RO HU AU SZ GE BE LU CZ SK PL ?LV ?LT ?BY ?UK
?UKC ?RSC #18#92#334 #400
= ovalis (Gmelin, 1790) #133
zubovi Danilevsky, 2015b UKC #62

Apodasyini #135

Deroplia Dejean, 1835 #8 #105
= Stenidea Mulsant, 1842
troberti (Mulsant, 1843) SP FR FRC IT ITA ITI MA CR BH GR GRC
ssp. troberti (Mulsant, 1843) SP FR FRC IT ITA ITI MA CR BH GR
ssp. cruciata Sama, 1996 GRC
geni (Aragona, 1830) SP FR FRC IT ITI SL CR BH SB ME AL GR BU RO HU ?DE CZ SK AU CH UK
UKC #105 #285
ssp. geni (Aragona, 1830) SP FR FRC IT ITI SL CR BH SB ME AL GR BU RO HU ?DE CZ SK AU SZ
UK UKC

Anaesthetis Dejean, 1835 #105
testacea (Fabricius, 1781) SP FR IT ITI ITA SL CR BH SB AL BU TR RO HU AU SZ LU BE NL GE CZ
SK PL SV BY LA LT ES UK UKC MD RSC RSS KZ

Acanthocinini

Leiopus Audinet-Serville, 1835
Subgen.: Leiopus Audinet-Serville, 1835 #396
femoratus Fairmaire, 1859 FR BE NL GE LU IT ITI ITA SB ME HU RO BU TR UK UKC RSS
#161 #379
= pachymerus Ganglbauer, 1883 #172
settei Sama, 1985 IT
nebulosus (Linnaeus, 1758) ?PT ?ES FR ?FRC IT ITI ITA ?ME ?CR ?BH ?SS ?AL ?GR GRC ?BU ?TR
?RO ?HU ?AT ?CH ?LU BE ?NL GE GE GB IR ?CZ ?SK ?PL NR SV FI ?EO ?LV ?LT UK ?UKC ?MD
LA EN RSC[Kaliningrad] #323
ssp. nebulosus (Linnaeus, 1758)?PT ?ES FR ?FRC IT ITI ITA ?ME ?CR ?BH ?SS ?AL ?GR ?BU ?TR ?RO
?HU AT ?CH ?LU BE ?NL GE GE GB IR ?CZ ?SK ?PL NR SV FI UK ?UKC ?MD LA EN
RSC[Kaliningrad] #323
ssp. insulanus Slama, 1985 GRC #397
linnei Wallin, Nylander & Kvamme, 2009 ?PT ?SP FR ?FRC ?IT ?ITI ?ME CR ?BH ?SS MC AL ?GR BU
?TR RO ?HU AU ?CH ?LU BE ?NL SZ GE GE GB ?IR CZ SK PL NR SV ?FI EN LA LT BY UK ?UKC
MD RSN RSC RSS KZ #323 #308 #425 #427
punctulatus (Paykull, 1800) ?FR SZ AU GE HU CZ SK PL SV EN LT LA BY UK RSN RSC
#265 #307

Acanthocinus Dejean, 1821
Subgen.: Acanthocinus Dejean, 1821 #396
xanthoneurus Mulsant et Rey, 1852 IT ITI
henschi Reitter, 1900 IT ITI AU BH MC AL GR BU #201 #400

ssp. henschii Reitter, 1900 IT AU BH MC GR BU
 ssp. aetnensis Rapuzzi & Sama, 2010 ITI #201
 meyeri Vitali, 2011 PT
 hispanicus Sama et Schurmann, 1979 SP
 reticulatus (Razoumowsky, 1789) SP FR IT SL CR BH SB AL GR BU RO AU SZ GE CZ SK PL BY UK
 #72 #379 #400
 griseus (Fabricius, 1793) SP FR FRC IT SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ BE SK
 PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. griseus (Fabricius, 1793) SP FR FRC IT SL CR BH SB AL GR BU TR RO HU AU SZ GE CZ BE SK
 PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #239
 ssp. novaki Tippmann, 1952 CR BH MC GR
 aedilis (Linnaeus, 1758) PT SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ LU BE NL
 GE GE GB ?IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 #244

Exocentrini #77 #324 #331

Exocentrus Dejean, 1835 #105 #324
 adpersus Mulsant, 1846 SP FR FRC IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ LU BE GE CZ
 SK PL SV UK UKC MD RSN
 punctipennis Mulsant et Guillebeau, 1856 SP FR FRC LU IT ITA SL CR BH SB ME AL GR BU RO HU
 AU SZ GE CZ SK PL BY UK UKC MD RSC RSS
 lusitanus (Linnaeus, 1767) SP FR IT SL CR BH SB AL GR BU RO HU AU SZ GE CZ SK PL GE NR SV FI
 EN LA LT BY UK UKC MD RSN RSC RSS KZ #
 stierlini Ganglbauer, 1883 CR SB RO HU ?AT ?CH CZ SK PL UK MD ?RSC RSS #172
 #309

Acanthoderini

Oplosia Mulsant, 1862
 cinerea (Mulsant, 1839) FR IT CR RO HU AU SZ GE CZ SK PL GE NR SV FI EN LT ?LV BY UK
 RSN RSC RSS #308
 = fennica (Paykull, 1800) #68
Aegomorphus Haldeman, 1847 #20
 = Acanthoderes auct. (not Audinet-Serville, 1835) #20
 clavipes (Schrank, 1781) SP FR FRC IT ITI ITA SL CR BH SB ?AL GR BU TR RO HU AU SZ DK GE CZ
 SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #131
 = varius (Fabricius, 1787)
 obscurior Pic, 1904 PL LA RSC RSS #269 #275
 = wojtylai Hilszczanski, Bystrowski, 2005
 krueperi (Kraatz, 1859) GR ME BU #74 #288
 francottei Sama, 1994 FR SB MC GR BU PL #74

Tetropini #331

Tetrops Kirby in Kirby et Spence, 1826a #214
 = Mimosophronica Breuning, 1943 #214
 praeustus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
 LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSC RSS KZ
 #243
 ssp. praeustus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU
 SZ LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 #39 #243

gilvipes (Faldermann, 1837) RO HU CZ SK UKC RSS #39
 ssp. gilvipes (Faldermann, 1837) RSS #39
 ssp. efetovi Lazarev, 2012 UKC #39
 ssp. adlbaueri Lazarev, 2012 CZ [probably most part of Europe] #39
 ssp. niger Kraatz, 1859 FR IT SZ #39
 starkii Chevrolat, 1859 SP FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE
 NL DE NR SV EN LT LA BY MD UK ?UKC RSC RSS #88 #309 #379
 ssp. starkii Chevrolat, 1859 SP FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ GE GB IR CZ SK PL
 BE NL DE NR SV EN LT LA BY MD UK ?UKC RSC RSS #88
 elaeagni Plavilstshikov, 1954 RSS KZ

Saperdini

Saperda Fabricius, 1775 #136 #322
Subgen.: Saperda Fabricius, 1775 #197
 = Anaerea Mulsant, 1839 #136 #197 #322
 carcharias (Linnaeus, 1758) SP FR IT SL CR BH SB MC AL GR BU TR RO HU AU SZ LU BE NL GE
 GE GB CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ
 similis (Laicharting, 1784) SP FR IT SL CR SB MC AL BU RO HU AU SZ BE GE CZ SK PL NR SV
 FI ?LT LA EN BY UK RSN RSC RSS KZ #76
Subgen.: Lopezcolonia Alonso-Zarazaga, 1998 #136 #197
 = Argalia Mulsant, 1862
 = Scalaperda Shapovalov, 2011a [nomen nudum] #473
 scalaris (Linnaeus, 1758) SP FR IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ LU BE NL GE GE
 GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. scalaris (Linnaeus, 1758) SP FR IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ LU BE NL GE
 GE GB CZ SK PL ?NO SV ?FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. hieroglyphica Pall. 1773 ?SV ?NO ?FI ?RSN #168
 ssp. xantha Demelt, 1960 GR
 perforata (Pallas, 1773) SP FR IT CR BH AL BU RO HU AU SZ GE CZ SK PL NR SV FI EN LV LT BY
 UK UKC MD RSN RSC RSS KZ #94 #147 #400
 punctata (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL CR BH SB MC AL GR BU TR RO HU AU SZ
 GE CZ SK PL LA BY UK UKC MD RSN RSC RSS KZ #339
 octopunctata (Scopoli, 1772) SP FR IT SL CR BH SB AL GR BU RO HU AU SZ BE GE CZ SK PL LT
 BY UK UKC MD RSC RSS #201
Subgen.: Compsidia Mulsant, 1839 #197
 populnea (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE
 NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. populnea (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ
 LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 quercus Charpentier, 1825 BH SB RO HU GR BU TR
 ssp. quercus Charpentier, 1825 BH SB RO HU GR AL BU TR #425
Menesia Mulsant, 1856
 bipunctata (Zoubkoff, 1829) FR IT SL BH SB RO HU AU SZ GE CZ SK PL EN LA LT BY UK RSN
 RSC RSS KZ
 sulphurata (Gebler, 1825) ?RSC
Stenostola Dejean, 1835 #105 #154
 ferrea (Schrank, 1776) FR IT SL CR BH BU RO HU AU SZ LU BE GE GE ?GB CZ SK PL NR FI EN LA
 LT BY UK UKC MD RSN RSC RSS #154 #308
 ssp. ferrea ferrea (Schrank, 1776) FR IT SL CR BH BU RO HU AU SZ LU BE GE GE ?GB CZ SK PL NR
 FI EN LA LT BY UK UKC MD RSN RSC RSS #154 #308
 ssp. ferrea maculipennis Holzschuh, 1982 ?UKC #154
 dubia (Laicharting, 1784) FR IT SL CR BH SB RO HU AU SZ LU BE NL GE GE ?GB CZ SK PL NR SV

?ES LA UK UKC MD RSN RSC ?RSS alboscuteolata Kraatz, 1862 GR	#92 #154 #21
Phytoeciini = Obereini Pascoe, 1864	#324 #331
Oberea Dejean, 1835	#105
Subgen.: Oberea Dejean, 1835	
oculata (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ	
pupillata (Gyllenhal, 1817) SP FR IT SL CR BH ME MC GR RO HU AU SZ BE GE CZ SK LT BY UK ?UKC MD RSN RSC RSS	PL EN LA #297
kostini Danilevsky, 1988 RSC	#297
maculicollis Lucas, 1842 SP	#213
pedemontana Chevrolat, 1856 IT SL CR BH SB ME BU RO HU AU ssp. pedemontana Chevrolat, 1856 IT SL CR BH SB ME BU RO HU AU	#212
linearis (Linnaeus, 1761) PT SP FR IT ?ITI ITA SL CR BH SB AL GR BU TR RO HU AU BE NL GE GE CZ SK PL NR SV LA BY UK UKC MD RSC RSS	SZ LU #415 #446
Subgen.: Amaurostoma Müller, 1906	
euphorbiae (Germar, 1813) ?IT SZ CR SB ME GR ?BU RO HU AU CZ SK ?PL UK ?UKC MD RSC RSS KZ	#286
erythrocephala (Schrank, 1776) PT SP FR IT MA SL CR BH SB ME MC GR GRC BU TR RO HU AU SZ GE CZ SK PL LT BY UK UKC MD RSC RSS KZ	#286
ssp. erythrocephala (Schrank, 1776) PT SP FR IT ?MT SL CR BH SB ME MC GR GRC BU TR RO HU AU SZ GE CZ SK PL LT BY UK UKC MD RSC RSS KZ	
ssp. calvescens Müller, 1948 IT	#349
ssp. bicolor Reiche, 1877 PT SP = reichei Plavilstshikov, 1927 [unnecessary RN]	#349
histrionis Pic, 1917 HU PO ?RO AU CZ SK MD UK = moravica Kratochvil, 1989	#317
taygetana Pic, 1904 GR #25	
Mallosia Mulsant, 1863	
graeca (Sturm, 1843) GR	
Oxylia Mulsant, 1863	
argentata Ménériés, 1832 UKC	#176
ssp. argentata Ménériés, 1832 UKC	
duponcheli (Brullé, 1832) AL MC GR BU ? androsensis Breuning, 1963 GR	#157
Conizonia Fairmaire, 1864	#256
detrita (Fabricius, 1793) ?ES ?FR	#229 #322
Phytoecia Dejean, 1835	
Subgen.: Coptosia Fairmaire, 1865	#256 #385
albovittigera Heyden, 1863 GR BU	
bithyniensis Ganglbauer, 1883 BU ?RO	#172 #174
Subgen.: Pilemia Fairmaire, 1863	#385
hirsutula (Frölich, 1793) IT CR BH SB MC AL GR BU TR RO HU SK MD UK UKC RSS KZ #302	#435
ssp. hirsutula (Frölich, 1793) IT CR BH SB MC AL GR BU TR RO HU SK MD UK UKC RSS KZ #302 #435	
= androsensis Breuning 1963	#157
= ciliciae Breuning, 1951	#157
ssp. moreana Breuning, 1943 GR	#157
= holtzi Pic, 1952	

= hladilorum Holzschuh, 2006	#295
tigrina Mulsant, 1851 ?FR SB BU RO HU MD UK	#309
serriventris Holzschuh, 1984 BU	
angusterufonotata Pic, 1952 GR	#335
= inarmata Holzschuh, 1984	#335
Subgen.: Cardoria Mulsant, 1863	
scutellata (Fabricius, 1793) SB RO HU AU GE CZ SK ?MD UK UKC RSC RSS	#98
	#176 #265 #322
Subgen.: Neomusaria Plavilstshikov, 1928	
balcanica (Frivaldsky, 1835) BU GRC	
Subgen.: Helladia Fairmaire, 1864	
flavescens (Brullé, 1832) MC AL GR	#400
humeralis (Waltl, 1838) GR	
praetextata (Steven, 1817) BU TR RO UK UKC	#435
millefolii (Adams, 1817) GR GRC BU UKC RSS	#62 #158
ssp. millefolii (Adams, 1817) GR BU UKC RSS	
ssp. alziari (Sama, 1992) GRC	#44
Subgen.: Blepisanis Pascoe, 1866	
melanocephala (Fabricius, 1787) ITI	
= rubricollis Lucas, 1846	#178
vittipennis Reiche, 1877 GR BU	
ssp. vittipennis Reiche, 1877 GR BU	
Subgen.: Musaria Thomson, 1864	
faldermanni Faldermann, 1837 UK UKC RSS	#265
tirellii Luigioni, 1913 IT GR	#341
affinis (Harrer, 1784) SP FR IT SL CR BH SB MC AL GR BU ?TR RO HU AU SZ GE CZ SK PL BY UK	
UKC MD RSC RSS KZ#224	
= nigripes (Voet, 1778)	
ssp. affinis (Harrer, 1784) SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ	SK PL BY
UK UKC MD RSC RSS KZ	
= subaurata Pic, 1889 [Pirénées Orientales]	
ssp. nigrohirta Müller, 1948 IT	
ssp. nigropubescens Müller, 1948 ?BU	#224
ssp. tuerki Ganglbauer, 1883 BU ?TR	#172 #224 #385
ssp. volgensis Kraatz, 1883 RSS	
rubropunctata (Goeze, 1777) SP FR IT GE	#334
argus (Froehlich, 1793) IT CR BH GR BU AU RO HU CZ SK UK UKC MD RSS RSC	#265
	#291 #334
cephalotes Küster, 1846 IT SL CR GR	
Subgen.: Phytoecia Dejean, 1835	
cylindrica (Linnaeus, 1758) PT SP FR IT SL CR BH SB GR AL BU TR RO HU AU SZ LU BE NL GE GE	
GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ	#301 #425
manicata Reiche et Sauley, 1858) ?BU	#301
nigricornis (Fabricius, 1781) SP FR IT ITI SL BH SB MC AL GR BU TR RO HU AU SZ LU BE GE CZ SK	
PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ	#228 #448
= julii Mulsant, 1863	
icterica (Schaller, 1783) PT SP FR IT SL CR BH SB ME AL GR BU TR RO HU AU SZ GE ?BE CZ SK PL	
UK UKC MD RSC RSS KZ	#177 #211 #425
= subannulipes Pic, 1910 [not available – misspelling of Ph. subannularis Pic, 1901]	
#177 #368	
= subannulipes Pic, 1915	#177
caerulea (Scopoli, 1772) PT SP IT ITI CR BH SB MC AL GR BU TR RO HU AU SZ CZ SK	?LV BY
UK UKC MD RSC RSS KZ	#37

ssp. caerulea (Scopoli, 1772) PT SP IT ITI CR BH SB MC AL GR BU TR RO HU AU SZ CZ SK
?LV BY UK UKC MD RSC RSS KZ #37
= baccueti (Brullé, 1832) #292 #448
algerica Desbrochers, 1870 SP #80
pustulata (Schrank, 1776) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ DE CZ SK
PL BY UK UKC MD RSC RSS KZ
ssp. pustulata (Schrank, 1776) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE CZ
SK PL BY UK UKC MD RSC RSS KZ
ssp. pulla Ganglbauer, 1886 RSS KZ #169
virgula (Charpentier, 1825) PT SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU CH GE CZ
SK PL LA LT BY UK UKC MD RSC RSS KZ #362
vulneris Aurivillius, 1923 FR IT ITI SL CR BH MC
= paganettii Breuning, 1944
ssp. vulneris Aurivillius, 1923 FR IT ITI SL CR BH MC
ssp. eremita Sama, 1999 IT
rufipes (Olivier, 1795) SP FR FRC IT ITI SL CR ?AT SZ UK UKC RSC RSS KZ #272
= sibirica Gebler, 1833 #32
pubescens Pic, 1895 SL CR BH MC GR BU TR #286 #435
= glaphyra K.Dan. 1906
= manicata Auct.(nec Reiche et Saulcy, 1858) #28 #178 #301
erythrocnema Lucas, 1846 PT SP FR #37 #105
geniculata Mulsant, 1863 ?RO GR BU TR #237 #211
ssp. orientalis Kraatz, 1871 ?RO GR BU TR #211
= fuscicornis Mulsant & Rey, 1863 [HN] #211
= donatellae Rapuzzi & Sama, 2010 #211
annulicornis Reiche, 1877 SP #345
Subgen.: Barbarina Sama, 2010
nausicae (Rejzek, Kakiopoulos, 2004) GR #230
Subgen.: Opsilia Mulsant, 1862
malachitica Lucas, 1849 PT SP ITI #105 #385
= hispanica Breuning, 1951 #37 #157
coerulescens (Scopoli, 1763) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR RO
HU AU SZ LU BE NL GE CZ SK PL ?LV ?BY UK UKC MD RSN RSC RSS KZ
ssp. coerulescens (Scopoli, 1763) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO
HU AU SZ LU BE NL GE CZ SK PL ?LV ?BY UK UKC MD RSN RSC RSS KZ
ssp. cretensis Breuning, 1947 GRC
schurmanni Fuchs, 1971 MC
molybdaena (Dalman, 1817) PT SP FR IT ?ITI SB GR BU RO HU SZ GE CZ SK ?PL UK RSS
#197 #222#272 #370
= longitarsis Reitter, 1911 #197
uncinata (W. Redtenbacher, 1842) FR ?IT SL CR SB AL BU RO HU AU CZ SK PL GE MD UK RSS
#184 #265 #286 #425

Agapanthiini

Theophilea Pic, 1895

subcylindricollis Hladil, 1988 SB SK HU RO MD UK RSS #230 #300

Calamobius Guérin-Méneville, 1844

filum (Rossi, 1790) PT SP FR FRC BE NL IT ITI ITA MA SL CR BH SB ME MC AL GR GRC BU TR RO
HU AU SZ GE CZ PL SK UK UKC MD RSS #192 #300 #427

Agapanthia Audinet-Serville, 1935

#253

Subgen.: Synthapsia Pesarini et Sabbadini, 2004

#253

kirbyi (Gyllenhal, 1817) SP FR IT BH SB MC AL GR BU TR RO HU UK UKC MD RSS

ssp. kirbyi (Gyllenhal, 1817) SP FR IT BH SB MC AL GR BU TR RO HU UK UKC MD RSS
 ssp. valandovensis Sláma, 2015c MC #438
Subgen.: Drosotrichia Pesarini et Sabbadini, 2004 #253
 annularis (Olivier, 1795) PT SP
Subgen.: Eoptes Gistel, 1857 #253
 = Agapanthiella Pesarini et Sabbadini, 2004 #253
 asphodeli (Latreille, 1804) PT SP FR FRC IT ITI ITA MA CR BH MC AL GR RO SZ UK UKC ?MD RSS
 = reyi Mulsant et Godard, 1870 SP #31
 probsti Holzschuh, 1984 GRC
 lateralis Ganglbauer, 1883 ?CR ?BU TR #172
 schurmanni Sama, 1979 BU MC GR #434
 renatae Steiner & Schmid, 2013 GR #444
 cretica D.Bernhauer, 1978 GRC
 dahli (Richter, 1821) SP FR FRC BE SL CR BH SB ME MC AL BU RO HU AU SZ GE CZ SK ?PL BY UK
 UKC MD RSC RSS KZ#208
 ssp. dahli (Richter, 1821) SP FR BE SL CR BH SB ME MC AL BU RO HU AU SZ GE CZ SK ?PL BY UK
 UKC MD RSC RSS KZ#370
 alternans Fischer-Waldheim, 1842 RSS #453
 ssp. eualternans Danilevsky, 2017 RSS #453
 sricula Ganglbauer, 1883 ?ES FRC IT ITI ITA #172 #208
 ssp. sricula Ganglbauer, 1883 ITI
 ssp. malmerendii Sama, 1981 ?ES FRC IT ITA #208
 cynarae (Germar, 1817) IT MA SL CR BH SB ME MC GR GRC BU TU RO HU CZ SK ?DE UK UKC
 ?MD RSS KZ #272
 ssp. cynarae (Germar, 1817) IT SL CR BH SB ME MC GR BU TU RO HU CZ SK ?DE UK UKC ?MD
 RSS KZ
 ssp. michaeli Slama, 1987 GRC
 uxoria Sláma, 2017 GR #452
 villosoviridescens (DeGeer, 1775) PT SP FR FRC IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ
 LU BE NL GE DE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 #298
 murkusi Rapuzzi, Sama & Kotán, 2013 AL GR #412 #441
Subgen.: Homoblephara Pesarini et Sabbadini, 2004 #253
 maculicornis (Gyllenhal, 1817) CR ME MC GR BU RO HU SK TR UK MD RSS KZ
 #150 #263 #285 #309 #435
 ssp. maculicornis (Gyllenhal, 1817) CR ME MC GR BU RO HU SK TR UK ?MD RSS KZ
 #150 #263 #435
 ssp. davidi Slama, 1986 IT ITI #285
Subgen.: Agapanthia Audinet-Serville, 1935
 cardui (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU CH GE BE CZ
 SK PL UK UKC RSC RSS KZ #199
 = pannonica Kratochvil, 1985 #215
 suturalis Fabricius, 1787 PT SP FR FRC IT ITI ITA MA GRC ?BU #199 #215 #333
 = ruficornis Pic, 1918 #199
 bohémica Sláma, 2017 CZ #452
Subgen.: Stichodera Pesarini et Sabbadini, 2004 #253
 irrorata (Fabricius, 1787) PT SP ?FR IT ITI ITA
Subgen.: Smaragdula Pesarini et Sabbadini, 2004 #253
 osmanlis Reiche, 1858 BU TR #82
 viti Rapuzzi & Sama, 2012 CR SB HU RO SK #82
 frivaldszkyi Ganglbauer, 1883 BU ?TR #172
 izzilloi Rapuzzi, Sama & Kotán, 2013 GR #412
 violacea (Fabricius, 1775) SP FR IT ITI CR BH SB ME MC AL GR BU TR RO HU AU CH LU BE GE

CZ SK PL ?LV BY UK UKC MD RSN RSC RSS #29 #286
= *lais auct.*(not Reiche, 1958 - Syria, Jordan, Israel) #82
intermedia Ganglbauer, 1883 SP FR IT HU RO AU SZ GE CZ GE SK PL ?LV BY UK UKC MD RSN RSC
RSS KZ #29#172
Agapanthiola Ganglbauer, 1900 #208
leucaspis (Steven, 1817) CR SB ME MC GR BU TR RO HU AU CZ SK UK UKC MD RSC RSS KZ
#83#309