

Updated: 11.12.2018

A check-list of Longicorn Beetles (Coleoptera, Cerambycoidea) of Europe.

Mikhail L. Danilevsky

A.N. Severtsov Institute, Leninsky pr. 33, 117071 Moscow, Russia

Summary. Complete list (based on publication by J. Althoff and M.L. Danilevsky, 1997) of European (from Portugal to Ural mountains) Vesperidae and Cerambycidae is given. Species introduced and established in Europe are also included. Nominative subgenera or subspecies are not mentioned, if other subgenera or subspecies do not occur in Europe. Each name of the species and subspecies is accompanied by the number of abbreviations indicates the names of the European countries (or territories) where the taxon inhabits. Main or important (but not all) synonyms, as well as taxonomic and geographical notes are also given. The list of used literature mostly includes contemporary publications.

For the East and South East border of Europe I accept Ural mountain ridge, Ural river, Kuma river and Manych valley. Caucasus (with Ciscaucasia), Cyprus and North Africa (with Canary Islands) are not treated. For the limits of North, Central and South parts of European Russia we use the divisions accepted in "A key of the Insects of European Part of the USSR" (see Plavilstshikov, 1965).

I would be extremely grateful to all colleagues for each remark, addition or correction.

I am very grateful to my colleagues who sent me a lot of remarks and corrections to the list:

K. Adlbauer (Graz)
R. Ambrus (Prague)
D. Heffern (Houston)
C. Holzschuh (Villah)
S. Kadlec (Litvinov)
D. Kasatkin (Rostov-on-Don)
J. Kurzawa (Tomaszow Maz)
M. Lazarev (Moscow)
A. Lobanov (St.-Petersburg)
O. Mehl (Struer)
A. Miroshnikov (Krasnodar)
S. Murzin (Moscow)
A. Napolov (Riga)
G. Sama (Cesena)
A. Shapovalov (Orenburg)
M. Sláma (Prague)
P. Švacha (České Budějovice)
T. Tichý (Opava)
A. Verdugo (Cadiz)
E. Vives (Barcelona)
A. Zubov (Kishinev)

The abbreviations of European countries and territories:

| | | |
|------------------|-----------------|-------------------------------|
| AL - Albania | LU-Luxembourg | BH - Bosnia & Herzegovina |
| AU - Austria | MC - Macedonia | CR - Croatia |
| BE - Belgium | ME - Montenegro | FR - France (without Corsica) |
| BY - Belorussiya | MA - Malta | FRC - Corsica |
| BU - Bulgaria | MD - Moldova | GR - Greece (without Crete) |

| | | |
|--------------------|------------------|---|
| CZ - Czechia | NL - Netherlands | GRC - Crete |
| DE - Denmark | NR - Norway | KZ - European Kazakhstan |
| EN - Estonia | PL - Poland | IT-Italy (without Sardinia and Sicilia) |
| GE - Germany | PT - Portugal | ITA - Sardinia |
| GB - Great Britain | RO - Romania | ITI - Sicilia |
| FI - Finland | SB - Serbia | RSN - North of European Russia |
| HU - Hungary | SK - Slovakia | RSC - Middle of European Russia |
| IR - Ireland | SL - Slovenia | RSS - South of European Russia |
| LA - Latvia | SP - Spain | TR - European Turkey |
| LT - Lithuania | SV - Sweden | UK- Ukraine (without Crimea) |
| | SZ - Switzerland | UKC - Crimea |

List of taxa

| | |
|--|---------|
| VESPERIDAE | #331 |
| Vesperus Latreille, 1829 | #105 |
| strepens (Fabricius, 1793) FR IT | #1 #322 |
| ssp. strepens (Fabricius, 1793) FR | |
| ssp. litigiosus Mulsant, 1863 FR IT | #1 |
| ssp. ligusticus Vitali, 2001 IT | #1 |
| aragonicus Baraud, 1964 SP FR | #1 |
| barredai Verdugo, 2009 PT SR | #1 |
| bolivari Oliveira, 1893 PT | #117 |
| = reitteri Cameron, 1912 | #1 |
| xatarti Dufour, 1839 SP FR | |
| fuentei Pic, 1905 SP | |
| = semiobscurus Pic, 1921 | |
| = rufescens Pic, 1921 | |
| lucasi Barreda, Mejias & Manuel, 2013 SP | #450 |
| nigellus Compte, 1963 SP | |
| luridus (Rossi, 1794) FR FRC IT ITA ITI CR | #460 |
| = graecus Guerin, 1833 | |
| = solieri Germar, 1836 | |
| creticus Ganglbauer, 1886 GR | #45 |
| brevicollis Graells, 1858 PT SP | |
| joanivivesi Vives, 1998 SP ?PT | |
| sanzi Reitter, 1895 PT SP | |
| serranoi Zuzarte, 1985 PT | #1 |
| conicicollis Fairmaire et Coquerel, 1866 PT SP ITA | #1 |
| ssp. conicicollis Fairmaire et Coquerel, 1866 SP | |
| ssp. hispalensis Fuente, 1901 SP PT | #1 |
| = baesuriensis Zuzarte, 1985 | |
| macropterus Sama, 1999 ITA | |
| [flaveollus Mulsant et Rey, 1863 AL TN] | |
| [ocularis Mulsant et Rey, 1863 TR] | |
| gomezi Verdugo, 2004 SP | |
| jertensis Bercedo et Bahillo, 1999 SP | |

CERAMBYCIDAE

PARANDRINAE

Parandrini

Parandra Latreille, 1802
Subgen.: Neandra Lameere, 1912
brunnea (Fabricius, 1798) GE

PRIONINAE

Macrotomini

#99

Prinobius Mulsant, 1842

myardi Mulsant, 1842 PT SP FR FRC IT ITA ITI CR BH ?SS ME AL GR GRC BU TR UKC
#100 #301
ssp. myardi Mulsant, 1842 PT SP FR FRC #20 #399
= germari Mulsant, 1846
ssp. slamorum Danilevsky, 2012 IT ITA ITI CR BH ?SS ME AL GR BU TR UKC #399
= scutellaris Germar, 1817 [HN] #20
ssp. proksi Slama, 1982 GRC #197 #399

Rempanini

#377

Rhaesus Motschulsky, 1875

#65

serricollis (Motschulsky, 1838) AL ME MC GR BU TR

Callipogonini

Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760) PT SP FR FRC IT ITI AL SL CR BH SB ME GR BU ?TR HU AU SZ
NL GE CZ SK PL SV LA LT BY UK UKC RSC RSS
ssp. faber (Linnaeus, 1760) PT SP FR FRC IT ITI AL SL CR BH SB ME GR BU ?TR HU
AT SZ NL GE CZ SK PL SV LA LT BY UK UKC RSC RSS
ssp. opifex Mulsant, 1851 IT ITI #200

Callergates Lameere, 1906

gaillardoti (Chevrolat, 1854) GR #310

Prionini

Prionus Geoffroy, 1762

coriarius (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME GR BU TR RO HU AU
CH BE NL GE GE LU GB CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ

Mesoprionus Jakovlev, 1887

besikanus (Fairmaire, 1855) AL ?BH SB MC GR BU TR #53
?= lefebvrei (Marseul, 1856) #53

batelkai (Slama, 1996) GRC
asiaticus (Faldermann, 1837) RSS KZ

Psilotarsus Motschulsky, 1860

brachypterus (Gebler, 1830) RSC KZ
ssp. hemipterus (Motschulsky, 1845) ?RSC KZ #97

Meroscelisini

#101

Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) SP FR SZ GE IT SL CR BH SB ME AL GR BU AU CZ SK PL
SV NR FI EN LT LA BY UK RSN RSC ?RSS #314 #400

Aegosomatini

Aegosoma Audinet-Serville, 1832

#164

Subgen.: Aegosoma Audinet-Serville, 1832

scabricorne (Scopoli, 1763) GB SP FR FRC IT ITA ITI SL CR BH SB ME MC AL GR BU
TR RO HU AU SZ BE GE CZ SK BY UK UKC ?MD RSC RSS #423

LEPTURINAE

Oxymirini Danilevsky,1997 in Althoff,Danilevsky,1997 #3 #279 #331

Oxymirus Mulsant, 1862
cursor (Linnaeus, 1758) SP FR IT SL CR BH SB MC AL BU RO HU AU SZ CZ SK GE LU BE
NL GE PL SV NR FI EN LT LA BY UK MD RSN RSC #400

Xylosteini #171

Xylosteus I.Frivaldsky, 1837
spinolae Frivaldsky, 1838 IT AU SL CR BH SB MC RO BU ?TR #93 #279
= rufiventris Germar, 1845 #11
= merkli Pic, 1910
bartoni Obenberger et Maran, 1933 BU MC GR #11
ssp. bartoni Obenberger et Maran, 1933 BU MC GR
ssp. migliacciosi Rapuzzi & Sama, 2018 BU GR #466

Leptorhabdium Kraatz, 1879
illyricum (Kraatz, 1870) IT SL CR BH ME MC AL GR #400
nitidum Holzschuh, 1974 MC GR #340

Rhamnusiini Danilevsky,1997 in Althoff,Danilevsky,1997 #3 #306 #331

Rhamnusium Latreille, 1829
bicolor (Schrank, 1781) SP FR IT ITI SL CR BH SB AL MC GR BU RO HU SZ AU CZ SK
DE BE NL LU PL FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ #4
= gracilicorne Théry, 1894 #4
ssp. bicolor (Schrank, 1781) SP FR IT ITI SL CR BH SB AL MC GR BU RO HU SZ AU
CZ SK GE BE NL LU PL #4
ssp. constans Danilevsky, 2012 FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ #4
ssp. testaceipenne Pic, 1897 UKC #4
ssp. graecum Schaufuss, 1862 GR TR
ssp. demaggii Tippmann, 1956 IT #321
ssp. italicum Müller, 1966 IT

Enoploderini Danilevsky,1997 in Althoff,Danilevsky,1997 #3 #306

Enoploderes Faldermann, 1837
Subgen.: **Enoploderes Faldermann, 1837** #165
sanguineum Faldermann, 1837 AL UKC RSS #165

Rhagiini #112

Rhagium Fabricius, 1775
Subgen.: **Rhagium Fabricius, 1775**
inquisitor (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AU SZ
BE NL GE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
#142 #328
ssp. inquisitor (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU
AT SZ BE NL GE GE LU GB ?IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC
RSS KZ
ssp. cedri Reymond, 1953 SP #142
Subgen.: **Hagrium Villiers, 1978**
bifasciatum Fabricius, 1775 PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU
AT SZ BE NL GE GE LU GB IR CZ SK NR PL EN ?LA LT UK ?UKC MD ?RSC RSS #142
Subgen.: **Megarhagium Reitter, 1913** #171
mordax (DeGeer, 1775) SP FR IT AL SL CR BH SB ME MC BU ?TR RO HU AU SZ BE NL GE
GE LU GB IR CZ SK NR PL EN LA LT BY UK ?UKC MD RSN RSC RSS #142
pruinosa Pesarini & Sabbadini, 2011 GR #392
sycophanta (Schrank, 1781) SP FR IT ?ITI AL SL CR BH SB BU TR RO HU AU SZ BE NL
DK GE LU CZ SK PL SV FI LA LT BY UK ?UKC MD RSN RSC RSS #142

Stenocorus Geoffroy, 1762 #105
 =Toxotus Dejean, 1821
Subgen.: Stenocorus Geoffroy, 1762
 meridianus (Linnaeus, 1758) SP FR IT AL SL CR BH SB GR BU ?TR RO HU AU SZ BE NL
 DK GE LU GB CZ SK NR PL SV FI EN LA LT BY UK MD RSN RSC RSS
 insitivus (Germar, 1824) UKC

Subgen.: Anisorus Mulsant, 1862 #368
 quercus (Götz, 1783) SP FR IT CR BH SB GR BU ?TR RO HU AU SZ BE NL GE LU CZ SK
 PL BY UK MD RSC RSS #251 #265
 ssp. quercus (Götz, 1783) SP FR IT CR BH SB GR BU ?TR RO HU AU SZ BE NL GE LU
 CZ SK PL BY UK MD RSC RSS

Akimerus Audinet-Serville, 1835
 schaefferi (Laicharting, 1784) PT SP FR ?CR BH GR BU HU AU SZ GE CZ SK PL UK MD
 RSC RSS #141 #265 #286
 ariannae Pesarini et Sabbadini, 2007 GR #141 #466

Pachyta Dejean, 1821
 quadrimaculata (Linnaeus, 1758) SP FR IT SL CR BH SB ME MC BU RO HU AU SZ GE CZ
 SK PL GE FI EN LA LT BY UK MD RSN RSC RSS
 lamed (Linnaeus, 1758) FR IT SL BU RO HU AU SZ GE CZ SK PL GE NR SV FI EN LA LT
 BY UK MD RSN RSC
 ssp. lamed (Linnaeus, 1758) FR IT SL BU RO HU AU SZ GE CZ SK PL GE NR SV FI EN
 LA LT BY UK MD RSN RSC

Brachyta Fairmaire, 1865
Subgen.: Brachyta Fairmaire, 1865 #419
 interrogationis (Linnaeus, 1758) FR IT SZ AU GE CZ SK PL NR SV FI EN LA LT BY
 UK RSN RSC RSS KZ
 ssp. interrogationis (Linnaeus, 1758) NR SV FI RSN #437
 ssp. russica (Herbst, 1784) EN LA LT BY UK RSN RSC RSS KZ #437
 ssp. zubovi Lazarev, 2016 RSN #437
 ssp. ebenina (Mulsant, 1839) FR #437
 ssp. eitschbergeri Danilevsky & Peks, 2015 GE CZ #437
 ssp. marginella (Fabricius, 1793) FR IT AU GE SZ LU #437
 ssp. gabzdili Danilevsky & Peks, 2016 SK PL UK #437

Subgen.: Variobrachyta Danilevsky, 2014d #419
 borni (Ganglbauer, 1903) FR
 variabilis (Gebler, 1817) RSN RSC
 ssp. variabilis (Gebler, 1817) RSN RSC

Subgen.: Fasciobrachyta Danilevsky, 2014d #419
 balcanica Hampe, 1870 SB AL BU TR RO GR #263

Evodinellus Plavilstshikov, 1915 #50
Subgen.: Evodinellus Plavilstshikov, 1915
 borealis (Gyllenhal, 1827) SK PL NR SV FI EN LA LT BY UK RSN RSC #272

Subgen.: Brachytodes Planet, 1924 #50
 clathratus (Fabricius, 1793) FR IT SL CR BH MC BU RO HU AU SZ GE CZ SK PL UK MD
 #272 #322

Pseudogaurotina Plavilstshikov, 1958
 excellens (Brancsik, 1874) PL SK RO UK #233

Carilia Mulsant, 1863 #233 #368
 virginea (Linnaeus, 1758) FR BE IT AL LU SL CR BH SB ME MC GR BU RO HU AU SZ BE
 GE CZ SK NO PL SV EN LA LT BY UK ?UKC MD RSN RSC RSS #201
 ssp. virginea (Linnaeus, 1758) FR IT AL SL CR BH SB ME MC GR BU RO HU AU SZ BE
 GE CZ SK NR PL SV EN LA LT BY UK ?UKC MD RSN RSC RSS
 ssp. thalassina Schrank, 1781 FR BE IT LU SL AU #337

Euracmaeops Danilevsky, 2014d #236
 = Acmaeops auct. (nec LeConte, 1850) #236 #368
 septentrionis (Thomson, 1866) FR IT ?ME SZ AU GE BU RO CZ SK PL NR SV FI EN LA
 LT BY UK RSN RSC #286
 marginatus (Fabricius, 1781) SP FR ?IT SL CR ME AU SZ CZ GR SK BE NL GE PL NR SV
 FI EN LA LT BY UK RSN RSC RSS #141 #286

smaragdulus (Fabricius, 1793) [NP] FR IT SZ PL NR SV FI LT BY RSN RSC #273 #322
 = smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) PL BY RSN RSC #265 #273
Gnathacmaeops Linsley et Chemsak, 1972 #236 #368
 pratensis (Laicharting, 1784) SP FR IT SL BH SB MC AL BU RO HU AU SZ GE CZ SK PL
 NO SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ #400
Dinoptera Mulsant, 1863
 collaris (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AT
 SZ BE NL GE GE LU GB ?IE CZ SK NR PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ
 #240 #285
Cortodera Mulsant, 1863
 = Taiwanocarilia Hayashi, 1983 #420
 humeralis (Schaller, 1783) SP FR LU CR BH SB GR BU TR RO HU AU SZ CZ SK GE BE PL
 BY UK MD RSS #201 #265 #290
 ssp. humeralis humeralis (Schaller, 1783) SP FR LU IT CR BH SB GR BU TR RO HU
 AU SZ CZ SK GE BE PL BY UK MD RSS #201 #265 #290
 ssp. humeralis aspromontana Müller, 1948 IT #201
 ssp. humeralis moreensis Danilevsky, 2015c GR #436
 femorata (Fabricius, 1787) FR IT SL CR BH GR BU RO HU AU SZ CZ SK GE PL NR SV
 FI EN LA LT BY UK RSN RSC RSS #286
 pumila Ganglbauer, 1882 ?RSC RSS #158 #172
 flavimana (Waltl, 1838) SB MC AL GR TR BU RO HU SK #425
 ssp. flavimana (Waltl, 1838) SB MC AL GR TR BU RO HU SK #89
 ssp. schurmanni Sama, 1997 GR #368
 villosa Heyden, 1876 CR BH SB HU ?AT CZ SK RO MD BU UK UKC RSC RSS #82 #272
 #300
 ssp. villosa Heyden, 1876 CR BH SB HU AU CZ SK BU RO MD UK ?UKC RSS #304
 = frivaldszkyi Kraatz, 1876
 = ? nigrita Heyden, 1876 #197
 ssp. kazakorum Danilevsky, 2014d E - #386
 ssp. parfentjevi Miroshnikov, 2007 UKC #304 #386
 ssp. krasnobaevi Danilevsky, 2010e UK ?RSC #343
 ssp. chuvilini Danilevsky, 2012c RSS #386
 ssp. zhuravlevi Miroshnikov, 2007 RSS KZ #304 #386
 ssp. magdeevi Danilevsky, 2011d RSC #343
 ssp. major Miroshnikov, 2007 RSC #304 #308
 ssp. kuvandykensis Danilevsky, 2012c RSS #386
 ssp. mikhailovi Danilevsky, 2001 RSC #343
 holosericea (Fabricius, 1801) IT SL CR BH SB ?GR RO HU AU CZ SK UK RSS #150
 #197
 ssp. holosericea (Fabricius, 1801) IT SL CR BH SB AL ?GR RO HU AU CZ SK UK RSS
 #425
 ssp. pseudoholosericea Rapuzzi & Sama, 2018 AL #466
 ?ssp. birnbacheri Pic, 1898 ?AT #197
 ?ssp. velutina Heyden, 1876 ?IT #197 #368
 reitteri Pic, 1891 UK UKC RSS RSC #152
 ssp. reitteri Pic, 1891 UK RSS RSC
 = alexandri Danilevsky, 1996 #152
 ssp. taurica Plavilstshikov, 1936 UKC #152
 = beckeriana Plavilstshikov, 1936 #152
 kiesenwetteri Pic, 1898 ?RSC RSS #265
 ssp. kiesenwetteri Pic, 1898 RSS
 ssp. subtruncata Pic, 1934 ?RSC RSS #152 #216
 ciliata Danilevsky, 2001 RSC #152
 ssp. milaenderi Danilevsky, 2001 RSC #152
 ssp. sakmarensis Danilevsky, 2005 RSC
 tibialis (Marseul, 1876) ["Sarepta"] UK RSC RSS KZ #152 #265
 ssp. tibialis (Marseul, 1876) RSS #152 #368
 = pallidipes Pic, 1898 #368

ssp. ruthena Plavilstshikov, 1936 RSS KZ #152 #368
 ssp. rossica Danilevsky, 2001 UK RSC RSS #152
 komarovi Danilevsky, 1996 KZ #152 #405
 ssp. komarovi Danilevsky, 1996 KZ #152 #405
 moldovana Danilevsky 1996 MD #152
 khatchikovi Danilevsky, 2001 RSS #152
 differens Pic, 1898 GR RO BU TR #59 #368 #385
 ssp. differens Pic, 1898 GR
 = prescutellaris Pic, 1933: 5 - "Morée" #368
 = steineri Sama, 1997 #59 #368
 ssp. magdae Danilevsky, 2012 RO BU TR #279 #288
 hrioni Danilevsky, 2012 BU #93 #279
 = umbripennis sensu Sama, Rapuzzi, 1999 (not Reitter, 1890)
Fallacia Mulsant et Rey, 1863 #381
 elegans Mulsant et Rey, 1863 TR #381
Pidonia Mulsant, 1863
Subgen.: Pidonia Mulsant, 1863 #368
 lurida (Fabricius, 1793) FR IT SL CR BH SB GR BU RO HU AU ?BE SZ GE CZ SK PL LA
 LT UK MD #92 #322 #460
 = notaticollis Pic, 1941

Lepturini #306

Grammoptera Dejean, 1835 #306 #409 #468
Subgen.: Grammoptera Dejean, 1835
 ustulata (Schaller, 1763) PT SP FR IT ITI AL SL CR BH SB GR GRC BU RO HU AU SZ
 BE NL GE GE LU GB CZ SK NR PL SV ?LA ?BY UK ?UKC MD ?RSC ?RSS #356
 ssp. ustulata (Schaller, 1763) PT SP FR IT ITI AL SL CR BH SB GR GRC BU RO HU
 AU SZ BE NL GE GE LU GB CZ SK NR PL SV ?LA ?BY UK ?UKC MD ?RSC ?RSS #356
 abdominalis (Stephens, 1831) PT SP FR IT SL CR BH MC GR BU TR RO HU AU SZ BE NL
 GE DE LU GB IR CZ SK PL ?LA BY UK
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AU SZ
 BE NL GE GE LU GB IR CZ SK NR PL SV EN LT LA BY UK ?UKC MD RSS #108
 ssp. ruficornis (Fabricius, 1781) PT SP FR IT AL SL CR BH SB GR BU TR RO HU AU
 SZ BE NL GE GE LU GB IR CZ SK NR PL SV EN LT LA BY UK ?UKC MD RSS
 = atra (Fabricius, 1775) [NO]
 = ab. holomelina Pool, 1905 [not available] #357 #368
 = holomelina Donisthorpe, 1905 #357 #368
 ssp. flavipes Pic, 1892 ITI #202
 merkli (Frivaldszky, 1884) GR #263
 viridipennis Pic, 1893 ITI
 auricollis Mulsant et Rey, 1863 GR GRC
 ssp. basicornis Pic, 1924 GRC #43
 ssp. bipustulata Steiner, 1975 GR #63
Cornumutilla Letzner, 1844
 lineata (Letzner, 1844) FR SZ IT AU RO CZ SK PL UK RSN #160
 quadrivittata (Gebler, 1830) ?RSC #160
Nivellia Mulsant, 1863
 sanguinosa (Gyllenhal, 1827) SB AU GE RO SK PL NR SV FI EN BY UK RSN RSC
 #265
 extensa (Gebler, 1833) ?FI RSN #261
 ssp. extensa (Gebler, 1833) ?FI RSN #261
Alosterna Mulsant, 1863
 tabacicolor (DeGeer, 1775) SP FR IT ITI AL SL CR BH SB MC GR BU TR RO HU AU SZ
 BE NL GE GE LU GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD TR RSN RSC RSS
 KZ #368
 ssp. tabacicolor (DeGeer, 1775) SP FR IT ITI AL SL CR BH SB MC GR BU TR RO HU
 AT SZ BE NL GE GE LU GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD TR RSN RSC

RSS KZ
 ssp. bicoloripes Pic, 1914 GR TR #217
 pauli Pesarini, Sabbadini, 2004 GR
 ingrca (Baeckmann, 1902) SK PL EN LT LA BY UK RSN RSC RSS #96
Vadonia Mulsant, 1863
 unipunctata (Fabricius, 1787) [nomen protectum] SP FR IT SL CR BH SB MC GR BU TR
 RO HU AU CZ SK ?PL ?LA MD UK UKC RSS RSC KZ #286 #311 #312 #370
 = pilosa Forster, 1771 [nomen oblitum] #324
 ssp. unipunctata (Fabricius, 1787) SL CR BH SB GR BU TR RO HU AU CZ SK ?PL ?LA
 MD UK UKC RSS RSC KZ
 ssp. occidentalis K. Daniel & J. Daniel, 1891 FR IT SP
 ssp. gallica Podaný, 1936 FR #430
 ssp. ikariaensis Danilevsky & Vartanis, 2015 GR #426
 ssp. dalmatina Müller, 1906 CR ?GR
 ssp. ohridensis Holzschuh, 1989 MC AL #425
 ssp. makedonica Holzschuh, 1989 GR
 saucia Mulsant et Godart, 1855 RO UKC #5 #311
 hirsuta (K.Daniel et J.Daniel, 1891) RO #5
 bipunctata (Fabricius, 1781) MD UK RSC RSS KZ SL MC ?BU HU SK RO #198 #311
 #312
 ssp. bipunctata (Fabricius, 1781) RSC RSS KZ #198
 ssp. sareptana Pic, 1941 RSS KZ #198
 = beckeri Pic, 1941 [HN] #198
 ssp. urdensis Danilevsky, 2014d #198
 ssp. laterimaculata (Motschulsky, 1875) UKC #198
 = puchneri Holzschuh, 2007 #198
 ssp. globicollis (Desbrochers des Loges, 1870) RO MD UK RSS #198
 = mulsantiana Plavilstshikov, 1936 #198
 = bilitigiosa Pic, 1941 #198
 ssp. steveni (Sperk, 1835) HU MD SK SL UK RSS #198
 ssp. adusta (Kraatz, 1859) SL MC ?BU HU SK RO #198
 = litigiosa Mulsant, 1863
 imitatrix (K.Daniel et J.Daniel, 1891) IT CR SB ?BU
 moesiaca (K.Daniel et J.Daniel, 1891) SB ?AL MC GR BU RO #218 #400
 dojranensis Holzschuh, 1984 SB MC AL GR BU #221
 ssp. dojranensis Holzschuh, 1984 SB MC AL GR #221 #400
 ssp. mahri Holzschuh, 1986 GR BU #221
 grandicollis Mulsant & Rey, 1863 AL BU GR TR #352 #425
 ssp. grandicollis Mulsant & Rey, 1863 AL BU GR TR #368
 = bisignata (Brullé, 1832) [junior homonym] #218 #334
 ssp. laurae Pesarini et Sabbadini, 2007 GR #221
 samosensis Vartanis, 2016 GR
 parnassensis (Pic, 1925) GR
 gusmii Pesarini & Sabbadini, 2009 GR #389
 aspoecorum Holzschuh, 1975 GR #56
 insidiosa Holzschuh, 1984 GR
 mainoldii Pesarini, Sabbadini, 2004 GR
 monostigma Ganglbauer, 1881 GR
Pseudovadonia Lobanov, Danilevsky et Murzin, 1981 #390
 livida (Fabricius, 1777) PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AU
 SZ BE NL GE LU GB IR CZ SK PL SV EN LT LA BY UK UKC MD RSN RSC RSS KZ #12 #67
 ssp. livida (Fabricius, 1777) ?PT ?SP FR AL SL CR BH SB ME MC HU AU SZ BE NL GE
 LU GB IR CZ SK ?PL SV #12
 ssp. setosa Danilevsky, 2013e BU GR MD RO TR UK #12
 ssp. bicarinata (Arnold, 1869) BY LA LT EN PL UK UKC RSN RSC RSS KZ #12
 ssp. pecta (K. & J.Daniel, 1891) IT #12
Anoplodera Mulsant, 1839 #41
Subgen.: Anoplodera Mulsant, 1839
 sexguttata (Fabricius, 1775) SP FR IT SL CR BH SB MC GR AL BU TR RO HU AU SZ GE

LU BE GB IR NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS #425 #446
 rufipes (Schaller, 1783) SP FR LU IT SL CR BH SB MC GR AL BU RO HU AU SZ GE CZ
 SK PL ?EO LT LA BY UK MD ?RSN RSC RSS KZ #92 #371 #425 #427
 ssp. rufipes (Schaller, 1783) SP FR LU IT SL CR BH SB MC GR BU RO HU AU SZ GE
 CZ SK PL ?EO LT LA BY UK MD ?RSN #371 #427
 ssp. ventralis Heyden, 1886 BY UK RSC RSS KZ #371
 = rufiventris (Tournier, 1872)[HN]
 ssp. izzilloi Sama, 1999 IT
 ssp. krueperi (Ganglbauer, 1882) GR #371
Xestoleptura Casey, 1913 #41
 nigroflava (Fuss, 1852) RO #41
Stictoleptura Casey 1924
Subgen.: Aredolpona Nakane et K. Ohbayashi, 1957 #67 #197
 = Corymbia Des Gozis, 1886 #67
 rubra (Linnaeus, 1758) PT SP FR FRC IT SL CR BH SB ME GR BU RO HU AU SZ GE LU
 BE GB NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ #394
 ssp. rubra (Linnaeus, 1758) PT SP FR FRC IT ITA SL CR BH SB ME AL GR BU RO HU
 AU SZ DE LU BE GB NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ
 #400
Subgen.: Stictoleptura Casey 1924
 oblongomaculata (Buquet, 1840) ITI ITA ?FRC #203
 cordigera (Fuesslin, 1775) SP FR FRC NL IT ITI ITA CR BH SB ME MC AL GR GRC BU
 TR RO SZ BE GE CZ UKC #79 #272
 ssp. cordigera (Fuesslin, 1775) SP FR FRC NL IT ITI ITA CR BH SB ME MC GR BU TR
 RO SZ BE GE CZ UKC
 ssp. illyrica (Müller, 1948) IT[Venezia Giulia] SL CR BH ME AL GR
 ssp. anojiaensis (Slama, 1982) GRC #414
 trisignata (Fairmaire, 1852) PT SP FR #141
 erythroptera (Hagenbach, 1822) SP FR ?IT CR BH SB MC GR BU RO HU AU SZ GE CZ SK
 UK #141 #289
 rufa (Brullé, 1832) IT BH CR SB MC AL GR BU RO
 ssp. rufa (Brullé, 1832) IT BH CR SB MC AL GR BU RO
 ssp. excelsa (A. Costa, 1863) IT #351
 fontenayi (Mulsant, 1839) PT SP FR
 ivoroberti Sama, 2010 GR #361
 slamai Sama, 2010 GRC #346
 = martini (Slama, 1985)
Subgen.: Cribroleptura Vives, 2000 #67
 stragulata (Germar, 1824) PT SP FR #67
 otini (Peyerimhoff, 1949) SP #67 #114
Subgen.: Variileptura Danilevsky, 2014d #67
 variicornis (Dalman, 1817) PL EN LT LA BY UK RSN RSC
Subgen.: Melanoleptura Miroshnikov, 1998 #67 #197
 scutellata (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU
 RO HU AU SZ GE LU BE GB IR GE CZ SK PL SV LA BY UK UKC MD RSC RSS #265
 ssp. scutellata (Fabricius, 1781) PT SP FR FRC IT ITA SL CR BH SB ME MC AL
 = carbonaria (Scopoli, 1763)[nomen oblitum] #286
 GR BU RO HU AU SZ GE LU BE GB IR GE CZ SK PL SV LA BY UK UKC MD RSC RSS
 ssp. maritima Sláma, 2015b FR #431
 ssp. melas (Lucas, 1847) ?ES ITI #113 #178
 = melaena auct.
Subgen.: Maculileptura Danilevsky, 2014d #67
 maculicornis (DeGeer, 1775) SP FR IT SL CR BH SB ME AL GR BU TR RO HU AU SZ GE
 BE LU CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS #204 #435
 simplonica (Fairmaire, 1885) FR IT #204
 ondreji (Slama, 1993) GR #204
 pallens (Brullé, 1832) CR BH SB ME MC AL GR BU RO
Subgen.: Paracorymbia Miroshnikov, 1998 #67
 fulva (DeGeer, 1775) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU

AU CH GE LU BE GB IR NL CZ SK PL ?BY UK RSC RSS #151 #379
 = apicalis (Motschulsky, 1875) #318
 tonsa (J. et K. Daniel, 1891) UKC ?RSS #151
 = ustulata Ménétériés, 1832 [HN] #151
 hybrida (Rey, 1885) SP FR IT SZ
 picticornis (Reitter, 1885) GR GRC #67
Subgen.: Batesiata Miroshnikov, 1998 #197
 tesserula (Charpentier, 1825) SB ?AL GR BU RO HU ?DE CZ SK PL UK #400
Anastrangalia Casey, 1924
 sanguinolenta (Linnaeus, 1760) SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE
 NL GB CZ SK PL NR SV FI EN LT LA BY UK ?MD RSN RSC RSS #307 #460
 = sandoeensis (Palm, 1953)
 dubia (Scopoli, 1763) SP FR LU IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE CZ
 SK PL ?LT ?BY UK ?MD #92 #379 #460
 ssp. dubia (Scopoli, 1763) SP FR LU IT SL CR BH SB ME MC AL GR BU RO HU AU SZ
 GE CZ SK PL ?LT ?BY UK ?MD
 ssp. moreana (Pic, 1906) GR #57
 reyi (Heyden, 1889) FR IT SL AU RO SZ GE CZ SK PL NR SV FI EN LT LA BY UK RSN
 RSC ?RSS #92 #230 #286 #460
 = inexpectata (Jansson et Sjöberg, 1928)
 renardi Gebler, 1848 RSN #262
 montana (Mulsant et Rey, 1863) GRC
 ssp. steineri Sama, 1994 GRC
Lepturobosca Reitter, 1913 #171
 virens (Linnaeus, 1758) SP FR IT SL CR BH SB BU RO HU AU SZ GE ?GB CZ SK PL NR
 SV FI EN LT LA BY UK RSN RSC RSS #241
Neopiciella Sama, 1988
 sicula (Ganglbauer, 1885) ITI
Pedostrangalia Sokolov, 1897 #49
Subgen.: Pedostrangalia Sokolov, 1897
 revestita (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SL CR BH SB AL GR BU TR RO HU
 AU SZ GE LU BE GB NL GE CZ SK PL SV UK MD #309 #400
Subgen.: Neosphenalia Löbl, 2010
 = Sphenalia K. Daniel, 1904 (HN, not Sphenalia Wood, 1874, in Mollusca)
 verticalis (Germar, 1822) IT SL CR BH SB ME MC AL GR BU RO ?MD #238
 verticenigra (Pic, 1892) GR #238
 emmipoda (Mulsant, 1863) GR #309
 ariadne (K. Daniel, 1904) GRC
Etorofus Matsushita, 1933 #49
Subgen.: Etorofus Matsushita, 1933 #49
 pubescens (Fabricius, 1787) SP FR IT SL CR BH SB ME AL GR BU RO AU SZ GE CZ SK
 PL NO SV FI EN LT LA BY UK RSN RSC RSS
Judolia Mulsant, 1863
 sexmaculata (Linnaeus, 1758) ?ES FR IT SZ AU HU RO GE CZ SK GB PL NR SV FI EN
 LT LA BY UK RSN RSC RSS #115 #286
 parallelopipeda Motsch. 1860 ?RSN #115
 = abbreviata Motsch. 1875
 = shirarakensis Matsumura, 1911
Pachytodes Pic, 1891
 cerambyciformis (Schrank, 1781) PT SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ
 GE LU BE GE NL GB CZ SK PL ?EO LT LA BY UK MD RSC RSS RSN #92 #264
 erraticus (Dalman, 1817) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
 GE CZ SK PL BY UK MD RSC RSS
 ssp. erraticus (Dalman, 1817) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU
 AU SZ GE CZ SK PL BY UK MD KZ RSC RSS
Oedecnema Dejean, 1835
 gebleri Ganglbauer, 1889 UK RSN RSC [RN] #265 #289
 = dubia (Fabricius, 1781)
Leptura Linnaeus, 1758

Subgen.: Macroleptura Nacane et Ohbayashi, 1957
thoracica (Creutzer, 1799) CR BH SB RO SK SL PL FI EN LT LA BY UK RSN RSC RSS #52

Subgen.: Leptura Linnaeus, 1758
quadrifasciata Linnaeus, 1758 SP FR IT SL CR BH SB MC AL BU TR RO HU AU SZ GE
LU BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. quadrifasciata Linnaeus, 1758 SP FR IT SL CR BH SB MC AL BU TR RO HU AU SZ
GE LU BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
aurulenta Fabricius, 1793 PT SP FR FRC IT SL CR BH SB ME AL GR BU TU RO HU AU SZ
GE LU GB IR CZ SK PL MD UK RSC #307 #309 #322 #379
annularis Fabricius, 1801 ?ES FR ?IT CR BH RO HU AU SZ GE CZ SK PL EN LT LA BY
UK ?MD RSN RSC RSS #6
= arcuata Panzer, 1793
aethiops Poda, 1761 SP FR IT SL CR BH SB ?AL ?GR RO HU AU SZ GE LU BE GE NL CZ
SK PL EN LT LA BY UK ?UKC MD RSN RSC RSS #400
Lepturalia Reitter, 1913 #171
nigripes (DeGeer, 1775) AU RO SK PL NR SV FI EN LT LA BY UK RSN RSC RSS KZ
ssp. nigripes (DeGeer, 1775) AU RO SK PL NR SV FI EN LT LA BY UK RSN RSC RSS
KZ #270

Nustera Villiers, 1974
distigma (Charpentier, 1825) PT SP FR
Strangalia Dejean, 1835 #410
= Strangalina Aurivillius, 1912 #235
attenuata (Linnaeus, 1758) SP FR FRC IT SL CR BH SB ME MC AL GR BU TR RO HU AU
SZ GE LU BE NL ?GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
#75 #241
Rutpela Nakane et Ohbayashi, 1957 #232
maculata (Poda, 1761) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU
AT SZ GE LU BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSC RSS KZ
ssp. maculata (Poda, 1761) FR FRC IT ?ITA SL CR BH SB ME MC AL GR BU RO HU AU
CH GE LU BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK MD RSC RSS KZ #284
ssp. manca (Schaufuss, 1863) PT SP FR IT ITI ?ITA BU TR UKC #284 #446
=nigricornis (Stierlin, 1864)

Stenurella Villiers, 1974
Subgen.: Stenurella Villiers, 1974 #411
melanura (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
ssp. melanura (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU
SZ GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
=sennii Sama, 2002 #294
ssp. samai Rapuzzi, 1995 BU GR TR #294 #301 #385

Subgen.: Iberostenurella Özdikmen, 2013 #411
hybridula (Reitter, 1902) PR SP
Subgen.: Crassostenurella Özdikmen, 2013 #411
approximans (Rosenhauer, 1856) PR SP #116
Subgen.: Stenurelloides Özdikmen, 2013 #411
jaegeri (Hummel, 1825) UKC RSC RSS #320
Subgen.: Priscostenurella Özdikmen, 2013 #411
bifasciata (Müller, 1776) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO
HU AU SZ GE LU BE NL CZ SK PL EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. bifasciata (Müller, 1776) PT SP FR FRC IT ITI ITA SL CR BH SB ME RO HU AU
SZ GE LU BE NL CZ SK PL EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. intermedia Holzschuh, 2006 AL GR BU MC #295 #400
ssp. lanceolata (Mulsant & Rey, 1863) SP FR #295
ssp. nigriventris (Pic, 1891) FR #295
septempunctata (Fabricius, 1793) IT SZ SL CR BH SB ME MC AL GR BU RO HU AU GE
CZ SK PL UK UKC MD TR #322
ssp.: septempunctata (Fabricius, 1793) IT SZ SL CR BH SB ME MC AL GR BU RO HU

AT GE CZ SK PL UK ?UKC MD
 = suturata (Reiche, 1858) #385
 ssp. latenigra (Pic, 1915) BU T #283 #385
 = anatolica (Heyrovsky, 1961) #283
 vaucheri (Bedel, 1900) SP
Subgen.: Nigrostenurella Özdikmen, 2013 #411
 nigra (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU
 BE NL GE GB CZ SK PL NR SV EN LT LA BY UK UKC MD RSN RSC RSS KZ
 ssp. nigra (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ
 GE LU BE NL GE GB CZ SK PL NR SV EN LT LA BY UK UKC MD RSN RSC RSS KZ #406

NECYDALINAE #306

Necydalini

Necydalis Linnaeus, 1758
Subgen.: Necydalis Linnaeus, 1758
 ulmi (Chevrolat, 1838) SP FR IT CR BH SB ME MC GR BU RO HU AU SZ GE CZ SK PL ?LT
 ?LA BY ?MD UK RSS
 = hadullai Szallies, 1994 #374
 major Linnaeus, 1758 SP FR IT CR BH SB ME AL GR BU RO HU AU SZ GE LU BE NL CZ
 SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC
 RSS KZ

SPONDYLIDINAE #102

Saphanini

Oxypleurus Mulsant, 1839
 nodieri Mulsant, 1839 PT SP GB FR FRC IT ITI ITA CR GR GRC UKC #140
 = pinicola Wallaston, 1863 #197
Saphanus Audinet-Serville, 1834
 piceus (Laicharting, 1784) FR IT SL CR BH SB ME MC AL GR RO HU AU SZ GE CZ SK
 PL UK
 ssp. piceus (Laicharting, 1784) FR IT SL CR BH SB RO HU AU SZ GE CZ SK PL UK
 ssp. bartolonii Sama et Rapuzzi, 1993 GR
 ssp. ganglbaueri Brancsik, 1886 BH ME MC AL GR BU #400
Drymochares Mulsant, 1847
 truquii Mulsant, 1847 FR IT #272
 cylindraceus (Fairmaire, 1849) PT SP

Anisarthrini #267 #279

Anisarthron Dejean, 1835
 barbipes (Schrank, 1781) FR IT CR BH SB ME AL BU RO HU AU SZ GE CZ SK PL UK
 #400

Alocerus Mulsant, 1862
 moesiacus (Frigivaldsky, 1838) PT SP ?IT CR SB AL GR GRC BU #333 #400
Schurmannia Sama, 1979 #34
 sicula Sama, 1979 ITI

Asemini

Arhopalus Audinet-Serville, 1834
Subgen.: Arhopalus Audinet-Serville, 1834 #140
 = Criocephalus Mulsant, 1839
 ferus (Mulsant, 1839) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU RO
 HU ?AT SZ GE LU BE NL GE GB ?IR CZ SK PL SV FI EN LT LA BY UK UKC MD RSN RSC

RSS KZ #272
#332 #425

rusticus (Linnaeus, 1758) PTi SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU RO HU
AU CH GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
#332

ssp. rusticus (Linnaeus, 1758) PTi SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU
RO HU AU CH GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC
RSS KZ #332

Subgen.: Cephalocrius Sharp, 1905a #140

syriacus (Reitter, 1895) PT SP FR FRC IT ITI ITA SZ BH ME GRC #140

Aseum Eschscholtz, 1830

striatum (Linnaeus, 1758) SP FR IT SL CR BH SB ME AL GR BU RO HU AU SZ GE LU BE
NL GE GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ

tenuicorne Kraatz, 1879 SP IT ITI GR SV UKC #137

Tetropium Kirby, 1837 #7
= Isarthron Dejean, 1835

castaneum (Linnaeus, 1758) SP FR IT SL CR BH SB ME ?AL BU GR RO HU AU SZ GE LU
BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #141
#400

gabrieli Weise, 1905 FR IT SL HU AU SZ GE GB IR LU BE NL DE CZ SK PL SV BY UK
?RSC(Kaliningrad) #259 #286

gracilicorne Reitter, 1889 RSC #259

fuscum (Fabricius, 1787) GB FR IT SL BH SB BU RO HU AU SZ GE BE NL GE CZ SK PL
NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ #106

ssp. fuscum (Fabricius, 1787) GB FR IT SL BH SB BU RO HU AU SZ GE BE NL GE CZ
SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ

ssp. lapponicum Sláma, 2015c FI #438

aquilonium Plavilstshikov, 1940 SV FI RSN

tauricum Shapovalov, 2007 UKC #282

Nothorhina L. Redtenbacher, 1845

punctata (Fabricius, 1798) PT SP FR IT ITI BH GR GE AU CZ SK PL NR SV FI EN LT
LA BY UK RSN RSC RSS ?KZ #234 #385

= muricata (Dalman, 1817)

Spondylidini #27 #306

Spondylis Fabricius, 1775

buprestoides (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU RO
HU AU SZ GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS
KZ #258

CERAMBYCINAE #306

Achrysonini

Icosium Lucas, 1854

tomentosum Lucas, 1854 SP FRC IT ITA MA CR BH ME SB GR GRC BU #62

ssp. tomentosum Lucas, 1854 SP FRC ITA ?MT

ssp. atticum Ganglbauer, 1882 FRi IT CR BH ME SB GR GRC BU #172

Hesperophanini

Hesperophanes Dejean, 1835 #105

melonii Fancello & Cillo, 2012 ITI #416

sericeus (Fabricius, 1787) PT SP FR FRC IT ITI ITA CR BH ME MC AL GR UKC #358
#368

Trichoferus Wollaston, 1854

griseus (Fabricius, 1793) PT SP FR FRC IT ITI ITA MA CR BH ME AL GR GRC BU TR RO
CZ UK UKC #299 #322 #446

fasciculatus (Faldermann, 1837) PT SP FR FRC IT ITI ITA MA CR ME GR SZ BU RO ?UK
UKC
ssp. fasciculatus (Faldermann, 1837) PT SP FR FRC IT ITI ITA MA CR ME AL GR SZ
BU RO ?UK UKC #400
arenbergeri Holzschuh, 1995 ITA
spartii (Müller, 1948) IT ITI SL AL GR GRC #400
kotschyi Ganglbauer, 1883 GR #238
berberidis Sama, 1994 GRC
bergeri Holzschuh, 1981 GRC
magnanii Sama, 1992 SP
holosericeus (Rossi, 1790) SP FR FRC SZ IT ITI ITA MA SL CR BH SB AL GR BU UKC
#94
= cinereus (Villers, 1789)
= gayi Plavilstshikov, 1921
pallidus (Olivier, 1790) SP FR FRC IT CR BH SB GR BU RO HU AU CZ SK GE PL MD UK
UKC #300
campestris (Faldermann, 1835) PL LT CZ SK HU RO MD UK UKC RSC RSS #265 #278
#300 #307

Stromatium Audinet-Serville, 1834

auratum (Böber, 1793) PT SP FR FRC IT ITI ITA SL GE MA CR BH SB ME MC AL GR GRC
BU TR RO HU LA UK UKC RSS #190 #286 #387
= fulvum (Villers, 1789) #8
= unicolor (Olivier, 1795) #387

Phoracanthini

Phoracantha Newman, 1840

semipunctata (Fabricius, 1775) PT SP FR FRC IT ITI ITA MA GR
recurva Newman, 1840 SP PT IT ITA GR #103

Callidiopini

Trinophylum Bates, 1878

cribratum Bates, 1878 GB

Graciliini

Penichroa Stephens, 1839

= Graecoeme Adlbauer, 2006 #271
fasciata (Stephens, 1831) PT SP FR FRC IT ITI ITA MA SL CR BH SB MC AL GR GRC
BU TR UKC #104
= timida (Ménétriés, 1831)
= eggeri Adlbauer, 2006 #271

Gracilia Audinet-Serville, 1834

minuta (Fabricius, 1781) PT SP FR FRC IT ITI ITA MA SL CR BH SB AL GR GRC BU TR
RO HU AU SZ GE LU BE NL GE GB ?IR CZ SK PL NR SV FI EN LT LA UK UKC MD RSN RSC
RSS KZ #9
= albanica Csiki, 1931

Axinopalpis Dejean, 1835

gracilis (Krynicky, 1832) IT SL CR BH SB ME MC AL GR BU RO HU AU CZ SK GE PL LA
LT UK ?UKC MD RSC RSS #179
ssp. gracilis (Krynicky, 1832) IT SL CR BH SB ME MC AL GR BU RO HU AU CZ SK GE
PL LA LT UK ?UKC MD RSC RSS
ssp. christinae Rapuzzi, 1995 GR

Lucasianus Pic, 1891

levaillantii (Lucas, 1847) PT SP ?FR #30 #178

Obriini

Obrium Dejean, 1821

cantharinum (Linnaeus, 1767) SP FR IT BH SB GR BU TR RO HU AU SZ GE LU BE NL ?GB
CZ SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS KZ #241 #294 #446
brunneum (Fabricius, 1793) SP FR FRC IT SL CR BH SB AL GR BU RO HU AU SZ GE LU
BE NL DK GB CZ SK PL SV EN LT LA BY MD UK UKC ?RSN ?RSC RSS #141 #265 #400 #322

Certallini

Certallum Dejean, 1821

ebulinum (Linnaeus, 1767) PT SP FR IT ITI MA MC AL GR GRC TR UK UKC RSS
= ruficolle Fabricius, 1787 #166 #334 #425 #427

Deilini

Delagrangeus Pic, 1892

liviae Pesarini et Sabbadini, 2004 GR

Deilus Audinet-Serville, 1834

fugax (Olivier, 1790) PT SP FR FRC IT ITI ITA SL CR BH ME AL GR GRC BU RO HU AU
SZ LU BE CZ SK PL BY MD UK ?UKC RSC RSS KZ #61 #425

Stenopterini

Stenopterus Illiger, 1804

flavicornis Küster, 1846 IT SL CR BH SB ME MC AL GR TR BU RO HU AU CZ SK UK
#336
rufus (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO
HU AU SZ GE LU BE NL CZ SK PL MD UK UKC RSS #460
ssp. rufus (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL RO BU HU AU SZ GE LU BE
NL CZ SK PL MD UK UKC RSS
ssp. geniculatus Kraatz, 1863 GR AL CR BH SB ME MC AU HU BU TR #47 #301
mauritanicus Lucas, 1847 PT SP #87 #178
atricornis Pic, 1891 AL GR #55 #471
similatus Holzschuh, 1979 GR
creticus Sama, 1995 GRC
ater (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SZ SL CR ME MC ?BU GRC RO SK UKC
#164
= nigripes Costa, 1855 (Napoli)
Callimus Mulsant, 1846
Subgen.: Callimus Mulsant, 1846
angulatus (Schränk, 1789) SP FR IT ITI SL CR BH SB MC AL GR GRC BU TR RO HU AU
CH GE CZ SK PL MD UK #309 #460
ssp. angulatus (Schränk, 1789) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU
AT SZ GE CZ SK PL MD UK #182
ssp. glabrescens Holzschuh, 1989 GRC
abdominale (Olivier, 1795) SP FR FRC IT ITI ITA CR AL #400
Subgen.: Procallimus Pic 1907
egregius (Mulsant et Rey, 1863) UKC
semicyaneus Pic, 1905 MC GR #2
Subgen.: Lampropterus Mulsant, 1863
= Callimomimus Ienișteea, 1952
femoratus (Germar, 1824) SB MC AL GR BU TR RO MD UK UKC #179 #302
= adonis (Abeille de Perrin, 1881)
= narcissus (Abeille de Perrin, 1881)
= distinctus (Ienișteea, 1952)
Callimoxys Kraatz, 1863
gracilis (Brullé, 1832) SL CR BH SB ME MC GR AL BU RO HU SK UKC #422 #425 #441
#460

Nathriini

Nathrius Bréthes, 1916

brevipennis (Mulsant, 1839) PT SP FR FRC IT ITI ITA MA SL CR BH SB MC BU GR GRC
 TR RO HU AU SZ CZ SK GE GB ?IR BE NL GE PL NR SV FI LA MD UK UKC RSS KZ #9
 berlandi (Villiers, 1946) SP #144

Molorchini**Molorchus Fabricius, 1793** #322

Subgen.: Caenoptera C.G. Thomson, 1859 #326

minor (Linnaeus, 1758) FR IT SL CR BH SB AL GR BU RO HU AU SZ GE LU BE NL GE GB
 CZ SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS

ssp. minor (Linnaeus, 1758) FR IT SL CR BH SB AL GR BU RO HU AU SZ GE LU BE NL
 GE GB CZ SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS #400

Subgen.: Molorchus Fabricius, 1793 #10 #326

= Glaphyra Newman, 1840 #326

umbellatarus (Schreber, 1759) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU
 SZ DE LU BE NL GE GB CZ SK NR PL SV EN LT LA BY MD UK UKC RSN RSC RSS

#84

ssp. umbellatarus (Schreber, 1759) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO
 HU AT SZ GE LU BE NL GE GB CZ SK NR PL SV EN LT LA BY MD UK UKC RSN RSC RSS

#70 #400

ssp. obscuripes Müller, 1948 IT

plagiatus (Reiche, 1877) ?RSC RSS KZ #265

marmottani (Brisout de Barneville, 1863) SP FR IT SZ BU AU GE CZ SK PL RSC RSS
 #72 #265

ssp. marmottani (Brisout de Barneville, 1863) SP FR IT SZ BU AU GE CZ SK PL RSC
 RSS

ssp. andalusica Sláma, 2015b FR #432

ssp. crovatoi Sama, 1995 IT

kiesenwetteri (Mulsant et Rey, 1861) IT ?ME SZ CR SB ?DE AU ?PL HU RO BU TR UKC
 RSS #286 #369

ssp. kiesenwetteri (Mulsant et Rey, 1861) IT ?ME CR SB SZ ?DE AU ?PL HU ?RO BU
 UKC RSS #369

ssp. hircus (Abeille de Perrin, 1881) TR #333

= anatolicus Adlbauer, 1988

schmidti Ganglbauer, 1883 GR HU RO CZ SK ?PL UK UKC MD RSC RSS KZ #369

= salicicola Stiller, 1935

= ? semenovi Plavilstshikov, 1940

Brachypteromatini Sama, 2008 #324**Dolocerus Mulsant, 1862** #384

=Brachypteroma Heyden, 1863 #384

reichii Mulsant, 1862 IT ITA ITI FR CR BH ME AL GR TR SZ #156 #446

= ottomanum Heyden, 1863 #156

Stenhomalini #331**Stenhomalus White, 1855**

Subgen.: Obriopsis Müller, 1948

bicolor (Kraatz, 1862) IT ITI CR SB GR BU HU AU SK

Cerambycini**Cerambyx Linnaeus, 1758**

Subgen.: Cerambyx Linnaeus, 1758

cerdo Linnaeus, 1758 PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC GR BU TR RO
 HU AU SZ GE LU BE NL GE CZ SK PL SV LT ?LA BY MD UK UKC RSC RSS #242 #265

ssp. cerdo Linnaeus, 1758 FR FRC IT ITI ITA SL CR BH SB ME MC GR BU TR RO HU
AT SZ GE LU BE NL GE CZ SK PL SV LT LA BY MD UK ?RSC #265
ssp. masaryki Vartanis, 2018c BU #463
ssp. pfisteri (Stierlin, 1864) ?IT ITI ?MT ?GR #13 #385
ssp. mirbecki Lucas, 1842 PT SP #13
ssp. acuminatus Motschulsky, 1852 RSS #13
ssp. manderstjernae Mulsant & Godart, 1855 UKC #13
welensii Küster, 1846 PT SP FR IT ITI MA SL CR BH SB ME AL GR GRC BU TR RO HU SK
?UK ?UKC #400
= velutinus Brullé, 1832 #8 #289
miles Bonelli, 1812 PT SP FR IT ITI MA SL CR CZ BH SB ME MC AL GR BU TR RO HU AU
SK SZ MD UKC #249 #309 #461
dux (Faldermann, 1837) MC BU GR UKC #340
nodulosus Germar, 1817 IT MAi SL CR BH SB ME MC AL GR BU TR RO UKC #179
ssp. nodulosus Germar, 1817 IT MAi SL CR BH SB ME MC AL GR BU TR RO UKC
carinatus Küster, 1846 AL CR BH SB ME MC GRC BU MAi #261 #441
Subgen.: Microcerambyx Miksic et Georgijevic, 1973 #368
= Mesocerambyx Zagaikevich, 1991 [not available] #77
scopolii Fuesslin, 1775 PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR GRC
BU TR RO HU AU SZ GE LU BE NL GE ?GB CZ SK PL NR SV ?EO LT ?LA BY MD UK UKC
RSN RSC RSS #92 #241
ssp. scopolii Fuesslin, 1775 PT SP FR FRC IT ITA MA SL CR BH SB ME MC AL GR GRC
BU TR RO HU AU SZ GE LU BE NL GE ?GB CZ SK PL NR SV ?EO LT ?LA BY MD UK UKC RSN
RSC RSS 92# #241
=? nitidus Pic, 1892 [Anatolia] #241
ssp. paludivagus (Lucas, 1842) ?SP #241
ssp. sculus Rapuzzi & Sama, 2010 ITI #241
Derolus Gahan, 1891
mauritanicus Buquet, 1840 ?ES

Purpuricenini

#255

Purpuricenus Dejean, 1821 #46 #105
desfontainii (Fabricius, 1793) GR GRC ?BU #322
ssp. desfontainii (Fabricius, 1793) GRC
ssp. inhumeralis Pic, 1891 GR ?BU TR #33
dalmatinus Sturm, 1843 IT SL CR BH MC GR BU
kaehlerii (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO
HU AU SZ BE GE CZ SK PL BY UK UKC MD RSC RSS
ssp. kaehlerii (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU
TR RO HU AU SZ BE GE CZ SK PL BY UK UKC MD RSC RSS
ssp. corsicus Vartanis, 2018a FR #465
budensis (Götz, 1783) SP FR IT SL CR BH SB ME AL MC GR BU RO HU SK UK UKC MD
RSC RSS #251 #286 #370
ferrugineus Fairmaire, 1851 PT SP
schurmanni Slama, 1985 GRC
= creticus K. Bernhauer, 1985
globulicollis Mulsant, 1839 SP FR SZ IT ITI SL CR BH SB GR BU RO HU ?AT CZ SK
?DE UK RSC RSS #105 #265 #268 #272
ssp. globulicollis Mulsant, 1839 SP FR SZ IT ITI SL CR BH SB GR BU RO HU ?AT CZ
SK ?DE UK RSC RSS #105 #265 #268 #272
ssp. skypetarum Rapuzzi & Sama, 2014b AL MC GR #427
coccineus Breit, 1917 IT #470
baeckmanni Danilevsky, 2007 UKC #35
graecus Slama, 1993 GR #35
renyvoniae Slama, 2001 BU MC CR SB #35 #54
comenius Vartanis & Ambrus, 2015 PK #428
Calchaenesthes Kraatz, 1863 #107
oblongomaculata (Guérin-Méneville, 1844) GR BU RO #455

sexmaculata (Reiche, 1861) SP
Anoplistes Audinet-Serville, 1834 #180
 = Asias Semenov, 1914 #180
 halodendri (Pallas, 1776) UK RSS KZ #91
 ssp. ephippium (Steven et Dalman, 1817) UK RSS KZ
 balcanicus Slama, 2010 AL BU ?RO #91
Amarysius Fairmaire, 1888
 sanguinipennis (Blessig, 1872) RSC #274

Callichromatini

Aromia Audinet-Serville, 1834
 moschata (Linnaeus, 1758) PT SP FR FRC IT ITI AL SL CR BH SB MC GR BU TR RO HU
 AT SZ BE NL GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS
 KZ
 ssp. moschata (Linnaeus, 1758) FR FRC IT AL SL CR BH SB MC BU TR RO HU AU SZ
 BE NL GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 = thea Reitter, 1894
 ssp. ambrosiaca (Steven, 1809) PT SP IT ITI GR TR #446
 bungii (Faldermann, 1835) GE IT #401

Rosaliini

Rosalia Audinet-Serville, 1834
 alpina (Linnaeus, 1758) SP FR FRC IT ITI MAi SL CR BH SB ME MC AL GR BU TR RO HU
 AU SZ GE CZ SK PL BY MD UK UKC RSC RSS #302
 ssp. alpina (Linnaeus, 1758) SP FR FRC IT ITI MAi SL CR BH SB ME MC AL GR BU TR
 RO HU AT SZ GE CZ SK PL BY MD UK UKC RSC RSS #316

Hylotruperini

#279 #331 #77

Hylotrupes Audinet-Serville, 1834
 bajulus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA MA AL SL CR BH SB ME MC GR GRC
 BU TR RO HU AU SZ BE NL GE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC
 MD RSN RSC RSS #243

Callidiini

Pronocera Motschulsky, 1859
 angusta (Kriechbaum, 1844) IT BH RO HU BU AU GE CZ SK PL UK #280
Turanium Baeckmann, 1923
Subgen.: Turanium Baeckmann 1923
 scabrum (Kraatz, 1882) RSS #266
Leioderes L. Redtenbacher, 1849 [1848?] #86
 kollari L. Redtenbacher, 1849 [1848?] SP FR IT ITI SL CR BH SB MC AL GR BU RO HU
 AU SZ GE CZ SK PL NR SV LA LT BY UK ?UKC ?MD RSC RSS #86
 ssp. kollari L. Redtenbacher, 1849 [1848?] SP FR IT SL CR BH SB MC AL GR BU RO
 HU AU SZ GE CZ SK PL NR SV LA LT BY UK ?UKC ?MD RSC RSS #86 #400
 ssp. jakopoi Rapuzzi & Sama, 2010 ITI #86
Semanotus Mulsant, 1839
 undatus (Linnaeus, 1758) FR IT SL CR BH SB BU RO HU AU SZ GE CZ SK NR PL SV FI
 EN LA LT BY UK RSN RSC ?RSS #408
 laurasii (Lucas, 1852) SP FR FRC ITA
 ssp. laurasii (Lucas, 1852) SP FR
 ssp. corsicus Croissandeau, 1890 FRC ITA
 ruscicus (Fabricius, 1777) IT CR SB AL GR RO HU BU AU SK UK UKC #167 #72
 ssp. ruscicus (Fabricius, 1777) IT CR SB AL GR RO HU BU AU SK UK UKC #400
Ropalopus Mulsant, 1839

Subgen.: Ropalopus Mulsant, 1839
ungaricus (Herbst, 1784) FR IT SL CR BH SB AL BU RO HU AU SZ GE CZ SK PL UK
#22 #265 #400
insubricus (Germar, 1824) SP FR IT SL CR BH SB AL GR BU TR RO MD UK RSC RSS
#272
ssp. insubricus (Germar, 1824) SP FR IT SL CR BH SB AL GR BU TR RO UK #272
ssp. gallicus Vartanis, 2018b FR #464
ssp. fischeri Krynicki, 1829 MD UK RSC RSS #22
clavipes (Fabricius, 1775) SP FR IT MA SL CR BH SB ME MC AL GR GRC BU TR RO HU
AT SZ GE BE NL GE CZ SK PL LT LA BY UK UKC MD RSN RSC RSS KZ #108
= nigroplanus (DeGeer, 1775)
femoratus (Linnaeus, 1758) SP FR LU IT SL CR BH SB MC GR BU TR RO HU AU SZ GE BE
CZ SK PL SV ?LT LA UK ?RSC #183
= punctatum (Fabricius, 1798) #234
varini (Bedel, 1870) SP FR IT SL CR SB BU GR RO HU AU SZ GE CZ SK PL UK MD
#94
= spinicornis (Abeille de Perrin, 1869)
boreki Rapuzzi, 2017 GR #459
sculus (Stierlin, 1864) ITI GR #341
macropus (Germar, 1824) SL CR BH SB BU RO HU AU SZ GE CZ SK PL LA LT BY UK UKC
MD RSC RSS #277 #308
#172 #375
Callidium Fabricius, 1775
Subgen.: Callidium Fabricius, 1775 #197
violaceum (Linnaeus, 1758) SP FR IT SL CR BH SB AL BU RO HU AU SZ BE NL GE GB IR
DE LU CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS
Subgen.: Palaeocallidium Plavilstshikov, 1940 #197
coriaceum Paykull, 1800 FR IT SL BH BU RO HU AU SZ LU CZ SK GE PL NR SV FI EN LA
LT BY UK RSN RSC RSS #432
= lucidum (Scopoli, 1772) [nomen oblitum] #286
Subgen.: Callidostola Reitter, 1913 #171 #197
aeneum (DeGeer, 1775) FR IT SL CR BH SB ME AL GR BU RO HU AU SZ BE NL CZ SK GE
PL NR SV FI EN LT LA BY UK RSN RSC RSS #143
ssp. aeneum (DeGeer, 1775) FR IT SL CR BH SB ME AL GR BU RO HU AU SZ BE NL CZ
SK GE PL NR SV FI EN LT LA BY UK RSN RSC RSS
Callidiellum Linsley, 1940
rufipenne (Motschulsky, 1861) SP FR IT CR BE RSS #81
villosulum (Fairmaire, 1900) MA #424
Pyrrhidium Fairmaire, 1864
sanguineum (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME AL GR GRC BU TR
RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN ?LA LT BY UK UKC MD RSN RSC
RSS #140 #143
Phymatodes Mulsant, 1839
Subgen.: Phymatodes Mulsant, 1839
testaceus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC
BU TR RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD
RSN RSC RSS KZ #427
Subgen.: Melasmetus Reitter, 1913
femoralis Ménéttriés, 1832 TR
ssp. demelti Heyrovský, 1962 TR #446
Subgen.: Phymatoderus Reitter, 1913 #171 #197 #368
= Reitteroderus Sama, 1991 #8
pusillus (Fabricius, 1787) SP FR IT ITA SL CR BH BU RO HU AU SZ BE GE CZ SK PL
NO UK UKC MD RSS #302
ssp. pusillus (Fabricius, 1787) SP FR IT SL CR BH BU TR RO HU AU SZ BE GE CZ SK
PL NR UK MD #302
= humeralis Comolli, 1837 #302
?ssp. barbipes (Küster, 1847) FR, IT, GR #58
ssp. rufipenne Stark, 1889 UK UKC RSS

ssp. inopinatus (Slama, 2010) GR #58
 glabratus (Charpentier, 1825) SP FR IT ITA CR BH SB GR BU HU AU SZ GE CZ SK PL
 UK UKC #40 #164
 lividus (Rossi, 1794) SP FR FRC IT ITI ITA CR BH ME GR GRC BU RO BE LU NL GE CZ
 ?SK ?PL UK UKC RSC RSS #15 #272 #286 #333 #370
 vanda Danilevsky, 2010 GR #366
 puncticollis Mulsant, 1862 MC BU RO SK UK UKC RSC RSS KZ #454
 abietinus Plavilstshikov et Lurie 1960 RSC RSN #260
Subgen.: Phymatodellus Reitter, 1913 #171 197
 rufipes (Fabricius, 1777) SP FR IT SL CR BH SB MC GR BU RO HU AU SZ GE CZ SK PL
 UK UKC MD RSS #309 #358 #368
 ssp. rufipes (Fabricius, 1777) SP FR IT SL CR BH SB MC BU RO HU AU SZ GE CZ SK
 PL UK UKC MD RSS #358
Subgen.: Paraphymatodes Plavilstshikov, 1934 #197 #368
 fasciatus (Villers, 1789) SP FR FRC IT CR BH SB GR BU RO HU AU SZ SK PL UK MD
 ?LA #110 #333
 = unifasciatus (Rossi, 1790)
Subgen.: Poecilium Fairmaire, 1864 #197 #368
 alni (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB GR BU TR RO HU AU SZ LU BE NL
 DK GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. alni (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB GR BU TR RO HU AU SZ LU
 BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #308
 ssp. pici Aurivillius, 1912 ?RSS #251
 = alnoides Reitter, 1913 #171 251
Lioderina Ganglbauer, 1885
 linearis (Hampe, 1870) CR BH MC GR BU HU SK ?AT #272

Anaglyptini #331

Paraclytus Bates, 1884
 sexguttatus (Adams, 1817) BU TR #215
Anaglyptus Mulsant, 1839
 gibbosus (Fabricius, 1787) SP FR FRC IT ITI SL CR SB SZ #149 #288
 mysticus (Linnaeus, 1758) SP FR IT SL CR BH SB MC AL GR BU TR RO HU AU SZ LU BE
 NL GE GE GB CZ SK PL NR EN LA LT BY UK UKC MD #276
 zappii Rapuzzi & Sama, 2014 IT
 arabicus (Küster, 1847) TR
 praecellens Holzschuh, 1981 GRC
 luteofasciatus Pic, 1905 GR #163
 = moreanus Demelt, 1970

Clytini

Plagionotus Mulsant, 1842 #254 #368
 arcuatus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB MC AL GR GRC BU TR RO
 HU AT SZ LU BE NL GE GE ?GB CZ SK PL NR SV FI ?EO LA LT BY UK UKC MD RSN RSC
 RSS KZ #92 #244
 ssp. arcuatus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB MC AL GR BU TR
 RO HU AT SZ LU BE NL GE GE ?GB CZ SK PL NR SV FI ?EO LA LT BY UK UKC MD RSN
 RSC RSS KZ #92 #244 #427
 ssp. ghidottii Pesarini & Sabbadini, 2011 GRC #393
 detritus (Linnaeus, 1758) PT SP FR FRC IT ITA CR BH SB MC AL GR GRC BU TR RO HU
 AU SZ BE NL GE CZ SK PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ #242
 ssp. detritus (Linnaeus, 1758) PT SP FR FRC IT CR BH SB MC AL GR GRC BU TR RO
 HU AU SZ BE NL GE CZ SK PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ #242 #368
Neoplagionotus Kasatkin, 2005 #254 #324 #368
 scalaris (Brullé, 1832) ?ES IT ITI ITA MC GR AL BU #38 #60 #427
 = sculus (Laporte et Gory, 1855) #20 #324
 bobelayei (Brullé, 1832) MC GR BU TR RO UK UKC RSS #279

= speciosus Adams, 1817 #8
 ssp. bobelayei (Brullé, 1832) MC GR BU TR RO UK UKC RSS #445
 ssp. huseyini Lazarev, 2016b UK UKC RSS #445
 andreui (Fuente, 1910) SP PT #60
 = marcae (López-Colón, 1997) [incorrect orig. spelling]
 = marcaorum (López-Colón, 1997) #60 #111
 = marcorum Vives, 2000: 190 [unjustified emendation]
Echinocerus Mulsant, 1863 #254 #324 #368
 = Paraplagionotus Kasatkin, 2005
 floralis (Pallas, 1773) SP FR IT SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK
 PL LA LT UK UKC MD RSN RSC RSS KZ #279
Isotomus Mulsant, 1863
 speciosus (Schneider, 1787) ?FR IT ?CH ?DE SL CR BH SB MC AL GR BU RO HU AU CZ SK
 PL UK MD ?RSC RSS #98 #379
 ssp. speciosus (Schneider, 1787) ?FR IT ?CH ?DE SL CR BH SB MC AL GR BU RO HU AU
 CZ SK PL UK MD ?RSC RSS #98 #379
 ssp. eggeri Rapuzzi & Sama, 2018 GR #466
 ssp. ganglbaueri (Pic, 1900) CR BH ME ?SL #98 #466
 ssp. barbarae Sama, 1977 IT #98 #466
 jarmilae Slama, 1982 GRC #466
 comptus (Mannerheim, 1825) UKC RSC #466
 ssp. comptus (Mannerheim, 1825) UKC RSC #379
Chlorophorus Chevrolat, 1863 #42
Subgen.: Immaculatus Özdikmen, 2011 #376
 glaucus (Fabricius, 1781) PT SP FR FRC ITA #94 #324
 = pilosus auct. non Forster, 1771 #324
 glabromaculatus (Goeze, 1777) FR IT ITI ITA MA SL CR SZ BE LU GE #94 #272
 varius (Müller, 1766) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO
 HU AU SZ GE SV CZ SK PL LT BY UK UKC MD RSC RSS KZ #85
 ssp. varius (Müller, 1766) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU
 TR RO HU AU SZ GE SV CZ SK PL LT BY UK UKC MD RSC RSS KZ #85
 elaeagni Plavilstshikov, 1956 RSS KZ
 faldermanni (Faldermann, 1837) ?RSS
 herbstii (Brahm, 1790) SP FR CR BH SB BU TR RO HU AU SZ GE CZ SK PL SV NR FI EN
 LA LT BY UK MD UK ?UKC KZ RSN RSC RSS #16
Subgen.: Humeromaculatus Özdikmen, 2011 #376
 figuratus (Scopoli, 1763) PT SP FR IT ITA CR BH SB ME MC AL GR BU TR RO HU AU SZ
 LU GE CZ SK PL EN LA LT BY UK UKC MD RSN RSC RSS KZ #90
 nivipictus Kraatz, 1779 GR #238
Subgen.: Crassofasciatus Özdikmen, 2011 #376
 trifasciatus (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR SB AL GR BU RO HU
 SZ #139 #272 #425
 hungaricus Seidlitz, 1891 CR BH SB ME MC AL GR BU RO HU AU CZ SK
 aegyptiacus (Fabricius, 1775) MC GR GRC BU
 = nigripes Brullé, 1832 #8
 convexifrons Holzschuh, 1981 GR #238
 ruficornis (Olivier, 1790) PT SP FR
Subgen.: Perderomaculatus Özdikmen, 2011 #376
 sartor (Müller, 1766) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR
 RO HU AU SZ LU GE CZ SK PL ?LA BY UK UKC MD RSC RSS KZ #252 #427
 = massiliensis (Linnaeus, 1767) #26
 gratiosus (Marseul, 1868) GR #360
 ssp. sparsus (Reitter, 1886) GR #360
Rhaphuma Pascoe, 1858
 gracilipes (Faldermann, 1835) PL ?RO ?LT BY ?UK RSN RSC #407
Cyrtoclytus Ganglbauer, 1882 #172
 capra (Germar, 1824) FR IT BH SB RO AU SZ GE CZ SK PL EN LT LA BY UK MD RSN RSC
 RSS KZ #95
Xylotrechus Chevrolat, 1860 #326

Subgen.: Xylotrechus Chevrolat, 1860

arvicola (Olivier, 1795) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR
RO HU AU SZ LU BE NL GE CZ SK PL EN LA LT BY UK UKC MD RSC RSS KZ

ssp. arvicola (Olivier, 1795) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR
BU TR RO HU AU SZ LU BE NL GE CZ SK PL EN LA LT BY UK MD #363

ssp. planarius Danilevsky, 2016a UK UKC RSC RSS KZ #363

antilope (Schönherr, 1817) PT SP FR FRC IT ITI SL CR BH SB AL GR BU TR RO HU AU
CH GE CZ SK PL NR SV LT BY UK UKC MD RSC RSS #242 #286

ssp. antilope (Schönherr, 1817) PT SP FR IT ITI SL CR BH SB AL GR BU TR RO HU
AT SZ GE CZ SK PL NR SV LT BY UK UKC MD RSC RSS

ssp. sekerai Paulian, 1986 FRC #149
= lentoi Paulian, 1986

ibex (Gebler, 1825) GE PL FI BY RSC RSS KZ #265

capricornus (Gebler, 1830) SK CZ PL UK RSC KZ
= capricornis (Chevrolat, 1863)

stebbingi Gahan, 1906 FR IT ITA SL AL GE GR GRC SZ #186 #286 #441

Subgen.: Rusticoclytus Vives, 1977 #155 #324 #326 #385

rusticus (Linnaeus, 1758) PT SP FR LU IT ITA SL CR BH SB ME MC AL GR BU TR RO HU
AU SZ GE CZ SK PL EN LA LT BY UK UKC MD RSN RSC RSS KZ #403

pantherinus (Savenius, 1825) FR IT AU RO HU CZ SK GE PL NR SV FI LT BY UK MD RSN
RSC RSS #150 #191 #302

Subgen.: Turanoclytus Sama, 1994 #326

asellus (Thieme, 1881) ?RSS ?KZ #23
= grumi Semenov, 1889 #24

Subgen.: Xyloclytus Reitter, 1912 #155 #171

altaicus (Gebler, 1836) RSC

Pseudosphegistes Reitter, 1913 #171

cinerea (Laporte et Gory, 1836) SP FR GE IT ITI ITA UK
bergeri Slama, 1982 GRC

Clytus Laicharting, 1784

Subgen.: Clytus Laicharting, 1784

tropicus (Panzer, 1795) SP FR FRC CR SB MC GR BU TR RO HU AU SZ GE CZ SK PL BY
UK MD RSC RSS #205

arietis (Linnaeus, 1758) PT SP FR FRC IT SL CR BH SB MC GR BU TR RO HU AU SZ LU
BE NL GE GE GB ?IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS ?KZ
#240 #308

= gazella Fabricius, 1793 #219

triangulimacula (Costa, 1847) IT #383

clavicornis Reiche, 1860 ITI

arietoides Reitter, 1899 RSC RSN #240

lama Mulsant, 1847 FR FRC IT SL CR BH SB BU RO HU AU SZ GE CZ SK PL BY UK MD
#300

robertae Mineau et Teocchi, 1986 FR #48

rhamni Germar, 1817 PT SP FR FRC IT ITI ITA CR BH SB ME MC AL GR BU TR RO HU AU
CH GE CZ SK BY UK UKC MD RSC RSS KZ #327 #370 #379

ssp. rhamni Germar, 1817 IT CR BH SB MC AL GR

ssp. bellieri Gautier, 1862 PT SP FR FRC IT ITI ITA SZ GE #385

ssp. temesiensis Germar, 1824 BU TR RO HU AU GE CZ SK BY UK UKC MD RSC RSS
KZ #370 #385

Neoclytus Thomson, 1860

acuminatus (Fabricius, 1775) FR IT GE GB SZ SL SB HU CR SK #189

LAMIINAE

Mesosini

Mesosa Latreille, 1829

Subgen.: Mesosa Latreille, 1829 #197

curculionoides (Linnaeus, 1761) PT SP FR FRC IT ITI ITA SL CR BH SB MC AL GR BU

TR RO HU AU SZ GE CZ SK PL NR SV LT ?LA BY UK UKC MD RSC RSS KZ #372
Subgen.: Aplocnemia Stephens, 1831 #130 #197
 = Aphelocnemia Stephens, 1832
 nebulosa (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU TR RO
 HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV BY UK UKC MD RSC RSS
 ssp. nebulosa (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU
 TR RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV BY UK UKC MD RSC RSS
 myops (Dalman, 1817) SV PL FI LT LA BY UK RSN RSC RSS KZ #362

Parmenini

Parmena Dejean, 1821 #105
 balteus (Linnaeus, 1767) FR IT SZ BE #149 #179
 merregallii Sama, 1985 SP FR
 unifasciata (Rossi, 1790) FR IT SZ SL CR BH SB ME MC AL GR #201 #309 #334 #427
 europaea Danilevsky, 2017 RO MD UK #447
 pontocircassica Danilevsky et Miroshnikov, 1985 UKC #334
 istanbulensis Danilevsky & Hizal, 2017 TR #447
 subpubescens Hellrigl, 1971 IT ITI ITA
 bicincta (Küster, 1849) CR BH ME AL
 pilosa Brullé, 1832 SP FR IT ITI MA ?ME CR BH SB ME AL GR ?UK #286 #400
 ssp. inclusa Mulsant, 1862 FR IT ?ITI ?MA #146
 ssp. pilosa Brullé, 1832 ?ME CR BH SB AL GR ?UK #146 #400
 pubescens (Dalman, 1817) SP ITI ITA #146
 = algerica (Laporte, 1840)
 cruciata Pic, 1912 SP #146
 novaki Sama, 1997 GR
 slamai Sama, 1986 GRC
 balearica Vives, 1998 SP
 ssp. balearica Vives, 1998 SP
 ssp. minoricensis Vives, 1998 SP #129
 solieri Mulsant, 1839 SP FR FRC IT ITA
 ssp. solieri Mulsant, 1839 FR FRC IT ITA
 = lanzai Sama, 1985 #474
 ssp. breuningi Vives, 1979 SP

Monochamini

Anoplophora Hope, 1839
 glabripennis (Motschulsky, 1853) FR GB GE NL AU CZ IT SK TR #231 #454
 chinensis (Forster, 1771) FR IT BE CR #231
Monochamus Dejean, 1821
 saltuarius (Gebler, 1830) IT SL BH RO HU AU CZ SK GE PL BY LA LT UK RSN RSC
 #277
 ssp. occidentalis Sláma, 2017b IT SL BH RO HU AU CZ SK GE PL BY LA LT UK RSN
 RSC #458
 impluviatus Motschulsky, 1859 RSN RSC
 galloprovincialis (Olivier, 1795) PT SP FR FRC IT ITI SL CR BH SB MC AL GR BU
 RO HU AU SZ NL GE CZ SK PL SV FI EN LA LT BY MD UK UKC RSN RSC RSS #286
 #325
 ssp. galloprovincialis (Olivier, 1795) PT SP FR ITI #187 #325 #385
 ssp. pistor (Germar, 1818) FRC IT SL CR BH SB MC AL GR BU RO HU AU SZ NL GE CZ
 SK PL SV FI EN LA LT BY UK MD RSC RSS #324 #385
 = lignator Krynicki, 1832 [Odessa]
 ssp. cinerascens Motschulsky, 1860 RSN #325 #385
 = sibiricus Pic, 1908
 sutor (Linnaeus, 1758) PTi SP FR IT SL BH SB ME ?AL BU RO HU AU SZ GE NL CZ SK
 PL GE BE NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS #309 #325 #400
 = rosenmuelleri Cederhjelm, 1798 #210

ssp. sutor (Linnaeus, 1758) SP FR IT SL BH SB ME ?AL BU RO HU AU SZ GE NL CZ SK
 PL DK NR SV FI EN LT LA BY MD UK ?UKC RSC RSS #325
 ssp. longulus Pic, 1898 RSN #325
 sartor (Fabricius, 1787) FR IT SL CR BH SB ?AL BU RO HU AU SZ GE BE NL CZ SK PL
 LT BY UK #92 #400
 = fleischeri Heyrovsky, 1966 [unavailable]
 urussovii (Fischer-Waldheim, 1805) NR SV FI EN LA BY UK RSN RSC ?RSS #210
 = rosenmuelleri auct., nec Cederhjelm, 1798 #210
Psacotha Gahan, 1888
 hilaris (Pascoe, 1857) IT #287

Lamiini #324

Herophila Mulsant, 1863 #8
 = Dorcatypus Thomson, 1864
 tristis (Linnaeus, 1767) FR FRC IT ITI ITA SZ AU SL CR BH SB MC AL GR GRC BU TR
 RO HU
 ssp. tristis (Linnaeus, 1767) FR FRC IT ITI ITA SZ AU SL CR BH SB MC AL GR GRC
 BU TR RO HU
 = zajecarensis Breuning, 1948 #347
 ssp. martinasci (Contarini et Garagnani, 1983) IT GR #466
 veluchiana (Breuning, 1943) #347 #466
 moreana Rapuzzi & Sama, 2018 GR #466
 fairmairei (Thomson, 1857) GR
 beieri Breuning, 1942 GR
Morimus Brullé, 1832 #8 #170
 = Morinus Brullé, 1832 (misprint) #8
 asper (Sulzer, 1776) SP FR FRC IT ITI ITA SL CR BH SB ME MC AL SZ RO AU ?DE CZ
 SK UK MD #36
 ssp. asper (Sulzer, 1776) SP FR FRC IT ITI ITA AL SZ GR
 ssp. graecus Danilevsky, 2016 GR #36
 ssp. funereus (Mulsant, 1863) IT MAi SL CR BH SB ME MC AL GR BU RO HU ?CH AU CZ
 SK UK MD #36 #370
 ganglbaueri (Reitter, 1894) IT CR BH SB ME ?MC AL GR #36 #94
 gabzdili Danilevsky, 2015 SK ?UK #36 #461
 orientalis Reitter, 1894 BU TR #36
 verecundus (Faldermann, 1836) UKC BU
 ssp. verecundus (Faldermann, 1836) UKC
 ssp. bulgaricus Danilevsky, 2016 BU #36

Lamia Fabricius, 1775
 textor (Linnaeus, 1758) SP FR IT ?ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
 LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ

Dorcadionini #225 #324

Dorcadion Dalman in Schönher, 1817 #202 #225
Subgen.: Carinatodorcadion Breuning, 1943 #118 #202 #225 #279
 = Dorcadodium Gistel, 1856
 carinatum (Pallas, 1771) ?MD UK UKC RSC RSS KZ #309 #460
 ssp. carinatum (Pallas, 1771) MD UK UKC RSC RSS KZ
 ssp. igrenum Danilevsky 1998 UK
 fulvum (Scopoli, 1763) SL CR BH SB MC BU TR RO ?DE AU HU CZ SK PL MD UK UKC
 #207
 ssp. fulvum (Scopoli, 1763) SL HU CZ SK ?DE AU UK
 ssp. erythropterum Fischer-Waldheim, 1823 CR BH SB MC BU TR RO PL MD UK UKC
 = canaliculatum Fischer-Waldheim, 1824 #354
 = erythropterum Fischer-Waldheim, 1824 [wrong spelling]
 ssp. cervae Frivaldsky, 1892 HU SK

hybridum Ganglbauer, 1883 GR TR #172
 ssp. hybridum Ganglbauer, 1883 GR TR
 ssp. hedvigae Jurecek, 1923 GR #365
 ingeae Peks, 1993 TR ?GR #245
 aethiops (Scopoli, 1763) ?IT SL CR SB MC AL GR BU RO SZ GE AU HU CZ SK UK MD #207 #460
 ssp. aethiops (Scopoli, 1763) ?IT SL CR SB MC AL GR BU RO SZ GE AU HU CZ SK UK MD #207
 ssp. strumense Danilevsky, 2014b BU GR #417
 ssp. asenovi Danilevsky, 2014b BU #417
 ssp. majoripenne Pic, 1926 GR #293
 ssp. propinquum Breuning, 1962 GR #293 #417
 laevepunctatum Breuning, 1944 MC AL ?GR #245
 balthasari Heyrovsky, 1962 AL ?GR #245
 maderi Breit, 1923 AL ?GR #245
 sterbai Breuning, 1944 AL ?GR #245
Subgen.: Cribridorcadion Pic 1901 #51 #202 #225
 = Pedestredorcadion Breuning, 1943 #279
 = Autodorcadion Plavilstshikov, 1958
 = Bergerianum Pesarini et Sabbadini, 2004 #250
 = Megalodorcadion Pesarini et Sabbadini, 1999 #250
 lugubre Kraatz, 1873 MC BU GR #329
 ssp. lugubre Kraatz, 1873 [Saloniki] MC GR #329
 = pseudolugubre Breuning, 1943 **E**: GR ["Karatschköi" = Asvestohori 40°38'27"N, 23°1'27"E - near Saloniki] #329 #365
 = discosulcatum Pic, 1926
 = salonicum Pic, 1916
 = sparsepilosum Pic, 1926 ["Salonique"]
 ssp. thessalicum Pic, 1916 **E**: GR ["Thessalie" - Pella (Notia - 41°6'6"N, 22°12'30"E) e Kilkis (Fanos 41°4'46"N, 22°28'39"E) #188 #293 #365 #329
 ssp. minkovae Heyrovsky, 1962 BU [Kresna] #245 #329
 ssp. meteorum Breuning, 1969 #188 #293
 ssp. pelionense Breit, 1923 GR [Mt. Pelion - 39°26'N, 23°03'E] #293
 ssp. parinfernale Breuning, 1975 GR [Kavala] #188
 = giachinoi Pesarini et Sabbadini, 2007 [Oros Kavala] #188 #293 #329
 valonense Pic, 1917 AL ?GR #245
 pilosellum Kraatz, 1873 GR
 ssp. pilosellum Kraatz, 1873 GR
 ssp. obscurimembre Breuning, 1946 GR
 etruscum (Rossi, 1790) IT ITI
 ssp. etruscum (Rossi, 1790) IT ITI #293
 = femoratum Brullé, 1832
 = italicum Küster, 1847
 = nudum Küster, 1852
 = fuscifrons Chevrolat, 1882
 = apulum Depoli, 1926
 = calabricum Breuning, 1942
 spp. fiorii Breuning, 1942 IT
 epirense Breuning, 1942 GR #293
 tassii Breuning, 1964 GR #293
 pindicum Breuning, 1966 GR #293
 bravardi Pic, 1916 MC GR AL #293 #365
 albosuturale Breuning, 1946 AL MC GR #358 #365 #368
 ariannae Pesarini et Sabbadini, 2008 #313
 lineatocolle Kraatz, 1873 SB MC AL GR BU #365 #425 #441
 pseudolineatocolle Breuning, 1962 GR #365
 sturmi Frivaldsky, 1837 MC BU ?GR #245
 pedestre (Poda, 1761) CR BH SB MC AL BU TR RO HU AU CZ SK UK UKC MD #167 #435
 ssp. pedestre (Poda, 1761) CR BH SB MC AL BU TR RO HU AU CZ SK UK UKC MD

| | |
|---|-----------|
| ssp. kaszabi Breuning, 1956 HU | #370 #435 |
| johannisfranci Pesarini et Sabbadini, 2007 GR TR | #197 |
| kozanii Breuning, 1962 GR | #293 |
| ssp. kozanii Breuning, 1962 GR | |
| ssp. daccordii Pesarini et Sabbadini, 2007 GR | #293 |
| olympicum Kraatz, 1873 TR ?BU ?GR | |
| = obsoletum Kraatz, 1873 | #138 |
| sapkaianum Krätschmer, 1987 GR | #365 |
| gallipolitanum Thomson, 1867 GR TR | |
| ssp. gallipolitanum Thomson, 1867 GR TR | |
| ssp. gandolphei Tournier, 1872 GR TR | |
| ssp. samothrakeanum Breuning, 1962 GR | |
| ssp. atritarse Pic, 1931 GR TR | #248 |
| ssp. fumidum Pesarini & Sabbadini, 2010 GR | #365 |
| breuningii Heyrovsky, 1943 GR TR | #365 |
| regulare Pic, 1931 GR BU TR | #220 #301 |
| ssp. regulare Pic, 1931 GR BU TR | |
| ssp. dramaticum Pesarini & Sabbadini, 2010 GR | #365 |
| purkynei Heyrovsky, 1925 MC GR | #247 |
| meschniggi Breit, 1928 GR | |
| = olympianum Meschnigg, 1947 | #293 |
| anachoreta Pesarini & Sabbadini, 2013 GR | #443 |
| ljubetense Pic, 1909 SB MC AL GR | |
| ssp. heyrovskyi Breuning, 1943 MC GR | #247 |
| ssp. borisi Heyrovsky, 1931 MC BU GR | #247 |
| ssp. ljubetense Pic, 1909 SB MC AL | |
| ssp. kaimakcalanum Jurecek, 1929 MC GR ?SB | #247 |
| ssp. peristeriense Breuning, 1962 GR | |
| obenbergeri Heyrovsky, 1940 GR | |
| macedonicum Jurecek, 1929 MC ?GR | #245 |
| glabriscapus Breuning, 1943 AL ?GR | #245 |
| tuleskovi Heyrovsky, 1937 GR | #313 |
| = frigidum Meschnigg, 1947 | |
| = olympicola Heyrovsky, 1941 | #313 |
| ferruginipes Ménétériés, 1836 TR GR | #245 |
| axillare Küster, 1847 BU RO | #395 |
| moldavicum Dascalu & Fusu, 2012 RO | #395 |
| arenarioides Rabaron, 1979 GR | |
| arenarium (Scopoli, 1763) FR IT SL CR BH ME AL RO ?HU | #223 #370 |
| ssp. arenarium (Scopoli, 1763) SL CR RO ?HU SK | #454 |
| ssp. abruptum Germar, 1839 AL BH CR | #441 |
| ssp. marsicanum Fracassi, 1905 FR IT | |
| = subcarinatum Müller, 1905 | |
| ssp. muelleri Depoli, 1912 CR | |
| ssp. lemniscatum Küster, 1847 CR | |
| = mostarense Pic, 1942 | #296 |
| ssp. velebeticum Müller, 1905 CR | |
| ssp. dalmatinum Müller, 1905 CR | |
| ssp. brattiense Müller, 1905 CR | |
| ssp. rubrimembre Pic, 1917 CR BH ME AL | |
| ssp. shkypetarum Heyrovsky, 1937 AL | #441 |
| ssp. hypsophilum Müller, 1905 AL CR BH ME | #441 |
| sericatum Sahlberg, 1923 UKC | |
| mediterraneum Breuning, 1942 IT | |
| tauricum Walatl, 1838 SB GR BU TR RO MD UK UKC | #305 |
| ssp. tauricum Walatl, 1838 SB BU TR RO MD UK UKC | |
| ssp. pittinoi Pesarini & Sabbadini, 2010 GR | #365 |
| decipiens Germar, 1824 SB RO HU ?BU SK UK MD | |

| | |
|--|-----------|
| murrayi Küster, 1847 SB HU RO | |
| pilosipenne Breuning, 1943 GR | |
| cinerarium (Fabricius, 1787) MD UK UKC RSS | #300 #302 |
| ssp. zubovi Lazarev, 2011 MD | #380 |
| ssp. demidovi Danilevsky, 2013c UK | #380 |
| ssp. gorodinskii Danilevsky, 1966 UK MD | #380 |
| ssp. cinerarium (Fabricius, 1787) UK RSS | |
| ssp. macropoides Plavilstshikov, 1932 UK | #380 |
| ssp. skrylniki Lazarev, 2011 UK | #380 |
| ssp. azovense Lazarev, 2011 UK | #380 |
| ssp. perroudi Pic, 1942 UKC | #380 |
| ssp. bartenevi Lazarev, 2011 UKC | #380 |
| ssp. panticapaeum Plavilstshikov, 1951 UKC | #315 |
| sareptanum Kraatz, 1873 RSS KZ | |
| ssp. sareptanum Kraatz, 1873 RSS KZ | #227 |
| ssp. euxinum Suvorov, 1915 RSS | #225 #227 |
| holosericeum Krynicki, 1832 RO ?HU ?SK PL BY MD UK UKC RSC RSS KZ | |
| ssp. holosericeum Krynicki, 1832 RO ?HU ?SK PL BY MD UK UKC RSC RSS KZ | |
| equestre (Laxmann, 1770) SB MC AL GR BU TR HU RO UK UKC MD RSC RSS | #370 |
| ssp. equestre (Laxmann, 1770) UK UKC RSC RSS | |
| ssp. transsilvanicum Ganglbauer, 1883 RO MD | #172 |
| ssp. reclinatum Kraatz, 1892 SB AL MC GR BU TR | |
| ssp. bisuturale Jureček, 1933 GR BU | #391 |
| funestum Ganglbauer, 1883 GR | #172 |
| chrysochroum Breuning, 1943 GR | #250 |
| ossae Heyrovsky, 1941 GR | |
| taygetanum Pic, 1902 GR | |
| stephaniae Pesarini & Sabbadini, 2004 GR | |
| granigerum Ganglbauer, 1883 GR | #172 |
| intrusum Pesarini & Sabbadini, 2009 TR | #389 |
| divisum Germar, 1839 GR TR | #299 |
| [?ssp. thebesianum Pic, 1942 GR(Thebes)] | |
| ssp. bleusei Pic, 1899 GR | |
| = rhodicum Della Buffa, 1924 | |
| ssp. dissimile Ganglbauer, 1884 TR | |
| ssp. chioticum Breuning, 1946 GR | |
| ssp. mytilinense Kraatz, 1873 GR | |
| gashtarovi Sama, Dascalu & Pesarini, 2010 BU RO | #299 #364 |
| subinterruptum Pic, 1900 TR | #364 |
| moreanum Pic, 1907 GR | #250 #293 |
| eugeniae Ganglbauer, 1885 GR | |
| ssp. eugeniae Ganglbauer, 1885 GR | #250 |
| = arcadicum Breuning, 1946 | #250 |
| ssp. emgei Ganglbauer, 1885 GR | #250 |
| taborskyi Heyrovsky, 1941 GR | #293 |
| lianokladii Breuning, 1962 GR | #293 |
| wewalkai Breuning, 1974 GR | #293 |
| joanninae Breuning, 1967 GR | #293 |
| margheritae Breuning, 1964 GR ?TR | #293 |
| vincenzae Pesarini et Sabbadini, 2007 GR | #293 |
| crassicolle Pesarini et Sabbadini, 2007 GR | #293 |
| peloponesium Pic, 1902 GR | #250 |
| = subjunctum Pic, 1904 | #250 |
| = weiratheri Pic, 1929 | #250 |
| zanteanum Breuning et Villiers, 1967 GR | |
| insulare Kraatz, 1883 GR | |
| condensatum Küster, 1852 BU TR ?GR | #245 |
| punctipenne Küster, 1852 GR ?TR | #247 |
| veluchense Pic, 1903 GR | |

ssp. veluchense Pic, 1903 GR
 ssp. australe Pesarini & Sabbadini, 2013 #443
 ssp. maliacum Pesarini & Sabbadini, 2013 #443
 ssp. albanicum Heyrovsky, 1934 AL ?GR #245 #443
 atticum Kraatz, 1873 GR #293
 minutum Kraatz, 1873 GR #66
 ssp. minutum Kraatz, 1873 GR #293
 ssp. mimarenarium Breuning, 1974 GR #66 #293
 ssp. rugicolle Breuning, 1962 GR #293
 = amphissae Breuning, 1974 #66
 lamiae Breuning, 1962 GR #293
 brenskei Ganglbauer, 1883 GR #250
 = aeginasum Pic, 1942 #66
 = nemeense Breuning, 1974 #66
 pararenarium Breuning, 1969 GR #66 #293
 xerophilum Pesarini et Sabbadini, 2007 GR #293
 kykladicum Breuning, 1944 GR
 corcyricum Ganglbauer, 1883 GR #172
 peloponnesicum Breuning, 1982 GR
 parnassi Kraatz, 1873 GR
 = oertzeni Ganglbauer, 1883 #172
 krueperi Ganglbauer, 1883 MC AL GR #172
 oetalicum Pic, 1902 GR #293
 heldreichi Kraatz, 1873 GR
 pusillum Küster, 1847 RO UK UKC MD RSS
 ssp. pusillum Küster, 1847 ?RO UK UKC MD
 ssp. berladense Pic. 1903 RO
 ssp. ochrolineatum Dascalu, 2018 RO #472
 ssp. vasiliscus Dascalu, 2018 RO #472
 ssp. tanaiticum Kasatkin, 2002 RSS #185
 scopolii (Herbst, 1784) ?AU HU ?CZ SK CR SB GR BU RO PL UK MD
 elegans Kraatz, 1873 UK RSC RSS KZ #17 #185 #265
 = vitureti Pic, 1903 #293
 litigiosum Ganglbauer, 1883 RO ?BU UK MD #159 #172
 ssp. litigiosum Ganglbauer, 1883 RO ?BU ?MD
 ssp. otshakovi Suvorov, 1913 UK ?MD #159
 ciscaucasicum Jakovlev, 1899 RSS UKC #175 #303 #330
 ssp. mokrzeckii Jakovlev, 1902 UKC #330
 ssp. ciscaucasicum Jakovlev, 1899 RSS #330
 septemlineatum Waltl, 1838 GR BU TR #296
 buresi Sterba, 1922 GR #246
 = rufifrons Motschulsky, 1860 #193 #225
Subgen.: Maculatodorcadion Breuning, 1942
 quadrimaculatum Küster, 1848 GR TR
 ssp. quadrimaculatum Küster, 1848 GR TR
 ssp. nodicorne Tournier, 1872 GR TR
Subgen.: Dorcadion Dalman, 1817 #225
 = Compsodorcadion Ganglb. 1883
 glycyrrhizae (Pallas, 1773) RSC RSS KZ #153
 ssp. glycyrrhizae (Pallas, 1773) ?RSS KZ
 ssp. inderiense Suvorov, 1911 KZ
 ssp. nemkovi Danilevsky, 2006 RSC KZ
 ssp. striatum (Goeze, 1777) RSC RSS KZ #153 #265
 = rufifrons Motschulsky, 1860
Iberodorcadion Breuning, 1943 #195 #202 #225
Subgen.: Iberodorcadion Breuning, 1943
 fuliginator (Linnaeus, 1758) SP FR ?IT AU GE SZ BE NL PL LA
 ssp. fuliginator (Linnaeus, 1758) FR GE AU SZ BE NL LA #370
 ssp. monticola (Mulsant, 1853) FR
 ssp. urgulli Breuning, 1976 SP #73

| | |
|--|-----------|
| ssp. meridionale (Mulsant, 1839) FR ?IT | #73 |
| ssp. navarricum (Mulsant, 1853) SP FR | #119 |
| ssp. loarrense Berger, 1997 SP FR | #120 |
| ssp. pyrenaeum (Germar, 1839) SP FR | |
| ssp. andianum (Pic, 1917) SP | |
| ssp. obesum (Gautier, 1870) FR | |
| ssp. striola (Mulsant, 1863) FR | #73 |
| spinolae (Dalman, 1817) SP | |
| ssp. spinolae (Dalman, 1817) SP | |
| = basigranosum (Breuning, 1943) | #148 |
| ssp. caunense (Lauffer, 1910) SP | |
| ssp. soricinum (Chevrolat, 1862) SP | #148 |
| = vallisoletanum (Lauffer, 1901) | |
| seoanei (Graells, 1858) PT SP | |
| ssp. seoanei (Graells, 1858) SP | |
| ssp. kricheldorffi (Pic, 1910) PT SP | |
| = lainzgalloi Rodrigues, 1996 | #121 |
| ssp. laurae Bahillo, 1994 SP | |
| castilianum (Chevrolat, 1862) SP | |
| brannani (Schaufuss, 1870) PT ?ES | |
| Subgen.: Baeticodorcadion Vives, 1976 | #195 #202 |
| amorii (Marseuil, 1856) SP | |
| ssp. amorii (Marseuil, 1856) SP | |
| ssp. segurense (Escalera, 1911) SP | |
| isernii (Pérez-Arcas, 1868) SP | |
| = ceballosi (Breuning, 1948) | #122 #148 |
| suturale (Chevrolat, 1862) SP | |
| marmottani (Escalera, 1900) SP | |
| = robustioripenne (Pic, 1941) | |
| lorquinii (Fairmaire, 1855) SP | |
| ssp. lorquinii (Fairmaire, 1855) SP | |
| ssp. cobosi (Vives, 1979) SP | |
| mus (Rosenhauer, 1856) SP | #148 |
| ssp. mus (Rosenhauer, 1856) SP | |
| = andalusiicum (Breuning, 1962) SP | #148 |
| ssp. grisescens (Escalera, 1900) SP | #148 |
| chiqui Verdugo, 2014 | #439 |
| parmeniforme (Escalera, 1902) SP | #439 |
| mucidum (Dalman, 1817) SP PT | #124 |
| ssp. mucidum (Dalman, 1817) SP | |
| ssp. annulicorne (Chevrolat, 1862) SP | #196 |
| ssp. rondensis Verdugo, 2003 SP | |
| ssp. nigrosparsum (Pic, 1941) SP | #124 |
| ssp. coelloi Verdugo, 1996 SP | #123 |
| lusitanicum (Chevrolat, 1840) PT | #124 |
| ssp. lusitanicum (Chevrolat, 1840) PT | #124 |
| ssp. evorense (Breuning, 1943) SP PT | |
| ssp. mimomucidum (Breuning, 1976) PT | #69 |
| Subgen.: Hispanodorcadion Vives, 1976 | #195 #202 |
| albicans (Chevrolat, 1862) SP | |
| ssp. albicans (Chevrolat, 1862) SP | |
| = palentinum (Escalera, 1911) SP | #404 |
| = palentinum (Lauffer, 1911) SP | #404 |
| ssp. demandense (Lauffer, 1902) SP | #404 |
| ssp. marinae Tomé et Bahillo, 1996 SP | #128 |
| ssp. vanhoegaerdeni (Breuning, 1956) SP | #71 |
| aries Tomé et Berger, 1999 SP | |
| heydeni (Kraatz, 1870) SP | |
| graellsii (Graells, 1858) SP | |

ssp. graellsii (Graells, 1858) SP
 ssp. longipenne (Chevrolat, 1862) SP
 ssp. cinereum (Escalera, 1901) SP
 ssp. incallosum (Escalera, 1908) SP
 nudipenne (Escalera, 1908) SP #145
 ssp. nudipenne (Escalera, 1908) SP #421
 ssp. schrammianum Plavilstshikov, 1932[RN] SP #421
 = perchini del Saz Fucho, 2012 #145 #
 perezi (Graells, 1849) SP
 ssp. perezi (Graells, 1849) SP
 ssp. hispanicum (Mulsant, 1851) SP #145
 ssp. ghilianii (Chevrolat, 1862) SP #145
 ssp. cercedillanum (Pic, 1900) SP
 ssp. ortunoi Hernandez, 1991 SP #128
 abulense (Lauffer, 1902) SP
 ssp. abulense (Lauffer, 1902) SP
 = puncticolle (Breuning, 1944) #148
 ssp. granulipenne (Escalera, 1908) SP
 segovianum (Chevrolat, 1862) SP
 ssp. segovianum (Chevrolat, 1862) SP
 ssp. dejeanii (Chevrolat, 1862) SP
 fuentei (Pic, 1899) SP
 zenete Anichtchenko et Verdugo, 2004 SP
 martinezii (Pérez-Arcas, 1874) SP
 = espanoli Breuning, 1956 #257
 bolivari (Lauffer, 1898) SP
 ssp. bolivari (Lauffer, 1898) SP
 ssp. danielae Saz Fucho, 2013 SP #
 seguntianum (K. Daniel, 1899) SP #127
 ssp. seguntianum (K. Daniel, 1899) SP #127
 = ruspolii (Breuning, 1974) #125
 ssp. belbezei (Escalera, 1914) SP #421
 = bilbilitanum (Escalera, 1914) #421
 = ribotense Corraleño Iñarra A., Murria Beltrán Á. & del Saz Fucho, 2013 #418 #421
 ssp. intermedium (Escalera, 1902) #127
 aguadoi Aguado et Tomé, 2000 SP
 becerrae (Lauffer, 1901) SP #126
 korbi (Ganglbauer, 1883) SP #172
 molitor (Fabricius, 1775) SP FR
 ssp. molitor (Fabricius, 1775) SP FR
 ssp. navasi (Escalera, 1900) SP
 circumcinctum (Chevrolat, 1862) SP
 ssp. circumcinctum (Chevrolat, 1862) SP
 = ariasi (Chevrolat, 1862) #378
 ssp. tenuecinctum (Pic, 1898) SP #378
 = rufobasicorne (Pic, 1941)
 grustani Gonzalez, 1992 SP
 mosqueruelense (Escalera, 1902) SP #145
 pseudomolitor (Escalera, 1902) SP #109
 terolense (Escalera, 1902) SP
 ssp. terolense (Escalera, 1902) SP
 ssp. albarium (Escalera, 1902) SP #421
 ssp. turdetanum (Lauffer, 1911) SP #421
 paulae Iñarra & Beltrán, 2012 SP
 zarcoi (Schramm, 1910) SP
 abantense Saz Fucho, Corraleno Inarra & Murria Beltran, 2016 SP #449
 uhagonii (Pérez-Arcas, 1868) SP
 = cuencaense (Pic, 1941)

= multidisjunctum (Pic, 1941)
 ssp. uhagonii (Pérez-Arcas, 1868) SP
 ssp. pradae Saz Fucho, 2007 SP
 neilense (Escalera, 1902) SP
 ssp. neilense (Escalera, 1902) SP
 ssp. almarzense (Escalera, 1902) SP #404
 ferdinandi (Escalera, 1900) SP #194
Neodorcadion Ganglbauer, 1883 #172 #202 #225
 virleti (Brullé, 1832) GR ?BU #319
 fallax (Kraatz, 1873) ?MC GR
 bilineatum (Germar, 1824) CR BH SB MC AL GR BU TR HU RO UK MD
 calabricum (Reitter, 1889) IT
 exornatum (Frivaldsky, 1835) BU GR TR RO
 = balcanicum Tournier, 1872
 laqueatum (Waltl, 1838) ?GR ?BU TR #245
 pelleti (Mulsant et Rey, 1863) ?SS GR TR
Politodorcadion Danilevsky, 1996 #225 #226
 politum (Dalman, 1823) ?RSC #181 #265
 ssp. shapovalovi Danilevsky, 2006 ?RSC
Eodorcadion Breuning, 1947 #338
Subgen. Eodorcadion Breuning, 1947
 carinatum (Fabricius, 1781) RSC #338
 ssp. carinatum (Fabricius, 1781) RSC

Pteropliini

Niphona Mulsant, 1839
 = Nyphona Dejean, 1835 #8
 picticornis Mulsant, 1839 SP FR FRC IT ITA ITI MA CR BH ME AL GR GRC BU
Pterolophia Newman, 1842
Subgen.: Albana Mulsant, 1846
 m-griseum (Mulsant, 1846) SP FR

Pogonocherini

#324

Pogonocherus Dejean, 1821
 = Eupogonocherus Linsley, 1935
Subgen.: Pogonocherus Dejean, 1821 #197
 sturani Sama et Schurmann, 1982 SP
 plasoni Ganglbauer, 1883 CR GR #172
 creticus Kratochvil, 1985 GRC
 anatolicus (K. Daniel & J. Daniel, 1898) GR
 hispidulus (Piller et Mitterpacher, 1783) PT SP FR FRC IT ITI SL CR BH MC AL GR
 BU RO HU AU SZ LU BE NL GE GE GB IR CZ SK PL NR SV EN LA LT BY UK ?UKC MD RSN
 RSC RSS #201 #308 #400
 hispidus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU RO HU
 AU CH LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC
 RSS
 ovatoides Rapuzzi & Sama, 2014 IT
 pepa Verdugo & Torres-Méndez, 2010 SP #355
 sieversi Ganglbauer, 1886 ?UKC #162
 = caucasicus Ganglbauer, 1891
 = kuksha Plavilstshikov, 1924
 perroudi Mulsant, 1839 SP FR FRC IT ITI ITA SL CR AL GR GRC BU UKC #40 #286
 ssp. perroudi Mulsant, 1839 SP FR FRC IT ITI ITA SL CR AL GR BU UKC #40 #400
 ssp. brevopilosus Holzschuh, 1993 GRC
 caroli Mulsant, 1863 SP FR SV #134
 neuhausi Müller, 1916 IT CR BH GR
 = icosiensis Peyerimhoff, 1917

marcoi Sama, 1993 IT
eugeniae Ganglbauer, 1891 IT AU CZ BH AL GR RO #19 #400
ssp. eugeniae Ganglbauer, 1891 IT AU CZ BH AL GR RO
ssp. taygetanus Pic, 1903 GR #19
Subgen.: Pityphilus Mulsant, 1863 #132 #197
fasciculatus (DeGeer, 1775) SP FR FRC IT ITI SL CR BH SB ME MC AL GR GRC BU RO
HU AT SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC
RSS KZ #285 #400
ssp. fasciculatus (DeGeer, 1775) SP FR FRC IT ITI SL CR BH SB ME MC AL GR GRC
BU RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN
RSC RSS KZ
decoratus (Fairmaire, 1875) SP FR IT SL CR BH SB AL GR BU TR HU AU SZ BE NL GE
GE CZ SK PL NR SV FI EN LA LT BY UK RSN RSC RSS #62 #334 #400 #446
ovatus (Goeze, 1777) SP FR IT SL CR BH AL RO HU AU SZ GE BE LU CZ SK PL ?LA ?LT
?BY ?UK ?UKC ?RSC #18 #92 #334 #400
= ovalis (Gmelin, 1790) #133
zubovi Danilevsky, 2015b UKC #62

Apodasyini

#135
Deroplia Dejean, 1835 #8 #105
= Stenidea Mulsant, 1842
troberti (Mulsant, 1843) SP FR FRC IT ITA ITI MA CR BH GR GRC
ssp. troberti (Mulsant, 1843) SP FR FRC IT ITA ITI MA CR BH GR
ssp. cruciata Sama, 1996 GRC
geni (Aragona, 1830) SP FR FRC IT ITI SL CR BH SB ME AL GR BU RO HU ?DE CZ SK
AU CH UK UKC #105 #285
ssp. geni (Aragona, 1830) SP FR FRC IT ITI SL CR BH SB ME AL GR BU RO HU ?DE
CZ SK AU SZ UK UKC
Anaesthetis Dejean, 1835 #105
testacea (Fabricius, 1781) SP FR IT ITI ITA SL CR BH SB AL BU TR RO HU AU SZ LU
BE NL GE CZ SK PL SV BY LA LT ES UK UKC MD RSC RSS KZ

Acanthocinini

Leiopus Audinet-Serville, 1835
Subgen.: Leiopus Audinet-Serville, 1835 #396
femoratus Fairmaire, 1859 FR BE NL GE LU IT ITI ITA SB ME HU RO BU TR UK UKC RSS
#161 #379
= pachymerus Ganglbauer, 1883 #172
settei Sama, 1985 IT
nebulosus (Linnaeus, 1758) ?PT ?ES FR ?FRC IT ITI ITA ?ME ?CR ?BH ?SS ?AL ?GR
GRC ?BU ?TR ?RO ?HU ?AT ?CH ?LU BE ?NL GE GE GB IR ?CZ ?SK ?PL NR SV FI ?EO
?LA ?LT UK ?UKC ?MD LA EN RSC[Kaliningrad] #323
ssp. nebulosus (Linnaeus, 1758)?PT ?ES FR ?FRC IT ITI ITA ?ME ?CR ?BH ?SS ?AL
?GR ?BU ?TR ?RO ?HU AT ?CH ?LU BE ?NL GE GE GB IR ?CZ ?SK ?PL NR SV FI UK ?UKC
?MD LA EN RSC[Kaliningrad] #323
ssp. insulanus Slama, 1985 GRC #397
linnei Wallin, Nylander & Kvamme, 2009 ?PT ?SP FR ?FRC ?IT ?ITI ?ME CR ?BH ?SS
MC AL ?GR BU ?TR RO ?HU AU ?CH ?LU BE ?NL SZ GE GE GB ?IR CZ SK PL NR SV ?FI EN
LA LT BY UK ?UKC MD RSN RSC RSS KZ #323 #308 #425 #427
punctulatus (Paykull, 1800) ?FR SZ AU GE HU CZ SK PL SV EN LT LA BY UK RSN RSC
#265 #307
Acanthocinus Dejean, 1821
Subgen.: Acanthocinus Dejean, 1821 #396
xanthoneurus Mulsant et Rey, 1852 IT ITI
henschi Reitter, 1900 IT ITI AU BH MC AL GR BU #201 #400
ssp. henschi Reitter, 1900 IT AU BH MC GR BU
ssp. aetnensis Rapuzzi & Sama, 2010 ITI #201

meyeri Vitali, 2011 PT
hispanicus Sama et Schurmann, 1979 SP
reticulatus (Razoumowsky, 1789) SP FR IT SL CR BH SB AL GR BU RO AU SZ GE CZ SK
PL BY UK #72 #379 #400
griseus (Fabricius, 1793) SP FR FRC IT SL CR BH SB MC AL GR BU TR RO HU AU SZ GE
CZ BE SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. griseus (Fabricius, 1793) SP FR FRC IT SL CR BH SB AL GR BU TR RO HU AU SZ
GE CZ BE SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #239
ssp. novaki Tippmann, 1952 CR BH MC GR
aedilis (Linnaeus, 1758) PT SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ
LU BE NL GE GE GB ?IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
#244

Exocentrini #77 #324 #331

Exocentrus Dejean, 1835 #105 #324
adpersus Mulsant, 1846 SP FR FRC IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ LU
BE GE CZ SK PL SV UK UKC MD RSS
punctipennis Mulsant et Guillebeau, 1856 SP FR FRC LU IT ITA SL CR BH SB ME AL
GR BU RO HU AU SZ GE CZ SK PL BY UK UKC MD RSC RSS
lusitanus (Linnaeus, 1767) SP FR IT SL CR BH SB AL GR BU RO HU AU SZ GE CZ SK
PL GE NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #
stierlini Ganglbauer, 1883 CR SB RO HU ?AT ?CH CZ SK PL UK MD ?RSC RSS #172
#309

Acanthoderini

Oplosia Mulsant, 1862
cinerea (Mulsant, 1839) FR IT CR RO HU AU SZ GE CZ SK PL GE NR SV FI EN LT ?LA
BY UK RSN RSC RSS #308
= fennica (Paykull, 1800) #68
Aegomorphus Haldeman, 1847 #20
= Acanthoderes auct. (not Audinet-Serville, 1835) #20
clavipes (Schrank, 1781) SP FR FRC IT ITI ITA SL CR BH SB ?AL GR BU TR RO HU AU
SZ DK GE CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #131
= varius (Fabricius, 1787)
obscurior Pic, 1904 PL LA RSC RSS UK #269 #275
= wojtylai Hilszczanski, Bystrowski, 2005
krueperi (Kraatz, 1859) GR ME BU #74 #288
francottei Sama, 1994 FR SB MC GR BU PL #74

Tetropini #331

Tetrops Kirby in Kirby et Spence, 1826a #214
Subgen.: Tetrops Kirby in Kirby et Spence, 1826a #469
praeustus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO
HU AU SZ LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC
RSS KZ #243
ssp. praeustus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU
TR RO HU AU SZ LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD
RSN RSC RSS KZ #39 #243
gilvipes (Faldermann, 1837) RO HU CZ SK UKC RSS #39
ssp. gilvipes (Faldermann, 1837) RSS #39
ssp. efetovi Lazarev, 2012 UKC #39
ssp. adlbaueri Lazarev, 2012 CZ SK [probably most part of Europe] #39 #461
ssp. niger Kraatz, 1859 FR IT SZ #39 #461
starkii Chevrolat, 1859 SP FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ GE GB IR
CZ SK PL BE NL DE NR SV EN LT LA BY MD UK ?UKC RSC RSS #88 #309 #379
ssp. starkii Chevrolat, 1859 SP FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ GE

GB IR CZ SK PL BE NL DE NR SV EN LT LA BY MD UK ?UKC RSC RSS #88
Subgen.: Mimosophronica Breuning, 1943 #469
 elaeagni Plavilstshikov, 1954 RSS KZ #214
 ssp. elaeagni Plavilstshikov, 1954 RSS KZ #214

Saperdini

Saperda Fabricius, 1775 #136 #322
Subgen.: Saperda Fabricius, 1775 #197
 = Anaerea Mulsant, 1839 #136 #197 #322
 carcharias (Linnaeus, 1758) SP FR IT SL CR BH SB MC AL GR BU TR RO HU AU SZ LU
 BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ
 similis (Laicharting, 1784) SP FR IT SL CR SB MC AL BU RO HU AU SZ BE GE CZ SK
 PL NR SV FI ?LT LA EN BY UK RSN RSC RSS KZ #76
Subgen.: Lopezcolonia Alonso-Zarazaga, 1998 #136 #197
 = Argalia Mulsant, 1862
 = Scalaperda Shapovalov, 2011a [nomen nudum] #473
 scalaris (Linnaeus, 1758) SP FR IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ LU BE
 NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. scalaris (Linnaeus, 1758) SP FR IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ
 LU BE NL GE GE GB CZ SK PL ?NO SV ?FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
 ssp. hieroglyphica Pall. 1773 ?SV ?NO ?FI ?RSN #168
 ssp. xantha Demelt, 1960 GR
 perforata (Pallas, 1773) SP FR IT CR BH AL BU RO HU AU SZ GE CZ SK PL NR SV FI
 EN LA LT BY UK UKC MD RSN RSC RSS KZ #94 #147 #400
 punctata (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL CR BH SB MC AL GR BU TR RO
 HU AU SZ GE CZ SK PL LA BY UK UKC MD RSN RSC RSS KZ #339
 octopunctata (Scopoli, 1772) SP FR IT SL CR BH SB AL GR BU RO HU AU SZ BE GE CZ
 SK PL LT BY UK UKC MD RSC RSS #201
Subgen.: Compsidia Mulsant, 1839 #197
 populnea (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU
 AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS
 KZ
 ssp. populnea (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU
 RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC
 RSS KZ
 ssp. lapponica Wallin, Kvamme & Bergsten, 2017 FI NR SV RSN #457
 quercus Charpentier, 1825 BH SB RO HU GR BU TR
 ssp. quercus Charpentier, 1825 BH SB RO HU GR AL BU TR #425
Menesia Mulsant, 1856
 bipunctata (Zoubkoff, 1829) FR IT SL BH SB RO HU AU SZ GE CZ SK PL EN LA LT BY
 UK RSN RSC RSS KZ
 sulphurata (Gebler, 1825) ?RSC
Stenostola Dejean, 1835 #105 #154
 ferrea (Schrank, 1776) FR IT SL CR BH BU RO HU AU SZ LU BE GE GE ?GB CZ SK PL NR
 FI EN LA LT BY UK UKC MD RSN RSC RSS #154 #308
 ssp. ferrea ferrea (Schrank, 1776) FR IT SL CR BH BU RO HU AU SZ LU BE GE GE
 ?GB CZ SK PL NR FI EN LA LT BY UK UKC MD RSN RSC RSS #154 #308
 ssp. ferrea maculipennis Holzschuh, 1982 ?UKC #154
 dubia (Laicharting, 1784) FR IT SL CR BH SB RO HU AU SZ LU BE NL GE GE ?GB CZ SK
 PL NR SV ?ES LA UK UKC MD RSN RSC ?RSS #92 #154
 alboscuteclata Kraatz, 1862 GR #21

Phytoeciini

= Obereini Pascoe, 1864 #324 #331
Oberea Dejean, 1835 #105
Subgen.: Oberea Dejean, 1835
 oculata (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU

AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS
KZ

pupillata (Gyllenhal, 1817) SP FR IT SL CR BH ME MC GR RO HU AU SZ BE GE CZ SK
PL EN LA LT BY UK ?UKC MD RSN RSC RSS #297

kostini Danilevsky, 1988 RSC #297

maculicollis Lucas, 1842 SP #213

pedemontana Chevrolat, 1856 IT SL CR BH SB ME BU RO HU AU
ssp. pedemontana Chevrolat, 1856 IT SL CR BH SB ME BU RO HU AU #212

linearis (Linnaeus, 1761) PT SP FR IT ?ITI ITA SL CR BH SB AL GR BU TR RO HU AU
SZ LU BE NL GE GE CZ SK PL NR SV LA BY UK UKC MD RSC RSS #415 #446

Subgen.: Amaurostoma Müller, 1906

euphorbiae (Germar, 1813) ?IT SZ CR SB ME GR ?BU RO HU AU CZ SK ?PL UK ?UKC MD
RSC RSS KZ #286

erythrocephala (Schrank, 1776) PT SP FR IT MA SL CR BH SB ME MC GR GRC BU TR RO
HU AU SZ GE CZ SK PL LT BY UK UKC MD RSC RSS KZ #286

ssp. erythrocephala (Schrank, 1776) PT SP FR IT ?MT SL CR BH SB ME MC GR GRC BU
TR RO HU AU SZ GE CZ SK PL LT BY UK UKC MD RSC RSS KZ

ssp. calvescens Müller, 1948 IT #349

ssp. bicolor Reiche, 1877 PT SP #349

= reichei Plavilstshikov, 1927 [unnecessary RN]

histrionis Pic, 1917 HU PO ?RO AU CZ SK MD UK #317

= moravica Kratochvil, 1989

taygetana Pic, 1904 AL GR #25 #471

Mallosia Mulsant, 1863

graeca (Sturm, 1843) GR

Oxyilia Mulsant, 1863

= Coptosia Fairmaire, 1865 #462

argentata Ménéttriés, 1832 UKC #176

ssp. argentata Ménéttriés, 1832 UKC

duponcheli (Brullé, 1832) AL MC GR BU #460

? androsensis Breuning, 1963 GR #157

Conizonia Fairmaire, 1864 #256

detrita (Fabricius, 1793) ?ES ?FR #229 #322

Pilemia Fairmaire, 1863 #473

Subgen.: Pilemia Fairmaire, 1863 #385 #473

tigrina Mulsant, 1851 ?FR SB BU RO HU MD UK #309

serriventris Holzschuh, 1984 BU

angusterufonotata Pic, 1952 AL GR #335 #471

= inarmata Holzschuh, 1984 #335

Subgen.: Pseudopilemia Kasatkin, 1863 #473

hirsutula (Frölich, 1793) IT CR BH SB MC AL GR BU TR RO HU SK MD UK UKC RSS KZ
#302 #435

ssp. hirsutula (Frölich, 1793) IT CR BH SB MC AL GR BU TR RO HU SK MD UK UKC
RSS KZ #302 #435

= androsensis Breuning 1963 #157

= ciliciae Breuning, 1951 #157

moreana Breuning, 1943 GR #157 #456

= holtzi Pic, 1952

= hladilorum Holzschuh, 2006 #295

kruszelnickii Szczepański & Karpiński, 2017 PK #456

Phytoecia Dejean, 1835

Subgen.: Paracoptosia Danilevsky, 2017b #256 #385 #462

albovittigera Heyden, 1863 GR BU

bithyniensis Ganglbauer, 1883 BU ?RO #172 #174

Subgen.: Cardoria Mulsant, 1863

scutellata (Fabricius, 1793) SB RO HU AU GE CZ SK ?MD UK UKC RSC RSS #98
#176 #265 #322

Subgen.: Neomusaria Plavilstshikov, 1928

balcanica (Frivaldsky, 1835) BU GRC

Subgen.: Helladia Fairmaire, 1864
flavescens (Brullé, 1832) MC AL GR #400
humeralis (Waltl, 1838) GR
praetextata (Steven, 1817) BU TR RO UK UKC #435
millefolii (Adams, 1817) GR GRC BU UKC RSS #62 #158
ssp. millefolii (Adams, 1817) GR BU UKC RSS
ssp. alziari (Sama, 1992) GRC #44

Subgen.: Parobereina Danilevsky, 2018b #475
vittipennis Reiche, 1877 GR BU
ssp. vittipennis Reiche, 1877 GR BU SB #337

Subgen.: Obereina Ganglbauer, 1886 #475
melanocephala (Fabricius, 1787) ITI
= rubricollis Lucas, 1846 #178

Subgen.: Musaria Thomson, 1864
faldermanni Faldermann, 1837 UK UKC RSS #265
tirellii Luigioni, 1913 IT GR #341
affinis (Harrer, 1784) SP FR IT SL CR BH SB MC AL GR BU ?TR RO HU AU SZ GE CZ SK
PL BY UK UKC MD RSC RSS KZ #224
= nigripes (Voet, 1778)
ssp. affinis (Harrer, 1784) SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ
SK PL BY UK UKC MD RSC RSS KZ
= subaurata Pic, 1889 [Pirénéés Orientales]
ssp. nigrohirta Müller, 1948 IT
ssp. nigropubescens Müller, 1948 ?BU #224
ssp. tuerki Ganglbauer, 1883 BU ?TR #172 #224 #385
ssp. volgensis Kraatz, 1883 RSS
rubropunctata (Goeze, 1777) SP FR IT GE #334
argus (Froehlich, 1793) IT CR BH GR BU AU RO HU CZ SK UK UKC MD RSS RSC #265
#291 #334

cephalotes Küster, 1846 IT SL CR GR

Subgen.: Phytoecia Dejean, 1835
cylindrica (Linnaeus, 1758) PT SP FR IT SL CR BH SB GR AL BU TR RO HU AU SZ LU BE
NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #301 #425
manicata Reiche et Saulcy, 1858) ?BU #301
nigricornis (Fabricius, 1782) SP FR IT ITI SL BH SB MC AL GR BU TR RO HU AU SZ
LU BE GE CZ SK PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #228 #448 #460
= julii Mulsant, 1863
icterica (Schaller, 1783) PT SP FR IT SL CR BH SB ME AL GR BU TR RO HU AU SZ GE
?BE CZ SK PL UK UKC MD RSC RSS KZ #177 #211 #425
= subannulipes Pic, 1910 [not available - misspelling of Ph. subannularis Pic,
1901] #177 #368
= subannulipes Pic, 1915 #177

caerulea (Scopoli, 1772) PT SP IT ITI CR BH SB MC AL GR BU TR RO HU AU SZ CZ SK
?LA BY UK UKC MD RSC RSS KZ #37
ssp. caerulea (Scopoli, 1772) PT SP IT ITI CR BH SB MC AL GR BU TR RO HU AU SZ
CZ SK ?LA BY UK UKC MD RSC RSS KZ #37
ssp. bacqueti (Brullé, 1832) GR #292 #448
algerica Desbrochers, 1870 SP #80
pustulata (Schrank, 1776) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ
DE CZ SK PL BY UK UKC MD RSC RSS KZ
ssp. pustulata (Schrank, 1776) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU
AU SZ GE CZ SK PL BY UK UKC MD RSC RSS KZ
ssp. pulla Ganglbauer, 1886 RSS KZ #169
virgula (Charpentier, 1825) PT SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU
CH GE CZ SK PL LA LT BY UK UKC MD RSC RSS KZ #362
vulneris Aurivillius, 1923 FR IT ITI SL CR BH MC
= paganettii Breuning, 1944
ssp. vulneris Aurivillius, 1923 FR IT ITI SL CR BH MC
ssp. eremita Sama, 1999 IT

rufipes (Olivier, 1795) SP FR FRC IT ITI SL CR ?AT SZ ?UK ?UKC RSC RSS KZ #272
 = sibirica Gebler, 1833 #32
 pubescens Pic, 1895 SL CR BH MC GR BU TR #286 #435
 = glaphyra K.Dan. 1906
 = manicata Auct.(nec Reiche et Saulcy, 1858) #28 #178 #301
 erythrocnema Lucas, 1846 PT SP FR #37 #105
 geniculata Mulsant, 1863 ?RO GR BU TR #237 #211
 ssp. orientalis Kraatz, 1871 ?RO GR BU TR #211
 = fuscicornis Mulsant & Rey, 1863 [HN] #211
 = donatellae Rapuzzi & Sama, 2010 #211
 annulicornis Reiche, 1877 SP
Subgen.: Barbarina Sama, 2010 #345
 nausicae (Rejzek, Kakiopoulos, 2004) GR #230
Subgen.: Opsilia Mulsant, 1863 #105 #385
 malachitica Lucas, 1849 PT SP ITI #178 #105
 = hispanica Breuning, 1951 #37 #157
 coerulescens (Scopoli, 1763) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC
 BU TR RO HU AU SZ LU BE NL GE CZ SK PL LA LT ?BY UK UKC MD RSN RSC RSS KZ
 ssp. coerulescens (Scopoli, 1763) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL
 GR BU TR RO HU AU SZ LU BE NL GE CZ SK PL LA LT ?BY UK UKC MD RSN RSC RSS KZ
 ssp. cretensis Breuning, 1947 GRC
 schurmanni Fuchs, 1971 MC
 molybdaena (Dalman, 1817) PT SP FR IT ?ITI SB GR BU RO HU SZ GE CZ SK ?PL UK RSS
 #197 #222 #272 #370
 = longitarsis Reitter, 1911 #197
 uncinata (W. Redtenbacher, 1842) FR ?IT SL CR SB AL BU RO HU AU CZ SK PL GE MD
 UK RSS #184 #265 #286 #425

Agapanthiini

Theophilea Pic, 1895
 subcylindricollis Hladil, 1988 SB CZ SK HU RO MD UK KZ RSC RSS #230 #300
Calamobius Guérin-Méneville, 1844
 filum (Rossi, 1790) PT SP FR FRC BE NL IT ITI ITA MA SL CR BH SB ME MC AL GR GRC
 BU TR RO HU AU SZ GE CZ PL SK UK UKC MD RSS #192 #300 #427
Agapanthia Audinet-Serville, 1935 #253
Subgen.: Synthapsia Pesarini et Sabbadini, 2004 #253
 kirbyi (Gyllenhal, 1817) SP FR IT BH SB MC AL GR BU TR RO HU UK UKC MD RSS
 ssp. kirbyi (Gyllenhal, 1817) SP FR IT BH SB MC AL GR BU TR RO HU UK UKC MD RSS
 ssp. valandovensensis Sláma, 2015c MC #438
Subgen.: Drosotrichia Pesarini et Sabbadini, 2004 #253
 annularis (Olivier, 1795) PT SP
Subgen.: Eoptes Gistel, 1857 #253
 = Agapanthiella Pesarini et Sabbadini, 2004 #253
 asphodeli (Latreille, 1804) PT SP FR FRC IT ITI ITA MA CR BH MC AL GR RO SZ UK
 UKC ?MD RSS
 = reyi Mulsant et Godard, 1870 SP #31
 probsti Holzschuh, 1984 GRC
 lateralis Ganglbauer, 1883 ?CR ?BU TR #172
 schurmanni Sama, 1979 BU MC GR #434
 renatae Steiner & Schmid, 2013 GR #444
 cretica D.Bernhauer, 1978 GRC
 dahli (Richter, 1821) SP FR FRC BE SL CR BH SB ME MC AL BU RO HU AU SZ GE CZ SK
 ?PL BY UK UKC MD RSC RSS KZ #208
 ssp. dahli (Richter, 1821) SP FR BE SL CR BH SB ME MC AL BU RO HU AU SZ GE CZ
 SK ?PL BY UK UKC MD RSC RSS KZ #370
 alternans Fischer-Waldheim, 1842 RSS #453
 ssp. eualternans Danilevsky, 2017a RSS #453
 sicula Ganglbauer, 1883 ?ES FRC IT ITI ITA #172 #208

ssp. sicula Ganglbauer, 1883 ITI
 ssp. malmerendii Sama, 1981 ?ES FRC IT ITA #208
 cynarae (Germar, 1817) IT MA SL CR BH SB ME MC GR GRC BU TU RO HU CZ SK ?DE UK
 UKC ?MD RSS KZ #272
 ssp. cynarae (Germar, 1817) IT SL CR BH SB ME MC GR BU TU RO HU CZ SK ?DE UK
 UKC ?MD RSS KZ
 ssp. michaeli Slama, 1987 GRC
 uxoria Sláma, 2017a GR #452
 villosoviridescens (DeGeer, 1775) PT SP FR FRC IT ITI SL CR BH SB MC AL GR BU TR
 RO HU AU SZ LU BE NL GE DE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC
 RSS KZ #298
 murkusi Rapuzzi, Sama & Kotán, 2013 AL GR #412 #441
Subgen.: Homoblephara Pesarini et Sabbadini, 2004 #253
 maculicornis (Gyllenhal, 1817) CR ME MC GR BU RO HU SK TR UK MD RSS KZ
 #150 #263 #285 #309 #435
 ssp. maculicornis (Gyllenhal, 1817) CR ME MC GR BU RO HU SK TR UK ?MD RSS KZ
 #150 #263 #435
 ssp. davidi Slama, 1986 IT ITI #285
Subgen.: Agapanthia Audinet-Serville, 1935
 cardui (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU
 CH GE BE CZ SK PL UK UKC RSC RSS KZ #199
 = pannonica Kratochvil, 1985 #215
 suturalis Fabricius, 1787 PT SP FR FRC IT ITI ITA MA GRC ?BU #199 #215 #333
 = ruficornis Pic, 1918 #199
 bohémica Sláma, 2017a CZ #452
Subgen.: Stichodera Pesarini et Sabbadini, 2004 #253
 irrorata (Fabricius, 1787) PT SP ?FR IT ITI ITA
Subgen.: Smaragdula Pesarini et Sabbadini, 2004 #253
 osmanlis Reiche, 1858 BU TR #82
 viti Rapuzzi & Sama, 2012 CR SB HU RO SK #82
 frivaldszkyi Ganglbauer, 1883 BU ?TR #172
 izzilloi Rapuzzi, Sama & Kotán, 2013 GR #412
 violacea (Fabricius, 1775) SP FR IT ITI CR BH SB ME MC AL GR BU TR RO HU AU CH
 LU BE GE CZ SK PL ?LA BY UK UKC MD RSN RSC RSS #29 #286 #460
 = lais auct.(not Reiche, 1958 - Syria, Jordan, Israel) #82
 intermedia Ganglbauer, 1883 SP FR IT HU RO AU SZ GE CZ GE SK PL ?LA BY UK UKC MD
 RSN RSC RSS KZ #29 #172 #460
Agapanthiola Ganglbauer, 1900 #208
 leucaspis (Steven, 1817) CR SB ME MC GR BU TR RO HU AU CZ SK UK UKC MD RSC RSS
 KZ #83 #309