Updated 24.04.2024

A check-list of Longicorn Beetles (Coleoptera, Cerambycoidea) of Europe.

Mikhail L. Danilevsky

A.N. Severtsov Institute, Leninsky pr. 33, 117071 Moscow, Russia

Summary. Complete list (based on publication by J. Althoff and M.L. Danilevsky, 1997) of European (from Portugal to Ural Mountains) Vesperidae and Cerambycidae is given. Species introduced and established in Europe are also included. Nominative subgenera or subspecies are not mentioned, if other subgenera or subspecies do not occur in Europe. Each name of the species and subspecies is accompanied by the number of abbreviations indicates the names of the European countries (or territories) where the taxon inhabits. Main or important (but not all) synonyms, as well as taxonomic and geographical notes are also given. The list of used literature mostly includes contemporary publications.

For the East and South East border of Europe I accept Ural mountain ridge, Ural river, **Kuma river and Manych valley**. Caucasus (with Ciscaucasia), Cyprus and North Africa (with Canary Islands) are not treated. For the limits of North, Central and South parts of European Russia we use the divisions accepted in "A key of the Insects of European Part of the USSR" (see Plavilstshikov, 1965).

I would be extremely grateful to all colleagues for each remark, addition or correction.

I am very grateful to my colleagues who sent me a lot of remarks and corrections to the list:

K. Adlbauer (Graz)
R. Ambrus (Prague)
D. Heffern (Houston)
C. Holzschuh (Villah)
S. Kadlec (Litvinov)
D. Kasatkin (Rostov-on-Don)
J. Kurzawa (Tomaszow Maz)
M. Lazarev (Moscow)
A. Lobanov (St.-Petersburg)
O. Mehl (Struer)
A. Miroshnikov (Krasnodar)
S. Murzin (Moscow)
A. Napolov (Riga)
G. Sama (Cesena)
A. Shapovalov (Orenburg)
M. Sláma (Prague)
P. Švacha (České Budějovice)
T. Tichý (Opava)
A. Verdugo (Cadiz)
E. Vives (Barcelona)
A. Zubov (Kishinev)

The geographical data of the list are consistent with other my lists by Nikolay Anisimov (Blagoveshchensk).

Any comments are welcome to danilevsky@cerambycidae.net; danilevskyml@rambler.ru;

The abbreviations of European countries and territories:

AL - Albania	LU-Luxembourg	BH – Bosnia & Herzegovina
AU - Austria	MC - Macedonia	CR - Croatia
BE - Belgium	ME - Montenegro	FR - France (without Corsica)
BY - Belorussiya	MA - Malta	FRC - Corsica
BU – Bulgaria	MD - Moldova	GR - Greece (without Crete)
CZ - Czechia	NL - Netherlands	GRC - Crete
DE - Denmark	NR – Norway	KZ - European Kazakhstan
EN - Estonia	PL - Poland	IT-Italy (without Sardinia and Sicilia
GE - Germany	PT – Portugal	ITA - Sardinia
GB - Great Britain	RO – Romania	ITI - Sicilia
FI - Finland	SB – Serbia	RSN - North of European Russia
HU – Hungary	SK - Slovakia	RSC - Middle of European Russia
IR - Ireland	SL - Slovenia	RSS - South of European Russia
LA - Latvia	SP – Spain	TR - European Turkey
LT - Lithuania	SV - Sweden	UK- Ukraine (without Crimea)
	SZ - Switzerland	UKC - Crimea

List of taxa

VESPERIDAE #331

Vesperus Latreille, 1829 #105
strepens (Fabricius, 1793) FR IT #1 #322
ssp. strepens (Fabricius, 1793) FR
ssp. litigiosus Mulsant, 1863 FR IT #1
ssp. ligusticus Vitali, 2001 IT #1
aragonicus Baraud, 1964 SP FR #1
barredai Verdugo, 2009 PT SP #1
bolivari Oliveira, 1890 SP PT #117 #493
= reitteri Cameron, 1912 #1
xatarti Dufour, 1839 SP FR
abeli Verdugo, 2022 SP
gomezi Verdugo, 2004 SP
saquranus López, Baena, & Castro, 2020 SP
fuentei Pic, 1905 SP
= semiobscurus Pic, 1921
= rufescens Pic, 1921
lucasi Barreda & Mejías García, 2013 SP #450
nigellus Compte, 1963 SP
luridus (Rossi, 1794) FR FRC IT ITA ITI CR ME #460
= graecus Guerin, 1833
= solieri Germar, 1836
creticus Ganglbauer, 1886 GR #45
brevicollis Graells, 1858 PT SP
joanivivesi Vives, 1998 SP ?PT
sanzi Reitter, 1895 PT SP
serranoi Zuzarte, 1985 PT #1
conicicollis Fairmaire et Coquerel, 1866 PT SP ITA #1
ssp. conicicollis Fairmaire et Coquerel, 1866 SP
ssp. hispalensis Fuente, 1901 SP PT #1
= baesuriensis Zuzarte, 1985
macropterus Sama, 1999 ITA
[flaveollus Mulsant et Rey, 1863 AL TN]
[ocularis Mulsant et Rey, 1863 TR]
jertensis Bercedo et Bahillo, 1999 SP

CERAMBYCIDAE

PARANDRINAE

Parandrini

Neandra Lameere, 1912
brunnea (Fabricius, 1798) GE #517

PRIONINAE

Macrotomini #99

Prinobius Mulsant, 1842
myardi Mulsant, 1842 PT SP FR FRC IT ITA ITI CR BH ?SB ME AL GR GRC BU TR UKC #100 #301
ssp. myardi Mulsant, 1842 PT SP FR FRC #20 #399
= germari Mulsant, 1846
ssp. slamorum Danilevsky, 2012 IT ITA ITI CR BH ?SB ME AL GR BU TR UKC #399
= scutellaris Germar, 1817 [HN] #20
ssp. proksi Slama, 1982 GRC #197 #399

Rempanini #377

Rhaesus Motschulsky, 1875 #65
serricollis (Motschulsky, 1838) AL ME MC GR BU TR

Callipogonini

Ergates Audinet-Serville, 1832
faber (Linnaeus, 1760) PT SP FR FRC GB IT ITI AL SL CR BH SB ME GR BU ?TR HU AU SZ NL BE GE CZ SK PL SV LA LT BY UK UKC RSC RSS
ssp. faber (Linnaeus, 1760) PT SP FR FRC GB IT ITI AL SL CR BH SB ME GR BU ?TR HU AU SZ NL BE GE CZ SK PL SV LA LT BY UK UKC RSC RSS
ssp. opifex Mulsant, 1851 IT ITI #200
Callergates Lameere, 1906
gaillardoti (Chevrolat, 1854) GR #310

Prionini

Prionus Geoffroy, 1762
coriarius (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME GR BU TR RO HU AU SZ BE NL DE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #542
Mesoprionus Jakovlev, 1887
besikanus (Fairmaire, 1855) AL ?BH SB MC GR BU TR #53
=batelkai (Slama, 1996)
?= lefebvrei (Marseul, 1856) #53
asiaticus (Faldermann, 1837) RSS KZ
Psilotarsus Motschulsky, 1860
brachypterus (Gebler, 1830) RSC KZ
ssp. hemipterus (Motschulsky, 1845) ?RSC KZ #97

Meroscelisini #101

Tragosoma Audinet-Serville, 1832
depsarium (Linnaeus, 1767) SP FR SZ GE IT SL CR BH MC SB ME AL GR BU AU CZ SK PL

SV NR FI EN LT LA BY UK RSN RSC ?RSS #314 #400

Aegosomatini

Aegosoma Audinet-Serville, 1832 #164
Subgen.: Aegosoma Audinet-Serville, 1832
scabricorne (Scopoli, 1763) GB SP FR FRC IT ITA ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ BE GE CZ SK BY UK UKC ?MD RSC RSS #423

LEPTURINAE

Oxymirini Danilevsky,1997 in Althoff,Danilevsky,1997 #3 #279 #331

Oxymirus Mulsant, 1862
cursor (Linnaeus, 1758) SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ CZ SK GE LU BE DE NL PL SV NR FI EN LT LA BY UK MD RSN RSC RSS #400 #491

Xylosteini #171

Xylosteus I.Frivaldsky, 1837
spinolae Frivaldsky, 1838 IT AU SL CR BH SB MC RO BU ?TR #93 #279
= rufiventris Germar, 1845 #11
= merkli Pic, 1910
bartoni Obenberger et Maran, 1933 BU MC GR #11
= migliaccioi Rapuzzi & Sama, 2018 #466
Leptorhabdium Kraatz, 1879
illyricum (Kraatz, 1871) IT SL CR BH ME MC AL GR #400
nitidum Holzschuh, 1974 MC GR #340

Rhamnusiini Danilevsky,1997 in Althoff,Danilevsky,1997 #3 #306 #331
Rhamnusium Latreille, 1829
bicolor (Schrank, 1781) SP FR IT ITI SL CR BH SB AL MC GR BU RO HU SZ AU CZ SK DE BE NL LU PL FI BY UK ?UKC MD RSN RSC RSS KZ #4
= gracilicorne Théry, 1894 #4
ssp. bicolor (Schrank, 1781) SP FR IT ITI SL CR BH SB AL MC GR BU RO HU SZ AU CZ SK GE BE NL LU PL ~~EN~~ ~~MD~~ UK #4
ssp. constans Danilevsky, 2012 FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ #4
ssp. testaceipenne Pic, 1897 UKC #4
ssp. graecum Schaufuss, 1862 GR TR
ssp. demaggii Tippmann, 1956 IT #321
ssp. italicum Müller, 1966 IT

Enoploderini Danilevsky,1997 in Althoff,Danilevsky,1997 #3 #306

Enoploderes Faldermann, 1837
Subgen.: Enoploderes Faldermann, 1837 #165
sanguineus Faldermann, 1837 AL UK UKC RSS #165 #562

Rhagiini #112 #551

Rhagium Fabricius, 1775
Subgen.: Rhagium Fabricius, 1775
inquisitor (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AU SZ BE NL GE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #142 #328
ssp. inquisitor (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME GR BU TR RO HU AU SZ BE NL GE LU DE GB ?IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ

ssp. cedri Reymond, 1953 SP #142
Subgen.: Hagrium Villiers, 1978
bifasciatum Fabricius, 1775 PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AU SZ BE DE NL GE GE LU GB IR CZ SK NR PL FI EN ?LT UK ?UKC MD ?RSC RSS #142 #512 #561
Subgen.: Megarhagium Reitter, 1913 #171
mordax (DeGeer, 1775) SP FR IT AL SL CR BH SB ME MC GR BU ?TR RO HU AU SZ DE NL GE LU GB IR CZ SK NR PL FI EN LA LT BY UK ?UKC MD RSN RSC RSS #142
pruinosum Pesarini & Sabbadini, 2011 GR #392
sycophanta (Schrank, 1781) PT SP GB IR FR IT ?ITI AL SL CR BH MN KD SB GR BU TR RO HU AU SZ BE NL DE GE LU CZ SK PL SV FI LA LT BY UK ?UKC MD RSN RSC RSS #142
Stenocorus Geoffroy, 1762 #105
=Toxotus Dejean, 1821
Subgen.: Stenocorus Geoffroy, 1762
meridianus (Linnaeus, 1758) SP FR IT AL SL CR MC ME BH SB GR BU ?TR RO HU AU SZ BE NL DE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK MD RSN RSC RSS
insitivus (Germar, 1824) UKC
Subgen.: Anisorus Mulsant, 1862 #368
quercus (Götz, 1783) SP FR IT CR BH MC SL SB GR BU ?TR RO HU AU SZ BE DE NL GE LU CZ SK PL BY UK MD RSC RSS #251 #265
ssp. quercus (Götz, 1783) SP FR IT CR BH MC SL SB GR BU ?TR RO HU AU SZ BE DE NL GE LU CZ SK PL BY UK MD RSC RSS
Akimerus Audinet-Serville, 1835
schaefferi (Laicharting, 1784) PT SP FR ?CR BH GR BU RO HU AU ?SZ GE CZ SK PL UK MD RSC RSS #141 #265 #286 #440
ariannae Pesarini et Sabbadini, 2007 GR #141 #466
Pachyta Dejean, 1821
quadrimaculata (Linnaeus, 1758) SP FR IT SL CR BH SB ME MC ПК BU RO HU AU SZ BE GE CZ SK PL FI EN LA LT BY UK MD RSN RSC RSS
lamed (Linnaeus, 1758) FR IT SL BU RO HU AU SZ DE GE CZ SK PL NR SV FI EN LA LT BY UK MD RSN RSC
= sasakii Fujita, 2018
Brachyta Fairmaire, 1865
Subgen.: Brachyta Fairmaire, 1865 #419
interrogationis (Linnaeus, 1758) FR IT SZ AU GE CZ SK PL NR SV FI EN LA ?LT BY UK RSN RSC RSS KZ #528
ssp. interrogationis (Linnaeus, 1758) NR SV FI RSN #437
ssp. russica (Herbst, 1784) EN LA ?LT ?BY UK MD RSN RSC RSS KZ #437 #528 #561
ssp. zubovi Lazarev, 2016 RSN #437
ssp. ebenina (Mulsant, 1839) FR #437
ssp. eitschbergeri Danilevsky & Peks, 2015 GE CZ #437
ssp. marginella (Fabricius, 1793) FR IT AU GE SZ LU #437
ssp. gabzdili Danilevsky & Peks, 2016 SK PL UK #437
Subgen.: Variobrachyta Danilevsky, 2014d #419
borni (Ganglbauer, 1903) FR
variabilis (Gebler, 1817) RSN RSC
ssp. variabilis (Gebler, 1817) RSN RSC
Subgen.: Fasciobrachyta Danilevsky, 2014d #419
balcanica Hampe, 1870 CR SB AL RO BU ?TR GR #263
bureschi Kantardjiewa-Minkowa, 1957 BU RO #529
petriccionei Rapuzzi, Bologna & Poloni, 2019 IT #495
Evodinellus Plavilstshikov, 1915 #50
Subgen.: Evodinellus Plavilstshikov, 1915
borealis (Gyllenhal, 1827) SK PL NR SV FI EN LA LT BY UK RSN RSC #272
Subgen.: Brachytodes Planet, 1924 #50
clathratus (Fabricius, 1793) FR IT SL CR BH MC BU RO HU AU SZ GE CZ SK PL UK MD #272 #322
Pseudogaurotina Plavilstshikov, 1958
excellens (Brancsik, 1874) PL SK RO UK #233

Carilia Mulsant, 1863 #233 #368
virginea (Linnaeus, 1758) FR BE IT AL LU SL CR BH SB ME MC GR BU RO HU AU SZ BE GE CZ SK NO PL SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS #201
ssp. virginea (Linnaeus, 1758) FR IT AL SL CR BH SB ME MC GR BU RO HU AU SZ BE GE CZ SK NR PL SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS
ssp. thalassina Schrank, 1781 FR BE IT LU SL AU #337
Euracmaeops Danilevsky, 2014d #236
= Acmaeops auct. (nec LeConte, 1850) #236 #368
septentrionis (Thomson, 1866) FR IT ?ME SL SZ AU GE BU RO CZ SK PL NR SV FI EN ?LT ?BY UK RSN RSC RSS #286 #512 #528
marginatus (Fabricius, 1781) SP FR ?IT SL CR BH ME AU HU SZ CZ GR SK BE NL GE PL NR SV FI EN LA ?LT BY UK RSN RSC RSS #141 #286 #528
smaragdulus (Fabricius, 1793) [NP] FR IT ?SZ PL NR SV FI ?LT ?BY RSN RSC #273 #322 #440 #528 #561
= smaragdinus Naezen, 1792 [NO]
angusticollis (Gebler, 1833) PL BY RSN RSC #265 #273
Gnathacmaeops Linsley et Chemsak, 1972 #236 #368
pratensis (Laicharting, 1784) SP FR IT SL CR BH SB MC AL BU RO HU AU SZ GE CZ SK PL NO SV FI EN LA ?LT BY UK ?UKC MD RSN RSC RSS KZ #400 #528
Dinoptera Mulsant, 1863
collaris (Linnaeus, 1758) PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AU SZ BE DE NL GE LU GB ?IR CZ SK NR PL SV EN LA LT BY UK UKC MD RSN RSC RSS KZ #240 #285
Cortodera Mulsant, 1863
= Taiwanocarilia Hayashi, 1983 #420
humeralis (Schaller, 1783) SP FR LU CR BH SB GR BU TR RO HU AU SZ CZ SK GE BE PL BY UK MD RSS #201 #265 #290
ssp. humeralis (Schaller, 1783) SP FR LU IT CR BH SB MC GR BU TR RO HU AU SZ CZ SK GE BE NL PL BY UK MD RSS #201 #265 #290
ssp. aspromontana Müller, 1948 IT #201
ssp. moreensis Danilevsky, 2015c GR #436
femorata (Fabricius, 1787) FR IT SL CR BH GR BU RO HU AU SZ CZ SK GE PL NR SV FI EN LA LT BY UK RSN RSC RSS #286
pumila Ganglbauer, 1882 ?RSC RSS #158 #172
flavimana (Waltl, 1838) SB MC AL GR TR BU RO HU SK #538 #425
ssp. flavimana (Waltl, 1838) SB MC AL GR TR BU RO HU AU SK #538 #89
ssp. schurmanni Sama, 1997 GR #368
villosa Heyden, 1876 CR BH SB HU ?AT CZ SK RO MD BU UK UKC RSC RSS #82 #272 #300
ssp. villosa Heyden, 1876 CR BH SB MC HU AU CZ SK BU RO MD UK ?UKC #304
= frivaldszkyi Kraatz, 1876
= ? nigrita Heyden, 1876 #197
ssp. kazakorum Danilevsky, 2014d E - #386
ssp. parfentjevi Miroshnikov, 2007 UKC #304 #386
ssp. krasnobaevi Danilevsky, 2010e UK ?RSC #343
ssp. chuvilini Danilevsky, 2012c RSS #386
ssp. zhuravlevi Miroshnikov, 2007 RSS KZ #304 #386
ssp. magdeevi Danilevsky, 2011d RSC #343
ssp. major Miroshnikov, 2007 RSC #304 #308
ssp. kuvandykensis Danilevsky, 2012c RSS #386
ssp. mikhailovi Danilevsky, 2001 RSC #343
holosericea (Fabricius, 1801) IT SL CR BH SB ?GR RO HU AU CZ SK UK RSS #150 #197
ssp. holosericea (Fabricius, 1801) IT SL CR BH SB ?GR BU RO HU AU CZ SK UK RSS #425#561
ssp. pseudoholosericea Rapuzzi & Sama, 2018 AL GR #466
?ssp. birnbacheri Pic, 1898 ?AT #197
?ssp. velutina Heyden, 1876 ?IT #197 #368
reitteri Pic, 1891 UK UKC RSS RSC #152

ssp. reitteri Pic, 1891 UK RSS RSC
= alexandri Danilevsky, 1996 #152
ssp. taurica Plavilstshikov, 1936 UKC #152
= beckeriana Plavilstshikov, 1936 #152
kiesenwetteri Pic, 1898 ?RSC RSS #265
ssp. kiesenwetteri Pic, 1898 RSS
ssp. subtruncata Pic, 1934 RSC ?RSS #152 #216
ciliata Danilevsky, 2001 RSC #152
ssp. milaenderi Danilevsky, 2001 RSC #152
ssp. sakmarensis Danilevsky, 2005 RSC
tibialis (Marseul, 1876) ["Sarepta"] UK RSC RSS KZ #152 #265
ssp. tibialis (Marseul, 1876) RSS #152 #368
= pallidipes Pic, 1898 #368
ssp. ruthena Plavilstshikov, 1936 RSS KZ #152 #368
ssp. rossica Danilevsky, 2001 UK RSC RSS #152
komarovi Danilevsky, 1996 KZ #152 #405
ssp. komarovi Danilevsky, 1996 KZ #152 #405
moldovana Danilevsky 1996 MD #538 #152
khatchikovi Danilevsky, 2001 RSS #152
differens Pic, 1898 GR RO BU TR #59 #368 #385
ssp. differens Pic, 1898 GR
= prescutellaris Pic, 1933: 5 – "Morée" #368
= steineri Sama, 1997 #59 #368
ssp. magdae Danilevsky, 2012 RO BU TR #279 #288
hroni Danilevsky, 2012 BU #93 #279
= umbripennis sensu Sama, Rapuzzi, 1999 (not Reitter, 1890)
Fallacia Mulsant et Rey, 1863 #381
elegans Faldermann, 1837 TR #381
Pidonia Mulsant, 1863
Subgen.: Pidonia Mulsant, 1863 #368
lurida (Fabricius, 1793) FR IT SL CR BH SB GR BU RO HU AU ?BE SZ GE CZ SK PL LA LT BY UK MD #92 #322 #460
= notaticollis Pic, 1941

Lepturini #306 #551

Grammoptera Dejean, 1835 #306 #409 #468
Subgen.: Grammoptera Dejean, 1835
ustulata (Schaller, 1763) PT SP FR IT ITI AL SL CR BH SB MC ME GR GRC BU RO HU AU SZ BE DE NL GE LU IR GB CZ SK NR PL SV ?LA ?BY UK ?UKC MD TR ?RSC ?RSS #356 #561
ssp. ustulata (Schaller, 1763) ?SP FR IT ITI AL SL CR BH SB MC ME GR GRC BU RO HU AU SZ BE DE NL GE LU IR GB CZ SK NR PL SV ?LA ?BY UK ?UKC MD TR ?RSC ?RSS #356
geniculata Kraatz, 1886 PT SP ?FR #356
abdominalis (Stephens, 1831) PT SP FR IT SL CR BH MC AL GR BU TR RO HU AU SZ BE NL GE DE LU GB IR CZ SK PL SV LT BY UK RSC RSS #512 #518
= variegata Germar, 1824
ruficornis (Fabricius, 1781) PT SP FR IT ITI AL SL CR BH SB GR BU TR RO HU AU SZ BE NL GE LU DE MK ME GB IR CZ SK NR PL SV EN LT LA BY UK ?UKC MD RSC RSS #108
ssp. ruficornis (Fabricius, 1781) PT SP FR IT AL SL CR BH SB GR BU TR RO HU AU SZ BE NL GE LU DE MK ME GB IR CZ SK NR PL SV EN LT LA BY UK ?UKC MD RSC RSS
= atra (Fabricius, 1775) [NO]
= ab. holomelina Pool, 1905 [not available] #357 #368
= holomelina Donisthorpe, 1905 #357 #368
ssp. flavipes Pic, 1892 ITI #202 #483
merkli (Frivaldszky, 1884) GR #263
viridipennis Pic, 1893 ITI
auricollis Mulsant et Rey, 1863 GR GRC
ssp. basicornis Pic, 1924 GRC #43

ssp. bipustulata Steiner, 1975 GR #63

Cornumutila Letzner, 1844

lineata (Letzner, 1844) FR SZ IT AU RO CZ SK PL UK RSN #160

quadrivittata (Gebler, 1830) ?RSC #160 #538

Nivellia Mulsant, 1863

sanguinosa (Gyllenhal, 1827) SB AU GE RO SK CZ PL NR SV FI LA ?LT EN BY UK RSN RSC #265 #553

extensa (Gebler, 1833) ?FI RSN #261

ssp. extensa (Gebler, 1833) ?FI RSN SB #261

Alosterna Mulsant, 1863

tabacicolor (DeGeer, 1775) SP FR IT ITI AL SL CR BH SB MC GR BU TR RO HU AU SZ BE NL GE GE LU GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD TR RSN RSC RSS KZ #368

ssp. tabacicolor (DeGeer, 1775) SP FR IT ITI AL SL CR BH SB MC GR BU TR RO HU AT SZ BE NL GE GE LU GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD TR RSN RSC RSS KZ

ssp. bicoloripes Pic, 1914 GR TR #217

pauli Pesarini, Sabbadini, 2004 GR

ingrica (Baeckmann, 1902) SK PL EN LA LT BY UK RSN RSC RSS #96 #508

Vadonia Mulsant, 1863

unipunctata (Fabricius, 1787) [nomen protectum] SP FR IT SL CR BH SB MC GR BU TR RO HU AU CZ SK ?PL MD UK UKC RSS RSC KZ #286 #311 #312 #370 #512

= pilosa Forster, 1771 [nomen oblitum] #324

ssp. unipunctata (Fabricius, 1787) SP FR IT SL CR BH SB GR BU TR RO HU AU CZ SK ?PL ?LA MD UK UKC RSS RSC KZ

ssp. albanica Vartanis, 2019b AL #408

ssp. occidentalis K. Daniel & J. Daniel, 1891 FR IT SP

ssp. gallica Podaný, 1936 FR #430

ssp. ikariaensis Danilevsky & Vartanis, 2015 GR #426

ssp. dalmatina Müller, 1906 CR ?GR

ssp. ohridensis Holzschuh, 1989 GR MC AL #425

ssp. makedonica Holzschuh, 1989 BU GR #563

ssp. klichai Vartanis, 2017 GR

saucia Mulsant et Godart, 1855 BU RO UKC #5 #311 #486

hirsuta (K.Daniel et J.Daniel, 1891) RO BU #5 #494 #515

bipunctata (Fabricius, 1781) MD UK RSC RSS KZ SL MC ?BU HU SK RO #198 #311 #312

ssp. bipunctata (Fabricius, 1781) RSC RSS KZ #198

ssp. sareptana Pic, 1941 RSS KZ #198

= beckeri Pic, 1941 [HN] #198

ssp. urdensis Danilevsky, 2014 RSS KZ #198

ssp. laterimaculata (Motschulsky, 1875) UKC #198

= puchneri Holzschuh, 2007 #198

ssp. globicollis (Desbrochers des Loges, 1870) RO MD UK RSS #198

= mulsantiana Plavilstshikov, 1936 #198

= bilitigiosa Pic, 1941 #198

ssp. steveni (Sperk, 1835) HU RO MD SK SL UK RSS #198

ssp. adusta (Kraatz, 1859) SL MC ?BU HU SK RO #198

= litigiosa Mulsant, 1863

imitatrix (K.Daniel et J.Daniel, 1891) IT CR SB ?BU

moesiaca (K.Daniel et J.Daniel, 1891) SB ?AL MC GR BU RO TR UK #218 #400 #538

dojranensis Holzschuh, 1984 SB MC AL GR BU #221

ssp. dojranensis Holzschuh, 1984 SB MC AL GR #221 #400

ssp. mahri Holzschuh, 1986 GR BU #221

grandicollis Mulsant & Rey, 1863 AL MA BU GR TR #352 #425

ssp. grandicollis Mulsant & Rey, 1863 AL BU GR TR #368

= bisignata (Brullé, 1832) [junior homonym] #218 #334

ssp. laurae Pesarini et Sabbadini, 2007 GR #221

samosensis Vartanis, 2016 GR

parnassensis (Pic, 1925) GR
gusmii Pesarini & Sabbadini, 2009 GR #389
aspoeckorum Holzschuh, 1975 GR #56
insidiosa Holzschuh, 1984 GR
mainoldii Pesarini,Sabbadini, 2004 GR
monostigma Ganglbauer, 1881 GR
Pseudovadonia Lobanov, Danilevsky et Murzin, 1981 #390
livida (Fabricius, 1777) PT SP FR IT ITI AL SL CR BH SB ME MC GR BU TR RO HU AU SZ BE DE NL GE LU GB IR CZ SK PL SV EN LT LA BY UK UKC MD RSN RSC RSS KZ #12 #67
ssp. livida (Fabricius, 1777) ?PT ?SP FR IT AL SL CR BH SB ME MC BU TR HU AU SZ BE UK DE NL GE LU GB IR CZ SK ?PL BY SV #12 #520
ssp. setosa Danilevsky, 2013e BU GR MD RO TR UK #12
ssp. bicarinata (Arnold, 1869) BY LA LT EN PL UK UKC RSN RSC RSS KZ #12 #561
ssp. pecta (K. & J.Daniel, 1891) IT #12
Anoplodera Mulsant, 1839 #41
Subgen.: Anoplodera Mulsant, 1839
sexguttata (Fabricius, 1775) SP PT FR IT SL CR BH SB MC GR AL BU TR RO HU AU SZ LU BE DE GB IR NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS #425 #446
rufipes (Schaller, 1783) SP FR GB LU IT SL CR BH SB MC ME GR AL BU RO HU AU SZ GE CZ SK SV PL ?EN LT LA ?BY UK MD ?RSN RSC RSS KZ #92 #371 #425 #427
ssp. rufipes (Schaller, 1783) SP FR GB LU IT SL CR BH SB MC ME GR AL BU RO HU AU SZ GE CZ SK SV PL ?EN LT LA ?BY UK MD ?RSN #371 #427 #561
ssp. ventralis Heyden, 1886 BY UK RSC RSS KZ #371
= rufiventris (Tournier, 1872)[HN]
ssp. izzilloi Sama, 1999 IT
ssp. krueperi (Ganglbauer, 1882) GR #371
Xestoleptura Casey, 1913 #41
nigroflava (Fuss, 1852) RO #41
Stictoleptura Casey 1924
Subgen.: Aredolpona Nakane et K. Ohbayashi, 1957 #67 #197
= Corymbia Des Gozis, 1886 #67
rubra (Linnaeus, 1758) PT SP FR FRC IT ITA ?ITI SL CR BH SB ME GR BU RO HU AU SZ GE LU BE GB NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ #394
ssp. rubra (Linnaeus, 1758) PT SP FR FRC IT ITA ?ITI SL CR BH SB ME AL GR BU RO HU AU SZ DE LU BE GB IR NL GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ #400 #542
Subgen.: Stictoleptura Casey 1924
oblongomaculata (Buquet, 1840) ITI ITA ?FRC #203
cordigera (Fuessly, 1775) SP FR FRC NL DE GB IT ITI ITA CR BH SB ME MC AL GR GRC BU TR RO SZ BE GE CZ UKC #79 #272
ssp. cordigera (Fuessly, 1775) SP FR FRC NL DE GB IT ITI ITA CR BH SB ME MC GR BU TR RO SZ BE GE CZ UKC
ssp. illyrica (Müller, 1948) IT[Venezia Giulia] SL CR BH ME AL GR
ssp. anojiaensis (Slama, 1982) GRC #414
trisignata (Fairmaire, 1852) PT SP FR #141
erythroptera (Hagenbach, 1822) SP FR ?IT CR BH SB ME MC GR AL BU RO HU AU SZ GE CZ SK UK #141 #289
olympicola Vartanis, 2023c GR
rufa (Brullé, 1832) IT BH CR SB ME MC AL GR BU RO
ssp. rufa (Brullé, 1832) IT BH CR SB ME MC AL GR BU RO
ssp. excelsa (A. Costa, 1863) IT #351
fontenayi (Mulsant, 1839) PT SP FR
ivoroberti Sama, 2010 GR #361
slamai Sama, 2010 GRC #346
= martini (Slama, 1985)
Subgen.: Cribroleptura Vives, 2000 #67
stragulata (Germar, 1824) PT SP FR #67

otini (Peyerimhoff, 1949) SP #67 #114
Subgen.: Variileptura Danilevsky, 2014d #67
variicornis (Dalman, 1817) PL EN LA BY UK RSN RSC #508
= tsuyukii Fujita, 2018 #511
Subgen.: Melanoleptura Miroshnikov, 1998 #67 #197
scutellata (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE DE GB IR CZ SK PL SV LA BY UK UKC MD TR RSC RSS #265
ssp. scutellata (Fabricius, 1781) PT SP FR FRC IT ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE GB IR CZ SK PL SV LA BY UK UKC MD TR RSC RSS
= carbonaria (Scopoli, 1763)[nomen oblitum] #286
ssp. maritima Sláma, 2015b FR #431
ssp. melas (Lucas, 1847) ?SP ITI #113 #178
= melaena auct.
Subgen.: Maculileptura Danilevsky, 2014d #67
maculicornis (DeGeer, 1775) SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE BE LU CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS #204 #435
simplonica (Fairmaire, 1885) FR IT SZ #204
ondreji (Slama, 1993) GR #204
pallens (Brullé, 1832) CR BH SB ME MC AL GR BU RO TR
Subgen.: Paracorymbia Miroshnikov, 1998 #67
fulva (DeGeer, 1775) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE GB IR NL CZ SK PL ?BY UK RSC RSS #151 #379 #512 #561
= apicalis (Motschulsky, 1875) #318
tonsa (J. et K. Daniel, 1891) UKC ?RSS #151
= ustulata Ménétriés, 1832 [HN] #151
hybrida (Rey, 1885) SP FR IT SZ
picticornis (Reitter, 1885) GR GRC #67
Subgen.: Batesiata Miroshnikov, 1998 #197
tesserula (Charpentier, 1825) SB ?AL GR BU RO HU ?DE CZ SK PL UK #400
ssp. tesserula (Charpentier, 1825) SB ME ?AL GR BU RO HU ?DE CZ SK PL UK #477
Anastrangalia Casey, 1924
sanguinolenta (Linnaeus, 1760) SP FR IT SL CR BH SB MC ME AL GR BU RO HU AU SZ DE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK ?MD RSN RSC RSS #307 #460
= sandoeensis (Palm, 1953)
dubia (Scopoli, 1763) SP FR LU IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE CZ SK PL ?BY UK ?MD #92 #379 #460 #512
ssp. dubia (Scopoli, 1763) SP FR LU IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE CZ SK PL UK ?MD #561
ssp. moreana (Pic, 1906) GR #57
reyi (Heyden, 1889) SP FR IT SL AU HU RO SZ GE CZ SK PL NR SV FI EN LT LA BY UK RSN RSC ?RSS #92 #230 #286 #460 #528 #561
= inexpectata (Jansson et Sjöberg, 1928)
renardi Gebler, 1848 RSN #262
montana (Mulsant et Rey, 1863) GRC
ssp. steineri Sama, 1994 GRC
Lepturobosca Reitter, 1913 #171
virens (Linnaeus, 1758) SP FR IT SL CR BH SB BU RO HU AU SZ GE ?GB CZ SK PL NR SV FI EN ?LT LA BY UK RSN RSC RSS #241 #528
Neopiciella Sama, 1988
sicula (Ganglbauer, 1885) ITI
stefaniae Bellavista, Rapuzzi & Sparacio, 2020 ITI
Pedostrangalia Sokolov, 1897 #49
Subgen.: Pedostrangalia Sokolov, 1897
revestita (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SL CR BH SB AL GR BU TR RO HU AU SZ GE DE LU BE GB NL CZ SK PL SV UK MD #309 #400
ssp. revestita (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SL CR BH SB AL GR BU TR RO HU AU SZ GE DE LU BE GB NL CZ SK PL SV UK MD
ssp. corsica Vartanis, 2023b FR #559

Subgen.: Neosphenalia Löbl, 2010
= Sphenalia K. Daniel, 1904 (HN, not Sphenalia Wood, 1874, in Mollusca)
verticalis (Germar, 1822) IT SL CR BH SB ME MC AL GR BU RO ?MD #238
verticenigra (Pic, 1892) GR #238
emmipoda (Mulsant, 1863) GR #309
ariadne (K. Daniel, 1904) GRC
Etorofus Matsushita, 1933 #49
Subgen.: Etorofus Matsushita, 1933 #49
pubescens (Fabricius, 1787) SP FR DE IT SL CR BH SB MK ME AL GR BU RO AU SZ GE CZ SK PL NR SV FI EN LT LA BY UK RSN RSC RSS #521

Judolia Mulsant, 1863
sexmaculata (Linnaeus, 1758) ?SP FR IT GR SZ AU HU RO GE CZ SK IR GB PL NR SV FI EN LT LA BY UK RSN RSC RSS #115 #286
parallelopipeda Motsch. 1860 ?RSN #115
= abbreviata Motsch. 1875
= shirarakensis Matsumura, 1911
Pachytodes Pic, 1891
cerambyciformis (Schrank, 1781) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE DE NL GB IR CZ SK PL ?EN LT LA BY UK MD RSC RSS RSN #92 #264
erraticus (Dalman, 1817) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU ?SZ GE CZ SK PL ?BY UK MD RSC RSS #440 #561
ssp. erraticus (Dalman, 1817) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU ?SZ GE CZ SK PL BY UK MD KZ RSC RSS #440
Oedecnema Dejean, 1835
gebleri Ganglbauer, 1889 BY UK RSN RSC [RN] #265 #289 #543
= dubia (Fabricius, 1781)
Leptura Linnaeus, 1758
Subgen.: Macroleptura Nacane et Ohbayashi, 1957
thoracica (Creutzer, 1799) CR BH SB RO SK SL PL FI EN ?LT LA BY UK RSN RSC RSS #52 #528
Subgen.: Leptura Linnaeus, 1758
quadrifasciata Linnaeus, 1758 SP FR IT SL CR BH SB MC AL BU TR RO HU AU SZ GE LU BE GE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. quadrifasciata Linnaeus, 1758 SP FR IT SL CR BH SB ME MC AL BU TR RO HU AU SZ GE LU BE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
aurulenta Fabricius, 1793 PT SP FR FRC BE IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU GB IR CZ SK PL MD UK RSC RSS #307 #309 #322 #379 #512 #561
annularis Fabricius, 1801 ?SP FR ?IT CR SL BH RO HU AU SZ GE CZ SK PL EN LT LA BY UK ?MD RSN RSC RSS #6
= arcuata Panzer, 1793
aethiops Poda, 1761 SP FR IT SL CR BH SB ?AL ?GR TR RO HU AU SZ GE LU BE DE NL CZ SK PL EN LT LA BY UK ?UKC MD RSN RSC RSS #400
= akitai Fujita, 2018 #505
Lepturalia Reitter, 1913 #171
nigripes (DeGeer, 1775) AU RO SK PL NR SV FI EN LT LA BY UK RSN RSC RSS KZ
ssp. nigripes (DeGeer, 1775) AU RO SK PL NR SV FI EN ?LT LA BY UK RSN RSC RSS KZ #270 #528
Nustera Villiers, 1974
distigma (Charpentier, 1825) PT SP FR
Strangalia Dejean, 1835 #410
= Strangalina Aurivillius, 1912 #235
attenuata (Linnaeus, 1758) SP FR FRC IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE NL ?GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #75 #241
Rutpela Nakane et Ohbayashi, 1957 #232 #552
maculata (Poda, 1761) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU

AT SZ LU BE DE GE NL GB IR CZ SK PL NR SV FI EN ?LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. maculata (Poda, 1761) FR FRC IT ?ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE DE GE NL GB IR CZ SK PL NR SV FI EN ?LT LA BY UK MD RSN RSC RSS KZ #284 #528
ssp. manca (Schaufuss, 1863) PT SP FR IT ITI ?ITA BU TR UKC #284 #446 #483
=nigricornis (Stierlin, 1864)

Stenurella Villiers, 1974 #552
Subgen.: Stenurella Villiers, 1974 #411
melanura (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE NL DE GB CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
ssp. melanura (Linnaeus, 1758) PT SP FR IT SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE NL DE GB CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
=sennii Sama, 2002 #294 #483
ssp. samai Rapuzzi, 1995 BU GR TR #294 #301 #385
Subgen.: Iberostenurella Özdikmen, 2013 #411
hybridula (Reitter, 1902) PR SP
Subgen.: Crassostenurella Özdikmen, 2013 #411
approximans (Rosenhauer, 1856) PR SP #116
Subgen.: Stenurelloides Özdikmen, 2013 #411
jaegeri (Hummel, 1825) UKC RSC RSS #320
Subgen.: Priscostenurella Özdikmen, 2013 #411
= *Eduardvivesia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species *Leptura vaucheri* Bedel, 1900
= *Nigromacularia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species *Leptura septempunctata* Fabricius 1793
bifasciata (Müller, 1776) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ GE LU BE NL CZ SK PL EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. bifasciata (Müller, 1776) PT SP FR FRC IT ITI ITA SL CR BH SB ME RO HU AU SZ GE LU BE NL CZ SK PL EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. intermedia Holzschuh, 2006 AL GR BU MC #295 #400
ssp. lanceolata (Mulsant & Rey, 1863) SP FR #295
ssp. nigriventris (Pic, 1891) FR #295
septempunctata (Fabricius, 1793) IT ?SZ SL CR BH SB ME MC AL GR BU RO HU AU GE CZ SK PL UK UKC MD TR #322 #440
ssp.: septempunctata (Fabricius, 1793) IT SZ SL CR BH SB ME MC AL GR BU RO HU AT GE CZ SK PL UK ?UKC MD
= suturata (Reiche, 1858) #385
ssp. latenigra (Pic, 1915) BU T #283 #385
= anatolica (Heyrovsky, 1961) #283
vaucheri (Bedel, 1900) SP
Subgen.: Nigrostenurella Özdikmen, 2013 #411
nigra (Linnaeus, 1758) PT SP FR IT ITI SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE DE NL GE GB IR CZ SK PL NR SV EN LT LA BY UK UKC MD RSN RSC RSS KZ
ssp. nigra (Linnaeus, 1758) PT SP FR IT ITI SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE DE NL GE GB IR CZ SK PL NR SV EN LT LA BY UK UKC MD RSN RSC RSS KZ #406 #482

NECYDALINAE #306

Necydalini

Necydalis Linnaeus, 1758
Subgen.: Necydalis Linnaeus, 1758
ulmi (Chevrolat, 1838) SP FR IT CR BH SB ME MC GR BU TR RO HU AU SZ GE CZ SK PL ?LT ?LA ?BY ?MD UK RSS #561
= hadullai Szallies, 1994 #374

major Linnaeus, 1758 SP FR IT CR BH SB ME AL GR BU RO HU AU SZ GE DE LU BE NL CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ

SPONDYLIDINAE #102

Saphanini

Oxypleurus Mulsant, 1839 #538
nodieri Mulsant, 1839 PT SP FR FRC IT ITI ITA CR BH GR GRC UKC #140
= pinicola Wallaston, 1863 #197
Saphanus Audinet-Serville, 1834
piceus (Laicharting, 1784) FR IT SL CR BH SB ME MC AL GR RO HU AU SZ GE CZ SK PL UK
ssp. piceus (Laicharting, 1784) FR IT SL CR BH SB GR BU RO HU AU SZ GE CZ SK PL UK
ssp perovici Rapuzzi & Koren, 2020 CR(Pag Is.)
ssp. bartolonii Sama et Rapuzzi, 1993 GR
ssp. ganglbaueri Brancsik, 1886 BH ME MC AL GR BU TR #400
Drymochares Mulsant, 1847
truquii Mulsant, 1847 FR IT #272
cylindraceus (Fairmaire, 1849) PT SP
cavazzutii Sama & Rapuzzi, 1993 TR
ssp. ivani Sama & Rapuzzi, 1993 TR

Anisarthrini #267 #279

Anisarthron Dejean, 1835
barbipes (Schrank, 1781) FR IT CR BH SB MC ME AL BU RO HU AU SZ GE CZ SK PL UK #400
Alocerus Mulsant, 1862
moesiacus (Frivaldszky, 1837) PT SP ?IT CR BH SB MC AL GR GRC BU TR #333 #400
Schurmannia Sama, 1979 #34
sicula Sama, 1979 ITI

Asemini

Arhopalus Audinet-Serville, 1834
Subgen.: Arhopalus Audinet-Serville, 1834 #140
= Criocephalus Mulsant, 1839
ferus (Mulsant, 1839) PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR GRC BU RO HU ?AT SZ GE LU BE DE NL GB ?IR CZ SK PL SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #272 #332 #425
rusticus (Linnaeus, 1758) PTi SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE DE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #332
ssp. rusticus (Linnaeus, 1758) PTi SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE DE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #332
Cephalocrius Sharp, 1905a #140
syriacus (Reitter, 1895) PT SP FR FRC IT ITI ITA SZ AL CR BH ME GRC #140
Asemum Eschscholtz, 1830
striatum (Linnaeus, 1758) SP FR IT SL CR BH SB ME MK AL GR BU RO HU AU SZ GE DE LU BE NL GB IR CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ
= ishidai Fujita, 2018 #504
tenuicorne Kraatz, 1879 SP IT ITI GR PL PO RO SV UKC #137 #498

Tetropiini

Tetropium Kirby, 1837 #7
= Isarthron Dejean,1835
castaneum (Linnaeus, 1758) SP FR IT SL CR BH SB ME ?AL BU GR RO HU AU SZ GE LU BE NL GE GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ #141 #400
gabrieli Weise, 1905 FR IT SL HU AU SZ GE GB IR LU BE NL DE CZ SK PL SV LT LA ?BY UK ?RSC(Kaliningrad) #259 #286 #561
gracilicorne Reitter, 1889 RSC #259
fuscum (Fabricius, 1787) GB FR IT SL BH SB BU RO HU AU SZ BE NL DE GE CZ SK PL NR SV FI EN LT LA BY UK ?UKC MD RSN RSC RSS KZ #106
ssp. fuscum (Fabricius, 1787) GB FR IT SL BH SB BU RO HU AU SZ BE NL DE GE CZ SK PL NR SV FI EN LT LA BY UK MD RSN RSC RSS KZ
ssp. lapponicum Sláma, 2015c FI #438
aquilonium Plavilstshikov, 1940 SV FI RSN
tauricum Shapovalov, 2007 UKC #282 #538

Nothorhinini

Nothorhina L. Redtenbacher, 1845
punctata (Fabricius, 1798) PT SP FR IT ITI BH GR BH CR AL BU GE AU CZ SK PL NR SV FI EN LT LA BY UK RSN RSC RSS ?KZ #234 #385
= muricata (Dalman, 1817)

Spondylidini #27 #306

Spondylis Fabricius, 1775
buprestoides (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE DE NL GB CZ SK PL NR SV FI EN LT LA BY UK UKC MD RSN RSC RSS KZ
#258

CERAMBYCINAE #306

Achrysonini

Icosium Lucas, 1854
tomentosum Lucas, 1854 SP FRC IT ITA MA CR BH ME SB GR GRC BU #62
ssp. tomentosum Lucas, 1854 SP FRC ITA ?MT
ssp. atticum Ganglbauer, 1882 FRi IT MA CR BH ME SB GR GRC BU #172

Hesperophanini

Hesperophanes Dejean, 1835 #105
melonii Fancello & Cillo, 2012 ITA #416
sericeus (Fabricius, 1787) PT SP FR FRC IT ITI ITA MA CR BH ME MC AL GR UKC #358 #368 #440

Trichoferus Wollaston, 1854
griseus (Fabricius, 1793) PT SP FR FRC IT ITI ITA MA CR BH SB ME AL GR GRC BU TR RO CZ UK UKC #299 #322 #446
fasciculatus (Faldermann, 1837) PT SP FR FRC IT ITI ITA MA CR ME SB AL GR SZ BU RO ?UK UKC
ssp. fasciculatus (Faldermann, 1837) PT SP FR FRC IT ITI ITA MA CR ME SB AL GR SZ BU RO ?UK UKC #400
arenbergeri Holzschuh, 1995 ITA
spartii (Müller, 1948) IT ITI SL CR AL GR GRC #400
kotschyi Ganglbauer, 1883 GR #238
berberidis Sama, 1994 GRC

bergeri Holzschuh, 1981 GRC
magnanii Sama, 1992 PT SP
holosericeus (Rossi, 1790) SP FR FRC SZ IT ITI ITA MA SL CR BH ME SB AL GR BU UKC #94
= cinereus (Villers, 1789)
= gayi Plavilstshikov, 1921
pallidus (Olivier, 1790) SP PT FR FRC IT CR BH SB GR BU RO HU AU CZ SK GE PL MD UK UKC
#300
campestris (Faldermann, 1835) GB GE FR BE IT GR AU SZ SL SV NL PL CZ SK HU RO EN LA LT MD BY UK UKC RSC RSS #265 #278 #300 #307 #488

Stromatium Audinet-Serville, 1834
auratum (Böber, 1793) PT SP FR FRC IT ITI ITA SL GE MA CR BH SB ME MC AL GR GRC BU TR RO HU LA UK UKC RSS #190 #286 #387
= fulvum (Villers, 1789) #8
= unicolor (Olivier, 1800) #387 #497

Phoracanthini

Cordylomera Audinet-Serville, 1834
spinicornis Fabricius, 1775 CZ DE FR GB GE IR IT MA SP SV

Phoracantha Newman, 1840
semipunctata (Fabricius, 1775) PT SP FR FRC IT ITI ITA MA GR
recurva Newman, 1840 SP PT FR IT ITA MA GR #103

Callidiopini

Trinophylum Bates, 1878
cribratum Bates, 1878 GB

Graciliini

Penichroa Stephens, 1839
= Graecoeme Adlbauer, 2006 #271
fasciata (Stephens, 1831) PT SP FR FRC IT ITI ITA MA SL CR BH SB MC AL GR GRC BU TR UKC #104
= timida (Ménétriés, 1831)
= eggeri Adlbauer, 2006 #271

Gracilia Audinet-Serville, 1834
minuta (Fabricius, 1781) PT SP FR FRC IT ITI ITA MA SL CR BH ME SB AL GR GRC BU TR RO HU AU ?SZ DE GE LU BE NL GB ?IR CZ SK PL NR SV FI ?EN LT UK UKC MD RSN RSC RSS KZ #9 #512 #440
= albanica Csiki, 1931

Axinopalpis Dejean, 1835 #179
gracilis (Krynicki, 1832) IT ITI SL CR BH SB ME MC AL GR BU RO HU AU CZ SK GE PL UK ?UKC MD RSC RSS #179 #482
ssp. gracilis (Krynicki, 1832) IT ITI SL CR BH SB ME MC AL GR BU RO HU AU CZ SK GE PL UK ?UKC MD RSC RSS #482
ssp. christinae Rapuzzi, 1995 GR

Lucasianus Pic, 1891
levaillantii (Lucas, 1847) PT SP ?FR #30 #178

Obriini

Obrium Dejean, 1821
cantharinum (Linnaeus, 1767) SP FR IT BH SB GR BU TR RO HU AU SZ GE LU BE NL ?GB CZ SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS KZ #241 #294 #446

brunneum (Fabricius, 1793) SP FR FRC IT SL CR BH SB AL GR BU RO HU AU SZ GE LU BE NL DE IR GB CZ SK PL SV EN LT LA BY MD UK UKC ?RSN ?RSC RSS #141 #265 #400 #322

Certallini

Certallum Dejean, 1821

ebulinum (Linnaeus, 1767) PT SP FR IT ITI MA MC AL GR GRC BU TR UK UKC RSS
= ruficolle Fabricius, 1787 #166 #334 #425 #427

Deilini

Delagrangeus Pic, 1892

angustissimus Pic, 1892q: xcii
angustissimus liviae Pesarini et Sabbadini, 2004 GR

Deilus Audinet-Serville, 1834

fugax (Olivier, 1790) PT SP FR FRC IT ITI ITA SL CR BH ME AL GR GRC BU RO HU AU SZ LU BE CZ SK PL BY MD UK ?UKC RSC RSS KZ #61 #425

Stenopterini

Stenopterus Illiger, 1804

flavicornis Küster, 1846 IT SL CR BH SB ME MC AL GR TR BU RO HU AU CZ SK UK #336
rufus (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE LU BE NL CZ SK PL MD UK UKC RSS #460
ssp. rufus (Linnaeus, 1767) SP FR FRC IT ITI ITA MA CR BH SL RO BU HU AU SZ GE LU BE NL CZ SK PL MD UK UKC RSS
ssp. geniculatus Kraatz, 1863 GR AL CR BH SB SL ME MC AU HU RO BU TR #47 #301 #483
mauritanicus Lucas, 1847 PT SP #87 #178
atricornis Pic, 1891 AL GR #55 #471
similatus Holzschuh, 1979 GR
creticus Sama, 1995 GRC
ater (Linnaeus, 1767) PT SP FR FRC IT ITI ITA SZ SL CR ME BH SB MC ?BU GRC RO SK UKC #164
= nigripes Costa, 1855 (Napoli)

Callimus Mulsant, 1846

Subgen.: Callimus Mulsant, 1846

angulatus (Schrank, 1789) SP FR IT ITI SL CR BH ME SB MC AL GR GRC BU TR RO HU AU SZ GE CZ SK PL MD UK #309 #460
ssp. angulatus (Schrank, 1789) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL MD UK #182
ssp. glabrescens Holzschuh, 1989 AL GRC
abdominalis(Olivier, 1800) SP FR FRC IT ITI ITA BH CR GR AL #400 #497

Subgen.: Procallimus Pic 1907

egregius (Mulsant et Rey, 1863) GR UKC
semicyaneus Pic, 1905 MC GR #2

Subgen.: Lampropterus Mulsant, 1863

= Callimomimus Ieniştea, 1952

femoratus (Germar, 1824) SB MC ME AL GR BU TR RO MD UK UKC #179 #302
= adonis (Abeille de Perrin, 1881)
= narcissus (Abeille de Perrin, 1881)
= distinctus (Ieniştea, 1952)

Callimoxys Kraatz, 1863

gracilis (Brullé, 1832) SL CR BH SB ME MC GR AL BU RO HU SK UKC #422 #425 #441 #460

Psebiini

Nathrius Bréthes, 1916
brevipennis (Mulsant, 1839) PT SP FR FRC IT ITI ITA MA SL CR BH ME SB MC BU GR GRC TR RO HU AU ?SZ CZ SK GE GB ?IR BE NL DE PL NR SV FI MD UK UKC RSS KZ #9 #512 #440
berlandi (Villiers, 1946) SP #144

Molorchini

Molorchus Fabricius, 1793 #322
Subgen.: Caenoptera C.G. Thomson, 1859 #326
minor (Linnaeus, 1758) SP FR IT SL CR BH SB ME AL GR BU RO HU AU SZ LU BE NL DE GE GB IR CZ SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS
ssp. minor (Linnaeus, 1758) SP FR IT SL CR BH SB ME AL GR BU RO HU AU SZ LU BE NL DE GE GB IR CZ SK PL NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS #400
Subgen.: Molorchus Fabricius, 1793 #10 #326
= Glaphyra Newman, 1840 #326
umbellatarum (Schreber, 1759) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ DE LU BE NL DE GE GB IR CZ SK NR PL SV EN LT LA BY MD UK UKC RSN RSC RSS #84
ssp. umbellatarum (Schreber, 1759) SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AT SZ GE LU BE NL DE GE GB IR CZ SK NR PL SV EN LT LA BY MD UK UKC RSN RSC RSS #70 #400
ssp. obscuripes Müller, 1948 IT
plagiatus (Reiche, 1877) ?RSC RSS KZ #265
marmottani (Brisout de Barneville, 1863) SP FR IT SZ BU AU GE CZ SK PL RSC RSS #72 #265
ssp. marmottani (Brisout de Barneville, 1863) SP FR IT SZ BU AU GE CZ SK PL RSC RSS
ssp. andalusica Sláma, 2015b SP #432
ssp. crovatoi Sama, 1995 IT
kiesenwetteri (Mulsant et Rey, 1861) IT ?ME ?SZ CR BH SL SB GR SZ ?GE AU CZ SK ?PL HU ?RO BU TR UKC RSS #286 #369 #440
ssp. kiesenwetteri (Mulsant et Rey, 1861) IT ?ME CR BH SL SB GR SZ SK ?GE AU CZ ?PL HU ?RO BU TR UKC RSS #369
ssp. hircus (Abeille de Perrin, 1881) TR #333
= anatolicus Adlbauer, 1988
schmidti Ganglbauer, 1883 GR HU RO CZ SK ?PL UK UKC MD RSC RSS KZ #369
= salicicola Stiller, 1935
= ? semenovi Plavilstshikov, 1940

Brachypteromatini Sama, 2008 #324

Dolocerus Mulsant, 1862 #384
=Brachypteroma Heyden, 1863 #384
reichii Mulsant, 1862 IT ITA ITI FR CR BH ME AL GR BU TR SZ #156 #446
= ottomanum Heyden, 1863 #156

Stenhomalini #331

Stenhomalus White, 1855
Subgen.: Obriopsis Müller, 1948
bicolor (Kraatz, 1862) IT ITI SL AL BH CR SB MC ME GR BU HU AU CZ SK SV
ssp. bicolor (Kraatz, 1862) IT ITI SL AL BH CR SB MC ME GR BU HU AU CZ SK SV

Cerambycini

Cerambyx Linnaeus, 1758
Subgen.: Cerambyx Linnaeus, 1758
cerdo Linnaeus, 1758 PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC GR BU TR RO HU AU SZ GE LU BE NL GE CZ SK PL SV LT ?LA BY MD UK UKC RSC RSS #242 #265 #480
ssp. cerdo Linnaeus, 1758 FR FRC IT ITI ITA SL CR BH SB ME MC AL MA GR BU TR RO HU AU SZ GE LU BE NL IR CZ SK PL SV LT LA BY MD UK #265
ssp. cyprius Vartanis, 2023a CY
ssp. masaryki Vartanis, 2018c BU #463
ssp. pfisteri (Stierlin, 1864) ?IT ITI ?MT ?GR #13 #385
ssp. mirbecki Lucas, 1842 PT SP #13
ssp. nikolaevi Danilevsky, 2024b RSC RSS #13
ssp. acuminatus Motschulsky, 1852 RSS #13
ssp. manderstjernae Mulsant & Godart, 1855 UKC #13
welensii Küster, 1846 PT SP FR IT ITI MA MC SL CR BH SB ME AL GR GRC BU TR RO HU SK ?UK ?UKC #400 #549
= velutinus Brullé, 1832 #8 #289
miles Bonelli, 1812 PT SP FR IT ITI MA SL CR CZ BH SB ME MC AL GR BU TR RO HU AU SK SZ MD UKC #249 #309 #461
dux (Faldermann, 1837) MC BU GR TR UKC #340
nodulosus Germar, 1817 IT MAi SL CR BH SB ME MC AL GR BU TR RO UKC #179
ssp. nodulosus Germar, 1817 IT MAi SL CR BH SB ME MC AL GR BU TR RO UKC
carinatus Küster,1846 IT AL CR BH SB ME MC GRC BU MAi #261 #441
Subgen.: Microcerambyx Miksic et Georgijevic, 1973 #368
= Mesocerambyx Zagaikevich, 1991 [not available] #77
scopolii Fuessly, 1775 PT SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ GE LU BE NL DE GE ?GB IR CZ SK PL NR SV ?EO LT BY MD UK UKC RSN RSC RSS #92 #241 #512
ssp. scopolii Fuessly, 1775 PT SP FR FRC IT ITA ?ITI MA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ GE LU BE NL ?GB CZ SK PL NR SV ?EN LT ?LA BY MD UK UKC RSN RSC RSS 92# #241
=? nitidus Pic, 1892 [Anatolia] #241
ssp. paludivagus (Lucas, 1842) ?SP #241
ssp. siculus Rapuzzi & Sama, 2010 ITI #241
Derolus Gahan, 1891
mauritanicus Buquet, 1840 ?SP

Purpuricenini #255

Purpuricenus Dejean, 1821 #46 #105
desfontainii (Fabricius, 1793) GR GRC ?BU #322
ssp. desfontainii (Fabricius, 1793) GRC
ssp. inhumeralis Pic, 1891 GR ?BU TR #33
kykladicus Vartanis, 2023b GR (Cyclades)
dalmatinus Sturm, 1843 IT SL CR BH MC GR BU
kaehleri (Linnaeus, 1758) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ BE LU GE CZ SK PL BY UK UKC MD RSC RSS
ssp. kaehleri (Linnaeus, 1758) PT SP FR FRC IT CR BH SB ME MC AL GR SZ BE LU
= corsicus Vartanis, 2018a #465
ssp. rossicus Danilevsky, 2019 GR BU TR RO HU AU SZ BE GE CZ SK PL BY UK UKC MD KZ RSC RSS #479
ssp. boryi Brullé, 1832 GR #479
ssp. carbonarius Reitter, 1901 ["dalmatinischen Insel Meleda"] BH CR #506
ssp. litoralis Depoli, 1913 ["Liburnischen Karst"] AL BH CR GR ME SL #506
ssp. cinctus A. Villa & G. B. Villa, 1833 ITI #506
= aetnensis Bassi, 1834: 471 [Nicolosi, Sicile]
= tournieri Pic, 1945: 6 [Sicile]

apiceniger Pic, 1914 BH CR GR IT ME
budensis (Götz, 1783) SP FR IT SL CR BH SB ME AL MC GR BU RO HU SK UK UKC MD RSC RSS #251 #286 #370
ferrugineus Fairmaire, 1851 PT SP
schurmanni Slama, 1985 GRC
= creticus K.Bernhauer, 1985
globulicollis Mulsant, 1839 SP FR SZ IT ITI SL CR BH ME SB GR AL BU RO HU ?AU CZ SK ?DE UK EN RSC RSS #105 #265 #268 #272
ssp. globulicollis Mulsant, 1839 SP FR SZ IT ITI SL CR BH SB GR BU RO HU ?AT CZ SK ?DE UK RSC RSS #105 #265 #268 #272
skypetarum Rapuzzi & Sama, 2014b AL MC GR #427
ssp. skypetarum Rapuzzi & Sama, 2014b AL MC GR #510
coccineus Breit, 1917 IT #470
baeckmanni Danilevsky, 2007 UKC #35
graecus Slama, 1993 GR #35
renyvonae Slama, 2001 BU MC CR SB TR #35 #54
comenius Vartanis & Ambrus, 2015 GR #428
Calchaenesthes Kraatz, 1863 #107
oblongomaculata (Guérin-Méneville, 1844) GR BU RO #455
sexmaculata (Reiche, 1861) SP
Anoplistes Audinet-Serville, 1834 #180
= Asias Semenov, 1914 #180
halodendri (Pallas, 1776) AL BU RO UK RSS KZ #91
balcanicus Slama, 2010 BU #91
Amarysius Fairmaire, 1888
sanguinipennis (Blessig, 1872) RSC #274

Callichromatini

Aromia Audinet-Serville, 1834
moschata (Linnaeus, 1758) SP FR FRC IT ITI AL SL CR BH ME SB MC GR BU TR RO HU AT SZ BE NL DE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. moschata (Linnaeus, 1758) PT SP FR FRC IT AL SL CR BH ME SB MC GR BU TR RO HU AU SZ BE NL DE GE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
= thea Reitter, 1894
ssp. malukhini Danilevsky, 2019 RSS #479
ssp. ambrosiaca (Steven, 1809) PT SP IT ITI GR TR #446
bungii (Faldermann, 1835) GE IT #401

Compsocerini #476
= **Rosaliini**

Rosalia Audinet-Serville, 1834
alpina (Linnaeus, 1758) SP FR FRC IT ITI MAi SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE NL CZ SK PL SV BY MD UK UKC RSC RSS #302 #550 #561
ssp. alpina (Linnaeus, 1758) SP FR FRC IT ITI MAi SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE NL CZ SK PL SV ?BY MD UK UKC RSC RSS #316 #550 #561

Hylotrupini #77 #279 #331

Hylotrupes Audinet-Serville, 1834
bajulus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA MA AL SL CR BH SB ME MC GR GRC BU TR RO HU AU SZ BE NL GE DE LU GB IR CZ SK NR PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS #243

Callidiini

Pronocera Motschulsky, 1859
angusta (Kriechbaumer, 1844) IT BH RO HU BU AU GE CZ SK PL UK #280
Turanium Baeckmann, 1923
Subgen.: Turanium Baeckmann 1923
scabrum (Kraatz, 1882) RSS #266
Leioderes L. Redtenbacher, 1845 #86
kollari L. Redtenbacher, 1849 SP FR IT ITI SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ SK PL NR SV LA LT BY UK ?UKC ?MD RSC RSS #86 #543
ssp. kollari L. Redtenbacher, 1849 SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ SK PL NR SV LA LT BY UK ?UKC ?MD RSC RSS #86 #400
ssp. jacopoi Rapuzzi & Sama, 2010 ITI #86
Semanotus Mulsant, 1839
undatus (Linnaeus, 1758) FR IT SL CR BH SB BU RO HU AU SZ GE CZ SK NR PL SV FI EN LA LT BY UK RSN RSC ?RSS #408
laurasii (Lucas, 1852) SP FR FRC ITA
ssp. laurasii (Lucas, 1852) SP FR
ssp. corsicus Croissandeau, 1890 FRC ITA
russicus (Fabricius, 1777) IT CR SB AL GR RO HU CZ BU AU SZ SK UK UKC #167 #72 #514
ssp. russicus (Fabricius, 1777) GB IT CR SB AL GR RO HU CZ BU AU SZ SK UK UKC #400 #487 #514
Ropalopus Mulsant, 1839
Subgen.: Ropalopus Mulsant, 1839
ungaricus (Herbst, 1784) FR IT SL CR BH SB AL BU RO HU AU SZ GE CZ SK PL UK #22 #265 #400 #501
ssp. ungaricus (Herbst, 1784) FR IT SL CR BH SB MC AL BU RO HU AU SZ GE CZ SK PL UK #22 #265 #400 #501
ssp. insubricus (Germar, 1824) FR IT SL CR BH SB AL BU HU TR RO UK MD RSC RSS #272 #501
= fischeri Krynicki, 1829 #22 #501
ssp. occidentalis López & Baena, 2022 SP
ssp. gallicus Vartanis, 2018b FR #464 #501
ssp. siculus (Stierlin, 1864) ITI #341 #501
ssp. creticus Vartanis, 2024c GR #560
ssp. boreki Rapuzzi, 2017 GR #459 #501
ssp. ossae Karpiński, Szczepański & Kruszelnicki, 2020 GR #501
ssp. olympicus Vartanis, 2024c GR #560
clavipes (Fabricius, 1775) SP FR IT MA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ GE LU BE NL DE CZ SK PL LT BY UK UKC MD RSN RSC RSS KZ #108
= nigroplanus (DeGeer, 1775)
femoratus (Linnaeus, 1758) SP FR LU IT SL CR BH SB MC GR BU TR RO MD HU AU SZ GE LU BE CZ SK PL SV ?LT LA BY UK RSC ?RSS #183 #524
= punctatum (Fabricius, 1798) #234
varini (Bedel, 1870) SP FR IT SL CR SB BH MC BU GR RO HU AU SZ GE CZ SK PL UK MD #94
= spinicornis (Abeille de Perrin, 1869)
carolini Vartanis & Borek, 2019 GR #496
macropus (Germar, 1824) SL CR BH SB BU TR RO HU AU ?SZ GE CZ SK PL LA LT BY UK UKC MD RSC RSS #277 #308 #440
lederi Ganglbauer, 1882 UKC #172 #375
Callidium Fabricius, 1775
Subgen.: Callidium Fabricius, 1775 #197
violaceum (Linnaeus, 1758) SP FR IT SL CR BH SB ME AL BU RO HU AU SZ BE NL GE GB IR DE LU CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS
Subgen.: Palaeocallidium Plavilstshikov, 1940 #197
coriaceum Paykull, 1800 FR DE IT SL BH BU RO HU AU SZ LU CZ SK GE PL NR SV FI EN LA LT MD BY UK RSN RSC RSS #432 #521

= lucidum (Scopoli,1772) [nomen oblitum] #286
Subgen.: Callidostola Reitter, 1913 #171 #197
aeneum (DeGeer, 1775) FR IT SL CR BH SB ME AL GR BU RO HU AU SZ LU BE NL CZ SK GE PL NR SV FI EN LT LA BY UK RSN RSC RSS #143
ssp. aeneum (DeGeer, 1775) FR IT SL CR BH SB ME AL GR BU RO HU AU SZ LU BE NL CZ SK GE PL NR SV FI EN LT LA BY UK RSN RSC RSS
Callidiellum Linsley, 1940
rufipenne (Motschulsky, 1861) SP FR IT BH CR BE BU SK RSS #81
villosulum (Fairmaire, 1900) MA #424
Pyrrhidium Fairmaire, 1864
sanguineum (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME AL GR GRC BU TR RO HU AU SZ LU BE NL DE GE GB IR CZ SK PL NR SV FI ?EN LT BY UK UKC MD RSN RSC RSS #140 #143 #512
Phymatodes Mulsant, 1839
Subgen.: Phymatodes Mulsant, 1839
testaceus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ LU BE NL DE GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #427
Subgen.: Melasmetus Reitter, 1913
femoralis Ménétriés, 1832 TR
ssp. demelti Heyrovský, 1962 TR #446
Subgen.: Phymatoderus Reitter, 1913 #171 #197 #368
= Reitteroderus Sama, 1991 #8
pusillus (Fabricius, 1787) SP FR IT ITA SL CR BH BU RO HU AU SZ BE LU GE CZ SK PL NO UK UKC MD RSS #302
ssp. pusillus (Fabricius, 1787) SP FR IT SL CR BH GR BU TR RO HU AU SZ BE LU GE CZ SK PL SV NR UK MD #302
= humeralis Comolli, 1837 #302
?ssp. barbipes (Küster, 1847) FR,IT,GR CZ HU SK #58
ssp. rufipennis Stark, 1889 UK UKC RSS
ssp. inopinatus (Slama, 2010) GR #58
glabratus (Charpentier, 1825) SP FR IT ITA CR BH SB GR BU HU AU SZ GE RO CZ SK PL UK UKC #40 #164
lividus (Rossi, 1794) SP FR FRC IT ITI ITA CR SB SL BH ME GR GRC BU RO BE LU NL GE SZ CZ ?SK ?PL UK UKC RSC RSS #15 #272 #286 #333 #370 #440
vandae Danilevsky, 2010 GR #366
puncticollis Mulsant, 1862 MC GR BU HU RO MD SK UK UKC RSC RSS KZ #454
abietinus Plavilstshikov et Lurie 1960 RSC RSN #260
Subgen.: Phymatodellus Reitter, 1913 #171 197
rufipes (Fabricius, 1777) SP FR BE IT SL CR BH SB MC GR BU RO HU AU SZ LU GE CZ SK PL UK UKC MD RSS #309 #358 #368
ssp. rufipes (Fabricius, 1777) SP FR BE IT SL CR BH SB MC GR BU RO HU AU SZ LU GE CZ SK PL UK UKC MD RSS #358
Subgen.: Paraphymatodes Plavilstshikov, 1934 #197 #368
fasciatus (Villers, 1789) SP FR FRC IT CR BH SB GR BU RO HU AU ?SZ SK CZ PL UK MD #110 #333 #512 #440
= unifasciatus (Rossi, 1790)
Subgen.: Poecilium Fairmaire, 1864 #197 #368
alni (Linnaeus, 1767) PT SP FR IT ITI SL CR BH MC ME SB GR BU TR RO HU AU SZ LU BE DE NL DK GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. alni (Linnaeus, 1767) PT SP FR IT ITI SL CR BH MC ME SB GR BU TR RO HU AU SZ LU BE DE NL GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #308
ssp. pici Aurivillius, 1912 ?RSS #251
= alnoides Reitter, 1913 #171 251
Lioderina Ganglbauer, 1885
linearis (Hampe, 1871) CR BH MC GR BU HU SK ?AT #272

Anaglyptini #331

Paraclytus Bates, 1884
sexguttatus (Adams, 1817) BU TR #215
Anaglyptus Mulsant, 1839
gibbosus (Fabricius, 1787) SP FR FRC IT ITI GR BH SL CR SB SZ HU #149 #288
mysticus (Linnaeus, 1758) SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL DE GE GB IR CZ SK PL NR SV EN LA LT ?BY UK UKC MD #276#561
baeticus Verdugo, Lencina & Baena, 2019 SP #499
zappii Rapuzzi & Sama, 2014 IT
arabicus (Küster, 1847) TR
praecellens Holzschuh, 1981 GRC
luteofasciatus Pic, 1905 GR #163
= moreanus Demelt, 1970

Clytini

Plagionotus Mulsant, 1842 #254 #368
arcuatus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB MC AL GR GRC BU TR RO HU AT SZ LU BE NL GE ?GB CZ SK PL NR SV FI ?EO LA LT BY UK UKC MD RSN RSC RSS KZ #92 #244
ssp. arcuatus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH ME SB MC AL GR BU TR RO HU AU SZ LU BE DE NL GE ?GB IR CZ SK PL NR SV FI ?EN LA LT BY UK UKC MD RSN RSC RSS KZ #92 #244 #427
ssp. ghidottii Pesarini & Sabbadini, 2011 GRC #393
detritus (Linnaeus, 1758) PT SP FR FRC IT ITA CR BH SB SL MC AL GR GRC BU TR RO HU AU SZ BE NL GE GB DE CZ SK PL SV EN LA LT LU BY UK UKC MD RSN RSC RSS KZ #242 #484 #490
ssp. detritus (Linnaeus, 1758) PT SP FR FRC IT ITA CR BH SB SL MC AL GR GRC BU TR RO HU AU SZ BE NL GE GB DE CZ SK PL SV EN LA LT LU BY UK UKC MD RSN RSC RSS KZ #242 #368 #484 #490
ssp. graecus Vartanis, 2023d GR
Neoplagionotus Kasatkin, 2005 #254 #324 #368
scalaris (Brullé, 1832) ?SP IT ITI ITA MC GR AL BU #38 #60 #427
= siculus (Laporte et Gory, 1855) #20 #324
bobelayei (Brullé, 1832) MC GR BU TR RO UK UKC RSS #279
= speciosus Adams, 1817 #8
ssp. bobelayei (Brullé, 1832) MC GR BU TR RO MD UK UKC RSS #445
ssp. huseyini Lazarev, 2016b UK UKC RSS #445
andreui (Fuente, 1910) SP PT #60
= marcae (López-Colón, 1997) [incorrect orig. spelling]
= marcaorum (López-Colón, 1997) #60 #111
= marcorum Vives, 2000: 190 [unjustified emendation]
Echinocerus Mulsant, 1863 #254 #324 #368
= Paraplagionotus Kasatkin, 2005
floralis (Pallas, 1773) SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA LT UK UKC MD RSN RSC RSS KZ #279 #541
ssp. floralis (Pallas, 1773) UK UKC RSC RSS KZ #541
ssp. aulicus (Laicharting 1784) SP FR IT ITI SL CR BH ME SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA LT UK MD #541
ssp. centaureus Lazarev, 2022 GR #541
Isotomus Mulsant, 1863
speciosus (Schneider,1787) ?FR IT ?SZ ?DE SL CR BH SB MC AL GR BU RO HU AU CZ SK PL MD #98 #379
ssp. speciosus (Schneider,1787) ?FR IT ?SZ GE ?DE SL CR BH SB MC AL GR BU RO HU AU CZ SK PL UK MD ?RSC RSS #98 #379

ssp. eggeri Rapuzzi & Sama, 2018 GR #466
ssp. ganglbaueri (Pic, 1900) CR BH ME ?SL #98 #466
ssp. barbarae Sama, 1977 IT #98 #466
jarmilae Slama, 1982 GRC #466
comptus (Mannerheim, 1825) UKC RSC #466
ssp. comptus (Mannerheim, 1825) UKC RSC #379
Chlorophorus Chevrolat, 1863 #42
Subgen.: Chlorophorus Chevrolat, 1863 #376
annularis (Fabricius, 1787) SP BE GE #532
Subgen.: Immaculatoides Özdikmen, 2022 #376
glabromaculatus (Goeze, 1777) FR IT ITI ITA MA SL CR SZ BE LU GE #94 #272 #483
ssp. glabromaculatus (Goeze, 1777) SP FR IT ITI ITA MA SL BH CR GR SZ BE LU GE #94 #272
ssp. glaucus (Fabricius, 1781) PT SP FR FRC ITA #94 #324 #483
= pilosus auct. non Forster, 1771 #324
varius (Müller, 1766) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE SV CZ SK PL LT BY UK UKC MD RSC RSS KZ #85
ssp. varius (Müller, 1766) SP FR FRC IT ITI ITA MA SL CR BH SB ME MC AL GR BU TR RO HU AU NL SZ GE SV CZ SK PL LT BY UK UKC MD RSC RSS KZ #85
ssp. macedonicus Vartanis, 2023f GR
elaeagni Plavilstshikov, 1956 RSS KZ
faldermanni (Faldermann, 1837) ?RSS
herbstii (Brahm, 1790) SP FR CR BH SB GR BU TR RO HU AU SZ GE CZ SK PL SV NR FI EN LA LT BY MD UK ?UKC KZ RSN RSC RSS #16 #536
Subgen.: Humeromaculatus Özdikmen, 2011 #376
figuratus (Scopoli, 1763) PT SP FR IT ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU GE CZ SK PL EN LA LT ?BY UK UKC MD RSN RSC RSS KZ #90 #536 #561
nivipictus Kraatz, 1779 GR #238
Subgen.: Crassofasciatus Özdikmen, 2011 #376
trifasciatus (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL BH CR SB AL GR BU RO HU SZ #139 #272 #425
hungaricus Seidlitz, 1891 CR BH SB ME MC AL GR BU RO HU AU CZ SK MD
aegyptiacus (Fabricius, 1775) MC GR GRC BU
= nigripes Brullé, 1832 #8
convexifrons Holzschuh, 1981 GR #238
ruficornis (Olivier, 1790) PT SP FR
Subgen.: Perderomaculatus Özdikmen, 2011 #376
sartor (Müller, 1766) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ LU GE CZ SK PL ?BY UK UKC MD RSC RSS KZ #252 #427 #512 #536 #561
= massiliensis (Linnaeus, 1767) #26
gratiosus (Marseul, 1868) GR #360
ssp. sparsus (Reitter, 1886) GR #360
Rhaphuma Pascoe, 1858
gracilipes (Faldermann, 1835) PL ?RO ?LT BY ?UK RSN RSC RSS #407
Cyrtoclytus Ganglbauer, 1882 #172
capra (Germar, 1824) SP FR IT BH SB RO AU SZ GE CZ SK PL EN LT LA BY UK MD RSN RSC RSS KZ #95 #548
Xylotrechus Chevrolat, 1860 #326
Subgen.: Xylotrechus Chevrolat, 1860 #536
arvicola (Olivier, 1800) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL GE CZ SK PL EN LA LT ?BY UK UKC MD RSC RSS KZ #497 #561
ssp. arvicola (Olivier, 1800) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL GE CZ SK PL EN LA LT ?BY UK MD #363 #497 #561
ssp. planarius Danilevsky, 2016a UK UKC RSC RSS KZ #363
antilope (Schönherr, 1817) PT SP FR FRC DE IT ITI SL CR BH ME SB AL GR BU TR RO HU AT SZ GE DE CZ ND SK PL NR SV LT BY UK UKC MD RSC RSS #242 #286 #521
ssp. antilope (Schönherr, 1817) PT SP FR IT ITI SL CR BH ME SB AL GR BU TR RO

HU AT SZ GE DE CZ ND SK PL NR SV LT BY UK UKC MD RSC RSS
ssp. sekerai Paulian, 1986 FRC #149
= lentoi Paulian, 1986
ibex (Gebler, 1825) GE PL FI ?BY RSN RSC RSS KZ #265 #561
capricornus (Gebler, 1830) AU SK CZ PL UK RSC RSS(Saratov) KZ
= capricornis (Chevrolat, 1863)
stebbingi Gahan, 1906 FR SP PT IT ITA ITI SL CR AL BU GE GR GRC SZ #186 #286 #441 #525 #536

Subgen.: Rusticoclytus Vives, 1977 #155 #324 #326 #385 #536
rusticus (Linnaeus, 1758) PT SP FR FRC BE DE LU IT ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE CZ SK PL FI NR SV EN LA LT BY UK UKC MD RSN RSC RSS KZ #403 #537
pantherinus (Savenius, 1825) FR IT AU SZ RO HU SB BU CZ SK SR GE PL NR SV FI LT ?BY UK MD RSN RSC RSS #150 #191 #302 #525 #561

Subgen.: Turanoclytus Sama, 1994 #326
asellus (Thieme, 1881) ?RSS ?KZ #23
= grumi Semenov, 1889 #24

Subgen.: Xyloclytus Reitter, 1912 #155 #171
chinensis (Chevrolat, 1852) SP FR GR AU GE NL TR #485
altaicus (Gebler, 1836) RSC

Pseudosphegesthes Reitter, 1913 #171
cinerea (Laporte et Gory, 1836) SP FR GE IT ITI ITA UK
bergeri Slama, 1982 GRC
bubeniki Rapuzzi & Jeniš, 2015a GR

Clytus Laicharting, 1784 #545

Subgen.: Insolitomaculatus Özdikmen, 2023
tropicus (Panzer, 1795) SP FR FRC IT CR SB BH SL MC GR BU TR RO HU AU SZ GE CZ SK PL BY UK MD RSC RSS #205
paradisiacus Rapuzzi & Jeniš, 2015b GR

Subgen.: Clytus Laicharting, 1784
arietis (Linnaeus, 1758) PT SP FR FRC IT SL MN CR BH SB MC AL GR BU TR RO HU AU SZ LU BE NL DE GE GB ?IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS ?KZ #240 #308
= gazella Fabricius, 1793 #219
lama Mulsant, 1847 FR FRC IT SL CR BH SB GR BU RO HU AU SZ GE CZ SK PL ?BY UK MD #300 #561
arietoides Reitter, 1899 RSC RSN #240
triangulimacula (Costa, 1847) IT #383
clavicornis Reiche, 1860 ITI

Subgen.: Pseudoclytus Özdikmen, 2023
relictus Jacquot, 2022 E: FR (Drôme)
= robertae Mineau & Teocchi, 1986 (Alpes de Haute-Provence: Saint-Laurent) [unavailable name - conditional proposal] #48

Subgen.: Clytoides Özdikmen, 2023
rhamni Germar, 1817 PT SP FR FRC IT ITI ITA CR BH SB SL ME MC AL GR BU TR RO HU AU SZ GE CZ SK ?BY UK UKC MD RSC RSS KZ #327 #370 #379 #512 #561
ssp. rhamni Germar, 1817 IT CR BH SB SL MC AL GR
ssp. bellieri Gautier, 1862 PT SP FR FRC IT ITI ITA SZ GE #385
ssp. temesiensis Germar, 1824 SL SB MC BU TR RO HU AU BE GE CZ SK BY UK UKC MD RSC RSS KZ #370 #385 #512

Neoclytus Thomson, 1860
acuminatus (Fabricius, 1775) FR IT GE GB SZ SL SB HU CR AU RO SK UK #189 #562

LAMIINAE

Mesosini

Mesosa Latreille, 1829
Subgen.: Mesosa Latreille, 1829 #197
curculionoides (Linnaeus, 1761) PT SP FR FRC IT ITI ITA SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL NR SV LT BY UK UKC MD RSC RSS KZ #372 #512
myops (Dalman, 1817) SV PL FI LT LA BY UK RSN RSC RSS KZ #362 #543
Subgen.: Aplocnemia Stephens, 1831 #130 #197
= Aphelocnemia Stephens, 1832
nebulosa (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU TR RO HU AU SZ LU BE DE NL GE IR GB CZ SK PL NR SV BY UK UKC MD RSC RSS
ssp. nebulosa (Fabricius, 1781) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU TR RO HU AU SZ LU BE DE NL GE IR GB CZ SK PL NR SV BY UK UKC MD RSC RSS

Phrynetini

Phryneta Dejean, 1835
leprosa Fabricius, 1775 (Lamia) FR MA
= brunicornis Guérin-Méneville, 1844 (Lamia)

Parmenini

Parmena Dejean, 1821 #105
balteus (Linnaeus, 1767) FR IT SZ BE #149 #179
meregallii Sama, 1985 SP FR
unifasciata (Rossi, 1790) FR IT SZ SL CR BH SB ME MC Al GR #201 #309 #334 #427
europaea Danilevsky, 2017 RO MD UK #447
pontocircassica Danilevsky et Miroshnikov, 1985 UKC #334
istanbulensis Danilevsky & Hizal, 2017 TR #447
subpubescens Hellrigl, 1971 IT ITI ITA
bicincta (Küster, 1849) CR BH ME AL
pilosa Brullé, 1832 SP FR IT ITI MA ?ME CR BH SB ME AL GR ?UK #286 #400
ssp. inclusa Mulsant, 1862 FR IT ITI ?MA #146
ssp. pilosa Brullé, 1832 IT SL ?ME CR BH SB AL GR ?UK #146 #400
pubescens (Dalman, 1817) SP ITI ITA #146
= algirica (Laporte, 1840)
cruciata Pic, 1912 SP #146
novaki Sama, 1997 GR
slamai Sama, 1986 GRC TR
balearica Vives, 1998 SP
ssp. balearica Vives, 1998 SP
ssp. minoricensis Vives, 1998 SP #129
solieri Mulsant, 1839 SP FR FRC IT ITA
ssp. solieri Mulsant, 1839 FR FRC IT ITA
=lanzai Sama, 1985 #474
ssp. breuningi Vives, 1979 SP

Xylotoles Newman, 1840 #516
griseus (Fabricius, 1775) GB #516

Monochamini

Anoplophora Hope, 1839
glabripennis (Motschulsky, 1854) FR GB GE NL FI SZ AU CZ IT ME SK TR #231 #454
chinensis (Forster, 1771) FR IT BE CR #231
malasiaca (J. Thomson, 1865) AU CR CZ GE IT NL
Monochamus Dejean, 1821
saltuarius (Gebler, 1830) IT SL BH RO HU AU CZ SK GE PL ?BY LA LT UK RSN RSC #277 #561

ssp. occidentalis Sláma, 2017b IT SL BH CR RO HU AU CZ SK GE PL BY LA LT UK RSN RSC #458
impluviatus Motschulsky, 1859 RSN RSC
galloprovincialis (Olivier, 1800) PT SP FR FRC IT ITI SL CR BH SB MC AL GR BU RO HU AU SZ NL GE DE CZ SK PL SV FI EN LA LT BY MD UK UKC RSN RSC RSS #286 #325 #490 #497
ssp. galloprovincialis (Olivier, 1800) PT SP FR ITI #187 #325 #385 #497
ssp. pistor (Germar, 1818) FRC IT SL CR BH SB ME MC AL GR BU RO HU AU SZ NL GE DE CZ SK PL SV FI EN LA LT BY UK MD TR RSN RSC RSS #324 #385 #490
= lignator Krynicki, 1832 [Odessa]
ssp. cinerascens Motschulsky,1860 RSN #325 #385
= sibiricus Pic, 1908
sutor (Linnaeus, 1758) PTi SP FR IT SL BH SB ME ?AL BU RO HU AU SZ GE NL CZ SK PL GE BE NR SV FI EN LT LA BY MD UK ?UKC RSN RSC RSS #309 #325 #400
= rosenmuelleri Cederhjelm, 1798 #210
ssp. sutor (Linnaeus, 1758) SP FR GB IT SL BH CR SB ME ?AL GR BU RO HU AU SZ GE NL CZ SK PL DE NR SV FI EN LT LA BY MD UK ?UKC RSC RSN RSS #325
sartor (Fabricius, 1787) FR IT SL CR BH SB ?AL BU RO HU AU SZ GE CZ SK PL NR SV FI EN LA LT BY UK RSN RSC ?RSS #400 #512
ssp. sartor (Fabricius, 1787) FR IT SL CR BH SB ?AL BU RO HU AU SZ GE CZ SK PL BY UK #92 #400 #512
= fleischeri Heyrovsky, 1966 [unavailable]
ssp. urussovii (Fischer-Waldheim, 1806) NR SV FI EN LA LT BY UK RSN RSC ?RSS #210
= rosenmuelleri auct., nec Cederhjelm, 1798 #210

Psacothea Gahan, 1888
hilaris (Pascoe, 1857) IT FR #287

Lamiini #324

Herophila Mulsant, 1863 #8
= Dorcatypus Thomson, 1864
tristis (Linnaeus, 1767) FR FRC IT ITI ITA SZ AU SL CR BH SB MC AL GR GRC BU TR RO HU
ssp. tristis (Linnaeus, 1767) FR FRC IT ITI ITA SZ AU SL CR BH SB ME MC AL GR GRC BU TR RO HU
= zajecarense Breuning, 1948 #347
= beieri Breuning, 1942
ssp. obliterata Pic, 1921a: 5 [“Morea”] GR (Peloponnesus)
= moreana Rapuzzi & Sama, 2018 #466
ssp. martinascoi (Contarini et Garagnani, 1983) IT GR #466
veluchiana (Breuning, 1943) GR #347 #466
fairmairei (Thomson, 1857) GR

Morimus Brullé, 1832 #8 #170
= Morinus Brullé, 1832 (misprint) #8
asper (Sulzer, 1776) SP FR FRC IT ITI ITA SL CR BH SB ME MC AL SZ RO AU ?DE CZ SK UK MD #36
ssp. asper (Sulzer, 1776) SP FR FRC IT ITI ITA AL SZ GR CR
ssp. graecus Danilevsky, 2016 GR #36
ssp. funereus (Mulsant, 1862) BEi IT MAi SL CR BH SB ME MC AL GR BU RO HU ?SZ AU CZ SK UK MD #36 #370 #489
ssp. gazanchidisi Danilevsky, 2019 GR №479
ssp. ganglbaueri (Reitter, 1894) IT CR BH SB ME ?MC AL GR #36 #94
gabzdili Danilevsky, 2015 SK ?UK #36 #461
orientalis Reitter, 1894 BU TR #36
verecundus (Faldermann, 1836) UKC BU
ssp. verecundus (Faldermann, 1836) UKC
ssp. bulgaricus Danilevsky, 2016 BU #36

Lamia Fabricius, 1775
textor (Linnaeus, 1758) SP FR IT ?ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE DE NL GE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ

Dorcadionini #225 #324

Dorcadion Dalman in Schönher, 1817 #202 #225
Subgen.: Carinatodorcadion Breuning, 1943 #118 #202 #225 #279
= Dorcadodium Gistel, 1856
carinatum (Pallas, 1771) ?MD UK UKC RSC RSS KZ #309 #460
ssp. carinatum (Pallas, 1771) MD UK UKC RSC RSS KZ
ssp. igrenum Danilevsky 1998 UK
cervae Frivaldsky, 1892 HU SK
fulvum (Scopoli, 1763) AL SL CR BH SB MC BU TR RO ?DE AU HU CZ SK PL MD UK UKC #207
ssp. fulvum (Scopoli, 1763) SL HU CZ SK ?DE AU UK
ssp. heracles Vartanis, 2024 GR #558
ssp. erythropterum Fischer-Waldheim, 1823 AL CR BH SB MC BU TR RO PL MD UK UKC
= canaliculatum Fischer-Waldheim, 1824 #354
= erythropteron Fischer-Waldheim, 1824 [wrong spelling]
ssp. opillicum Zamoroka, 2019 UK PL
hybridum Ganglbauer, 1883 GR TR #172
ssp. hybridum Ganglbauer, 1883 GR TR
ssp. hedvigae Jurecek, 1923 GR #365
ingeae Peks, 1993 TR ?GR #245
aethiops (Scopoli, 1763) ?IT SL CR SB MC AL GR BU RO SZ GE AU HU CZ SK UK MD #207 #460
ssp. aethiops (Scopoli, 1763) ?IT SL CR SB MC AL GR BU RO SZ GE AU HU CZ SK UK MD TR #207
ssp. strumense Danilevsky, 2014b BU GR #417
ssp. asenovi Danilevsky, 2014b BU #417
ssp. majoripenne Pic, 1926 GR #293
ssp. propinquum Breuning, 1962 GR #293 #417
ssp. balthasari Heyrovsky, 1962 AL #245
ssp. maderi Breit, 1923 AL #245
ssp. sterbai Breuning, 1944 AL #245
ssp. laevepunctatum Breuning, 1944 MC AL #245
Subgen.: Cribridorcadion Pic 1901 #51 #202 #225
= Pedestredorcadion Breuning, 1943 #279
= Autodorcadion Plavilstshikov, 1958
= Bergerianum Pesarini et Sabbadini, 2004 #250
= Megalodorcadion Pesarini et Sabbadini, 1999 #250
lugubre Kraatz, 1873 MC BU GR #329 #556
ssp. lugubre Kraatz, 1873 [Saloniki] AL MC GR BU #329 #556
= pseudolugubre Breuning, 1943 **E:** GR [“Karatschköi” = Asvestohori 40°38'27"N, 23°1'27"E – near Saloniki] #329 #365 #556
= discosulcatum Pic, 1926
= giachinoi Pesarini et Sabbadini, 2007 [Oros Kavala] #188 #293 #329 #556
= meteorum Breuning, 1969 #188 #293 #556
= minkovae Heyrovsky, 1962 BU [Kresna] #245 #329 #556
= parinfernale Breuning, 1975 GR [Kavala] #188 #556 #556
= pelionense Breit, 1923 GR [Mt. Pelion - 39°26′N, 23°03′E] #293 #556
= sparsepilosum Pic, 1926 [“Salonique”]
= thessalicum Pic, 1916 **E:** GR [“Thessalie” - Pella (Notia - 41°6'6"N, 22°12'30"E) e Kilkis (Fanos 41°4'46"N, 22°28'39"E) #188 #293 #365 #329 #556
pilosellum Kraatz, 1873 GR
ssp. pilosellum Kraatz, 1873 GR

ssp. obscurimembre Breuning, 1946 GR
etruscum (Rossi, 1790) IT ITI
spp. bravardi Pic, 1916 MC GR AL #293 #365 #556
ssp. epirense Breuning, 1942 GR #293 #556
ssp. etruscum (Rossi, 1790) IT ITI #293
= femoratum Brullé, 1832
= italicum Küster, 1847
= nudum Küster, 1852
= fuscifrons Chevrolat, 1882
= apulum Depoli, 1926
= calabricum Breuning, 1942
= fiorii Breuning, 1942 #556
ssp. johannisfranci Pesarini et Sabbadini, 2007 GR TR #293 #556
ssp. salonicum Pic, 1916 GR #556
ssp. valonense Pic, 1917 AL ?GR #245 #556
tassii Breuning, 1964 GR #293
pindicum Breuning, 1966 GR #293
albosuturale Breuning, 1962 AL MC GR #358 #365 #368
ariannae Pesarini et Sabbadini, 2008 #313
lineatocolle Kraatz, 1873 SB MC ME AL GR BU #365 #425 #441
pseudolineatocolle Breuning, 1962 GR #365
sturmii Frivaldsky, 1837 MC BU ?GR #245
pedestre (Poda, 1761) CR BH SB ME SL MC AL BU TR RO HU AU CZ SK UK UKC MD #167 #435
ssp. pedestre (Poda, 1761) CR BH SB MC AL BU TR RO HU AU CZ SK UK UKC MD #370 #435
ssp. kaszabi Breuning, 1956 HU #197
johannisfranci Pesarini et Sabbadini, 2007 GR TR #293
kozanii Breuning, 1962 GR
ssp. kozanii Breuning, 1962 GR
ssp. daccordii Pesarini et Sabbadini, 2007 GR #293
olympicum Kraatz, 1873 TR ?BU ?GR
= obsoletum Kraatz, 1873 #138
sapkaianum Krätschmer, 1987 GR #365
gallipolitanum Thomson, 1867 GR TR
ssp. gallipolitanum Thomson, 1867 GR TR
ssp. gandolphei Tournier, 1872 GR TR
ssp. samothrakeanum Breuning, 1962 GR
ssp. atritarse Pic, 1931 GR TR #248
ssp. fumidum Pesarini & Sabbadini, 2010 GR #365
breuningi Heyrovsky, 1943 GR TR #365
regulare Pic, 1931 GR BU TR #220 #301
ssp. regulare Pic, 1931 GR BU TR
ssp. dramaticum Pesarini & Sabbadini, 2010 GR #365
purkynei Heyrovsky, 1925 MC GR #247
meschniggi Breit, 1928 GR
= olympianum Meschnigg, 1947 #293
charlottae Lukat, 2019 GR
anachoreta Pesarini & Sabbadini, 2013 GR #443
ljubetense Pic, 1909 SB MC AL GR
ssp. heyrovskyi Breuning, 1943 MC GR #247
ssp. borisi Heyrovsky, 1931 MC BU GR #247
ssp. ljubetense Pic, 1909 SB MC AL
ssp. kaimakcalanum Jurecek, 1929 MC GR ?SB #247
ssp. peristeriense Breuning, 1962 GR
obenbergeri Heyrovsky, 1940 GR
macedonicum Jurecek, 1929 AL MC ?GR #245
glabriscapus Breuning, 1943 AL ?GR #245
tuleskovi Heyrovsky, 1937 GR #313

= frigidum Meschnigg, 1947
= olympicola Heyrovsky, 1941 #313
ferruginipes Ménétriés, 1836 TR GR #245
axillare Küster, 1847 BU RO #395
moldavicum Dascalu & Fusu, 2012 RO #395
arenarioides Rabaron, 1979 GR
arenarium (Scopoli, 1763) FR IT SL CR BH ME AL RO ?HU #223 #370
ssp. arenarium (Scopoli, 1763) IT SL CR RO ?HU SK #454
ssp. abruptum Germar, 1839 AL BH CR #441
ssp. marsicanum Fracassi, 1905 FR IT #671
= subcarinatum Müller, 1905
ssp. muelleri Depoli, 1912 CR BH
ssp. lemniscatum Küster, 1847 CR BH
= mostarense Pic, 1942 #296
ssp. velebiticum Müller, 1905 CR BH
ssp. dalmatinum Müller, 1905 CR BH
ssp. brattiense Müller, 1905 BH CR
ssp. rubrimembris Pic, 1917 CR BH ME AL
ssp. shkypetarum Heyrovsky, 1937 AL #441
ssp. hypsophilum Müller, 1905 AL CR BH ME #441
sericatum Sahlberg, 1923 UKC
mediterraneum Breuning, 1942 IT
tauricum Waltl, 1838 SB GR BU TR RO MD UK UKC #305
ssp. tauricum Waltl, 1838 SB GR BU TR RO MD UK UKC
ssp. pittinoi Pesarini & Sabbadini, 2010 GR #365
decipiens Germar, 1824 SB RO HU BU SK UK MD #533
murrayi Küster, 1847 SB HU RO
pilosipenne Breuning, 1943 GR
cinerarium (Fabricius, 1787) MD UK UKC RSS #300 #302
ssp. zubovi Lazarev, 2011 MD #380 #538
ssp. demidovi Danilevsky, 2013c UK MD #380 #538
ssp. gorodinskii Danilevsky, 1996 UK #380 #538
ssp. cinerarium (Fabricius, 1787) UK ?RSC RSS
ssp. macropoides Plavilstshikov, 1932 UK #380 #538
ssp. skrylniki Lazarev, 2011 UK #380 #538
ssp. azovense Lazarev, 2011 UK #380 #538
ssp. perroudi Pic, 1942 UKC #380
ssp. bartenevi Lazarev, 2011 UKC #380 #538
ssp. mosyakini Danilevsky, 2021 UKC #538
ssp. panticapaeum Plavilstshikov, 1951 UKC RSS #315
sareptanum Kraatz, 1873 RSS KZ
ssp. sareptanum Kraatz, 1873 RSS KZ #227
ssp. euxinum Suvorov, 1915 RSS #225 #227
holosericeum Krynicki, 1832 RO ?HU ?SK PL BY MD UK UKC RSC RSS KZ
ssp. holosericeum Krynicki, 1832 RO ?HU ?SK PL ?BY MD UK UKC RSC RSS KZ #561
ssp. ustinovi Danilevsky, 2021 UKC #538
equestre (Laxmann, 1770) SB MC AL GR BU TR HU RO UK UKC MD RSC RSS #370
ssp. equestre (Laxmann, 1770) UK MD RSC RSS
ssp. vadimi Danilevsky, 2021 UKC #538
ssp. transsilvanicum Ganglbauer, 1884 RO #172 #534
ssp. reclinatum Kraatz, 1892 SB AL MC GR BU TR
ssp. bisuturale Jureček, 1933 GR BU TR #391
funestum Ganglbauer, 1883 GR #172
chrysochroum Breuning, 1943 GR #250
ossae Heyrovsky, 1941 GR
taygetanum Pic, 1902 GR
stephaniae Pesarini & Sabbadini, 2004 GR
granigerum Ganglbauer, 1883 GR #172

intrusum Pesarini & Sabbadini, 2009 TR #389
catenatum Waltl, 1838 GR
ssp. bleusei Pic, 1899 GR (Rhodes)
= diversejunctum T. Pic, 1907: 179 (l'île de Chio)
= rhodicum Della Buffa, 1924
ssp. gashtarovi Sama, Dascalu & Pesarini, 2010 BU RO #299 #364
ssp. thebesianum Pic, 1942 GR (Thebes)
ssp. mytilenense Kraatz, 1873 GR
= latevittatum Kraatz, 1873a: 66
= sparsedivisum Pic, 1911e: 185 ("Metelin" - Mytilene)
subinterruptum Pic, 1900 TR #364
moreanum Pic, 1907 GR #250 #293
eugeniae Ganglbauer, 1885 GR
ssp. eugeniae Ganglbauer, 1885 GR #250
= arcadicum Breuning, 1946 #250
ssp. emgei Ganglbauer, 1885 GR #250
taborskyi Heyrovsky, 1941 GR #293
lianokladii Breuning, 1962 GR #293
wewalkai Breuning, 1974 GR #293
joanninae Breuning, 1967 GR #293
margheritae Breuning, 1964 GR ?TR #293
vincenzae Pesarini et Sabbadini, 2007 GR #293
crassicolle Pesarini et Sabbadini, 2007 GR #293
peloponesium Pic,1902 GR #250
= subjunctum Pic, 1904 #250
= weiratheri Pic, 1929 #250
zanteanum Breuning et Villiers, 1967 GR
insulare Kraatz, 1983 GR
condensatum Küster, 1852 BU TR ?GR #245
punctipenne Küster, 1852 GR ?TR #247
veluchense Pic, 1903 GR
ssp. veluchense Pic, 1903 GR
ssp. australe Pesarini & Sabbadini, 2013 GR #443
ssp. maliacum Pesarini & Sabbadini, 2013 GR #443
ssp. albanicum Heyrovsky, 1934 AL ?GR #245 #443
minutum Kraatz, 1873 GR #66
ssp. minutum Kraatz, 1873 GR #293
= irroratum Kraatz, 1873
ssp. atticum Kraatz, 1873 GR #293
ssp. mimarenarium Breuning, 1974 GR #66 #293
ssp. rugicolle Breuning, 1962 GR #293
amphissae Breuning, 1974 #66
lamiae Breuning, 1962 GR #293
brenskei Ganglbauer, 1884 GR #250
= aeginasum Pic, 1942 #66
= nemeense Breuning, 1974 #66
pararenarium Breuning, 1969 GR #66 #293
xerophilum Pesarini et Sabbadini, 2007 GR #293
kykladicum Breuning, 1944 GR
corcyricum Ganglbauer, 1883 GR #172
peloponnesicum Breuning, 1982 GR
parnassi Kraatz, 1873 GR
= oertzeni Ganglbauer, 1883 #172
krueperi Ganglbauer, 1883 MC AL GR #172
oetalicum Pic, 1902 GR #293
heldreichi Kraatz, 1873 GR
pusillum Küster, 1847 RO UK UKC MD RSS
ssp. pusillum Küster, 1847 ?RO UK UKC MD
ssp. berladense Pic. 1903 RO

ssp. ochrolineatum Dascalu, 2018 RO #472
ssp. vasiliscus Dascalu, 2018 RO #472
ssp. tanaiticum Kasatkin, 2002 RSS #185
scopolii (Herbst, 1784) ?AU HU ?CZ SK CR SB GR BU RO PL UK MD
elegans Kraatz, 1873 UK RSC RSS KZ #17 #185 #265
= viturati Pic, 1903 #293
litigiosum Ganglbauer, 1883 RO ?BU UK MD #159 #172
ssp. litigiosum Ganglbauer, 1883 RO ?BU ?MD
ssp. otshakovi Suvorov, 1913 UK ?MD #159
ciscaucasicum Jakovlev, 1899 RSS UKC #175 #303 #330
ssp. mokrzeckii Jakovlev, 1902 UKC #330
ssp. ciscaucasicum Jakovlev, 1899 RSS #330
septemlineatum Waltl, 1838 GR BU TR #296
buresi Sterba, 1922 GR #246
Subgen.: Maculatodorcadion Breuning, 1942 #193 #225
quadrimaculatum Küster, 1848 GR TR
ssp. quadrimaculatum Küster, 1848 GR TR
ssp. nodicorne Tournier, 1872 GR TR
triste Frivaldszky von Frivald, 1845 GR
ssp. lesvicum Mpamnaras, Zafeiriou & Özdikmen, 2020b GR (Lesbos Is.) #502
Subgen.: Dorcadion Dalman, 1817 #225
= Compsodorcadion Ganglb. 1883
glicyrrhizae (Pallas, 1773) RSC RSS KZ #153
ssp. glicyrrhizae (Pallas, 1773) ?RSS KZ
ssp. inderiense Suvorov, 1911 KZ
ssp. nemkovi Danilevsy, 2006 RSC KZ
ssp. striatum (Goeze, 1777) RSC RSS KZ #153 #265
= rufifrons Motschulsky, 1860
Iberodorcadion Breuning, 1943 #195 #202 #225
Subgen.: Iberodorcadion Breuning, 1943
fuliginator (Linnaeus, 1758) SP FR ?IT AU GE SZ BE LU NL ~~LA~~
ssp. fuliginator (Linnaeus, 1758) FR GE AU SZ BE NL LU ~~LA~~ #370 #537
ssp. monticola (Mulsant, 1853) FR
ssp. urgulli Breuning, 1976 SP #73
ssp. meridionale (Mulsant, 1839) FR ?IT #73
ssp. navarricum (Mulsant, 1853) SP FR #119
ssp. loarrense Berger, 1997 SP FR #120
ssp. pyrenaeum (Germar, 1839) SP FR
ssp. andianum (Pic, 1917) SP
ssp. obesum (Gautier, 1870) FR
ssp. striola (Mulsant, 1863) FR #73
spinolae (Dalman, 1817) SP
ssp. spinolae (Dalman, 1817) SP
= basigranosum (Breuning, 1943) #148
ssp. caunense (Lauffer, 1910) SP
ssp. soricinum (Chevrolat, 1862) SP #148
= vallisoletanum (Lauffer, 1901)
seoanei (Graells, 1858) PT SP
ssp. seoanei (Graells, 1858) SP
ssp. kricheldorffi (Pic, 1910) PT SP
= lainzgalloi Rodrigues, 1996 #121
ssp. laurae Bahillo, 1994 SP
castilianum (Chevrolat, 1862) SP
brannani (Schaufuss, 1870) PT ?SP
mimomucidum (Breuning, 1976) PT #69
Subgen.: Baeticodorcadion Vives, 1976 #195 #202
amorii (Marseuil, 1856) SP
ssp. amorii (Marseuil, 1856) SP
ssp. segurense (Escalera, 1911) SP

isernii (Pérez-Arcas, 1868) SP
= ceballosi (Breuning, 1948) #122 #148
suturale (Chevrolat, 1862) SP
marmottani (Escalera, 1900) SP
= robustioripenne (Pic, 1941)
lorquinii (Fairmaire, 1855) SP
ssp. lorquinii (Fairmaire, 1855) SP
ssp. cobosi (Vives, 1979) SP
mus (Rosenhauer, 1856) SP #148
ssp. mus (Rosenhauer, 1856) SP
= andalusiacum (Breuning, 1962) SP #148
ssp. grisescens (Escalera, 1900) SP #148
chiqui Verdugo, 2014 SP #439
parmeniforme (Escalera, 1902) SP #439
mucidum (Dalman, 1817) SP PT #124
ssp. mucidum (Dalman, 1817) SP #196
= nigrosparsum (Pic, 1941) #124
ssp. annulicorne (Chevrolat, 1862) SP #196
ssp. rondense Verdugo, 2003 SP
ssp. coelloi Verdugo, 1996 SP #123
ssp. lusitanicum (Chevrolat, 1840) SP PT #124 #503
= evorense (Breuning, 1943) #503
Subgen.: Hispanodorcadion Vives, 1976 #195 #202
albicans (Chevrolat, 1862) SP
ssp. albicans (Chevrolat, 1862) SP
= palentinum (Escalera, 1911) SP #404
= palentinum (Lauffer, 1911) SP #404
ssp. demandense (Lauffer, 1902) SP #404
ssp. marinae Tomé et Bahillo, 1996 SP #128
ssp. vanhoegaerdeni (Breuning, 1956) SP #71
aries Tomé et Berger, 1999 SP
heydenii (Kraatz, 1870) SP
graellsii (Graells, 1858) SP
ssp. graellsii (Graells, 1858) SP
ssp. longipenne (Chevrolat, 1862) SP
ssp. cinereum (Escalera, 1901) SP
ssp. incallosum (Escalera, 1908) SP
nudipenne (Escalera, 1908) SP #145
ssp. nudipenne (Escalera, 1908) SP #421
ssp. schrammianum Plavilstshikov, 1932[RN] SP #421
= perchini Saz Fucho, 2012 #145 #
perezi (Graells, 1849) SP
ssp. perezi (Graells, 1849) SP
ssp. hispanicum (Mulsant, 1851) SP #145
ssp. ghilianii (Chevrolat, 1862) SP #145
ssp. cercedillanum (Pic, 1900) SP
ssp. ortunoi Hernandez, 1991 SP #128
abulense (Lauffer, 1902) SP
ssp. abulense (Lauffer, 1902) SP
= puncticolle (Breuning, 1944) #148
ssp. granulipenne (Escalera, 1908) SP
segovianum (Chevrolat, 1862) SP
ssp. segovianum (Chevrolat, 1862) SP
ssp. dejeanii (Chevrolat, 1862) SP
fuentei (Pic, 1899) SP
zenete Anichtchenko et Verdugo, 2004 SP
martinezii (Pérez-Arcas, 1874) SP
= espanoli Breuning, 1956 #257
bolivari (Lauffer, 1898) SP

ssp. bolivari (Lauffer, 1898) SP
ssp. danielae Saz Fucho, 2013 SP #451
seguntianum (K. Daniel, 1899) SP #127
ssp. seguntianum (K. Daniel, 1899) SP #127
= ruspolii (Breuning, 1974) #125
ssp. belbezei (Escalera, 1914) SP #421
= bilbilitanum (Escalera, 1914) #421
= ribotense Corraleño Iñarra, Murria Beltrán & Saz Fucho, 2013 #418 #421
ssp. intermedium (Escalera, 1902) #127
aguadoi Aguado et Tomé, 2000 SP
becerrae (Lauffer, 1901) SP #126
korbi (Ganglbauer, 1884) SP #172
molitor (Fabricius, 1775) SP FR
ssp. molitor (Fabricius, 1775) SP FR
ssp. navasi (Escalera, 1900) SP
circumcinctum (Chevrolat, 1862) SP
ssp. circumcinctum (Chevrolat, 1862) SP
= ariasi (Chevrolat, 1862) #378
ssp. tenuecinctum (Pic, 1898) SP #378
= rufobasicorne (Pic, 1941)
grustani Gonzalez, 1992 SP
mosqueruelense (Escalera, 1902) SP #145
pseudomolitor (Escalera, 1902) SP #109
terolense (Escalera, 1902) SP
ssp. terolense (Escalera, 1902) SP
ssp. albarium (Escalera, 1902) SP #421
ssp. turdetanum (Lauffer, 1911) SP #421
paulae Iñarra & Beltrán, 2012 SP
zarcoi (Schramm, 1910) SP
abantense Saz Fucho, Corraleno Inarra & Murria Beltran, 2016 SP #449
uhagonii (Pérez-Arcas, 1868) SP
= cuencaense (Pic, 1941)
= multidisjunctum (Pic, 1941)
ssp. uhagonii (Pérez-Arcas, 1868) SP
ssp. pradae Saz Fucho, 2007 SP
neilense (Escalera, 1902) SP
ssp. neilense (Escalera, 1902) SP
ssp. almarzense (Escalera, 1902) SP #404
ferdinandi (Escalera, 1900) SP #194
Neodorcadion Ganglbauer, 1883 #172 #202 #225
virleti (Brullé, 1832) GR ?BU #319
fallax (Kraatz, 1873) ?MC GR BU
bilineatum (Germar, 1824) CR BH SB ME MC AL GR BU TR HU RO SK UK MD
calabricum (Reitter, 1889) IT
exornatum (Frivaldsky, 1835) BU GR TR RO
= balcanicum Tournier, 1872
laqueatum (Waltl, 1838) ?GR ?BU TR #245
pelleti (Mulsannt et Rey, 1863) ?SB GR TR
Politodorcadion Danilevsky, 1996 #225 #226
politum (Dalman, 1823) ?RSC #181 #265
ssp. shapovalovi Danilevsky, 2006 ?RSC
Eodorcadion Breuning, 1947 #338
Subgen. Eodorcadion Breuning, 1947
carinatum (Fabricius, 1781) RSC #338
ssp. carinatum (Fabricius, 1781) RSC RSS

Pteropliini

Niphona Mulsant, 1839
= Nyphona Dejean, 1835 #8
picticornis Mulsant, 1839 SP FR FRC IT ITA ITI MA CR BH ME AL GR GRC BU
Albana Mulsant, 1846
m-griseum Mulsant, 1846 SP FR

Pogonocherini #324

Pogonocherus Dejean, 1821
= Eupogonocherus Linsley, 1935
Subgen.: Pogonocherus Dejean, 1821 #197
sturanii Sama et Schurmann, 1982 SP
plasoni Ganglbauer, 1883 BH CR GR #172
creticus Kratochvil, 1985 GRC
anatolicus (K. Daniel & J. Daniel, 1898) GR
hispidulus (Piller et Mitterpacher, 1783) PT SP FR FRC IT ITI SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE NL GE DE GB IR CZ SK PL NR SV EN LA LT BY UK ?UKC MD RSN RSC RSS #201 #308 #400
hispidus (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME AL GR BU RO HU AU SZ LU BE NL GE DE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS
ovatoides Rapuzzi & Sama, 2014 IT
pepa Verdugo & Torres-Méndez, 2010 SP #355
sieversi Ganglbauer, 1886 ?UKC #162
= caucasicus Ganglbauer, 1891
= kuksha Plavilstshikov, 1924
perroudi Mulsant, 1839 SP FR FRC IT ITI ITA SL BH CR AL GR GRC BU TR UKC #40 #286
ssp. perroudi Mulsant, 1839 SP FR FRC IT ITI ITA SL BH CR AL GR GRC BU TR UKC #40 #400
ssp. brevipilosus Holzschuh, 1993 GRC
caroli Mulsant, 1862 SP FR GB SV SZ #134
neuhausi Müller, 1916 IT ITI CR BH GR
= icosiensis Peyerimhoff, 1917
marcoi Sama, 1993 IT
eugeniae Ganglbauer, 1891 IT AU CZ BH CR AL GR RO #19 #400
ssp. eugeniae Ganglbauer, 1891 IT AU CZ BH CR AL GR RO
ssp. taygetanus Pic, 1903 GR #19
Subgen.: Pityphilus Mulsant, 1863 #132 #197
fasciculatus (DeGeer, 1775) SP FR FRC IT ITI SL CR BH SB ME MC AL GR GRC MA BU RO HU AT SZ LU BE DE NL GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #285 #400
ssp. fasciculatus (DeGeer, 1775) SP FR FRC IT ITI SL CR BH SB ME MC AL GR GRC MA BU RO HU AU SZ LU BE NL GE GE GB IR CZ SK PL NR SV FI EN LA LT BY MD UK UKC MD RSN RSC RSS KZ
decoratus (Fairmaire, 1875) SP FR IT SL CR BH ME SB AL GR BU TR HU AU SZ BE NL DE GE CZ SK PL NR SV FI EN LA LT BY UK RSN RSC RSS #62 #334 #400 #446
ovatus (Goeze, 1777) SP FR FRC IT SL CR BH AL GR RO HU AU SZ GE BE NL LU CZ SK PL ?LA ?LT ?BY ?UK ?UKC ?RSC #18 #92 #334 #400 #531 #561
= ovalis (Gmelin, 1790) #133
zubovi Danilevsky, 2015b UKC #62

Apodasyini #135

Deroplia Dejean, 1835 #8 #105
= Stenidea Mulsant, 1842

troberti (Mulsant, 1843) SP FR FRC IT ITA ITI MA CR BH GR GRC
ssp. troberti (Mulsant, 1843) SP FR FRC IT ITA ITI MA CR ME BH GR
ssp. cruciata Sama, 1996 GRC
genei (Aragona, 1830) SP FR FRC IT ITI SL CR BH SB ME AL GR BU RO HU ?DE CZ SK AU ?SZ UK UKC #105 #285 #440
ssp. genei (Aragona, 1830) SP FR FRC IT ITI SL CR BH SB ME AL GR BU RO HU ?GE CZ SK AU ?SZ UK UKC

Anaesthetis Dejean, 1835 #105

testacea (Fabricius, 1781) SP FR IT ITI ITA SL CR BH ME SB AL GR BU TR RO HU AU SZ LU BE NL GE CZ SK PL SV BY LA LT EN UK UKC MD RSC RSS KZ
ssp. testacea (Fabricius, 1781) SP FR IT ITI ITA SL CR BH ME SB AL GR BU TR RO HU AU SZ LU BE NL GE CZ SK PL SV BY LA LT EN UK UKC MD RSC RSS KZ

Acanthocinini

Leiopus Audinet-Serville, 1835

Subgen.: Leiopus Audinet-Serville, 1835 #396

femoratus Fairmaire, 1859 FR BE NL GE LU IT ITI ITA SB ME HU RO BU TR UK UKC RSC RSS
#161 #379
= pachymerus Ganglbauer, 1883 #172
settei Sama, 1985 IT
nebulosus (Linnaeus, 1758) ?PT ?SP FR ?FRC IT ITI ITA ?ME ?CR ?BH ?SB ?AL ?GR GRC ?BU ?TR ?RO ?HU ?AU ?SZ ?LU BE ?NL DE GE GB IR ?CZ ?SK ?PL NR SV FI ?EO ?LA ?LT UK ?UKC ?MD LA EN RSC[Kaliningrad] #323
ssp. nebulosus (Linnaeus, 1758)?PT ?SP FR ?FRC IT ITI ITA ?ME ?CR ?BH ?SB ?AL ?GR ?BU ?TR ?RO ?HU AU ?SZ ?LU BE ?NL DE GE GB IR ?CZ ?SK ?PL NR SV FI UK ?UKC ?MD LA EN RSC[Kaliningrad] #323
ssp. insulanus Slama, 1985 GRC #397
taeniatus (Gmelin, 1790) ?PT ?SP FR ?FRC ?IT ?ITI ?ME CR ?BH ?SB MC AL ?GR BU ?TR RO ?HU AU ?SZ ?LU BE ?NL DE SZ GE GB ?IR CZ SK PL NR SV ?FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ #323 #308 #425 #427 #539
= linnei Wallin, Nylander & Kvamme, 2009
punctulatus (Paykull, 1800) ?FR ?SZ AU GE HU CZ SK PL SV FI EN LT LA BY UK RSN RSC RSS #265 #307 #440

Acanthocinus Dejean, 1821

Subgen.: Acanthocinus Dejean, 1821 #396

xanthoneurus Mulsant et Rey, 1852 IT ITI
henschi Reitter, 1900 IT ITI AU BH MC AL GR BU #201 #400
ssp. henschi Reitter, 1900 AL BH SL IT AU BH MC GR BU
ssp. aetnensis Rapuzzi & Sama, 2010 ITI #201
meyeri Vitali, 2011 PT
hispanicus Sama et Schurmann, 1979 SP
reticulatus (Razoumowsky, 1789) SP FR IT SL CR BH SB AL GR BU HU RO AU SZ GE CZ SK PL ?BY UK #72 #379 #400 #561
griseus (Fabricius, 1793) PT SP FR FRC IT SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ BE NE SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. griseus (Fabricius, 1793) SP FR FRC IT SL CR BH ME SB AL GR BU TR RO HU AU SZ GE CZ BE NE SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
#239
ssp. novaki Tippmann, 1952 CR BH MC GR
aedilis (Linnaeus, 1758) PT SP FR IT ITI SL CR ME BH SB MC AL GR BU TR RO HU AU SZ LU BE DE NL GE GB ?IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
#244

Exocentrini #77 #324 #331

Exocentrus Dejean, 1835 #105 #324

adspersus Mulsant, 1846 SP FR FRC IT ITI SL CR BH SB MC ME AL GR BU TR RO HU AU SZ LU NL BE GE SV CZ SK PL SV UK UKC MD RSS
punctipennis Mulsant et Guillebeau, 1856 SP FR FRC LT LU IT ITA SL CR BH SB ME AL GR BU RO HU AU SZ GE SV CZ SK PL EN LA BY UK UKC MD RSC RSS #546
ssp. punctipennis Mulsant et Guillebeau, 1856 SP FR FRC LT LU IT ITA SL CR BH SB ME AL GR BU RO HU AU SZ GE CZ SK PL EN LABY UK UKC MD RSC RSS #546
ssp. signatus Mulsant & Rey, 1863 TR
lusitanus (Linnaeus, 1767) SP FR IT SL MC ME CR BH SB AL GR BU RO HU AU SZ GE CZ SK PL DE NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ TR #398
stierlini Ganglbauer, 1883 CR SB RO HU ?AU ?SZ CZ SK PL UK MD ?RSC RSS #172 #309 #535

Acanthoderini

Oplosia Mulsant, 1862
cinerea (Mulsant, 1839) FR IT GR SB BH CR SL RO HU AU SZ GE DE CZ SK PL NR SV FI EN LT ?LA BY UK RSN RSC RSS #308
= fennica (Paykull, 1800) #68
Aegomorphus Haldeman, 1847 #20
= Acanthoderes auct. (not Audinet-Serville, 1835) #20
clavipes (Schrank, 1781) SP FR FRC IT ITI ITA SL CR ME BH SB ?AL GR BU TR RO HU AU SZ DE GE CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #131
= varius (Fabricius, 1787)
obscurior Pic, 1904 PL LA RSC RSS UK #269 #275 #561
= wojtylai Hilszczanski, Bystrowski, 2005
krueperi (Kraatz, 1859) GR SB ME BU #74 #288
francottei Sama, 1994 FR SB MC GR RO BU PL #74 #507
jaspideus (Germar, 1823) PT

Tetropini #331

Tetrops Kirby in Kirby et Spence, 1826a #214
Subgen.: Tetrops Kirby in Kirby et Spence, 1826a #469
praeustus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL GE DE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #243
ssp. praeustus (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC GR BU TR RO HU AU SZ LU BE NL GE DE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #39 #243
ssp. peterkai Scořepa, 2020 AU CZ GE SK UK #562
ssp. praetermitus Sláma, 2020 CZ
ssp. skrylnyki Lazarev, Gubin & Pak, 2024 AL
gilvipes (Faldermann, 1837) RO HU CZ SK UKC RSS #39
ssp. gilvipes (Faldermann, 1837) RSS #39
ssp. efetovi Lazarev, 2012 UKC #39
ssp. adlbaueri Lazarev, 2012 GE CZ SK HU PL UK [probably most part of Europe] #39 #461
ssp. mikati Sláma, 2019b SK #481
ssp. niger Kraatz, 1859 FR IT SZ #39 #461
starkii Chevrolat, 1859 SP FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE NL DE NR SV EN LT ?BY MD UK ?UKC RSC RSS #88 #309 #379 #512
ssp. starkii Chevrolat, 1859 SP FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE NL DE NR SV EN LT ?LA ?BY MD UK ?UKC RSC RSS #88 #561
Subgen.: Mimosophronica Breuning, 1943 #469
elaeagni Plavilstshikov, 1954 RSS KZ #214
ssp. elaeagni Plavilstshikov, 1954 RSS KZ #214

Saperdini

Saperda Fabricius, 1775 #136 #322
Subgen.: Saperda Fabricius, 1775 #197
= Anaerea Mulsant, 1839 #136 #197 #322
carcharias (Linnaeus, 1758) SP FR IT ?ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ LU BE DE NL GE GB IR CZ SK PL NR SV FI EN LA LT BY UK ?UKC MD RSN RSC RSS KZ
similis (Laicharting, 1784) SP FR IT SL CR BH ME SB MC AL BU RO HU AU SZ BE GE CZ SK PL NR SV FI ?LT LA EN BY UK RSN RSC RSS KZ #76
Subgen.: Lopezcolonia Alonso-Zarazaga, 1998 #136 #197
= Argalia Mulsant, 1862
= Scalaperda Shapovalov, 2011a [nomen nudum] #473
scalaris (Linnaeus, 1758) SP FR IT ITI SL CR BH SB AL GR BU TR RO HU AU SZ LU BE NL GE GE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. scalaris (Linnaeus, 1758) SP FR IT ITI SL CR BH SB ME AL GR BU TR RO HU AU SZ LU BE NL GE GB IR CZ SK PL DE ?NO SV ?FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
ssp. hieroglyphica Pall. 1773 ?SV ?NO ?FI ?RSN RSS RSC #168
ssp. xantha Demelt, 1960 GR
perforata (Pallas, 1773) SP FR DE IT CR BH AL BU GR RO HU AU SZ GE CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ TR #94 #147 #400 #521
punctata (Linnaeus, 1767) SP FR FRC IT ITI ITA MA SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA ?BY UK UKC MD RSS KZ #339 #561
octopunctata (Scopoli, 1772) SP FR IT SL CR BH SB AL GR BU RO HU AU SZ BE GE CZ SK PL LT ?BY UK UKC MD RSC RSS #201 #561
Subgen.: Compsidia Mulsant, 1839 #197
populnea (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE DA NL GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ TR #557
ssp. populnea (Linnaeus, 1758) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU RO HU AU SZ LU BE DA NL GE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ TR
ssp. lapponica Wallin, Kvamme & Bergsten, 2017 FI NR SV RSN #457
quercus Charpentier, 1825 BH SB RO HU GR BU TR ?BY #561
ssp. quercus Charpentier, 1825 BH SB RO HU GR AL BU TR #425
Menesia Mulsant, 1856
bipunctata (Zoubkoff, 1829) FR IT SL BH CR SB RO HU AU SZ GE CZ SK PL EN LA LT BY UK RSN RSC RSS KZ
sulphurata (Gebler, 1825) ?RSC #513
Stenostola Dejean, 1835 #105 #154
ferrea (Schrank, 1776) SP FR IT SL CR BH SB GR BU RO HU AU SZ LU BE GE DE ?GB CZ SK PL NR FI EN LA LT BY UK UKC MD RSC RSS #154 #308 #548
ssp. ferrea ferrea (Schrank, 1776) FR IT SL CR BH SB GR BU RO HU AU SZ LU BE GE DE ?GB CZ SK PL NR FI EN LA LT BY UK UKC MD RSC RSS #154 #308
ssp. ferrea maculipennis Holzschuh, 1982 ?UKC #154
dubia (Laicharting, 1784) SP FR IT SL CR BH SB RO HU AU SZ LU BE NL GE DE IR ?GB CZ SK PL NR SV FI EN LA UK UKC MD RSC ?RSS #92 #154 #561
alboscutellata Kraatz, 1862 GR #21

Phytoeciini

= Obereini Pascoe, 1864 #324 #331

Oberea Dejean, 1835 #105
Subgen.: Oberea Dejean, 1835
oculata (Linnaeus, 1758) PT SP FR IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE DE NL GE IR GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ
pupillata (Gyllenhal, 1817) SP FR IT SL CR BH ME MC GR RO HU AU SZ BE GE CZ SK PL EN LA LT BY UK ?UKC MD RSN RSC RSS #297
kostini Danilevsky, 1988 RSC #297
maculicollis Lucas, 1842 SP #213

pedemontana Chevrolat, 1856 IT SZ SL CR BH SB ME BU RO HU AU
ssp. pedemontana Chevrolat, 1856 IT SZ SL CR BH SB ME BU RO HU AU #212
linearis (Linnaeus, 1761) PT SP FR IT ?ITI ITA SL CR BH ME SB AL GR BU TR RO HU AU SZ LU BE NL GE DE CZ SK PL NR SV LA LT EN ?BY UK UKC MD RSC RSS #415 #446 #561

Subgen.: Amaurostoma Müller, 1906

euphorbiae (Germar, 1813) ?IT SZ CR SB ME GR ?BU RO HU AU CZ SK ?PL UK ?UKC MD RSC RSS KZ #286
erythrocephala (Schrank, 1776) PT SP FR IT MA SL CR BH SB ME MC GR GRC BU TR RO HU AU SZ GE CZ SK PL LT BY UK UKC MD RSC RSS KZ #286
ssp. erythrocephala (Schrank, 1776) PT SP FR IT ?MA SL CR BH SB ME MC GR GRC BU TR RO HU AU SZ GE CZ SK PL LT UK UKC MD RSC RSS KZ
ssp. calvescens Müller, 1948 IT #349
ssp. bicolor Reiche, 1877 PT SP #349
= reichei Plavilstshikov, 1927 [unnecessary RN]
histrionis Pic, 1917 HU PL ?RO AU CZ SK MD BY UK #317 #561
= moravica Kratochvil, 1989
taygetana Pic, 1904 AL GR #25 #471

Mallosia Mulsant, 1863

graeca (Sturm, 1843) GR

Oxylia Mulsant, 1863

= Coptosia Fairmaire, 1865 #462
argentata Ménétriés, 1832 UKC #176
ssp. argentata Ménétriés, 1832 UKC
duponcheli (Brullé, 1832) AL MC GR BU #460
? androsensis Breuning, 1963 GR #157

Conizonia Fairmaire, 1864 #256

Subgen.: Conizonia Fairmaire, 1864

detrita (Fabricius, 1793) ?SP ?FR #229 #322

Pilemia Fairmaire, 1863 #473

Subgen.: Pilemia Fairmaire, 1863 #385 #473

tigrina Mulsant, 1851 ?FR SB BU RO HU MD UK #309
serriventris Holzschuh, 1984 BU #561
angusterufonotata Pic, 1952 AL GR #335 #471
= inarmata Holzschuh, 1984 #335

Subgen.: Pseudopilemia Kasatkin, 1863 #473

hirsutula (Frölich, 1793) IT CR SL BH ME SB MC AL GR BU TR RO HU SK MD UK UKC RSS KZ #302 #435
ssp. hirsutula (Frölich, 1793) IT CR SL BH ME SB MC AL GR BU TR RO HU SK MD UK UKC RSS KZ #302 #435
= androsensis Breuning 1963 #157
= ciliciae Breuning, 1951 #157
moreana Breuning, 1943 GR #157 #456
= holtzi Pic, 1952
= hladilorum Holzschuh, 2006 #295
kruszelnickii Szczepański & Karpiński, 2017 GR #456

Phytoecia Dejean, 1835

Subgen.: Paracoptosia Danilevsky, 2017b #256 #385 #462

albovittigera Heyden, 1863 MC GR BU TR
bithyniensis Ganglbauer, 1883 BU ?RO #172 #174

Subgen.: Cardoria Mulsant, 1863

scutellata (Fabricius, 1793) SB GR RO HU AU GE CZ SK ?MD UK UKC RSC RSS #98 #176 #265 #322

Subgen.: Neomusaria Plavilstshikov, 1928

balcanica (Frivaldsky, 1835) BU TR GRC

Subgen.: Helladia Fairmaire, 1864

alziari (Sama, 1992) GRC #44
flavescens (Brullé, 1832) MC AL GR #400
humeralis (Waltl, 1838) GR TR

praetextata (Steven, 1817) BU TR RO UK UKC #435
millefolii (Adams, 1817) GR BU UKC RSS #62 #158
Subgen.: Parobereina Danilevsky, 2018b #475
vittipennis Reiche, 1877 AL GR BU SB
ssp. vittipennis Reiche, 1877 AL GR BU SB #467
Subgen.: Obereina Ganglbauer, 1886 #475
melanocephala (Fabricius, 1787) ITI
= rubricollis Lucas, 1846 #178
Subgen.: Musaria Thomson, 1864
faldermanni Faldermann, 1837 UK UKC RSS #265
tirellii Luigioni, 1913 IT GR #341
affinis (Harrer, 1784) SP FR IT SL CR BH SB MC AL GR BU ?TR RO HU AU SZ GE CZ SK PL BY UK UKC MD RSC RSS KZ #224
= nigripes (Voet, 1778)
ssp. affinis (Harrer, 1784) SP FR IT SL CR BH SB MC AL GR BU RO HU AU SZ GE CZ SK PL BY UK UKC MD RSC RSS KZ
= subaurata Pic, 1889 [Pirénées Orientales]
ssp. nigrohirta Müller, 1948 IT
ssp. nigropubescens Müller, 1948 ?BU #224
ssp. tuerki Ganglbauer, 1884 BU TR #172 #224 #385
ssp. volgensis Kraatz, 1883 RSS
rubropunctata (Goeze, 1777) SP FR IT GE #334 #538
argus (Froehlich, 1793) IT CR SL BH GR BU AU RO HU CZ SK UK UKC MD RSS RSC #265 #291 #334
cephalotes Küster, 1846 IT SL CR GR
Subgen.: Phytoecia Dejean, 1835
cylindrica (Linnaeus, 1758) PT SP FR IT SL CR BH MC ME SB GR AL BU TR RO HU AU SZ LU BE NL GE DE GB IR CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #301 #425
manicata Reiche et Saulcy, 1858) ?BU #301
nigricornis (Fabricius, 1782) SP FR IT ITI SL BH CR ME SB MC AL GR BU TR RO HU AU SZ LU BE GE CZ SK PL SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #228 #448 #460
= julii Mulsant, 1863
icterica (Schaller, 1783) PT SP FR IT SL MC CR BH SB ME AL GR BU TR RO HU AU SZ GE ?BE LU CZ SK PL UK UKC MD RSC RSS KZ #177 #211 #425
= subannulipes Pic, 1910 [not available - misspelling of Ph. subannularis Pic, 1901] #177 #368
= subannulipes Pic, 1915 #177
caerulea (Scopoli, 1772) PT SP IT ITI CR BH SB ME SL MC AL GR BU TR RO HU AU ?SZ CZ SK ?BY UK UKC MD RSC RSS KZ #37 #512 #440 #561
ssp. caerulea (Scopoli, 1772) PT SP IT ITI CR BH SB ME SL MC AL GR BU TR RO HU AU ?SZ CZ SK ?BY UK UKC MD RSC RSS KZ #37 #512 #440 #561
ssp. baccueti (Brullé, 1832) GR #292 #448
algerica Desbrochers, 1870 SP #80
rabatensis Sama, 1992 SP
pustulata (Schrank, 1776) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ DE CZ SK PL BY UK UKC MD RSC RSS KZ
ssp. pustulata (Schrank, 1776) PT SP FR IT SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA LT BY UK MD RSC RSS KZ
ssp. murina Marseul, 1870 RSS UK KZ #169
= pulla Ganglbauer, 1886
ssp. taurica Danilevsky, 2023 UKC
virgula (Charpentier, 1825) PT SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA LT BY UK UKC MD RSC RSS KZ #362
ssp. virgula (Charpentier, 1825) PT SP FR IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ GE CZ SK PL LA LT BY UK UKC MD KZ #362
ssp. russica Danilevsky, 2023 BY KZ LA LT UK RSC RSS

ssp. grisea Pic, 1891 UK RSS
ssp. punctum Ménétriés, 1832 RSS
vulneris Aurivillius, 1923 FR IT ITI SL CR BH MC
= paganettii Breuning, 1944
ssp. vulneris Aurivillius, 1923 FR IT ITI SL CR BH MC
ssp. eremita Sama, 1999 IT
rufipes (Olivier, 1800) PT SP FR FRC IT ITI SL CR BH GR ?AT ?SZ BU ?UK ?UKC RSC RSS KZ
#272 #497
= sibirica Gebler, 1833 #32 #440
pubescens Pic, 1895 SL CR BH MC GR BU TR #286 #435
= glaphyra K.Dan. 1906
= manicata Auct.(nec Reiche et Saulcy, 1858) #28 #178 #301
erythrocnema Lucas, 1846 PT SP FR #37 #105
geniculata Mulsant, 1863 ?RO GR BU TR #237 #211
ssp. orientalis Kraatz, 1871 ?RO GR BU TR #211
= fuscicornis Mulsant & Rey, 1863 [HN] #211
= donatellae Rapuzzi & Sama, 2010 #211
annulicornis Reiche, 1877 SP
Subgen.: Barbarina Sama, 2010 #345
nausicae (Rejzek, Kakiopoulos, 2004) GR #230
Subgen.: Opsilia Mulsant, 1863 #105 #385
malachitica Lucas, 1849 PT SP ITI #178 #105
= hispanica Breuning, 1951 #37 #157
coerulescens (Scopoli, 1763) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ LU BE NL GE CZ SK PL LT ?BY UK UKC MD RSN RSC RSS KZ #512
ssp. coerulescens (Scopoli, 1763) PT SP FR FRC IT ITI ITA SL CR BH SB ME MC AL GR BU TR RO HU AU SZ LU BE NL GE CZ SK PL ?LA LT ?BY UK UKC MD RSC RSS KZ
ssp. cretensis Breuning, 1947 GRC
schurmanni Fuchs, 1971 MC
molybdaena (Dalman, 1817) PT SP FR IT ?ITI SB GR BU AU RO HU ?SZ GE CZ SK ?PL UK RSS #197 #222 #272 #370 #440
= longitarsis Reitter, 1911 #197
uncinata (W. Redtenbacher, 1842) FR ?IT SL CR BH SB AL BU RO HU AU CZ SK PL GE MD UK RSS #184 #265 #286 #425

Agapanthiini

Theophilea Pic, 1895
subcylindricollis Hladil, 1988 AL AU SB CZ SK HU BU RO MD UK KZ RSC RSS #230 #300 #530
Calamobius Guérin-Méneville, 1844
filum (Rossi, 1790) PT SP FR FRC BE NL IT ITI ITA MA SL CR BH SB ME MC AL GR GRC BU TR RO HU AU SZ GE CZ PL SK UK UKC MD RSS #192 #300 #427
Agapanthia Audinet-Serville, 1935 #253
Subgen.: Synthapsia Pesarini et Sabbadini, 2004 #253
kirbyi (Gyllenhal, 1817) SP FR IT BH SB MC AL GR BU TR RO HU CZ SK UK UKC MD KZ RSC RSS
ssp. kirbyi (Gyllenhal, 1817) SP FR IT RO HU CZ SK UK MD KZ RSS RSC
ssp. zawadskyi Fairmaire, 1866 BH SB ME CR MC AL GR BU TR #540
= valandovensis Sláma, 2015 #540
Subgen.: Drosotrichia Pesarini et Sabbadini, 2004 #253
annularis (Olivier, 1800) PT SP #496
Subgen.: Epoptes Gistel, 1857 #253
= Agapanthiella Pesarini et Sabbadini, 2004 #253
asphodeli (Latreille, 1804) PT SP FR FRC SZ IT ITI ITA MA CR BH MC AL GR BU RO MD RSS #500 #522
ssp. asphodeli (Latreille, 1804) PT SP FR FRC SZ IT ITI ITA MA CR BH MC AL GR BU RO MD UK RSS #500

= reyi Mulsant et Godard, 1870 #31
ssp. balcanica Sláma, 2019b GR #481
lopadusae Rapuzzi & Sparacio, 2017 IT
probsti Holzschuh, 1984 GRC
lateralis Ganglbauer, 1883 ?CR ?BU TR #172
renatae Steiner & Schmid, 2013 GR #444
cretica D.Bernhauer, 1978 GRC
dahli (Richter, 1821) SP FR FRC BE SL CR BH SB ME MC AL BU RO HU AU ?SZ GE CZ SK ?PL BY UK UKC MD RSC RSS KZ #208 #440
ssp. dahli (Richter, 1821) SP FR BE SL CR BH SB ME MC AL GR BU RO HU AU ?SZ GE CZ SK ?PL ?BY UK UKC MD RSC RSS KZ #370 #440 #561
ssp. schurmanni Sama, 1979 AL BU MC GR #434
alternans Fischer-Waldheim, 1842 RSS #453
ssp. eualternans Danilevsky, 2017a RSS #453
sicula Ganglbauer, 1883 ?SP FRC IT ITI ITA #172 #208
ssp. sicula Ganglbauer, 1883 ITI
ssp. malmerendii Sama, 1981 ?SP FRC IT ITA #208
boeberi (Fischer von Waldheim, 1805 [?1806])[”Sarepta”] ?SP ?FR IT SL CR BH SB ME MC GR GRC BU TR RO HU CZ SK ?DE UK UKC ?MD RSS KZ #272 #555
ssp. cynarae (Germar, 1817) IT SL CR BH SB ME MC GR BU TR RO HU CZ SK ?GE ?SP ?FR UK ?MD #555
ssp. diversicornis Pic, 1927 AL GR MC #555
ssp. slamai Lazarev, 2023 GR (Peloponnese) #555
ssp. boeberi (Fischer von Waldheim, 1805 [?1806]) UK UKC RSS KZ #555
ssp. michaeli Slama, 1987 GRC #555
uxoria Sláma, 2017a GR #452
villosoviridescens (DeGeer, 1775) PT SP FR FRC IT ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ LU BE NL GE DE GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #298
villosoviridescens gazanchidisi Lazarev, 2021 BU GR
villosoviridescens murkusi Rapuzzi, Sama & Kotán, 2013 AL GR #412 #441
villosoviridescens villosoviridescens (DeGeer, 1775) PT SP FR FRC IT ITI SL CR BH SB MC ME AL GR BU TR RO HU AU SZ LU BE NL GE DE IR GB CZ SK PL NR SV FI EN LA LT BY UK UKC MD RSN RSC RSS KZ #298
Subgen.: Homoblephara Pesarini et Sabbadini, 2004 #253
maculicornis (Gyllenhal, 1817) CR ME MC GR BU RO HU SK TR UK MD RSS KZ #150 #263 #285 #309 #435
ssp. maculicornis (Gyllenhal, 1817) CR SL ME BH MC GR BU RO HU SK TR UK ?MD RSC RSS KZ #150 #263 #435
ssp. davidi Slama, 1986 IT ITI #285
Subgen.: Agapanthia Audinet-Serville, 1935
cardui (Linnaeus, 1767) PT SP FR IT ITI SL CR BH SB ME MC AL GR BU TR RO HU AU SZ GE BE NL CZ SK PL UK UKC RSC RSS KZ #199 #279 #492
= pannonica Kratochvil, 1985 #215
suturalis Fabricius, 1787 PT SP FR FRC IT ITI ITA MA GRC ?BU #199 #215 #333
= ruficornis Pic, 1918 #199
bohemica Sláma, 2017a CZ #452
Subgen.: Stichodera Pesarini et Sabbadini, 2004 #253
irrorata (Fabricius, 1787) PT SP ?FR IT ITI ITA
Subgen.: Smaragdula Pesarini et Sabbadini, 2004 #253
osmanlis Reiche, 1858 SB GR BU TR RO HU CZ SK #82
viti Rapuzzi & Sama, 2012 CR SB HU RO SK UK #82 #538
frivaldszkyi Ganglbauer, 1884 BU RO ?TR #172
izzilloi Rapuzzi, Sama & Kotán, 2013 GR #412
pesarinii Sama & Rapuzzi, 2010 TR #523
lazuli Vartanis, 2023e GR
violacea (Fabricius, 1775) PT SP FR IT ITI CR BH SL SB ME MC AL GR BU TR RO HU AU SZ LU BE GE CZ SK PL ?BY UK UKC MD RSN RSC RSS #29 #286 #460 #512 #561
= lais auct.(not Reiche, 1958 - Syria, Jordan, Israel) #82

intermedia Ganglbauer, 1883 SP FR IT ME SB GR HU RO AU SZ GE LU DE NL CZ SK PL EN LA BY UK UKC MD RSN RSC RSS KZ #29 #172 #460 #490

Agapanthiola Ganglbauer, 1900 #208

leucaspis (Steven, 1817) CR SB BH ME MC GR BU TR RO HU AU CZ SK UK UKC MD RSC RSS KZ #83 #309