

Updated: 21.11.2014

CATALOGUE OF PALAEARCTIC CERAMBYCOIDEA
M.L. Danilevsky

The present Catalogue is arranged on the base of “Catalogue of Palaeartic Coleoptera” (vol. 6) by Löbl & Smetana (2010). All new names published after that edition, are included, as well as numerous additions and corrections published by Danilevsky (2010e, 2011h, 2012j, 2012k, 2012l, 2012m, 2013a, 2013c, 2014b). The taxonomy of several genera is changed. Most fragments differing from the publication by Löbl & Smetana (2010) are red, including corrections to the wrong bibliography references.

The reasons for all published modifications can be seen in <http://www.cerambycidae.net/catalog.pdf>

New modifications will be partly published soon.

The abbreviations of geographical divisions are same as in the Catalogue by Löbl & Smetana (2010), but Transcaucasian republics (Armenia, Azerbaijan and Georgia) are returned to Asia. The eastern limits of Europe are same as in 6th volume (Löbl & Smetana, 2010: 11, 13) with the borderline along Ural Ridge and Ural River, while the whole territories of Sverdlovsk and Chelyabinsk regions (now mostly in Asia) as well as Orenburg Region were included in Europe in the previous volumes.

The present file will be regularly updated. All remarks and corrections are strongly desirable.

The author is very grateful to R. Ambrus, J. Kurzawa, J. Mazepa, A. Miroshnikov, Lin Meying, A. Napolov, A. Shapovalov and T. Tichý for their remarks to the text.

family **VESPERIDAE** Mulsant, 1839

subfamily **Vesperinae** Mulsant, 1839

tribe **Vesperini** Mulsant, 1839

genus *Vesperus* Dejean, 1821: 111 type species *Stenocorus strepens* Fabricius, 1793

aragonicus Baraud, 1964: 38 E: FR SP

barredai Verdugo, 2009: 22 E: SP

bolivari Paulino d'Oliveira, 1893: 359 E: PT SP

reitteri Cameron, 1912: 49

brevicollis Graells, 1858: 89 E: PT SP

conicicollis conicicollis Fairmaire, 1866: 69 E: SP N: MO

conicicollis hispalensis Fuente, 1901: 6 E: PT SP

baesuriensis Zuzarte, 1985: 99

creticus Ganglbauer, 1886b: 310 E: GR

flaveolus Mulsant & Rey, 1863: 169 N: AG TU

fuentei Pic, 1905a: 5 E: SP

rufescens Pic, 1921a: 4

semiobscurus Pic, 1921a: 4

gomezi Verdugo, 2004: 67 E: SP

jertensis Bercedo & Bahillo de la Puebla, 1999: 150 E: SP

joanivivesi Vives, 1998: 186 E: SP

luridus Rossi, 1794: 96 (*Stenocorus*) E: CR FR IT YU

graecus Guérin-Méneville, 1833a: pl. 46

solieri Germar, 1836a: 20

macropterus Sama, 1999a: 42 E: IT (Sardegna)

nigellus Compte Sart, 1963: 183 E: SP

sanzi Reitter, 1895b: 132 E: PT SP

serranoi Zuzarte, 1985: 97 E: PT

strepens Fabricius, 1793: 297 (*Stenocorus*) E: FR IT

ligusticus Vitali, 2001: 149

litigiosus Mulsant, 1862: 443

xatarti Dufour, 1839: 219 E: FR SP

amori Mendizábal, 1939: 70

genus *Vesperus*, species incertae sedis
ocularis Mulsant & Rey, 1863: 172 A: TR

subfamily **Philinae** J. Thomson, 1861

tribe Philini J. Thomson, 1861

genus *Heterophilus* Pu, 1988: 302 type species *Heterophilus scabricollis* Pu, 1988
dentitibialis Chiang, Chen & Zhang, 1996: 112 A: XIZ
punctulatus Chiang, Chen & Zhang, 1996: 111 A: XIZ
scabricollis Pu, 1988: 302 A: XIZ

genus *Mantitheus* Fairmaire, 1889c: lxxxix type species *Mantitheus pekinensis* Fairmaire, 1889
Paraphilus Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893
acuminatus Pic, 1946c: 155 A: CH
murzini Vives, 2005a: 244 A: SCH
pekinensis Fairmaire, 1889: xc A: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX
duplex Gahan, 1893a: 255 (*Paraphilus*)
gracilis Pic, 1924e: 79
taiguensis Wu & S.-N. Jiang, 2000: 87 A: SHX

genus *Philus* Saunders, 1853: 110 type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)
antennatus Gyllenhal, 1817: 180 (*Stenochorus*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN
TAI ZHE **ORR**
inconspicuus Saunders, 1853: 110
stuposus Gyllenhal, 1817: 180 (*Stenochorus*)
curticollis Pic, 1930a: 15 A: CE SE SHA SW **ORR**
pallescens pallescens Bates, 1866: 350 A: FUJ GUA GUI GUX HEN HKG HUN JA JIX SCH SHA TAI ZHE **ORR**
cantonensis Pic, 1930a: 14
pallescens tristis Gressitt, 1940b: 25 A: HAI

genus *Spiniphilus* Lin & Bi, 2011: 54 type species *Spiniphilus spinicornis* Lin & Bi, 2011
spinicornis Lin & Bi, 2011: 55 A: YUN

family **DISTENIIDAE** J. Thomson, 1861

subfamily **Disteniinae** J. Thomson, 1861

tribe Cyrtonopini Gressitt, 1940

genus *Cyrtonops* A. White, 1853: 32 type species *Cyrtonops punctipennis* A. White, 1853
Cladopalpus Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886
asahinai Mitono, 1947a: 77 A: GUI SCH SHX TAI
niger Gahan, 1906a: 60 A: XIZ "North India" "Himalaya" **ORR**
punctipennis A. White, 1853: 33 A: GUA YUN XIZ "Himalaya" **ORR**
hageni Lansberge, 1886: 36 (*Cladopalpus*)
simplicipes Holzschuh, 1991c: 6 A: UP
tonkineus Fairmaire, 1895: 176 A: GUX HAI **ORR** [according to the M.-Y. Lin personal message, 2014]
oberthueri Clermont, 1935: 262
wuzhishanensis Z. Wang, 2014: 14, 1123

tribe Disteniini J. Thomson, 1861

genus *Clytomelegena* Pic, 1928: 11 type species *Clytomelegena postaurata* Pic, 1928
Noeconia Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988
kabakovi Murzin, 1988: 162 (*Noeconia*) A: GUA **ORR**
genus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828
Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872
Basisvallis Santos-Silva & Hovore, 2007:23 type species: *Distenia agroides* Bates, 1870
Sakuntala Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890
Thelxiope J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864
Thomsonistenia Santos-Silva & Hovore, 2007:3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864
subgenus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828
ampliata Pu, 1985c: 429 A: ANH
dissimilis Chiang & Wu, 1987: 19 A: SCH
formosana Mitono, 1936: 420 A: TAI
gracilis Blessig, 1872: 168 (*Apheles*) A: FE HEI JIL LIA NC SC
japonica japonica Bates, 1873: 155 A: FE JA
japonica yakushimana Yokoyama, 1966: 54 A: JA (Yaku-shima)
kalidasae Lameere, 1890: ccxiv (*Sakuntala*) A: SD UP **ORR**

mellina Holzschuh, 1995: 5 A: YUN
nigrosparva Pic, 1914e: 17 A: SCH YUN
notabilis Chiang & Wu, 1987: 17 A: XIZ
orientalis Bi & Lin, 2013: 84 A: FUJ GUA JIX SHX ZHE
perforans Holzschuh, 1995: 6 A: YUN
picea Chiang & Wu, 1987: 22 A: SCH
pici Villiers, 1958: 264 A: BT
punctulatooides Hubweber, 2010: 61 A: SHA
 punctulata Chiang & Wu, 1987: 18 [HN]
rufobrunnea Holzschuh, 1995: 6 A: SCH
shennongjiaensis Pu, 1985c: 427 A: HUB
stenola Chiang & Wu, 1987: 21 A: YUN
tricostata Chiang & Wu, 1987: 20 A: SCH
tuberosa Pu, 1985c: 427 A: SCH
wolongensis Chiang & Wu, 1987: 20 A: SCH

genus *Melegena* Pascoe, 1869: 656 type species *Melegena pubipennis* Pascoe, 1869
fulva Pu, 1990: 234 A: FUJ GUA

genus *Nericonia* Pascoe, 1869: 656 type species *Nericonia trifasciata* Pascoe, 1869
nigra Gahan, 1894a: 30 A: YUN **ORR**

genus *Noemia* Pascoe, 1857b: 111 type species *Noemia flavicornis* Pascoe, 1857
 Nethinius Fairmaire, 1889d: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889
incompta Gressitt, 1935c: 181 A: TAI **ORR**
semirufa Villiers, 1958: 268 A: HAI **ORR**
submetallica Gressitt, 1940b: 29 A: 29 HAI **YUN ORR**

genus *Tengius* Matsushita, 1938: 204 type species *Tengius okuboi* Matsushita, 1938
kurosawai Makihara, 1986c: 275 A: JA
okuboi Matsushita, 1938: 105 A: JA

genus *Typodryas* J. Thomson, 1864: 227 type species *Typodryas callichromoides* J. Thomson, 1864
 Psalanta Pascoe, 1869: 656 type species *Psalanta chalybeata* Pascoe, 1869
brunnicollis Chiang & Wu, 1987: 23 A: GUX
callichromoides J. Thomson, 1864: 227 A: HAI **ORR**

tribe Dynamostini Lacordaire, 1868

genus *Dynamostes* Pascoe, 1857b: 90 type species *Dynamostes audax* A. White, 1853
audax Pascoe, 1857b: 90 A: NP SD **YUN ORR**

family CERAMBYCIDAE Latreille, 1802

subfamily Parandrinae Blanchard, 1845

tribe Parandrini Blanchard, 1845

genus *Parandra* Latreille, 1802: 160 type species *Attelabus glaber* DeGeer, 1774
subgenus *Archandra* Lameere, 1912a: 114 type species *Parandra caspia* Ménétriés, 1832
caspia Ménétriés, 1832: 225 A: AB IN

—~~*caspica* Faldermann, 1837: 261 [wrong subsequent spelling] – not available!~~

subgenus *Komiyandra* Santos-Silva, Heffern and Matsuda, 2010: 7 type species *Parandra janus* Bates, 1875

formosana Miwa & Mitono, 1939: 92 A: ~~JA (Ryukyus)~~ TAI

lanyuana Hayashi, 1981b: 27 A: TAI (Lan-Yu)

shibatai Hayashi, 1963a: 50 A: JA (Ryukyus)

***uenoi* Santos-Silva, Heffern and Matsuda, 2010: 11-12, 36 (*Komiyandra*) A: JA (Ryukyus)**

subgenus *Neandra* Lameere, 1912a: 114 type species *Tenebrio brunneus* Fabricius, 1798

brunnea Fabricius, 1798: 49 (*Tenebrio*) Ei: **GB GE NAR**

conformis J. Thomson, 1867: 115

dentata J. Thomson, 1867: 115

minuta J. Thomson, 1867: 116

purpurea Herbst, 1799: 21 (*Tenebrio*)

quadricollis J. Thomson, 1867: 114

sayi J. Thomson, 1867: 114

subgenus *Parandra* Latreille, 1802: 160 type species *Attelabus glaber* DeGeer, 1774

Gnathophorus Kirby, 1837: 166 type species *Attelabus glaber* DeGeer, 1774

Hesperandra Arigony, 1977: 163 type species *Parandra exspectata* Lameere, 1902

Zikandra Santos-Silva, 2003: 120 type species *Attelabus glaber* DeGeer, 1774

subfamily **Prioninae** Latreille, 1802
tribe Acanthophorini J. Thomson, 1864

genus Anthracocentrus Quentin & Villiers, 1983: **82** type species *Tithoes arabicus* J. Thomson, 1877
arabicus J. Thomson, 1877a: 266 (*Tithoes*) N: AG EG LB MO A: AE BA IS JO OM SA SI YE **AFR**
rugosiceps Pic, 1925h: 404 (*Notophysis*)
vicarius Lameere, 1912a: 173 (*Acanthophorus*)
modicus Gahan, 1894b: 222 (*Acanthophorus*) A: PA (Punjab)
rugiceps Gahan, 1894b: 223 (*Acanthophorus*) A: IN PA **ORR**
hardei Heyrovský, 1959: 2 (*Acanthophorus*)

genus Tithoes J. Thomson, 1864: **289** type species *Prionus maculatus* Fabricius, 1793
confinis Laporte, 1840: 395 (*Acanthophorus*) A: SA YE N: EG **AFR**
crassipes Quedenfeldt, 1882: 320 (*Tithoes*)
falcatus Kolbe, 1897: 350 (*Tithoes*)
gnatho Kolbe, 1897: 351 (*Tithoes*)
gularis Kolbe, 1897: 350 (*Tithoes*)
intermedius J. Thomson, 1877a: 266 (*Tithoes*)
longicornis Kolbe, 1897: 351 (*Tithoes*)
mandibularis J. Thomson, 1877a: 265 (*Tithoes*)

tribe Aegosomatini J. Thomson, 1861

genus Aegolipton Gressitt, 1940b: **22** type species *Cerambyx marginalis* Fabricius, 1775
marginalis Fabricius, 1775: 169 (*Cerambyx*) A: FUJ GUA GUI GUX HAI HKG JIA JIX SCH ?TAI YUN **ORR**
javanicum L. Redtenbacher, 1868: 202 (*Aegosoma*)
yunnanense Feng & L. Chen, 2007: 718
sauteri Lameere, 1913: 175 (*Megopis*) A: TAI

genus Aegosoma Audinet-Serville, 1832: **162** type species *Cerambyx scabricornis* Scopoli, 1763
guerryi Lameere, 1916a: 324 (*Megopis*) A: SCH YUN **ORR**
hainanense hainanense Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**
mushense Kano, 1933a: 259 (*Megopis*)
ivanovi Danilevsky, 2011g: 2 A: FE
katsurai Z. Komiya, 2000: 419 (*Megopis*) A: YUN **ORR**
ornaticolle A. White, 1853: 30 A: BT GUI NP SCH SD XIZ YUN **ORR**
scabricorne Scopoli, 1763: 54 (*Cerambyx*) E: AL AU BEi BH BU BY CR CZ FR GE GR HU IT MC MD NL RO SK SL SP ST SZ
TR UK YU A: AB AR GG IN LE SY TR
sinicum sinicum A. White, 1853: 30 A: ANH BEI FE GAN HEB HEI HEN HUB HUN LIA JIA JIL JIX NC NMO SC SHG SHN
TAI ZHE **ORR**
amplicolle Motschulsky, 1854a: 48
corniculum Yoshida, 1931: 273 (*Megopis*)
sinicum savoryi Kusui, 1973: 119 (*Megopis*) A: JA (Bonin Is.)
sinicum validicorne Gressitt, 1951b: 205 (*Megopis*) A: JA (Ishigaki-shima, Iriomote-shima)
ogurai Takakuwa, 1984: 9 (*Megopis*)

genus Baralipton J. Thomson, 1857g: **341** type species *Baralipton maculosum* J. Thomson, 1857
maculosum J. Thomson, 1857g: 342 A: GUI GUX HAI SD YUN **ORR**

genus Dinoprionus Bates, 1875: **49** type species *Dinoprionus cephalotes* Bates, 1875
cephalotes Bates, 1875: 50 A: AP BT SD "India" **ORR**

genus Megobaralipton Lepesme & Breuning, 1952: **140** type species *Aegosoma bicoloripes* Ritsema, 1881
mandibulare Fairmaire, 1900: 637 (*Aegosoma*) A: FUJ TAI

genus Metaeosoma Komiya & Drumont, 2012b: **182** type species *Megopis pici* Lameere, 1915
pici Lameere, 1915b: 179 (*Megopis*) A: GUI YUN

genus Nepiodes Pascoe, 1867c: **410** type species *Nepiodes cognatus* Pascoe, 1867
bowringi Gahan, 1894b: 226 (*Aegosoma*) A: AP NP PA SD **ORR**
costipennis costipennis A. White, 1853: 28 (*Megopis*) A: SCH SD XIZ YUN "Himalaya" **ORR**
lacertosus Pascoe, 1867c: 413 (*Aegosoma*)
costipennis multicarinatus Fuchs, 1966: 19 (*Megopis*) A: FUJ GUA GUI GUX HAI YUN ZHE **ORR**
sulcipennis A. White, 1853: 31 (*Aegosoma*) A: FUJ TAI "North India" **ORR**
lineatus Hüdelpohl, 1994: 186 (*Megopis*)

genus *Palaeomegopis* Boppe, 1911a: 29 type species *Palaeomegopis lameerei* Boppe, 1911
Steinke Hüdepohl, 1993: 321 type species *Steinke lehmanni* Hüdepohl, 1993 (= *Palaeomegopis lameerei* Boppe, 1911)
lameerei Boppe, 1911a: 30 A: GUX SD XIZ YUN **ORR**
lehmanni Hüdepohl, 1993: 322 (*Steinke*)
komiya Drumont, 2006b: 282 A: YUN

genus *Rhineimegopis* Z. Komiya & Drumont, 2001: 392 type species *Eurypoda cordieri* Lameere, 1916
cordieri Lameere, 1916b: 234 (*Eurypoda*) A: HAI **ORR**

genus *Spinimegopis* K. Ohbayashi, 1963: 7 type species *Megopis nipponica* Matsushita, 1934
buckleyi Gahan, 1894b: 227 (*Aegosoma*) A: AP HP NP UP
curticornis Z. Komiya & Drumont, 2007: 374 A: GUA
delahaye Z. Komiya & Drumont, 2007: 358 A: AP YUN **ORR**
formosana formosana Matsushita, 1933a: 163 (*Megopis*) A: GUX TAI
formosana lanhsuensis Hayashi, 1974a: 2 (*Megopis*) A: TAI (Lanyu)
fujitai Z. Komiya & Drumont, 2007: 357 A: GUI HUB **ORR**
guangxiensis Feng & Chen, 2009: 38 (*Megopis*) A: GUX
huai Z. Komiya & Drumont, 2007: 373 A: FUJ HUB SCH SHA
ishigakiana Yoshinaga & Nakayama, 1972: 19 (*Megopis*) A: JA (Ishigaki-jima, Iriomote-jima)
kawazoei hachijoana Fujita, 1980: 11 (*Megopis*) A: JA (Tokara-shoto, Hachijo-jima)
kawazoei kawazoei Hayashi, 1961b: 36 (*Megopis*) A: JA (Amami Oshima)
kawazoei okinawana Fujita, 1980: 5 (*Megopis*) A: JA (Okinawa-honto, Tokashiki-jima)
lividipennis Lameere, 1920: 142 (*Megopis*) A: SCH YUN **ORR**
nepalensis Hayashi, 1979: 83 (*Megopis*) A: BT NP SD **XIZ**
nipponica nipponica Matsushita, 1934b: 538 (*Megopis*) A: JA (Shikoku)
nipponica yakushimana Fujita, 1980: 4 (*Megopis*) A: JA (Kumage-shoto: Yaku-shima, Tanega-shima, Kuchinoerabu-jima, Kyushu)
perroti Fuchs, 1966: 17 (*Megopis*) A: YUN **ORR**
piliventris antennalis Fuchs, 1966: 18 (*Megopis*) A: XIZ YUN **ORR**
piliventris piliventris Gressitt, 1950: 135 (*Megopis*) A: YUN **ORR** [see Feng & Chen, 2009]
tibialis A. White, 1853: 32 (*Aegosoma*) A: BT HP NP SD XIZ **ORR**

tribe Anacolini J. Thomson, 1857

genus *Casiphia* Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
subgenus *Casiphia* Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
Casiphoprionus Pic, 1916c: 2 type species *Casiphoprionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)
thibeticola Fairmaire, 1894a: 223 A: SCH XIZ YUN **ORR**
limbatus Pic, 1916c: 2 (*Casiphoprionus*)
subgenus *Flabelloprionus* Heyrovský, 1933: 133 type species *Flabelloprionus szechuanus* Heyrovský, 1933
szechuana Heyrovský, 1933: 134 (*Flabelloprionus*) A: SCH
yunnana Drumont & Z. Komiya, 2002: 31 A: SCH YUN

genus *Drumontiana* Danilevsky, 2001d: 228 type species *Casiphia lacordairei* Semenov, 1927
amplipennis Gressitt, 1939b: 82 (*Psephactus*) A: ZHE
francottei Z. Komiya & Niisato, 2007: 562 A: YUN
lacordairei Semenov, 1927: 237 (*Casiphia*) A: XIZ YUN

genus *Hystatoderes* Lameere, 1917: 146 type species *Hystatoderes vitalisi* Lameere, 1917
weissi Lameere, 1915a: 56 (*Emphiesmenus*) A: HUN **ORR**
vitalisi Lameere, 1917: 147 (*Hystatoderes*)

genus *Psephactus* Harold, 1879c: 367 type species *Psephactus remiger* Harold, 1879
remiger insularis Hayashi, 1961b: 37 A: JA (Amami-Ōshima)
remiger remiger Harold, 1879c: 368 A: JA SC
scabripennis chichijimensis Kusama, 1973: 119 A: JA (Chichi-jima)
scabripennis scabripennis Kusama, 1973: 118 A: JA (Haha-jima)
taiwanus Kano, 1933a: 260 A: TAI

genus *Sarmyds* Pascoe, 1867c: 410 type species *Sarmyds antennatus* Pascoe, 1867
antennatus Pascoe, 1867c: 410 A: BT FUJ GUA GUX HAI HUN JIA NP SD SHA TAI UP YUN "India" **ORR**
cheni Drumont & Bi, 2014: 268 A: XIZ
fujishiroi Drumont, 2006a: 220 A: GUX SCH YUN **ORR**
trichodes Feng & L. Chen, 2006: 610
loebli Drumont & Weigel, 2010: 67 A: YUN
subcoriaceus Hope, 1831: 27 (*Prionus*) A: NP UP XIZ

genus Vietetropis Z. Komiya, 1997: 39 type species *Vietetropis viridis* Z. Komiya, 1997
viridis Z. Komiya, 1997: 40 A: GUX XIZ YUN ORR

tribe Callipogonini J. Thomson, 1861

genus Callipogon Audinet-Serville, 1832: 140 type species *Prionus barbatus* Fabricius, 1781

subgenus Eoxenus Semenov, 1899c: 570 type species *Callipogon relictus* Semenov, 1899
relictus Semenov, 1899c: 563 A: FE HEB HEI JIL LIA NC NMO SC SHA SHX

tribe Cantharocnemini J. Thomson, 1861

genus Cantharocnemis Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832

subgenus Cantharocnemis Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832

Acmene Gistel, 1848a: 129 [unnecessary substitute name]

Cantharofaedus Gilmour, 1956a: 219 type species *Cantharocnemis migsii* Gilmour, 1956 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)

Hoploscelis Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)

spondyloides Audinet-Serville, 1832: 132 N: EG MO (Western Sahara) A: OM SA YE AFR

arabicus Fuchs, 1969: 381

gahani Lameere, 1902: 312

grandidieri Lameere, 1912a: 124

latibula Fairmaire, 1882b: 94

lucanoides Audinet-Serville, 1832: 170 (*Hoploscelis*)

migsii Gilmour, 1956a: 219

modestus Fairmaire, 1897b: 150

obockianus Fairmaire, 1890: 549

variolosus Fairmaire, 1882c: liv

subgenus Cantharoprion Lameere, 1902: 314 type species *Cantharocnemis livingstonii* Westwood, 1866

downesii Pascoe, 1858: 236 A: NP ORR

subgenus Paracantharocnemis Plavilstshikov, 1933e: 114 type species *Cantharocnemis strandi* Plavilstshikov, 1933

strandii Plavilstshikov, 1933e: 113 A: SA YE

genus Cantharoctenus Westwood, 1866: 134 type species *Cantharocnemis burchellii* Westwood, 1866

filippovi Plavilstshikov, 1933h: 263 (*Cantharocnemis*) A: YE

tribe Ergatini Fairmaire, 1864

genus Callergates Lameere, 1904: 47 type species *Ergates gaillardoti* Chevrolat, 1854

gaillardoti Chevrolat, 1854: 481 (*Ergates*) E: GR (Rodos, Samos) N: EGi A: CY LE SY TR

akbesianus Pic, 1900s: 81 (*Ergates*)

genus Ergates Audinet-Serville, 1832: 143 type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)

Cerambyx Gistel, 1848a: xi [unnecessary replacement name]

Caratambyx Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760

faber faber Linnaeus, 1760: 187 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT NL PL PT

SK SL SP ST SV SZ TR UK YU N: MO A: AR ?AB GG IQ SY TR

alkani Demelt, 1968a: 28

bulzanensis Laicharting, 1784: 1 (*Prionus*)

crenatus Fabricius, 1801b: 264 (*Prionus*)

grandiceps Tournier, 1872: 257

obscurus Olivier, 1795: 26 (*Prionus*)

portitor Schrank, 1781b: 312 (*Cerambyx*)

serrarius Panzer, 1793b: 6 (*Prionus*)

faber opifex Mulsant, 1851: 122 E: IT (Sicilia, Calabria) N: AG

tribe Eurypodini Gahan, 1906

genus Eurypoda Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853

subgenus Eurypoda Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853

Zarax Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)

antennata Saunders, 1853: 110 A: GUA GUI GUX HEN HKG HUB HUN JIA JIX QIN SCH SHG TAI YUN ZHE

dauidis Fairmaire, 1886b: 355

boninensis Hayashi & Kusama, 1973: 117 A: JA (Bonin Is.)

nigrita J. Thomson, 1865a: 577 A: GUI YUN ORR

eurypodoides Pascoe, 1867c: 410 (*Zarax*)

unicolor Hayashi, 1956c: 11 A: JA

tsushimana K. Ohbayashi, 1963: 7

subgenus Neoprion Lacordaire, 1868: 131 type species *Neoprion parandraeformis* Lacordaire, 1868

batesi Gahan, 1894b: 225 A: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC SCH QIN YUN ZHE ORR

parandraeformis Lacordaire, 1868: 132 (*Neoprion*) A: QIN YUN ORR

tribe Macrotomini J. Thomson, 1861

genus *Anomophysis* Quentin & Villiers, 1981: 374 type species *Prionus spinosus* Fabricius, 1787
elliotti C. O. Waterhouse, 1884b: 379 (*Macrotoma*) A: NP SD **YUN ORR**
difformis Nonfried, 1892c: 377 (*Macrotoma*)
hainana Gressitt, 1940b: 18 (*Macrotoma*) A: GUA GUX HAI YUN **ORR**
inscripta C. O. Waterhouse, 1884b: 380 (*Macrotoma*) A: AF PA UP **ORR**
katoi Gressitt, 1938b: 149 (*Macrotoma*) A: TAI
plagiata C. O. Waterhouse, 1884b: 381 (*Macrotoma*) A: AF HP KA NP PA SD UP **ORR**
vidua Lameere, 1903: 167 (*Macrotoma*)

genus *Bandar* Lameere, 1912a: 144 type species *Prinobius pascoei* Lansberge, 1884
pascoei formosae Gressitt, 1938b: 147 (*Macrotoma*) A: JA (Ryukyu) TAI
obscuribrunnea Hayashi, 1962c: 2 (*Macrotoma*)
pascoei gressitti Quentin & Villiers, 1981: 364 A: GUX SCH XIZ YUN
pascoei pascoei Lansberge, 1884: 144 [RN] (*Prinobius*) A: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN NP SCH
SD SHA UP XIZ YUN ZHE **ORR**
fisheri C. O. Waterhouse, 1884b: 382 (*Macrotoma*)
~~— *luzonum* Pascoe, 1869: 666 [HN] (*Macrotoma*)~~

genus *Macrotoma* Audinet-Serville, 1832: 137 [NP] type species *Prionus serripes* Fabricius, 1781
Dapsilus Gistel, 1848a: ix [NO] type species *Prionus serripes* Fabricius, 1781
palmata Fabricius, 1793: 249 (*Prionus*) N: AG EG LB MO A: SA YE **AFR**
boehmi Reitter, 1903a: 46 (*Macrotoma*)
brevipes Kolbe, 1894a: 49 (*Macrotoma*)
coelaspis A. White, 1853: 38 (*Macrotoma*)
humeralis A. White, 1853: 37 (*Macrotoma*)
rugulosa Kolbe, 1894a: 49 (*Macrotoma*)
senegalensis Olivier, 1795: 22 (*Prionus*)
spinipes Illiger, 1805: 107 (*Prionus*)
valida J. Thomson, 1877a: 271 (*Macrotoma*)

genus *Prinobius* Mulsant, 1842a: 207 type species *Prinobius myardi* Mulsant, 1842
Prinobius Chevrolat, 1854: 482 [unnecessary emendation]
myardi atropos Chevrolat, 1854: 482 A: CY IS JO LE SY **TR**
cedri Marseul, 1856: 48
myardi gabilii Chevrolat, 1859b: cxxxv N: AG EG LB MO TU
goudotii Chevrolat, 1859c: cxxxx
lethifer Fairmaire, 1859c: cxxxviii
myardi myardi Mulsant, 1842a: 207 E: FR PT SP
abscisus Gilmour, 1954: 27 (*Macrotoma*)
germari Mulsant, 1846: 291
myardi proksi Sláma, 1982: 203 E: GR (Kriti)
myardi slamorum Danilevsky, 2012: 698 [RN] E: AL BH BU CR GR IT TR UK YU A: GG IN TR
scutellaris Germar, 1817: 219 [HN] (*Prionus*)
samai Drumont & Rejzek, 2008: 4 A: IN

tribe Mallodontini J. Thomson, 1861

genus *Nothopleurus* Lacordaire, 1868: 125 type species *Nothopleurus ebeninus* Lacordaire, 1868 (= *Prionus subsulcatus* Dalman, 1823)
Opheltes J. Thomson, 1864: 306 [HN] type species *Opheltes auriculatus* J. Thomson, 1864 (= *Mallodon macrothorax* Montrouzier, 1861)
arabicus Buquet, 1843: 330 (*Mallodon*) A: YE (Suqutra)

tribe Meroscelisini J. Thomson, 1861

genus *Tragosoma* Audinet-Serville, 1832: 159 type species *Cerambyx depsarius* Linnaeus, 1767
depsarium Linnaeus, 1767: 624 (*Cerambyx*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LS LT MC NR NT PL
SK SL SP ST SV SZ UK YU A: ES FE WS

tribe Prionini Latreille, 1802

genus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
subgenus *Baladeva* G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840
sternalis Fairmaire, 1902a: 244 (*Cyrtognathus*) A: SCH YUN
walkeri G. R. Waterhouse, 1840: 226 A: FUJ GUX HAI HUB SCH YUN **ORR**
siamensis Nonfried, 1892c: 375 (*Cyrtognathus*)
subgenus *Cyrtognathus* Dejean, 1835: 316 type species *Prionus paradoxus* Faldermann, 1833
Cyrtognathus J. Thomson, 1861: 328 [unjustified emendation]

hydropicus Pascoe, 1857b: 91 (*Prionus*) A: GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX NMO SHA SHG SHN TAI ZHE "China Borealis"
breviceps Fairmaire, 1900: 637 (*Cyrtognathus*)
chinensis J. Thomson, 1861: 328 (*Cyrtognathus*)
paradoxus Faldermann, 1833: 63 (*Prionus*) A: ANH FE GAN HEB HEN HUB JIA JIL LIA MG NC NIN NMO QIN SC SCH SHA SHN SHX TAI
aquilinus J. Thomson, 1865a: 577 (*Cyrtognathus*)
tippmanni Heyrovský, 1950: 127

subgenus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
dauidis Fairmaire, 1886b: 353 A: GUI SCH YUN
rostratus Fabricius, 1793: 243 (*Prionus*) A: PA **ORR**

subgenus *Lophosternus* Guérin-Méneville, 1844: 209 type species *Lophosternus buquetii* Guérin-Méneville, 1844
Cyrtosternus Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844
angulicollis Fairmaire, 1886b: 354 (*Cyrtognathus*) A: GUX YUN
buquetii Guérin-Méneville, 1844: 209 (*Lophosternus*) A: GUX KA NP YUN **ORR**
similis Gahan, 1906a: 13 (*Lophosternus*)
dentipes Fairmaire, 1902a: 243 (*Cyrtognathus*) A: GUX YUN **ORR**
florentinii Fairmaire, 1895: 175 (*Cyrtognathus*) A: GUX **ORR**
gracilipes Lameere, 1915a: 58 A: XIZ YUN
huegelii L. Redtenbacher, 1844: 550 (*Cyrtognathus*) A: AF HP KA NP PA SD UP **ORR**
falco J. Thomson, 1877a: 262 (*Cyrtognathus*)
palpalis Gahan, 1906a: 12 (*Lophosternus*)
indicus Hope, 1831: 27 (*Prionus*) A: BT NP SD XIZ **ORR**
hopei Guérin-Méneville, 1844: 210 (*Lophosternus*)
socius Gahan, 1906a: 11 (*Lophosternus*)
zivetta J. Thomson, 1877a: 263 (*Cyrtognathus*) A: NP SD XIZ YUN "Himalaya" "North India" **ORR**

subgenus *Paraphrus* J. Thomson, 1861: 330 type species *Cyrtognathus granulatus* J. Thomson, 1861
granulosus J. Thomson, 1861: 329 (*Cyrtognathus*) A: FUJ GAN GUA GUI GUX HAI HKG HUB QIN SCH SD YUN ZHE "India" **ORR**

subgenus *Prionomimus* Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857
elegans elegans N. Ohbayashi, 1981: 45 A: TAI
elegans ishigakiensis N. Ohbayashi, 1981: 46 A: JA (Ishigaki-jima)
fossatus Pascoe, 1857b: 90 (*Prionus*) A: FUJ GUI HAI HUB HUN JIX QIN SCH SHA ZHE
igai Matsushita, 1941: 151 (*Prionus*) A: TAI
pici Lameere, 1912a: 176 A: TAI

genus *Lobarthron* Semenov, 1900b: 333 type species *Prionus balassogloi* Jakovlev, 1885
balassogloi balassogloi Jakovlev, 1885a: 91 (*Prionus*) A: KI KZ UZ
breve Semenov, 1888: 157 (*Prionus*)
nadari Fairmaire, 1892a: cxxiv (*Prionus*)
balassogloi brevispinum Jakovlev, 1885a: 92 (*Prionus*) A: KI KZ UZ

genus *Macroprionus* Semenov, 1900b: 324 type species *Prionus heros* Semenov, 1900
heros Semenov, 1900b: 320 (*Prionus*) A: XIN

genus *Mesoprionus* Jakovlev, 1887c: 323 type species *Prionus asiaticus* Faldermann, 1837
abaii Holzschuh, 2007: 177 A: IN
angustus Jakovlev, 1887c: 327 (*Prionus*) A: AF IN KI KZ TD **TM** UZ
angheri Brancsik, 1899: 102 (*Prionus*)
bucharicus Semenov, 1900b: 328 (*Prionus*)
asiaticus Faldermann, 1837: 263 (*Prionus*) E: KZ ST A: AB AR GG IN KZ TR
areschanus Fairmaire, 1905: 79 (*Prionus*)
henkei Schaufuss, 1879: 475 (*Prionus*)
besikanus Fairmaire, 1855: 318 (*Prionus*) E: AL BU GR MC MD TR YU A: CY TR
batelkai Sláma, 1996: 75 (*Prionus*)
tangerianus Sláma, 1996: 76 (*Prionus*)
consimilis Holzschuh, 1981: 92 (*Prionus*) A: IN
lefebvrei Marseul, 1856: 47 (*Prionus*) A: IS JO LE SI SY TR
persicus L. Redtenbacher, 1850: 49 (*Prionus*) A: IN IQ TR
compressicornis Semenov, 1933: 293 (*Prionus*)
jakowlewi Semenov, 1899a: 105 (*Prionus*)
petrovitzi Holzschuh, 1981: 91 (*Prionus*) A: IN
zarudnii Semenov, 1933: 292 (*Prionus*) A: TD
zarudnyi Plavilstshikov, 1936: 80 (*Prionus*) [unjustified emendation]

genus *Microarthron* Pic, 1900b: 2 type species *Polyarthron komarowi* Dohrn, 1885
komaroffi Dohrn, 1885: 64 (*Polyarthron*) A: KZ TD **TM** UZ
komarovi Semenov, 1935b: 241, 246 (*Prionus*) [unjustified emendation]

komarowi Pic, 1898e: 33, 35 (*Prionus*) [unjustified emendation]

genus *Miniprionus* Danilevsky, 1999c: 189 type species *Prionus pavlovskii* Semenov, 1935
pavlovskii Semenov, 1935b: 239 (*Prionus*) A: TD

genus *Monocladum* Pic, 1898e: 28 type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844
aegyptiacum aegyptiacum Guérin-Méneville, 1844: 214 (*Polyarthron*) N: EG LB A: IS JO SI AFR
afrum Baudi di Selve, 1889b: 197 (*Polyarthron*)
baudii Pic, 1898f: 30 (*Polyarthron*)
unipectinatum A. White, 1853: 21 (*Polyarthron*)
aegyptiacum arabicum Villiers, 1961b: 449 A: SA YE
aegyptiacum granulipenne Holzschuh, 1993b: 112 [RN] A: SA YE
arabicum Fuchs, 1969: 381[HN] (*Prionus*)
iranicum Villiers, 1961b: 449 A: IN

genus *Opisognathus* J. Thomson, 1861: 330 type species *Prionus forficatus* Fabricius, 1798
forficatus Fabricius, 1798: 141 (*Prionus*) N: MO
favieri Blanchard, 1842: 129 (*Prionus*)

genus *Pogonarthron* Semenov, 1900a: 257 type species *Polyarthron bedeli* Semenov, 1900
subgenus *Multicladum* Danilevsky in Danilevsky & Komiya, 2014: 268 type species *Prionus semenovianus* Plavilstshikov, 1936
semenovianum Plavilstshikov, 1936: 92 (*Prionus*) A: AF TD
subgenus *Pogonarthron* Semenov, 1900a: 257 type species *Polyarthron bedeli* Semenov, 1900
bedeli Semenov, 1900a: 249 (*Polyarthron*) A: TD
petrovi Danilevsky, 2004c: 11 A: TD
tschitscherini Semenov, 1889b: 225 (*Polyarthron*) A: KI
tshitscherini Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]
subgenus *Pseudomonocladum* Villiers, 1961b: 445 type species *Polyarthron minutum* Pic, 1905
minutum Pic, 1905n: 300 (*Polyarthron*) A: IN
obenbergeri Heyrovský, 1939a: 27 (*Prionus*)
loeffleri Fuchs, 1956: 75 [= 1957: 289] (*Prionus*)
semenowi Lameere, 1912b: 224 (*Prionus*) A: IQ
semenovi Semenov, 1935b: 247 (*Prionus*) [unjustified emendation]

genus *Polyarthron* Audinet-Serville, 1832: 189 type species *Prionus pectinicornis* Fabricius, 1793
pectinicornis desvauxii Fairmaire, 1868b: 499 N: AG
moissoni Pic, 1893f: cclx [= 1893b: 107]
pici Lameere, 1912b: 229 (*Prionus*)
pectinicornis fairmairei Pic, 1893b: 110 [RN] N: AG LB TU AFR
barbarum Fairmaire & Coquerel, 1866: 67 [HN]
chatanayi Lameere, 1915a: 59 (*Prionus*)
pectinicornis jolyi Pic, 1895l: ccclxxxv N: AG MO
filali Kocher, 1956a: 124
lothei Villiers, 1946: 35 (*Prionus*)
reymondi Kocher, 1956a: 124
saharensis Pic, 1898e: 27
pectinicornis pectinicornis Fabricius, 1793: 251 (*Prionus*) N: MO (Western Sahara) AFR
faurebigueti Pic, 1898q: 165
gaillardi Lameere, 1912b: 231 (*Prionus*)
philbyi Villiers, 1968: 846 A: SA

genus *Polylobarthron* Semenov, 1899: 258 type species *Polyarthron margelanicum* Théry, 1896
margelanicum Théry, 1896: 108 (*Polyarthron*) A: KI KZ UZ
semirufum Pic, 1900b: 3 (*Polyarthron*)
unionis Pic, 1898e: 34 (*Polyarthron*)

genus *Prionoblemma* Jakovlev, 1887b: 318 type species *Prionoblemma przewalskyi* Jakovlev, 1887
Usprion Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915
przewalskyi Jakovlev, 1887b: 319 A: XIN
semenovianum Plavilstshikov, 1915e: 134 (*Usprion*)

genus *Prionomma* A. White, 1853: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratum* Gmelin, 1790)
subgenus *Ancyloprotus* A. White, 1853: 19 type species *Ancyloprotus bigibbosus* A. White, 1853
bigibbosus A. White, 1853: 19 A: GUX HAI SD YUN ORR

genus *Prionus* Geoffroy, 1762: 198 type species *Cerambyx coriarius* Linnaeus, 1758
Prionellus Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817
boppei Lameere, 1912b: 195 A: YUN

coriarius Linnaeus, 1758: 389 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR GG IN KZ SY TR WS
burdajewicz Bodemeyer, 1927: 74
prionus DeGeer, 1775: 59 (*Cerambyx*)
schaufussi Jakovlev, 1887c: 326
tridentatus Linnaeus, 1758: 354 (*Scarabaeus*)
vicinus Jakovlev, 1887c: 325
corpulentus Bates, 1878b: 720 A: AF KA NP PA
delavayi delavayi Fairmaire, 1887a: 130 A: SCH YUN
delavayi lorenci Drumont & Z. Komiya, 2006: 11 A: FUJ HUB GUI SCH SHA XIZ YUN ZHE
elegans Demelt, 1972b: 89 A: PA
elliotti Gahan, 1906a: 16 A: AF PA
evae Demelt, 1972b: 89 A: PA
dacatrai Pesarini & Sabbadini, 1997: 98
gahani Lameere, 1912b: 189 A: GAN SCH YUN
galantorum Drumont & Z. Komiya, 2006: 27 A: SCH YUN
galantiorum Drumont & Z. Komiya, 2006: 27 [incorrecte orig. spelling]
insularis insularis Motschulsky, 1858a: 36 A: BEI ES FE GAN HEB HEI JIL LIA NC NMO SC SHN SHX
ichikii Nishiguchi, 1941: 31
tetanicus Pascoe, 1867c: 412
insularis yakushimanus K. Ohbayashi, 1964: 19 A: JA (Yakushima)
komiyai Lorenc, 1999: 13 A: LE SY TR
kucerai Drumont & Z. Komiya, 2006: 22 A: GAN HEN NIN SHA SHX
lameerei Semenov, 1927: 235 A: SCH YUN
lamicornis Fairmaire, 1897e: 254 A: SCH "North China"
heterotarsus Lameere, 1915a: 58
murzini Drumont & Z. Komiya, 2006: 23 A: YUN
nakamurai N. Ohbayashi & Makihara, 1985: 11 A: TAI
plumicornis Pu, 1987: 90 A: XIZ
potaninei Lameere, 1912b: 195 [DA] A: SCH
puae Drumont & Z. Komiya, 2006: 20 A: GUX YUN
scabripunctatus Hayashi, 1971: 1 A: TAI
sejunctus Hayashi, 1959a: 4 A: JA
sifanicus Plavilstshikov, 1934f: 220 A: CHQ
siskai Drumont & Z. Komiya, 2006: 15 A: SCH XIZ YUN **ORR**
unilamellatus Pu, 1987: 90 A: XIZ
vartianorum Fuchs, 1967: 431 A: AF
genus *Prionus*, species incertae sedis
sterbai Heyrovský, 1950: 128 A: IN

genus *Priotyranus* J. Thomson, 1857b: 120 type species *Prionus mordax* A. White, 1853

subgenus *Chollides* J. Thomson, 1877a: 264 type species *Chollides closteroides* J. Thomson, 1877

Cnethocerus Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyranus closteroides* J. Thomson, 1877)
Derechinus Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyranus closteroides* J. Thomson, 1877)
Prionacus Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyranus closteroides* J. Thomson, 1877)
closteroides closteroides J. Thomson, 1877a: 265 (*Chollides*) A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX
SCH SHA TAI YUN ZHE **ORR**
delatouchii Fairmaire, 1902c: 317 (*Derechinus*)
messi Bates, 1878a: 273 (*Cnethocerus*)
rabieri Lameere, 1912a: 174
strigicornis Fairmaire, 1896a: 127 (*Prionacus*)
testaceus Kano, 1933b: 130
closteroides lutauensis N. Ohbayashi & Makihara, 1985: 13 A: TAI (Lutau Is.)
hueti Drumont, 2008: 4 A: YUN **ORR**

genus *Pseudoprionus* Pic, 1898e: 33 type species *Polyarthron bienerti* Heyden, 1885

altimontanus Kabakow & Dolin, 1996: 45 (*Prionus*) A: AF

bienerti Heyden, 1885c: 311 (*Polyarthron*) A: IN TM

banghaasi Pic, 1901i: 32 (*Polyarthron*)

pluschewskyi Jakovlev, 1887a: 157 (*Polyarthron*)

pluschewskii Semenov, 1899: 252 (*Polyarthron*) [unjustified emend.]

pluschewskyi Semenov, 1935 (*Prionus*) [unjustified emend.]

pluschewskii Plavilstshikov, 1936 (*Prionus*) [unjustified emend.]

genus *Psilotarsus* Motschulsky, 1860d: 537 type species *Prionus brachypterus* Gebler, 1830

Brachyprionus Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830

Otiartes J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)

Prionoxys Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830

Psilopus Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus* Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)
brachypterus alpherakii Semenov, 1900b: 324 (*Prionus*) A: XIN
brachypterus aralensis Danilevsky, 2000a: 8 A: KZ UZ
brachypterus brachypterus Gebler, 1830: 179 (*Prionus*) A: KZ WP
latidens Motschulsky, 1860d: 537
brachypterus hemipterus Motschulsky, 1845a: 90 (*Prionus*) E: ST A: KZ UZ
longipennis Motschulsky, 1860d: 537
brachypterus pubiventris Semenov, 1900b: 332 (*Prionus*) A: KI KZ
hypogymna Semenov, 1900b: 331 (*Prionus*)
heydeni arkitensis Danilevsky, 2000a: 27 A: KI
heydeni heydeni Ganglbauer, 1888d: 265 (*Prionus*) A: KI UZ
minusculus Semenov, 1935b: 249 (*Prionus*)
heydeni talassicus Danilevsky, 2000a: 29 A: KI
hirticollis auliensis Danilevsky, 2000a: 19 A: KI KZ UZ
hirticollis hirticollis Motschulsky, 1860d: 537 A: KZ TD UZ
hirticollis nudicollis Danilevsky, 2000a: 19 A: KZ
lesnei Semenov, 1933: 293 (*Prionus*) A: IN
turkestanicus Semenov, 1888: 157 (*Prionus*) A: TD TM UZ
curticornis Ganglbauer, 1888d: 266 (*Prionus*)
ruficornis Fairmaire, 1892b: cxxiii (*Prionus*)

tribe Remphanini Lacordaire, 1868

genus *Rhaesus* Motschulsky, 1875: 153 [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)
Rhaesus J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838
serricollis Motschulsky, 1838: 187 (*Prionus*) E: AL BU GR MC ST TR YU N: EG i A: AB AR CY GG IN IS LE SY TR
persicus Motschulsky, 1875: 154
robustus C.H.G. Heyden, 1844: 15 (*Aulacopus*)

genus *Rhaphipodus* Audinet-Serville, 1832: 168 type species *Rhaphipodus suturalis* Audinet-Serville, 1832
fatalis Lameere, 1912a: 137 A: GUI GUX YUN **ORR**
fruehstorferi Lameere, 1903: 74 A: FUJ HAI YUN **ORR**
gahani Lameere, 1903: 72 A: BT NP SD UP
manillae Newman, 1842a: 247 (*Mallodon*) A: TAI **ORR**

genus *Remphan* G. R. Waterhouse, 1836: 67 type species *Remphan hopei* G. R. Waterhouse, 1836
hopei G. R. Waterhouse, 1836: 67 A: YUN **ORR**
alteni Nonfried, 1892c: 376 (*Macrotoma*)
guineensis Lameere, 1893b: 39

subfamily Lepturinae Latreille, 1802

tribe Encyclopinini LeConte, 1873

genus *Encyclops* Newman, 1838a: 392 type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1826)
Microrhabdium Kraatz, 1879d: 99 type species *Microrhabdium macilentum* Kraatz, 1879
Microrhabdium Plavilstshikov, 1936: 108 [unjustified emendation]
concinus Holzschuh, 1991c: 7 A: SCH
hubeiensis N. Ohbayashi & W.-K. Wang, 2004: 454 A: HUB
luteoscelis Chou & N. Ohbayashi, 2010: 360 A: TAI
macilentum Kraatz, 1879d: 99 (*Microrhabdium*) A: FE
parallelus Pic, 1914f: 17 (*Microrhabdium*)
ussuricus Tsherepanov, 1975b: 42
olivaceus Bates, 1884a: 211 A: FE HUB JA
jozanensis Matsushita, 1933b: 169 (*Microrhabdium*)
viridipennis Makihara, 1978: 49 A: TAI

tribe Enoploderini Danilevsky in Althoff & Danilevsky, 1997

genus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
subgenus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
Pyrotrichus LeConte, 1862: 41 type species *Pyrotrichus vitticollis* LeConte, 1862
Xylostylon Reitter, 1879b: 82 [1880: 484] type species *Xylostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)
sanguineus Faldermann, 1837: 310 E: ST UK A: AB AR GG IN TR
lederi Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)
subgenus *Pyrenoploderes* Hayashi, 1960: 12 type species *Enoploderes bicolor* K. Ohbayashi, 1941
bicolor K. Ohbayashi, 1941a: 1 A: JA

tribe Lepturini Latreille, 1802

genus *Acanthoptura* Fairmaire, 1894a: 224 type species *Acanthoptura spinipennis* Fairmaire, 1894

- denticollis* Holzschuh, 1993a: 17 A: SCH
impressicollis Pic, 1920f: 117 (*Leptura*) A: SCH YUN
sericeicollis Holzschuh, 1993a: 18 A: SCH
simplicicollis Holzschuh, 1993a: 16 A: SCH
spinipennis Fairmaire, 1894a: 224 A: SCH XIZ
truncatipennis Holzschuh, 1993a: 16 A: YUN

genus *Allosterna* Mulsant, 1863: 576 type species *Leptura tabacicolor* DeGeer, 1775

- Allosterna* Stierlin, 1898: 479 [unjustified emendation]
anatolica Adlbauer, 1992: 490 A: TR
barimani Danilevsky, 2010c: 3 A: IN
chalybeella Bates, 1884a: 216 (*Grammoptera*) A: FE JA SC
~~*debilis* Tamanuki, 1933: 73 (*Allosterna*)~~
japonica Pic, 1935d: 11 (*Grammoptera*)
diversipes Pic, 1929b: 9 (*Grammoptera*) A: FE HEI JIL NC
perpera Danilevsky, 1988c: 367
ingrica Baeckmann, 1902: 280 (*Grammoptera*) E: BY CT EN LA LT NT PL ST UK WS
pauli Pesarini, Rapuzzi & Sabbadini, 2004: 158 E: GR
scapularis Heyden, 1879: 325 [1879: 69] (*Strangalia*) A: AB IN TM TR
talyschensis Reitter, 1885: 391
tabacicolor erythropus Gebler, 1841b: 612 (*Leptura*) A: ES FE JA KZ MG NT WS
bivittis Motschulsky, 1860b: 146 (*Grammoptera*)
~~*fusca* Matsushita, 1930: 24~~
plavilstshikovi Podaný, 1963b: 49
testacea Motschulsky, 1860b: 146 (*Grammoptera*)
tabacicolor sachalinensis Danilevsky, 2012m: 904 A: FE
tabacicolor subvittata Reitter, 1885: 391 E: ST A: AB AR GG IN TR
caucasica Plavilstshikov, 1936: 305
tabacicolor tabacicolor DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ
LA LS LT LU MC MD NE NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: KZ TR WS
bicoloripes Pic, 1914f: 65 (*Allosterna*)
chrysoloides Schrank, 1781a: 158 (*Leptura*)
dispar Pic, 1892j: 140
genii Gmelin, 1790: 1877 (*Leptura*)
laevis Fabricius, 1793: 340 (*Leptura*)
solstitialis Herbst, 1784: 103 (*Leptura*)
tabacicolor tenebris Danilevsky, 2012m: 904 A: FE NC NE SC
tabacicolor tokatensis Pic, 1901n: 59 A: TR

genus *Anastrangalia* Casey, 1924: 280 type species *Leptura sanguinea* LeConte, 1859

- Marthaleptura* K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873
dissimilis dissimilis Fairmaire, 1900: 639 (*Leptura*) A: FUJ HUN JA QIN SCH SHA TAI YUN
dissimilis niitakana Kano, 1933a: 264 (*Leptura*) A: TAI
hirayamai Matsushita & Tamanuki, 1942: 639 (*Leptura*)
dubia dubia Scopoli, 1763: 47 (*Leptura*) E: AL AN AU BH BU ?BY CR CZ FR GE GR HU IT LS ?LT MC PL RO SK SL SP SZ
UK YU N: AG A: TR
basinotata Pic, 1932d: 31 (*Leptura*)
birubrosignata Pic, 1941b: 1 (*Leptura*)
chamomillae Fabricius, 1801b: 359 (*Leptura*)
cincta Fabricius, 1801b: 356 (*Leptura*)
curierensis Pic, 1945b: 6 (*Leptura*)
graeca Pic, 1932d: 31 (*Leptura*)
limbata Laicharting, 1784: 166 (*Leptura*)
luctuosa Mulsant, 1839: 278 (*Leptura*)
notata Olivier, 1795: 11 (*Leptura*)
planeti Pic, 1945b: 5
dubia moreana Pic, 1906h: 96 (*Leptura*) E: GR (Peloponnese)
atrovittata Pic, 1941b: 1 (*Leptura*)
birubrosignata Pic, 1941b: 1 (*Leptura*)
inbasalis Pic, 1917g: 4 (*Leptura*)
dubia melanota Faldermann, 1837: 315 (*Leptura*) E: ST A: AB AR GG IN TR
dereensis Pic, 1932d: 31 (*Leptura*)
distincta Tournier, 1872: 347 (*Leptura*)
circascutellaris Pic, 1945b: 6 (*Leptura*)
curierensis Pic, 1945b: 6 (*Leptura*)
curtelineata Pic, 1941e: 5 (*Leptura*)
~~*ratchaensis* Pic, 1911a: 4 (*Leptura*)~~

starcki Schilsky, 1892: 205 (*Leptura*)
triangulifera Reitter, 1898d: 195 (*Leptura*)
kasaharai Makihara, 2002: 339 A: JA
montana montana Mulsant & Rey, 1863: 179 (*Leptura*) E: GR (Samos) A: CY SY TR
bogasana Pic, 1932d: 31 (*Leptura*)
claudiusi Pic, 1941b: 1 (*Leptura*)
juliae Pic, 1941b: 1 (*Leptura*)
leuthneri Ganglbauer, 1886c: 516 (*Leptura*)
mulsanti Pic, 1941b: 1 (*Leptura*)
nigerrima Pic, 1892v: 415 (*Leptura*)
pernigra Reitter, 1898d: 193 (*Leptura*)
semiangustata Reitter, 1898d: 193 (*Leptura*)
victoris Pic, 1941b: 1 (*Leptura*)
montana steineri Sama, 1994a: 10 E: GR (Kriti)
renardi Gebler, 1848a: 420 (*Leptura*) E: NT A: ES FE KZ MG NMO SC WS XIN
mongolica Pic, 1922d: 18 (*Leptura*)
reyi Heyden, 1889a: 203 (*Leptura*) [RN] E: AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SP ST SV SZ UK
A: KZ
inexpectata Jansson & Sjöberg, 1928: 212 (*Leptura*)
ochracea Rey, 1885b: 277 (*Leptura*) [HN]
rubriola Bates, 1878b: 720 (*Leptura*) A: AF FUJ KA NP PA **ORR**
kashmirica Plavilstshikov, 1927b: 105
sanguinolenta Linnaeus, 1760: 196 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC
MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR GG **KZ TR WS**
bonaerensis Burmeister, 1865: 177 (*Leptura*)
ignita Geoffroy, 1785: 89 (*Stenocorus*)
melanura Ström, 1765: 394 (*Leptura*) [HN]
sandoeensis Palm, 1953: 124 (*Leptura*)
variabilis DeGeer, 1775: 137 (*Leptura*)
scotodes continentalis Plavilstshikov, 1936: 371 (*Leptura*) A: FE NC NE SC **SCH SHA**
scotodes scotodes Bates, 1873: 194 (*Leptura*) A: **FE JA**
kongoensis Matsushita, 1933b: 201 (*Leptura*)
rufonotata Pic, 1953a: 14 (*Leptura*)
sequens Reitter, 1898d: 194 (*Leptura*) A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
baicalensis Pic, 1907b: 6 (*Leptura*)
baicalica Pic, 1911a: 4 (*Leptura*)
diversenotata Pic, 1907b: 6 (*Leptura*)
pulchrina Reitter, 1898d: 194 (*Leptura*)
rufopaca Reitter, 1898d: 194 (*Leptura*)
sachalinensis Matsushita, 1933a: 104 (*Leptura*)
tristina Reitter, 1898d: 194 (*Leptura*)

genus *Anoplodera* Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
subgenus *Anoplodera* Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
atramentaria Ganglbauer, 1889a: 59 (*Leptura*) A: GAN NMO
corvina Holzschuh, 1993a: 11 A: GAN
fokiensis Pic, 1922a: 7 (*Leptura*) A: FUJ
kingana Pic, 1903e: 105 (*Leptura*) A: SCH
septemnotata Pic, 1928g: 143 (*Leptura*)
sexnotatipennis Pic, 1928g: 143 (*Leptura*)
peregrina Holzschuh, 1993a: 12 A: GAN
porphyrophora Fairmaire, 1889a: 64 (*Leptura*) A: SCH
przewalskii Miroshnikov, 2000c: 186 A: NMO
pubevirens Gressitt, 1935g: 568 (*Leptura*) A: XIZ
rufihumeralis Tamanuki, 1938b: 167 (*Leptura*) A: CH FE NC
rufipes astrabadensis Pic, 1900s: 82 A: AB IN
rufipes izzilloi Sama, 1999a: 45 E: IT (Basilicata)
rufipes krueperi Ganglbauer, 1882: 707 (*Leptura*) E: GR
rufipes lucidipes Sama, 1999a: 46 A: TR
rufipes rufipes Schaller, 1783: 296 (*Leptura*) [HN] E: AU BH BU BY CR CZ EN FR GE GB GR HU IT LA LT MD ?NT PL RO SK
SL SP SV SZ YU UK
atra Fabricius, 1775: 197 (*Leptura*) [NO]
fuscipes Mulsant, 1839: 287
villosa Schoenherr, 1817a: 486 (*Leptura*)
rufipes ventralis Heyden, 1886a: 85 [RN] E: BY CT ST UK A: AB AR GG ES KZ TR
medea Pic, 1909b: 99 (*Leptura*)
rufiventris Tournier, 1872: 348 (*Leptura*) [HN]
sergeii Miroshnikov, 2000c: 188 A: SCH
shamaevi Miroshnikov, 2000c: 188 A: QIN

sexguttata Fabricius, 1775: 198 (*Leptura*) **E**: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD
MD NL NR NT PL PT RO SK SL SP ST SV SZ UK **A**: GG TR **N**: AG
atrata Schilsky, 1889: 339
biguttata Mulsant, 1839: 285
~~*bipustulata* Rothenburg, 1909: 190 (*Leptura*)~~
~~*cincta* Panzer, 1804: 57 (*Leptura*)~~
exclamationis Fabricius, 1793: 343 (*Leptura*)
guttata Pic, 1898a: 4
punctomaculata Marsham, 1802: 357 (*Leptura*)
pyrenaica Pic, 1917a: 5 (*Leptura*)
semicolon Schrank, 1798: 694 (*Leptura*)
vastatorum Pic, 1917a: 5 (*Leptura*)
uddmanniana Harrer, 1784: 225 (*Leptura*)
subgenus *Anoploderomorpha* Pic, 1901m: 59 type species *Leptura excavata* Bates, 1884a
carbonaria Holzschuh, 1993a: 13 (*Anoploderomorpha*) **A**: SHA
cyanea Gebler, 1832: 70 (*Leptura*) **A**: ES FE HEB HEI HUB JA JIL MG NC **NMO** SC
densepunctata Hayashi & Villiers, 1994: 60 (*Anoploderomorpha*) **A**: TAI
diplosa Holzschuh, 2003a: 161 (*Anoploderomorpha*) **A**: YUN
excavata Bates, 1884a: 217 (*Leptura*) **A**: CE JA
förmosana Matsushita, 1933b: 198 (*Leptura*) **A**: HAI TAI
izumii Tamanuki & Mitono, 1939: 209 (*Leptura*) **A**: FUJ GUA TAI YUN ZHE
monticola Nakane, 1955a: 11 (*Anoploderomorpha*) **A**: JA
kishii Nakane, 1955a: 12 (*Anoploderomorpha*)
sepulchralis Fairmaire, 1889a: 63 (*Leptura*) **A**: FUJ SCH **ORR**
tenebraria Holzschuh, 1995: 10 (*Anoploderomorpha*) **A**: YUN
villigera Holzschuh, 1991c: 17 (*Anoploderomorpha*) **A**: YUN **ORR**
subgenus *Falsojudolia* Pic, 1935c: 11 type species *Judolia lunatipennis* Pic, 1935
lunatipennis Pic, 1935c: 11 (*Judolia*) **A**: GAN
subgenus *Robustanoplodera* Pic, 1954a: 13 type species *Anoplodera bicolorimembris* Pic, 1954
Koichius Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935
Tamanukia Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935
bicolorimembris Pic, 1954a: 13 **A**: FUJ **ORR**
lepesmei Pic, 1956b: 649 (*Leptura*) **A**: YUN
inauraticollis Pic, 1933b (*Leptura*): 26 **A**: SCH
taiyal Shimomura, 1993: 228 (*Robustanoplodera*) **A**: TAI
tricolor Gressitt, 1935d: 258 **A**: TAI

genus *Caraphia* Gahan, 1906a: 75 type species *Caraphia cribrata* Gahan, 1906
Neosalpinia Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933
granulifera Holzschuh, 1984a: 141 **A**: NP
laosica Gressitt & Rondon, 1970: 30 **A**: HAI **ORR**
laticeps Pic, 1922c: 10 (*Microrhabdium*) **A**: YUN
lepturoides babai Makihara, 1982b: 127 **A**: JA (Ryukyus)
lepturoides lepturoides Matsushita, 1933b: 304 (*Neosalpinia*) **A**: JA
taiwana Chou & N. Ohbayashi, 2008: 136 **A**: TAI
thailandica Hayashi & Villiers, 1987: 2 **A**: YUN **ORR**
sp. (close to lepturoides) Lin & Aston, 2014: 19 **A**: HKG [see: Lin & Aston, 2014]

genus *Carlandrea* Sama & Rapuzzi, 1999: 467 type species *Strangalia syriaca* Pic, 1891
syriaca Pic, 1891a: 1 (*Strangalia*) **A**: TR

genus *Corennys* Bates, 1884a: 224 type species *Corennys sericata* Bates, 1884a
Pseudocorennys Pic, 1952d: 47 type species *Pyrocalymma diversicornis* Pic, 1947 (= *Pyrocalymma conspicua* Gahan, 1906
~~*brevipennis prescutellaris* Pic, 1947e: 17 (*Pyrocalymma*) **A**: CH **ORR**~~
caduca Holzschuh, 1998: 28 **A**: HUB
cardinalis Fairmaire, 1887a: 131 (*Ephies*) **A**: YUN
circellaris Holzschuh, 1992: 12 **A**: SCH
conspicua Gahan, 1906a: 89 (*Pyrocalymma*) **A**: BT HAI HEB SCH SHA XIZ YUN **ORR**
diversicornis Pic, 1947c: 17 (*Pyrocalymma*)
sensitiva Holzschuh, 1998: 29 **A**: YUN
sanguinea Kano, 1933a: 271 **A**: HAI TAI
sericata Bates, 1884a: 225 **A**: HEB JA NE SC
taiwana Hayashi, 1963d: 130 **A**: TAI

genus *Cornumutilla* Letzner, 1844: 173 type species *Leptura lineata* Letzner, 1844
Letzneria Kraatz, 1879b: 63 type species *Leptura lineata* Letzner, 1844
lineata Letzner, 1844: 173 (*Leptura*) **E**: AU CZ FR IT NT PL RO SK SZ UK **A**: ES WS

weisi Heyden, 1892c: 389 (*Letzneria*)
quadrivittata Gebler, 1830: 193 (*Leptura*) E: CT A: ES FE NC SC WS
semenovi Plavilstshikov, 1936: 313

genus *Dokhtouroffia* Ganglbauer, 1886a: 129 type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa* Gebler, 1845)
Dochturowia Jakobson, 1924c: 238 [unjustified emendation]
Dokhturowia Semenov, 1926: 48 [unjustified emendation]
baeckmanni Jankowski, 1934: 109 [= 1935b: 181] (*Dochturowia*) A: KI UZ
nebulosa Gebler, 1845: 105 (*Stenura*) A: KI KZ MG SCH XIN XIZ
turkestanica Ganglbauer, 1886a: 129
vittata Pic, 1941b: 1 (*Dokhtouroffia*)

genus *Elacomia* Heller, 1916b: 298 type species: *Elacomia collaris* Heller, 1916
Acantholeptura Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)
michioi Tippmann, 1955: 95 A: FUJ
semiannulata Pic, 1916d: 5 A: YUN **ORR**

genus *Emeileptura* Holzschuh, 1991c: 22 type species *Emeileptura conspecta* Holzschuh, 1991
conspecta Holzschuh, 1991c: 22 A: SCH

genus *Ephies* Pascoe, 1866: 506 type species *Ephies cruentus* Pascoe, 1866
apicalis Kano, 1933a: 270 A: TAI
cardinalis Fairmaire, 1887a: 131 A: YUN
coccineus Gahan, 1906a: 87 A: BT FUJ GUX HAI TAI YUN **ORR**
gahani Gressitt, 1940b: 31 A: HAI
japonicus japonicus Nakane & K. Ohbayashi, 1961: 6 A: JA
japonicus okinawanus Hayashi, 1968a: 21 A: JA
schwarzeri Hayashi, 1968a: 22 A: TAI
sulcipennis Bates, 1891a: 22 A: HP (Kulu)
thailandensis Hayashi, 1989: 24 A: YUN **ORR**

genus *Etorofus* Matsushita, 1933a: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
subgenus *Etorofus* Matsushita, 1933b: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
nemurensis Matsushita, 1933a: 205 A: FE JA
circaocularis Pic, 1934c: 18 (*Strangalia*)
niger Matsushita, 1933a: 205
variicornis Matsushita, 1933a: 205 [HN]
pubescens Fabricius, 1787: 158 (*Leptura*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT MC NR NT PL RO SK SL
SP ST SV SZ UK YU A: ?GG TR
anticemaculata Pic, 1933h: 5 (*Strangalia*)
~~*auriflua* L. Redtenbacher, 1858: 874 (*Strangalia*)~~
carinthiaca Pic, 1933h: 16
holosericea Fabricius, 1801b: 358 (*Leptura*)
~~*nigra* DeGeer, 1775: 144 (*Leptura*)~~
obscura Thunberg, 1787: 56 (*Leptura*)
ottoi Pic, 1907b: 6 (*Leptura*)
perobscura Reitter, 1901b: 77 (*Strangalia*)
subgenus *Nakanea* K. Ohbayashi, 1963: 9 type species *Leptura vicaria* Bates, 1884a
vicarius adumbratus Bates, 1884: 220 (*Leptura*) A: JA
biluteomaculatus Pic, 1943c: 1 (*Strangalia*)
lajoyei Pic, 1943c: 1 (*Strangalia*)
vicarius vicarius Bates, 1884a: 218 (*Leptura*) A: FE JA

genus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a
aeneipennis Fairmaire, 1889a: 63 (*Stenura*) A: SCH SHA YUN **ORR**
notaticollis Pic, 1927f: 8
anticereducta Hayashi, 1958b: 46 A: JA
distenioides Bates, 1884a: 222 A: FE JA
latericollis W.-K. Wang & S.-N. Jiang, 1994: 193 A: SHA
viridipennis Gressitt, 1935f: 380 A: TAI

genus *Formosopyrrhona* Hayashi, 1957a: 37 type species *Corennyss cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)
hozanensis Matsushita, 1933a: 231 (*Pyrocalymma*) A: TAI
cinnabarina Gressitt, 1951a: 122 (*Corennyss*)

longula Holzschuh, 1999: 20 A: HUB
satoi Hayashi, 1957b: 45 (*Pyrocalymma*) A: JA (Ryukyus)
semilaeticolor Hayashi, 1974a: 13 A: TAI

genus *Gahanaspia* N. Ohbayashi, 2014: 17 type species *Leptura miniacea* Gahan, 1906
miniacea Gahan, 1906a: 82 (*Leptura*) A: GUX **ORR**

genus *Gnathostrangalia* Hayashi & Villiers, 1985a: 13 type species *Strangalia aurivillei* Pic, 1903
bilineatithorax Pic, 1922b: 22 (*Leptura*) A: FUJ HUN ZHE **ORR**
tonkinea Murzin, 1988: 162 (*Strangalia*)
elliptica L. Chen & Chiang, 1996: 188, 191 A: GUX
simianshana Chiang & L. Chen, 1993: 54 A: SCH

genus *Grammoptera* Dejean., 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
subgenus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
Fallaciomorpha Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892
abdominalis Stephens, 1831: 262 (*Leptura*) E: AL AU BE BH BU BY CR CZ DE FR GB GE GR HU IR IT MC NL PL PT RO SK
SL SP ST SV SZ **TR** UK A: AB AR GG IN TR
analis Herrich-Schäffer, 1833: 118: pl. 6 (*Leptura*)
~~*femorata* Mulsant, 1863: 580~~
nigrescens Weise, 1884f: 424
variegata Germar, 1824: 522 (*Leptura*) [HN]
andrei Holzschuh, 1999: 10 A: QIN
angustata Pic, 1892k: 289 N: AG
bicoloricornis Pic, 1935d: 12
auricollis auricollis Mulsant & Rey, 1863: 183 N: AG
auricollis basicornis Pic, 1924c: 26 E: GR (Kriti)
auricollis bipustulata Steiner, 1975: 22 E: GR
auricollis samai Sláma, 1997: 512 N: AG TU
baudii baudii Sama, 1985c: 97 A: CY
baudii pistacivora Sama, 1996b: 94 A: IS JO LE SY TR
coerulea Jureček, 1933: 128 A: FE
fulgidipennis Holzschuh, 1991c: 16 A: GAN
gracilis Brancsik, 1914: 58 A: FE **NC NE SC**
semenovi Baeckmann, 1924: 231
grammopteroides Pic, 1892d: 44 [= 1892m: clxxxv] (*Leptura*) A: LE SY
matsudai Hayashi, 1974a: 8 A: TAI
merkli Frivaldszky, 1884: 4 A: TR
ruficornis flavipes Pic, 1892i: 139 E: IT (Sicilia)
ruficornis obscuricornis Kraatz, 1886: 234 A: AB (Talysh) IN
ruficornis ruficornis Fabricius, 1781: 247 (*Leptura*) [NP] E: AL AU BE BH BU BY CR **CT** CZ DE EN FR GB GE GR HU IR IT
LA LS LT MC MD NL NR PL PT RO SK SL SP ST SV SZ **TR** UK YU A: TR
~~*atra* Fabricius, 1775: 197 (*Leptura*) [NO]~~
clavipes Geoffroy, 1785: 87 (*Stenocorus*)
holomelina Donisthorpe, 1905: 182
laevis Herbst, 1784: 103 (*Leptura*)
pallipes Stephens, 1831: 263 (*Leptura*)
parisina Thunberg, 1784: 16 (*Leptura*)
pumila Schaller, 1783: 299 (*Leptura*)
rufipes Goeze, 1777: 501 (*Leptura*) [NO]
semimetallica Pic, 1939b: 2 A: GAN
solai Rapuzzi & Sama, 2014a: 2 A: TR
ustulata tibialis Kraatz, 1886: 234 A: AB AR IN TR
ustulata ustulata Schaller, 1783: 298 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT **LA** MC MD NL
NR PL PT RO SK SL SP ST SV SZ **TR** UK YU A: TR
adusta Gmelin, 1790: 1872 (*Leptura*)
barrosi Pic, 1900c: 6
geniculata Kraatz, 1886: 234
praeusta Fabricius, 1787: 159 (*Leptura*)
splendida Herbst, 1784: 103 (*Leptura*)
viridipennis Pic, 1893c: 111 E: IT (Sicilia)
subgenus *Neoencyclops* Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933
brezinae Holzschuh, 1998: 18 (*Neoencyclops*) A: GAN
cyanea Tamanuki, 1933: 73 A: FE **NE NC**
plavilstshikovi Heyrovský, 1965a: 101
elongata Pic, 1941b: 1 A: CH
lenis Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
debilipes Holzschuh, 1991c: 15 (*Neoencyclops*) A: SCH

paucula Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
querula Danilevsky, 1993e: 476 A: NC

genus *Houzhenzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzhenzia cheni* N. Ohbayashi & Lin, 2012
cheni N. Ohbayashi & Lin, 2012: 18 A: SHA

genus *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia contracta* Bates, 1884a

akiyamai Hayashi, 1978a: 86 A: TAI
albopreterminalis Hayashi & Villiers, 1989: 2 A: TAI
angustissima Gressitt, 1935d: 261 (*Strangalina*) A: TAI
yanoi Tamanuki, 1939: 146 (*Strangalina*)
atrocincta Pic, 1928b: 17 (*Strangalina*) A: SE SW **ORR**
auricoma Holzschuh, 2007: 197 A: YUN **ORR**
contracta Bates, 1884a: 223 (*Strangalia*) A: JA JIX
lineatocollis Gressitt, 1937b: 319 (*Strangalina*)
mediolineata Pic, 1954a: 13 (*Strangalia*)
ohbayashii Matsushita, 1933b: 220 (*Strangalia*)
tamanukii Hayashi, 1959b: 61 (*Pygostrangalia*)
fukienensis Pic, 1957: 77 (*Strangalina*) A: FUJ
fukiensis Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ
hakonensis Matsushita, 1933b: 218 (*Strangalia*) A: JA
maruokai Hayashi, 1963a: 52 (*Pygostrangalia*) A: JA (Ryukyus)
quadrisignata Hayashi & Makihara, 1981: 187 A: NP
raranensis Mitono, 1938: 19 (*Strangalia*) A: TAI
shimomurai N. Ohbayashi & Takahashi, 1985: 89 A: JA
shirakii Tamanuki & Mitono, 1939: 213 (*Strangalina*) A: TAI
simillima Hayashi & Villiers, 1989: 1 A: TAI
sozanensis Mitono, 1938: 17 (*Strangalia*) A: FUJ GUA GUX HUN JIX TAI ZHE
vittatipennis Pic, 1914e: 16 (*Strangalia*) A: TAI
marginalis Kano, 1933a: 269 (*Strangalia*)
suturalis Gressitt, 1935d: 262 (*Strangalina*)

genus *Ischnostrangalis* Ganglbauer, 1889a: 53 type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)

antennalis Holzschuh, 1991c: 21 A: SCH
apicata Holzschuh, 1992: 8 A: SCH
davidi Pic, 1934g: 83 (*Leptura*) A: SCH
fasciolata Holzschuh, 2011: 273 A: XIZ
frugalis annulicornis Holzschuh, 2011: 274 A: SCH
frugalis frugalis Holzschuh, 1991a: 7 A: SCH
manipurensis Gahan, 1906: 86 (*Leptura*) A: YUN **ORR**
rhododendri Holzschuh, 2011: 271 A: YUN
semenowi Ganglbauer, 1889a: 53 (*Leptura*) A: SCH
stricticollis Fairmaire, 1889a: 62 (*Stenura*) A: NMO SCH
~~*semenowi* Ganglbauer, 1889a: 53 (*Leptura*)~~
tibetensis Ohbayashi & Lin, 2013: 48 A: XIZ
wenhsini Ohbayashi & Lin, 2013: 45 A: XIZ

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura dentatipennis* Pic, 1901

basiplicata Fairmaire, 1889a: 60 (*Stenura*) A: FUJ GUA GUI HUB HUN JIX SCH ZHE
argodi Théry, 1896: 109 (*Strangalia*)
elegans Tippmann, 1955: 94 (*Strangalia*)
dentatipennis Pic, 1901m: 60 (*Leptura*) A: JA
yamasakii Mitono, 1936: 421 (*Strangalia*) A: FUJ GUI HUN JIX TAI
miwai Mitono, 1943: 587 (*Strangalia*)

genus *Judolia* Mulsant, 1863: 496 type species *Leptura sexmaculata* Linnaeus, 1758

~~*Judolia* Pic, 1891b: 12 type species *Leptura sexmaculata* Linnaeus, 1758~~
japonica Tamanuki, 1942: 179 (*Strangalia*) A: JA
dentatofasciata Mannerheim, 1852b: 308 (*Grammoptera*) E: NT A: ES FE JA MG NC SC WS "Korea"
abbreviata Motschulsky, 1875: 143 (*Grammoptera*)
multidisjuncta Pic, 1914c: 5
parallelopipeda Motschulsky, 1860b: 146 (*Grammoptera*)
rostiana Pic, 1902f: 19 (*Judolia*)
rufimembris Pic, 1917g: 3 (*Leptura*)
shirarakensis Matsumura, 1911a: 137 (*Leptura*)
sexmaculata Linnaeus, 1758: 398 (*Leptura*) E: AN AU BY CT CZ EN FI FR GB GE GR HU IR IT LA LT NR NT PL RO SK SP

ST SV SZ UK A: KZ

alpestris Pic, 1914c: 5

helvetica Pic, 1914c: 5

milliati Pic, 1945b: 6

x-flava Roubal, 1937: 81

testaceofasciata DeGeer, 1775: 133 (*Leptura*)

trifasciata Fabricius, 1793: 349 (*Leptura*)

tyrolensis Pic, 1914c: 5

genus *Judolidia* Plavilstshikov, 1936: 399 type species *Judolidia znojkoii* Plavilstshikov, 1936

bangi Pic, 1901v: 340 (*Leptura*) A: JA

akitensis Matsushita, 1931a: 42 (*Leptura*)

stygica Gressitt, 1935b: 168 (*Leptura*)

kyushuensis Kusakabe & N. Ohbayashi, 1992: 28 A: JA

znojkoii Plavilstshikov, 1936: 400 A: FE HEI JIL NC SC

genus *Kanekoa* Matsushita & Tamanuki, 1942: 79 type species *Leptura azumensis* Matsushita & Tamanuki, 1942

Acmaeopidonia Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955

aerifera Tippmann, 1955: 92 (*Acmaeopidonia*) A: FUJ TAI

lalahana Shimomura, 1980: 115 (*Anoplodera*)

azumensis Matsushita & Tamanuki, 1942: 79 (*Leptura*) A: JA SC

lirata Holzschuh, 1991c: 17 A: SCH

lucidula Holzschuh, 1999: 12 A: XIN

piligera Holzschuh, 2003a: 162 A: SCH SHA

genus *Katarinia* Holzschuh, 1991c: 18 type species *Katarinia cephalota* Holzschuh, 1991

cephalota Holzschuh, 1991c: 18 A: SCH

consanguinea Holzschuh, 2006a: 211 A: YUN

teledapoides Holzschuh, 1998: 21 A: SCH

genus *Kirgizobia* Danilevsky, 1992c: 203 type species *Kirgizobia bohnei* Danilevsky, 1992

bohnei Danilevsky, 1992c: 204 A: KI

genus *Konoa* Matsushita, 1933b: 196 type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)

granulata Bates, 1884a: 217 (*Leptura*) A: FE JA

valida Matsushita, 1933b: 196 (*Nivellia*)

genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64 type species *Strangalia hosohana* K. Ohbayashi, 1952

hosohana K. Ohbayashi, 1952: 414 (*Strangalia*) A: JA

nakamurai Hayashi, 1960a: 17 A: TAI

shaanxiana Holzschuh, 1992: 10 A: SHA

genus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758

subgenus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758

~~— *Strangaliella* Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862~~

aethiops Poda von Neuhaus, 1761: 38 E: AL AU BE BH BY CH CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL

RO SK SL SP ST SZ UK YU A: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC WS YUN

adustipennis Solsky, 1871a: 404 (*Strangalia*)

aterrima Motschulsky, 1860b: 147 (*Stenura*)

atra Scopoli, 1772: 100 (*Prionus*)

beckeri Pic, 1911a: 4

coreana Matsushita, 1933a: 104 (*Strangalia*) [HN]

doii Matsushita, 1933a: 105 (*Strangalia*)

letzneri Gabriel, 1895: 437

matsushitai Heyrovský, 1934a: 75 (*Strangalia*) [RN]

melanaria Herbst, 1784: 101

semibicolor Pic, 1912j: 90

unicolor Olivier, 1797: 518

alticola Gressitt, 1948a: 43 A: SCH YUN

ambulatrix Gressitt, 1951a: 96 A: FUJ GUA HUN SCH YUN

annularis annularis Fabricius, 1801b: 363 E: AN AU BH BY CR CT CZ CZ EN FR GE HU IT LA LT MD NT PL RO SK ST SZ

UK YU A: ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE

arcuata Panzer, 1793a: 12 [HN]

mediodisjuncta Pic, 1902d: 10 (*Strangalia*)

annularis mimica Bates, 1884a: 219 A: FE JA

harmandi Pic, 1901m: 61

arcifera Blanchard, 1871: 812 (*Strangalia*) A: GUI SCH YUN

auratopilosa Matsushita, 1931a: 42 (*Strangalia*) A: TAI

piyanan Kano, 1933a: 267 (*Strangalia*)
quadragliithoracica Tamanuki, 1942: 145 (*Strangalia*)
segregata Tamanuki, 1942: 146 (*Strangalia*)
aurosericans Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HEN HUB HUN JA (Ryukyus) JIX SCH ZHE **ORR**
mausonensis Pic, 1903c: 29
meridiosinica Gressitt, 1951a: 99
rufimembris Pic, 1923a: 11 (*Parastrangalis*)
sericea Pic, 1903c: 29
aurulenta Fabricius, 1793: 348 E: AL AN AU BE BH BY BU CR CT CZ EN FR GE GB GR IR HU IT LA LT LU MC PL PT RO
SK SL SP ST SZ TR UK YU N: AG TU A: TR
algerica Pic, 1898a: 6 (*Strangalia*)
kitanensis Dayrem, 1922a: 17 (*Strangalia*)
lugdunensis Pic, 1916a: 2: (*Strangalia*)
mesmini Pic, 1916b: 5 (*Strangalia*)
subreducta Pic, 1915a: 5 (*Strangalia*)
viturati Pic, 1914f: 18 (*Strangalia*)
barkamica Holzschuh, 1998: 22 A: SCH
bocakorum Holzschuh, 1998: 23 A: YUN
daliensis Holzschuh, 1998: 23 A: YUN
dimorpha Bates, 1873: 195 A: JA
duodecimguttata Fabricius, 1801b: 363 A: ES FE FUJ HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE
bisbijuncta Pic, 1904d: 14
kupfereri Pic, 1912j: 89
medijuncta Pic, 1902d: 10 (*Strangalia*)
mediosemijuncta Pic, 1927e: 13 (*Strangalia*)
subobliterata Pic, 1927e: 10 (*Strangalia*)
formosomontana Kano, 1933a: 268 (*Strangalia*) A: TAI
gradatula Holzschuh, 2006a: 216 A: GAN SCH SHA
grahamiana Gressitt, 1938a: 46 A: SCH XIZ YUN
~~*inauraticollis* Pic, 1933b: 26 A: SCH~~
kubani Holzschuh, 2006a: 214 A: YUN
kusamai keiichii Ohbayashi, 1999: 51 A: JA
kusamai kusamai K. Ohbayashi & Nakane, 1955: 17 A: JA
latipennis Matsushita, 1933b: 214 (*Strangalia*) A: FE JA
trigonata Hayashi, 1955: 33
lavinia Gahan, 1906a: 83 A: NP XIZ YUN **ORR**
linwenhsini Ohbayashi & Chou, 2013: 30 A: TAI
longeattenuata Pic, 1939b: 1 A: "China"
masegakii Kano, 1933a: 269 (*Strangalia*) A: TAI
modicenotata Pic, 1901m: 61 (*Strangalia*) A: JA
infernalis Pic, 1901m: 61 (*Strangalia*)
kinhokuana Matsushita, 1932: 191 (*Strangalia*)
naganoensis Pic, 1956b: 650 (*Strangalia*)
onsenensis Pic, 1956b: 650 (*Strangalia*)
tokioensis Pic, 1915f: 11 (*Strangalia*)
tsumagurohana K. Ohbayashi, 1955: 61
naxi Holzschuh, 1998: 21 A: YUN
ochraceofasciata amamiana Hayashi, 1960d: 22 A: JA (Ryukyus)
ochraceofasciata chujoi Hayashi, 1961a: 21 A: JA
ochraceofasciata ochraceofasciata Motschulsky, 1862: 21 (*Stenura*) A: FE FUJ GAN HEI JA JIL NC NMO SC XIN ZHE
inintegra Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]
isolata Fujimura, 1956: 3
ochraceofasciata ochrotela Bates, 1873: 196 A: JA
ochraceofasciata watanabei Hayashi, 1962c: 2 A: JA (Ryukyus)
ochraceofasciata yokoyamai Hayashi, 1961a: 21 A: JA
aureopubescens Hayashi, 1974b: 12
quadrifasciata lederi Ganglbauer, 1882: 697 E: ST A: AB AR GG IN TR
caucasica Plavilstshikov, 1924: 226 (*Strangalia*)
~~*notatipennis* Pic, 1897b: 5 (*Strangalia*)~~
~~*suramensis* Pic, 1915e: 5 (*Strangalia*)~~
quadrifasciata quadrifasciata Linnaeus, 1758: 398 E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT
LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES FE KZ MG QIN SCH SHA WS XIN "Korea"
~~*amanusensis* Pic, 1955a: 14~~
apicalis Curtis, 1831: 362
apicata Stephens, 1839: 278
bidivisa G. Schmidt, 1951: 13 (*Strangalia*)
guillemoti Desbrochers des Loges, 1895: 130 (*Stenura*)
interrupta Heyden, 1877a: 397 (*Strangalia*)
martialis Pic, 1941c: 1 (*Strangalia*)

melgunowi Jakobson, 1895: 523 (*Strangalia*)
mosquensis Pic, 1915e: 5 (*Strangalia*)
notatipennis Pic, 1897b: 5
octomaculata DeGeer, 1775: 132
quadripustulata Fabricius, 1793: 345
suramensis Pic, 1915e: 5 (*Strangalia*)
rufoannulata Pic, 1933b: 26 (*Strangalia*) A: FUJ HUB SCH
fisheriana Gressitt, 1938a: 45
semicornis Holzschuh, 2003a: 166 A: SCH
subtilis Bates, 1884a: 219 A: JA
ohishii Matsushita & Tamanuki, 1940: 5
taranan Kano, 1933a: 267 (*Strangalia*) A: SCH TAI
tatsienlua Gressitt, 1948a: 45 A: SCH
tattakana Kano, 1933a: 266 (*Strangalia*) A: TAI
horishana Matsushita, 1933b: 214
mushana Tamanuki, 1939: 144 (*Strangalia*)
yakushimana Tamanuki, 1942: 153 (*Strangalia*) A: JA
yulongshana Holzschuh, 1991c: 20 A: YUN
zonifera Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HUB NE SCH YUN ZHE
subgenus *Macroleptura* Nakane & K. Ohbayashi, 1957: 241 type species *Leptura thoracica* Creutzer, 1799
thoracica Creutzer, 1799: 125 (*Leptura*) E: BH BY CT EN FI LA LT NT PL RO SK SL ST UK YU A: ES FE FUJ GUI HEB HEI
HUB JA JIL KZ LIA MG NMO WS XIN ZHE "Korea"
altaica Gebler, 1817: 331 (*Leptura*)
obscurissima Pic, 1900i: 17 (*Strangalia*)
maculiceps G. Schmidt, 1951: 13 (*Strangalia*)
mixtepilosa G. Schmidt, 1951: 12 (*Strangalia*)
pliginskii G. Schmidt, 1951: 13 (*Strangalia*)
ussurica Pic, 1902c: 8 (*Strangalia*)
subgenus *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a
Nona Sama, 2002: 25 [HN] type species *Strangalia regalis* Bates, 1884
quadrizon Fairmaire, 1902a: 244 (*Strangalia*) A: YUN ORR
anticejuncta Pic, 1943c: 1 (*Strangalia*)
magdelainei Pic, 1937b: 6 (*Strangalia*)
regalis Bates, 1884a: 223 (*Strangalia*) A: FE JA ?NC ?SC
coreana Pic, 1907d: 20
maindroni Pic, 1901m: 61

genus *Lepturalia* Reitter, 1913a: 20 type species *Leptura nigripes* DeGeer, 1775
nigripes DeGeer, 1775: 136 (*Leptura*) E: BY CT EN FI GI LA LT NR NT PL RO SK SL ST SV UK A: ES KZ WS
intermedia Chevrolat, 1882: 59 (*Vadonia*)
nigripes rufipennis Blessig, 1873: 251 (*Strangalia*) A: ES FE KZ MG NE WS XIN

genus *Lepturobosca* Reitter, 1913a: 17 type species *Leptura virens* Linnaeus, 1758
virens Linnaeus, 1758: 397 (*Leptura*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA LT NR NT PL RO SK SL SP
ST SV SZ UK YU A: ES FE KZ MG NE NMO WS XIN
fuscopubens Reitter, 1890a: 164 (*Leptura*)
kenteiensis Pic, 1900a: 4 (*Leptura*)

genus *Metalloleptura* Gressitt & Rondon, 1970: 36 type species *Strangalia virescens* Aurivillius, 1911
gahani Plavilstshikov, 1921: 110 (*Leptura*) [RN] A: YUN ORR
aureoviridis Gressitt, 1941: 332 (*Ocalemia*)
cribripennis Gahan, 1906a: 85 (*Leptura*) [HN]
laosensis Gressitt & Rondon, 1970: 36
viridescens Pic, 1923a: 12 (*Ocalemia*)
rahoarei Kano, 1933a: 264 (*Strangalia*) A: TAI

genus *Metastrangalis* Hayashi, 1960a: 16 type species *Eustrangalis albicornis* Tamanuki, 1942
albicornis Tamanuki, 1942: 119 (*Eustrangalis*) A: TAI
ochraceoventra Gressitt, 1935d: 256 (*Leptura*) A: TAI
plavilstshikoviana Heyrovský, 1934c: 171 (*Strangalia*) A: CHQ
thibetana Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HEN HUB HUN JIX SCH SHA XIZ YUN ZHE
apicicornis Pic, 1916k: 313 (*Strangalia*)
savioi Pic, 1936d: 16 (*Leptura*)
uenoi Chou & N. Ohbayashi, 2007: 231 A: TAI

genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia kurosonensis* K. Ohbayashi, 1936
Insularestrangalia Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935
cornix Holzschuh, 2007: 196 A: FUJ
dulcis Bates, 1884a: 222 (*Strangalia*) A: JA JIX SCH

kinoshitai Kano, 1933a: 265
kappanzanensis Kano, 1933a: 265 (*Strangalia*) A: SCH TAI
mitonoana Gressitt, 1953a: 28 (*Strangalia*) [RN]
mitonoi Gressitt, 1951a: 117 (*Strangalia*) [HN]
kiangsiensis Hayashi & Villiers, 1985a: 51 A: GUA JIX
kurosawai Hayashi, 1966a: 4 (*Pygostrangalia*) A: TAI
kurosonensis K. Ohbayashi, 1936a: 11 (*Strangalia*) A: HUN JA
lateripicta Fairmaire, 1895: 178 (*Leptura*) A: FUJ **ORR**
~~*fukiensis* Tippmann, 1955: 98 (*Strangalia*)~~
loimailia Gressitt, 1940b: 33 (*Strangalia*) A: FUJ HAI JIL
longicornis longicornis Gressitt, 1935f: 382 (*Strangalia*) A: JA (Ryukyus)
longicornis obscuricolor Gressitt, 1951a: 117 (*Strangalia*) [RN] A: GUI HAI HUB ZHE
obscura Gressitt, 1940b: 34 (*Strangalia*) [HN]

genus *Munamizoa* Matsushita & Tamanuki, 1940: 4 type species *Nivellia maculata* Matsushita & Tamanuki, 1935
changbaishanensis Gao W.-T., Meng Q.-F. & Yan M.-Z. 2011: 400 A: JIL
maculata Matsushita & Tamanuki, 1935: 1 (*Nivellia*) A: JA

genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65 type species *Strangalia chujoji* Mitono, 1938
abdominalis Pic, 1927b: 28 (*Strangalina*) A: FUJ **ORR**
binhana Pic, 1928a: 26 (*Leptura*) A: SCH **ORR**
trinotata Pic, 1928: 26 (*Leptura*) A: YUN **ORR**
chujoji Mitono, 1938: 20 (*Strangalia*) A: TAI
comis Holzschuh, 1998: 27 A: SCH
emeishana Holzschuh, 1991c: 25 A: SCH
modicata Holzschuh, 2008: 153 A: YUN
semichujoji Hayashi, 1974a: 11 A: TAI
sternalis Holzschuh, 1992: 11 A: YUN
torui Holzschuh, 1989a: 155 A: HUB NP

genus *Neopiciella* Sama, 1988: 32 type species *Leptura sicula* Ganglbauer, 1886
kabyliana Pic, 1896e: 103 (*Leptura*) N: AG TU
chobauti Dayrem, 1924a: 28 (*Leptura*)
suberis Chobaut, 1900: 265 (*Leptura*)
sicula Ganglbauer, 1886c: 515 (*Leptura*) E: IT (Sicilia)

genus *Nivellia* Mulsant, 1863: 564 type species *Leptura sanguinosa* Gyllenhal, 1827
extensa extensa Gebler, 1833: 305 (*Leptura*) E: FI NT A: ES FE JA MG SC WS
extensa umbratilis Shimomura & Toyoshima, 1988: 130 A: FE JA
extensa yuzawai Shimomura & Toyoshima, 1988: 128 A: JA
sanguinosa Gyllenhal, 1827: 21 (*Leptura*) E: AU BY CT CZ EN FI GE NR NT PL RO SK SV UK A: ES FE GAN HEB HEI HEN
JA JIL KZ LIA MG NC NMO WS
kratteri Hampe, 1852a: 67 (*Leptura*)
rubripennis Matsumura, 1911a: 139 (*Leptura*)
sacheri Wolfner, 1852: 93 (*Grammoptera*)

genus *Nivelliomorpha* Boppe, 1921: 86 type species *Leptura inequalithorax* Pic, 1902
inequalithorax Pic, 1902i: 28 (*Leptura*) A: HEB **LIA NIN NMO SHA SHX**
rufobasalis Pic, 1939b: 2 (*Leptura*)

genus *Nustera* Villiers, 1974b: 214 type species *Leptura distigma* Charpentier, 1825
distigma Charpentier, 1825: 227 (*Leptura*) E: FR PT SP N: AG MO TU
bimaculata Pic, 1891b: 15 (*Strangalia*)
diversesignata Pic, 1917g: 4 (*Strangalia*)
indistigma Pic, 1917g: 4 (*Strangalia*)
lopezbayoi Lauffer, 1904: 374 (*Leptura*)
medioconexa Pic, 1945b: 6 (*Strangalia*)
microstigma Rungs, 1947: 98 (*Strangalia*)
neglecta Chobaut, 1895a: cccx (*Strangalia*)
notata Pic, 1891b: 15 (*Strangalia*)
peyerimhoffi Dayrem, 1922a: 18 (*Strangalia*)
sedilloti Pic, 1937c: 6 (*Strangalia*)
subscutellaris Pic, 1901o: 67 (*Strangalia*)
talarahnensis Dayrem, 1922a: 17 (*Strangalia*)
tenietensis Pic, 1890c: 157 (*Strangalia*)
lindbergi Villiers, 1943: 233 (*Strangalia*) N: MO
baudoni Villiers, 1960a: 7 (*Strangalia*)

genus *Oedecnema* Dejean, 1835: 355 type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)
gebleri Ganglbauer, 1889c: 470 [RN] E: CT NT **ST** UK A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
decemmaculata Matsumura, 1911a: 136 (*Leptura*)
dubia Fabricius, 1781: 249 (*Leptura*) [HN]

genus *Ohbayashia* Hayashi, 1958a: 4 type species *Strangalomorpha nigromarginata* Hayashi, 1953
fuscoarena Hayashi, 1974a: 7 A: TAI
nigromarginata nigromarginata Hayashi, 1953: 40 (*Strangalomorpha*) A: JA
nigromarginata rufolava Hayashi, 1968c: 12 A: JA

genus *Pachypidonia* Gressitt, 1935b: 166 type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)
bodemeyeri Pic, 1934c: 17 (*Leptura*) A: JA
crassicornis Gressitt, 1935b: 168
kochiana Matsushita, 1935: 308 (*Leptura*)
rubrida Hayashi, 1971: 4 A: TAI

genus *Pachytodes* Pic, 1891g: 65 type species *Leptura cerambyciformis* Schrank, 1781

bottcheri Pic, 1911a: 5 (*Leptura*) A: **WS ES MG NMO**

orthotrichus Plavilstshikov, 1936: 393 (*Judolia*)

cerambyciformis Schrank, 1781a: 154 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT
LU MC MD **ME** NL NT PL PT RO **SB** SK SL SP ST SZ UK YU

anticeundulatus Pic, 1915a: 29 (*Leptura*)

beskidicus Pic, 1915h: 18 (*Leptura*)

bisbistigma Pic, 1906g: 67 (*Leptura*)

bisquadristigmatus Pic, 1915a: 29 (*Leptura*)

breveseparatus Pic, 1953a: 9

decempunctatus Olivier, 1795: 26 (*Leptura*)

digoniensis Pic, 1915a: 29 (*Leptura*)

efasciatus Pic, 1916: 9 (*Leptura*) ["Hongrie"]

externeonotata Pic, 1923g: 13

hoverlanus Roubal, 1937: 81 (*Judolia*)

~~*fauconneti* Pic, 1916b: 4 (*Leptura*)~~

humifer Pic, 1915h: 18 (*Leptura*)

lateseparatus Pic, 1953a: 9

~~*martialis* Pic, 1916b: 4 (*Leptura*)~~

multiinterruptus Pic, 1915a: 30 (*Leptura*)

octomaculatus Schaller, 1783: 297 [wrongly numbered as 299] (*Leptura*) [HN]

parvonotatus Pic, 1916: 10 (*Leptura*) ["Europe"]

quadrimaculatus Scopoli, 1763: 47 (*Leptura*) [HN]

salbachi Reitter, 1908a: 216 (*Pachyta*)

~~*sexmaculatus* Panzer, 1795: 272 (*Leptura*)~~

sexpunctatus Mulsant, 1839: 244 (*Pachyta*)

transylvanicus Pic, 1916: 9 (*Leptura*)

urbisensis Pic, 1915a: 29 (*Leptura*)

valesiacus Pic, 1915a: 29 (*Leptura*)

cometes Bates, 1884a: 218 (*Leptura*) A: FE JA SC

connectus Nishio, 1950: 20 (*Strangalia*)

erraticus Dalman, 1817a: 490 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SK SL SP ST SZ TR
UK YU A: AB AR GG **ES** IN **KZ** SY TR **WS XIN**

akbesianus Pic, 1898a: 6

anticedivisus Pic, 1914d: 14 (*Leptura*)

anticenotatus Pic, 1914d: 13 (*Leptura*)

~~*atroapicalis* Pic, 1913c: 186 (*Leptura*)~~

atrosuturalis Pic, 1915a: 38 (*Leptura*)

eibesanus Pic, 1914d: 13 (*Leptura*)

erythrurus Küster, 1848c: 90 (*Pachyta*)

~~*gasturius* Pic, 1915a: 38 (*Leptura*)~~

heyrovskyi Pic, 1924c: 26 (*Leptura*)

hungaricus Pic, 1913c: 186 (*Leptura*)

italicus Pic, 1916b: 4

kalavritanus Pic, 1913c: 186 (*Leptura*)

quinquepunctatus Pic, 1915h: 18 (*Leptura*)

ragusai Pic, 1923d: 3

~~*roberti* Pic, 1915a: 38 (*Leptura*)~~

rosinae Pic, 1914d: 13 (*Leptura*)

rufoapicalis Pic, 1913c: 186 (*Leptura*)

rufonotatus Pic, 1913c: 186 (*Leptura*)

russicus Pic, 1898h: 54

septemsignatus Küster, 1848c: 89 (*Pachyta*)

siculus Pic, 1916b: 4

subapicalis Pic, 1914d: 15 (*Leptura*)

testaceofasciatus Pic, 1913c: 186 (*Leptura*)
unijunctus Pic, 1914d: 14 (*Leptura*)
longipes Gebler, 1832: 67 (*Pachyta*) A: ES FE MG NC NE NO SC
amurianus Pic, 1902f: 19
bodoi Pic, 1914c: 5 (*Leptura*)
guttulatus Motschulsky, 1875: 141 (*Pachyta*)
nigrosuturalis Pic, 1917g: 3 (*Leptura*)
octoguttatus Pic, 1914c: 5 (*Leptura*)

genus *Paranaspia* Matsushita & Tamanuki, 1940: 5 type species *Leptura anaspidooides* Bates, 1873

anaspidooides Bates, 1873: 196 (*Leptura*) A: JA NE
mikadoi Pic, 1906d: 16 (*Leptura*)
coccinea Mitono, 1936: 423 (*Strangalia*) A: TAI
erythromelas Holzschuh, 2003a: 165 A: SHA
frainii Fairmaire, 1897d: 239 (*Strangalia*) A: BT SD
inadai N. Ohbayashi, 2001a: 95 A: JA (Okinawa)
reductipennis Pic, 1928h: 158 (*Leptura*) A: YUN **ORR**
yayeyamensis Hayashi & Yokoyama, 1974: 12 A: JA (Ishigaki-jima, Iriomote-jima) **TAI**

genus *Parastrangalis* Ganglbauer, 1889a: 57 type species *Leptura potanini* Ganglbauer, 1889

Strangaliella Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)
addenda Holzschuh, 2011: 274 A: FUJ HAI
andrei Holzschuh, 2007: 192 A: SCH
bisbidentata Holzschuh, 2007: 190 A: SHA
communis Holzschuh, 1993a: 19 A: SCH **ORR**
congesta Holzschuh, 1995: 11 A: YUN
crebrepunctata Gressitt, 1939b: 91 (*Strangalia*) A: FUJ GUX HUB HUN SCH YUN ZHE
dalihodi Holzschuh, 1999: 13 A: TAI
denticulata Tamanuki, 1939: 145 (*Strangalomorpha*) A: TAI
diffuata Holzschuh, 1999: 15 A: SCH
emotoi Hayashi & Makihara, 1981: 186 (*Strangaliella*) A: NP
eucera Holzschuh, 1995: 12 A: YUN
houhensis N. Ohbayashi & W.-K. Wang, 2004: 456 A: HUB
impressa Holzschuh, 1991a: 8 A: YUN
inarmata Holzschuh, 1991c: 27 A: CH **ORR**
insignis Holzschuh, 1998: 25 A: HUB
ishigakiensis Hayashi, 1971: 5 A: JA
jaroslavi Holzschuh, 2008: 158 A: TAI
lateristriata Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) A: TAI **ORR**
lesnei Pic, 1901m: 60 (*Leptura*) A: JA
batesi Tamanuki, 1942: 134 (*Strangalomorpha*)
lineigera Fairmaire, 1889a: 61 (*Stenura*) A: SCH XIZ **ORR**
meridionalis Gressitt, 1942h: 205 (*Strangalia*) A: FUJ GUA HUB
mitonoi Hayashi & Iga, 1951: 75 (*Strangalomorpha*) A: TAI
munda Holzschuh, 1992: 9 A: YUN
negligens Holzschuh, 1991c: 30 A: SCH
nymphula Bates, 1884a: 220 (*Leptura*) A: JA
palleago Holzschuh, 1998: 25 A: HUB
pallescens Holzschuh, 1993a: 20 A: GAN SHA
palpalis Holzschuh, 1991c: 29 A: SCH
phantoma Holzschuh, 1999: 15 A: TAI
potanini Ganglbauer, 1889a: 57 (*Leptura*) A: GAN
protensa Holzschuh, 1991c: 28 A: SCH
puliensis Hayashi, 1976: 4 (*Strangaliella*) A: TAI
sculptilis Holzschuh, 1991c: 30 A: SCH **TAI**
shaowuensis Gressitt, 1951a: 112 (*Strangalia*) A: FUJ GUA HUB SCH
subapicalis Gressitt, 1935d: 263 (*Strangalina*) A: TAI
taiwanensis Chou & N. Ohbayashi, 2010: 364 A: TAI
tenuicornis Motschulsky, 1862: 20 (*Strangalia*) A: JA
quadriluteonotata Pic, 1953a: 14
semisuturalis Pic, 1953a: 14
shikokensis Matsushita, 1935: 309 (*Strangalia*)

genus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménériés, 1832)

subgenus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménériés, 1832)

— *Sphenaria* Pic, 1911d: 15 [HN] type species *Leptura revestita* Linnaeus, 1767
afghanistana Satō & N. Ohbayashi, 1976: 485 A: AF
imberbis Ménétries, 1832: 231 (*Leptura*) A: AB IN TM
 angulicollis Heyden, 1879: 323 [=1879: 67] (*Strangalia*)
 kassjanowi Sokolov, 1897: 461
muneaka Mitono & Tamanuki, 1939: 212 (*Strangalia*) A: TAI
quadrinaculata L. Chen & Chiang, 1996: 189, 191 A: SCH
revestita Linnaeus, 1767: 638 (*Leptura*) E: AL AU BE BH BU CR CZ DE FR FR FR GB GE GR HU IT MD NL PL PT RO SK SL
 SP SV SZ TR UK YU
 barbanti Pic, 1933f: 5 (*Strangalia*)
 bicoloraticeps Pic, 1911d: 17 (*Leptura*)
 brevenotaticollis Pic, 1933d: 14 (*Strangalia*)
 discicollis W. G. H. Scriba, 1867: 32 (*Strangalia*)
 diversipennis Pic, 1911d: 16 (*Leptura*)
 ferruginea Mulsant, 1839: 254 (*Strangalia*)
 fulvilabris Mulsant, 1839: 254 (*Strangalia*)
 fuscicornis Marsham, 1802: 357 (*Leptura*)
 gabilloti Pic, 1911d: 18 (*Leptura*)
 lectorica Dayrem, 1916: 17 (*Leptura*)
 labiata Mulsant, 1839: 254 (*Strangalia*)
 marsolanensis Dayrem, 1916: 17 (*Leptura*)
 rubra Geoffroy, 1785: 89 (*Stenocorus*)
 rufomarginata Mulsant, 1839: 254 (*Strangalia*)
 rufonotata Pic, 1914f: 18 (*Strangalia*)
 schleicheri Pic, 1934g: 38 (*Leptura*)
 villica Fabricius, 1775: 196 (*Leptura*)
 vitticollis Mulsant, 1839: 254 (*Strangalia*)
signifera Holzschuh, 1999: 13 A: HUB
tokatensis Sama, 1996c: 103 A: GG TR
tricolorata Holzschuh, 1991c: 19 A: SCH
ulmi Holzschuh, 1982b: 147 A: PA
subgenus *Neosphenalia* Löbl, 2010: 60 type species *Leptura verticalis* Germar, 1822
 Sphenalia K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822
adaliae Reitter, 1885: 390 A: CY TR
ariadne K. Daniel, 1904b: 355 (*Leptura*) E: GR (Kriti)
emmipoda Mulsant, 1863: 531 (*Strangalia*) E: AR-GG GR (Rodos) A: LE SY TR
 adanensis Pic, 1917a: 6 (*Strangalia*)
 chehirensis Pic, 1933d: 6 (*Strangalia*)
 insuturata Pic, 1891b: 15 (*Strangalia*)
 — *jaegeri* Fairmaire, 1866b: 279 (*Leptura*)
 perroudi Pic, 1933d: 6 (*Strangalia*)
 subsignata Pic, 1901u: 235 (*Strangalia*)
 tambei Pic, 1917a: 6 (*Strangalia*)
femoralis Motschulsky, 1861b: 40 (*Stenura*) A: ES FE JA JIL NC SC
 diversipes Heyden, 1884: 298 (*Leptura*)
 murayamai Matsushita, 1937: 102 (*Strangalia*)
 xanthoma Bates, 1873: 195 (*Leptura*)
kurda Sama, 1996c: 104 A: AR GG IQ TR
raggii Sama, 1992b: 300 A: CY
riccardoi carmelita Sama, 1996b: 94 A: IS
riccardoi riccardoi Holzschuh, 1984c: 344 A: JO SY
verticalis Germar, 1822a: 9 (*Leptura*) E: AL BH BU CR GR IT MC ?MD RO SL YU A: TR
 graeca Pic, 1901i: 52 (*Strangalia*)
 taygetana K. Daniel, 1904b: 366 (*Leptura*)
verticenigra Pic, 1892v: 416 (*Leptura*) E: GR (Samos) A: GG TR
 erinnyis K. Daniel, 1904b: 356 (*Leptura*)

genus *Pseudalosterna* Plavilstshikov, 1934e: 131 type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)

Pseudalosterna Plavilstshikov, 1936: 257 [unjustified emendation]
aritari K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudalosterna*) A: JA
aureola Holzschuh, 2006a: 208 A: YUN
binotata binotata Gressitt, 1935d: 259 (*Anoplodermorpha*) A: SHA TAI
binotata tippmanni Hayashi, 1984: 17 [RN] A: FUJ
 orientalis Tippmann, 1955: 93 (*Anoplodera*) [HN]
breva Gressitt, 1935d: 260 (*Anoplodermorpha*) A: TAI
 cyanea Tamanuki, 1942: 27 (*Pidonia*)
cuneata Holzschuh, 1999: 11 A: HUB
discalis Gressitt, 1935g: 569 (*Anoploderomorpha*) A: SCH

elegantula Kraatz, 1879d: 105 (*Grammoptera*) A: FE NC NE SC
orientalis Plavilstshikov, 1934e: 132
rufomaculata Pic, 1915e: 5 (*Leptura*)
fuscopurpurea N. Ohbayashi & Shimomura, 1986: 48 A: TAI
gorodinskii Holzschuh, 2003a: 160 A: GAN
imitata Holzschuh, 2003a: 157 A: GUI
longigena Holzschuh, 2003a: 159 A: SHA
misella Bates, 1884a: 216 (*Leptura*) A: JA
mupinensis Gressitt, 1935g: 570 (*Anoploderomorpha*) A: FUJ SCH TAI
pullata Matsushita, 1933b: 198 (*Leptura*) A: TAI
submetallica Hayashi, 1974a: 9 (*Anoplodera*) A: TAI
takagii Hayashi, 1961b: 38 (*Pseudallosterna*) A: JA (Ryukyus)
tryznai Holzschuh, 1999: 11 A: SHA
wolongana Holzschuh, 2003a: 157 A: SCH

genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787 type species *Leptura livida* Fabricius, 1777
livida bicarinata N. Arnold, 1869: 137 (*Grammoptera*) E: BY CT EN KZ LA LT NT PL ST UK A: AB AR GG ES IN KI KZ TR
WS XIN

livida desbrochersi Pic, 1891k: xvi (*Vadonia*) A: AB AR GG TR
corallipes Reitter, 1894f: 247 (*Leptura*)
livida livida Fabricius, 1777: 233 (*Leptura*) E: AL AU BE BU BH BY CR CZ DE FR GB GE HU IR IT MC ME NL ?PL PT SK SL
?SP SZ TR UK YU
pastinacae Panzer, 1795: 275 (*Leptura*)
pecta K. Daniel & L. Daniel, 1891: 38 (*Leptura*)
livida pecta K. Daniel & J. Daniel, 1891: 38 (*Leptura*) E: IT
livida setosa Danilevsky, 2013g: 28 E: BU GR MD RO TR UK A: ?IS ?LE TR ?SY

genus *Pygostrangalia* Pic, 1957: 76 type species *Strangalina invittaticollis* Pic, 1957 (= *Strangalia kwangtungensis* Gressitt, 1939)

brevioripennis Pic, 1955a: 10 (*Strangalia*) A: ??
castaneonigra Gressitt, 1935g: 567 (*Leptura*) A: FUJ GUA HUN ZHE
kurodai Hayashi, 1976: 5 A: TAI
kwangtungensis Gressitt, 1939b: 9 (*Strangalia*) A: FUJ GUA HAI HUN JIX
invittaticollis Pic, 1957: 76 (*Strangalina*)
silvestrii Tippmann, 1955: 99 (*Strangalia*) A: FUJ
tiemushana Gressitt, 1939b: 93 (*Strangalia*) A: FUJ GUX ZHE
nigriventralis Chiang & W.-K. Wang, 1993: 55 (*Gnathostrangalia*)
vittaticollis Pic, 1926a: 22 (*Strangalina*) A: FUJ TAI ORR
phungi Pic, 1930a: 15 (*Strangalina*)
subbrevelineata Pic, 1928a: 27 (*Strangalia*)

genus *Pyrocalymma* J. Thomson, 1864: 159 type species *Pyrocalymma pyrochroides* J. Thomson, 1864
pyrochroides J. Thomson, 1864: 160 A: NP SD TAI ORR

genus *Pyrocorenys* N. Ohbayashi & Niisato, 2009: 160 type species *Pyrocalymma latipennis* Pic, 1927
latipennis latipennis Pic, 1927b: 26 (*Pyrocalymma*) A: YUN ORR
brevipennis Pic, 1947c: 17 (*Pyrocalymma*)
latipennis taiwanensis Hayashi, 1969a: 61 (*Formosopyrrhona*) A: TAI

genus *Pyrrhona* Bates, 1884a: 224 type species *Pyrrhona laeticolor* Bates, 1884
laeticolor laeticolor Bates, 1884a: 224 A: JA
laeticolor takakuwai Kusama, 1971: 24 A: JA (Yakushima Is.)

genus *Rapuzziana* Danilevsky, 2006b: 2 type species *Rapuzziana hangaiensis* Danilevsky, 2006
hangaiensis Danilevsky, 2006b: 2 A: MG

genus *Rutpela* Nakane & K. Ohbayashi, 1957: 242 type species *Leptura maculata* Poda von Neuhaus, 1761

inermis K. Daniel & J. Daniel, 1898: 74 (*Strangalia*) A: AB AF IN TM
elboursensis Pic, 1905o: 390 (*Strangalia*)
maculata irmanica Sama, 1996c: 105 A: TR
maculata maculata Poda von Neuhaus, 1761: 37 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR
IT LA LT LU MC MD NL NR NT PL RO SK SL ST SV SZ TR UK YU A: KZ TR
alsatica Pic, 1906g: 67 (*Leptura*)
armata Herbst, 1784: 101 (*Leptura*)
bifenestrata Pic, 1933d: 2 (*Strangalia*)
binotata Mulsant, 1839: 258 (*Strangalia*)
calcarata Olivier, 1795: 14 (*Leptura*)
dayremi Pic, 1903a: 4 (*Strangalia*)

discoininterrupta Pic, 1945a: 13 (*Strangalia*)
disconotata Pic, 1908b: 3 (*Leptura*)
dromensis Pic, 1945a: 13 (*Strangalia*)
elongata DeGeer, 1775: 134 (*Leptura*)
externepunctata Mulsant, 1839: 258 (*Strangalia*)
fasciata Scopoli, 1763: 54 (*Cerambyx*)
impunctata Mulsant, 1839: 258 (*Strangalia*)
nicodi Pic, 1933d: 6 (*Strangalia*)
pacifica Pic, 1945a: 13 (*Strangalia*)
punctatofasciata Mulsant, 1839: 258 (*Strangalia*)
quinquemaculata Gmelin, 1790: 1868 (*Leptura*)
rubea Geoffroy, 1785: 86 (*Stenocorus*)
scopoliana Laicharting, 1784: 145 (*Leptura*)
sinuata Fabricius, 1793: 347 (*Leptura*)
subspinosa Fabricius, 1793: 347 (*Leptura*)
undulata Mulsant, 1839: 259 (*Strangalia*)
wuenschi Roubal, 1937: 81 (*Strangalia*)
maculata manca Schaufuss, 1863: 121 (*Strangalia*) E: FR IT PT SP ST UK A: AB AR GG IN TR SY
kricheldorffi Wagner, 1928: 121 (*Leptura*)
nigricornis Stierlin, 1864: 153 (*Strangalia*)
nigrofasciata V. Petagna, 1792: 247 (*Leptura*) [HN]

genus *Saligranta* Chou et Ohbayashi, 2011: 9 [RN] type species *Pseudostrangalia puyuma* Chou et Ohbayashi, 2010
Pseudostrangalia Chou et Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou et Ohbayashi, 2010
puyuma Chou & N. Ohbayashi, 2010: 368 (*Pseudostrangalia*) A: TAI
svihlai Holzschuh, 1989b: 368 (*Strangalia*) A: GUX ORR

genus *Sinostrangalis* Hayashi, 1960a: 13 type species *Strangalia ikedai* Tamanuki & Mitono, 1939
ikedai Tamanuki & Mitono, 1939: 211 (*Strangalia*) A: CHQ GUI GUX NE SCH TAI ORR
collaris Holzschuh, 1991c: 31 (*Elacomia*)
simianshana L. Chen & Chiang, 2000: 33, 36

genus *Solaia* Sama, 2003: 69 type species *Solaia antonellae* Sama, 2003
antonellae Sama, 2003: 71 A: TR

genus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758
subgenus *Crassostenurella* Özdikmen, 2013: 526 type species *Strangalia approximans* Rosenhauer, 1856
approximans Rosenhauer, 1856: 305 (*Strangalia*) E: PT SP N: MO
purpuripennis Mulsant, 1863: 515 (*Strangalia*)
edmundi Pic, 1901u: 237 (*Strangalia*)

subgenus *Iberostenurella* Özdikmen, 2013: 527 type species *Strangalia hybridula* Reitter, 1902e
hybridula Reitter, 1902e: 188 (*Strangalia*) E: PT SP
atriventris Pic, 1905a: 8 (*Leptura*) [DA]
atronotata Pic, 1918d: 5

subgenus *Nigrostenurella* Özdikmen, 2013: 525 type species *Leptura nigra* Linnaeus, 1758
nigra nigra Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU
MC MD NL NR NT PT RO SK SL SP ST SV SZ UK YU A: TR
giraudi Pic, 1946a: 14 (*Strangalia*)
picea Geoffroy, 1785: 87 (*Stenocorus*)
varicollis Schaefer, 1932: 31 (*Stenura*)

nigra maesta Danilevsky, 2013a: 172 E: ST A: AB AR GG ?IN TR

subgenus *Priscostenurella* Özdikmen, 2013: 516 type species *Leptura bifasciata* O.F.Müller,
bifasciata bifasciata O. F. Müller, 1776: 93 (*Leptura*) E: AU BE BH BY CR CT CZ EN FR GE HU IT LA LS LT LU MD NL NT
PL PT RO SK SL SP ST SZ ?TR UK YU A: AB AR ES GG IN IQ KZ ?TR WS XIN
albarracina Wagner, 1927a: 45 (*Leptura*)
cruciata Olivier, 1795: 7 (*Leptura*)
immaculata Pic, 1889b: 55 (*Strangalia*)
nigriventris Pic, 1891b: 15 (*Strangalia*)
sedakovii Mannerheim, 1852b: 307 (*Stenura*)
ustulata Laicharting, 1784: 157 [HN] (*Leptura*)

bifasciata ferruginipes Pic, 1895d: 76 (*Strangalia*) A: TR

bifasciata intermedia Holzschuh, 2006a: 219 E: AL BU GR MC

bifasciata lanceolata Mulsant & Rey, 1863: 177 (*Strangalia*) E: FR SP

bifasciata limbiventris Reitter, 1898a: 21 (*Strangalia*) A: GG TR

bifasciata nigrosuturalis Reitter, 1895a: 88 (*Strangalia*) A: LE SY TR

bifasciata sabineae Rapuzzi & Sama, 2012: 664 A: IN TR

bifasciata safronovi Danilevsky, 2011b: 2 A: TR

bifasciata solaris Rapuzzi & Sama, 2012: 665 A: TR

septempunctata latenigra Pic, 1915e: 5 (*Strangalia*) [“Asie Mineure”] E: BU ST TR A: AR GG TR

anatolica Heyrovský, 1961a: 45 (*Strangalia*)
roberti Pic, 1915a: 38 (*Leptura*) ["Transsylvanie et Turquie"]
septempunctata septempunctata Fabricius, 1793: 346 (*Leptura*) E: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SK SL ST SZ UK YU
atrosuturalis Pic, 1915a: 38 (*Leptura*)
corcyrica Pic, 1915e: 5 (*Strangalia*)
dobiachi Pic, 1916b: 4 (*Strangalia*)
gasturica Pic, 1915a: 38 (*Leptura*)
holtzi Pic, 1916b: 5 (*Strangalia*)
montandoni Pic, 1915e: 5 (*Strangalia*)
notaticollis Pic, 1915e: 5 (*Strangalia*)
pallidicolor Pic, 1915e: 5 (*Strangalia*)
rubronotata Pic, 1916b: 5 (*Strangalia*)
semireducta Pic, 1915e: 5 (*Strangalia*)
suturata Reiche & Saulcy, 1858: 22 (*Strangalia*) ["Péloponèse"]
velebitica Pic, 1916b: 4 (*Strangalia*)
vaucheri Bedel, 1900: 336 (*Leptura*) E: SP N: MO
subgenus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758
melanura melanura Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NT NR PL PT RO SK SL SP ST SV SZ YU UK MD A: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN
diversiventris Dufour, 1843: 103 (*Leptura*)
georgiana Pic, 1891g: 63 (*Strangalia*)
latesuturata Pic, 1891g: 63 (*Strangalia*)
melanurella Reitter, 1901b: 78 (*Strangalia*)
rubellata Reitter, 1901b: 77 (*Strangalia*)
semicrassa Pic, 1901n: 58 (*Leptura*)
sennii Sama, 2002: 40
similis Herbst, 1784: 101 (*Leptura*)
suturanigra DeGeer, 1775: 138 (*Leptura*)
melanura pamphyliae Rapuzzi & Sama, 2010: 182 A: IN TR
melanura samai Rapuzzi, 1995: 617 E: BU GR TR A: TR
melanura zehrae Özdikmen, Mercan & Cihan, 2012a: 18 A: TR
subgenus *Stenurelloides* Özdikmen, 2013: 523 type species *Leptura jaegeri* Hummel, 1825;
jaegeri Hummel, 1825: 68 (*Leptura*) E: ST UK A: AB AR GG TR
fenestrata Reitter, 1901b: 79 (*Strangalia*)
jekeli Pic, 1901u: 236 (*Strangalia*)
mingrelia Tournier, 1872: 344 (*Strangalia*)
oxyptera Faldermann, 1837: 318 (*Stenura*)
novercalis Reitter, 1901b: 78 E: ST A: GG TR

genus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
subgenus *Aredolpona* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura rubra* Linnaeus, 1758
Corymbia Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758
dichroa Blanchard, 1871: 812 (*Leptura*) A: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX ZHE
muliebris Heyden, 1886d: 276 (*Leptura*)
succedanea Lewis, 1879b: 464 (*Leptura*)
rufonotaticollis Pic, 1915f: 12 (*Leptura*)
theryi Pic, 1915f: 12 (*Leptura*)
trisinaticollis Pic, 1915f: 12 (*Leptura*)
rubra numidica Peyerimhoff, 1918a: 331 (*Leptura*) N: AG
rubra rubra Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: ES KZ WS
maculiceps Gabriel, 1910: 556 (*Leptura*)
occipitalis Mulsant, 1839: 268 (*Leptura*)
planata Swaine & Hopping, 1928: 62 (*Anoplodera*)
rubrotestacea Illiger, 1805: 122 (*Leptura*)
salzmanni Hubenthal, 1902: 291 (*Leptura*)
sattleri Bickhardt, 1902: 362 (*Leptura*)
semimarginata Pic, 1916a: 22 (*Leptura*)
testacea Linnaeus, 1760: 196 (*Leptura*)
umbellatarum Laicharting, 1784: 161 (*Leptura*)
subgenus *Cribroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1824
otini Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO
~~*peyerimhoffi* Raymond, 1953: 200 (*Leptura*) [unavailable]~~
tizifrensis Cobos, 1961b: 94 (*Leptura*)
stragulata Germar, 1824: 523 (*Leptura*) E: FR PT SP
hispanica Pic, 1910a: 27 (*Leptura*)
nigrina Schaufuss, 1863: 121 (*Leptura*)
variventris Schaufuss, 1863: 121 (*Leptura*)

subgenus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
Batesiata Miroshnikov, 1998: 594 type species *Leptura tesserula* Charpentier, 1825
Melanoleptura Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781
Paracorymbia Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775
benjamini benjamini Sama, 1993e: 470 A: IS
benjamini ehdenensis Sama & Rapuzzi, 2000: 10 A: LE SY
cardinalis K. Daniel & J. Daniel, 1898: 76 (*Leptura*) A: KI TD UZ
rubidiventris Jankowski, 1934: 104
cordigera anajiaensis Sláma, 1982: 207 (*Brachyleptura*) E: GR (Kriti) A: TR
cordigera cordigera Fuessly, 1775: 14 (*Leptura*) E: BE BU DE FR GE GR (north-east) IT NL RO SP SZ RO ST TR UK N: LB A:
AB AR CY GG IN IQ IS LE SY TR
auricollis Chobaut, 1895a: cccx (*Leptura*)
epipleuralis Schaefer, 1932: 31 (*Leptura*)
hastata Sulzer, 1776: 46 (*Leptura*)
immaculata Ragusa, 1889: 236 (*Leptura*)
inhastata Pic, 1902c: 8 (*Leptura*)
lamed Geoffroy, 1785: 86 [HN] (*Stenocorus*)
cordigera illyrica G. Müller, 1948: 63 (*Leptura*) E: AL BH CR GR IT (north-east) MC SL YU
deyrollei Pic, 1895b: 40 (*Leptura*) A: GG TR
erythroptera Hagenbach, 1822: 7 (*Leptura*) E: AL AU BH BU CR CZ FR GE GR HU IT RO SK SP ST SZ YU A: AB AR GG IN
TR
rufipennis Mulsant, 1839: 272 (*Leptura*)
eckweileri Holzschuh, 1989a: 154 (*Vadonia*) A: PA
excisipes K. Daniel & J. Daniel, 1891: 6 (*Leptura*) A: SY TR
fontenayi Mulsant, 1839: 271 (*Leptura*) E: AZ FR PT SP N: AG MO TU
erythrodera Chobaut, 1896b: 201 (*Leptura*)
nigrovittata Chobaut, 1896b: 201 (*Leptura*)
— *hardenbergi* Bodemeyer, 1927: 70 (*Leptura*)
pici Chobaut, 1896b: 201 (*Leptura*)
fulva DeGeer, 1775: 137 (*Leptura*) E: AL AU BE BH BU BY CR CZ FR GB GE GR HU IR IT LS LU MC NL PT RO SK SL SP
ST SZ TR UK YU A: TR
affinis Marsham, 1802: 353 (*Leptura*)
apicalis Motschulsky, 1875: 142 (*Leptura*)
corsica Pic, 1894k: 206 (*Leptura*)
fulvoapicalis Plavilstshikov, 1932b: 174 (*Leptura*)
lutescens Geoffroy, 1785: 87 (*Stenocorus*)
tomentosa Fabricius, 1793: 340 (*Leptura*)
gladiatrix Sama, 2008: 220 N: MO
heydeni Ganglbauer, 1889c: 469 (*Leptura*) A: IS LE SY TR
incipipennis Reitter, 1895a: 85 (*Leptura*)
maceki Holzschuh, 1991c: 19
hybrida Rey, 1885b: 277 (*Leptura*) E: FR IT SP SZ
igai Tamanuki, 1942: 93 (*Leptura*) A: JA
ivoroberti Sama, 2010: 920 E: GR
maculicornis DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD NR
NT PL RO SK SL ST SV SZ UK YU A: ?GG
maculosa Gmelin, 1790: 1874 (*Leptura*)
nadezhdae Plavilstshikov, 1932c: 182 (*Leptura*) E: ST
oblongomaculata Buquet, 1840b: 396 (*Leptura*) E: IT (Sardegna, Sicilia) N: AG TU
biparadoxa Dayrem, 1922a: 17 (*Leptura*)
extrema Dayrem, 1930: 70 (*Leptura*)
latedecorata Pic, 1898i: 64 (*Leptura*)
obliterata Pic, 1898i: 64 (*Leptura*)
obscurithorax Pic, 1898a: 4 (*Leptura*)
trinitaticollis Pic, 1934e: 20 (*Leptura*)
uxoria Dayrem, 1927: 67 (*Leptura*)
pallens Brullé, 1832: 264 (*Leptura*) E: AL BU BH CR GR MC RO TR YU A: TR
pallidipennis Tournier, 1872: 346 (*Leptura*) E: ST A: AB GG TR
circassica K. Daniel & J. Daniel, 1891: 31 (*Leptura*)
palmi Demelt, 1972a: 74 N: CI
picticornis Reitter, 1885: 390 (*Leptura*) E: GR
pyrrha Bates, 1884a: 216 (*Leptura*) A: JA
bouvieri Pic, 1901m: 59 (*Leptura*)
rufa attaliensis K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: TR
gevneensis Özdikmen & Turgut, 2008b: 549
rufa dimidiata K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: IQ TR
rufa excelsa A. Costa, 1863: 24 (*Leptura*) E: IT
rufa nigropicta Fairmaire, 1866b: 278 (*Leptura*) A: TR
rufa realis Danilevsky, 2012m: 912-913 E: ST A: AB AR GG TR

rufa rubromarginata Plavilstshikov, 1932b: 174 (*Leptura*) [*«rubromarginaia»* was a lapsus calami – Article 32.5.1] A: IN
rufa rufa Brullé, 1832: 263 (*Leptura*) E: AL BH BU CR GR IT MC RO YU A: TR
sambucicola Holzschuh, 1982a: 65 (*Brachyleptura*) A: SY TR
scutellata inscutellata Pic, 1892u: 415 (*Leptura*) A: TR
scutellata melas P. H. Lucas, 1847: pl. 43 (*Leptura*) E: IT (Sicilia) N: AG TU
scutellata miroshnikovi Danilevsky, 2012m: 915 A: AB IN
scutellata scutellata Fabricius, 1781: 247 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC
MD PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG TR
chrysothyreos Schrank, 1798: 697 (*Leptura*)
funerea Geoffroy, 1785: 89 (*Stenocorus*)
nigra V. Petagna, 1787: 17 (*Rhagium*)
ochracea Faust, 1878: 135 (*Leptura*)
ochraceipennis Pic, 1897c: 31 (*Leptura*)
simplonica ondreji Sláma, 1993: 59 (*Brachyleptura*) E: GR
simplonica simplonica Fairmaire, 1885b: 317 (*Leptura*) E: FR IT SZ
slamai Sama, 2010: 49 E: GR (Kriti)
martini Sláma, 1985: 17 (*Brachyleptura*) [HN]
tangeriana Tournier, 1875: 475 (*Leptura*) N: MO
atlasica Escalera, 1914a: 496
birufonotata Pic, 1919d: 22 (*Leptura*)
maroccana Heyden, 1886a: 85 (*Leptura*) [RN]
nigromaculata Pic, 1913c: 138 (*Leptura*)
olcesei Pic, 1894g: 108
rufonotata Pic, 1913c: 138 (*Leptura*)
tangeriana Heyden, 1881b: 251 (*Leptura*) [HN]
tesserula Charpentier, 1825: 227 (*Leptura*) E: BU GR HU PL RO SK ST UK YU A: AB AR GG TR
abchastica Rost, 1893: 344 (*Leptura*)
bisignata Ménétériés, 1832: 232 (*Leptura*)
bisignata Faldermann, 1837: 313 (*Leptura*) [HN]
dejeani Ganglbauer, 1889: 469 (*Leptura*) [RN]
impunctata Heyden, 1877b: 420 (*Leptura*)
tonsa K. Daniel & J. Daniel, 1891: 31 (*Leptura*) E: ST UK A: AB AR GG IN TR
menetriesi Ganglbauer, 1889: 469 [RN] [NO]
ustulata Ménétériés, 1832: 231 (*Leptura*) [HN]
tripartita Heyden, 1889b: 329 (*Leptura*) A: IN IQ TR
morgani Pic, 1905n: 300 (*Leptura*)
trisinata Fairmaire, 1852a: 92 (*Leptura*) E: FR PT SP
martini Pic, 1945b: 6 (*Leptura*)
semirufula Kraatz, 1880b: 376 (*Leptura*)
variicornis Dalman, 1817a: 482 (*Leptura*) E: BY CT EN LA LT NT PL ST UK A: ES FE JA KZ MG NC NE NO SC WS

genus *Stictoleptura* nomen dubium
silbermanni Lefebvre, 1835: 303 (*Leptura*) A: "Syrie Mont Liban"

genus *Strangalia* Dejean, 1835: 355 type species *Leptura luteicornis* Fabricius, 1775
Ophistomis J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861
Ophistomis Gemminger, 1872: 2875 [unnecessary emendation]
Strangalina Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758
Sulcatostrangalia K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935
attenuata Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IR IT LA LS LT LU MC MD
NL NR NT NE PL RO SK SL SP ST SV SZ TR UK A: AB AR ES FE HEB GG JA JIX KZ MG NC NE SC SW TR WS XIN
balcanica Pic, 1915e: 6 (*Typocerus*)
grenieri Pic, 1912c: 3 (*Leptura*)
imperfecta Gerhardt, 1910: 556 (*Leptura*)
~~*maculicollis* Gerhardt, 1910: 556 (*Leptura*)~~
obscuriventris Pic, 1901n: 59 (*Typocerus*)
~~*?ucranica* Laxman, 1770: 596 (*Leptura vcranica*)~~
bilineaticollis Pic, 1915c: 12 (*Strangalina*) A: XIZ
fortunei Pascoe, 1858: 265 A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH ZHE
nigrocaudata Fairmaire, 1887a: 135
obscuricornis Pic, 1925f: 188
fujitai Shimomura, 1994: 345 A: TAI
gracilis Gressitt, 1935f: 381 A: JA
guerryi Pic, 1902i: 28 A: CH
klapperichi Pic, 1957: 76 A: FUJ
koyaensis Matsushita, 1933b: 219 A: JA
haraguro K. Ohbayashi, 1958b: 18
linsleyi Gressitt, 1951a: 116 A: FUJ HUN JIX
~~*mediolineata* Pic, 1954a: 13 A: JA~~

takeuchii Matsushita & Tamanuki, 1935: 2 A: FE JA

genus *Strangalomorpha* Solsky, 1873: 253 type species *Strangalomorpha tenuis* Solsky, 1873
austera Holzschuh, 2003a: 164 A: YUN
cavernosa Holzschuh, 1998: 27 A: HUB
chekianga Gressitt, 1939b: 90 (*Strangalia*) A: FUJ SHA ZHE
marginipennis Hayashi & Villiers, 1989: 3 A: TAI
multiguttata Pic, 1914e: 16 (*Strangalia*) A: YUN
senensis Pic, 1938: 134 (*Leptura*)
platyfaciata Chiang, 1963: 64 (*Strangalia*) A: YUN
signaticornis Ganglbauer, 1889a: 52 (*Leptura*) A: GAN
tenuis aenescens Bates, 1884a: 221 A: JA
atricolor Kano, 1933b: 130
tenuis tenuis Solsky, 1873: 254 A: FE GAN HEI JA JIL NMO SC
tomentosa Tamanuki, 1942: 129 A: FUJ TAI
virididorsalis Chou & N. Ohbayashi, 2010: 362 A: GUX TAI

genus *Teratoleptura* N. Ohbayashi, 2008: 419 type species *Strangalia mirabilis* Aurivillius, 1902
mirabilis Aurivillius, 1902: 207 (*Strangalia*) A: FUJ GUA GUX HAI ORR
carpo Pic, 1903c: 28 (*Ocalemia*)
gigantia Chiang, 1981: 78 (*Strangalia*)

genus *Thrangalia* Holzschuh, 1995: 10 type species *Thrangalia diaboliella* Holzschuh, 1995
diaboliella Holzschuh, 1995: 11 A: YUN

genus *Turnaia* Holzschuh, 1993a: 14 type species *Turnaia opaca* Holzschuh, 1993
furva Holzschuh, 2006a: 209 A: SCH
opaca Holzschuh, 1993a: 15 A: GAN

genus *Vadonia* Mulsant, 1863: 559 type species *Leptura unipunctata* Fabricius, 1787
Neovadonia Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787
bicolor L. Redtenbacher, 1850: 50 (*Leptura*) A: AB IN TR
tuerki Heyden, 1879: 326 [=1879: 70] (*Leptura*)
bipunctata adusta Kraatz, 1859: 97 (*Leptura*) E: HU RO SK
litigiosa Mulsant, 1863: 564
rufonotata Pic, 1926d: 10 (*Leptura*)
bipunctata bipunctata Fabricius, 1781: 245 (*Leptura*) E: CT ST A: KZ WS
beckeri Pic, 1941d: 14 (*Leptura*) [HN]
fischeri Zubkov, 1829: 168 (*Leptura*)
sareptana Pic, 1941d: 15
bipunctata globicollis Desbrochers des Loges, 1870c: 127 (*Leptura*) E: MD RO ST UK
mulsantiana Plavilstshikov, 1936: 341 (*Leptura*)
bilitigiosa Pic, 1941d: 15
bipunctata laterimaculata Motschulsky, 1875: 141 (*Leptura*) E: UK (Crimea)
puchneri Holzschuh, 2007: 183
bipunctata steveni Sperk, 1835: 158 (*Leptura*) E: HU MD RO ST UK
bitlisiensis Chevrolat, 1882: 59 A: AB AR IN TR
armeniaca Pic, 1903a: 4 (*Leptura*)
bistigmata Pic, 1890e: clxxvi
cribricollis Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)
bolognai Sama, 1982: 207 A: TR
ciliciensis K. Daniel & J. Daniel, 1891: 13 A: TR
danielorum Holzschuh, 1984a: 142 A: TR
dojranensis dojranensis Holzschuh, 1984c: 343 E: AL BU GR
dojranensis mahri Holzschuh, 1986a: 121 E: GR MC
frater Holzschuh, 1981: 96 A: TR
grandicollis grandicollis Mulsant & Rey, 1863: 182 E: AL BU GR MC A: TR #11
bisignata Brullé, 1832: 264 (*Leptura*) [HN]
inapicalis Pic, 1897c: 31 (*Leptura*) [DA]
grandicollis laurae Pesarini & Sabbadini, 2007a: 25 E: GR
gusmii Pesarini & Sabbadini, 2009: 16 E: GR
hirsuta K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) E: RO
imitatrix K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: CR IT
insidiosa Holzschuh, 1984a: 143 E: GR
instigmata Pic, 1890e: clxxvi A: TR
ispirensis Holzschuh, 1993a: 14 A: TR
mainoldii Pesarini & Sabbadini, 2004d: 162 E: GR

moesiaca K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: AL BU GR MC RO SB TR YU A: TR
beali Pic, 1926d: 13 [DA]
bipunctata Kraatz, 1859: 97 [HN]
monostigma Ganglbauer, 1882: 29 (*Leptura*) A: TR
parnassensis Pic, 1925d: 6 (*Leptura*) E: GR
aspoecorum Holzschuh, 1975: 84az
saucia Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) E: RO UK (Krym) [see: Danilevsky, 2014e: 263]
soror soror Holzschuh, 1981: 95 A: TR
soror tauricola Holzschuh, 1993a: 14 A: TR
unipunctata dalmatina J. Müller, 1907: 662 (*Leptura*) E: CR
unipunctata makedonica Holzschuh, 1989a: 154 E: GR [“Lekanis-Gebirge”]
unipunctata occidentalis K. Daniel & J. Daniel, 1891: 17 (*Leptura*) E: FR IT SP
gallica Podaný, 1963a: 9
~~*jaqueti* Pic, 1900a: 3~~
xambeui Pic, 1931c: 6 (*Leptura*)
unipunctata ohridensis Holzschuh, 1989a: 154 E: AL GR MC #11
unipunctata syricola Holzschuh, 1993a: 13 A: LE SY
unipunctata unipunctata Fabricius, 1787: 157 (*Leptura*) [NP] E: AU BH BU CR CT CZ FR GR HU IT KZ MD PL RO SB SK SL
SP ST TR UK A: AB AR GG KZ TR
obscuripilosa Pic, 1892q: lxxxiv (*Leptura*)
pilosa Forster, 1771: 44 (*Leptura*) [NO]
uninstigmata Pic, 1891b: 9 (*Leptura*)
vartanisi Danilevsky, 2014e: 259 A: TR

genus *Xenoleptura* Danilevsky, Lobanov & Murzin, 1981: 787 type species *Leptura hecate* Reitter, 1896
hecate Reitter, 1896b: 48 (*Leptura*) A: KI KZ TD UZ XIN
auliensis Pic, 1901d: 19 (*Strangalia*)

genus *Xenophyrama* Bates, 1884a: 210 type species *Xenophyrama purpureum* Bates, 1884
purpureum Bates, 1884a: 210 A: JA

genus *Xestoleptura* Casey, 1913: 248 type species *Xestoleptura corusca* Casey, 1913
baeckmanni Plavilstshikov, 1936: 333 (*Leptura*) A: CH FE NC SC
nigroflava Fuss, 1852: 75 (*Grammoptera*) E: RO
rufiventris Gebler, 1830: 193 (*Leptura*) [HN] A: ES FE KZ MG WS
jenseni Gressitt, 1951a: 83 (*Anoploclera*)
maculata Gebler, 1841b: 614 (*Leptura*) [HN]
theresae Pic, 1912c: 2 (*Leptura*)

tribe Lepturini, incertae sedis
Leptura miaoi Z. Wang & Zheng, 2003: 95, 398 A: JIL

tribe Oxymirini Danilevsky, 1997

genus *Neoxymirus* Miroshnikov, 2013b: 455 type species *Toxotus mirabilis* Motschulsky, 1838
mirabilis Motschulsky, 1838: 183 (*Toxotus*) E: ST A: AR AB GG IN TR
atripes Pic, 1935d: 7

genus *Oxymirus* Mulsant, 1862: 464 type species *Cerambyx cursor* Linnaeus, 1758
cursor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IT LA LS LT MC MD NL
NR NT PL RO SK SL SP ST SV SZ UK YU A: SHX WS
~~*fenestratus* Letzner, 1885: 346 [unavailable]~~
~~*geminus* Letzner, 1885: 346 [unavailable]~~
~~*lineatus* Letzner, 1885: 346 [unavailable]~~
luctuosus Latreille, 1804a: 310 (*Leptura*)
niger Olivier, 1795: 19 (*Stenocorus*)
~~*nigricollis* Letzner, 1885: 346 [unavailable]~~
noctis Linnaeus, 1767: 630 (*Cerambyx*)
spaceki Roubal, 1934c: 140
vittatus Gmelin, 1790: 1865 (*Stenocorus*)

tribe Rhagiini Kirby, 1837

genus *Acapnolymma* Gressitt & Rondon, 1970: 34 type species *Capnolymma sulcaticeps* Pic, 1923
sulcaticeps Pic, 1923a: 12 (*Capnolymma*) A: YUN ORR
genus *Acmaeops* LeConte, 1850a: 235 type species *Leptura proteus* Kirby, 1837
angusticollis Gebler, 1833: 304 (*Pachyia*) E: BY CT NT PL A: ES FE JIL JA MG NC NMO SC WS XIN
amurensis Suvorov, 1915: 346
sachalinensis Tsherepanov, 1978a: 99
subbrachypterus Plavilstshikov, 1915c: 105

viridulus Matsumura, 1911a: 134
marginatus Fabricius, 1781: 247 (*Leptura*) **E:** AU BH BY CR CT CZ EN FI FR GE GR HU IT LA LT NL NR NT PL SK SL SP ST SV SZ UK YU **A:** ES FE GAN KZ MG NMO TR WS
annulicornis Pic, 1933f: 4
bicoloripes Pic, 1933f: 4
spadiceus Schilsky, 1888: 189
septentrionis C. G. Thomson, 1866: 61 (*Pachyta*) **E:** AU BU BY CT CZ EN FI FR GE IT LA LS LT NR NT PL RO SK SL ST SV SZ UK **A:** ES FE KZ MG NC SC WS
alpestris Pic, 1901f: 25
simplonicus Stierlin, 1880: 550 (*Leptura*)
smaragdulus Fabricius, 1793: 342 (*Leptura*) **[NP]** **E:** BY CT FI FR LT NR NT SV SZ **A:** ES FE HEI JIL KZ LIA MG NC NMO SC SHA WS XIN
smaragdinus Naezen, 1792: 173 (*Leptura*) **[NO]**

genus Akimerus Audinet-Serville, 1835b: 212 type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)

Acimerus Fairmaire, 1865: 184 [unjustified emendation]
schaefferi ariannae Pesarini & Sabbadini, 2007a: 19 **E:** GR
schaefferi schaefferi Laicharting, 1784: 130 (*Leptura*) **E:** AU BH BU CR CT CZ FR GE HU MD PL PT RO SK SP ST SZ UK
cinctus Fabricius, 1787: 146 (*Rhagium*)
dentipes Mulsant, 1842a: 209 **[1842b: (3)] (Toxotus)**
berchmansii Breit, 1915: 353 **A:** TR

genus Apiocephalus Gahan, 1898: 42 type species *Apiocephalus punctipennis* Gahan, 1898
licheneus Gahan, 1906a: 74 **A:** UP

genus Brachyta Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758

amurensis Kraatz, 1879c: 69 (*Pachyta*) **A:** FE NC SC
bisbioculata Pic, 1910a: 18
inapicalis Pic, 1910a: 18
korbi Pic, 1910a: 18
semilunata Pic, 1910a: 18
balcanica Hampe, 1871: 336 **E:** AL BU GR RO TR YU **A:** TR
buerschii Kantardjiewa-Minkowa, 1957: 542
bifasciata bifasciata Olivier, 1795: 23 (*Leptura*) **A:** ES FE GAN HEB HEI JIL LIA **MG** NMO QIN SC SCH XIZ
daurica Gebler, 1817: 329 (*Leptura*)
quadripunctata Schoenherr, 1817a: 491 (*Leptura*)
reducta Pic, 1907b: 6 (*Evodinus*)
thibetana Pic, 1907b: 5 (*Evodinus*)
ussurica Pic, 1913c: 98
bifasciata japonica Matsushita, 1933a: 178 (*Evodinus*) **A:** FE JA
bifasciata plasoni Breit, 1915: 353 (*Evodinus*) **A:** NMO
bifasciata thibetana Pic, 1907b: 5 (*Evodinus*) **A:** QIN [“Kuku-Nor”]
bifasciata wanga Z. Wang, 2014: 122, 1123 **A:** NMO **#1**
borni Ganglbauer, 1903: 151 (*Evodinus*) **E:** FR (Alpes de Haute-Provence)
guerryi Pic, 1906h: 86 (*Evodinus*)
notatipennis Pic, 1906h: 86 (*Evodinus*)
breitii Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*) **A:** ES MG
caucasica caucasica Rost, 1892: 309 **[1892b: 81]** **A:** GG
conjuncta Rost, 1893: 344
caucasica kubanica Miroshnikov, 1990a: 26 **E:** ST
danilevskiyi Tshernyshev & Dubatolov, 2005: 49 **A:** FE JA
japonicus Fujimura, 1956: 2 (*Evodinus*) [HN]
delagrangei Pic, 1891h: 102 **A:** TR
dongbeiensis Z. Wang, 2003: 127, 398 (*Evodinus*) **A:** HEI
interrogationis interrogationis Linnaeus, 1758: 398 (*Leptura*) **E:** AU BY CT CZ EN FI FR GE IT LA LS LT MD NR NT PL SK ST SV SZ UK **A:** ES FE HEI JA JIL KZ MG NC NMO SC WS XIN
altaiensis Pic, 1900s: 82
~~*bernardinus* Pic, 1915a: 41 (*Evodinus*)~~
bimaculata Mulsant, 1839: 240 (*Pachyta*)
bioculata Kraatz, 1879c: 68 (*Pachyta*)
cruciata Kraatz, 1879c: 69 (*Pachyta*)
crucifera Kraatz, 1879c: 68 (*Pachyta*)
curvilineata Mulsant, 1839: 239 (*Pachyta*)
dorensis Pic, 1933d: 2 (*Evodinus*)
duodecimmaculata Fabricius, 1781: 248 (*Leptura*)
ebenina Mulsant, 1839: 240 (*Pachyta*)
externereducta Pic, 1926d: 10
flavonotata Mulsant, 1839: 239 (*Pachyta*)

immaculata Pic, 1934f: 28 (*Evodinus*)
kraatzi Ganglbauer, 1889c: 468
mannerheimii Motschulsky, 1860b: 148 (*Evodinus*)
marginalis Motschulsky, 1875: 139 (*Pachyta*)
marginella Fabricius, 1793: 346 (*Leptura*)
mesmini Pic, 1933d: 2 (*Evodinus*)
milliati Pic, 1934f: 24 (*Evodinus*)
modanensis Pic, 1933d: 2 (*Evodinus*)
mulsanti Pic, 1934f: 31 (*Evodinus*)
multiguttata Pic, 1934f: 31 (*Evodinus*)
obsidiana Motschulsky, 1875: 140 (*Pachyta*)
perroudi Pic, 1933d: 2 (*Evodinus*)
plavilstshikovi Pic, 1934f: 31 (*Evodinus*)
prescutellaris Pic, 1934f: 31 (*Evodinus*)
reducta Pic, 1926d: 10
russica Herbst, 1784: 102 (*Leptura*)
subinterrupta Pic, 1934f: 24 (*Evodinus*)
suturalis Pic, 1926d: 10
~~*theresae* Pic, 1915a: 41 (*Evodinus*)~~
interrogationis lederi Lazarev, 2011: 861 **E: ST**
interrogationis miroshnikovii Lazarev, 2011: 860 **E: ST A: GG**
interrogationis shapsugorum Lazarev, 2011: 860 **E: ST**
punctata Faldermann, 1833: 67 (*Pachyta*) **A: ES MG NC NMO**
quadrinotatus Pic, 1916b: 3 (*Evodinus*)
reductemaculata Pic, 1915a: 41 (*Evodinus*)
sajanensis Pic, 1916b: 3 (*Evodinus*)
sochondensis Tshernyshev & Dubatolov, 2005: 45
subunicolor Pic, 1916b: 3 (*Evodinus*)
turanensis Pic, 1927e: 13
rostri alexeevi Lazarev, 2010b: 193 **E: ST**
rostri baksaniense Lazarev, 2010b: 193 **E: ST**
rostri rostri Pic, 1900s: 82 **E: ST A: GG**
brevinotata Pic, 1901e: 16
caucasicola Plavilstshikov, 1936: 197 (*Evodinus*)
sachalinensis Matsumura, 1911: 135 **A: FE JA JIL**
striolata Gebler, 1817: 330 (*Leptura*) **A: ES MG**
brevilineata Pic, 1926d: 10
eurinensis Tsherepanov, 1978a: 97 (*Evodinus*)
striatifformis Plavilstshikov, 1936: 196 (*Evodinus*)
variabilis aberrans Villiers, 1960a: 6 (*Evodinus*) **A: FE NE NC**
variabilis phlaesa Z. Wang, 2003: 127, 398 (*Evodinus*) **A: HEI**
variabilis scapularis Mannerheim, 1849: 245 (*Pachyta*) **A: ES FE MG NE NMO**
cincta Villiers, 1960a: 6 (*Evodinus*)
comosa Solsky, 1871a: 400 (*Pachyta*)
discobilineata Pic, 1928c: 2
heyrovskiyi Pic, 1926d: 10
instriolata Pic, 1912c: 2 (*Evodinus*)
intermedia Pic, 1916b: 3 (*Evodinus*)
multisignata Pic, 1915a: 41 (*Evodinus*)
mutabilis Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]
obscuripennis Pic, 1900c: 6 (*Evodinus*)
pici Villiers, 1960a: 6 (*Evodinus*)
preapicalis Pic, 1902c: 8
prescutellaris Pic, 1902c: 8
reductesignatus Pic, 1915a: 41 (*Evodinus*)
semifulva Pic, 1900s: 82
sinuatolineatus Pic, 1915a: 41 (*Evodinus*)
sinuatosignata Pic, 1915e: 4 (*Evodinus*)
solskyi Kraatz, 1879c: 71 (*Pachyta*)
subfasciata Pic, 1926d: 10
subjuncta Pic, 1926d: 10
sublineata Pic, 1916b: 3 (*Evodinus*)
variabilis shapovalovi Lazarev, 2014: 273 **A: KZ**
variabilis testaceimembris Pic, 1916b: 2 (*Evodinus*) **A: FE**
rufimembris Pic, 1926d: 13
variabilis variabilis Gebler, 1817: 320 (*Leptura*) **E: CT NT A: ES FE KZ MG NC SC WS XIN**
constricta Germar, 1824: 520 (*Leptura*)

genus *Capnolymma* Pascoe, 1858: 265 type species *Capnolymma stygia* Pascoe, 1858
brunnea Gressitt & Rondon, 1970: 33 **A: YUN ORR**
laotica Gressitt & Rondon, 1970: 33 **A: YUN ORR**

- genus *Carilia* Mulsant, 1863: 489** type species *Leptura virginea* Linnaeus, 1758
Neogaurotes Podaný, 1962: 225 type species *Leptura virginea* Linnaeus, 1758
adelpha Ganglbauer, 1889a: 47 A: NMO QIN SCH
aeneovirens Holzschuh, 1993a: 6 A: SCH
atricornis Pu, 1992b: 617 A: YUN
atripennis Matsushita, 1933: 76 A: JA
aureopurpurea Hayashi, 1955: 24
hayashii Podaný, 1962: 225
kurosawai Hayashi, 1951b: 75
tamanukii Ohbayashi, 1949: pl. 3
cuprifera Holzschuh, 1993a: 10 A: GAN
fairmairei Aurivillius, 1912: 193 [RN] A: SCH SHA
diversicollis Pic, 1939b: 1
donacioides Fairmaire, 1889a: 59
filiola Holzschuh, 1998: 5 A: SHA
glabratula Holzschuh, 1998: 6 [RN] A: SCH
glabricollis Holzschuh, 1993a: 8 [HN]
oligothrix Chiang, 2001: 77 [RN]
glabricollis Pu, 1992b: 618 A: YUN
latiuscula Holzschuh, 1993a: 8 A: SCH
lucidivirens Holzschuh, 1998: 6 A: SHA
otome K. Ohbayashi, 1959: 1 A: JA
flaviventris Hayashi, 1960a: 6
kinugasai Hayashi, 1960a: 6
perforata Holzschuh, 1993a: 11 A: GAN
pictiventris Pesarini & Sabbadini, 1997: 100 A: YUN
piligera Pu, 1992b: 617 A: SCH
spinipennis Pu, 1992b: 617 A: SCH
tibetana Podaný, 1962: 227 A: XIZ
tuberculicollis Blanchard, 1871: 812 (*Pachyta*) A: FUJ HEI HEN HUB NMO SCH SHA XIZ
davidis H. C. Deyrolle, 1878: 133
obscuripes Pic, 1939b: 1
virginea aemula Mannerheim, 1852b: 306 (*Pachyta*) E: CT ST A: ES FE HEI HUB JIL KZ MG NMO SHX WS
ruficollis Solsky, 1871: 403 (*Pachyta*)
virginea komensis Tamanuki, 1938b: 167 (*Gaurotes*) A: HEI JIL NC SC
coreana Tamanuki, 1939: 101 (*Gaurotes*)
nigriventris Tamanuki, 1938b: 167 (*Gaurotes*) [HN]
virginea kozhevnikovi Plavilstshikov, 1915c: 105 (*Gaurotes*) A: FE HEI JIL
nigriventris Jureček, 1921: 25 (*Gaurotes*)
sibirica Podaný, 1962: 236 (*Gaurotes*)
virginea thalassina Schrank, 1781a: 160 (*Leptura*) E: AU FR IT SL
nupta Mulsant, 1839: 241 (*Pachyta*)
virginea virginea Linnaeus, 1758: 398 (*Leptura*) E: AL AU **BE** BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT **MC**
MD ME NR NT PL RO **SB** SK SL SV SZ ST UK YU A: **WS**
brunnescens G. Schmidt, 1951: 11 (*Gaurotes*)
notaticollis Pic, 1916a: 10
sanguinaria Pic, 1917g: 4
vidua Mulsant, 1839: 242 (*Pachyta*)
violacea DeGeer, 1775: 144 (*Leptura*) [HN]
violacea Pallas, 1773: 724 (*Leptura*)
- genus *Cortodera* Mulsant, 1863: 572** type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)
Acmaeopsilla Casey, 1913: 240 type species *Acmaeops falsus* LeConte, 1860
Leptacmaeops Casey, 1913: 219 type species *Leptura longicornis* Kirby, 1837
alpina alpina Ménétré, 1832: 230 (*Pachyta*) E: ST (Dagestan) A: **AB GG**
beckeri Desbrochers des Loges, 1875a: 51 (*Pachyta*)
confusa Reitter, 1891b: 34 (*Cartodera*)
alpina armeniaca Pic, 1898k: 114 A: AR TR [Artvin, Ardahan, Kars, Erzerum, Igdir]
alpina fischtenis Starck, 1894: 11 E: ST (Kavkaz)
alpina gudissensis Danilevsky, 2013g: 28 A: GG
alpina rosinae Pic, 1902c: 8 A: TR [“Anatolie: Ak-Chehir”] **#17**
alpina rosti Pic, 1892q: lxxxiii E: ST (Kavkaz)
parallela Pic, 1898k: 111
alpina starcki Reitter, 1888b: 280 E: ST (Kavkaz) A: GG
alpina umbripennis Reitter, 1890e: 245 E: ST A: AB AR GG IN
alpina xanthoptera Pic, 1898k: 114 [RN] A: TR [Ankara]
~~*flavipennis* Ganglbauer, 1897a: 53 (unavailable – among several variations from one locality)~~ **#5**

analis Gebler, 1830: 189 (*Pachyta*) A: KZ WS XIN
haemorrhoidalis Pic, 1898k: 77
haemorrhoidalis Aurivillius, 1912: 197 [unjustified emendation]
hirta Gebler, 1830: 190 (*Pachyta*)
~~*holosericea* Gebler, 1848a: 423 (*Leptura*)~~
ruficornis Pic, 1926d: 6
baltea Holzschuh, 2003a: 154 A: NMO QIN [see: X.-L. Huang et al., 2014]
bamiyana Danilevsky, 2014d: 256 A: AF
ciliata ciliata Danilevsky, 2001a: 13 A: KZ
ciliata milaenderi Danilevsky, 2001a: 15 E: CT
ciliata sakmarensis Danilevsky, 2006b: 3 E: ST
cirsii Holzschuh, 1975: 82 A: TR
colchica aestiva Sama & Rapuzzi, 1999: 466 A: TR (Kars)
colchica aksarayensis Özdikmen & Özbek, 2012: 931 A: TR
colchica colchica Reitter, 1890e: 246 E: ST A: AB AR GG (IN LE SY) TR
atropyga Pic, 1929h: 119 [DA]
deyrollei Pic, 1894a: 66
distincta Pic, 1933d: 6
lederi Pic, 1933d: 6
ordubadensis Reitter, 1890e: 246
pseudalpina Plavilstshikov, 1936: 278
pygidialis Reitter, 1890e: 246
rutilipes Reitter, 1890e: 246
truncatipennis Pic, 1929h: 119 [DA]
colchica danczenkoi Danilevsky, 1985: 139 [1987: 615] A: AB (Talysh)
colchica kalashiani Danilevsky, 2000b: 39 A: AR
differens differens Pic, 1898g: 50 E: GR RO
prescutellaris Pic, 1933d: 5
steineri Sama, 1997b: 112
differens magdae Danilevsky, 2012m: 916 E: BG RO TR
discolor Fairmaire, 1866b: 277 A: TR
testaceipes Pic, 1898k: 112
~~*variipes* Ganglbauer, 1897a: 53 (unavailable – among other variations) [?“Angora”]~~ #5
farsensis Danilevsky, 2014d: 255 A: IN
femorata Fabricius, 1787: 159 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT NR NT PL RO SK SL ST SV
SZ UK
affinis Schilsky, 1892: 204
fusca Gmelin, 1790: 1868 (*Leptura*)
flavipennis Reitter, 1890e: 243
griseipes Pic, 1889b: 55 (*Grammoptera*)
monticola Abeille de Perrin, 1870: 88
suturifera Reitter, 1890e: 243
flavimana corallipes Pesarini & Sabbadini, 2009: 17 A: ?GG TR [type - Ascale in Erserum] #6
flavimana flavimana Waltl, 1838: 471 (*Leptura*) E: AU BU GR HU MC RO SK TR YU A: TR [type – Istanbul env.]
flavimana rufipes Kraatz, 1876b: 344 (*Grammoptera*) A: TR [type – Izmir env.]
~~*brachialis* Ganglbauer, 1897a: 52 (unavailable) [?“Angora”]~~ #5
~~*fulvipes* Reitter, 1890e: 245 (unavailable) [?“Angora”]~~ #4
~~*limbata* Ganglbauer, 1897a: 52 (unavailable) [?“Angora”]~~ #5
flavimana schurmanni Sama, 1997b: 107 E: GR (Peloponnese) #2
flavimana zoiyai Pesarini & Sabbadini, 2009: 16 A: TR [type - north of Izmir vil., Kozak, about 39°15'N, 27°06'E]
holosericea holosericea Fabricius, 1801b: 366 (*Leptura*) [HN – not *L. holosericea* Fabricius, 1801b: 358 = *Etorofus pubescens*
(Fabricius, 1787)] E: AU BH BU CR GR HU IT RO SK SL ST UK YU
pilosa Pic, 1898g: 50
rubripes Pic, 1898k: 114
semitestacea Pic, 1898g: 50
holosericea velutina Heyden, 1876a: 318 E: AL AU BH CR GR IT SL YU #11
birnbacheri Pic, 1898k: 114
hroni Danilevsky, 2012f: 1 E: BU
humeralis aspromontana G. Müller, 1948: 61 E: IT GR
humeralis humeralis Schaller, 1783: 297 (*Leptura*) E: AU BE BH BU CR CT CZ FR GE GR HU IT MC MD NL PL RO SK SP ST
SZ TR UK YU A: TR
apicenotata G. Schmidt, 1951: 12
discoidalis Pic, 1931c: 6
inhumeralis Pic, 1892j: 140
quadriguttata Herbst, 1786: 171 (*Leptura*)
quadrinotata Gmelin, 1790: 1873 (*Leptura*)
schalleri Gmelin, 1790: 1874 (*Leptura*)
spinosa Mulsant, 1839: 290 (*Grammoptera*)
suturalis Fabricius, 1787: 159 (*Leptura*)

imrasanica Sama & Rapuzzi, 1999: 464 A: TR
ivanovi Danilevsky, 2013b: 218 A: KZ
kaphanica Danilevsky, 1985: 137 A: AR IN
kafanica Danilevsky, 1987: 614
khatchikovi Danilevsky, 2001b: 13 E: ST
kiesenwetteri gusakovi Danilevsky, 2013d: 425 A: KZ
kiesenwetteri kiesenwetteri Pic, 1898g: 49 E: ST
kiesenwetteri subtruncata Pic, 1934e: 19 E: CT
kochi Pic, 1935d: 4 A: IS
kokpektensis Danilevsky, 2007d: 47 A: KZ
komarovi komarovi Danilevsky, 1996c: 63 A: KZ
komarovi romantzovi Danilevsky, 2013b: 213 A: KZ
komarovi sarysuensis Danilevsky, 2013b: 215 A: KZ
komarovi solodovnikovi Danilevsky, 2013b: 213 A: KZ
longipilis Pic, 1898g: 50 A: TR
rubrofemorata Pic, 1898k: 113
tauricola Pic, 1908b: 3
metallica Holzschuh, 2003a: 152 A: SCH
moldovana Danilevsky, 1996c: 64 E: MD
neali Danilevsky, 2004a: 2 A: IN
obscurans Pic, 1894i: 116 [Akbès] A: ?SY TR #3
~~*obscurans* Pic, 1892s: exi [= 1893d: 415] (unavailable) ["le nord de la Syrie" and "Haute-Syrie"]~~ #3
~~*flavescens* Pic, 1894i: 116 (unavailable) [Akbès] (unavailable)~~ #3
~~*fulvipennis* Pic, 1898g: 50 (unavailable) [Akbès] (unavailable)~~ #3
omophloides Holzschuh, 1975: 77 A: TR
orientalis Adlbauer, 1988: 264 A: TR #2
tibialis tibialis Marseul, 1876: cii (*Judolia*) E: ST
pallidipes Pic, 1898g: 49
tibialis ruthena Plavilstshikov, 1936: 286 E: ST KZ A: KZ
tibialis rossica Danilevsky, 2001b: 7 E: UK ST
pseudomophlus Reitter, 1889a: 40 A: AR AB IN TM TR
pumila crataegi Holzschuh, 1986a: 121 A: IN
pumila meltemae Özdikmen, Mercan & Cihan, 2012d: 746 A: TR #2
pumila pumila Ganglbauer, 1882: 710 E: ST A: AB AR GG
caucasica Pic, 1898k: 79
nigripennis Pic, 1898g: 49
pumila tournieri Pic, 1895d: 75 A: AR GG TR
ranunculi Holzschuh, 1975: 80 A: TR
reitteri reitteri Pic, 1891d: 43 E: CT ST UK
alexandri Danilevsky, 1996c: 63
obscuripennis Pic, 1898g: 49
separata Pic, 1898k: 111
reitteri taurica Plavilstshikov, 1936: 280 E: UK
beckeriana Plavilstshikov, 1936: 285
rubripennis Pic, 1891h: 102 A: TR
obscura Pic, 1898g: 49
sibirica shavrovi Danilevsky, 2001b: 3 A: ES
sibirica sibirica Plavilstshikov, 1915f: 347 (*Leptura*) A: WS
semenovi Plavilstshikov, 1936: 284
semilivida Pic, 1892n: cxciii ["Syria"] A: ?SY TR #2
~~*diversipes* Pic, 1898g: 49 (unavailable) [Akbès]~~ #2
simulatrix Holzschuh, 1975: 83 A: TR
syriaca nigroapicalis Holzschuh, 1981: 95 A: IN TR
syriaca syriaca Pic, 1901s: 90 A: AB AR LE SY TR
aureopubens Pic, 1913c: 178
korbi Pic, 1914c: 4 [DA]
tatiana Miroshnikov, 2011: 53 A: AB
transcaspica lobanovi Kaziutshitz, 1988: 583 A: AB AR IN TU
transcaspica persica Plavilstshikov, 1936: 291 A: IN ?AF
transcaspica transcaspica Plavilstshikov, 1936: 290 A: AB AR IN TM
turgaica Danilevsky, 2001b: 9 A: KZ
uniformis Holzschuh, 1975: 79 A: TR
ussuriensis Tsherepanov, 1978a: 101 A: FE
vicina Pic, 1914c: 4 A: LE
villosa aktolagaica Miroshnikov, 2007: 214 A: KZ
villosa circassica Reitter, 1890e: 245 E: ST (Kavkaz)
obscuripes Reitter, 1890e: 245

villosa chuvilini Danilevsky, 2012b: 140 E: ST
villosa krasnobaevi Danilevsky, 2010a: 58 E: UK
villosa kuvandykensis Danilevsky, 2012b: 139 E: ST
villosa magdeevi Danilevsky, 2011a: 42 E: CT
villosa major Miroshnikov, 2007: 211 E: CT
villosa mariae Danilevsky, 2010a: 59 E: ST
villosa mikhailovi Danilevsky, 2001a: 8 A: WS
villosa miroshnikovii Danilevsky, 2010: 43 A: GG
villosa nakhichevanica Miroshnikov, 2007: 213 A: AB
villosa parfentjevi Miroshnikov, 2007: 215 E: UK (Krym)
villosa villosa Heyden, 1876a: 318 E: BH BU CR HU MC MD RO SK UK YU
 frivaldszkyi Kraatz, 1876: 318 (*Grammoptera*)
 nigrita Heyden, 1876a: 318 [DA]
 umbriventris Roubal, 1931c: 131
villosa zhuravlevi Miroshnikov, 2007: 214 E: ST A: KZ
wewalkai Holzschuh, 1995: 9 A: TR
wittmeri Holzschuh, 1995: 9 A: TR [Niğde]

genus *Dinoptera* Mulsant, 1863: 494 type species *Leptura collaris* Linnaeus, 1758

anthracina Mannerheim, 1849: 246 (*Pachyta*) A: FE MG NE NMO SC SE
chrysomelina Holzschuh, 2003a: 151 A: SHA
collaris Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD
 NE NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG ES GAN IN KZ NMO TR WS
 carneola Schrank, 1798: 696 (*Leptura*)
 morio Fabricius, 1793: 349 (*Leptura*)
 nigricollis Mulsant, 1839: 247 (*Pachyta*)
 ruficollis DeGeer, 1775: 143 (*Leptura*)
 sylvestris Geoffroy, 1785: 88 (*Stenocorus*)
concolor Heyden & Faust, 1888: 45 (*Acmaeops*) A: GG TR
lota Holzschuh, 1998: 8 A: GAN
minuta criocerina Bates, 1873: 194 (*Acmaeops*) A: JA
 japonica Pic, 1907d: 20 (*Acmaeops*)
minuta minuta Gebler, 1832: 69 (*Pachyta*) A: ES FE GUX HEB HEI HEN JIL JIX LIA NC NIN NMO SC SHA SHN SHX ZHE

genus *Evodinus* LeConte, 1850b: 325 type species *Leptura monticola* Randall, 1838

Brachytodes Planet, 1924: 96 type species *Rhagium clathratum* Fabricius, 1793
Evodinellus Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827
borealis Gyllenhal, 1827: 36 (*Leptura*) E: BY CT EN FI LA LT NR NT PL SK SV UK A: ES FE JA MG NC NE NMO SC WS
 brunneonotatus Pic, 1901b: 11 (*Brachyta*)
 grisescens Pic, 1889b: 78 (*Pidonia*)
 interruptelunatus G. Schmidt, 1951: 11
 lateobscurus Pic, 1901b: 11 (*Brachyta*)
 obscurissimus Pic, 1904a: 3
 pallescens Fujimura, 1956: 2
 pictus Mäklin, 1845: 549 (*Pachyta*)
 schrampi Pic, 1945b: 6
 separatus Pic, 1945b: 6
clathratus Fabricius, 1793: 306 (*Rhagium*) E: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK YU
 atromultiplicatus Pic, 1945b: 5
 atroreductus Pic, 1915a: 41
 brunnipes Mulsant, 1839: 238
 diversesignatus Pic, 1945b: 5
 flecki G. Schmidt, 1958: 77
 gallicus Pic, 1945b: 5
 holobrunneus G. Schmidt, 1958: 77
 leprieuri Pic, 1945b: 5
 morginsius Pic, 1945b: 5
 nigerrimus G. Schmidt, 1958: 74
 nigrescens Gredler, 1873: 74 (*Pachyta*)
 nigritus Pic, 1891b: 6 (*Brachyta*)
 obscuratus G. Schmidt, 1958: 73
 pedemontanus K. Daniel & J. Daniel, 1898: 87 (*Brachyta*)
 reticulatus Fabricius, 1794: 453 (*Leptura*)
 semicinctus Drapiez, 1819a: 52 (*Leptura*)
 signatus Panzer, 1793a: 13 (*Leptura*)
 tricoloratus G. Schmidt, 1958: 77
 vesubiensis Pic, 1945b: 5

genus *Fallacia* Mulsant & Rey, 1863: 180 type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)

elegans Faldermann, 1837: 319 (*Grammoptera*) E: CT ST TR A: AB AR GG IN TR

inapicalis Pic, 1901e: 16

lederi Kraatz, 1879i: 280

longicollis Mulsant & Rey, 1863: 180

mingrellica Kraatz, 1879i: 279

subnotata Pic, 1901e: 16

genus *Gaurotina* Ganglbauer, 1889a: 49 type species *Gaurotina superba* Ganglbauer, 1889

flavimarginata Pu, 1992b: 617 (*Gaurotes*) A: SCH

labrangica Danilevsky & Rapuzzi, 1996: 10 A: GAN

nigroantennata L. Chen & Chiang, 2000: 31, 35 A: JIL TIA

nitida Gressitt, 1951a: 62 A: GAN SHA

piligera Pu, 1992b: 617 (*Gaurotes*) A: SCH

pulchra Holzschuh, 1991c: 8 A: SCH

sichotensis Danilevsky, 1988c: 372 A: FE

superba Ganglbauer, 1889a: 50 A: GAN SHA

genus *Gnathacmaeops* Linsley & Chemsak, 1972: 135 type species *Leptura pratensis* Laicharting, 1784

brachypterus K. Daniel & J. Daniel, 1898: 73 (*Acmaeops*) A: KI KZ XIN

pratensis Laicharting, 1784: 172 (*Leptura*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT LA LT MC MD NR NT PL

RO SK SL SP ST SV SZ YU UK A: AB AR ES FE GG KI KZ MG NMO SC UZ WS XIN NAR

lateralis Estlund, 1796: 127 (*Leptura*)

obscuripennis Pic, 1901: 24 (*Acmaeops*)

spretus Lentz, 1857: 147 (*Pachyta*)

suturalis Mulsant, 1839: 246 (*Pachyta*)

strigilatus Fabricius, 1793: 341 (*Leptura*)

ustulatus Motschulsky, 1860: 148 (*Pachyta*)

genus *Japanocorus* Danilevsky, 2012m: 919 type species *Toxotus caeruleipennis* Bates, 1873

caeruleipennis Bates, 1873: 193 (*Toxotus*) A: ~~CH~~ FE JA

galloisi K. Ohbayashi, 1961a: 16 (*Toxotus*)

genus *Lemula* Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a

brunneipennis Shimomura, 1979: 271 A: TAI

coerulea Gressitt, 1939b: 84 A: FUJ TAI ZHE

confusa Holzschuh, 2009: 268 A: FUJ

crucifera Shimomura, 1979: 274 A: TAI

cyanipennis Hayashi, 1974a: 3 A: TAI

decipiens Bates, 1884a: 212 A: FE JA

densepunctata Hayashi, 1974a: 4 A: TAI

fracta Holzschuh, 1998: 7 A: SCH

gorodinskii gorodinskii Holzschuh, 1999: 8 A: GAN

gorodinskii henanica Holzschuh, 2009: 269 A: HEN

inaequalicollis Pic, 1957: 75 A: FUJ TAI

lata Holzschuh, 2009: 270 A: HEN

japonica Tamanuki, 1938b: 166 (*Lemura*) A: JA TAI

longipennis Shimomura, 1979: 278 A: TAI

nishimurai Seki, 1944a: 25 A: JA

hiratai Hayashi, 1944: 23

obscuripennis Shimomura, 1979: 276 A: TAI

par Holzschuh, 1998: 6 A: YUN

pilifera Holzschuh, 1991c: 8 A: SCH

rufithorax Pic, 1901m: 57 A: JA

setigera Tamanuki & Mitono, 1939: 207 A: TAI

testaceipennis Gressitt, 1939b: 85 A: FUJ ZHE

viridipennis Holzschuh, 1993a: 7 A: GAN

genus *Macropidonia* Pic, 1901v: 339 type species *Macropidonia ruficollis* Pic, 1901

ruficollis Pic, 1901v: 340 A: JA JIL

genus *Pachyta* Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758

Argaleus LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)

Linsleyana Podany, 1964b: 43 type species *Pachyta armata* LeConte, 1873

Neopachyta Bedel, 1906: 93 [RN]

bicuneata Motschulsky, 1860b: 147 A: FE GAN HEI JIL NC SC SHA WS

bisbimaculata Pic, 1900f: 17
bisbinotata Pic, 1907b: 5 (*Neopachyta*)
incolumis Heyden, 1886d: 273
degener Semenov & Plavilstshikov, 1936: 399 A: NMO
erebia **Bates, 1884a**: 212 A: JA
kusamai Hayashi, 1955: 22
uenoi Makihara, 1995: 451
felix Holzschuh, 2007: 182 A: YUN
gorodinskii **Rapuzzi, 2013**: 466 A: QIN
lamed lamed Linnaeus, 1758: 391 (*Cerambyx*) E: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL
SV SZ UK A: ES FE GAN JA JIL MG NC NMO QIN SC SHA WS XIN
pedella DeGeer, 1775: 129 (*Leptura*)
spadicea Paykull, 1800: 103 (*Leptura*)
mediofasciata Pic, 1936d: 15 A: HEB JIL NMO QIN SHA
nigromarginalis Pic, 1939b: 2
subapicalis Pic, 1939b: 1
perlata Holzschuh, 1991a: 6 A: KA NP
quadrimaculata Linnaeus, 1758: 397 (*Leptura*) E: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD NT
PL RO SK SL SP ST SZ UK YU A: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN
basinotata **Roubal, 1937**: 81
bimaculata Schoenherr, 1817a: 489 (*Leptura*)
mulsanti Pic, 1945b: 5
timida Scopoli, 1763: 53 (*Cerambyx*)

genus *Pachytella* Heyrovský, 1969b: 226 type species *Pachytella mongolica* Heyrovský, 1969
churkini **Danilevsky, 2011**: 253 A: MG
mongolica Heyrovský, 1969b: 227 A: MG

genus *Paktoxotus* Holzschuh, 1974a: 84 type species *Paktoxotus pallidus* Holzschuh, 1974
pallidus Holzschuh, 1974a: 86 A: PA

genus *Paragaurotes* Plavilstshikov, 1921: 116 type species *Gaurotes ussuriensis* Blessig, 1873
doris doris **Bates, 1884a**: 212 A: JA SHA
amagisana K. Ohbayashi, 1956a: 7
doris suvorovi Semenov, 1914: 17 A: FE JA
ussuriensis Blessig, 1873: 247 A: ES FE HEB HEI JIL LIA NC SC
~~*donacioides* Kraatz, 1879d: 85 (*Aemacops*) [unavailable name]~~

genus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
subgenus *Cryptopidonia* Kuboki, 1981: 530 type species *Pidonia lyra* Kuboki & Suzuki, 1978
aenipennis aenipennis Gressitt, 1935e: 253 (*Pseudopidonia*) A: TAI
aenipennis continentalis Tippmann, 1955: 90 (*Pseudopidonia*) A: FUJ
albomaculata Matsushita, 1931c: 401 (*Pseudopidonia*) A: TAI
amentata amentata **Bates, 1884a**: 215 (*Grammoptera*) A: JA
breuningi Pic, 1955: 12 (*Pseudopidonia*)
staudingeri Pic, 1901c: 12 (*Pseudopidonia*)
amentata awashimana Kuboki, 1993c: 235 A: JA
amentata kurosawai K. Ohbayashi & Hayashi, 1960: 13 A: FE JA
anmashana Kuboki, 1993a: 33 A: TAI
approximata Kuboki, 1977b: 65 A: JA
chiaomui Kuboki, 1995b: 747 A: TAI
chui Chou, 1998: 434 A: TAI
dealbata Kuboki, 1981: 535 A: JA
fushani Kuboki, 1993a: 37 A: TAI
hamadryas Kuboki, 1977c: 268 A: JA
hayashii Koike, 1971: 25 A: JA
hohuanshana Chou, 1998: 438 A: TAI
hylophila affinis Kuboki, 1982b: 118 A: JA
hylophila hylophila Kuboki, 1977b: 67 A: JA
ohdaisana Mizuno, 1978: 39
insuturata Pic, 1901m: 59 A: JA
brevinotata Pic, 1902g: 24 (*Pseudopidonia*)
lyra Kuboki & Suzuki, 1978: 297 A: JA
masakii Hayashi, 1955: 28 A: JA
hiurai K. Ohbayashi & Hayashi, 1960: 15
lepesmei Pic, 1956b: 647 (*Pseudopidonia*)

miwai Matsushita, 1933b: 190 (*Pseudopidonia*) A: JA
nobuoi Chou, 2009: 110 A: GUX
pilushana S. Saito, 1979: 211 A: TAI
sadoensis Kuboki, 1993d: 261 A: JA
simillima K. Ohbayashi & Hayashi, 1960: 14 A: JA
subaenea Gressitt, 1935e: 254 (*Pseudopidonia*) A: JIL TAI
taipingshana Kuboki, 1995b: 753 A: TAI
takahashii Kuboki, 1983: 25 A: TAI
takakawai Chou, 2009: 113 A: GUX
yushana Chou & Wu, 2005: 403 A: TAI
subgenus *Mumon* Hayashi, 1968b: 15 type species *Grammoptera debilis* Kraatz, 1789
aegrota aegrota Bates, 1884a: 214 (*Grammoptera*) A: JA
aegrota kubokii Hayashi, 1984: 22 [RN] A: JA
spectabilis Kuboki, 1982b: 120 [HN]
aestivalis Kuboki, 1994a: 37 A: TAI
alsophila Kuboki, 1997a: 19 A: TAI
amabilis Kuboki, 1980: 58 A: TAI
binigrosignata Hayashi, 1974a: 5 A: TAI
chientsingi Kuboki, 1995a: 5 A: TAI
confusa S. Saito, 1980: 294 A: TAI
debilis Kraatz, 1879d: 104 (*Grammoptera*) A: FE HEI NC SC
formosana Tamanuki & Mitono, 1939: 208 A: SCH TAI
pudica Kuboki, 1994a: 33 A: TAI
sacrosancta Kuboki, 1995a: 9 A: TAI
telephia Kuboki, 1996b: 805 A: JA
subgenus *Omphalodera* Solsky, 1873: 244 type species *Omphalodera puziloi* Solsky, 1873
changi Hayashi, 1971: 3 A: SHA
diversenotata Pic, 1956b: 648 (*Pseudopidonia*) A: JA
heudei Gressitt, 1939b: 86 (*Pseudopidonia*) A: ZHE
puziloi Solsky, 1873: 245 (*Omphalodera*) A: FE HEI JA MG NC SC
flaviventris Bates, 1884a: 212 (*Omphalodera*)
testacea Matsushita, 1933b: 184 (*Omphalodera*) A: JA
warusawadakensis K. Ohbayashi, 1959: 1 A: JA
subgenus *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971
chujoi K. Ohbayashi & Hayashi, 1960: 13 A: JA
fujisana Obika & Kusama, 1971: 233 A: JA
oyamae Oyama, 1908: 19 (*Grammoptera*) A: JA
quadrimaculata Matsushita, 1933b: 192 (*Pseudopidonia*)
subgenus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
lurida Fabricius, 1793: 343 (*Leptura*) E: AU BE BH BU BY CR CZ EN FR GE GR HU IT LA LS LT MD PL RO SK SL SZ UK
YU
ganglbaueri Ormay, 1888: 168
notaticollis Pic, 1941d: 15
rufithorax Pic, 1902g: 23
~~*saturalis* Olivier, 1795: 33 [1797: 521] (*Leptura*) [not a new name]~~
subgenus *Pseudopidonia* Pic, 1900s: 81 type species *Pseudopidonia amurensis* Pic, 1900
alpina An & Kwon, 1991: 43 A: "Korea"
alticollis Kraatz, 1879d: 103 (*Grammoptera*) A: CH FE NC SC
rubricollis Pic, 1931f: 257 (*Pseudopidonia*)
rufiventris Plavilstshikov, 1932b: 87 (*Pseudopidonia*)
tristicula Kraatz, 1879d: 104 (*Grammoptera*)
amurensis Pic, 1900s: 81 (*Pseudopidonia*) A: FE JIL NC SC SHA
quelpartensis Hayashi, 1983: 32
unifasciata Plavilstshikov, 1915c: 106 (*Pseudopidonia*)
angustata Kuboki, 1994c: 185 A: TAI
armata Holzschuh, 1991c: 9 A: SCH
atripennis Hayashi, 1978a: 85 A: TAI
benesi Holzschuh, 1998: 15 A: SCH
bispina Holzschuh, 1998: 12 A: HUB
bivittata S. Saito, 1980: 291 A: TAI
bouvieri Pic, 1901v: 339 A: TAI
rufithorax Pic, 1956b: 647 (*Pseudopidonia*) [HN]
businskyorum Holzschuh, 1998: 13 A: HUB
chairo Tamanuki, 1942: 38 A: JA
chinensis Hayashi & Villiers, 1985a: 17 A: CH
compta Holzschuh, 1998: 16 A: GAN
cuprescens Holzschuh, 1991c: 10 A: SCH

dentipes Holzschuh, 1998: 8 A: SHA
deodara Kuboki, 1986: 63 A: TAI
determinata Holzschuh, 1998: 14 A: SCH
discoidalis Pic, 1901m: 58 A: JA
amagisanus Hayashi, 1953: 39
japonica Pic, 1953a: 14 (*Pseudopidonia*) [HN]
muneaka Hayashi, 1955: 26
tamanukii Hayashi, 1969b: 71
effracta Holzschuh, 1998: 17 A: SCH
elegans An & Kwon, 1991: 47 A: SC
exilis Holzschuh, 1991c: 13 A: SCH
falcata Kuboki, 1997b: 25 A: JA
flaccidissima Kuboki, 1994c: 181 A: TAI
formosissima Kuboki, 1980: 55 A: TAI
foveolata Holzschuh, 1998: 17 A: YUN
frivola Holzschuh, 1998: 14 A: SCH
fumaria Holzschuh, 2003a: 155 A: SCH
gibbicollis Blessig, 1873: 258 (*Leptura*) A: FE HEI JA JIL NC SC
marginata Pic, 1931f: 258 (*Pseudopidonia*)
gloriosa Kuboki, 1993b: 155 A: TAI
gorodinskii Holzschuh, 1998: 13 A: GAN
grallatrix Bates, 1884a: 214 (*Grammoptera*) A: JA
harmandi Pic, 1901m: 58
hamifera Holzschuh, 1998: 10 A: SHA
hayakawai Kuboki, 2001: 23 A: JA
himehana S. Saito, 1992: 12 A: JA
ignobilis Holzschuh, 1991c: 14 A: SCH
indigna Holzschuh, 1991c: 12 A: SCH
infuscata Gressitt, 1939b: 88 (*Pseudopidonia*) A: FUJ ZHE
jasha S. Saito & A. Saito, 1989: 194 A: JA
kanwonensis Danilevsky, 1993d: 111 A: NC
kyushuensis Yamawaki, 1959: 85 A: JA
leucanthophila Kuboki, 1978a: 33 A: JA
limbaticollis limbaticollis Pic, 1902g: 27 (*Pseudopidonia*) A: JA
naganoensis Pic, 1956b: 648 (*Pseudopidonia*)
nikkokensis K. Ohbayashi & Hayashi, 1957: 7
limbaticollis ohbayashii Matsushita, 1933b: 191 (*Pseudopidonia*) A: JA
tokugoana Matsushita, 1933b: 194 (*Pseudopidonia*)
limbaticollis stephani Hayashi, 1982: 152 [RN] A: JA
breuningi K. Ohbayashi & Hayashi, 1957: 5 [HN]
longipalpis Kuboki, 1985: 115 A: TAI
longipennis An & Kwon, 1991: 50 A: SC
lucida Holzschuh, 1991c: 15 A: SCH
ludmilae Holzschuh, 1998: 12 A: HUB
luridaria Holzschuh, 1998: 16 A: SCH
maai Gressitt, 1951a: 73 A: FUJ
maculithorax Pic, 1901v: 338 A: JA SC
lineatocollis Pic, 1902g: 24
trilineata Pic, 1954a: 3 (*Pseudopidonia*)
major S. Saito, 1979: 214 A: TAI
malthinoides Kraatz, 1879d: 104 (*Grammoptera*) A: FE NC SC
koreana An & Kwon, 1991: 49
quercus Tsherepanov, 1975b: 38 (*Pseudopidonia*)
matsushitai K. Ohbayashi, 1958d: 62 [RN] A: JA
ruficollis Matsushita, 1933b: 193 (*Pseudopidonia*) [HN]
maura Danilevsky, 1996b: 19 A: SC
meridionalis Kuboki, 1978b: 85 A: TAI
michinokuensis Hayashi, 1981b: 28 [RN] A: JA
japonica K. Ohbayashi & Hayashi, 1960: 15 [HN]
satoi K. Ohbayashi & Hayashi, 1960: 16
misenina S. Saito & A. Saito, 1992: 19 A: JA
mitis Holzschuh, 1992: 8 A: SCH
modesta Kuboki, 1997c: 421 A: JA
mutata Bates, 1884a: 215 (*Grammoptera*) A: JA
shikokensis K. Ohbayashi & Hayashi, 1957: 6 [HN]
shikokuana Hayashi, 1968b: 53 [RN]
neglecta hizena Imasaka & Amano, 2001: 337 A: JA (Western Kyushu)

neglecta neglecta Kuboki, 1982a: 7 A: JA (Kyushu)
obfuscata Holzschuh, 1991c: 14 A: SCH
obscurior hakusana K. Ohbayashi & Hayashi, 1960: 14 A: JA
 yokoyamai Hayashi, 1968b: 34
obscurior obscurior Pic, 1901v: 338 A: JA
 bisignata Pic, 1935d: 12 (*Pseudopidonia*)
 nagayamai Hayashi, 1968b: 37
occipitalis Gressitt, 1935e: 255 (*Pseudopidonia*) A: TAI
oculata Matsushita, 1933b: 191 A: JA
ohminesana Mizuno, 1987: 111 A: JA
orientalis Matsushita, 1933a: 103 A: JA
orophila Holzschuh, 1991a: 6 A: YUN
palleola Holzschuh, 1991c: 11 A: SCH
pallida K. Ohbayashi & Hayashi, 1960: 14 A: JA
pallidicolor Hayashi, 1983: 31 A: JA
palligera Holzschuh, 1995: 8 A: YUN
paradisicola Kuboki, 1977a: 31 A: TAI
pauperula Holzschuh, 1999: 8 A: SCH
picta Ganglbauer, 1889a: 51 A: GAN NMO
propinqua Danilevsky, 1993e: 477 A: NC
pullata Holzschuh, 1998: 11 A: HUB
qinlingana Holzschuh, 1998: 11 A: SHA
rutila Holzschuh, 1998: 9 A: HUB
semiobscura Pic, 1901v: 338 A: FE JA
 nipponensis Matsushita, 1933b: 190
 rufoscutellata Matsushita, 1933b: 192 (*Pseudopidonia*)
serosa Holzschuh, 1991c: 11 A: SCH
sertata Holzschuh, 1998: 18 A: SCH
seungmoi An & Kwon, 1991: 51 A: SC
shikokensis amanoi Hayashi, 1969b: 71 A: JA
shikokensis shikokensis Chûjô & Hayashi, 1951: 4 A: JA
sichuanica Holzschuh, 1992: 7 A: SCH
signata Matsushita, 1933b: 185 A: JA
signifera Bates, 1884a: 215 (*Grammoptera*) A: JA
similis Kraatz, 1879d: 102 (*Grammoptera*) A: FE HEI JIL NC SC
 rosti Pic, 1954a: 3 (*Pseudopidonia*)
 subobliterata Pic, 1954a: 3 (*Pseudopidonia*)
sororia Holzschuh, 1992: 6 A: SCH
straminea Holzschuh, 1992: 6 A: SCH
submetallica Hayashi, 1974a: 6 A: TAI
subsuturalis Plavilstshikov, 1915c: 107 (*Pseudopidonia*) A: JIL
suvorovi Baeckmann, 1903a: 115 A: FE NC SC
suzukii Kuboki, 1983: 113 A: JA
sylvicola Kuboki, 1977c: 264 A: JA
takechii Kuboki, 1986: 297 A: JA
tsukamotoi Mizuno, 1978: 39 A: JA
tsushimana S. Saito & A. Saito, 1988: 120 A: JA
tsutsuii Kuboki, 1996a: 368 A: JA
tsuyukii Kuboki, 1994b: 132 A: JA
weolseonae An & Kwon, 1991: 55 A: SC
yamato Hayashi & Mizuno, 1953: 38 A: JA JIL
 higeshiro Yamawaki, 1977: 61

genus *Pseudodinoptera* Pic, 1900s: 82 type species *Acmaeops daghestanicus* Pic, 1897
daghestanica Pic, 1897o: 262 (*Acmaeops*) E: ST

genus *Pseudogaurotina* Plavilstshikov, 1958b: 722 type species *Gaurotes splendens* Jakovlev, 1893
splendens Jakovlev, 1893: 444 (*Gaurotes*) A: ES ?MG
magnifica Plavilstshikov, 1958b: 720 (*Gaurotes*) A: FE
excellens Brancsik, 1874: 230 (*Pachyta*) E: PL RO SK UK
robertae Pesarini & Sabbadini, 1997: 99 A: SCH

genus *Pseudosieversia* Pic, 1902f: 19 type species *Pidonia rufa* Kraatz, 1879
Macrorhabdium Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)
japonica amanoi Hayashi, 1971: 2 A: JA
japonica japonica K. Ohbayashi, 1937: 5 (*Microrhabdium*) A: JA

japonica shikokensis Hayashi, 1959b: 55 A: JA
rufa Kraatz, 1879d: 101 (*Pidonia*) A: FE JIL NC SC
bicolor Heyden, 1886d: 276 (*Pidonia*)
coreana Matsushita, 1934b: 539 [HN]
coreana Okamoto, 1927: 67 (*Sieversia*)
matsushitai Tamanuki, 1943: 18 [RN]
ruficollis Plavilstshikov, 1915c: 104 (*Macrorhabdium*)
spectabilis Kraatz, 1879h: 228 (*Pidonia*)

genus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758

subgenus *Hagrium* Villiers, 1978: 85 type species *Rhagium bifasciatum* Fabricius, 1775

bifasciatum Fabricius, 1775: 183 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD
NL NR PL PT RO SK SL SP ST SZ TR UK YU A: AB AR GG IN TR

anglicum Gmelin, 1790: 1844 (*Cerambyx*)
bicolor Olivier, 1795: 16 (*Stenocorus*) [69th genus]
bimaculatum Marsham, 1802: 343 (*Leptura*)
bistrinotatum Pic, 1914c: 3
deyrollei Pic, 1909b: 123
ecoffeti Mulsant, 1839: 222
fasciatum Pic, 1910d: 19
gravei Hubenthal, 1902: 291
infasciatum Pic, 1910d: 18
latefasciatum Pic, 1891b: 2
lituratum Fügner, 1891: 201 (*Stenocorus*)
maculatum Goeze, 1777: 462 (*Cerambyx*)
medionotatum Pic, 1910d: 20
nigrolineatum Donovan, 1801: 73 (*Leptura*)
ornatum Fabricius, 1775: 183
parisinum Geoffroy, 1785: 85 (*Stenocorus*)
rufum Pic, 1910d: 19

— *sudetica* Plavilstshikov, 1915a: 46

unifasciatum Mulsant, 1839: 222

subgenus *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781

caucasicum caucasicum Reitter, 1889e: 287 ?E: ?ST A: AB AR GG TR

caucasicum semicorne Holzschuh, 1974b: 118 A: AB IN

elmaliense Schmid, 1999: 157 A: TR

fasciculatum Faldermann, 1837: 304 E: ST A: AB AR GG TR

rufipes Motschulsky, 1838: 184

iranum Heller, 1940: 842 A: IN

mordax DeGeer, 1775: 124 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC
MD ME NL NR NT PL RO SK SL SP ST SV SZ UK YU A: ES KZ WS

altajense Podaný, 1964a: 15

bifasciatum Schrank, 1781a: 137 (*Leptura*) [HN]

klenkai Pic, 1915e: 4

linnei Laicharting, 1784: 122

morvandicum Pic, 1927e: 10

subdilatum Pic, 1917g: 3

vulgare Samouelle, 1819: 210

pruinatum Pesarini & Sabbadini, 2011: 42 E: GR

pygmaeum Ganglbauer, 1882: 718 A: AB IN

pygmaeum Ganglbauer, 1886d: 234 (*Stenocorus*)

rosti Pic, 1898b: 18

sycophanta Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT MC MD
NL PL PT RO SK SL SP ST SV SZ TR UK YU A: WS

cephalotes Mulsant, 1839: 224

grandiceps C. G. Thomson, 1866: 50

scrutator Olivier, 1795: 10 (*Stenocorus*)

syriacum phrygium K. Daniel, 1906b: 176 A: TR

syriacum syriacum Pic, 1892s: cxi [= 1893d: 414] A: SY TR

subgenus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758

Allorhagium Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758

Allorhagium Semenov, 1898: 601 [unjustified emendation]

Hagrium Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758

femorale N. Ohbayashi, 1994: 175 A: JA

fortecostatum Jureček, 1933: 129 A: SCH YUN

heyrovskiyi hayakawai Takakuwa, 1984: 9 A: JA

heyrovskiyi heyrovskiyi Podaný, 1964a: 28 A: JA

inquisitor cedri Reymond, 1953: 201 E: SP N: MO

inquisitor fortipes Reitter, 1898e: 357 A: TR

inquisitor inquisitor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA

LS LT MD NE NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: ES KZ MG TR WS

exile Gmelin, 1790: 1844 (*Cerambyx*)

indagator Fabricius, 1787: 145

iberonis Ericson, 1916: 240

investigator Mulsant, 1839: 227

minutum Fabricius, 1787: 146

nubecula Bergsträsser, 1778: 26 (*Cerambyx*)

~~*sudeticum* Plavilstshikov, 1915a: 35~~

inquisitor rugipenne Reitter, 1898e: 357 A: ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE

sibiricum Pic, 1905a: 5

inquisitor schtschukini Semenov, 1898: 601 E: ST A: AB AR GG TR

minimum Podaný, 1964a: 19

stschukini Plavilstshikov, 1927: 6 [unjustified emendation]

stshukini Plavilstshikov, 1915a: 35 [unjustified emendation]

japonicum Bates, 1884a: 209 A: FE JA

morrisonense Kano, 1933a: 262 A: TAI

pseudojaponicum Podaný, 1964a: 25 A: JA (Tsushima) SC

qinghaiense L. Chen & Chiang, 2000: 32, 36 A: QIN

sinense Fairmaire, 1900: 638 (*Hargium*) A: HEB SCH

genus *Rhondia* Gahan, 1906a: 79 type species *Leptura pugnax* Dohrn, 1878

Fairmairia Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889

Rhondiomorpha Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931

attelaboides Pesarini & Sabbadini, 1997: 101 A: YUN

bicoloripes Pic, 1957: 75 A: FUJ

bispinosa Holzschuh, 1998: 7 A: SCH

formosa Matsushita, 1931c: 400 A: TAI

cyanea Tamanuki & Mitono, 1939: 207

fragosa Holzschuh, 1998: 8 A: HUB

maculithorax Pu, 1992b: 618 A: SCH

hubeiensis W.-K. Wang & S.-N. Jiang, 1994: 192

oxyoma Fairmaire, 1889a: 58 (*Pachyta*) A: SCH

placida Heller, 1923b: 72 A: HUB SCH SHA

pugnax Dohrn, 1878: 459 (*Leptura*) A: GUA SCH "North India" **ORR**

genus *Sinopidonia* Holzschuh, 1999: 9 type species *Sinopidonia splendida* Holzschuh, 1999

splendida Holzschuh, 1999: 9 A: SCH

genus *Sivana* E. Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887

Sieversia Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887

bicolor Ganglbauer, 1887a: 134 (*Sieversia*) A: FE HEB LIA NC SC

genus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758

subgenus *Anisorus* Mulsant, 1862: 467 type species *Cerambyx quercus* Götze, 1783

brunnescens Holzschuh, 1991a: 5 (*Anisorus*) A: TR

heterocerus Ganglbauer, 1882: 139 (*Toxotus*) A: SY TR

nigripennis Pic, 1896f: 141 (*Anisorus*)

homocerus K. Daniel, 1900: 139 (*Toxotus*) A: TR

quercus aureopubens Pic, 1908b: 2 (*Stenochorus*) A: AB AR GG IN TR

aureopubescens Pic, 1912a: 26 [unnecessary RN]

quercus quercus Götze, 1783: 74 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE FR GE GR HU IT MC MD PL RO SK SL SP ST

SZ UK YU A: ES MG TR WS

bajus Schrank, 1798: 692 (*Leptura*)

discolor Fleischer, 1887a: 237 (*Toxotus*)

dispar Panzer, 1794a: 2

humeralis Fabricius, 1787: 158 (*Leptura*) [HN]

magdalenae Pic, 1891b: 4 (*Toxotus*)

punctipennis Reitter, 1914b: 178 (*Stenochorus*)

unicolor Fleischer, 1887b: 272 (*Toxotus*) [unnecessary RN]

subgenus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758

Endemus Gistel, 1848a: xi [unnecessary RN]

Minaderus Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758

Toxotus Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758

~~*Toxotopsis* Casey, 1913: 206 type species *Leptura cinnamoptera* Randall, 1838~~

amurensis Kraatz, 1879d: 100 (*Toxotus*) A: FE HEI JIL NC SC

diversipennis Pic, 1915e: 4 (*Stenochorus*)

lateobscurus Pic, 1904d: 13

obscurissimus Pic, 1900f: 15 (*Toxotus*) ["sous variété"]

sachalinensis Matsumura, 1911a: 133 (*Toxotus*)

auricomus Reitter, 1890f: 250 (*Toxotus*) A: TR
biformis Tourmier, 1872: 342 (*Toxotus*) A: GG
fuscodorsalis L. Chen & Chiang, 1996: 189, 191 A: JIL
gorodinski Holzschuh, 1999: 7 A: GAN
insitivus insitivus Germar, 1824: 520 (*Leptura*) E: ST UK A: AB AR GG IN TR
brevevittatus Pic, 1945b: 5 (*Stenochorus*)
?latus 1892s: cxi [= 1893d: 414] (*Toxotus*)
lividipennis Pic, 1945b: 5 (*Stenochorus*)
nigriventris Pic, 1908b: 2 (*Toxotus*)
?obscuripennis Pic, 1900f: 15 (*Toxotus*) ["sous variété"]
rubriventris Pic, 1915e: 4 (*Stenochorus*)
insitivus persicus Faldermann, 1837: 307 (*Toxotus*) A: AB IN
bicoloratus Pic, 1915e: 4
lepturoides Reitter, 1914b: 181 (*Stenochorus*) A: FE NE
longevittatus Fairmaire, 1887c: 329 A: HEB QIN SHA SHX
meridianus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES KZ WS
bilineatus Pic, 1908i: 58 (*Stenochorus*)
brevilineatus Pic, 1941e: 5
brevesignatus Pic, 1941e: 5
cantharinus Herbst, 1784: 93 (*Rhagium*)
chrysogaster Schrank, 1781: 132 (*Cerambyx*)
geniculatus Geoffroy, 1785: 86
glabratus Latreille, 1804a: 311 (*Leptura*)
grandis Poda von Neuhaus, 1761: 38 (*Leptura*)
lacordairei Ganglbauer, 1882a (1882b): 715 (37) [unjustified emendation]
lacordairii Pascoe, 1867d: lxxxiv (*Toxotus*)
laevis Olivier, 1795: 21
luteolus L. Petagna, 1819: 37
postsignatus Pic, 1941a: 13
ruficrus Scopoli, 1763: 48 (*Leptura*)
rufiventris Marsham, 1802: 341 (*Leptura*)
sericeus Olivier, 1795: 20
splendens Laicharting, 137 (*Leptura*)
minutus Gebler, 1841a: 375 (*Toxotus*) A: KZ MG WS
obscuripes Pic, 1901e: 15 (*Toxotus*)
tataricus Gebler, 1841a: 375 (*Toxotus*)
schizotarsus L. Chen & Chiang, 2002: 125, 127 A: GAN
serratus Holzschuh, 1974a: 86 A: TR
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [prevailing usage] A: KZ XIN
obliquus Motschulsky, 1845a: 86 (*Toxotus*)
suvorovi Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]
suworowi Reitter, 1907a: 208 (*Toxotus*)
turkestanicus Ganglbauer, 1889b: 280 (*Toxotus*)
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [original spelling]
vittidorsum Reitter, 1890f: 250 (*Toxotus*) A: AB AR GG TR
obscurior Pic, 1900f: 15 (*Toxotus*) ["sous variété"]
subgenus *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900)
validicornis karatauensis Danilevsky, 2012m: 920 A: KZ
validicornis mediocris Danilevsky, 2012m: 920 A: KZ UZ KI
validicornis univittatus Reitter, 1914b: 183 A: KZ KI
validicornis validicornis Pic, 1900f: 16 (*Toxotus*) A: KI UZ
alaiensis Pic, 1906b: 6 (*Toxotus*)

genus *Taiwanocarilia* Hayashi, 1983: 30 type species *Gaurotes ater* Tamanuki, 1942
atra Tamanuki, 1942: 214 (*Gaurotes*) A: TAI

genus *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)
reinii Heyden, 1879 359 (*Toxotus*) A: JA
longicornis Bates, 1884a: 213
nikkoensis Matsushita, 1933b: 175

tribe *Rhamnusiini* Danilevsky in Althoff & Danilevsky, 1997
genus *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976
rugosipenne Pic, 1939b: 2 (*Rhamnusium*) A: SHX
taiwanum Hayashi & Ando, 1976: 2 A: TAI

genus *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)
algericum Pic, 1896e: 102 N: AG TU

nigrum Pic, 1906: 27
testaceum Pic, 1896a: 30
bicolor bicolor Schrank, 1781a: 132 (*Cerambyx*) E: AL AU BE BH BU CR CZ EN FI FR GE GR HU IT LU MC MD NL NT PL
 RO SK SL SP SZ UK YU
~~*ambustum* Heyden, 1877a: 394~~
atripenne Bedel, 1897: 43
aubei Pic, 1929b: 9
capitale Pic, 1898a: 2
etruscum Rossi, 1790: 149 (*Rhagium*)
glaucopertum Schaller, 1783: 284 (*Cerambyx*)
gracilicorne Théry, 1895: cclxv
humerale Bedel, 1897: 43
inapicale Pic, 1901h: 31
rubroviolaceum Geoffroy, 1785: 86 (*Cerambyx*)
ruficolle Herbst, 1784: 92 (*Stenocorus*)
rufotestaceum Pic, 1913c: 138
salicis Fabricius, 1787: 154 (*Callidium*)
schrankii Laicharting, 1784: 118 (*Rhagium*)
bicolor constans Danilevsky, 2012e: 48 E: BY CT EN FI KZ LA LT NT ST UK A: KZ
bicolor demaggi Tippmann, 1956: 484 E: IT
bicolor graecum Schaufuss, 1862: 311 E: GR
limbatum Pic, 1897c: 30
bicolor italicum G. Müller, 1966: 4 E: IT
bicolor lenkoranum Danilevsky, 2012e: 53 A: AB AR IN
bicolor juglandis Fairmaire, 1866b: 276 A: TR
anatolicum Pic, 1901a: 10
delagranei Pic, 1901a: 10
geniculatum Pic, 1901a: 10
obscuripes Pic, 1903p: 163
rufotibiale Pic, 1917g: 3
bicolor praeustum Reitter, 1895a: 85 A: SY TR
bicolor testaceipenne Pic, 1897p: 299 E: ST A: AR GG TR
mesmini Pic, 1931c: 6

tribe Sachalinobiini Danilevsky, 2010

genus *Sachalinobia* Jakobson, 1899b: 39 type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)
Pseudopachyta Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis* Newman, 1844
koltzei Heyden, 1887c: 304 (*Brachyta*) A: ES FE GUA JA LIA NMO SC
relata Jakobson, 1899b: 40

tribe Teledapini Pascoe, 1871

genus *Teledapalpus* Miroshnikov, 2000a: 38 type species: *Teledapalpus murzini* Miroshnikov, 2000
cremarius Holzschuh, 1999: 6 (*Teledapus*) A: SHA
hospes Holzschuh, 1999: 6 (*Teledapus*) A: GAN SCH
murzini Miroshnikov, 2000a: 41 A: SCH
zamotajlovi Miroshnikov, 2000a: 41 A: SCH
zlotichini Miroshnikov, 2000a: 41 A: SHA

genus *Teledapus* Pascoe, 1871: 268 type species *Teledapus dorcadioides* Pascoe, 1871
celsicola Holzschuh, 1999: 5 A: XIZ
dorcadioides Pascoe, 1871: 269 A: UP
ocularis Holzschuh, 1981: 94 A: PA
picatus Holzschuh, 2003a: 149 A: SCH
pilosellus Holzschuh, 2007: 181 A: SCH
querceti Holzschuh, 2007: 180 A: UP

tribe Xylosteini Reitter, 1913

genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6 type species *Encyclops x-signata* Chiang, 1981
x-signata Chiang, 1981: 78 (*Encyclops*) A: HUN SCH

genus *Leptorhabdium* Kraatz, 1879e: 118 type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)
Leptorhabdium Ganglbauer, 1882: 686 [unjustified emendation]
Psilorhabdium Kraatz, 1879e: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879
caucasicum Kraatz, 1879e: 118 (*Psilorhabdium*) E: ST A: AB AR GG TR
illyricum Kraatz, 1871d: 415 (*Xylosteus*) E: AL BH CR GR MC SL YU
gracile Kraatz, 1873b: 202 (*Xylosteus*)
lividipenne Pic, 1906b: 4

nitidum Holzschuh, 1974a: 83 E: GR MC

genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283 type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986

bangzhui N. Ohbayashi & W.-K. Wang, 2004: 452 A: HEN HUB [Bi et N. Ohbayashi, 2014]

wenhsini Bi et N. Ohbayashi, 2014: 14 A: HAI

genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288 type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986

kurosawai N. Ohbayashi & Shimomura, 1986: 288 A: SD

motuoensis Bi et N. Ohbayashi, 2014: 11 A: XIZ

yadongensis Bi et N. Ohbayashi, 2014: 10 A: XIZ

genus *Peithona* Gahan, 1906a: 71 type species *Peithona prionoides* Gahan, 1906

prionoides Gahan, 1906a: 72 A: FUJ GUA SD TAI ORR

genus *Xylosteus* Frivaldszky von Frivald, 1837: 180 type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837

bartoni Obenberger & Mañan, 1933: 131 [RN] E: BU GR MC

merkli Pic, 1913c: 178 [HN]

caucasicola Plavilstshikov, 1936: 496 E: ST A: GG TR (Artvin)

kadleci Miroshnikov, 2000a: 38 A: TR

spinolae Frivaldszky von Frivald, 1837: 180 E: AU BH BU CR IT MC RO SL TR YU

merkli Pic, 1910h: 66

rufiventris Germar, 1845: 16 (*Rhagium*)

subfamily **Necydalinae** Latreille, 1825

genus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758

subgenus *Eonecydalis* Ohbayashi, 1961: 17 type species *Necydalis formosana* Kano, 1933

bicolor Pu, 1992a: 221 A: GUX

formosana formosana Kano, 1933a: 270 A: TAI

formosana niimurai Hayashi, 1949b: 14 A: JA

matsudai Hayashi, 1949b: 16

maculipennis Pu, 1992a: 221 A: XIZ

subgenus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758

Gymnopterion Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758

~~—*Necydalis* Gistel, 1856: 376 type species *Necydalis major* Linnaeus, 1758~~

choui Niisato, 2004: 430 A: GUX

christinae Rapuzzi & Sama, 2014a: 2 A: TR

esakii Miwa & Mitono, 1937: 161 A: TAI

fujianensis Niisato & Pu, 1998: 446 A: FUJ

gigantea akiyamae Hayashi, 1978a: 87 A: JA

gigantea gigantea Kano, 1933a: 271 A: FE JA

marginalis K. Ohbayashi, 1948: 14

hirayamae flava Niisato, 2008a: 261 A: YUN

hirayamae hirayamae K. Ohbayashi, 1948: 13 A: TAI

hirayamae rufa Niisato, 2008a: 261 A: YUN

inermis Pu, 1992a: 221 A: GAN QIN

lateralis Pic, 1939b: 2 A: BEI HEB

major Linnaeus, 1758: 421 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NL NR NT PL RO

SK SP ST SV SZ UK YU A: AB GG ES FE ?IN JA KZ MG NC WS XIN

abbreviata Fabricius, 1775: 199 (*Leptura*)

aino Kusama, 1974: 54

altaica Pic, 1941b: 2

duponti Mulsant, 1839: 299 (*Molorchus*)

ichneumonea DeGeer, 1775: 148

majus Schrank, 1798: 688 (*Gymnopterion*)

populi Büttner, 1818: 245 (*Molorchus*)

rufiventris Pic, 1941b: 2

salicis Mulsant, 1839: 112

subnotata Pic, 1941b: 1

xantha Semenov, 1899b: 132

marginipennis Gressitt, 1948a: 47 A: SCH

mizunumai Kusama, 1974: 51 A: TAI

moriyai Kusama, 1970: 73 A: JA

nanshanensis Kusama, 1974: 52 A: TAI

niisatoi Holzschuh, 2003a: 167 A: SCH YUN

rufiabdominis S.-C. Chen, 1991: 345 A: HUB

sabatinellii Sama, 1994a: 10 A: TR
sericella Ganglbauer, 1889a: 46 A: SCH XIZ
shinborii hainana Niisato & Yagi, 2005: 143 A: HAI
sirexoides Reitter, 1902a: 82 A: IN
siricoides Semenov, 1902: 287 [unjustified emendation]
strnadi Holzschuh, 1989a: 156 A: GUA HAI **ORR**
nigra Pu, 1992a: 220
similis Pu, 1992a: 220
uenoi Niisato, 2004: 425 A: SCH
ulmi Chevrolat, 1838: **76** (*Molorchus*) [NP] E: AU BH BU BY CR CZ FR GE GR HU IT LA LT MC MD PL RO SK SP ST SZ TR
UK YU A: AB AR GG ?IN TR
annulata L. Petagna, 1819: 19 (*Molorchus*) [NO]
mesembrina Plavilstshikov, 1936: 467
hadullai Szallies, 1994: 260
panzeri Harold, 1876c: 174
yakushimensis Kusama, 1975: 22 [RN] A: JA
brevicornis Yokoyama, 1971: 93 [HN]
subgenus *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)
harmandi Pic, 1901v: 340 A: JA
indica Pic, 1912d: 19 A: PA
indicola Gardner, 1941: 57 [RN] A: UP
indica Gardner, 1936: 128 [HN]
kucerai Niisato, 2007a: 20, 23 A: UP
oblonga Niisato, 2008a: 257 A: YUN
odai Hayashi, 1951b: 76 A: JA
nepalensis Niisato & Weigel, 2006: 491 A: NP
pennata Lewis, 1879b: 464 A: FE JA NC NE SC
ebenina Bates, 1884a: 225
ea Plavilstshikov, 1936: 470
morio Kraatz, 1879d: 106
pacifica Plavilstshikov, 1936: 472
semenovi Plavilstshikov, 1936: 475
ussuriensis Plavilstshikov, 1936: 473
sachalinensis Matsumura & Tamanuki, 1927: 176 A: FE JA SC
solida Bates, 1884a: 225 A: JA
galloisi Matsumura & Tamanuki, 1927: 176
nikkoensis Matsumura & Tamanuki, 1927: 175
towadensis Matsumura & Tamanuki, 1927: 176
genus *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854
vacca Holzschuh, 1982a: 65 A: BT SCH SHA YUN XIZ [see: Lin & Tichý, 2014]
fulvus Pu, 1988: 303 [see: Lin & Tichý, 2014]

subfamily Spondylidinae Audinet-Serville, 1832

tribe Anisarthrini Mamaev & Danilevsky, 1973

genus *Anisarthron* Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781

Falsanoeme Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971

barbipes Schrank, 1781a: 148 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SZ UK YU

cyrus Villiers, 1971: 154 (*Falsanoeme*) A: AB IN

genus *Alocerus* Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiicum* Frivaldszky von Frivald, 1837)

Cyamophthalmus Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiicum* Frivaldszky von Frivald, 1837)

marcoi Sama, 1987: 46 N: MO

moesiicum Frivaldszky von Frivald, 1837: 177 (*Callidium*) E: BH BU CR GR ITi MC PT SP TR N AG MO TU A: CY IN IQ IS JO LE SY TR

ferrugineus Kraatz, 1863: 100 (*Cyamophthalmus*)

fulvus Mulsant, 1862: 128

nitidus Fairmaire, 1864b: 340 (*Cyamophthalmus*)

syriacus Chevrolat, 1882: 59 (*Smodicum*)

genus *Schurmannia* Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979

sicula Sama, 1979a: 369 E: IT (Sicilia)

tribe Asemini J. Thomson, 1861

genus *Arhopalus* Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758

Criocephalus Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758

Criocephalum Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758

Hylescopus Gistel, 1856: 376 [unnecessary substitute name]
angustus Gressitt, 1951a: 36 A: JIA SHA
biarcuatus Pu, 1981: 427 A: XIZ
brunneus Gardner, 1942: 67 (*Criocephalus*) A: UP
cavatus Pu, 1981: 428 A: XIZ
coreanus Sharp, 1905a: 153 (*Criocephalus*) A: JA NC NE SC
deceptor Sharp, 1905a: 151 (*Criocephalus*) A: XIZ
exoticus Sharp, 1905a: 159 (*Criocephalus*) A: NP SHA TAI YUN **ORR**
ferus Mulsant, 1839: 64 (*Criocephalus*) E: AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MA MC
MD NL NT PL PT RO SK SL SP ST SV SZ UK N: AG MO MR TU A: AB AR ES CY FE GG IS JO KZ **NO NE SY** TR WS

AUSi

dichrous Mandl, 1972: 159
epibatus Schiödtte, 1864: 521 (*Criocephalum*)
polonicus Motschulsky, 1845a: 88 (*Criocephalum*)
foveatus Chiang, 1963: 64 A: FUJ XIZ YUN
pinetorum Wollaston, 1863: 103 N: CI
rusticus *rusticus* Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS
LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ **TR** UK A: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI HUB **IN**
JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN TR WS YUN ZHE N: MO **AUSi NTRi**
coriaceus Motschulsky, 1845a: 89 (*Criocephalum*)
lugubris Gmelin, 1790: 1847 (*Cerambyx*)
hispanicus Sharp, 1905a: 157 (*Criocephalus*)
pachymerus Mulsant, 1839: 64 (*Criocephalus*)
tristis Fabricius, 1787: 154 (*Callidium*)
tibetanus Sharp, 1905a: 159 (*Criocephalus*) A: NP PA XIZ
tobirensis Hayashi, 1968a: 20 A: JA

genus Asemum Eschscholtz, 1830: 66 type species *Cerambyx striatus* Linnaeus, 1758

Liasemum Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873
Onychoplectes Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758

arisanum Kano, 1930: 42 A: TAI
lucidulum Pesarini & Sabbadini, 1997: 99 A: SCH
punctulatum Blessig, 1872: 182 A: FE HEI JA SC XIN
striatum Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MD NL NR NT PL RO SK SL SP ST SV SZ UK A: AB AR ES FE GG HEI JA JIL KI KZ MG NC NMO SC WS TR XIN ZHE
NAR NTR

agreste Fabricius, 1787: 152 (*Callidium*)

amputatum Casey, 1912: 259

amurense Kraatz, 1879d: 97

atrum Eschscholtz, 1830: 66

brevicorne Casey, 1912: 261

brunneum Haldeman, 1847: 35

buprestoides Savenius, 1825: 64 (*Callidium*)

carolinum Casey, 1924: 227

costulatum Casey, 1912: 260

curtipenne Casey, 1912: 258

dichroum Gmelin, 1790: 1846 (*Cerambyx*)

ebenum Casey, 1912: 258

fulvipenne Casey, 1912: 260

fuscum Haldeman, 1847: 36

gracilicorne Casey, 1912: 258

japonicum Matsushita, 1933b: 235

juvencum Haldeman, 1847: 36

limbatipenne Pic, 1916a: 10

moestum Haldeman, 1847: 35

obsoletum Haldeman, 1847: 35

parvicorne Casey, 1912: 260

pugetanum Casey, 1912: 261

stocktonense Casey, 1924: 227

substriatum Haldeman, 1847: 36

subsulcatum Motschulsky, 1860b: 152

tomentosum Plavilstshikov, 1915c: 108

theresae Pic, 1945b: 6

tenuicorne *tenuicorne* Kraatz, 1879d: 97 E: GR IT SP ST SV (Gotska Sandön) UK A: ?GG ?TR

tenuicorne claricostulatum Özdikmen & Aytar, 2012c: 1253 A: TR

— *semilividum* Pic, 1893d: 417

genus Cephalallus Sharp, 1905a: 148 type species *Cephalallus oberthueri* Sharp, 1905
oberthueri Sharp, 1905a: 148 A: FUJ GUX HUB JIX TAI XIZ YUN

ryukyuensis Makihara, 2003: 353 A: JA (Ryukyus)

unicolor Gahan, 1906a: 97 (*Criocephalus*) A: FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI YUN
ZHE **ORR**

projectus Okamoto, 1927: 63 (*Megasemum*)

sharpi Reitter, 1913a: 43 (*Megasemum*)

genus *Cephalocrius* Sharp, 1905a: 148 type species *Criocephalus syriacus* Reitter, 1895

syriacus Reitter, 1895a: 86 (*Criocephalus*) E: AL AZ CR FR GR IT PT SP N AG CI MO MR TU A: CY IS JO LE SY TR **AUSi**
NTRi

genus *Megasemum* Kraatz, 1879d: 97 type species *Megasemum quadricostulatum* Kraatz, 1879

quadricostulatum Kraatz, 1879d: 98 A: FE FUJ HEI HUB JA JIX NC SC SHA TAI

brevior Pic, 1901c: 11

—*sharpi* Reitter, 1913a: 43

tribe Atimiini LeConte, 1873

genus *Atimia* Haldeman, 1847: 56 type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)

Myctus Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937

chinensis Linsley, 1939: 76 A: ZHE

esakii Hayashi, 1974a: 15 A: TAI

juniperi Holzschuh, 1984c: 340 A: NP

maculipuncta Semenov & Plavilstshikov, 1937: 253 (*Myctus*) A: MG NMO

nadezhdae Tsherepanov, 1973: 80 A: FE

okayamensis Hayashi, 1972: 26 A: JA

fujimurai Hayashi, 1972: 26

truncatella Holzschuh, 2007: 179 A: SHA YUN

genus *Proatimia* Gressitt, 1951a: 41 type species *Proatimia pinivora* Gressitt, 1951

pinivora Gressitt, 1951a: 42 A: YUN

tribe Nothorhinini Zagaikevich, 1991

genus *Nothorhina* L. Redtenbacher, 1845: 109 type species *Callidium muricatum* Dalman, 1817

gardneri Plavilstshikov, 1934b: 1 A: UP

punctata Fabricius, 1798: 149 (*Callidium*) E: AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST

SV UK A: JA KZ TR WS

muricata Dalman, 1817b: 193 (*Callidium*)

scabricollis W. Redtenbacher, 1842: 24 (*Callidium*)

tribe Saphanini Gistel, 1848

genus *Drymochares* Mulsant, 1847d: 518 type species *Drymochares truquii* Mulsant, 1847

cavazzutii cavazzutii Sama & Rapuzzi, 1993: 288 A: AR GG TR

? *pubescens* Pic, 1907g: 111 (*Drymochares*) [Trébizonde]

cavazzutii ivani Sama & Rapuzzi, 1993: 287 E: TR

cylindraceus Fairmaire, 1849: 475 (*Saphanus*) E: PT SP

starcki Ganglbauer, 1888f: 398 E: ST A: GG

truquii Mulsant, 1847d: 519 E: FR IT

rufipes Pic, 1930c: 6

genus *Oxypleurus* Mulsant, 1839: 57 type species *Oxypleurus nodieri* Mulsant, 1839

nodieri Mulsant, 1839: 57 E: CR BH FR GR IT PT SP UK N AG CI MO MR TU A: GG TR

bewickii Wollaston, 1857: 126 (*Blabinotus*)

pinicola Wollaston, 1863: 102

scutellaris A. Costa, 1855: 38

genus *Saphanus* Audinet-Serville, 1834b: 81 type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)

kadleci Rapuzzi & Sama, 2014a: 4 A: TR [Sakarya]

piceus bartolonii Sama & Rapuzzi, 1993: 283 E: GR

piceus ganglbaueri Brancsik, 1886: 71 E: AL BH BU MC TR YU

piceus piceus Laicharting, 1784: 56 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SK SL SZ UK YU

rufipes Pic, 1908l: 72

spinosus Fabricius, 1793: 320 (*Callidium*)

sudeticus C. F. W. Richter, 1820: pl. 10 (*Prionus*)

tribe Spondylidini Audinet-Serville, 1832

genus *Spondylis* Fabricius, 1775: 159 type species *Attelabus buprestoides* Linnaeus, 1758

Sphondyla Illiger, 1804: 115 [unjustified emendation]

Spondylis Gistel, 1848a: 129 [unnecessary substitute name]

Spondylus C. G. Thomson, 1866: 17 [unjustified emendation]

buprestoides Linnaeus, 1758: 388 (*Attelabus*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU MC MD NL NR NT PL PT RO SK ST SL SP SV SZ UK YU **N:** MO **A:** AB ANH AR ES FE FUJ GG GUA GUI HAI HEB HEI HEN HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA TAI TR WS YUN ZHE

elongatum Latreille, 1829: 107

maxillosus DeGeer, 1775: 84 (*Cerambyx*)

sinensis Nonfried, 1892a: 92

zwerigi Bodemeyer, 1927: 43

tribe Tetropiini Seidlitz, 1891

genus *Tetropium* Kirby, 1837: 174 type species *Tetropium cinnamopterum* Kirby, 1837

Criomorphus Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)

aquilonium Plavilstshikov, 1940a: 37 **E:** FI NT SV **A:** WS

castaneum Linnaeus, 1758: 396 (*Cerambyx*) **E:** AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ UK YU **A:** AB **AR** ES FE FUJ GAN GG HEB HEI JA JIL KZ MG NIN NMO QIN SC SHA SHX **TR** WS XIN YUN ZHE

atricorne Pic, 1931f: 258

aulicum Fabricius, 1775: 190 (*Callidium*)

curiale Panzer, 1789: 29 (*Callidium*)

fulcratum Fabricius, 1793: 320 (*Callidium*)

impressum Paykull, 1800: 84 (*Callidium*)

luridum Linnaeus, 1767: 634 (*Cerambyx*)

ruficrum Schrank, 1789: 77 (*Callidium*)

confragosum Holzschuh, 1981: 93 **A:** BT

danilevskiyi Sláma, 2005: 1 **A:** ES

fuscum Fabricius, 1787: 154 (*Callidium*) **E:** AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IT LA LS LT MD NL NR NT PL RO SK SL ST SV SZ UK YU **A:** GG KZ **TR** WS XIN **NAR**

arvense Panzer, 1789: 30 (*Callidium*)

gabrielii Weise, 1905e: 136 **E:** AU BE BY **?CT**(Kaliningrad Reg.) CZ DE **FR** GB GE HU IT IR LS LU NL PL SL SV SK SZ UK **NARi**

crawshayi Sharp, 1905b: 271

parcum Sharp, 1905b: 272

gracilicorne Reitter, 1889e: 287 **E:** CT NT **A:** ES FE JA KZ MG NE NMO SC WS XIN

altajense Pic, 1902c: 9

rubripes Pic, 1902c: 9

gracilicum Hayashi, 1983: 29 **A:** FE HEI JA

laticolle Podany, 1967: 38 **A:** SCH

morishimaorum Kusama & Takakuwa, 1984: 149 **A:** JA NC

oreinum Gahan, 1906a: 95 **A:** HP KA NP SCH XIN XIZ **ORR**

lobbichleri Harde, 1959: 1

scabriculum Holzschuh, 1993a: 7 **A:** SCH

staudingeri Pic, 1901b: 11 **A:** BT KI KZ UZ XIN

~~*laticolle* Podany, 1967: 38~~

~~*obscuripennis* Semenov, 1907c: 264~~

tjanshanicum Semenov, 1907c: 263

tauricum Shapovalov, 2007: 71 **E:** UK

subfamily Apatophyseinae Lacordaire, 1869

tribe Apatophyseini Lacordaire, 1869

genus *Agastophysis* Miroshnikov, 2014a: 25 type species *Toxotus griseopubens* Pic, 1957

griseopubens Pic, 1957: 75 (*Toxotus*) **A:** YUN

[*meiyingae* Miroshnikov, 2014a: 27 – unavailable (no materials published)]

[*meiyingae* Miroshnikov in Miroshnikov & Lin, 2014: 120 – unavailable (description not published)]

meiyingae Miroshnikov, 2014d: 196 **A:** XIZ

genus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

subgenus *Angustephyasis* Pic, 1956a: 2 type species *Apatophysis richteri* Pic, 1956

danczenkoi Danilevsky, 2006c: 5 **A:** IN

farsicola Sama, Fallahzadeh & Rapuzzi, 2005: 124 **A:** IN

margiana Semenov & Shchegoleva-Barovskaya, 1936: 77 **A:** KZ TM UZ

plavilstshikovi Miroshnikov, 1992: 392

modica Gahan, 1906a: 71 **A:** AF IN PA

richteri Pic, 1956a: 2 **A:** IN

subgenus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H.

Lucas, 1858)
anatolica Heyrovský, 1938: 93 A: TR
afghanica Miroshnikov, 2014a: 14 A: AF
baeckmanniana Semenov, 1907a: 223 A: KI KZ UZ
barbara P. H. Lucas, 1858: clxxix (*Polyarthron*) N: AG TU
ocularis Pic, 1901b: 9
toxotoides Chevrolat, 1860a: 96
caspiica Semenov, 1901: 31 E: ST A: AB AF GG IN KZ TM UZ
centralis Semenov, 1901: 32 A: XIN
hotanica Danilevsky, 2008b: 35 A: XIN
kadleci Danilevsky, 2008b: 29 A: TR
karsica Danilevsky, 2008b: 28 A: TR
kashgarica Semenov, 1901: 29 A: XIN
katbehi Rapuzzi & Sama, 2013: 682 A: JO SY
komarowi Semenov, 1889a: 401 A: AB TD TM
pavlovskii Plavilstshikov, 1954: 470 A: TD UZ
roborowskii Semenov, 1901: 29 A: XIN
serricornis Gebler, 1843: 39 (*Pachyta*) A: KZ MG NMO XIN
kadyrbekovi Kadlec, 2006a: 1
mongolica Semenov, 1901: 28
obtuscollis Motschulsky, 1860d: 538 (*Psilotarsus*)
tomentosa Gebler, 1844: 105 (*Toxotus*)
sieversii Ganglbauer, 1887c: 21 A: BEI LIA
sinica Semenov, 1901: 30 A: SCH
vedica Danilevsky, 2008b: 26 A: AR TR

genus *Formosotoxotus* Hayashi, 1960a: 1 type species *Artelida asiatica* Matsushita, 1933 (= *Toxotinus auripilosus* Kano, 1933)
auripilosus Kano, 1933a: 263 (*Toxotinus*) A: TAI
asiaticus Matsushita, 1933b: 172 (*Artelida*)
gressitty Miroshnikov & Lin, 2014: 117 A: XIZ
kucerai Rapuzzi & Sama, 2014a: 3 A: SHA
masataakai N. Ohbayashi, 2007: 200 A: SD
nobuoi Vives & Niisato, 2006: 273 A: NP

genus *Protapatophysis* Semenov & Stschegoleva-Barovskaia, 1936: 26 type species *Apatophysis kashmiriana* Semenov, 1901
kabakovi Danilevsky, 2011e: 102 A: AF
kashmiriana Semenov, 1901: 29 A: KA
montana Gahan, 1906a: 71 A: KA
vartianae Heyrovský, 1971: 81 A: AF PA

genus *Trypogeus* Lacordaire, 1869: 236 type species *Trypogeus albicornis* Lacordaire, 1869
Paranthophylax Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951
aureopubens Pic, 1903i: 121 (*Toxotus*) A: YUN
sericeus Gressitt, 1951a: 50 (*Paranthophylax*) A: FUJ

subfamily **Cerambycinae** Latreille, 1802 tribe **Achrysonini** Lacordaire, 1868

genus *Crotchiella* Israelson, 1985: 475 type species *Crotchiella brachyptera* Israelson, 1985
brachyptera Israelson, 1985: 476 E: AZ

genus *Icosium* P. H. Lucas, 1854: viii type species *Icosium tomentosum* P. H. Lucas, 1854
Cluvia Stel, 1857b: 63 type species *Cluvia chevrolati* Stel, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)
tomentosum atticum Ganglbauer, 1882: 743 E: CR CY BH FRi GR IT MA A: AB CY JO IS TR
tomentosum tomentosum P. H. Lucas, 1854: ix E: MA PT SP IT N: AG LB MO TU
chevrolati Stel, 1857b: 63 (*Cluvia*)

genus *Nortia* J. Thomson, 1864: 252 type species *Nortia cavicollis* J. Thomson, 1864
afghanica Heyrovský, 1967b: 158 A: AF
carinicollis Schwarzer, 1925a: 20 A: FUJ GUX JA TAI
prunicollis Gressitt, 1965: 61
fuscata Holzschuh, 2005: 1 A: NP UP
geniculata geniculata Pic, 1932e: 32 (*Falsostromatium*) A: HAI **ORR**
geniculata satsumana Niisato & N. Ohbayashi, 2005: 293 A: JA
kusuii Kusama & Nara, 1974: 121 A: JA
planicollis Gressitt, 1942h: 206 A: HKG

genus *Pufujia* Holzschuh, 1995: 16 type species *Nortia luteosignata* Pu, 1991
luteosignata Pu, 1991c: 281 (*Nortia*) A: GAN

tribe Anaglyptini Lacordaire, 1868

genus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758

subgenus *Aglaophis* J. Thomson, 1857f: 315 type species *Aglaophis fasciata* J. Thomson, 1857

Epodus Chevrolat, 1863b: 335 type species *Epodus humerosus* Chevrolat, 1863

Metaglaophis K. Ohbayashi, 1960b: 10 type species *Aglaophis colobothaeoides* Bates, 1884a
colobothaeoides Bates, 1884a: 235 (*Aglaophis*) A: FE JA NE SC

angustefasciatus Heyden, 1884: 297 (*Aglaophis*)

arakawai Kano, 1933a: 276

decemmaculatus Gressitt, 1935c: 185 (*Aglaophis*) A: FUJ TAI

fasciatus J. Thomson, 1857f: 316 (*Aglaophis*) A: NP SD

humerosus Chevrolat, 1863b: 336 (*Epodus*) A: "India"

nokosanus Kano, 1930: 46 (*Aglaophis*) A: FUJ HUB TAI ZHE

producticollis Gressitt, 1951a: 307 A: FUJ TAI

rufobasalis Tippmann, 1955: 115 (*Anaglyptus*) A: FUJ

subgenus *Akajimatora* Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933

bellus bellus Matsumura & Matsushita, 1933a: 105 A: JA

dentatipennis Pic, 1935b: 14 (*Oligoenoplus*)

bellus isolatus Gressitt, 1951a: 304 A: HUB SCH

meridionalis Matsushita, 1933b: 291 A: TAI

ikadaii Seki, 1939: 309

subgenus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758

abieticola Holzschuh, 2003b: 307 A: BT NP

ambiguus Holzschuh, 1992: 44 A: YUN

annulicornis Pic, 1933f: 6 (*Oligoenoplus*) A: SCH

arabicus Küster, 1847c: 95 (*Clytus*) E: ST A: ?AB AR GG TR

deyrollei Tourmier, 1872: 277

arakawae amamiensis Fujita, 1980: 14 A: JA

arakawae arakawae Kano, 1933a: 276 (*Aglaophis*) A: JA

arakawae kumagensis Fujita, 1980: 14 A: JA

bicallosus Kraatz, 1882c: 335 (*Clytus*) A: TD UZ

confusus Holzschuh, 1999: 42 A: XIZ

croesus Pesarini & Sabbadini, 1997: 47 A: TR

danilevskii Miroschnikov, 2000b: 77 A: AB AR GG IN TR

dolosulus Holzschuh, 2006c: 484 A: UP

flavus Viktora, Tichý & Rapuzzi, 2013: 81 A: XIZ

ganglbaueri Reitter, 1886: 67 A: AB IN

natae Lobanov, 1994b: 868

persicus Pic, 1906b: 10

persicus Reitter, 1906b: 298 [HN]

gibbosus Fabricius, 1787: 156 (*Callidium*) E: BH CR FR GR HU IT SL SP SZ YU N: AG TU

immaturus Pic, 1898a: 12

mysticoides Wagner, 1927b: 96 [HN]

obscuricornis Pic, 1898a: 12

rufotinctus Pic, 1945b: 7

wagneri Pic, 1928c: 6 [RN]

gressitti Holzschuh, 1999: 42 A: FUJ

higashiyamai Makihara & Hayashi, 1987: 62 [RN] A: TAI

hirsutus Makihara & Hayashi, 1987: 5 [HN]

kansuensis Ganglbauer, 1889a: 71 A: GAN SCH

longispinis Gardner, 1939: 9 (*Aglaophis*) A: SD

luteofasciatus Pic, 1905j: 153 E: GR

moreanus Demelt, 1970: 30

marmoratus Holzschuh, 1982b: 153 (*Aglaophis*) A: NP UP

matsushitai Hayashi, 1955: 52 A: JA

mysticoides Reitter, 1894c: 128 A: AB AR GG TR

amasinus Pic, 1910a: 10

anatolicus Demelt, 1970: 32

obscurissimus Pic, 1901n: 59

subimpressus Pic, 1901a: 9

mysticus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NL

NR PL RO SK SL SP SV SZ TR UK YU A: TR

albofasciatus DeGeer, 1775: 82 (*Cerambyx*)

bequarti Pic, 1910b: 3

hieroglyphicus Herbst, 1784: 99 (*Callidium*)
litteratus Gmelin, 1790: 1857 (*Cerambyx*)
quadricolor Scopoli, 1763: 56 (*Cerambyx*)
ruficornis Pic, 1908: 35
niponensis Bates, 1884a: 234 A: JA SC
anticegrigis Matsushita, 1933b: 292
kamiyai Kano, 1933a: 276
praecellens Holzschuh, 1981: 101 E: GR (Kriti)
simplicicornis Reitter, 1906b: 298 E: ST A: AB AR GG IN TR
abchasicus Pic, 1911c: 12
prolongatus Pic, 1911c: 12
subapicalis Pic, 1910a: 10
subfasciatus Pic, 1906d: 17 A: HEN JA
rufescens Hayashi, 1955: 49
ulmiphilus Holzschuh, 1982b: 153 (*Aglaophis*) A: KA PA
vicinulus Holzschuh, 1999: 41 A: GAN HUB SCH SHA
yakushmanus Hayashi, 1968c: 14 A: JA
zappii Rapuzzi & Sama, 2014a: 7 E: IT

genus *Hirticlytus* K. Ohbayashi, 1960b: 9 type species *Anaglyptus comosus* Matsushita, 1941
comosus Matsushita, 1941: 155 (*Anaglyptus*) A: JA

genus *Oligoenoplus* Chevrolat, 1863b: 337 type species *Oligoenoplus ventralis* Chevrolat, 1863
Borneoclytus Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006
gonggashanus Miroshnikov, 2013a: 239 A: SCH
modicus Holzschuh, 2011: 320 A: HEN
rostri iwatai Ikeda, 1987: 12 A: JA
rostri rostri Pic, 1911c: 15 (*Anaglyptus*) A: FE JA
sapporensis Matsushita, 1933: 100 (*Anaglyptus*)

genus *Paracllytus* Bates, 1884a: 234 type species *Paracllytus excultus* Bates, 1884a
albiventris Gressitt, 1937c: 455 (*Aglaophis*) A: GUX JIX YUN
apicicornis Gressitt, 1937a: 92 (*Aglaophis*) A: FUJ GAN GUI GUX HUN SCH SHA
emili Holzschuh, 2003a: 229 A: YUN
excellens Miroshnikov et Lin, 2012: 248 A: YUN
excultus Bates, 1884a: 234 A: FE JA
interruptus Pic, 1915f: 13
helenae Holzschuh, 1993a: 43 (*Anaglyptus*) A: YUN
irenae Holzschuh, 1993a: 43 (*Anaglyptus*) A: YUN
jii Holzschuh, 1992: 43 (*Anaglyptus*) A: SCH
murzini Miroshnikov, 2014b: 82 A: SCH
ochrocaudus Gressitt, 1951a: 305 (*Anaglyptus*) A: FUJ
primus Holzschuh, 1992: 42 A: ?GAN SCH SHA
raddei Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN
bieberi Pic, 1920e: 21 (*Clytus*)
reitteri Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN
scolopax Holzschuh, 1999: 40 (*Anaglyptus*) A: GAN SCH
sexguttatus Adams, 1817: 308 (*Clytus*) E: BU ST TR A: AB AR GG TR
bruckii Kraatz, 1864: 389 (*Clytus*)
caucasicus Motschulsky, 1839: 54 (*Clytus*)
disjunctus Pic, 1909b: 123 (*Anaglyptus*)
shaanxiensis Holzschuh, 2003a: 228 A: HUB SCH SHA
thibetanus Pic, 1914g: 38 (*Anaglyptus*) A: XIZ YUN
wangi Miroshnikov et Lin, 2012: 250 A: SCH

genus *Yoshiakioclytus* Niisato, 2007c: 577 type species *Epiclytus taiwanus* Chang, 1960
taiwanus Chang, 1960: 1 (*Epiclytus*) A: TAI

tribe *Brachypteromatini* Sama, 2008

genus *Dolocerus* Mulsant, 1862: 230 type species *Dolocerus reichii* Mulsant, 1862
Brachypteroma Heyden, 1863: 128 type species *Brachypteroma ottomanum* Heyden, 1863
holtzi Pic, 1905g: 114 (*Brachypteroma*) A: LE SY TR
magnanii Sama, 1987: 51 (*Brachypteroma*) N: AG
reichii Mulsant, 1862: 231 E: AL BU CR GR IT SZ A: AB AR GG TR
mulsanti Stierlin, 1866: 30 (*Molorchus*)
ottomanus Heyden, 1863: 128 (*Brachypteroma*)

tribe Callichromatini Swainson & Shuckard, 1840

genus Anubis J. Thomson, 1864: 177 type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)
bipustulatus J. Thomson, 1865a: 569 A: SD

viridis Pic, 1923b: 9

cyaneus Pic, 1924a: 15 A: YUN **ORR**

rugenotatus Pic, 1924: 15

fimbriatus Bates, 1879a: 412 A: SD

inermis A. White, 1853: 171 (*Polyzonus*) A: NP PA SD SE SW "North India" **ORR**

rostratus Bates, 1879a: 412 A: YUN TAI **ORR**

subobtusus Pic, 1932c: 22 (*Chelidonium*) A: YUN

thoracicus Podaný, 1980: 232 (*Polyzonus*)

genus Aphrodisium J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840

subgenus Aphrodisium J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840

Tomentaromia Plavilstshikov, 1934a: 52 type species *Callichroma faldermannii* Saunders, 1853

attenuatum Gressitt, 1951a: 625 A: FUJ GUA

basifemorale Pic, 1902i: 29 (*Aromia*) A: SCH YUN

cantori Hope, 1839: 43 (*Callichroma*) A: NP SD UP

cribricolle Neervoort van de Poll, 1890: 157 A: NP SD

delatouchei Fairmaire, 1886c: clxii A: FUJ **ORR**

distinctipes Pic, 1904c: 11 (*Aromia*) A: SCH YUN

faldermannii basale Pic, 1925b: 19 (*Aromia*) A: JIA

faldermannii faldermannii Saunders, 1853: 111 (*Callichroma*) A: ES MG SC

insulare Gressitt, 1936: 90 (*Aromia*)

faldermannii horishanense Kano, 1933a: 272 A: TAI

faldermannii obscurithorax Pic, 1925b: 19 (*Aromia*) A: YUN

faldermannii rufiventre Gressitt, 1940c: 174 (*Aromia*) A: FUJ GUX SCH YUN **ORR**

faldermannii subnigripenne Gressitt, 1937c: 452 (*Aromia*) A: FUJ JIX

faldermannii yugaii Kano, 1933a: 272 A: TAI YUN

gibbicolle A. White, 1853: 160 (*Callichroma*) A: ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH TAI YUN ZHE **ORR**

rubrofemorale Pic, 1932c: 24 (*Chelidonium*)

subgibbicolle Pic, 1925b: 17 (*Chelidonium*)

gregoryi Podaný, 1971: 265 (*Tomentaromia*) A: YUN

hardwickianum A. White, 1853: 162 (*Callichroma*) A: NP SD

implicatum implicatum Pic, 1920a: 2 (*Chloridolum*) A: YUN

implicatum major Gressitt & Rondon, 1970: 148 A: GUX YUN **ORR**

inexpectatum Podaný, 1971: 293 A: NO

metallicolle Gressitt, 1939b: 97 (*Aromia*) A: FUJ HUB HUN JIX TAI YUN ZHE **ORR**

muelleri Tippmann, 1955: 105 A: FUJ GUA

neoxenum A. White, 1853: 154 (*Callichroma*) A: HAI HUB SD TAI XIZ ZHE **ORR**

niisatoi Vives & Bentanachs, 2007: 635 A: YUN **ORR**

planicolle Neervoort van de Poll, 1890: 155 A: SD

robustum Bates, 1879a: 408 (*Leontium*) A: SD YUN **ORR**

sauteri Matsushita, 1933b: 256 (*Chelidonium*) A: HEN TAI

saxosicolle Fairmaire, 1902a: 245 A: YUN

bicoloripes Pic, 1925b: 18

notatipes Pic, 1925b: 18

schwarzeri Podaný, 1971: 292 A: YUN

sinicum A. White, 1853: 159 (*Callichroma*) A: FUJ GUA HUB SCH YUN **ORR**

thibetanum Pic, 1925b: 18 A: XIZ

tricoloripes Pic, 1925: 18 A: GUI YUN **ORR**

vermiculosum Gressitt, 1942d: 1 A: XIZ

viridescens Hayashi, 1974a: 26 A: TAI

subgenus Opacaphrodisium Pic, 1932c: 24 type species *Callichroma griffithi* Hope, 1839

griffithi Hope, 1839: 43 (*Callichroma*) A: GUA GUX SD **ORR**

zonopteroides Fleutiaux, 1887: 66 (*Pachyteria*)

genus Aromia Audinet-Serville, 1834a: 559 type species *Cerambyx moschatus* Linnaeus, 1758

Terambus Gistel, 1848b: [2] [unnecessary substitute name]

bungii Faldermann, 1835c: 433 (*Cerambyx*) **Ei: GE** A: ANH FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JIA

JIL JIX LIA NC NMO SC SCH SHA SHN SHX YUN ZHE

cyanicornis Guérin-Méneville, 1845: 222 (*Callichroma*)

ruficollis L. Redtenbacher, 1868: 149

moschata ambrosiaca Steven, 1809: 40 (*Cerambyx*) **E: IT PT SP ST N: AG MO TU A: AB AR GG IN IQ JO LE SY TR**

melancholica Reitter, 1895d: 210

notaticollis Pic, 1928c: 9

rosara P. H. Lucas, 1847: pl. 41

rosara A. Costa, 1855: 26 [HN]
thoracica Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)
moschata cruenta Bogatchev, 1962: 96 A: KI TD
moschata jankovskiyi Danilevsky, 2007d: 48 A: KI
moschata moschata Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA
LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES GG KZ MG WS
alata A. Costa, 1855: 25
auctumnalis Westhoff, 1882: 241
chlorophana Fischer von Waldheim, 1823: pl. xlviii [= 1824: 237] (*Cerambyx*)
cupricollis Pic, 1941e: 5
odorata DeGeer, 1775: 63 (*Cerambyx*)
perroudi Pic, 1941e: 5
thea Reitter, 1894g: 306
moschata sumbarensis Danilevsky, 2007d: 48 A: TM
moschata vetusta Bogatchev, 1962: 98 A: KZ
orientalis Plavilstshikov, 1932a: 114 A: ES FE FUJ GAN HEB HEI HEN JA JIL LIA MG NC NMO SC SHA ZHE

genus *Aromiella* Podaný, 1971: 303 type species *Aromiella fruhstorferi* Podaný, 1971
fruhstorferi Podaný, 1971: 303 A: CH **ORR**

genus *Cataphrodisium* Aurivillius, 1907: 8 type species *Purpuricenus rubripennis* Hope, 1842
Asiodiphrum Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1843)
castaneae Gressitt, 1951a: 192 A: YUN
latemaculatum Pic, 1902i: 29 (*Pachyteria*) A: SCH
rubripenne Hope, 1842b: 128 (*Purpuricenus*) A: FUJ GUA GUI HUB JIA SCH SHN TAI YUN **ORR**
magnificum Pic, 1902i: 29 (*Pachyteria*)
nigrofasciatum Plavilstshikov, 1934f: 224 (*Asiodiphrum*)
simile Podaný, 1971: 256 A: SCH

genus *Chelidonium* J. Thomson, 1864: 175 type species *Cerambyx argentatus* Dalman, 1817
argentatum Dalman, 1817b: 151 (*Cerambyx*) A: ANH FUJ GUA GUX HAI HEN HKG HUN JIA JIX SCH SD SHA YUN ZHE
ORR

binotaticolle Pic, 1937d: 108 A: GUA GUX **ORR**
binotatum Brongniart, 1892: 245 (*Leontium*) A: YUN **ORR**
buddleiae Gressitt & Rondon, 1970: 154 A: GUX YUN
cinctum Guérin-Méneville, 1844: 220 (*Callichroma*) A: TAI YUN **ORR**
citri Gressitt, 1942b: 2 A: HUN JIX SCH
cyanipes Pic, 1946a: 9 A: SC
herteli Podaný, 1974: 24 A: CH **ORR**
impressicolle Plavilstshikov, 1934f: 223 A: GUA SCH YUN
purpureipes Gressitt, 1939a: 27 A: GUA HUB
russoi Tippmann, 1955: 106 A: FUJ
siamense Podaný, 1974: 40 A: YUN **ORR**
sifanicum Plavilstshikov, 1934f: 224 A: SCH
sinense Hope, 1843: 66 (*Promeces*) A: SD ?TAI **ORR**
~~*testaceicorne* Pic, 1946a: 7 A: JA~~
venereum J. Thomson, 1865a: 568 A: YUN **ORR**
violaceimembris Gressitt & Rondon, 1970: 151 A: HAI YUN **ORR**
yunnanum Podaný, 1974: 39 A: YUN
zaitzevi Plavilstshikov, 1933b: 107 A: FE HEB

genus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* A. White, 1853
subgenus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* A. White, 1853
accensum accensum Newman, 1842a: 246 (*Callichroma*) A: TAI **ORR**
accensum kazuoi Hayashi, 1984: 22 A: TAI
addictum Newman, 1842a: 245 (*Callichroma*) A: TAI **ORR**
sibuyanum Schwarzer, 1929: 359
violacipes Schwarzer, 1926b: 97
alcmena J. Thomson, 1865a: 568 A: SD
bivittatum A. White, 1853: 162 (*Callichroma*) A: BT
cyaneonotatum Pic, 1925b: 18 A: GUA GUI GUX **ORR**
grossepunctatum Gressitt & Rondon 1970: 170 A: YUN **ORR**
hainanicum Gressitt, 1940b: 60 A: HAI
kurosawae kurosawae Hayashi, 1956: 13 A: JA
kurosawae ohsumiense Ohbayashi, 1992: 7 A: JA
kwangtungum kwangtungum Gressitt, 1939a: 21 A: GUA GUX
kwangtungum szechuanum Gressitt, 1951a: 205 A: GUX SCH

lanyuanum Hayashi, 1984: 20 A: TAI
laotium Gressitt & Rondon, 1970: 169 A: HAI YUN ORR
loochooanum chujoi Makihara, 2005: 121 A: JA (Ryukyus)
loochooanum loochooanum Gressitt, 1934: 163 A: ANH JA TAI
nympha A. White, 1853: 161 (*Callichroma*) A: SD
ohbayashii Hayashi, 1971: 8 A: TAI
perlaetum A. White, 1853: 161 A: GUX SD TAI ORR
plicaticolle Pic, 1932c: 24 A: GUX SCH YUN
bicoloratum Pic, 1932c: 24
scutellatum Gressitt, 1939a: 22 A: GUA
semipunctatum Gressitt & Rondon 1970: 171 A: YUN ORR
shibatai Hayashi, 1971: 7 A: TAI
sieversi Ganglbauer, 1887a: 135 (*Aromia*) A: FE HEI HEN JIL NC SC
bangi Reitter, 1895d: 209 (*Aromia*)
coreanum Fairmaire, 1897c: 232 (*Aromia*)
splendidulum Gressitt, 1940c: 176 A: ANH
taiwanum Gressitt, 1936: 91 A: TAI
thomsoni Pascoe, 1859: 24 (*Callichroma*) A: TAI ORR
thoracicum Gressitt, 1942b: 3 A: SCH
tonguanum Chiang, 1981: 80 A: JIX
variabile Schwarzer, 1926b: 100 A: CH ORR
subgenus *Leontium* J. Thomson, 1864: 175 type species *Leontium viride* J. Thomson, 1864
cupreoviride Gressitt, 1942d: 2 (*Leontium*) A: FUJ
jeanvoinei Pic, 1932e: 24 (*Leontium*) A: GUX HAI ORR
lameeri Pic, 1900i: 18 (*Leontium*) A: FUJ HEN HUB HUN JIX SC SHN TAI YUN ZHE
bicolor Kano, 1930: 44 (*Leontium*)
laosense Pic, 1932c: 23 (*Leontium*) A: YUN ORR
nigroscutellatum Gressitt, 1940b: 62 (*Leontium*) A: HAI
punctulatum Pic, 1920f: 119 (*Leontium*) A: YUN ORR
tenuipes Fairmaire, 1889a: 64 (*Leontium*) A: GUI YUN
implicatum Pic, 1925b: 17 (*Leontium*)
touzalini Pic, 1920f: 118 (*Leontium*) A: YUN
viride J. Thomson, 1864: 175 A: FE HUB JA NC SC SCH TAI YUN
cyanum Fujimura, 1956: 4 (*Leontium*)
multiplicatum Pic, 1946a: 14 (*Leontium*)
tenuatum Bates, 1873: 197 (*Callichroma*)
subgenus *Parachloridolum* Plavilstshikov, 1934a: 67 type species *Callichroma japonica* Harold, 1879
japonicum Harold, 1879b: 335 (*Callichroma*) A: HUB JA NC NE SC SCH SHN
achardi Pic, 1911e: 19 (*Callichroma*)
coreanum Okamoto, 1924: 190 [HN]
thaliodes Bates, 1884a: 226 A: HUB JA NE SC
japonicum Podaný, 1971: 302 (*Aromia*)

genus *Embrikstrandia* Plavilstshikov, 1931c: 278 type species *Callichroma bimaculatum* A. White, 1853
bimaculata A. White, 1853: 165 (*Callichroma*) A: FUJ GUA GUI GUX HEN HKG HUB HUN JIA JIX SCH SHA SHN TAI YUN ZHE
davidis H. C. Deyrolle, 1878: 132 (*Callichroma*)
diversicornis Pic, 1925b: 19 (*Callichroma*)
fujianensis Hua & She, 1987: 54 A: FUJ
unifasciata Ritsema, 1896: 376 (*Zonopterus*) A: ANH FUJ GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX TAI ZHE ORR
vivesi Bentanachs, 2005: 2-3 A: YUN ORR

genus *Gestriana* Podaný, 1971: 306 [RN] type species *Pachyteria superba* Gestro, 1888
Tarsalia Podaný, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888
superba Gestro, 1888a: 128 (*Pachyteria*) A: GUX ORR
pubemaculata Huang, Zhou & Chen, 2006: 62 (*Embrikstrandia*)

genus *Helymaeus* J. Thomson, 1866: 179 type species *Helymaeus cyanipennis* J. Thomson, 1866
pedestris Pascoe, 1878: 370 A: YE
signaticollis Pascoe, 1878: 370 A: YE

genus *Ipothalia* Pascoe, 1867a: 314 type species *Ipothalia femorata* Pascoe, 1867
bicoloripes Pic, 1920f: 118 A: FUJ JIX SCH YUN ORR
esmeralda Bates, 1879a: 418 A: YUN ORR
micaria Holzschuh, 1990: 188 A: SD
plicicollis Pu, 1981: 428 A: XIZ

genus *Laosaphrodisium* Bentanachs, 2012: 71 type species *Leontium optimum* Bates, 1879
amadori Bentanachs, 2012: 11 A: GUX YUN XIZ **ORR**
crassum Gressitt, 1939a: 24 (*Aphrodisium*) A: FUJ GUA YUN
subplicatum Pic, 1937a: 11 (*Chelidonium*) A: GUI [?]YUN **ORR**

genus *Leptochroma* Vives, 2013b: 86 type species *Leptochroma lini* Vives, 201b
lini Vives, 2013b: 88 A: YUN
paralleloelongatum Hayashi, 1974: 27 (*Chloridolum*) A: TAI
shaxianum Vives, 2013b: 90 A: SHX

genus *Mimochelidonium* Bentanachs, 2013: 94 type species *Mimochelidonium sinense* Bentanachs, 2013
sinense Bentanachs, 2013: 96 A: GUI

genus *Osphranteria* L. Redtenbacher, 1850: 50 type species *Osphranteria suaveolens* L. Redtenbacher, 1850
Quettania Schwarzer, 1931a: 62 type species *Quettania coeruleipennis* Schwarzer, 1931
coerulescens L. Redtenbacher, 1850: 50 A: IN PA TR
inaurata Holzschuh, 1981: 98
coeruleipennis Schwarzer, 1931a: 63 (*Quettania*)
mirabilis Podany, 1980: 231 (*Polyzonus*)
lata Pic, 1956a: 3 A: AF IN
richteri Heyrovský, 1959: 4
suaveolens L. Redtenbacher, 1850: 50 A: AF IN

genus *Pachyteria* Audinet-Serville, 1834a: 553 type species *Cerambyx fasciatus* Fabricius, 1775
dimidiata Westwood, 1848: 60 A: TAI **ORR**
luteofasciata Pic, 1946a: 7
obertheri Ritsema, 1888a: 190
scheepmakeri Ritsema, 1881b: 38
timorensis Hayashi, 1994: 65
equestris Newman, 1841: 79 (*Niraeus*) A: YUN **ORR**
fasciata Fabricius, 1775: 168 (*Cerambyx*) A: NP "Himalaya" **ORR**
populnea Schröter, 1776: 349 (*Cerambyx*)
voluptosa J. Thomson, 1865a: 568

genus *Paraphrodisium* Bentanachs, 2013: 92 type species *Paraphrodisium sinense* Bentanachs, 2013
sinense Bentanachs, 2013: 93 A: YUN

genus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
subgenus *Parapolyzonus* Bentanachs, 2012: 11 type species *Promeces prasinus* White 1853
drumonti Bentanachs, 2010: 306 A: YUN **ORR**
tropolii Bentanachs, 2012: 21 A: YUN **ORR**

subgenus *Polyzonides* Podany, 1980: 230 type species *Polyzonus obtusus* Bates, 1879
obtusus Bates, 1879a: 413 A: ?TAI YUN **ORR**
interruptus Pic, 1946a: 14
opacus Pic, 1946: 9
reductus Pic, 1946a: 14

subgenus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
Calliblepharus Gistel, 1848a: x [unnecessary substitute name]

auroviridis Gressitt, 1942b: 3 A: GUX SCH YUN **ORR**

balachowskii Gressitt & Rondon, 1970: 157 A: YUN XIZ **ORR**

bizonatus A. White, 1853: 171 A: GUX SD YUN **ORR**

brevipes Gahan, 1906a: 217 A: SD **ORR**

cuprarius Fairmaire, 1887a: 132 A: YUN **ORR**

fasciatus Fabricius, 1781: 232 (*Saperda*) A: ANH ES FE FUJ GAN GUA GUI GUX HEB HEI HEN HKG HUB HUN JIA JIL JIX
LIA MG NC NIN NMO QIN SC SHA SHN SHX ZHE

bicinctus Olivier, 1795: no. 67: 46 (*Cerambyx*)

fupingensis Xie & Wang, 2009: 58

meridionalis Bates, 1879a: 413

sibiricus Gmelin, 1790: 1840 (*Cerambyx*)

flavocinctus Gahan, 1894a: 17 A: YUN **ORR**

laurae Fairmaire, 1887a: 132 A: YUN **ORR**

pakxensis Gressitt & Rondon, 1970: 159 A: YUN **ORR**

saigonensis Bates, 1879a: 413 A: YUN **ORR**

laosensis Pic, 1923b: 9

prasinus A. White, 1853: 170 (*Promeces*) A: FUJ GUA HAI HUB HUN JIX SCH TAI YUN ZHE **ORR**

polyzonoides J. Thomson, 1865a: 568 (*Chelidonium*)

stamense Podany, 1974: 6, 40 (*Chelidonium*)

sinense Hope, 1842a: 63 (*Promeces*) A: FUJ GUA HKG NO SCH **ORR**
subtruncatus Bates, 1879a: 408 (*Leontium*) A: HAI HKG SHG YUN **ORR**
~~*testaceipennis* Pic, 1922a: 8 A: CH~~
violaceus Plavilstshikov, 1933c: 111 A: YUN **ORR**
yunnanum Podaný, 1974: 39 (*Chelidonium*) A: YUN **ORR**
subgenus *Striatopolyzonus* Bentanachs, 2012: 58 type species *Cerambyx tetraspilotus* Hope, 1835
nitidicollis Pic, 1932: 22 A: YUN **ORR**
tetraspilotus Hope, 1835: 71 (*Cerambyx*) A: SD TAI YUN **ORR**
latemaculatus Gressitt & Rondon, 1970: 161,
macrospilus Gahan, 1906: 216;
megaspilus Gahan, 1906a: 215
microspilus Gahan, 1906a: 215
quadrimaculatus A. White, 1853: 170

genus *Pseudopolyzonus* Bentanachs, 2012: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998
latefasciatus Hüdepohl, 1998: 225 (*Polyzonus*) A: YUN **ORR**

genus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1795
Coloborhomboides Hüdepohl, 1983: 117 type species *Coloborhomboides schererii* Hüdepohl, 1983
Coloborhombus J. Thomson, 1865a: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1795
Colobus Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1795
Nothopeus Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1795
fulvus Bates, 1879a: 395 (*Coloborhombus*) A: GUA SD **ORR**
hemipterus Olivier, 1795: 127 (*Cerambyx*) A: FUJ GUA HAI TAI **ORR**
ater Fisher, 1936: 176 (*Coloborhombus*)
sericeus Saunders, 1853: 111 (*Colobus*) A: FUJ GUA SHG

genus *Schmidtiana* Podaný, 1971: 306 [RN] type species *Pachyteria ilocana* Schultz, 1920
Luzonia Podaný, 1968: 53 [HN] type species *Pachyteria ilocana* Schultz, 1920
violaceothoracica Gressitt & Rondon, 1970: 139 (*Pachyteria*) A: YUN **ORR**

genus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925
subgenus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925
Schwarzeriella Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925
provostii Fairmaire, 1887d: liv (*Callichroma*) A: BEI HEN HUB NE SC SHN **YUN ORR**
manchuricum Matsushita, 1943: 574
quadricolle Bates, 1884a: 226 (*Chelidonium*) A: HEN JA SC TAI
semivelutinum Schwarzer, 1925a: 24 (*Aphrodisium*) A: TAI
viridicyaneum Hayashi, 1956c: 14 (*Chelidonium*) A: JA
purpureoviolaceum Hayashi, 1956: 14 (*Chelidonium*)
subgenus *Rugosochroma* Vives & Lin, 2013: 68 type species *Schwarzerium yunnanum* Vives & Lin, 2013
yunnanum Vives & Lin, 2013: 68 A: YUN

genus *Sinochroma* Bentanachs, 2013: 94 type species *Sinochroma sinensise* Bentanachs, 2013
sinensis Bentanachs, 2013: 95 A: YUN

genus *Turkaromia* Danilevsky, 1993a: 38 type species *Aromia pruinosa* Reitter, 1903
gromenkoi Danilevsky, 2000c: 289 A: UZ TD
pruinosa Reitter, 1903c: 233 (*Aromia*) A: KZ XIN

genus *Zonopterus* Hope, 1842b: 128 type species *Zonopterus flavitarsis* Hope, 1842
consanguineus Ritsema, 1889: 10 A: "Himalaya"
flavitarsis Hope, 1842b: 128 A: SD YUN **ORR**

tribe Callidiini Kirby, 1837

genus *Callidiellum* Linsley, 1940: 254 type species *Semanotus cupressi* Van Dyke, 1923
rufipenne Motschulsky, 1862: 19 (*Callidium*) Ei: BE CR IT SP ST A: GG FE GAN HEB HEN JA JIX SC SHA TAI **NARi NTRI**
japonicum Plavilstshikov, 1933f: 126 (*Callidium*) [HN]
plavilstshikovi Matsushita, 1933b: 439 (*Semanotus*) [RN]
villosulum arisanum Kano, 1930: 44 A: TAI
villosulum villosulum Fairmaire, 1900: 639 A: FUJ JIA ZHE

genus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
subgenus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
Meridion Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758
cedri Peyerimhoff, 1918a: 332 N: AG MO

flavosignatum Pu, 1991d: 343 A: QIN
hengduanum Holzschuh, 1999: 39 A: SCH YUN
libani Sama & Rapuzzi, 2002: 111 A: LE
piceonotatum Pic, 1933f: 5 A: HUB
przevalskii Semenov & Plavilstshikov, 1936: 389 A: NMO
syriacum Pic, 1892s: cxi A: SY TR
orientale Pic, 1893d: 417
violaceum Fabricius, 1775: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG HEI JA JIL KZ MG NC NMO SC TAI TR WS XIN
janthinum LeConte, 1851: 34
salessei Pic, 1933d: 1
subgenus *Callidostola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775
aeneum aeneum DeGeer, 1775: 89 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU NL NR NT PL RO SK SL ST SV SZ UK YU A: ES FE HEI JA KZ MG WS
aurichalceum Gmelin, 1790: 1857 (*Cerambyx*)
cognatum Laicharting, 1784: 58
dilatatum Paykull, 1800: 91
semitestaceum Pic, 1945b: 6
variabile Fabricius, 1775: 188
venosum Eschscholtz, 1818: 483
viride Schoenherr, 1817a: 459
viridans Gmelin, 1790: 1846 (*Cerambyx*)
aeneum longipenne Plavilstshikov, 1940: 300 E: ST A: AB GG TR
aeneum pilosicollis Özdikmen & Aytar, 2014: 599 A: TR
subgenus *Palaeocallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800
chlorizans Solsky, 1871a: 384 (*Semanotus*) A: ES FE MG "Korea"
viridescens Motschulsky, 1875: 148
coriaceum Paykull, 1800: 91 E: AU BH BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU NR NT PL RO SK SL ST SV SZ UK YU A: ES FE HEI HEN JA MG NMO WS
aeneipenne Kriechbaumer, 1862: 107
cupripenne Kriechbaumer, 1862: 208
~~*lucidum* Scopoli, 1772: 98 (*Stenocorus*) [NO]~~
kuratai Yokoyama, 1972: 11 (*Palaeocallidium*) A: JA
genus *Dundaia* Holzschuh, 1993a: 33 type species *Dundaia nitens* Holzschuh, 1993
subtuberculata Pu, 1992b: 619 (*Callidium*) A: SCH SHA [see Lin & Tichý, 2014]
nitens Holzschuh, 1993a: 33
genus *Gerdberndia* Holzschuh, 1982a: 71 type species *Gerdberndia atricolor* Holzschuh, 1982
atricolor Holzschuh, 1982a: 71 A: NP
ferrocyanea Hayashi, 1979: 87 (*Prosemanotus*) A: BT NP
nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: NP
genus *Leioderes* L. Redtenbacher, 1848: 482 type species *Leioderes kollari* L. Redtenbacher, 1849
kollari jacopoi Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)
kollari kollari L. Redtenbacher, 1848: 482 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SK SL SP ST SV SZ UK YU A: GG
tuerki Ganglbauer, 1886c: 517 (*Callidium*) A: LE SY TR
bodemeyeri Reitter, 1903a: 46 (*Callidium*)
karsantianus Pic, 1910b: 2 (*Lioderes*)
lateniger Pic, 1917g: 5 (*Lioderes*)
nigripes Pic, 1891h: 102 (*Lioderes*)
genus *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871
linearis Hampe, 1871: 335 (*Callidium*) E: AU BH BU CR GR HU MC SK A: TR
henschi Puton, 1888: 23 (*Callidium*)
genus *Lucasianus* Pic, 1891b: 42 type species *Cerambyx levallantii* P. H. Lucas, 1849
levallantii P. H. Lucas, 1847: pl. 41 (*Cerambyx*) E: FR PT SP N: AG MO
genus *Opyrrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872
Opyrrhidium Plavilstshikov, 1940a: 285 [unjustified emendation]
cinnabarinum Blessig, 1872: 179 (*Callidium*) A: FE HEI HEN JIL LIA SC
flavum Z. Wang, 2003: 203
chinense Li, 1992: 178 A: LIA
genus *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009
testaceus Niisato, 2009: 208 A: FE

verigai Danilevsky, 2012h: 4 **A: FE**

genus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)

subgenus *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménétris, 1832

femoralis demelti Heyrovský, 1962a: 41 **A: TR**

femoralis femoralis Ménétris, 1832: 228 (*Callidium*) **E: ST A: AB AR GG IN**

utschderensis Starck, 1889: 312 (*Callidium*)

subgenus *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789

albicinctus Bates, 1873: 198 **A: JA SC**

albofasciatus Motschulsky, 1866a: 174 (*Callidium*) [HN]

fasciatus Villers, 1789: 257 (*Cerambyx*) **E: AU BH BU CR CZ FR GR HU IT LA MD PL RO SK SP SZ UK YU A: CY IS TR**

unifasciatus Olivier, 1790b: 269 (*Callidium*)

unifasciatus Rossi, 1790: 343 (*Callidium*)

hauseri Pic, 1907f: 104 (*Callidium*) **A: KZ XIN**

mediofasciatus Pic, 1933b: 29 **A: GUI JIA JIX SHA**

subgenus *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777

Microcallidium Casey, 1912: 283 type species *Callidium amoenus* Say, 1823

Phymatodina Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874

Pseudopocilium Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777

infasciatus Pic, 1935b: 36 (*Pocilium*) **A: FE FUJ JA JIX SC SHG**

ussuricus Plavilstshikov, 1940a: 318

vandykei Gressitt, 1935b: 172

jiangi Z. Wang & Zheng, 2003: 207, 395 **A: JIL SC**

kozlovi Semenov & Plavilstshikov, 1936: 290 **A: NMO**

magnanii Sama & Rapuzzi, 1999: 468 (*Pocilium*) **A: TR**

murzini Danilevsky, 1993d: 113 **A: NC SC**

rufipes rufipes Fabricius, 1777: 232 (*Callidium*) **E: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SK SL SP ST SZ**

UK YU A: TR

amethystinus Fabricius, 1793: 321 (*Callidium*)

coeruleus Goeze, 1777: 507 (*Leptura*)

cyaneus Geoffroy, 1785: 82 (*Leptura*)

cyanochrysos Gmelin, 1790: 1846 (*Cerambyx*)

erythropus Gmelin, 1790: 1846 (*Cerambyx*)

gallicus Gmelin, 1790: 1877 (*Leptura*)

rufipes syriacus Pic, 1891i: 118 (*Callidium*) **A: IS SY TR**

semenovi Plavilstshikov, 1935a: 18 **A: GUI**

sinensis Pic, 1900i: 17 (*Callidium*) **A: JIA SHG**

zemlinae Plavilstshikov & Anufriev, 1964: 1565 **A: FE HEI NC SC**

subgenus *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787

Reitteroderus Sama, 1991: 124 [unnecessary substitute name]

abietinus Plavilstshikov & Lurie, 1960: 124 **E: CT A: WS**

ahenus Holzschuh, 2007: 242 (*Pocilium*) **A: SCH**

glabratus Charpentier, 1825: 225 (*Callidium*) **E: AU BH BU CR CZ FR GE GR HU IT PL RO SK SP ST UK YU aaaa: GG**

castaneus L. Redtenbacher, 1848: 483 (*Callidium*)

delti Chevrolat, 1856b: 435 (*Callidium*)

gudenzii Sama, 1987: 57 (*Pocilium*) **N: AG MO**

lividus Rossi, 1794: 98 (*Callidium*) **E: BH BU CR CT CZ CZ FR GR IT RO SL SP ST UK YU A: AB GG IS LE SY TR N: AG**

asperipennis Fairmaire, 1879: 217 (*Callidium*)

brevicollis Dalman, 1817b: 191 (*Callidium*)

melancholicus Fabricius, 1798: 151 (*Callidium*)

thoracicus Comolli, 1837: 44 (*Callidium*)

tristis 1891b: 20

puncticollis Mulsant, 1862: 99 **E: BU CT GR HU MC MD RO ST UK YU A: KZ**

macedonicus Pic, 1909b: 130

pusillus barbipes Küster, 1847a: 78 (*Callidium*) **E: CZ GR HU SK**

pusillus inopinatus Sláma, 2010: 82 (*Pocilium*) **E: GR**

pusillus pusillum Fabricius, 1787: 155 (*Callidium*) **E: AU BE BH BU CR CZ FR GE GR HU IT MD NR PL RO SL SP SV SZ TR**

UK A: TR

abdominalis Bonelli, 1812: 180 (*Callidium*)

humeralis Comolli, 1837: 44 (*Callidium*)

luridus Olivier, 1795: 23 (*Callidium*)

pusillus rufipennis Starck, 1889: 312 (*Callidium*) **E: ST UK A: AB AR GG IN**

vandae Danilevsky, 2010d: 67 **E: GR**

wrzecionkoi Rapuzzi & Sama, 2010b: 183 (*Pocilium*) **A: SY**

subgenus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)

Merium Kirby, 1837: 172 type species *Merium testaceus* Linnaeus, 1758 [suppressed]

testaceus Linnaeus, 1758: 396 (*Cerambyx*) **E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU**

MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR CY FE GG IQ IS JA KZ NC TR SC SY WS N: AG

MO MR TU NAR

analis L. Redtenbacher, 1848: 481

barbarorus Pic, 1917g: 5

carniolicus Gmelin, 1790: 1858 (*Cerambyx*)

crassipes Goeze, 1777: 507 (*Leptura*)

deustus Gmelin, 1790: 1850 (*Cerambyx*)

dimidiatipennis Chevrolat, 1882: 58

elongatus Iablokoff-Khnzorian, 1953: 60

fallax Villers, 1789: 276 (*Leptura*)

femoratus Geoffroy, 1785: 83 (*Leptura*)

fennicus Linnaeus, 1758: 396 (*Cerambyx*)

fulvipennis Reitter, 1901d: 101 (*Phymatodes*)

italicus Gmelin, 1790: 1851 (*Cerambyx*)

luridus Paykull, 1800: 87 (*Callidium*)

melanocephalus Ponzani, 1805: 71 (*Cerambyx*)

nigricollis Mulsant, 1839: 49

nigrinus Mulsant, 1839: 47

praeustus Fabricius, 1782: 500 (*Callidium*)

rufipes A. Costa, 1855: 34

sellae Kraatz, 1868: 338 (*Callidium*)

similis Küster, 1844: 54 (*Callidium*)

variabilis Linnaeus, 1760: 192 (*Cerambyx*)

ventralis Haldeman, 1847: 375 (*Tessaropa*)

violaceus Rossi, 1790: 154 (*Callidium*)

subgenus *Poecilium* Fairmaire, 1864a: 134 type species *Leptura alni* Linnaeus, 1767

alni alni Linnaeus, 1767: 639 (*Leptura*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR LA LT LU MC MD NL

NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: KZ TR

apicalis Pic, 1915a: 1 (*Poecilium*)

biarcuatus Piller & Mitterpacher, 1783: 112 (*Leptura*)

fauconneti Pic, 1915a: 1 (*Poecilium*)

infuscatus Chevrolat, 1866: 107 (*Poecilium*)

nitidus Chevrolat, 1882: 58 (*Callidium*)

notaticollis Pic, 1945b: 6 (*Poecilium*)

turcicus Geoffroy, 1785: 83 (*Leptura*)

alni lateniger Pic, 1945b: 6 (*Poecilium*) A: AB IN

elburzense Holzschuh, 1977a: 128 (*Poecilium*)

alni pici Aurivillius, 1912: 349 E: ST A: AB AR GG IN

alnoides Reitter, 1913a: 40

antonini Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) A: SY

ermolenkoi Tsherepanov, 1980: 88 A: FE

eximius Holzschuh, 1995: 35 (*Poecilium*) A: YUN

kasnaki Sama, 2011: 826 (*Poecilium*) A: TR

latefasciatus Sh. Yang, 2013: 12 A: GUI

maaki maaki Kraatz, 1879d: 106 (*Callidium*) A: FE HEI JIX SC TAI

maaki sylvaticus Z. Wang, 2003: 206, 394 A: NE (Neimenggu)

maaki viarius Danilevsky, 1988c: 371 A: FE JA

mizunumai Hayashi, 1974a: 28 A: TAI

quadrimaculatus Gressitt, 1935b: 171 A: JA

savioi Pic, 1935b: 35 A: JIA SHG

genus *Pronocera* Motschulsky, 1859b: 494 type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)

Protocallidium Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844

Pseudophymatodes Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)

angusta Kriechbaumer, 1844: 8 (*Callidium*) E: AU BH CZ GE HU IT PL RO SK UK

sibirica Gebler, 1848a: 391 (*Callidium*) A: ES FE MG NC NE NMO SC WS XIN

altaiensis Pic, 1901c: 12 (*Phymatodes*)

brevicollis Gebler, 1833: 302 (*Callidium*) [HN]

daurica Motschulsky, 1859b: 494

genus *Prosemanotus* Pic, 1933f: 5 type species *Prosemanotus elongatus* Pic, 1933

elongatus Pic, 1933f: 5 A: CH

subnotatus Pic, 1933f: 5

genus *Pyrrhidium* Fairmaire, 1864a: 133 type species *Cerambyx sanguineus* Linnaeus, 1758

sanguineum Linnaeus, 1758: 396 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL

NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR GG IN SY TR

genus *Rejzekius* Adlbauer, 2008: 17 type species *Rejzekius bicolor* Adlbauer, 2008

bicolor Adlbauer, 2008: 17 A: YE

genus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775

subgenus *Pronocerodes* Plavilstshikov, 1940a: 248 type species *Rhopalopus ruficollis* Matsumura, 1911

aurantiicollis Plavilstshikov, 1940a: 250 (*Rhopalopus*) A: FE

ruficollis Matsumura, 1911a: 138 (*Rhopalopus*) A: FE

subgenus *Prorrhopalopus* Plavilstshikov, 1921: 121 type species *Rhopalopus signaticollis* Solsky, 1873

signaticollis Solsky, 1873: 177 (*Rhopalopus*) A: FE JA NE "Korea"

speciosus Plavilstshikov, 1915c: 108 (*Rhopalopus*) A: FE JIL

subgenus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775

Calliopedia Binder, 1915: 186 type species *Rhopalopus reitteri* Binder, 1915 (= *Callidium ungaricum* Herbst, 1784)

Euryoptera Horn, 1860: 571 type species *Euryoptera sanguinicollis* Horn, 1860

Rhopalopus L. **Redtenbacher: 1845: 110** [unjustified emendation]

clavipes Fabricius, 1775: 188 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT LA LT MA MC MD NL NT PL RO SK SL SP ST SZ TR UK YU A: AB AR GG IN KZ TR

nigricans Gmelin, 1790: 1857 (*Cerambyx*)

nigroplanus DeGeer, 1775: 88 (*Cerambyx*)

viduus Geoffroy, 1785: 82 (*Leptura*)

eleonora Sama & Rapuzzi, 2002: 114 A: LE SY

femoratus Linnaeus, 1758: 395 (*Cerambyx*) E: AU BE BH BU CR CT CZ FR GE HU IT LA MD PL RO SK SL SP SV SZ TR UK

castaneipennis Roubal, 1934b: 43

~~*punctatus* Fabricius, 1798: 149 (*Callidium*)~~

punctuosus Geoffroy, 1785: 83 (*Leptura*)

hanae Sama & Rejzek, 2002: 105 A: TR

insubricus fischeri Krynicki, 1829: 197 (*Callidium*) E: CT ST UK

insubricus insubricus Germar, 1824: 154 (*Callidium*) E: AL AU BH BU CR FR HU IT RO SL SP TR YU A: TR

viridipennis Pic, 1926d: 6 (*Rhopalopus*)

ledereri ledereri Fairmaire, 1866b: 269 (*Rhopalopus*) A: IS JO TR

ledereri wittmeri Demelt, 1970: 31 A: SY TR

lederi Ganglbauer, 1882: 747 (*Rhopalopus*) E: ST UK A: AB AR GG TR

nigripes Pic, 1926d: 6 (*Rhopalopus*)

macropus Germar, 1824: 514 (*Callidium*) E: AU BH BU BY CR CT CZ GE HU LA LT MD PL RO SK SL ST SZ TR UK YU A: AB AR GG IN TR

caucasicus Desbrochers des Loges, 1873b: cxxxvi (*Callidium*)

pilicollis C. G. Thomson, 1866: 29 (*Callidium*)

mali Holzschuh, 1993a: 34 A: KI KZ UZ

nadari Pic, 1894k: 207 (*Rhopalopus*) A: KI TD UZ

nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: XIX

ruber Gressitt, 1939f: 212 (*Rhopalopus*) A: CE

sculpturatus Pic, 1931c: 9 (*Rhopalopus*) A: TR IN

siculus Stierlin, 1864: 152 (*Callidium*) E: GR IT (Sicilia)

ungaricus Herbst, 1784: 96 (*Callidium*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SL SZ YU UK N: AG

annulus A. Costa, 1855: 30

cognatus Laicharting, 1784: 58 (*Callidium*)

pannonicus Gmelin, 1790: 1856 (*Cerambyx*)

reitteri Binder, 1915: 186 (*Rhopalopus*)

vogti Guerry, 1911: 99

varini Bedel, 1870: 94 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SK SL SP SZ UK YU

spinicornis Abeille de Perrin, 1869: 42 (*Callidium*)

genus *Semanotus* Mulsant, 1839: 54 type species *Cerambyx undatus* Linnaeus, 1758

Anocomis Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787

Hemicallidium Casey, 1912: 273 type species *Physocnemum amethystinum* LeConte, 1873

Sympiezocera P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852

Xenodorum Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)

algiricus Pic, 1905e: 99 N: AG MO

magnificus Bedel, 1921: 60

bifasciatus Motschulsky, 1875: 148 (*Hylotrupes*) A: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX NMO QIN SC SCH SHA SHN SHX TAI YUN ZHE

latifasciatus Matsushita, 1933b: 262

sinensis Gahan, 1888b: 61 (*Sympiezocera*)

watanabei Kano, 1933a: 273

japonicus Lacordaire, 1869: 47 (*Sympiezocera*) A: JA TAI ZHE

laurasii corsicus Croissandeau, 1890: 38 (*Sympiezocera*) E: FR (Corse) IT (Sardegna)

laurasii laurasii P. H. Lucas, 1852: cvii (*Sympiezocera*) E: FR SP N: AG MO

bonvouloiri Marseul, 1856: 48 (*Xenodorum*)

verneti Pellet, 1871: 164 (*Callidium*)

nigroalbus Holzschuh, 1984c: 355 A: NP

russicus russicus Fabricius, 1777: 232 (*Callidium*) E: AL AU BU CR GB GR HU IT RO SK ST UK YU A: AB AR GG JO LE SY TR

russicus persicus Solsky, 1876: 296 (*Sympiezocera*) A: IN TM

semenovi Okunev, 1933: 135 A: KI KZ TD UZ

sinoauster Gressitt, 1951a: 222 A: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE ORR

undatus Linnaeus, 1758: 396 (*Cerambyx*) E: AU BH BU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SL ST SV SZ UK YU A: ES FE MG NE NMO WS XIN

yakushimensis Makihara, 2004a: 15 A: JA

genus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

subgenus *Chalcoturanium* Jankowski, 1934: 100 [= 1935a: 60] type species *Turanium johannis* Baeckmann, 1922

badenкои Danilevsky, 2001e: 587 A: KZ

johannis johannis Baeckmann, 1922: 24 A: KI

johannis juglandis Jankowski, 1934: 100 [= 1935a: 59] A: KI

subgenus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

hladili Kratochvil, 1985b: 65 A: UZ

pilosum Reitter, 1891a: 33 (*Pronocera*) A: KI KZ TD UZ XIN

rauschorum Holzschuh, 1998: 44 A: KI KZ

scabrum Kraatz, 1882a: 115 (*Callidium*) E: ST A: KI KZ TD TM UZ WS XIN

simplarium Heyden, 1885a: 296 (*Callidium*)

tekeorum Danilevsky, 2001e: 584 A: IN TM

tribe Callidiopini Lacordaire, 1868

genus *Becvarium* Holzschuh, 2011: 287 type species *Becvarium bioculatum* Holzschuh, 2011

bioculatum Holzschuh, 2011: 288 A: YUN

genus *Ceresium* Newman, 1842d: 322 type species *Ceresium raripilum* Newman, 1842

Diatomocephala Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853

Paraceresium Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932

~~*Pneumida* J. Thomson, 1864a: 191 type species *Pneumida argenteofasciata* J. Thomson, 1864~~

Raphidera Perroud, 1855b: 336 type species *Raphidera gracilis* Perroud, 1855

Rhaphidodera Gemminger, 1872: 2831 [unjustified emendation]

albomaculatum Pic, 1926a: 23 A: HAI ORR

declaratum Holzschuh, 1990: 186 A: SD

elongatum Matsushita, 1933b: 301 A: JA TAI

fallaciosum Holzschuh, 1995: 19 A: YUN ORR

flavipes Fabricius, 1793: 327 (*Callidium*) A: GUA HKG TAI AFR AUR NTR ORR

ambiguum Newman, 1842a: 246 (*Arhopalus*)

simplex Gyllenhal, 1817: 178 (*Stenocorus*)

fuscum fuscum Matsumura & Matsushita, 1932: 67 A: HAI JA

hachijoense Matsumura & Matsushita, 1932: 68

fuscum shirakii Hayashi, 1963a: 53 A: JA (Ryukyus)

geniculatum A. White, 1855: 245 A: HAI YUN ORR

rufipes Pascoe, 1869: 537

holophaeum Bates, 1873: 153 A: JA SC TAI

yuasai Matsushita, 1937: 312

inaequalicolle Pic, 1933b: 28 A: YUN

joannisi Pic, 1935f: 171

lepidulum Holzschuh, 1982b: 150 A: SD YUN

leucosticticum A. White, 1855: 245 A: HAI NP PA SD UP TAI YUN ORR

longicorne Pic, 1926a: 24 A: HKG HUB JA JIX SC TAI ORR

japonicum Matsushita, 1932: 68

tsushimaenum K. Ohbayashi, 1961a: 17

lucifugum Holzschuh, 1982b: 150 A: NP UP

manchuricum Hayashi, 1957a: 39 A: HEI

nilgiriense Gahan, 1906a: 161 A: YUN ORR

particulare Pic, 1926a: 24 A: CH

propinquum Holzschuh, 1982b: 149 A: NP SD

quadrimaculatum Gahan, 1900b: 121 A: GUX YUN ORR

sculpticolle Gressitt, 1942b: 1 A: SCH

senile Holzschuh, 1998: 32 A: YUN

signaticolle Matsumura & Matsushita, 1932: 69 A: JA

simile flavopubescens Kusama & Takakuwa, 1984: 9 A: JA

simile simile Gahan, 1890b: 169 A: JA

sinicum innotaticolle Pic, 1926a: 24 A: CH

sinicum ornaticolle Pic, 1907d: 20 A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN ORR

sinicum sinicum A. White, 1855: 245 A: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX SCH SHA SHG TAI XIZ
YUN ZHE **ORR**

sakaiense Matsushita, 1933b: 302

subuniforme Schwarzer, 1925a: 22 A: TAI

swatense Holzschuh, 1974a: 82 A: PA

unicolor pseudounicolor Kusama & Komiya, 1972: 42 A: JA

unicolor unicolor Fabricius, 1787: 147 (*Saperda*) A: JA "North India" AUS

ambiguum Newman, 1842a: 246 (*Arhopalus*)

palauense Matsushita, 1932: 169

simplex Gyllenhal, 1817: 178 (*Stenochorus*)

genus *Curtomerus* Stephens, 1839: 275 [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)

Cylindera Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)

Cylindrodera Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)

Lampromerus J. Thomson, 1860: 202 type species *Callidium pilicornae* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)

Onchomerus Dejean, 1835: 332 [NO] type species *Callidium pilicornae* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)

Sotenus Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)

flavum Fabricius, 1775: 191 (*Callidium*) A: JA **NAR NTR ORR**

barbatus Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)

boninensis Matsumura & Matsushita, 1932: 72 (*Trinophylum*)

impuncticollis Fairmaire, 1881: 473 (*Ceresium*)

luteus Stephens, 1831: 249 (*Callidium*)

pallidus Newman, 1833: 510 (*Cylindera*)

pilicornis Fabricius, 1793: 327 (*Callidium*)

setigerus Sharp, 1878: 203 (*Sotenus*)

subflavus Chemsak, 1966: 213

genus *Gelonaetha* J. Thomson, 1878: 12 type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)

hirta Fairmaire, 1850: 60 (*Stromatidium*) A: TAI **YUN ZHE ORR**

curtipes J. Thomson, 1878: 13

obscura Sharp, 1878: 204 (*Astrimus*)

genus *Parasalpinia* Hayashi, 1962c: 4 type species *Parasalpinia kojimai* Hayashi, 1962

kojimai Hayashi, 1962c: 4 A: JA (Ryukyus) TAI

laosensis Gressitt & Rondon, 1970: 102 (*Salpinia*) A: **HAI YUN ORR**

~~**genus *Salpinia* Pascoe, 1869: 536** type species *Salpinia diluta* Pascoe, 1869~~

~~*laosensis* Gressitt & Rondon, 1970: 102 A: **HAI YUN ORR**~~

genus *Stenodryas* Bates, 1873: 153 type species *Stenodryas clavigera* Bates, 1873

apicalis Gahan, 1906a: 161 (*Ceresium*) A: NP

clavigera clavigera Bates, 1873: 154 A: JA JIX SC TAI

clavigera impuncticollis Hayashi, 1974a: 17 A: TAI

clavigera insularis Yokoyama, 1966: 55 A: JA TAI

cylindricollis Gressitt, 1951a: 159 A: SHA TAI YUN

fascipennis Holzschuh, 1984c: 347 A: BT SD

nigromaculata Gardner, 1942: 69 (*Ceresium*) A: **BT NP ORR**

tripunctata Gressitt & Rondon, 1970: 104

punctatella Holzschuh, 1999: 25 A: HUB

suavis Holzschuh, 1998: 33 A: SCH

ventralis Gahan, 1906: 160 A: **YUN ORR** [see: Xiong, Tian & Chen, 2012]

genus *Stenygrinum* Bates, 1873: 154 type species *Stenygrinum quadrinotatum* Bates, 1873

quadrinotatum Bates, 1873: 154 A: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO

SC SCH SHA SHN TAI YUN ZHE **ORR**

genus *Teladum* Holzschuh, 2011: 289 type species *Lasiophanes comosus* Holzschuh, 1989

angustior Holzschuh, 2011: 292 A: YUN

genus *Trinophylum* Bates, 1878b: 720 type species *Trinophylum cribratum* Bates, 1878

cribratum Bates, 1878b: 720 Ei: GB A: KA PA

impressipenne Pic, 1948: 6 (*Callidium*)

tribe Cerambycini Latreille, 1802

genus *Aeolesthes* Gahan, 1890c: 250 type species *Hammaticherus aurifaber* A. White, 1853

subgenus *Aeolesthes* Gahan, 1890c: 250 type species *Hammaticherus aurifaber* A. White, 1853

holosericea Fabricius, 1787: 135 (*Cerambyx*) A: FUJ GUA GUX HAI HEN HKG HP PA SCH SD SHA **TAI** YUN **ORR**
similis Gahan, 1890a: 52 (*Pachydissus*)
velutina J. Thomson, 1865a: 576 (*Pachydissus*)
indicola Bates, 1891a: 21 (*Neocerambyx*) A: AF HP NP SD
induta Newman, 1842a: 245 (*Hammaticherus*) A: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE **ORR**
sarta Solsky, 1871b: 150 (*Pachydissus*) A: AF IN KI KZ PA TD TM UZ XIZ
sinensis Gahan, 1890c: 255 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya"
ORR
subgenus *Pseudaolesthes* Plavilstshikov, 1931a: 73 type species *Neocerambyx chrysothrix* Bates, 1873
Niphocerambyx Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873
aurosignata Pic, 1916l: 325 A: FUJ TAI XIZ YUN
chrysothrix chrysothrix Bates, 1873: 152 (*Neocerambyx*) A: GUI HUB JA **SC** SHA SHG SHN TAI ZHE
batesi Harold, 1875d: 295 (*Neocerambyx*)
chrysothrix kurosawai Gressitt, 1965: 62 (*Pseudaolesthes*) A: JA (Ryukyus)
chrysothrix nakamurai Kusama & Takakuwa, 1984: 9 A: JA (Ryukyus)
chrysothrix taiwanensis Hayashi, 1974a: 16 (*Pseudaolesthes*) A: TAI
chrysothrix tibetana Gressitt, 1942a: 2 (*Pseudaolesthes*) A: GUI GUX HAI XIZ YUN
chrysothrix yonaguniensis K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudaolesthes*) A: JA
mutabiliaurea Chiang, 1951: 20 (*Pseudaolesthes*) A: GUI GUX
ningshanensis Chiang, 1981: 79 A: SHA
pericalles Gressitt & Rondon, 1970: 61 A: YUN **ORR**

genus *Anarchambyx* Sama, 2007b: 101 type species *Anarchambyx pipposamai* Sama, 2007
pipposamai Sama, 2007b: 103 A: YE

genus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
subgenus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
Hamaticherus Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)
Hammatocerus Gistel, 1848a: 130 [unjustified emendation] [HN]
apiceplicatus Pic, 1941b: 2 A: **IN** IQ
carinatus Küster, 1845a: 46 (*Hammaticherus*) E: BH BU CR GR IT MA MC YU A: TR
landrieui Pic, 1927l: 158
minor Pic, 1926d: 13
cerdo *cerdo* Linnaeus, 1758: 392 E: AL AU BE BH BU BY CR CT CZ FR GBi GE GR HU IR IT LA LU MA MC MD NL PL RO
SK SL ST **SV** SZ TR UK YU N: MO A: TR
heros Scopoli, 1763: 51
cerdo acuminatus Motschulsky, 1853: 79 E: **ST** UK A: AB AR GG IN IQ IS JO LE SY TR
klinzigi Podány, 1964c: 88
iranicus Heyrovský, 1951: 156
cerdo manderstjerna Mulsant & Godart, 1855b: 280 [= 1855a: 180] E: **UK**
cerdo mirbeckii P. H. Lucas, 1842: 184 (*Hammaticherus*) N: AG MO **PT** SP TU
tunicus Pic, 1891b: 18 [DA]
cerdo pfisteri Stierlin, 1864: 152 (*Hammaticherus*) E: **IT** GR
dux Faldermann, 1837: 264 (*Hammaticherus*) E: BU MC ST UK A: AB AR GG IN IS JO LE SY
?intricatus Fairmaire, 1848: 167 (*Hammaticherus*)
nodosus Mulsant & Rey, 1863: 144
orientalis Küster, 1845a: 45 (*Hammaticherus*)
thirkii Küster, 1845a: 47 (*Hammaticherus*)
heinzianus Demelt, 1976: 65 A: **TR**
miles Bonelli, 1812: 178 E: AL AU BH BU CR FR GR HU IT MC PT RO SK SL SP ST SZ TR UK YU A: AB AR GG TR
militaris Latreille, 1829: 116 (*Hammaticherus*)
nodulosus Germar, 1817: 220 E: AL BH BU CR GR IT MA MC RO SL ST TR UK YU A: AB AR CY GG LE SY **TR**
nodicornis Küster, 1845a: 43 (*Hammaticherus*)
welensii centurio Czwalina, 1891: 99 A: **IS** JO LE SY
welensii welensii Küster, 1845a: 44 (*Hammaticherus*) E: AL BH BU CR FR GR HU IT PT RO SK SL SP **TR** UK YU A: AB CY
GG IN TR
velutinus Brullé, 1832: 252 [HN]
subgenus *Microcerambyx* Mikšić & Georgijevic, 1973: 22 type species *Cerambyx scopolii* Fuessly, 1775
elbursi Jureček, 1924a: 47 A: **IN**
multiplicatus Motschulsky, 1860a: 142 A: AB **IN**
elegans Dohrn, 1873: 74
paludivagus P. H. Lucas, 1842: 185 (*Hammaticherus*) N: AG TU
scopolii scopolii Fuessly, 1775: 12 E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NL
NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG SY TR
helveticus Stierlin, 1878b: 442
nitidus Pic, 1892s: cxi [= 1893d: 417]
piceus Geoffroy, 1785: 74
scopolii siculus Rapuzzi & Sama, 2010a: 129 E: **IT** (Sicilia)

genus *Derolus* Gahan, 1891a: 26 type species *Hammaticherus mauritanicus* Buquet, 1840

Capnocerambyx Reitter, 1894h: 356 type species *Hammaticherus mauritanicus* Buquet, 1840

***abaii* Holzschuh, 2009:288 A: IN**

argentifer argentifer Pic, 1904c: 11 A: YUN

argentifer diversithorax Pic, 1946b: 109 A: CH

asiricus Holzschuh, 1993b: 117 A: SA

brevicornis Holzschuh, 1981: 97 A: IN

bulbicornis Gressitt, 1951a: 142 A: XIZ

discicollis Gahan, 1906a: 136 A: IN PA

incultus yemenensis Villiers, 1977: 167 A: YE

iranensis arabicus Sama, 2007d: 301 A: AE OM

iranensis iranensis Pic, 1956a: 3 A: AF IN PA

iranensis Lepesme & Breuning, 1958: 179 [HN]

***janae* Holzschuh, 2009:286 A: IN**

mauritanicus Buquet, 1840b: 395 ["295"] (*Hammaticherus*) N: AG LB MO TU

nerii Erichson, 1841: 188 (*Hammaticherus*)

martini hajekae Villiers, 1968: 847 A: AE SA YE

pakistanus Holzschuh, 1974a: 81 A: PA

thesigeri Villiers, 1968: 848 A: SA

vastus Holzschuh, 1993b: 118 A: SA YE

volvulus Fabricius, 1801b: 271 (*Cerambyx*) A: FUJ GUA HAI NP ZHE "India" **ORR**

demissus Pascoe, 1859: 21 (*Cerambyx*)

strigicollis Dalman, 1817b: 158 (*Cerambyx*)

genus *Dialeges* Pascoe, 1856: 46 type species *Dialeges pauper* Pascoe, 1856

pauper Pascoe, 1856: 47 A: NP SD YUN **AFR ORR**

tenuicornis Pascoe, 1869: 522

undulatus Gahan, 1891a: 23 A: HAI TAI YUN **ORR**

genus *Diorthus* Gahan, 1891a: 27 type species *Hammaticherus simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)

subgenus *Diorthus* Gahan, 1891a: 27 type species *Hammaticherus simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, *cinereus* Fabricius, 1793: 265 (*Cerambyx*) [NP] A: AE AF IN NP PA YE **ORR**

holosericeus Olivier, 1795: 14 (*Cerambyx*)

inclemens J. Thomson, 1865a: 576 (*Pachydissus*)

simplex A. White, 1853: 130 (*Hammaticherus*)

sordidus Pascoe, 1888: 491 (*Neocerambyx*)

vermicosus Pascoe, 1859: 19 (*Cerambyx*)

intricarius Holzschuh, 1984a: 145 A: PA

pellitulus Holzschuh, 1984a: 144 A: NP

subgenus *Lamellocerambyx* Pic, 1923e: 8 type species *Lamellocerambyx laosensis* Pic, 1923e

laosensis Pic, 1923e: 8 A: YUN **ORR**

genus *Dissopachys* Reitter, 1886: 68 type species *Dissopachys pulvinatus* Reitter, 1886

pulvinatus Reitter, 1886: 68 A: AB IN TM

genus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)

subgenus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)

aureofulvescens Gressitt & Rondon, 1970: 80 A: JIX **YUN ORR**

gracilicornis* Gressitt, 1951a: 147 (*Zegriades*) A: FUJ YUN **ORR*

miser Holzschuh, 2005: 14 A: SHA

subvestitus Holzschuh, 1984a: 146 A: NP UP

subgenus *Elydnus* Pascoe, 1869: 509 type species *Elydnus amictus* Pascoe, 1869

hirayamai Matsushita, 1941: 153 A: JA TAI

kisanus Matsushita, 1934b: 540 A: TAI

minusus Gressitt, 1935f: 379 (*Cerambyx*)

genus *Falsoxeanodera* Pic, 1923e: 8 type species *Falsoxeanodera maculata* Pic, 1923

maculata Pic, 1923e: 8 A: FUJ **ORR**

genus *Gibbocerambyx* Pic, 1923e: 12 type species *Gibbocerambyx aureovittatus* Pic, 1923

aurovirgatus Gressitt, 1939b: 96 (*Zegriades*) A: ANH GUX HEN HUB HUN SCH ZHE

***maculicollis* Matsushita, 1933b: 248 (*Zegriades*) A: TAI**

unitarius Holzschuh, 2003a: 173 A: SHA

genus *Hemadius* Fairmaire, 1889a: 57 type species *Hemadius oenochrous* Fairmaire, 1889

oenochrous Fairmaire, 1889a: 57 A: ANH FUJ GUX HUB HUN JIX SCH TAI XIZ YUN ZHE **ORR**
mushaensis Kano, 1928: 224 (*Neocerambyx*)
stoetzneri Heller, 1923b: 72 (*Neocerambyx*)

genus *Hoplocerambyx* J. Thomson, 1864: 229 type species *Hammaticherus spinicornis* Newman, 1842
cicatricatus Gardner, 1926: 198 A: HAI **ORR**
spinicornis Newman, 1842a: 245 (*Hammaticherus*) A: AF BT NP PA UP **ORR**
minor Pic, 1923e: 8 (*Haplocerambyx*)
morusus Pascoe, 1857b: 92 (*Cerambyx*)
relictus Pascoe, 1866: 528

genus *Lachnopterus* J. Thomson, 1864: 231 type species *Hammaticherus auripennis* Newman, 1842
auripennis Newman, 1842a: 245 (*Hammaticherus*) A: TAI **ORR**
socius Gahan, 1891a: 24 (*Hammaticherus*) A: TAI **ORR**

genus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858
subgenus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858
auratonotatus Pic, 1923e: 7 A: FUJ GUA GUI HEN HUB HUN JIA JIX SCH TAI
decipiens Holzschuh, 1989c: 396 A: BT
egenus Pascoe, 1858: 236 (*Cerambyx*) A: GUA NO SCH
fulvidus Pascoe, 1858: 236 (*Pachydissus*) A: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN
coreanus K. Saito, 1932: 440 (*Ceresium*)
lajoyei Pic, 1926a: 23 A: YUN **ORR**
luteopubens Pic, 1926a: 23 A: YUN **ORR**
modicus Gahan, 1906a: 138 A: NP UP **ORR**

genus *Massicus* Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857
Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857
Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946
dierli Heyrovský, 1976: 181 A: NP
taiwanus Makihara & Niisato, 2014: 24 A: TAI
theresae Pic, 1946a: 7 (*Falsomassicus*) A: CH
trilineatus Pic, 1933a: 12 (*Dymasius*) A: AP FUJ HAI JIX TAI YUN **ORR**
fasciatus Matsushita, 1933b: 243 (*Mallambyx*) [see: Makihara & Niisato, 2014]

genus *Nadezhdia* Plavilstshikov, 1931a: 71 type species *Cerambyx cantori* Hope, 1845
cantori Hope, 1845a: 11 (*Cerambyx*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR**
lucasi Brongniart, 1892: 238 (*Cerambyx*)
scabricollis Chevrolat, 1852: 416 (*Hammaticherus*)
fulvopubens Pic, 1933b: 27 (*Plocaederus*) A: CH
aurea Gressitt, 1937a: 91
conica Chiang, 1942: 254
japonica Hayashi, 1972: 27 A: JA (Ryukyus)

genus *Neocerambyx* J. Thomson, 1861: 194 type species *Cerambyx paris* Wiedemann, 1821
Mallambyx Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blesig, 1872)
grandis Gahan, 1891a: 20 A: FUJ GUA HAI UP YUN **ORR**
paris Wiedemann, 1821: 167 (*Cerambyx*) A: NP "North India"
raddei Blesig, 1872: 170 A: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX TAI YUN
ZHE **ORR**
japonicus Bates, 1873: 152 (*Mallambyx*)
taiwanensis Hayashi, 1992: 138 A: TAI
vitalisi Pic, 1923e: 12 A: FUJ **ORR**

genus *Neoplocaederus* Sama, 1991: 123 [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus Gemminger, 1872: 2799 [HN]
bicolor Gressitt, 1942a: 1 (*Plocaederus*) A: GUI HAI HEB HUB HUN JIX TAI XIZ YUN
caroli Leprieur, 1876: viii (*Plocaederus*) N: AG LB MO TU AFR
jaffeuxi Vuillet, 1911b: 217 (*Plocaederus*)
danilevskiyi Lazarev, 2009a: 73: A: UZ
denticornis Fabricius, 1801b: 271 (*Cerambyx*) A: OM SA YE
atlanticus Rungs, 1952: 146 (*Plocaederus*)
cribrithorax Kolbe, 1897: 297 (*Plocaederus*)
serraticornis Bertoloni, 1855: 440 (*Hammaticherus*)
elongatulus Holzschuh, 1993: 113 (*Plocaederus*) A: SA
laszlokotani Kotán & Sama, 2011 A: SY
luritanicus Holzschuh, 1977a: 127 (*Plocaederus*) A: IN

obesus Gahan, 1890a: 51 (*Plocaederus*) A: AP BT GUA GUX HAI HKG PA SD TAI UP YUN **ORR**
pedestris Cotes, 1889: 91 (*Plocaederus*) [HN]
pedestris A. White, 1853: 127 (*Hammaticherus*) A: "Northern India" **ORR**
humeralis A. White, 1853: 127
ruficornis Newman, 1842a: 245 (*Hammaticherus*) A: NP YUN **ORR**
scapularis Fischer von Waldheim, 1821: 15 (*Cerambyx*) A: AF IN KI KZ TD TM UZ XIN
tataricus Gebler, 1841a: 375 (*Hammaticherus*)
spinicornis Fabricius, 1781: 224 (*Cerambyx*) A: OM SA YE **AFR**

genus Pachydissus Newman, 1838b: 494 type species *Pachydissus sericus* Newman, 1838
argentatus Pic, 1923b: 8 A: XIZ
parvicollis Gahan, 1891a: 29 A: NP "North India"
schmutzenhoferi Holzschuh, 1990: 185 A: BT SD
thibetanus Pic, 1946c: 108 A: XIZ

genus Rhytidodera A. White, 1853: 132 type species *Rhytidodera bowringii* A. White, 1853
bowringii A. White, 1853: 133 A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN **ORR**
consona Holzschuh, 1995: 18 A: NP SD
griseofasciata Pic, 1912l: 16 A: CH
integra Kolbe, 1886: 237 A: FUJ GUA GUX HKG HUB HUN SC SCH **TAI** YUN **ORR**
nebulosa Brongniart, 1892: 240 (*Zatrephus*) [DA]
simulans A. White, 1853: 132 (*Hammaticherus*) A: NP TAI **ORR**

genus Sinopachys Sama, 1999b: 48 type species *Neocerambyx mandarinus* Gressitt, 1939
mandarinus Gressitt, 1939f: 209 (*Neocerambyx*) A: HEN HUB HUN SCH SHA SHX

genus Taurotagus Lacordaire, 1869: 249 type species *Taurotagus klugi* Lacordaire, 1869
Lacordairesius Travassos Santos-Dias, 1960: 237 type species *Taurotagus klugi* Lacordaire, 1969
griseus Guérin-Méneville, 1844: 227 (*Cerambyx*) N: EG A: YE
auberti Fairmaire, 1892a: 118 [DA]
greenfieldi Gahan, 1894c: 408

genus Trachylophus Gahan, 1888b: 59 type species *Trachylophus sinensis* Gahan, 1888
rugicollis Gressitt, 1948a: 48 A: SCH
sinensis Gahan, 1888b: 60 A: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE **ORR**
piyananensis Kano, 1933a: 261

genus Trirachys Hope, 1843: 63 type species *Trirachys orientalis* Hope, 1843
Trirhachis Agassiz, 1846b: 378 [unjustified emendation]
Trirhachys Gemminger, 1872: 2801 [unjustified emendation]
inexpectatus Holzschuh, 1982b: 148 A: UP
orientalis Hope, 1843: 64 A: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE **ORR**
formosanus Schwarzer, 1925a: 21

genus Xenoderolus Sama, 2007b: 98 type species *Microderolus arabicus* Villiers, 1968
arabicus Villiers, 1968: 848 (*Microderolus*) A: **OM** SA YE [see Danilevsky, 2014b: 208]

genus Xenopachys Sama, 1999b: 46 type species *Dissopachys matthiesseni* Reitter, 1907
matthiesseni Reitter, 1907b: 218 (*Dissopachys*) A: IN TM
schurmanni Sama, 1999b: 46 A: AF

genus Xoanodera Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
subgenus Xoanodera Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
maculata Schwarzer, 1925a: 21 A: FUJ GUX HUN SCH TAI YUN
regularis Gahan, 1890a: 52 A: NP YUN "North India" **ORR**

genus Zatrephus Pascoe, 1857b: 94 type species *Zatrephus pannosus* Pascoe, 1857
longicornis Pic, 1930a: 15 A: GUA **ORR**

~~**genus Zegriades Pascoe, 1869: 509** type species *Xoanodera magister* Pascoe, 1857
gracilicornis Gressitt, 1951a: 147 A: FUJ YUN
maculicollis Matsushita, 1933b: 248 A: TAI~~

tribe Certallini Fairmaire, 1864

genus Certallum Dejean, 1821: 111 type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)
Certallum Audinet-Serville, 1834b: 94 [unjustified emendation]

ebulinum Linnaeus, 1767: 637 (*Cerambyx*) E: BU FR GR MA PT SP ST TR UK A: AB AR CY GG IN IQ IS JO LE SY TR N: AG
EG LB MO TU
monspeliense Gmelin, 1790: 1842 (*Cerambyx*)
nigricolle Pic, 1891b: 17 (*Cartallum*)
ruficolle Fabricius, 1781: 236 (*Callidium*)
tricolor Chevrolat, 1882: 57 (*Obrium*)
martini Sama, 1990: 287 N: AG TU
nigricorne Holzschuh, 1991a: 10 (*Cartallum*)
thoracicum Sharp, 1880: 247 (*Cartallum*) A: IN IQ IS JO LE SY TR
diversipes Pic, 1928c: 9 (*Cartallum*)
laevicolle Pic, 1895d: 76 (*Cartallum*)

tribe Cleomenini Lacordaire, 1868

genus *Artimpaza* J. Thomson, 1864: 160 type species *Artimpaza odontocerooides* J. Thomson, 1864
Cleomenida Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925
Falsodebilina Pic, 1918a: 9 type species *Falsodebilina metallica* Pic, 1918
Mimistena Pascoe, 1866: 513 type species *Mimistena femorata* Pascoe, 1866
argenteonotata Pic, 1922c: 10 A: GUA GUX YUN **ORR**
biplagiata Gahan, 1906b: 113 (*Mimistena*) A: TAI **ORR**
brevilineata Tian & Chen, 2012: 43 A: YUN
curtelineata Pic, 1922b: 23 (*Falsodebilina*) A: GUX YUN **ORR**
dehra Gardner, 1939: 13 A: NP UP
lineata Pic, 1927a: 24 (*Falsodebilina*) A: GUX YUN **ORR**
metallica Pic, 1918a: 10 (*Falsodebilina*) A: YUN **ORR**
mimetica Holzschuh, 1989b: 385 A: YUN **ORR**
obscura Gardner, 1926: 207 A: NP SD "India"
patruelis Holzschuh, 1989b: 383 A: YUN **ORR**
pulchella Gressitt, 1935c: 187 (*Cleomenida*) A: TAI
pulchra Gressitt & Rondon, 1970: 292 A: HAI **ORR**
punctigera Holzschuh, 1982a: 72 A: NP **ORR**
sausai Holzschuh, 1995: 31 A: YUN
setigera japonica Pic, 1928a: 27 (*Falsodebilina*) A: JA
nipponica Hayashi, 1956c: 40
setigera setigera Schwarzer, 1925a: 29 (*Cleomenida*) A: TAI
ruficollis Matsushita, 1933a: 107 (*Mimistena*)

genus *Cleomenes* J. Thomson, 1864: 161 type species *Cleomenes diammaphoroides* J. Thomson, 1864
apicalis Holzschuh, 1977b: 340 A: BT NP
atricornis Holzschuh, 1995: 33 A: BT
auricollis Kano, 1933a: 277 A: TAI
diversevittatus Fuchs, 1961: 21 A: YUN
giganteus Holzschuh, 1995: 34 A: YUN
longipennis longipennis Gressitt, 1951a: 313 A: HUB SCH SHA TAI YUN
longipennis trilineatus Holzschuh, 2006a: 264 A: YUN
modicatus Holzschuh, 1995: 33 A: YUN
multiplagatus Pu, 1992b: 599 A: YUN
nigricollis Fairmaire, 1895: 148 A: GUX YUN **ORR**
ornatus Holzschuh, 1981: 102 A: NP SD **YUN**
rufofemoratus Pic, 1914e: 17 A: FUJ YUN
semiargentens Gressitt, 1945a: 127 A: SCH
semilineatus Pic, 1957: 77 A: FUJ
takiguchii K. Ohbayashi, 1936a: 14 A: JA SC
tenuipes Gressitt, 1939b: 106 A: GUX HUB TAI YUN ZHE **ORR**
trinotatithorax Mitono, 1944: 249 A: HAI

genus *Dere* A. White, 1855: 248 type species *Dere thoracica* A. White, 1855
affinis macilenta Gressitt, 1940b: 87 A: GUA HAI SCH **ORR**
femorale Holzschuh, 1998: 41 A: YUN
grahami Gardner, 1942: 70 A: NP UP
khatrii Holzschuh, 1984c: 367 A: NP SD
kirai Mitono, 1943: 588 A: TAI
opacula Holzschuh, 1984a: 151 A: NP
punctifrons Holzschuh, 1991b: 63 A: YUN **ORR**
reticulata Gressitt, 1942a: 4 A: HEN HUB SCH SHA XIZ YUN ZHE **ORR**
rufeola Holzschuh, 1998: 40 A: HUN
subtilis Holzschuh, 1991b: 63 A: YUN

thoracica A. White, 1855: 249 A: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE **ORR**

genus *Diplothorax* Gressitt & Rondon, 1970: 312 type species *Diplothorax paradoxus* Gressitt & Rondon, 1970
brevis Niisato, 2008b: 283 A: HUB
fasciatus Holzschuh, 1982a: 74 A: NP UP
ishihamai Niisato, 1998: 208 A: YUN
lucens Holzschuh, 1995: 28 A: SCH
punctator Holzschuh, 2003a: 189 A: SHA
sangayi Holzschuh, 1989c: 394 A: BT CH **ORR**

genus *Kuraru* Gressitt, 1936: 92 type species *Kuraru constrictipennis* Gressitt, 1936
Cleomenella Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940
Sikimpaza Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961
angustissima Pic, 1903e: 105 (*Debilina*) A: SCH YUN
bicolorata Gressitt & Rondon, 1970: 303 A: YUN **ORR**
brevipes Holzschuh, 1984: 152 A: NP SD
chujoi Makihara, 1982b: 129 A: JA (Ryukyus) TAI
constrictipennis Gressitt, 1936: 93 A: GUX TAI
nacerdoides Pesarini & Sabbadini, 1997: 113 A: YUN
nigrescens Holzschuh, 1999: 31 A: YUN **ORR**
pedongensis Heyrovský, 1961b: 140 (*Sikimpaza*) A: SD
rhopalophoroides Hayashi, 1951b: 78 A: JA
ruficeps Holzschuh, 1991a: 25 A: CH **ORR**

genus *Nida* Pascoe, 1867a: 312 type species *Nida flavovittata* Pascoe, 1867
championi Gardner, 1926: 208 A: NP SD UP
flavovittata Pascoe, 1867a: 312 A: GUX TAI YUN **ORR**
vittidorsa Pic, 1904c: 10 (*Ceresium*)
kala Gardner, 1936: 136 A: UP

genus *Paramimistena* Fisher, 1940: 204 type species *Paramimistena polyalthiae* Fisher, 1940
assimilata Holzschuh, 1999: 38 A: SD
enterolobii Gressitt & Rondon, 1970: 308 A: SHA **ORR**
gracilicornis Holzschuh, 1999: 38 A: NP
polyalthiae Fisher, 1940: 205 A: SD
subglabra Gressitt & Rondon, 1970: 306 A: SD YUN **ORR**

genus *Procleomenes* Gressitt & Rondon, 1970: 309 type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970
jianfenglingensis Hua, 1986b: 204 A: HAI
mioleucus Holzschuh, 1998: 39 A: YUN
robustus Niisato, 1981b: 71 A: TAI

tribe Clytini Mulsant, 1839

genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110 type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997
felicisrosettae Pesarini & Sabbadini, 1997: 111 A: SCH
ventripennis Pic, 1908k: 61 (*Clytus*) A: SCH YUN

genus *Amamiclytus* K. Ohbayashi, 1964: 21 type species *Amamiclytus nobuoi* Ohbayashi, 1964
hirtipes Matsushita, 1940: 52 (*Rhaphuma*) A: TAI
juni Niisato & Han, 2011: 40 A: TAI
nobuoi akusekianus Niisato, 2005: 383 A: JA (Ryukyus)
nobuoi nobuoi K. Ohbayashi, 1964: 21 A: JA
nubilus Niisato & Han, 2011: 37 A: TAI
setiger Niisato & Han, 2011: 35 A: TAI
subnitidus Holzschuh, 1984c: 358 A: TAI
yulongi Niisato & Han, 2011: 43 A: TAI

genus *Brachyclytus* Kraatz, 1879d: 107 type species *Brachyclytus singularis* Kraatz, 1879
singularis Kraatz, 1879d: 107 A: FE HEN JA SC SHG
fukukii Seki, 1935: 224

genus *Calloides* LeConte, 1873b: 319 type species *Clytus nobilis* Harris, 1836
bicolor Pu, 1991b: 248, 252 A: SCH
magnificus Pic, 1916j: 181 (*Clytus*) A: HEB SHN SHX
yunnanensis J.-X. Zhang & Chen, 2006: 47 A: YUN

genus *Chlorophorus* Chevrolat, 1863b: 290 type species *Callidium annulare* Fabricius, 1787
subgenus *Chlorophorus* Chevrolat, 1863b: 290 type species *Callidium annulare* Fabricius, 1787
annularis Fabricius, 1787: 156 (*Callidium*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIL JIX LIA SC
SCH SHA TAI XIZ YUN ZHE NARi NTRi ORR
bidens Weber, 1801: 90 (*Callidium*)
annularoides Holzschuh, 1983: 372 A: NP SD YUN ORR
subgenus *Crassofasciatus* Özdikmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781
adelii Holzschuh, 1974a: 93 A: IN
aegyptiacus Fabricius, 1775: 194 (*Callidium*) E: BU GR MC A: TR
macedonicus Pic, 1935d: 15
magdalenae Théry, 1895: cclxvi (*Clytus*)
nigripes Brullé, 1832: 255 (*Clytus*)
rufifrons Pic, 1917g: 5
convexifrons Holzschuh, 1981: 100 E: GR (Samos) A: TR
cursor Rapuzzi & Sama, 1999: 331 A: TR
favieri Fairmaire, 1873b: 351 (*Clytus*) N: MO
grosseri Sama & Rapuzzi, 2011: 85 A: TR
hungaricus Seidlitz, 1891b: 828 E: AL AU BH BU CR CZ GR HU MC MD RO SK YU A: TR
niehuisi Adlbauer, 1992: 497 A: TR
oezdikmeni Sama & Rapuzzi, 2011: 87 A: TR
ringenbachi Sama, 2004: 148 N: LB
robustior Pic, 1900e: 11 (*Clytanthus*) A: TR
ruficornis Olivier, 1790b: 267 (*Callidium*) E: FR PT SP
feneoni Chobaut, 1895b: cccxvi (*Clytanthus*)
obscuriceps Pic, 1917g: 5
sexguttatus P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU
trifasciatus Fabricius, 1781: 244 (*Callidium*) E: BH BU CR FR GR HU IT PT RO SL SP SZ N: AG MO TU A: IS SY TR
baleareicus Pic, 1908i: 91 (*Clytanthus*)
nigrofasciatus Goeze, 1777: 507 (*Leptura*)
ornatus Herbst, 1784: 98 (*Callidium*)
perfidus Breit, 1915: 355 [DA]
paradoxus Dayrem, 1924b: 78 (*Clytanthus*)
portugallus Gmelin, 1790: 1854 (*Cerambyx*)
subgenus *Humeromaculatus* Özdikmen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763
angustatus Pic, 1920a: 1 A: YUN
annulatus Hope, 1831: 28 (*Clytus*) A: NP SD YUN ORR
nigroannularis Villiers & Chûjô, 1966: 552
anticemaculatus Schwarzer, 1925a: 27 A: TAI
chiuae Nakamura, 1974: 14 A: TAI
diadema diadema Motschulsky, 1854a: 48 (*Clytus*) A: ANH FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG
NC NMO SC SCH SHA SHN SHX YUN ZHE
artemisiae Fairmaire, 1888b: 143 (*Clytus*)
breuningi Heyrovský, 1938: 93
herzianus Ganglbauer, 1887a: 134 (*Clytus*)
itoi Matsushita, 1934a: 240
diadema inhirsutus Matsushita, 1934a: 240 A: FE JA
kurotora Hayashi, 1961a: 26
dinae Rapuzzi & Sama, 1999: 329 A: SY TR
dominici Sama, 1996c: 110 A: TR
douei Chevrolat, 1863b: 294 (*Anthoboscus*) A: FUJ GUA GUI GUX HAI HUN NP SCH YUN ORR
aei Hayashi, 1979: 90
laharae Gardner, 1942: 72
reductus Pic, 1922c: 13
dureli Pic, 1950f: 507 A: BT NP "India"
athatodae Chatterjee & Misra, 1971: 91
pseudofiguratus Heyrovský, 1976: 182
figuratus Scopoli, 1763: 55 (*Cerambyx*) E: AL AU BH BU BY CD CR CT CZ EN FR GE GR HU IT LA LS LT LU MC MD NT PL
PT RO SK SL SP ST SZ TR UK YU A: AB AR ES GG IN KZ TR WS
conglobatus Fügner, 1891: 201 (*Clytus*)
cordiger Aragona, 1830: 26 (*Clytus*)
funebri Laicharting, 1784: 111 (*Clytus*)
latifasciatus Fischer von Waldheim, 1832: 439 (*Clytus*)
leucozonias Gmelin, 1790: 1846 (*Cerambyx*)
plebejus Fabricius, 1781: 243 (*Callidium*)
rusticus O. F. Müller, 1776: 93 (*Leptura*) [HN]
tapaensis Pic, 1924c: 22 (*Clytanthus*)
graphus Holzschuh, 1998: 47 A: TAI
henriettae Holzschuh, 1984c: 358 A: NP SD

hircanus Pic, 1905g: 114 (*Clytanthus*) A: IN
persicus Breit, 1915: 355 [DA]
japonicus Chevrolat, 1863b: 298 (*Anthoboscus*) A: FE GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX ZHE **ORR**
griseobimaculatus Pic, 1924a: 16 (*Clytanthus*)
latepubens Pic, 1924a: 15 (*Clytanthus*)
rufotinctus Pic, 1924a: 16 (*Clytanthus*)
kanekoi Matsushita, 1941: 134 A: TAI
motschulskyi Ganglbauer, 1887a: 135 (*Clytus*) A: ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE
chasanensis Tsherepanov, 1982a: 175
latofasciatus Motschulsky, 1861b: 41 (*Clytus*) [HN]
navratili Holzschuh, 1981: 99 A: UZ TD
nivipictus Kraatz, 1879d: 91 (*Clytus*) E: GR (Samos) A: IN SY TR
cinctiventris Chevrolat, 1882: 58 (*Clytus*)
obliteratus Ganglbauer, 1889a: 70 (*Clytanthus*) A: ES MG NMO
kaszabi Heyrovský, 1970b: 140
mongolicus Pic, 1943a: 1
ubsanurensis Tsherepanov, 1971: 14
quatuordecimmaculatus Chevrolat, 1863b: 295 (*Anthoboscus*) A: AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN **ORR**
~~*afghanicus* Tippmann, 1958a: 54~~
guerryi Pic, 1902i: 30 (*Clytanthus*)
~~*variabilissimus* Tippmann, 1958a: 54~~
~~*valdereductus* Tippmann, 1958a: 54~~
separatus Gressitt, 1940b: 78 A: FUJ GUA GUI GUX HAI HEN HUB JIX SCH SHA YUN ZHE
taihorensis Schwarzer, 1925a: 27 A: TAI
tohokensis Hayashi, 1968a: 23 A: FE JA SC
verus Holzschuh, 1998: 46 A: TAI
yachovi Sama, 1996b: 97 A: IS LE
subgenus *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963
alni Holzschuh, 1982b: 152 A: UP
amami Hayashi, 1968a: 24 A: CH JA
apertulus Holzschuh, 1992: 25 A: SCH
arciferus Chevrolat, 1863b: 330 (*Amauresthes*) A: ANH BT HAI JIX NP SCH SD YUN ZHE **ORR**
pieli Pic, 1924a: 15 (*Clytanthus*)
rectefasciatus Pic, 1937a: 14 (*Clytanthus*)
aritai K. Ohbayashi, 1964: 22 (*Rhaphuma*) A: JA (Ryukyus)
assimilis Hope, 1831: 28 (*Clytus*) A: BT NP
boninensis Kano, 1933b: 135 A: JA (Ogasawara)
brevenotatus Pic, 1922c: 13 A: GUA **ORR**
caragana Xie & Wang, 2012: 55 A: NIN
copiosus Holzschuh, 1991b: 46 A: GUI YUN **ORR**
eckweileri Holzschuh, 1992: 24 A: GAN SCH
elaegni Plavilstshikov, 1956: 818 E: KZ ST A: AB KI KZ TD TM UZ
eleodes Fairmaire, 1889a: 65 (*Clytus*) A: GUI GUX HUB SCH SHA XIN XIZ YUN
insignifer Pic, 1902i: 31 (*Clytanthus*)
faldermanni Faldermann, 1837: 269 (*Clytus*) E: ST A: AB AF AR GG IN KI KZ TD TM UZ XIN **ORR**
caucasicus Pic, 1897o: 262 (*Clytanthus*)
mesmini Pic, 1908b: 3 (*Clytanthus*)
punctomaculatus Pic, 1893a: 26 (*Clytus*)
quinquemaculatus Gebler, 1845: 104 (*Clytus*)
flavopubescens Hayashi, 1968c: 14 A: JA (Ryukyus)
fraternus Holzschuh, 1992: 23 A: CH **ORR**
furcillatus Holzschuh, 1989a: 166 A: NP SD
gaudens Holzschuh, 1992: 26 A: SCH
glabromaculatus Goeze, 1777: 507 (*Leptura*) E: BE BH CR FR GEi GR IT MA SL SP SZ
naevius Gmelin, 1790: 1877 (*Leptura*)
quadripunctatus Fabricius, 1793: 337 (*Callidium*)
sexpunctatus Olivier, 1790b: 264 (*Callidium*)
uniformis Pic, 1945b: 7 [HN]
villosus Geoffroy, 1785: 80 (*Leptura*)
glaucus Fabricius, 1781: 236 (*Callidium*) E: AZ FR IT (Sardegna) SP PT N: AG MO TU
consobrinus P. H. Lucas, 1851a: xxxi (*Clytus*)
griseus Laporte & Gory, 1836: 80 (*Clytus*)
indus Gmelin, 1790: 1854 (*Cerambyx*)
lugens Küster, 1848c: 76 (*Clytus*)
nigrosignatus Fairmaire, 1856b: 531 (*Clytus*)
quinquepunctatus P. H. Lucas, 1848: xlviii (*Clytus*)
unifasciatus Pic, 1898a: 11 (*Clytanthus*)
vittatus Rungs, 1947: 99
webbei Laporte & Gory, 1836: 80 (*Clytus*)

hainanicus Gressitt, 1940b: 75 A: HAI
hederatus Heller, 1926: 25 A: GUX YUN ORR
herbstii Brahm, 1790: 148 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SP ST SV SZ TR UK YU A: ES KZ TR WS
sulphureus Schaum, 1862: 103 (*Clytus*) [RN]
verbasci Fabricius, 1775: 194 (*Callidium*) [HN]
hrabovskyi Kratochvíl, 1985b: 66 A: TM
ictericus Holzschuh, 1991b: 45 A: YUN ORR
inhumeralis Pic, 1918b: 4 A: FUJ YUN ORR
insidiosus Holzschuh, 1986a: 124 A: NP SD YUN
intactus Holzschuh, 1992: 25 A: YUN
kabateki Holzschuh, 1998: 46 A: SCH
kanoi Hayashi, 1963d: 134 A: JA (Ryukyus)
kobayashii Komiyama, 1976: 31 A: JA (Ogasawara)
kusamai Satô, 1999: 47 A: JA (Ogasawara)
lingnanensis Gressitt, 1951a: 626 A: FUJ GUA HUB HUN
macaumensis macaumensis Chevrolat, 1845: 98 (*Clytus*) A: GUA GUX HAI HKG SHA
masatakai Niisato & Karube, 2006: 222 A: JA (Ogasawara)
minamiwo kitaiwo Niisato & Karube, 2002b: 250 A: JA (Ogasawara)
minamiwo minamiwo Satô & N. Ohbayashi, 1982: 50 A: JA (Ogasawara)
miwai Gressitt, 1936: 100 A: ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE
shirozui Hayashi, 1965: 110
moupinensis Fairmaire, 1888a: 33 (*Clytus*) A: GUI GUX HUB SCH YUN ZHE
immaculatithorax Pic, 1933a: 12
muscosus Bates, 1873: 198 (*Clytanthus*) A: JA SC
bifasciatus Kano, 1933b: 135
mushanus Matsushita, 1931a: 44 A: TAI
nepalensis Hayashi, 1979: 89 A: NP
nodai Makihara, 1986c: 279 A: JA
praecanus Holzschuh, 2006b: 289 A: YUN
probsti Holzschuh, 1989b: 380 A: TAI
quinquefasciatus Laporte & Gory, 1836: 101 (*Clytus*) A: JA SC TAI
salicicola Holzschuh, 1993a: 36 A: YUN
semikanoi Hayashi, 1974a: 29 A: TAI
seniculus Holzschuh, 2006b: 287 A: YUN
siegriedae Holzschuh, 1993a: 36 A: YUN ORR
signaticollis Laporte & Gory, 1836: 103 (*Clytus*) A: FUJ GUA HUB JA (Ryukyus) JIX SHA TAI ZHE ORR
fainanensis Pic, 1918b: 4
oppositus Chevrolat, 1863b: 303 (*Anthoboscus*)
simillimus Kraatz, 1879d: 91 (*Clytus*) A: ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH SHA SHN XIN YUN ZHE
duodecimmaculatus Kraatz, 1879d: 91 (*Clytus*) [RN]
griseopubens Pic, 1904d: 17 (*Clytanthus*)
joannisi Théry, 1896: 108 (*Clytanthus*)
sexmaculatus Motschulsky, 1859b: 494 (*Clytus*) [HN]
taiwanus Matsushita, 1933b: 285 A: FUJ GUA HUB SCH TAI YUN
tredecimmaculatus Chevrolat, 1863b: 305 (*Anthoboscus*) A: FUJ GUA NO
trivialis Holzschuh, 2010: 189 A: SCH YUN XIZ
varius damascenus Chevrolat, 1854: 483 (*Clytus*) E: GR (Rodas) N: EG A: CY IN IS IQ JO LE SY TR
varius varius O. F. Müller, 1766: 188 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT LS LT MA MC MD NL PL RO SK SL SP ST SZ TR UK YU A: AB AR GG KZ TR WS
c-duplex Scopoli, 1786: 46 (*Stenocorus*)
ferrugineus Mulsant, 1839: 87 (*Clytus*)
gammoides Geoffroy, 1785: 81 (*Leptura*)
mixtornatus Fleischer, 1908: 211 (*Clytanthus*)
strigosus Gmelin, 1790: 1877 (*Leptura*)
venustus Gmelin, 1790: 1856 (*Cerambyx*)
viridicollis Kraatz, 1871b: 410 (*Clytus*)
vartianae Holzschuh, 1974a: 91 A: PA
viridulus Kano, 1933b: 136 A: TAI
parvus Matsushita, 1933b: 284
viticis Gressitt & Rondon, 1970: 225 A: SE SW ORR
yakitai Niisato, 2005: 384 A: JA (Ryukyus)
yayeyamensis Kano, 1933b: 137 A: JA TAI
dubius Matsushita, 1933b: 281
yedoensis Kano, 1933b: 133 (*Clytus*) A: JA
zelus Holzschuh, 1989a: 166 A: TAI

subgenus *Perderomaculatus* Özdikmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766
golestanicus Voříšek, 2012: 2 A: IN

gratiosus *gratiosus* Marseul, 1868: 203 (*Clytus*) A: IS LE

gratiosus *sparsus* Reitter, 1886: 67 (*Clytus*) E: GR A: SY TR

pelletieri Laporte & Gory, 1836: 93 (*Clytus*) N: AG MO TU

lepeletieri Pic, 1891j: 145

solutus Dayrem, 1922a: 18 (*Clytanthus*)

pseudoswatensis Holzschuh, 1983: 373 A: PA

sartor O. F. Müller, 1766: 188 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ LA LU MD PL PT RO SK SL
SP ST SZ TR UK YU A: AB AR CY ?ES GG IN IS JO KZ LE SY TM TR WS

achilleae Brahm, 1790: 141 (*Leptura*)

angusticollis Mulsant, 1851: 123 (*Clytus*)

corsicus Chevrolat, 1882: 58 (*Clytus*)

fulvicollis Mulsant, 1862: 181 (*Clytus*)

griseus Gabriel, 1910: 556 (*Clytanthus*)

lineola Scopoli, 1786: 44 (*Stenocorus*)

massiliensis Linnaeus, 1767: 1067 (*Leptura*)

mequignoni Pic, 1945a: 13

ruficeps Pic, 1917g: 5

rusticus Geoffroy, 1785: 81 (*Leptura*)

spinosulus Mulsant, 1862: 182 (*Clytus*)

swatensis Holzschuh, 1974a: 92 A: PA

wewalkai Holzschuh, 1969: 77 A: TR

subgenus ???

acrocarpi Gardner, 1942: 71 A: NP "Bengal"

albopunctatus Pic, 1916h: 13 (*Clytanthus*) A: YUN

anulifer Heller, 1926: 26 A: NP UP

biinterruptus Pic, 1943a: 1 A: CH

capensis Laporte & Gory, 1836: 90 (*Clytus*) A: SA YE AFR

caffer Fehraeus, 1872a: 66 (*Xylotrechus*)

curvatofasciatus Aurivillius, 1922a: 6 A: TAI ORR

duo Fairmaire, 1888a: 33 (*Clytus*) A: JIA JIX

externesignatus Pic, 1936b: 13 A: YUN

hauseri Pic, 1931r: 258 A: YUN

ignobilis Bates, 1878b: 721 (*Clytanthus*) A: KA PA

impressithorax Pic, 1950c: 6 A: "Kashmir"

kinganus Pic, 1903e: 105 (*Clytanthus*) A: CH

innotatus Pic, 1920a: 2

uniformis Pic, 1920d: 16

lepesmei Pic, 1950f: 507 A: BT

micheli Pic, 1950c: 11 A: CH ORR

rubricollis Laporte & Gory, 1836: 88 (*Clytus*) A: YUN ORR

semiformosus Pic, 1908f: 14 (*Clytanthus*) A: YUN

semisinuatus Pic, 1949b: 54 A: SD

socius Gahan, 1906a: 264 (*Caloclytus*) A: SD

sulcaticeps Pic, 1924a: 16 (*Clytanthus*) A: ANH FUJ HUB JIA YUN ZHE

tixieri Pic, 1902i: 31 (*Clytanthus*) A: CH ORR

touzalini Pic, 1920g: 198 A: YUN

genus *Chlorophorus*, nomen dubium

minomensis Seki & Suematsu, 1935: 203 A: JA

genus *Clytobius* Gressitt, 1951a: 261 type species *Clytus davidis* Fairmaire, 1878

davidis Fairmaire, 1878: 132 (*Clytus*) A: BEI CE SHN

genus *Clytocera* Gahan, 1906a: 279 type species *Clytocera chionospila* Gahan, 1906

taiwanensis Hayashi, 1974a: 30 A: TAI

genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864

siamensis Jordan, 1894b: 497 A: HAI YUN ORR

signaticollis Pic, 1922a: 8 (*Xylotrechus*)

genus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758

subgenus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758

Clytummus J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758

Europa J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758

Sphegesthes Chevrolat, 1863b: 333 type species *Leptura arietis* Linnaeus, 1758

ambigenus Chevrolat, 1882: 58 N: AG TU
biinterruptus Pic, 1895k: cclxxiv
externeinterruptus Pic, 1934c: 22
lebouli Pic, 1932d: 25
leprieuri Pic, 1934e: 20
arietis arietis Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ES FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: TR N: MR
arcuatus Sulzer, 1761: 12 (*Leptura*)
bickhardti Pic, 1913c: 98
bourdilloni Mulsant, 1839: 81
chapmani Pic, 1937c: 13
cloueti Théry, 1893: ccxiii
gazella Fabricius, 1793: 333 (*Callidium*)
heyrowskyi Pic, 1931c: 14
quadrifasciatus DeGeer, 1775: 81 (*Cerambyx*)
arietis lederi Ganglbauer, 1882: 730 [= 1886: 232] A: AB IN TM
arietis oblitus Roubal, 1932: 17 E: ST A: AB AR GG TR
arietoides Reitter, 1900f: 281 E: CT ST A: ES FE JA KZ MG NC NE NMO SC WS XIN
sachalinensis Matsushita, 1933a: 274
sibiricus Pic, 1900e: 11
venustus Plavilstshikov, 1940a: 412
auripilis Bates, 1884a: 230 A: HUB JA
buglanicus Kadlec, 2005: 106 A: TR
ciliciensis Chevrolat, 1863b: 334 (*Sphegesthes*) A: SY TR
bifarius Heyden, 1889b: 329
delagrangei Pic, 1945b: 6
griseofasciatus Pic, 1908b: 3
reitteri Théry, 1892: xcvi
clavicornis Reiche, 1860: 734 E: IT (Sicilia)
crassicornis Mulsant, 1862: 159
fibularis Holzschuh, 2003a: 207 A: HEB NMO
gulekanus Pic, 1904k: 65 A: TR
insignitus Fairmaire, 1866b: 269 [DA] A: TR
signifer Marseul, 1875a: 396
kabateki Sama, 1998: 49 A: LE SY
kumalariensis Johanides, 2001: 219 A: TR
lama Mulsant, 1847c: 421 E: AU BU BY CR CZ FR GE GR HU IT LS PL RO SK SL SZ UK YU
bifasciatus Nicolas, 1901: 29
maritimus Pic, 1945b: 6
vesubiensis Pic, 1900w: 110
larvatus Gressitt, 1939b: 99 A: ANH JIX ZHE
madoni Pic, 1891n: ccxi A: IS LE SY TR
preapicalis Pic, 1939c: 17
mayeti Théry, 1892: xcvi A: "Siberia"
melaenus Bates, 1884a: 220 A: FE JA JIX SC
montanus Nonfried, 1893: 337 A: "Himalaya"
monticola Gahan, 1906a: 251 A: KA PA XIZ YUN
nigritulus Kraatz, 1879d: 109 A: ES FE HEI JIL NC SC
fulvohirsutus Pic, 1904e: 18
orientalis Kano, 1933b: 133 A: TAI
parvigranulatus Holzschuh, 2006b: 285 A: SHA
peyroni Pic, 1899c: 209 A: LE
planiantennatus Lim & Han, 2012: 193 A: SC
quadraticollis Ganglbauer, 1889a: 66 A: GAN
raddensis Pic, 1904e: 18 A: FE GUI HUB JA NC NE SC SHN
hypocrita Plavilstshikov, 1940a: 416
rhamni rhamni Germar, 1817: 223 E: AL BH CR GR IT MC SL YU
innormalis Pic, 1927e: 11
paliuri Depoli, 1940: 304
rhamni bellieri Gautier des Cottés, 1862: 77 E: FR GE IT PT SP SZ
ferruginipes Pic, 1891b: 26
siculus Wagner, 1927b: 93 [HN]
rhamni temesiensis Germar, 1824: 519 (*Callidium*) E: AU BU CT CZ GE HU MD RO SK SL ST TR UK A: AB AR CY GG IN IS KZ LE SY TR
ferruginipes Pic, 1891b: 26
longicollis Reitter, 1904: 82
robertae Mineau & Teocchi, 1986: 12 E: FR
rufoapicalis Pic, 1917d: 7 A: XIZ YUN
subinterruptus Pic, 1920g: 197

rufobasalis Pic, 1917j: 353 A: YUN
schneideri inapicalis Pic, 1895b: 38 A: TR
schneideri schneideri Kiesenwetter, 1879: 313 [= 1879: 57] A: AR AB GG IN TR
schurmanni Sama, 1996c: 108 A: TR
taurusiensis Pic, 1903m: 139 (*Chlorophorus*) A: IS TR
bytinskii Heyrovský, 1954: 395
triangulimacula A. Costa, 1847: 110 E: IT
tropicus Panzer, 1795: 265 (*Callidium*) E: AU BH BU BY CR CZ FR GE GR HU MC MD PL RO SK SL SP ST SZ TR UK YU
interruptus Pic, 1931c: 14
mucronatus Laporte & Gory, 1836: 52
prescutellaris Pic, 1931c: 14
unicolor Kano, 1933b: 132 (*Xylotrechus*) A: TAI
validus Fairmaire, 1896a: 128 A: HEN SCH SHX XIZ YUN
viridescens Matsushita, 1933b: 274 A: TAI
subgenus *Sphogoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985
stepanovi Danilevsky & Miroshnikov, 1985: 272 E: ST A: GG
vesparum Reitter, 1889f: 375 A: AB IN

genus *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1824
agathus Holzschuh, 1999: 40 A: GAN SHA
capra Germar, 1824: 518 (*Callidium*) E: AU BH BY CT CZ EN FR GE LA LT MD NT PL RO SK ST SZ UK A: AB ES FE HEI
 IN JIL KZ LIA MG NC NMO SC SCH WS
obliteratus Pic, 1943b: 1
sachalinensis Kano, 1933b: 134
zenobia Z. Wang, 2003: 191, 399
caproides caproides Bates, 1873: 200 (*Clytus*) A: FE HEI JA JIL LIA SC
caproides kamakarii Yokoyama, 1971: 94 A: JA
elegantissimus Niisato & Chou, 2009: 222 A: GUI
formosanus Gressitt, 1934: 167 A: TAI
kusamai Niisato, 1988b: 138 A: TAI
luteomarginatus Pic, 1914e: 18 (*Clytus*) A: YUN
monticallius Komiya, 1980: 33 A: GUX JA SC
multizonus Gressitt, 1951a: 260 A: FUJ
ohbayashii Niisato & Chou, 2009: 226 A: GUX
yunamensis Pic, 1906d: 18 (*Clytus*) A: YUN **ORR**
keiichii Niisato, 1999: 43

genus *Demonax* J. Thomson, 1861: 226 type species *Demonax nigrofasciatus* J. Thomson, 1861
Elezira Pascoe, 1869: 637 type species *Clytus balyi* Pascoe, 1859
acanthocerus Ganglbauer, 1889a: 68 (*Clytanthus*) A: GAN
albicinctus Hope, 1831: 28 (*Clytus*) A: BT NP SD
filiformis Laporte & Gory, 1836: 95 (*Clytus*)
alboantennatus Gressitt & Rondon, 1970: 271 A: GUX HAI **ORR**
alcanor Gressitt & Rondon, 1970: 270 A: GUX HAI **YUN ORR**
angulifascia Aurivillius, 1922a: 11 A: TAI **ORR**
kotoensis Kano, 1938: 117
annamensis Pic, 1943a: 2 [RN] A: YUN **ORR**
diversefasciatus Pic, 1937b: 8 [HN]
anticereductus Pic, 1935a: 15 A: CH
ascendens Pascoe, 1859: 27 (*Clytus*) A: NP UP **ORR**
geniculatus Chevrolat, 1863b: 280 (*Rhaphuma*)
balyi Pascoe, 1859: 27 (*Clytus*) A: NP "India"
bicinctus Hope, 1831: 28 (*Clytus*) A: NP
bidenticornis Hayashi, 1974a: 34 A: TAI
bimaculicollis Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI
kotahirai Mitono, 1942: 103
bowringii Pascoe, 1859: 28 (*Clytus*) A: FUJ GUA HAI HKG JIX **ORR**
breveapicalis Pic, 1927b: 33
gracilipes Pic, 1935a: 15
breveluteobasalis Pic, 1943a: 2 A: NP
buteae Gardner, 1940: 217 A: NP PA UP
christinae Holzschuh, 1983: 387 A: NP
confidens Holzschuh, 1993a: 39 A: YUN
corallipes Pic, 1920a: 1 A: YUN
bisbinotatus Pic, 1920a: 1
implicatus Pic, 1920a: 1
curvofasciatus Gressitt, 1939a: 39 (*Rhaphuma*) A: FUJ JIA GUA GUI HUN SCH SHA SHX ZHE

determinatus Holzschuh, 2013: 11 A: GUI SCH SHA
dignus Gahan, 1894a: 26 A: YUN **ORR**
rubricollis Pic, 1923b: 10
diversefasciatus Pic, 1920a: 1 A: YUN **ORR**
donaubaueri Holzschuh, 1996: 8 A: YUN
dorotheae Holzschuh, 1983: 385 A: NP
elongatus Gressitt & Rondon, 1970: 263 A: YUN **ORR**
ferrugatus Holzschuh, 2013: 12 A: SCH
fimbriatulus Holzschuh, 2006b: 296 A: YUN
formosomontanus Ikeda & Niisato, 1984: 9 A: TAI
fugongensis Guo & L. Chen, 2005: 408 A: YUN
funebri Lameere, 1890: ccxii (*Clytus*) A: "Hindostan"
gertrudae Holzschuh, 1983: 395 A: BT NP **YUN**
gunjii Holzschuh, 1983: 387 A: NP
hengduanus Holzschuh, 2006b: 298 A: YUN
himalayanus Pic, 1912l: 94 (*Chlorophorus*) A: HP NP
ingridae Holzschuh, 1983: 386 A: NP SD
inhumeralis Pic, 1916j: 181 A: SCH
iniquus Holzschuh, 1993a: 38 A: YUN
inops Holzschuh, 1991b: 58 A: YUN **ORR**
izumii Mitono, 1942: 102 A: TAI
jamesi Holzschuh, 1986a: 125 A: SD
jendeki Holzschuh, 1995: 41 A: YUN
josefinae Holzschuh, 1983: 383 A: NP SD
katarinae Holzschuh, 1983: 384 A: NP YUN
kezukai Holzschuh, 1984c: 365 A: TAI
kheoae Gressitt & Rondon, 1970: 272 A: YUN **ORR**
kucerai Holzschuh, 2006b: 295 A: SCH SHA
langsonius Fairmaire, 1895: 181 (*Clytus*) A: YUN **ORR**
languidus Holzschuh, 1992: 37 A: YUN **ORR**
leucophaeus Holzschuh, 1993a: 40 A: SCH
leucoscutellatus Hope, 1831: 28 (*Clytus*) A: GUX NP SD **ORR**
levipes Holzschuh, 1991c: 51 A: YUN **ORR**
lineatus Chevrolat, 1863b: 286 (*Grammographus*) A: BT "India"
literatus hainanensis Mitono, 1944: 248 A: HAI
literatus literatus Gahan, 1894a: 27 A: YUN **ORR**
longissimus Pic, 1914e: 18 A: XIZ YUN
longissimus Gressitt, 1935g: 572
longithorax Pic, 1950f: 508 A: BT
luridicornis Chevrolat, 1863b: 270 A: HKG
mali Gressitt, 1951a: 297 A: GUX YUN
mariae Holzschuh, 1983: 382 A: BT NP
marnei Pic, 1918c: 7 A: GUI YUN
masaoi Niisato, 1984a: 11 A: TAI
masataakai K. Ohbayashi, 1964: 25 A: JA (Ryukyus)
maximus Pic, 1922b: 25 A: GUX **ORR**
mongtsenensis Pic, 1904c: 12 A: YUN
multireductus Pic, 1935a: 16 A: YUN
nansenensis Pic, 1903b: 21 A: YUN **ORR**
lineaticollis Schwarzer, 1931: 64
narayani Holzschuh, 1984c: 366 A: NP SD
nigromaculatus Gahan, 1906a: 284 A: BT NP SD
nishiyamai Niisato, 1984a: 11 A: FUJ TAI
occultus Gressitt & Rondon, 1970: 268 A: YUN **ORR**
ohbayashii Samuelson, 1965a: 79 A: JA
okunii Mitono, 1942: 104 A: TAI
olivaceus Gressitt, 1951a: 299 A: FUJ
palleolus Holzschuh, 2006b: 291 A: SCH SHA
parilis Holzschuh, 1995: 39 A: YUN
probus Holzschuh, 1991b: 52 A: YUN
proculscuti Li, Tian & Chen, 2013: 455 A: YUN
pseudonotabilis Gressitt & Rondon, 1970: 262 A: SCH **ORR**
pseudotristiculus Gressitt & Rondon, 1970: 266 A: HAI **ORR**
puerilis Holzschuh, 1991b: 57 A: CH **ORR**
pumilio Holzschuh, 1991c: 48 A: YUN **ORR**

ravus Holzschuh, 1992: 37 A: SCH
reductispinosus Gressitt, 1942c: 30 [RN] A: FUJ HAI
brevespinosus Gressitt, 1940b: 81 [HN]
hainanensis Gressitt & Rondon, 1970: 263 [RN]
reticollis Gahan, 1894a: 28 A: YUN **ORR**
reticulicollis Gressitt, 1940b: 82 A: GUA GUX HAI
rosae Holzschuh, 1983: 393 A: NP SD YUN
rosicola Holzschuh, 2006b: 294 A: YUN
rufus Guo & L. Chen, 2005: 407 A: YUN
sabinae Holzschuh, 1983: 390 A: NP UP
salvazai Pic, 1923b: 10 A: YUN **ORR**
nousophi Gressitt & Rondon, 1970: 270
sausai Holzschuh, 1995: 40 A: YUN
sauteri Matsushita, 1933b: 290 [RN] A: TAI
matsushitai Gressitt, 1936: 97
savioi Pic, 1924a: 16 (*Clytanthus*) A: FE GUI HEB NC SC SHA SHG SHX
sawaii Ikeda, 1990: 7 A: JA
semiluctuosus A. White, 1855: 283 (*Clytus*) A: NP YUN **ORR**
albobifasciatus Pic, 1920a: 1
mouhouti Pascoe, 1869: 604 (*Clytanthus*)
praecanus Chevrolat, 1863b: 277 (*Rhaphuma*)
semixenicus Hayashi, 1962a: 12 A: JA (Ryukyus)
seoulensis Mitono & Cho, 1942: 3 A: SC
siccus Holzschuh, 1991b: 57 A: CH **ORR**
sikangensis Gressitt, 1945a: 126 A: SCH
simillimus Gressitt, 1939b: 103 A: FUJ JIA ZHE
spinifer Pic, 1920g: 197 A: YUN
stabilis Holzschuh, 2003a: 222 A: SHA
subai Holzschuh, 1989c: 399 A: BT
subobscuricolor Pic, 1918b: 5 A: YUN
substitutus Gressitt, 1951a: 300 A: TAI
sulinensis Niisato, 1984a: 12 A: TAI
tenuiculus Holzschuh, 1991b: 52 A: YUN **ORR**
testaceoannulatus Pic, 1935a: 15 A: YUN **ORR**
testaceus Hope, 1831: 28 (*Clytus*) A: NP SD
transilis Bates, 1884a: 229 A: JA
traudae Holzschuh, 1983: 391 A: SD YUN
triaculeatus Aurivillius, 1922a: 13 A: TAI **ORR**
triarticulodilatatus Hayashi, 1974a: 35 A: TAI
tristiculus Fairmaire, 1895: 183 (*Clytus*) A: GAN **ORR**
trudae Holzschuh, 1983: 392 A: BT NP SD YUN
tsitoensis Fairmaire, 1888b: 144 (*Clytus*) A: FUJ JIX SCH ZHE
unidenticornis Hayashi, 1974a: 33 A: TAI
uniformis Pic, 1925b: 21 A: "India"
venosulus Holzschuh, 2006b: 292 A: SCH

genus *Echinocerus* Mulsant, 1862: 143 type species *Cerambyx floralis* Pallas, 1773

Paraplagionotus Kasatkin, 2005: 51 [unnecessary RN]
floralis Pallas, 1773: 724 (*Cerambyx*) E: AL AU BH BU CR CT CZ FR GE GR HU IT LA LT MC MD NT PL RO SK SL SP ST SZ
 TR UK YU A: AB AR ES GG IN IS JO KI KZ TD TM TR UZ WS XIN
abruptus Kraatz, 1871b: 408 (*Clytus*)
araratensis Pic, 1901b: 11 (*Clytus*)
arcuatus Scopoli, 1772: 97 (*Stenocorus*)
armeniacus Reitter, 1890c: 213 (*Plagionotus*)
aulicus Laicharting, 1784: 103 (*Clytus*)
basicornis Reitter, 1890c: 213 (*Plagionotus*)
clermonti Pic, 1913c: 121 (*Plagionotus*)
controversus Schrank, 1798: 679 (*Clytus*)
fasciatus Herbst, 1784: 98 (*Callidium*)
indicus Gmelin, 1790: 1856 (*Cerambyx*)
massiliensis Pic, 1951a: 1 (*Plagionotus*)
pilifer Reitter, 1890c: 213 (*Plagionotus*)
pruinosis Kraatz, 1871b: 409 (*Clytus*)
variabilis Motschulsky, 1860a: 144 [= 1860c: 305] (*Clytus*)
zebra Dalman, 1817b: 194 (*Clytus*)

genus *Epicyltus* Gressitt, 1935b: 173 type species *Clytus yokoyamai* Kano, 1933
Eoclytus Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933

breuningi Tippmann, 1955: 110 A: FUJ
itoi Niisato, 1981a: 33 A: TAI
ruficaudus Gressitt, 1951a: 257 A: FUJ
stigmaticus Holzschuh, 2003a: 210 A: GAN SHA
ussuricus Pic, 1933d: 10 (*Clytus*) A: FE SC
velaris Holzschuh, 1998: 46 A: SCH
yokoyamai Kano, 1933a: 275 (*Clytus*) A: JA

genus *Grammographus* Chevrolat, 1863b: 285 type species *Grammographus lineatus* Chevrolat, 1863

Elezira Pascoe, 1869: 637 type species *Clytus balyi* Pascoe, 1859
arcuatus Matsushita, 1939: 57 (*Demonax*) A: TAI
flavicollis Matsushita, 1931c: 403 (*Demonax*) A: TAI
granulicollis Hayashi, 1974a: 31 A: TAI
jezoensis Matsushita & Tamanuki, 1935: 3 (*Demonax*) A: JA
kanoi Hayashi, 1963d: 133 [RN] A: TAI
monticola Kano, 1933b: 136 (*Chlorophorus*) [HN]
notabilis cuneatus Fairmaire, 1888a: 35 (*Clytus*) A: GUA HEN HUB SCH SHA YUN
semiobliteratus Pic, 1902i: 31 (*Clytanthus*)
~~*subobliteratus* Pic, 1918b: 4 (*Chlorophorus*) [RN]~~
notabilis notabilis Pascoe, 1862a: 360 (*Clytus*) A: FUJ GUA GUX HUB JA SHA TAI "Korea"
alphabeticus Chevrolat, 1863b: 308 (*Anthoboscus*)
spadiceus Matsushita, 1933b: 285 (*Chlorophorus*)
submaculatus Hayashi, 1974a: 32 A: TAI
taiwanensis Hayashi, 1966a: 6 A: TAI

genus *Hesperoclytus* Holzschuh, 1986a: 123 type species *Hesperoclytus katarinae* Holzschuh, 1986

bozanoi Pesarini & Sabbadini, 1997: 107 A: SCH
katarinae Holzschuh, 1986a: 123 A: BT NP

genus *Ischnodora* Chevrolat, 1863b: 332 type species *Ischnodora macra* Chevrolat, 1863

decolorata Holzschuh, 1995: 38 A: YUN
macra Chevrolat, 1863b: 332 A: SD
angustula Holzschuh, 1983: 371
munda Holzschuh, 1990: 191 A: SD
sejugata Holzschuh, 1991a: 11 A: YUN ORR
separanda Holzschuh, 1983: 370 A: NP
ugyeni Holzschuh, 1989c: 397 A: BT

genus *Isotomus* Mulsant, 1862: 183 type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)

Caloclytus Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
barbarae Sama, 1977: 66 E IT
comptus comptus Mannerheim, 1825: 36 (*Clytus*) E: ST UK A: AB AR GG IN TR
insularis Laporte & Gory, 1836: 74 (*Clytus*)
perspicillus Fischer von Waldheim, 1832: 438 (*Clytus*)
pubicollis Laporte & Gory, 1836: 73 (*Clytus*)
comptus gilanus Pic, 1911a: 6 (*Caloclytus*) A: IN
maculicollis Holzschuh, 1989a: 169
comptus meridionalis Özdikmen & Aytar, 2012b: 691 A: TR
jarmilae Sláma, 1982: 209 E: GR (Kriti)
speciosus ganglbaueri Pic, 1900f: 64 (*Caloclytus*) E: BH CR ME ?SL #14
speciosus speciosus D. H. Schneider, 1787: 125 (*Callidium*) E: AL AU BU CR CZ GE GR HU MD RO SK SL SK ST UK YU A:
AB AR GG TR
semipunctatus Fabricius, 1798: 151 (*Callidium*)
stierlinii Tournier, 1872: 276 (*Clytus*)
syriacus Pic, 1902h: 25 (*Caloclytus*) A: TR
theresae Pic, 1897n: 221 (*Clytus*) N: AG TU

genus *Kazuoclytus* Hayashi, 1968a: 23 type species *Xylotrechus lautoides* Hayashi, 1950

fukienensis Gressitt, 1951a: 254 (*Clytus*) A: FUJ JA TAI
yukawai Makihara, 2004b: 222 (*Xylotrechus*)
lautoides Hayashi, 1950b: 25 (*Xylotrechus*) A: JA SC

genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164 type species *Libanoclytus tommasoii* Sama, Rapuzzi & Kairouz, 2010
tommasoii Sama, Rapuzzi & Kairouz, 2010: 166 A: LE

genus *Neoclytus* J. Thomson, 1860: 67 [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum*)

Fabricius, 1775)

Rhopalopachys Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860

Rhopalomerus Chevrolat, 1860d: 457 [HN] type species *Clytus cacicus* Chevrolat, 1860

acuminatus acuminatus Fabricius, 1775: 194 (*Callidium*) E: CR FR HU IT SK SL SZ YU **NAR NTRI**

americanus Gmelin, 1790: 1854 (*Cerambyx*)

aspericollis Germar, 1824: 517 (*Callidium*)

erythrocephalus Fabricius, 1787: 156 (*Callidium*)

genus *Neoplacionotus* Kasatkin, 2005: 51 type species *Clytus bobelayei* Brullé, 1832

andrei Fuente, 1908a: 21 (*Placionotus*) E: SP

marcae Lypez-Colyn, 1997: 219 [incorrect orig. spelling]

marcaorum Lypez-Colyn, 1997: 219 (*Placionotus*)

marcorum Vives, 2000: 190 [incorrect emendation]

bobelayei Brullé, 1832: 253 (*Clytus*) E: AL BU GR MC RO ST TR UK A: AB AR GG IN IS JO SY TM TR

luristanicus Pic, 1911a: 6 (*Placionotus*)

mouzaferri Pic, 1905g: 114 (*Placionotus*)

persicus Pic, 1951a: 1 (*Placionotus*)

speciosus Adams, 1817: 309 (*Callidium*) [HN]

scalaris Brullé, 1832: 254 (*Clytus*) E: GR IT **A: TR N: AG MO TU**

interruptus Dayrem, 1928b: 77 (*Placionotus*)

siculus Laporte & Gory, 1836: 46 (*Clytus*)

vivesi Lypez-Colyn, 1997: 221 (*Placionotus*)

genus *Perissus* Chevrolat, 1863b: 262 type species *Perissus x-littera* Chevrolat, 1863

aemulus Pascoe, 1869: 618 A: YUN **ORR**

angusticinctus Gressitt, 1942g: 81 A: HUB ZHE

arisanus Seki & Suematsu, 1935: 203 A: TAI

asperatus Gressitt, 1951a: 266 A: GUA HAI TAI

atronotatus Pic, 1937a: 12 A: CH **ORR**

bauhiniae Gardner, 1936: 135 A: UP

clavicornis luteopubescens Pic, 1943b: 1 A: CH

crassicollis Pesarini & Sabbadini, 1997: 112 A: FUJ

dalbergiae Gardner, 1930: 155 A: UP

declaratus Holzschuh, 2003a: 204 A: GUI HUN

delectus Gressitt, 1951a: 267 A: SHA

delerei Tippmann, 1958a: 49 A: AF

demonacoides Gressitt, 1936: 98 (*Chlorophorus*) A: TAI

fairmairei Gressitt, 1940c: 180 [RN] A: HEB **NC** NMO SC SE SHA

fuliginosus Fairmaire, 1888b: 145 [HN]

semifulvus Pic, 1916h: 13 [HN]

***sinho* Danilevsky, 1993d: 114**

fuliginosus Chevrolat, 1863b: 328 (*Amauresthes*) A: BT NP TAI UP XIZ **ORR**

basalis Plavilstshikov, 1927b: 106

fulvopictus Matsushita, 1933b: 276 A: TAI

griseus Gressitt, 1936: 95 A: TAI

hooraianus Matsushita, 1943: 573 (*Rhaphuma*) A: TAI

indistinctus Gressitt, 1940b: 72 A: HAI

intersectus Holzschuh, 2003a: 203 A: SCH SHA XIZ

kankauensis Schwarzer, 1925a: 26 A: TAI

kiangsuensis Gressitt, 1940c: 180 A: JIA

kimi Niisato & Koh, 2003: 292 A: SC

kiusiuensis hisamatsui K. Ohbayashi, 1958a: 12 A: JA

kiusiuensis kiusiuensis K. Ohbayashi, 1944: 4 A: JA

kiusiuensis yamadai Hayashi, 1962a: 11 A: JA

laetus Lameere, 1893a: 283 A: HAI YUN **ORR**

chungkonensis Gressitt, 1940b: 73

proprius Gahan, 1894a: 21

latepubens Pic, 1950b: 4 A: CH

luteonotatus Pic, 1943b: 2 A: CH

magdalenae Holzschuh, 1990: 189 A: NP

mimicus Gressitt & Rondon, 1970: 215 A: FUJ HAI HUB YUN **ORR**

multifenestratus Pic, 1926b: 1 (*Amauresthes*) A: CH

mutabilis mutabilis Gahan, 1894a: 23 A: NP SD YUN **ORR**

ogasawarensis Endo, 2000: 193 A: JA (Ogasawara)

paulonotatus Pic, 1902i: 30 (*Clytus*) A: SCH YUN

***persimilis* Gahan, 1894: 23 A: YUN ORR**

quercus Gardner, 1940: 218 A: NP UP

rayus Gressitt & Rondon, 1970: 212 A: GUA HAI **ORR**

rhapumoides Gressitt, 1940c: 181 A: JIA
rubricollis Gressitt, 1937c: 453 A: FUJ
thibetanus Pic, 1918b: 5 A: XIZ
trabealis Holzschuh, 2003: 205 A: SCH
tsutsumii Makihara, 1979: 161 A: JA (Ryukyus)
wenroncheni Niisato, 1986a: 4 A: TAI

genus *Plagionotus* Mulsant, 1842b: 1 type species *Leptura detrita* Linnaeus, 1758

Plagyonotus Thomson, 1861: 220 [unjustified emendation]

Platynotus Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758

arcuatus arcuatus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IR IT LA LT LU
MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG MO TU A: GG IN KZ SY TR

apicalis Hampe, 1863: 289 (*Clytus*)

buyssoni Dauphin, 1924: 42

interrupteconnatus G. Schmidt, 1951: 16

lunatus Fabricius, 1782: 500 (*Callidium*)

martialis Pic, 1918d: 15

milliati Pic, 1934e: 20

multiinterruptus Pic, 1933d: 6

pagnioni Pic, 1925d: 10

plavilstshikovi G. Schmidt, 1951: 15

reichei J. Thomson, 1861: 220 (*Plagyonotus*)

salicis Schrank, 1798: 677 (*Clytus*)

stauropolibus Pic, 1915e: 7

arcuatus ghidottii Pesarini & Sabbadini, 2011: 47 E: GR

arcuatus kirgizicus Lazarev, 2010c: 161 A: KI

arcuatus lugubris Ménétriés, 1832: 229 (*Clytus*) A: AB AR IN TM

flavicornis Pic, 1898b: 19

henoni Pic, 1933d: 6

lenkoranus Pic, 1933d: 6

arcuatus multiinterruptus Pic, 1933: 6 A: AB AR TR

bartholomei Motschulsky, 1860a: 142 (*Clytus*) A: AB IN

admirabilis Heyden, 1879: 314 [1879: 58] (*Clytus*)

?*bieberi* Bodemeyer, 1927: 93 A: IN

bisbifasciatus Pic, 1915f: 13 A: YUN

christophi Kraatz, 1879d: 108 (*Clytus*) A: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA

detritus caucasicola Plavilstshikov, 1936: 435 E: ST A: AB AR GG SY TR

detritus detritus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT LA LT MC MD NL NT

PL PT RO SK SL SP ST SV SZ TR UK YU A: KZ TR

africaeorientalis Tippmann, 1952a: 143

anticereductus G. Schmidt, 1951: 14

apicebimaculatus G. Schmidt, 1951: 14

convertini L. Petagna, 1819: 38 (*Callidium*)

obscuribasalis Pic, 1942b: 2

rufescens Pic, 1891b: 24

uralensis Tippmann, 1952a: 144

pulcher Blessig, 1872: 184 (*Clytus*) A: FE HEB HEI JA JIL NC NIN SC SHA SHX

lignatorum Thieme, 1881: 100 (*Clytus*)

maculithorax Pic, 1904d: 15

genus *Pseudosphegistes* Reitter, 1913a: 50 type species *Clytus cinereus* Laporte & Gory, 1836

bergeri Sláma, 1982: 207 E: GR (Kíti)

brunnescens Pic, 1897o: 262 (*Clytus*) E: ST A: AB AR GG ?IN TR

circassica Pic, 1905a: 10 (*Clytus*)

cinerea Laporte & Gory, 1836: 68 (*Clytus*) E: FR GE IT SP UK

auboueri Desbrochers des Loges, 1873a: 429 (*Clytus*)

duponti Mulsant, 1839: 84 (*Clytus*)

sternii Kraatz, 1870b: 219 (*Clytus*)

longitarsus Holzschuh, 1974a: 90 A: TR

samai Danilevsky, 2000b: 44 A: TR

genus *Psilomerus* Chevrolat, 1863b: 257 type species *Psilomerus angustus* Chevrolat, 1863

laosensis Gressitt & Rondon, 1970: 277 A: CH ORR

genus *Rhabdoclytus* Ganglbauer, 1889c: 479 type species *Clytus acutivittis* Kraatz, 1879

Hayashiclytus K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879

acutivittis acutivittis Kraatz, 1879d: 111 (*Clytus*) A: FE HEI JIL LIA NC SC

acutivittis inscriptus Bates, 1884a: 229 (*Clytanthus*) A: JA

altermans Holzschuh, 2003: 219 (*Hayashiclytus*) A: SHA

genus *Rhaphuma* Pascoe, 1858: 240 [RN] type species *Clytus quadricolor* Laporte & Gory, 1836
Arcyphorus Gemminger, 1872: 2938 [unjustified emendation]
Arcyphorus Chevrolat, 1863b: 287 type species *Arcyphorus histrio* Chevrolat, 1863
Rhaphium A. White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1836
Raphuma J. Thomson, 1864: 192 [unjustified emendation]

aequalis Holzschuh, 1991b: 49 **A: YUN ORR**
albicolon Holzschuh, 2006b: 300 **A: SHA**
albonotata Pic, 1915f: 12 **A: YUN**
afflata Holzschuh, 1983: 374 **A: NP**
amamiensis Hayashi, 1983: 38 **A: JA**
anongi Gressitt & Rondon, 1970: 247 **A: HAI YUN ORR**
anopla Holzschuh, 1983: 377 **A: NP SD**
aperta Gressitt, 1951a: 287 **A: FUJ SCH**
aranea Holzschuh, 1984c: 359 **A: NP SD**
baibarae Matsushita, 1931c: 401 **A: TAI**
bhaktai Holzschuh, 1983: 376 **A: NP SD**
bicolorifemoralis Gressitt & Rondon, 1970: 249 **A: HAI YUN ORR**
bimaculata Schwarzer, 1931a: 63 **A: UP**
binhensis Pic, 1922c: 13 (*Chlorophorus*) **A: HAI ORR**
brigitiae Holzschuh, 1991b: 47 **A: NP**
chatterjeei Gardner, 1940: 219 **A: NP UP**
circumscripta Schwarzer, 1925a: 28 (*Chlorophorus*) **A: TAI**
clarina Gressitt & Rondon, 1970: 250 **A: YUN ORR**
comosella Holzschuh, 2006b: 301 **A: XIZ**
constricta Gressitt & Rondon, 1970: 243 **A: YUN ORR**
decora Holzschuh, 1995: 39 **A: YUN**
delicata Kano, 1933b: 138 **A: TAI**
desaii Gardner, 1940: 220 **A: YUN ORR**
diana Gahan, 1906a: 271 **A: GUX YUN ORR**
diminuta diminuta Bates, 1873: 199 (*Clytanthus*) **A: FE JA SC**
misella Bates, 1884a: 228 (*Clytanthus*)
diminuta nitens Hayashi, 1962a: 12 **A: JA**
diversevittata Pic, 1943b: 1 **A: CH**
diversipennis Pic, 1920d: 18 **A: CH**
elegantula Gahan, 1906a: 279 **A: TAI ORR**
eleodina Gressitt & Rondon, 1970: 244 **A: YUN ORR**
elongata Gressitt, 1940c: 184 **A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE**
encausta Holzschuh, 1991a: 12 **A: YUN ORR**
falx Holzschuh, 1991b: 51 **A: YUN ORR**
frustrata Holzschuh, 1993a: 37 **A: YUN**
fulgurata bhutanica Holzschuh, 2003b: 306 **A: BT**
fulgurata fulgurata Gahan, 1906a: 274 **A: NP SD**
gracilipes Faldermann, 1835c: 436 (*Clytus*) **E: BY CT ?LT NT PL ?RO ST ?UK A: BEI ES FE HEI JIL KZ MG NC SC WS**
angusticollis Mulsant, 1851: 123 (*Clytus*)
rosinae Pic, 1935d: 15 (*Chlorophorus*)
sachalinensis Matsumura, 1911a: 139 (*Clytanthus*)
tenuicornis Fairmaire, 1888b: 142 (*Clytus*)
herminae Holzschuh, 1984c: 363 **A: NP**
horsfieldi A. White, 1855: 284 (*Clytus*) **A: GUX NP SCH SD SHA TAI YUN ORR**
laosensis Pic, 1923b: 9
illicata Holzschuh, 1991: 50 **A: YUN ORR**
ilsae Holzschuh, 1983: 379 **A: NP SD**
impressiceps Pic, 1943b: 1 **A: CH**
improvvisa Holzschuh, 1991a: 48 **A: YUN ORR**
indifferens Holzschuh, 1992: 33 **A: YUN ORR**
joshii Holzschuh, 1984c: 361 **A: NP SD**
klapperichi Tippmann, 1955: 113 **A: FUJ**
lanzhui Holzschuih, 1991: 48 **A: YUN ORR**
laosica Gressitt & Rondon, 1970: 241 **A: SCH SD YUN ORR**
limaticollis Gressitt, 1939b: 101 **A: FUJ ZHE**
lubricula Holzschuh, 2003b: 306 **A: SD**
luteopubens Pic, 1937a: 13 **A: YUN ORR**
maculicollis Gressitt & Rondon, 1970: 237 **A: GUX HAI YUN ORR**
manipurensis kantiae Holzschuh, 1989c: 398 **A: BT**
minima Gressitt & Rondon, 1970: 242 **A: GUX HAI ORR**

moerens Holzschuh, 1983: 378 A: KA NP
mushana Matsushita, 1936: 147 A: TAI
nigrocincta Matsushita, 1931c: 401 A: TAI
nigrolineata Pic, 1915b: 11 A: XIZ
reducta Pic, 1927b: 31
nishidai Hayashi & Makihara, 1981: 196 A: NP SD
notabiloides Gressitt, 1936: 96 A: TAI
ogatai Mitono, 1942: 91 A: TAI
patkaina Gahan, 1906a: 272 A: GUX HAI YUN **ORR**
multiinterrupta Pic, 1923b: 10
paucis Holzschuh, 1992: 34 A: YUN **ORR**
phiale Gahan, 1906a: 273 A: HAI **ORR**
pieli Gressitt, 1940b: 79 A: HAI
pingana Pic, 1926b: 1 A: CH
placida Pascoe, 1858: 240 A: GUA HAI SCH SD YUN **ORR**
pictiventris Gressitt, 1939a: 40
praeusta Lameere, 1890: ccxii A: NP
pseudobinhensis Gressitt & Rondon, 1970: 249 A: YUN **ORR**
quadrimaculata quadrimaculata Pic, 1923b: 10 A: NP YUN **ORR**
quadrimaculata subobliterata Pic, 1930b: 17 A: YUN
querciphaga Holzschuh, 1984c: 364 A: NP SD
quercus Gardner, 1940: 222 A: YUN **ORR**
ruficollis Mitono, 1942: 92 A: TAI
sharmai Holzschuh, 1990: 192 A: NP
steinkae Holzschuh, 1991a: 16 A: YUN **ORR**
sulphurea Gressitt, 1941: 336 A: YUN **ORR**
tenerrima Holzschuh, 1991a: 13 A: YUN **ORR**
testaceiceps Pic, 1915b: 11 A: TAI
araneipes Schwarzer, 1925a: 28
pallida Schwarzer, 1925a: 29
testaceicolor Pic, 1920d: 16 A: TAI
theryi Pic, 1900i: 18 (*Clytus*) A: NMO
ustulatula Holzschuh, 2006b: 299 A: SHA
virens Matsushita, 1931c: 402 A: FUJ TAI
formosana Mitono, 1936: 424
notatiboloides Gressitt, 1936: 96
weigeli Holzschuh, 2003b: 306 A: NP
xenisca Bates, 1884a: 229 (*Clytanthus*) A: JA

genus *Sclethrus* Newman, 1842a: 247 type species *Ibidion amoenum* Gory, 1833
Neocollyroides Schultze, 1920:196 type species *Neocollyroides macregoryi* Schultze, 1920
stenocylindrus Fairmaire, 1895: 184 A: GUX HAI YUN **ORR**

genus *Sinoclytus* Holzschuh, 1995: 37 type species *Sinoclytus emarginatus* Holzschuh, 1995
emarginatus Holzschuh, 1995: 37 A: YUN

genus *Teratoclytus* Zaitzev, 1937: 213 type species *Teratoclytus plavilstshikovi* Zaitzev, 1937
changi Hayashi, 1983: 38 A: TAI
plavilstshikovi Zaitzev, 1937: 213 A: FE JA **NE SC SHX**
hasegawai K. Ohbayashi, 1941b: 221 (*Epiclytus*)
simplicior Holzschuh, 1992: 20 A: SHA

genus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860
subgenus *Kostinicytus* Danilevsky, 2009: 211 type species: *Xylotrechus zaisanicus* Plavilstshikov, 1940
arnoldii Kostin, 1974: 647 A: KZ
medvedevi Danilevsky, 2009c: 216 A: MG
zaisanicus Plavilstshikov, 1940a: 354 A: KZ
subgenus *Ootora* Niisato & Wakejima, 2008: 442 type species *Clytus villioni* Villard, 1892
khampaseuthi shibatai Niisato & Wakejima, 2008: 457 A: GUX
magnificus Pic, 1922c: 12 A: YUN **ORR**
multiimpressus Pic, 1911e: 19 A: YUN
villioni Villard, 1892: li (*Clytus*) A: FE JA
nipponicus Seki, 1935a: 92
subgenus *Rusticoclytus* Vives, 1977: 130 type species *Leptura rustica* Linnaeus, 1758
adpersus Gebler, 1830: 181 (*Clytus*) A: ES FE HEI JA KZ MG NC NMO SC WS XIN
decemmaculatus Pic, 1917g: 5

pantherinus Savenius, 1825: 65 (*Clytus*) E: AU BY CT CZ FI FR GE HU IT **LT** NT PL RO SK ST SV SZ A: ES FE KZ MG WS
XIN
apicenotatus Pic, 1902e: 16
jakowlewi Semenov, 1899b: 134 (*Clytus*)
moei C. G. Thomson, 1874: 552 (*Platynotus*)
rusticus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA **LT** **LU** MC MD NR
NT PL PT RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG IN KZ MG NC SC TD TM TR WS N: AG MO
apiceocellatus G. Schmidt, 1951: 13
atomarius Fabricius, 1793: 332 (*Callidium*)
basinotatus Pic, 1934e: 20
brevetestaceus Pic, 1934e: 20
confusus Herbst, 1784: 98 (*Callidium*)
fauconneti Pic, 1934e: 20
hafniensis Fabricius, 1775: 190 (*Callidium*)
heros Ganglbauer, 1882: 138 (*Clytus*)
*liciatu*s Linnaeus, 1767: 636 (*Cerambyx*)
longipes Villers, 1789: 256 (*Cerambyx*)
maculatus Gmelin, 1790: 1877 (*Leptura*)
octonotatus Gmelin, 1790: 1846 (*Cerambyx*)
omega Rossi, 1790: 154 (*Callidium*)
oo Schrank, 1781a: 162 (*Leptura*)
signatus Geoffroy, 1785: 81 (*Leptura*)
subuniformis Pic, 1902e: 15
variegatus Geoffroy, 1785: 79 (*Leptura*)
villosflavomaculatus Goeze, 1777: 507 (*Leptura*)
viturati Pic, 1934e: 20
salicis Takakuwa & Oda, 1978: 49 A: **ES FE JA ?MG NC NE SC**
nadezhdae Tsherepanov, 1982a: 63
subgenus *Turanoclytus* Sama, 1994e: 325 type species *Clytus namanganensis* Heyden, 1885
asellus Thieme, 1881: 99 (*Clytus*) A: KI KZ TD TM UZ XIN
grumi Semenov, 1889a: 402 (*Clytus*)
ilamensis campadellii Sama & Rapuzzi, 2003: 92 A: AB IN
ilamensis hadullai Danilevsky, 2010c: 4 A: **AR IN** #7
ilamensis ilamensis Holzschuh, 1979a: 115 A: IN
namanganensis Heyden, 1885a: 297 (*Clytus*) A: KI KZ TD TM UZ XIN
bucharensis Semenov, 1893: 501 (*Clytus*)
subcrucifer Pic, 1903a: 4
sieversi Ganglbauer, 1890: 429 (*Clytus*) A: AB AR GG IN TR
akbesianus Pic, 1902e: 17
deyrollei Pic, 1897m: 219 (*Clytus*)
raghidae Sama & Rapuzzi, 2000: 14 A: IS LE
subgenus *Xyloclytus* Reitter, 1913a: 46 type species *Clytus chinensis* Chevrolat, 1852
altaicus Gebler, 1836: 342 (*Clytus*) E: CT A: ES FE KZ MG NE NMO SC WS
popovii Mannerheim, 1849: 241 (*Clytus*)
chinensis chinensis Chevrolat, 1852: 416 (*Clytus*) A: ANH FUJ GAN GUA GUX HEB HEN HUB JIA JIX LIA NC SC SCH SHA
SHN SHX ZHE
griseofasciatus Pic, 1943b: 1
laterufescens Pic, 1913a: 19 (*Xyloclytus*)
sekii Matsushita, 1936: 146
chinensis kobayashii Fujita, 2010: 34 A: **JA**
chinensis kurosawai Fujita, 2010: 34 A: **?FE JA**
sauteri Schwarzer, 1925a: 26 A: **TAI**
subgenus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860
albolatifasciatus Makihara, 1979: 152 A: JA (Ryukyus)
antilope antilope Schoenherr, 1817a: 465 (*Clytus*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT **LT** MD NL NR PL PT RO
SK SL SP ST SV SZ TR UK YU A: CY TR
*lento*i Paulian, 1986: 96
hieroglyphicus Drapiez, 1819b: 294 (*Callidium*) [HN]
sekerai Paulian, 1986: 95
antilope bitlisiensis S.Marklund & D.Marklund, 2013: 7 A: **AB AR GG TR**
antilope obliquefasciatus Pic, 1890a: 3 (*Clytus*) N: AG MO TU
arunensis Holzschuh, 1982b: 151 A: NP
arvicola arvicola Olivier, 1795: 64 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT **KZ** LA LT LU MC MD
NL PL PT RO SK SL SP ST SZ TR UK YU A: AB AR GG ?KZ SY TR N: AG MO
abbreviatus G. Schmidt, 1951: 14
herzegovinus Pic, 1913c: 98
heydeni Stierlin, 1864: 152 (*Clytus*)
inbasalis Pic, 1911a: 6
*kraatz*i Lederer, 1864: 485 (*Clytus*)
subangulosus Pic, 1934e: 21§

tridentatus Bleuse, 1905: 21 (*Clytus*)
arvicola iranicus Rapuzzi & Sama, 2014a: 7 A: AB IN
atronotatus angulithorax Gressitt, 1934: 165 A: HUB JA
atronotatus atronotatus Pic, 1917h: 11 A: FUJ HAI TAI
basalis Schwarzer, 1925a: 25
cinerascens Matsushita, 1933b: 268
atronotatus bandaishanus Mitono, 1941: 92 A: TAI
atronotatus draconiceps Gressitt, 1951a: 240 A: GUA JIX
atronotatus generosus Matsushita, 1933b: 270 A: JA
atronotatus subscularis Pic, 1917h: 11 A: SC
badachschanicus Tippmann, 1958a: 48 A: AF
basifuliginosus Heller, 1926: 23 A: HP NP
bifenestratus Pic, 1916j: 180 A: CH
bilyi Holzschuh, 2003a: 199 A: YUN **ORR**
binotaticollis Gressitt, 1939a: 36 A: GUA
boreosinicus Gressitt, 1951a: 241 A: HUB SHA
brevicillus Chevrolat, 1863b: 323 A: CH
buqueti Laporte & Gory, 1836: 86 (*Clytus*) A: FUJ GUA GUX HAI HUN JIX SHA XIZ YUN **ORR**
brevicornis Pascoe, 1869: 608
phidias Newman, 1842a: 246 (*Clytus*)
siamensis Chevrolat, 1863b: 318
capricornus Gebler, 1830: 182 (*Clytus*) E: CT KZ PL SK ST UK A: KZ WS
capricornis Chevrolat, 1863b: 325 (*Clytus*)
chujoi chujoi Hayashi, 1960d: 24 A: JA (Ryukyus)
chujoi ishigakianus Ohbayashi, 1964: 22 (*Perissus*) A: JA (Ryukyus)
tinsunshi K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)
clarinus Bates, 1884a: 231 A: FE FUJ GAN HEI HUN JA JIL LIA NC NIN NMO SC SHA
cuneipennis Kraatz, 1879d: 110 (*Clytus*) A: ES FE HEB HEI HUB JA LIA NC SC XIN
albifilis Bates, 1884a: 232
decolor Thieme, 1881: 101 (*Clytus*)
jilinensis Z. Wang, 2003: 237, 395
pallidipennis Matsumura, 1906: 154
dao Gressitt & Rondon, 1970: 206 A: GUX YUN **ORR**
deletus Lameere, 1893a: 282 A: CH **ORR**
difformis Holzschuh, 1983: 369 A: NP
diversesignatus Pic, 1908f: 15 A: XIZ YUN
djoukoulanus Pic, 1920d: 18 A: YUN
dominulus A. White, 1855: 261 (*Clytus*) A: GUA NO ZHE
emaciatus Bates, 1884a: 231 A: CH JA
nijimai Matsushita, 1933b: 277 (*Perissus*)
formosanus Schwarzer, 1925a: 26 A: TAI
aureobrunneus Gressitt, 1934: 166
gestroi laosensis Gessitt & Rondon, 1970: 201 A: NP **ORR**
goetzi Heyrovský, 1970a: 131 A: GAN
grayii bisiniapicalis Takakuwa, 1984: 317 A: TAI
grayii grayii A. White, 1855: 261 A: FUJ GAN GUA GUI HEB HEN HUB HUN JA JIA NE SC SCH SHA SHN TAI XIZ YUN
grayii hachijoensis Takakuwa, 1984: 10 A: JA
grayii yaeyamanus Takakuwa, 1984: 10 A: JA (Ryukyus)
hampsoni Gahan, 1890a: 54 A: UP **ORR**
unicarinatus Pic, 1917b: 20
hircus Gebler, 1825: 54 (*Clytus*) A: ES FE HEB JA JIL KZ MG NMO WS "Korea"
decolor Thieme, 1881: 101 (*Clytus*)
ibex Gebler, 1825: 53 (*Clytus*) E: CT FI NT PL ST A: ES FE KZ MG NC NE NMO SC WS XIN
angulosus Motschulsky, 1875: 150 (*Clytus*)
fugitivus Thieme, 1881: 100 (*Clytus*)
rectangulus Motschulsky, 1875: 149 (*Clytus*)
incurvatus contortus Gahan, 1906a: 249 A: FUJ GUA GUX HUB HUN SCH SHA TAI **ORR**
biarcuatus Pic, 1917d: 6
incurvatus incurvatus Chevrolat, 1863b: 331 (*Amauresthes*) A: BT FUJ GAN GUA HEB HKG HUN NP SCH SD TAI YUN **ORR**
janbar Niisato & N. Ohbayashi, 2002: 34 A: JA (Ryukyus)
javanicus Laporte & Gory, 1836: 87 (*Clytus*) A: GUA GUX HAI HEN HUB HUN JIA SCH TAI YUN ZHE **ORR**
coffeophagus G. Richter, 1867: 250 (*Cucijus*)
lyratus Pascoe, 1869: 610
quadripes Chevrolat, 1863b: 315
sappho Pascoe, 1858: 239 (*Clytus*)
kayoensis Mitono & Kira, 1934: 589 A: TAI
klapperichi Gressitt, 1951a: 245 A: FUJ
kosempoensis Heyrovský, 1955b: 259 A: TAI

kuatunensis Gressitt, 1951a: 246 A: FUJ GUI YUN
latefasciatus latefasciatus Pic, 1936c: 4 A: FUJ HUN JIX TAI ZHE
serraticornis Mitono, 1941: 101
latefasciatus ochroceps Gressitt, 1951a: 247 A: SCH XIN
lateralis fracturis Guo & L. Chen, 2002: 256 A: YUN
lautus fujitai Takakuwa, 1984: 10 A: JA
lautus lautus Matsushita, 1933b: 273 (*Clytus*) A: JA
lepesmei Pic, 1950f: 508 A: BT
liciatulus Holzschuh, 2006c: 483 A: SD
longithorax Pic, 1922c: 13 A: NP YUN **ORR**
mixtus Plavilstshikov, 1940a: 360 A: FE
monticola Gahan, 1906a: 251 (*Clytus*) A: KA PA "Western Tibet"
multinotatus Pic, 1904c: 11 A: YUN
multisignatus Pic, 1916k: 314 A: YUN
nigrosulphureus Gressitt, 1940b: 69 A: HAI
ogasawarensis Matsushita, 1933: 43 A: JA (Ogasawara)
pavlovskii Plavilstshikov, 1954: 471 A: FE **NC SC**
pici Heyrovský, 1935b: 115 A: **CHQ**
polyzonus Fairmaire, 1888b: 143 (*Clytus*) A: FE GUA HEB HUB NC SC
jeholensis Kano, 1935: 5
pyrrhoderus nigrosternus Gressitt, 1939a: 38 A: GUA HEN
pyrrhoderus pyrrhoderus Bates, 1873: 200 A: FUJ GUA GUI HUB JA JIA NC SC SHA SHN SHX ZHE
quattuordecimmaculatus Guo & L. Chen, 2002: 256 A: YUN
reductemaculatus ohtsuboi Fujita, 2010: 35 A: JA
reductemaculatus reductemaculatus Hayashi, 1968c: 14 A: JA
retractus Holzschuh, 1998: 44 A: SHA
robusticollis Pic, 1936c: 4 (*Clytus*) A: GUI HUB JIX SCH
rufilius kadowakii Nakane, 1981: 39 A: JA (Is. Oki)
rufilius rufilius Bates, 1884a: 233 A: FE FUJ GUX HAI HEB HEI HEN HUB HUN JA JIX NC SC SCH SHA SHN TAI YUN ZHE
ORR
atrithorax Pic, 1910g: 30
decoloratipes Pic, 1910g: 30
gahani Stebbing, 1914: 352
irinae Plavilstshikov, 1925: 360
magnicollis Fairmaire, 1888a: 34 (*Clytus*)
renominatus Beeson, 1919: 151
rufoapicalis Pic, 1926b: 1 A: YUN
rufobasalis Pic, 1937b: 7 A: YUN **ORR**
rufonotatus Gressitt, 1936: 94 A: TAI
savioi Pic, 1935g: 177 A: HUN ZHE
shimomurai Ikeda, 1994: 353 A: TAI
sikangensis Gressitt, 1942b: 3 A: SCH
smei Laporte & Gory, 1836: 37 (*Clytus*) A: BT
stebbingi Gahan, 1906a: 244 E: FR GR IT SL SZ N: TU A: AF BT IS NP PA SD TD **TR XIZ ORR**
subcarinatus Gardner, 1939: 8 A: NP UP
subdepressus Chevrolat, 1863b: 329 (*Amauresthes*) A: NP SD
subditus Chevrolat, 1863b: 314 A: KA
suzukii Holzschuh, 1984c: 356 A: TAI
takakuwai Kusama, 1977: 17 A: JA (Ogasawara)
tanoni Gressitt & Rondon, 1970: 208 A: YUN **ORR**
vinnulus Holzschuh, 1993a: 35 A: YUN **ORR**
wenii Han & Niisato, 2010: 249 A: TAI
yanoi Gressitt, 1934: 164 A: BEI JA NMO SC **ORR**
pekingensis Pic, 1939b: 3
zebratus Matsushita, 1938a: 93 A: JA

tribe Deilini Fairmaire, 1864

genus *Deilus* Audinet-Serville, 1834b: 73 type species *Callidium fugax* Olivier, 1790
Dilus Agassiz, 1846b: 124 [unjustified emendation]
fugax Olivier, 1790b: 253 (*Callidium*) E: AU BE BH BU CR CT CZ FR GR HU IT LU MD PL PT RO SK SL SP ST SZ A: AB AR
 CY GG IS KZ LE SY TR N: AG MO LB TU
ceramboides Rossi, 1794: 99 (*Necydalis*)
rugosicollis kadleci Rapuzzi & Sama, 2012: 667 A: CY
rugosicollis rugosicollis Rapuzzi & Sama, 2012: 667 A: LE TR SY IS
genus *Delagrangeus* Pic, 1892r: xciii type species *Delagrangeus angustissimus* Pic, 1892
subgenus *Delagrangeus* Pic, 1892r: xciii type species *Delagrangeus angustissimus* Pic, 1892

Edithia Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangaeus angustissimus* Pic, 1892)
Mimophymatodes Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangaeus angustissimus* Pic, 1892)
angustissimus angustissimus Pic, 1892r: xciii A: TR
asiaticus Pic, 1920e: 21 (*Mimophymatodes*)
carbonarius Reitter, 1899: 160 (*Edithia*)
angustissimus liviae Pesarini & Sabbadini, 2004a: 93 A: E: GR (Rodos)
angustissimus troodi Sama, 1994f: 556 A: CY LE
subgenus *Gertius* Sama, 1994f: 557 type species *Delagrangaeus schurmanni* Sama, 1985
schurmanni Sama, 1985c: 97 N: CI

genus *Prosype* J. Thomson, 1864: 248 type species *Oeme filiformis* Buquet, 1859
juniperi Holzschuh, 1993b: 120 A: SA YE

tribe Graciliini Mulsant, 1839

genus *Axinopalpis* Dejean, 1835: 332 type species *Obrium gracile* Krynicki, 1832

Axinuchus Gemminger, 1872: 2840 [unnecessary RN]
alberti Sama, Rapuzzi & Kairouz, 2010: 148 A: LE
barbarae barbarae Sama, 1992b: 303 A: CY
barbarae consobrinus Sama, 1992b: 303 A: CY
gracilis christinae Rapuzzi, 1995: 618 E: GR
gracilis gracilis Krynicki, 1832: 162 (*Obrium*) E: AL AU BH BU CR CT CR CZ GE GR HU IT LA LT MC MD PL RO SK SL ST
UK YU A: GG IS SY TR
laticornis Pic, 1896b: 35

genus *Gracilia* Audinet-Serville, 1834b: 81 type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)

Aphelocera Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)
Nothrus Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)
Oesyophila Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
minuta Fabricius, 1781: 235 (*Saperda*) E: AL AU AZ BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU
MA MD NL NT NR PL PT RO SK SL SP ST SV SZ TR UK YU N: AG AZ CI EG MO MR TU A: AB AR GG HEN IN NE
NO NW SHA TR AURi NARi NTRi ORR
albanica Csiki, 1931: 278
approximata Fairmaire, 1883c: clix
fusca Haldeman, 1847: 43 (*Nothrus*)
obliquata Horn, 1885b: 174
picea Fabricius, 1793: 317 (*Saperda*)
pygmaea Fabricius, 1793: 323 (*Callidium*)
vini Panzer, 1799b: 10 (*Callidium*)

genus *Hybometopia* Ganglbauer, 1889b: 282 type species *Hybometopia starcki* Ganglbauer, 1889

starcki ivani Sama, 1996c: 106 A: TR
starcki starcki Ganglbauer, 1889b: 285 E: ST A: GG TR

genus *Ischnorrhada* Ganglbauer, 1889a: 61 type species *Ischnorrhada macilenta* Ganglbauer, 1889
macilenta Ganglbauer, 1889a: 64 A: GAN SCH

genus *Nisibistum* J. Thomson, 1878: 29 type species *Nisibistum kaisanum* J. Thomson, 1878
kaisanum J. Thomson, 1878: 30 A: CH

genus *Penichroa* Stephens, 1839: 270 type species *Callidium fasciatum* Stephens, 1839

Exilia Mulsant, 1862: 195 type species *Callidium timidum* Ménétrés, 1832 (= *Callidium fasciatum* Stephens, 1831)
Graecoeme Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006
Liagrica A. Costa, 1855: 59 type species *Callidium timidum* Ménétrés, 1832 (= *Callidium fasciatum* Stephens, 1831)
fasciata Stephens, 1831: 250 (*Callidium*) E: AL BH BU CR FR GR IT MA MC PT SL SP ST TR UK YU A: AB AR CY GG IN IS
SY TR N: AG LB MO TU
bipunctata Zubkov, 1833: 336 (*Callidium*)
brunnea Tournier, 1872: 280 (*Exilia*)
eggeri Adlbauer, 2006: 381 (*Graecoeme*)
fagnezi Pic, 1945b: 6
fasciolata Krynicki, 1834: 170 (*Callidium*)
lugubris Ragusa, 1884: 333 (*Exilia*)
timida Ménétrés, 1832: 228 (*Callidium*)

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

genus *Daramus* Fairmaire, 1892a: 121 type species *Daramus serricornis* Fairmaire, 1892
major macrops Peyerimhoff, 1943: 27 (*Tetropiopsis*) N: AG LB MO

mehennii Sama, 1994d: 176
sahrawi Sama & Rapuzzi, 2008: 224
major major Pic, 1924c: 30 (*Tetropiopsis*) A: SI
serricornis Fairmaire, 1892a: 121 N: EG A: YE OM AFR

subtribe Hesperophanina Mulsant, 1839

genus *Blabinotus* Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854
Blabinotus spinicollis Wollaston, 1854: 426 N: CIMR

genus *Gnatholea* J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thomson, 1861
biseburata Mitono, 1939: 148 A: JA (Ryukyus) TAI
loochooana K. Ohbayashi & N. Ohbayashi, 1965: 1
eburifera J. Thomson, 1860: 375 A: GUI GUX HAI YUN ORR
simplex Gahan, 1890a: 53 A: SD TAI ORR
subnuda Lacordaire, 1869: 284 A: YUN ORR

genus *Hesperoferus* Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)
machadoi Sama & Schurmann, 1983: 61 (*Trichoferus*) N: CI
artemisiphagus Leiler, 1984: 155 (*Hesperophanes*)
roridus Brullé, 1839: 62 (*Callidium*) N: CI
canariensis Demelt, 1971: 5

genus *Hesperophanes* Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787
andresi Sama & Rapuzzi, 2006: 183 N: EG
heydeni Baeckmann, 1923: 66 A: KZ MG NMO XIN
melonii Fancello & Cillo, 2012: 255 E: IT (Sardegna)
pilosus Bodungen, 1908: 179 A: AB
sericeus Fabricius, 1787: 152 (*Callidium*) E: AL BH CR FR GR MA MC PT SP ST SZ UK YU A: AB AR CY GG IN IQ IS JO TM
TR N: AG EG LB MO TU
latreillei Brullé, 1832: 256 (*Callidium*)
rotundicollis P. H. Lucas, 1842: 185

genus *Jebusaea* Reiche, 1878b: cliii type species *Jebusaea hammerschmidti* Reiche, 1877
Bagdatocerambyx Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901
Pseudophilus Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893
hammerschmidti Reiche, 1878b: clii A: AE IN IQ OM QA SA
drurei Pic, 1901c: 11 (*Bagdatocerambyx*)
persica Reitter, 1907b: 217
testacea Gahan, 1893a: 256 (*Pseudophilus*)

genus *Stromatium* Audinet-Serville, 1834b: 80 type species *Callidium barbatum* Fabricius, 1775
Solenophorus Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1795)
auratum Böber, 1793: 135 (*Saperda*) E: AL BH BU CR FR GR HU IT MA MC PT RO SP ST TR UK YU A: AB AR CY GG IN
IQ IS JO LE SY TM TR N: AG MO TU LB [see: Lazarev, 2014: 274]
fulvum Villers, 1789: 256 (*Cerambyx*) [HN]
inermis Tournier, 1872: 260
pallidum Zubkov, 1833: 336 (*Callidium*)
platyemur Chevrolat, 1882: 57 (*Hesperophanes*)
strepens Fabricius, 1798: 150 (*Callidium*)
unicolor Olivier, 1795: no. 70: 58 (*Callidium*)
barbatum Fabricius, 1775: 189 (*Callidium*) A: BT NP OM PA YE AFR [see Danilevsky, 2014b: 213]
funestum Boisduval, 1835: 481 (*Callidium*)
tranquebaricum Gmelin, 1790: 1848 (*Cerambyx*)
variolosum Fabricius, 1798: 149 (*Callidium*)
longicorne Newman, 1842a: 246 (*Arhopalus*) A: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO SHN TAI YUN ZHE "North
India" NARi ORR
abeillei Pic, 1891b: 44 (*Hesperophanes*)
asperulum A. White, 1855: 300
granulatum Matsumura, 1927: 21 (*Criocephalus*)

genus *Tetropiopsis* Chobaut, 1899a: 356 type species *Tetropiopsis numidica* Chobaut, 1899
numidica Chobaut, 1899a: 357 N: AG MO TU
guldei Chobaut, 1905: 157

genus *Trichoferus* Wollaston, 1854: 427 type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus senex*
Wollaston, 1854)
Hesperandrius Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793
antonioui Sama, 1994c: 40 A: CY

arenbergeri Holzschuh, 1995: 14 E: IT (Sardegna)
basalis A. White, 1855: 304 (*Hesperophanes*) A: TAI ORR
bergeri Holzschuh, 1982a: 66 E: GR (Kriti)
berberidis Sama, 1994c: 40 E: GR (Kriti)
campestris Faldermann, 1835c: 435 (*Callidium*) E: CT CZ HU MD PLi RO SK ST UK A: AB AR ANH ES FE GAN GUI HEB
 HEI HEN HUB HUN IN JA JIA JIL JIX KI KZ LIA MG NC NMO QIN SC SCH SHA SHN SHX TD TM UZ XIN XIZ YUN
 ZHE NARi ORR
flavopubescens Kolbe, 1886: 219 (*Hesperophanes*)
rusticus Ganglbauer, 1887a: 133 (*Hesperophanes*)
turkestanicus Heyden, 1886c: 193 (*Stromatium*)
cisti Sama, 1987: 50 N: MO
cribricollis Bates, 1878b: 720 (*Hesperophanes*) A: KA PA SD
fasciculatus fasciculatus Faldermann, 1837: 266 (*Hesperophanes*) E: AL BU CR FR GR IT MA PT RO SP UK YU N: AG EG LB
 MO TU A: AB AR CY GG IN IQ IS JO LE SY TR
affinis P. H. Lucas, 1842: 186 (*Hesperophanes*)
elongatulus Pic, 1896b: 35 (*Hesperophanes*)
pulverulentus Erichson, 1841: 188 (*Callidium*)
subnudus Dayrem, 1928a: 67 (*Hesperophanes*)
tomentosus P. H. Lucas, 1842: 186 (*Hesperophanes*)
fasciculatus senex Wollaston, 1854: 428 N: CI MR
fissitarsis Sama, Fallahzadeh & Rapuzzi, 2005: 125 A: IN IQ TR
georgioui Sama & Makris, 2001: 166 A: CY
griseus Fabricius, 1793: 325 (*Callidium*) E: AL BH BU CR FR GR IT MA PT RO SP ?ST YU UK N: AG EG LB MO TU A: CY
 ?GG IQ IS JO LE SY TR
decolor Pic, 1937c: 14 (*Hesperophanes*)
guerryi Pic, 1916k: 314 (*Hesperophanes*) A: HEB HUB SCH SHA SHN YUN
holosericeus Rossi, 1790: 153 (*Callidium*) E: ST UK A: AB AR GG TR N: AG LB MO TU
cinereus Villiers, 1789: 256 (*Cerambyx*) [HN]
gayi Winkler, 1929: 1143 [RN]
nebulosus Olivier, 1790b: 257 (*Callidium*)
ilicis Sama, 1987: 50 N: MO
ivoi Kadlec, 2005: 103 A: IN
kotschyi Ganglbauer, 1883b: 300 (*Hesperophanes*) E: GR (Samos) A: LE SY TR
lunatus Szallies, 1994: 261 (*Hesperophanes*) A: IN TR
magnanii Sama, 1992c: 398 E: PT SP
maculatus Pu, 1991b: 249, 252 A: SCH
pallidus Olivier, 1790b: 256 (*Callidium*) E: AU BH BU CR CZ GE GR HU PL PT RO SK SP ST UK YU
mixtus Fabricius, 1798: 150 (*Callidium*)
sempustulatus Companyo, 1858: 571 (*Vesperus*)
sempustulatum Companyo, 1863: 792 (*Stromatium*)
preissi Heyden, 1894b: 85 (*Hesperophanes*) A: TR
samai Kadlec & Rejzek, 2001: 296 A: TR
sbordonii Sama, 1982: 217 A: TR
robustipes Holzschuh, 2003: 169 A: SHA
semipunctatus Holzschuh, 2003: 170 A: GAN
spartii G. Müller, 1948: 67 (*Hesperophanes*) E: AL CR GR IT

genus *Turcmenigena* Melgunov, 1893: 155 [= 1894: 35] type species *Turcmenigena warentzowi* Melgunov, 1894
warentzowi Melgunov, 1893: 155 [= 1894: 35] A: KZ TM UZ XIN
varentzovi Plavilstshikov, 1940a: 54 [unjustified emendation]
warentzovi Aurivillius, 1912: 38 [unjustified emendation]
warentzowi Winkler, 1929: 1141 [unjustified emendation]

genus *Zoodes* Pascoe, 1867a: 319 type species *Stromatium maculatum* A. White, 1855
Cornutaemospila Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927
basalis A. White, 1855: 304 (*Hesperophanes*) A: NP "Himalaya"
compressus Fabricius, 1787: 153 (*Callidium*) A: AE AF IN ORR
soraya Villiers, 1974a: 131 (*Gnatholea*)
formosanus Niisato, 1982: 41 A: TAI ORR
fulguratus Gahan, 1906a: 117 A: YUN ORR
piceosignatus Pic, 1927b: 20 (*Cornutaemospila*)
japonicus Hayashi, 1963b: 56 A: JA
liturifer Walker, 1871: 18 (*Hesperophanes*) N: EG A: SA YE AFR
denticollis Fairmaire, 1891a: 269 (*Gnatholea*)
picicornis Fairmaire, 1888c: 200 (*Gnatholea*)
maculatus A. White, 1855: 301 (*Stromatium*) A: HAI ORR

genus *Zygoferus* Sama, 2008: 223 type species *Trichoferus pubescens* Sama, 1987

pubescens Sama, 1987: 49 (*Trichoferus*) N: AG TU

tribe Hesperophanini, species incertae sedis
Callidium viridicolle Pic, 1926a: 23 A: SD

tribe Hylotruperini Zagajkevitch, 1991

genus *Hylotrupes* Audinet-Serville, 1834b: 77 type species *Cerambyx bajulus* Linnaeus, 1758

Hylotrypes Gistel, 1856: 376 [unnecessary substitute name]

bajulus Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA MC MD NL NR NT PL PO PT RO SK SP ST SV SZ TR UK YU N: AG CI EG LB MO MR TU A: AB AR CY GG IS JO JIA LE SHG SY TR WS **AFR AUR NAR NTR ORR**

affinis Savenius, 1825: 63 (*Callidium*)

bullatus Haldeman, 1847: 36

caudatus DeGeer, 1775: 86 (*Cerambyx*)

inaequalis Casey, 1924: 233

incertus Casey, 1924: 234

kozirowiczi Desbrochers des Loges, 1873a: 429

latus Casey, 1924: 233

linneianus Laicharting, 1784: 69 (*Callidium*)

lividus Mulsant, 1839: 56

minutus Casey, 1924: 235

nematocerus Casey, 1924: 234

pedicellatus Casey, 1924: 235

puellus A. Villa & G. B. Villa, 1833: 36 (*Callidium*)

puncticollis Casey, 1924: 234

quadripunctatus Geoffroy, 1785: 82 (*Leptura*)

similis Marsham, 1802: 335 (*Cerambyx*)

syriacus Théry, 1896: 110

theresae Pic, 1924c: 26

tribe Molorchini Gistel, 1848

genus *Berndgerdia* Holzschuh, 1982a: 68 type species *Berndgerdia balteata* Holzschuh, 1982

balteata Holzschuh, 1982a: 68 A: NP UP

genus *Epania* Pascoe, 1858: 237 type species *Odontocera singaporensis* J. Thomson, 1857

abdominalis Holzschuh, 1984c: 350 A: NP

amoorae Gardner, 1926: 200 A: UP

atra Hayashi, 1978a: 88 A: TAI

atramentaria Holzschuh, 2010: 164 A: SCH

brevipennis Pascoe, 1869: 567 A: TAI **ORR**

calophylli Gardner, 1926: 201 A: UP

dilaticornis dilaticornis Hayashi, 1950a: 5 A: JA

dilaticornis kumatai Hayashi, 1961b: 45 A: JA

morimotoi Makihara, 2004b: 219

shibatai Hayashi, 1976: 8

discisa Holzschuh, 2006b: 277 A: GUI

immaculata Kano, 1933: 131 A: TAI

iriei Takakuwa, 1981: 6 A: JA (Ryukyus)

mundali Gardner, 1936: 132 A: NP UP

picipes Holzschuh, 1984a: 148 A: NP

pudens Holzschuh, 1993a: 28 A: YUN

septemtrionalis Hayashi, 1950a: 3 A: JA SC

shikokensis maruokai Hayashi, 1968c: 13 A: JA (Ryukyus)

shikokensis shikokensis K. Ohbayashi, 1936a: 13 A: FUJ JA

densepunctata Hayashi, 1968c: 13

okinawana Hayashi, 1976: 7

subchalybeata Miwa, 1931: 227 A: TAI

genus *Leptepania* Heller, 1924a: 30 type species *Epania longicollis* Heller, 1915

Heliomanes Newman, 1840a: 17 [HN] type species *Heliomanes sidus* Newman, 1840

Molorchinus Shabliovskiy, 1936: 185 type species *Molorchinus okunevi* Shabliovskiy, 1936

insularis A. White, 1855: 179 (*Heliomanes*) A: FUJ GUA HKG

japonica Hayashi, 1949c: 29 (*Molorchus*) A: HUB JA SC

lantauensis Hayashi, 1982: 71 A: HKG

minuta Gressitt, 1935d: 265 A: TAI

kukuanana Chang, 1978: 61

okunevi Shabliovskiy, 1936: 186 (*Molorchinus*) A: FE **MN**

incognita Tsherepanov, 1975d: 83 (*Molorchus*)
ryukyuana Hayashi, 1963a: 54 A: JA
sakaii Hayashi, 1974a: 23 A: TAI **ORR**

genus *Molorchoepania* Pic, 1949a: 9 type species *Epania barbieri* Pic, 1949

Kobaneus Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955
mizoguchii Hayashi, 1955: 51 (*Molorchus*) A: JA
simplera Matsushita, 1933b: 228 (*Molorchus*) A: TAI
viticola Holzschuh, 1998: 35 A: SHA

genus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759

subgenus *Caenoptera* C. G. Thomson, 1859: 150 type species *Necydalis minor* Linnaeus, 1758

***abieticola* Holzschuh, 2007: 218 A: TR**

carus Holzschuh, 1999: 28 A: GAN

changi Gressitt, 1951a: 171 A: SCH SHA

foveolus Holzschuh, 1998: 34 A: YUN

ikedai Takakuwa, 1984: 10 A: JA

juglandis Sama, 1982: 219 A: IS LE TR

minor fuscus Hayashi, 1955: 164 A: JA

minor minor Linnaeus, 1758: 421 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT

LU MD NL NR NT PL RO SK SL ST SV SZ UK YU A: ES FE GAN **GG** HEI LIA KZ MG NC QIN SC SHA TR WS XIN

ceramboides DeGeer, 1775: 151 (*Necydalis*)

dimidiatus Fabricius, 1775: 199 (*Leptura*)

medius Schrank, 1798: 688 (*Gymnopterion*)

rufescens Kiesenwetter, 1879: 316 [= 1879: 60]

monticola Plavilstshikov, 1931: 38 A: AB AR **GG** IN TM

pallidipennis Heyden, 1887d: 321 (*Gymnopterion*) A: KI KZ UZ XIN

pinivorus Takakuwa & Ikeda, 1980: 35 A: JA

relictus Niisato, 1996: 376 A: SCH

fraudator Pesarini & Sabbadini, 1997: 104

tjanschanicus Plavilstshikov, 1959: 1678 A: KZ KI

subgenus *Epanioglaphyra* Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986

kurosawai Niisato, 1986b: 305 (*Glaphyra*) A: TAI

subgenus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759

Conchopterus Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759

Glaphyra Newman, 1840b: 19 type species *Glaphyra semiusta* Newman, 1840

Laphyra Newman, 1842f: 418 [RN] type species *Glaphyra semiusta* Newman, 1840

Linomius Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759

Sinolus Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861

***aceris* Holzschuh, 2009: 300 (*Glaphyra*) A: SCH**

aureomaculatus* Gressitt & Rondon, 1970: 109 A: NP YUN **ORR*

shimai Hayashi & Makihara, 1981: 191 (*Glaphyra*)

***baiocchii* Rapuzzi & Sama, 2012: 667 (*Glaphyra*) A: IN**

bassettii Sama, 1992b: 302 (*Glaphyra*) A: CY

cobaltinus Hayashi, 1963a: 53 (*Glaphyra*) A: JA

concolor Niisato, 1995: 444 (*Glaphyra*) A: TAI

congrus Holzschuh, 1998: 25 (*Glaphyra*) A: GUI

contristatus Holzschuh, 1991c: 44 (*Glaphyra*) A: SCH

cordigerus Holzschuh, 1992: 14 (*Glaphyra*) A: SCH

cupreoviridis Hayashi, 1966a: 5 A: TAI

cyanescens Gressitt, 1951a: 173 A: FUJ TAI

cyanescens Plavilstshikov, 1952: 287 [HN]

darjeelingensis Gardner, 1936: 129 A: NP SD

densepunctatus Holzschuh, 1977b: 338 A: BT

frivolis Holzschuh, 1998: 38 (*Glaphyra*) A: SCH

gilvitaris Holzschuh, 2006a: 239 (*Glaphyra*) A: SHA

gracilis Hayashi, 1949c: 29 A: JA

fuscipennis Hayashi, 1963d: 132

grandinotatus Holzschuh, 1992: 15 (*Glaphyra*) A: SCH

***grosseri* Voříšek, 2012: 1 A: IN**

hederae Gardner, 1936: 130 A: HP PA

ishiharai K. Ohbayashi, 1936a: 12 A: FE JA SC

kunashiricus Tsherepanov, 1981: 72

tsutsuii Hayashi, 1958b: 47

jiuyuehtanus Hayashi, 1984: 89 A: TAI

kiesenwetteri hircus Abeille de Perrin, 1881: 133 E: ST A: AB AR **GG** IN TR

anatolica Adlbauer, 1988: 275

angorensis Pic, 1912b: 3 (*Caenoptera*)
kiesenwetteri kiesenwetteri Mulsant & Rey, 1861a: 189 E: AU BH BU CR CZ GE GR HU IT MC ?PL RO SK SL ST SZ UK YU
kiyoyamai Hayashi, 1974a: 21 A: TAI
kobotokensis K. Ohbayashi, 1963: 10 A: FE JA SC
kojimai Matsushita, 1939: 56 (*Epania*) A: JA SC
lectus Holzschuh, 2006b: 281 (*Glaphyra*) A: SHA
lishanensis Hayashi, 1974a: 22 A: TAI
liukueiensis Hayashi, 1984: 90 (*Glaphyra*) A: TAI
malmusii Sama, 1995a: 370 (*Glaphyra*) A: TR
marmottani crovatoi Sama, 1995a: 373 (*Glaphyra*) E: IT
marmottani frischi Sama, 1995a: 373 (*Glaphyra*) A: TR
marmottani marmottani Brisout de Barneville, 1863: 118 E: AU BU CT CZ FR GE IT PL SK SP ST SZ A: TR
discicollis Heyden, 1876b: 383
modestus Holzschuh, 2006b: 283 (*Glaphyra*) A: GUI
molorchoides Holzschuh, 1984c: 351 (*Epania*) A: NP
moraveci Holzschuh, 2006b: 238 (*Glaphyra*) A: TAI
morii Makihara, 1984: 13 (*Glaphyra*) A: JA
nitidus adachii Takakuwa & Fujita, 1981: 29 A: JA
nitidus nitidus Obika, 1973: 205 A: JA SC
perfuga Holzschuh, 1998: 37 (*Glaphyra*) A: YUN
plagiatus Reiche, 1877a: cxxii E: ST A: AB AR GG IN KZ
planicollis Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) A: HUB
plavilstshikovi Gressitt, 1951a: 174 A: FUJ TAI
fukiensis Plavilstshikov, 1952: 288
prolixus Holzschuh, 1999: 29 (*Glaphyra*) A: GAN
rufosternalis Hayashi, 1984: 87 A: TAI
satoi Niisato, 2003: 376 (*Glaphyra*) A: TAI
schmidti Ganglbauer, 1883b: 300 E: CT CZ GR HU MD ?PL SK ST UK A: AB KI KZ TM UZ
salicicola Stiller, 1934: 37 (*Caenoptera*)
semenovi Plavilstshikov, 1940a: 167
semitaiwanus Hayashi, 1984: 88 A: TAI
serra Holzschuh, 2006b: 279 (*Glaphyra*) A: SCH SHA
shibatai okinawana Hayashi & Matsuda, 1976: 34 A: JA (Ryukyus)
shibatai shibatai Hayashi, 1961b: 44 A: CHQ JA
sikkimanus Holzschuh, 2003b: 306 (*Glaphyra*) A: SD
starki Shabliovsky, 1936: 184 A: FE SC
ichikawai Niisato, 1988a: 89 (*Glaphyra*)
ussuriensis Plavilstshikov, 1940a: 160
sterbai Adlbauer, 1988: 277 A: LE
azri Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)
subglaber Gressitt, 1938b: 150 (*Epania*) A: TAI
sungkangensis Hayashi, 1992: 140 (*Glaphyra*) A: TAI
taiwanus Hayashi & Matsuda, 1976: 32 A: TAI
takeuchii ebenina Hayashi, 1961b: 45 A: JA
takeuchii takeuchii K. Ohbayashi, 1937: 6 A: JA
tenuitarsis Holzschuh, 1981: 97 A: TR
uenoi Niisato, 1995: 441 A: TAI (*Glaphyra*)
umbellatarus umbellatarus Schreber, 1759: 9 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT
LA LS LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR GG TM TR
depressus Motschulsky, 1845a: 85
diversipes Pic, 1897c: 31
minimus Scopoli, 1763: 57 (*Necydalis*)
umbellatarus obscuripes G. Müller, 1948: 66 (*Caenoptera*) E: IT
unanimis Holzschuh, 1995: 26 (*Glaphyra*) A: SCH
viridescens Hayashi & Matsuda, 1976: 36 A: TAI
watani Kano, 1933b: 131 (*Epania*) A: TAI
subplana Gressitt, 1951a: 175
yui yui Hayashi, 1984: 88 A: TAI
subgenus *Nathrioglaphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940
alashanicus Semenov & Plavilstshikov, 1936: 392 A: NMO
heptapotamicus Plavilstshikov, 1940a: 163 E: ST A: KI KZ NIN UZ
amygdali Holzschuh, 1979a: 114
kucerai Holzschuh, 1998: 36 (*Glaphyra*) A: GAN
liui Gressitt, 1948a: 51 A: A: GAN HUB HUN SHA YUN ZHE
smetanai Danilevsky, 2011f: 105
subgenus *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989

asperanus Holzschuh, 1989a: 161 A: PA

subgenus *Yamatoglaphyra* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1953

aemulatus Holzschuh, 1998: 38 A: GAN SCH

chalybeellus Holzschuh, 2007: 225 A: HEN

hattorii K. Ohbayashi, 1953: 13 (*Molorchus*) A: JA SC

genus *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976

villosa Tsherepanov, 1976a: 67 A: FE

genus *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001

itoi Ikeda, 2001: 3 A: JA

tribe Mythodini Lacordaire, 1868

genus *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871

concinna Pascoe, 1871: 273 A: BT GUX HAI SD YUN **ORR**

tribe Nathriini Arnett, 1962

genus *Mourgliana* Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993

subgenus *Mourgliana* Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993

conspicua Holzschuh, 1993b: 125 A: SA

subgenus *Pseudomourgliana* Sama, 2006: 174 type species *Pseudomourgliana vanharteni* Sama, 2006

mollina Holzschuh, 2006a: 235 A: **AE** OM

vanharteni Sama, 2006: 175

genus *Nathrius* Bréthes, 1916: 76 type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839)

Deuteroleptidea Paclt, 1946: 169 [unnecessary substitute name]

Leptidea Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839

Leptideella E. Strand, 1936: 169 [unnecessary substitute name]

berlandi Villiers, 1946: 68 (*Leptidea*) N: MO

brevipennis Mulsant, 1839: 105 (*Leptidea*) E: AU AZ BE BH BU CR CZ DEi Fli **GB** GE HU IR IT MA MC MD NL NRi PL PT

RO SK ST SL SP SVi SZ **TR** UK YU A: AB AR CY GG IN IS KZ LE SHX SY TR N: AG EG LB MO TU **NARi NTRI**

cypericus Sláma & Berger, 2006: 56

manca LeConte, 1851: 24 (*Gracilia*)

minutus Motschulsky, 1845a: 84 (*Leptidea*)

porteri Bréthes, 1916: 77

rufipennis Dufour, 1851: 351 (*Gracilia*)

tribe Obriini Mulsant, 1839

genus *Anatolobrium* Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004

eggeri Adlbauer, 2004b: 421 A: TR

genus *Anisogaster* A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862

kabateki Adlbauer, 2005: 1009 A: YE (Suqutra)

genus *Bolivarita* Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914

oculata Escalera, 1914a: 498 N: MO

genus *Chinobrium* Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937

mediofasciatum Gressitt, 1937c: 449 A: JIX **ORR**

opacum Holzschuh, 1984c: 348 (*Stenhomalus*) A: BT **ORR**

genus *Comusia* J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864

Chapaon Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922

Ciopera Pascoe, 1866: 510 type species *Ciopera decolorata* Pascoe, 1866

Oemospiloides Fisher, 1940: 197 type species *Oemospiloides bengalensis* Fisher, 1940

Ogasawara Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937

bengalensis Fisher, 1940: 198 (*Oemospiloides*) A: SD

bicoloricornis Pic, 1927: 455 (*Chapaon*) A: YUN **ORR**

testacea Gressitt, 1937b: 321 (*Ogasawara*) A: JA (Ogasawara) **TAI**

thailandica Hayashi, 1986: 267 A: NP **ORR**

genus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894

subgenus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894

corbetti corbetti Gahan, 1894a: 15 A: HAI YUN **ORR**

longithoracicum Chiang, 1963: 65 (*Obrium*) A: YUN

genus *Iranobrium* Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967
abbreviatum Adlbauer, 2004c: 431 A: YE (Suqutra)
brancuccii Holzschuh, 1993b: 122 A: OM SA YE
buettikeri Holzschuh, 1993b: 123 A: AE SA YE
darwini Lo Cascio & Grita, 2009: 123 A: YE (Suqutra)
davatchii Villiers, 1967: 338 A: AE IN QA YE

genus *Longipalpus* Montrouzier, 1861: 275 type species *Longipalpus palazyanus* Montrouzier, 1861
Iphrobrium Gressitt, 1935a: 150 type species *Iphrobrium dilatipenne* Gressitt, 1935
Nerida McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940
dilatipennis Gressitt, 1935a: 151 (*Iphrobrium*) A: JA (Ryukyus)
shigarorogi Kano, 1939: 29 (*Pseudiphra*) A: TAI
tahuensis Chang, 1978: 59 A: TAI
wenhsini Niisato, 2013: 63 A: TAI

genus *Obrium* Dejean, 1821: 110 type species *Cerambyx cantharinus* Linnaeus, 1767
Diozodes Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1823 (= *Cerambyx maculatus* Olivier, 1795)
Phyton Newman, 1840b: 19 type species *Phyton limum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1795)
***aegrotum* Holzschuh, 1982a: 67 A: NP**
brevicorne Plavilstshikov, 1940a: 138 A: FE JA NC SC
brunneum Fabricius, 1793: 316 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MD NL NT PL RO SK SL SP ST SV SZ UK YU A: AB AR GG TR
causicum Tournier, 1872: 279
cantharinum cantharinum Linnaeus, 1767: 637 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA LT LU MD NE NL NT PL PL RO SK SP ST SV SZ UK YU A: AB AR ES FE GG KZ MG TR WS XIN NTRI
ferrugineum Fabricius, 1781: 235 (*Saperda*)
fuscicorne Gmelin, 1790: 1837 (*Cerambyx*)
cantharinum shimomurai Takakuwa, 1984: 9 A: JA
complanatum Gressitt, 1942h: 208 A: GUA GUI GUX JIX
formosanum Schwarzer, 1925a: 22 A: TAI
fractum Holzschuh, 2003: 178 A: SHA
fumigatum Holzschuh, 1995: 23 A: YUN
fuscoapicale Hayashi, 1974a: 17 A: TAI
hainanum Niisato & Hua, 1998: 452 A: HAI
hattai K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)
kusamai Takakuwa, 1984: 10 A: JA
***mendosum* Holzschuh, 2010: 156 A: HEN**
nakanei K. Ohbayashi, 1959: 2 A: JA
obscuripenne obscuripenne Pic, 1904e: 17 A: FE JA JIL SC
gracile Plavilstshikov, 1933g: 167 [HN]
graciliforme Lipp, 1939: 225 [RN]
tsushmanum Hayashi, 1974b: 14
obscuripenne takakuwai Niisato, 2006c: 383 A: JA
oculatum Niisato & Hua, 1998: 454 A: YUN
posticum Gahan, 1894a: 14 A: BT NP
prosperum Holzschuh, 2008: 182 A: YUN
randiae Gardner, 1926: 199 A: UP
rufograndum Gressitt, 1937c: 448 A: JIX
schwarzeri Hayashi, 1974a: 19 A: TAI
semiformosanum abirui Niisato & Takakuwa, 1996: 142 A: JA
semiformosanum semiformosanum Hayashi, 1974a: 18 A: TAI
takahashii Kusama & Takakuwa, 1984: 278 A: JA (Ryukyus)

genus *Ossibia* Pascoe, 1867a: 311 type species *Obrium fuscatum* Chevrolat, 1856
Obriaccum J. Thomson, 1878: 24 type species *Obrium fuscatum* Chevrolat, 1856
fuscata Chevrolat, 1856c: 570 (*Obrium*) N: EG MO A: YE AFR
crinita Fehraeus, 1872a: 55
picata Holzschuh, 1993b: 124 A: SA

genus *Oxilus* Buquet, 1859: 619 type species *Oxilus terminatus* Buquet, 1859
Metobrium Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887
elegans Fairmaire, 1887b: 334 (*Obriaccum*) N: EG AFR
manzonii Gestro, 1889: 68 (*Ossibia*) A: YE

genus *Pseudiphra* Gressitt, 1935a: 152 [RN] type species *Iphra apicalis* Schwarzer, 1925
Iriomoteus Villiers & Chûjô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chûjô, 1970
Obriomorpha Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925

apicalis Schwarzer, 1925a: 23 (*Iphra*) A: JA TAI **ORR**
bicolor bicolor Nara & Kusui, 1974: 123 A: JA (Ogasawara)
bicolor nigripennis Takakuwa, 1984: 9 A: JA (Ogasawara)
elegans Villiers & Chûjô, 1970: 55 (*Iriomoteus*) A: JA (Ryukyus)
obscura Gressitt, 1951b: 210 A: JA (Ryukyus)

genus *Pseudobolivarita* Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003
negevensis Sama & Orbach, 2003: 66 A: IS

genus *Uenobrium* Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970
laosicum Gressitt & Rondon, 1970: 107 (*Obrium*) A: HAI YUN **ORR**
piceorubrum Hayashi, 1971: 5 (*Obrium*) A: TAI
takeshitai Niisato & Ohmoto, 1994: 350 (*Obrium*) A: JA (Ryukyus)

genus *Yemenobrium* Adlbauer, 2005: 1008 type species *Yemenobrium velutinum* Adlbauer, 2005
velutinum Adlbauer, 2005: 1008 A: YE

tribe Oemini Lacordaire, 1868

genus *Afroeme* Adlbauer, 2004a: 3 type species *Afroeme kenyensis* Adlbauer, 2004
fusca Gahan, 1900a: 12 (*Oeme*) A: YE (Suqutra) **AFR**

genus *Dorjia* Holzschuh, 1989c: 391 type species *Dorjia tenzingi* Holzschuh, 1989
tenzingi Holzschuh, 1989c: 392 A: BT

genus *Entetraommatius* Fischer, 1940: 199 type species *Entetraommatius quercicola* Fischer, 1940
quercicola Fischer, 1940: 199 A: UP

genus *Fragiliella* Holzschuh, 2013: 8 type species: *Oemospila callidioides* Gressitt & Rondon, 1970
callidioides Gressitt & Rondon, 1970: 46 (*Oemospila*) A: YUN **ORR**

genus *Hypoechrus* J. Thomson, 1864: 249 type species *Hypoechrus strigosus* Gyllenhal, 1817
subgenus *Tibestia* Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935
dallonii Peyerimhoff, 1935: 78 (*Tibestia*) N: AG LB MO **AFR**
gyllenhali Lepesme & Breuning, 1955: 43
mirei Lepesme & Breuning, 1955: 43
pallidipes Quentin, 1956: 40
peyerimhoffi Lepesme & Breuning, 1955: 42
rungsi Lepesme & Breuning, 1955: 42
wittei Lepesme & Breuning, 1955: 44

genus *Kabatekiella* Holzschuh, 2008: 174 type species *Kabatekiella dalihodi* Holzschuh, 2008
dalihodi Holzschuh, 2008: 175 A: OM YE (Suqutra)

genus *Meiyingia* Holzschuh, 2010: 144 type species *Meiyingia paradoxa* Holzschuh, 2010
paradoxa Holzschuh, 2010: 145 A: HEN SCH

genus *Neocarolus* Sama, 2008: 222 type species: *Neomarius thomasi* Holzschuh, 1993
thomasi Holzschuh, 1993a: 24 (*Neomarius*) A: NP PA

genus *Neomarius* Fairmaire, 1872: 60 type species *Neomarius gandolphii* Fairmaire, 1872
gandolphii Fairmaire, 1872: 60 N: AG TUi

genus *Noserius* Pascoe, 1857b: 95 type species *Noserius tibialis* Pascoe, 1857
gardneri Martins, 1980: 116 [RN] A: NP
indicus Gardner, 1939: 1 [HN]
indicus Gahan, 1906a: 104 (*Hypoechrus*) A: AE AF IN NP PA
simplex Gressitt & Rondon, 1970: 44 (*Hypoechrus*) A: HAI **ORR**

genus *Oemospila* Gahan, 1906a: 104 type species *Oemospila maculipennis* Gahan, 1906
Falstrostromatium Pic, 1926l: 455 type species *Falstrostromatium elongatum* Pic, 1926
maculipennis Gahan, 1906a: 105 A: BT GUX NP YUN **ORR**
elongata Pic, 1926l: 455 (*Falstrostromatium*)

genus *Oplatocera* A. White, 1853: 121 type species *Oplatocera callidioides* A. White, 1853
Hoplitocera Gemminger, 1872: 2795 [unjustified emendation]
subgenus *Epioplatocera* Gressitt, 1951a: 131 type species *Oplatocera oberthuri* Gahan, 1906

mandibulata Miwa & Mitono, 1935: 404 A: TAI
mitonoi Hayashi, 1981b: 30 A: TAI
oberthuri Gahan, 1906a: 108 A: BT GUA GUX HUN NP SCH SD SHA TAI YUN **ORR**
subgenus *Oplatocera* A. White, 1853: 121 type species *Oplatocera callidioides* A. White, 1853
callidioides A. White, 1853: 121 A: SCH TAI "North India" **ORR**
grandis Gressitt, 1951a: 131 A: SCH **ORR**

genus *Tetraommatus* Perroud, 1855b: 390 [= 1855a: 70] type species *Tetraommatus filiformis* Perroud, 1855
Deuteromma Pascoe, 1857b: 98 type species *Deuteromma callidioides* Pascoe, 1857
fragilis Holzschuh, 1984a: 144 A: NP
kuantaoshanensis Chang, 1978: 62 (*Tetrops*) A: TAI
ocularis continentalis Heller, 1926: 22 A: UP
taiwanus Hayashi, 1978a: 87 A: TAI

genus *Yementallyrama* Adlbauer, 2007: 7 type species *Yementallyrama nasheri* Adlbauer, 2007
nasheri Adlbauer, 2007: 7 A: **OM** **YE**

tribe Opsimini LeConte, 1873

genus *Japonopsimus* Matsushita, 1935: 310 [RN] type species *Paraopsimus orientalis* Matsushita, 1933
Paraopsimus Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933
exocentroides Holzschuh, 1984c: 342 A: BT
orientalis Matsushita, 1933b: 238 (*Paraopsimus*) A: TAI

tribe Pelossini Tavakilian, 2013

genus *Pelossus* Thomson, 1864: 222 type species *Corethrogaster ruber* J. Thomson, 1858
Alloeme Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)
Ceresida Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)
Digonium Pic, 1895d: 76 type species *Digonium longicorne* Pic, 1895
Leptosalpina Gressitt, 1951a: 624 type species *Leptosalpina unicolor* Gressitt, 1951
Lygrus Fehraeus, 1872a: 55 type species *Lygrus apicalis* Fehraeus, 1872
Nosoeme Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894
Zoolygrus Fehraeus, 1872b: 194 [RN] type species *Lygrus apicalis* Fehraeus, 1872
becvari Sama, 1999c: 178 (*Lygrus*) A: IS JO SI
longicornis Pic, 1895d: 77 (*Digonium*) A: **OM** SA **YE**
unicolor Gressitt, 1951a: 625 (*Leptosalpina*) A: HUB

tribe Phoracanthini Newman, 1840

genus *Allotraeus* Bates, 1877: 36 type species *Allotraeus sphaerioninus* Bates, 1877
Neosphaerion Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
orientalis A. White, 1853: 110 (*Sphaerion*) A: YUN **ORR**
pallidipennis K. Ohbayashi, 1958c: 36 A: HUB
sphaerioninus Bates, 1877: 37 A: JA SC TAI

genus *Nyphasia* Pascoe, 1867a: 313 type species *Nyphasia torrida* Pascoe, 1867
apicalis Gahan, 1893b: 378 A: NP
fuscipennis Gahan, 1890a: 53 A: NP
pascoei Lacordaire, 1869: 309 A: BT NP SD

genus *Nysina* Gahan, 1906a: 153 type species *Sphaerion orientale* A. White, 1853
Neosphaerion Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
Pseudallotraeus Pic, 1923a: 13 type species *Pseudallotraeus rufescens* Pic, 1923
asiatica Schwarzer, 1925a: 22 (*Neosphaerion*) A: FUJ GUX HAI TAI **ORR**
baibarana Matsushita, 1933b: 297 A: TAI
boninensis Gressitt, 1937b: 319 (*Pseudallotraeus*) A: JA (Ogasawara)
gracillima Mitono, 1947b: 24 (*Pseudallotraeus*) A: TAI
grahami Gressitt, 1939a: 68 A: FUJ GUA GUX HEN HUN JIX SCH XIZ YUN
insularis amamiensis Hayashi, 1961b: 42 A: JA
insularis insularis Mitono, 1947b: 25 (*Pseudallotraeus*) A: JA (Ryukyus) TAI
insularis yamagami Fujita, 1980: 12 A: JA (Izu)
orientalis A. White, 1853: 110 (*Sphaerion*) A: "Korea" **ORR**
rubriventris Gressitt, 1937a: 90 A: HAI HUN YUN **ORR**
rufescens Pic, 1923a: 13 (*Pseudallotraeus*) A: JA **SC** TAI
japonica K. Ohbayashi, 1936a: 13
sauteri Matsushita, 1931c: 399 (*Neosphaerion*) A: TAI

subtuberculata Pic, 1933b: 27 (*Pseudallotraeus*) A: CH
genus *Phoracantha* Newman, 1840a: 19 type species *Stenocorus semipunctatus* Fabricius, 1775
recurva Newman, 1840b: 4 E: GR IT MA PT SP N: LB MO TU A: IS LE TR **AFR AUR NAR NTR**
papua Gressitt, 1959: 93
semipunctata Fabricius, 1775: 180 (*Stenocorus*) E: FR GR IT MA PT SP A: CY GG IS JO LE SY TR N: AG CI EG LB MO MR
TU **AFR AUR NAR NTR**
hospita Pascoe, 1864b: 232
inscripta Germar, 1848: 226

tribe Prothemini Lacordaire, 1868

genus *Prothema* Pascoe, 1856: 43 type species *Prothema signatum* Pascoe, 1856
Sigeum Pascoe, 1866: 523 type species *Blemmya humerale* Pascoe, 1857
~~*astutum* Holzschuh, 2011: 305 A: YUN~~
auratum auratum Gahan, 1906a: 235 A: GUA GUI GUX HAI HUN NP SD YUN **ORR**
auratum cariniscapum Gressitt, 1937c: 451 A: GUA GUI HUN **ORR**
auratum ininterruptum Pic, 1927h: 109 A: XIZ
cakli Heyrovský, 1967c: 201 A: HAI YUN **ORR**
~~—*simile* Gressitt & Rondon, 1970: 132~~
exclamatione Pesarini & Sabbadini, 2000: 58 A: SCH
lineatum Pic, 1920a: 2 A: XIZ
ochraceosignatum Pic, 1915b: 10 A: TAI
nigrum Kano, 1930: 42
signatum Pascoe, 1856: 43 A: FUJ GUA GUI GUX HAI HUN JIX NE NO XIZ ZHE **ORR**
funereum Pascoe, 1856: 43

tribe Purpuricenini J. Thomson, 1861

genus *Afghanicenus* Heyrovský, 1941a: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936
aulicus Holzschuh, 1981: 101 A: PA
~~*dreesi* Tippmann, 1958a: 57 A: AF~~
nuristanicus Heyrovský, 1936: 212 (*Purpuricenus*) A: AF

genus *Amarysius* Fairmaire, 1888b: 140 type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)
Asiates Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770
~~*altajensis altrina* Z. Wang, 2003: 394 A: HEI~~
altajensis altajensis Laxmann, 1770: 597 (*Leptura*) A: CH KZ WS
affinis Motschulsky, 1853: 79 (*Anoplistes*)
basilaris Pic, 1906b: 10 (*Anoplistes*)
sellatus Germar, 1824: 498 (*Cerambyx*)
altajensis coreanus Okamoto, 1924: 191 (*Anoplistes*) A: ES FE HEI LIA MG NC SC
album Z. Wang, 2003: 160, 394
ausinia Z. Wang, 2003: 160
ussuricus Tsherepanov, 1975d: 123
duplicatus Tsherepanov, 1980: 91 A: ES FE KZ MG WS
minax Holzschuh, 1998: 43 A: SCH
sanguinipennis Blessig, 1872: 175 (*Anoplistes*) E: CT A: ES FE HEB HUB JA KZ MG NC NMO SC SHA WS ZHE
dilatatus Fairmaire, 1888b: 141
suturalis Pic, 1906d: 16 (*Anoplistes*) A: FE HEB
grallator Baeckmann, 1924: 233 (*Purpuricenus*)

genus *Anoplistes* Audinet-Serville, 1834a: 570 type species *Cerambyx halodendri* Pallas, 1773

Asias Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1776
agababiani Danilevsky, 2000b: 41 (*Asias*) A: AR
degener Semenov, 1907b: 255 (*Purpuricenus*) A: MG NMO
diabolicus Reitter, 1915: 170 A: KZ XIN
forticornis Reitter, 1901c: 84 A: CH IN KZ KI UZ
maculibasis Reitter, 1901c: 84
galusoi Kostin, 1974: 648 (*Asias*) A: KZ
gobiensis Namkhaidorz, 1973: 377 (*Asias*) A: MG
~~*halodendri balcanicus* Sláma, 2010: 75 E: AL BU RO~~
halodendri ephippium Steven & Dalman, 1817: 157 (*Cerambyx*) E: ST UK **KZ** A: KZ
elaeagni Fischer von Waldheim, 1823: pl. il [= 1824: 238] (*Purpuricenus*)
humeralis Olivier, 1795: 38 (*Cerambyx*)
halodendri halodendri Pallas, 1773: 724 (*Cerambyx*) A: KZ WS
nigromaculatus Pic, 1915e: 6 (*Asiates*)
halodendri heptapotamicus Semenov, 1926: 48 (*Purpuricenus*) A: ES KZ WS
~~*halodendri kasatkini* Lazarev, 2014: 275 E: ST~~

halodendri minutus Hammarström, 1892: 191 A: ES MG
halodendri pirus Arakawa, 1932: 18 (*Purpuricenus*) A: ES FE GAN GUI HEB HEI HEN HUB HUN JIA JIL JIX LIA NC NIN
NMO QIN SC SHA SHN SHX TAI XIN ZHE
jacobsoni Baeckmann, 1904: 311 A: KZ
jomudorum Plavilstshikov, 1940a: 606 (*Asias*) A: IN TM
chodjaii Holzschuh, 1974a: 94 (*Asias*)
kozlovi Semenov & Znoiko, 1934: 211 (*Asias*) A: MG NMG
mongolicus amoenus Reitter, 1898b: 126 A: XIN
francisci Reymond, 1933: 139
procerus Semenov, 1907b: 256 (*Purpuricenus*)
mongolicus mongolicus Ganglbauer, 1889a: 75 A: MG NMO
tuvensis Tsherepanov, 1978b: 138 (*Asias*) A: ES MG

? **genus *Brototyche* Pascoe, 1867a: 317** type species *Brototyche adamsii* Pascoe, 1867
? *adamsii* Pascoe, 1867a: 318 A: KO

genus *Calchaenesthes* Kraatz, 1863: 97 type species *Callidium oblongomaculatum* Guérin-Méneville, 1844
diversicollis Holzschuh, 1977a: 129 A: IN IQ TR
oblongomaculata Guérin-Méneville, 1844: 234 (*Callidium*) E: BU GR RO A: CY JO TR
nogeli Frivaldszky von Frivald, 1845: 183 (*Callidium*)
quadrinaculata Pic, 1912f: 13
subjuncta Pic, 1945b: 6
pistacivora Holzschuh, 2003a: 195 A: IN
primis Özdikmen, 2013: 150 in Özdikmen et al., 2013 A: CY TR (see: Ambrus et al., 2014: 182)
sexmaculata Reiche, 1861: 91 (*Anoplistes*) E: SP N: AG MO TU
juncta Pic, 1922d: 27
parvimaclata Rungs, 1947: 100 (*Purpuricenus*)

genus *Dicelosternus* Gahan, 1900c: 308 type species *Dicelosternus corallinus* Gahan, 1900
corallinus Gahan, 1900c: 309 A: FUJ GUA GUI HAI HUB HUN JIX TAI ZHE

genus *Euryphagus* J. Thomson, 1864: 196 type species *Cerambyx lundii* Fabricius, 1793
Eurycephalus Dejean, 1835: 323 [HN] type species *Cerambyx maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)
lundii Fabricius, 1793: 258 (*Cerambyx*) A: FUJ GUI GUX HAI HP NP SCH TAI YUN ORR
maxillosus Olivier, 1795: 52 (*Cerambyx*)
nigripes Olivier, 1795: 52 (*Cerambyx*)
miniatus Fairmaire, 1904a: 145 (*Purpuricenus*) A: FUJ GUA GUI GUX HAI HKG JIX YUN ORR
caputorubeus S. T. Yu, 1935: 10 (*Purpuricenus*)
carinifer Pic, 1910f: 24 (*Purpuricenus*)
chinensis Gressitt, 1939a: 47

genus *Falsanoplistes* Pic, 1915a: 27 type species *Falsanoplistes guerryi* Pic, 1915
Bunothorax Gressitt, 1936: 101 type species *Sternoplistes takasagoensis* Kano, 1933
guerryi Pic, 1915a: 27 A: YUN XIZ
takasagoensis Kano, 1933a: 278 (*Sternoplistes*) A: SCH TAI ORR

genus *Peyeremoceras* Sama, 2009: 22 [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
Eremoceras Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
surcoufi Peyerimhoff, 1920a: 22 (*Eremoceras*) N: AG

genus *Purpuricenus* Dejean, 1821: 105 type species *Cerambyx kaehleri* Linnaeus, 1758
Acanthoptera Latreille, 1829: 114 type species *Cerambyx budensis* Götze, 1783
Cyclodera A. White, 1846: 510 type species *Cyclodera quadrinotata* A. White, 1846
Hamadrias Gistel, 1848a: 130 [unnecessary substitute name]
Philagathes J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864
Porphyrocenus Reitter, 1913a: 34 type species *Purpuricenus spectabilis* Motschulsky, 1858
Sternoplistes Guérin-Méneville, 1844: 224 type species *Purpuricenus temminckii* Guérin-Méneville, 1844
apicalis Pic, 1905k: 163 A: IN IQ TR
tommasoi Sama, 2001: 390
apiceniger Pic, 1914c: 7 E: BH CR GR IT ME
barbarus P. H. Lucas, 1842: 185 N: AG MO TU
dumerilii P. H. Lucas, 1847: pl. 41
interruptus Pic, 1891b: 23
limbatus Pic, 1891b: 23
bitlisiensis Pic, 1902: 27 A: TR
budensis Götze, 1783: 72 (*Cerambyx*) E: BH BU CT CR FR GR HU IT MC MD RO SK SL SP ST TR UK YU A: AB AR CY GG IS
LE SY TR WS
affinis Brullé, 1832: 251

ungaricus Herbst, 1784: 90 (*Lamia*)
wredii Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]
cornifrons Sabbadini & Pesarini, 1992b: 58 A: TR [type-Bingöl]
dalmatinus Sturm, 1843: 353 E: BH BU CR GR IT MC SL A: IS JO LE SY TR
biinterruptus Pic, 1901b: 11
bonvouloiri Pic, 1945b: 6
disjunctus Pic, 1916a: 13
hirsutus Heyrovský, 1969a: 34
desfontainii desfontainii Fabricius, 1793: 258 (*Cerambyx*) E: GR (Kriti) N: AG LB MO TU
nigricollis Pic, 1892g: 114
v-signatis Pic, 1922d: 27
desfontainii inhumeralis Pic, 1891b: 24 E: GR TR A: JO IS SY TR
deyrollei J. Thomson, 1867: 164 A: IN TM
ledereri Ferrari, 1869: 199
medijunctus Pic, 1921a: 4
ferrugineus Fairmaire, 1851a: 528 E: PT SP
fettingi Schaufuss, 1871c: 209
hispanicus K. Daniel & J. Daniel, 1898: 88
foraminifer Pesarini & Sabbadini, 1997: 106 A: SCH
globiger ambrusi Danilevsky, 2012d: 11 A: GAN
globiger globiger Fairmaire, 1888b: 139 A: HEB JIX SHX
globulicollis globulicollis Dejean, 1839: 34 E: AU BH BU CR CT CZ EN FR GR HU IT ME RO SK SL SP ST SZ YU A: KZ WS
grabowskii Heyrovský, 1913: 35
tsherepanovae Tsherepanov, 1980: 89
globulicollis skypetarum Rapuzzi & Sama, 2014b: 164 E: AL GR
graecus neocaucasicus Rapuzzi & Sama, 2014b: 156 E: ST A: AB AR GG TR
graecus baeckmanni Danilevsky, 2007c: 38 E: UK
graecus graecus Sláma, 1993: 56 E: GR
graecus renyvoniae Sláma, 2001: 225 E: BU CR MC TR YU A: TR
indus Semenov, 1908: 261 [RN] A: AF KA PA "Punjab"
haussknechti Gahan, 1906a: 186
innotatus Pic, 1910f: 24 A: XIZ YUN **ORR**
interscapillatus barbarae Rapuzzi & Sama, 2014b: 145 A: IS
interscapillatus hermonensis Rapuzzi & Sama, 2014b: 147 A: IS SY
interscapillatus interscapillatus Plavilstshikov, 1937b: 247 [RN] A: SY TR [type-"Syria"]
humeralis Pic, 1891b: 23 [HN]
interscapillatus longevittatus Pic, 1941b: 2 A: LE [Rapuzzi & Sama, 2014b: 144]
interscapillatus nabateus Sama, 1999c: 178 A: JO [Rapuzzi & Sama, 2014b: 148]
interscapillatus nudicollis Demelt, 1968b: 65 A: ?CY TR [type-Antalya]
kabakovi Miroshnikov & Lobanov, 1990: 15 A: AF KA PA
kaehlerii kaehlerii Linnaeus, 1758: 393 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT MC MD PL PT RO SK
SL SP ST SZ TR UK YU A: TR
aetnensis Bassi, 1834: 471
bilineatus Mulsant, 1839: 34
bipunctatus A. Villa & G. B. Villa, 1833: 36
boryi Brullé, 1832: 251
carbonarius Reitter, 1901d: 101
cinctus A. Villa & G. B. Villa, 1833: 36
ferrarioi Pic, 1941b: 2
litoralis Depoli, 1913: 22
ruber Geoffroy, 1785: 75 (*Cerambyx*)
servillei Audinet-Serville, 1834a: 569
tourneri Pic, 1945b: 6
kaehlerii menetriesi Motschulsky, 1845a: 87 E: ST A: AB AR GG IN TR
astrabadensis Pic, 1915e: 6
caucasicus T. Pic, 1902: 27 [Rapuzzi & Sama, 2014b: 158]
katerinae Danilevsky, 2012d: 12 A: GAN
lituratus Ganglbauer, 1887a: 136 A: FE GAN GUI GUX HEB HEN HUB HUN JIA JIL JIX LIA NC SC SHA YUN
hummeli Pic, 1935c: 11
komarovi Semenov, 1908: 260
petasifer Fairmaire, 1888b: 140
ritsemai Villard, 1913: 237
rosti Pic, 1913e: 135
malaccensis Lacordaire, 1869: 176 (*Philagathes*) A: HAI SHA YUN **ORR**
fasciatus Brongniart, 1892: 241
mesopotamicus Al-Ali & Ismail, 1987: 536, 543 A: IQ
montanus A. White, 1853: 138 A: AF KA XIZ "Tibet"
kashmirensis Pic, 1906b: 10 (*Sternoplistes*)
nanus Semenov, 1907b: 254 A: IN

notatithorax Pic, 1919d: 22
nicocles Schaufuss, 1871c: 209 A: CY
nigropunctatus Pic, 1916a: 13
nigronotatus Pic, 1907i: 169 A: TR [type - Hatay]
konradi Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]
optabilis Holzschuh, 1984a: 149 A: NP
robusticollis Pic, 1905a: 9 A: IN
sanguinolentus Olivier, 1795: 93 (*Cerambyx*) A: TAI "North India" **ORR**
sasanus Kadlec, 2006a: 3 A: IN ?IQ
schurmanni Sláma, 1985: 18 E GR (Kriti)
creticus Bernhauer, 1985: 104
sideriger richardi Danilevsky, 2012d: 15 A: GAN
sideriger sideriger Fairmaire, 1888b: 139 A: FE FUJ HEB HEN HUB HUN JIA SC SCH SHA
coreanus K. Saito, 1932: 441
pratti Gahan, 1888b: 61
spectabilis Motschulsky, 1858a: 36 A: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA SCH SHA TAI YUN ZHE "Korea"
bijunctus Pic, 1923b: 8 (*Sternoplistes*)
subnotatus Pic, 1910f: 24 A: YUN
basipennis Pic, 1916h: 13
talyschensis Reitter, 1891c: 240 A: AB IN
temminckii temminckii Guérin-Méneville, 1844: 224 A: JA
japanus Motschulsky, 1858a: 37
kiotensis Matsushita, 1933b: 312 (*Sternoplistes*)
temminckii oliveri Danilevsky, 2012d: 19 A: GAN
temminckii sinensis A. White, 1853: 139 A: FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI YUN
ZHE ORR
similis Pic, 1923b: 8 (*Sternoplistes*)
wachanrui Levrat, 1858: 261 A: AB **CY IN IQ SY TR**
aleppensis Witte, 1872: 208
atricolor Pic, 1912c: 4
bilunatus Schaufuss, 1871c: 210
diversipennis Pic, 1915e: 6
haussknechti Witte, 1872: 207
quadrinotatus Pic, 1912a: 35
schoenfeldti Heyden, 1890: 79
zarudnianus Semenov, 1903c: 358 A: IN PA
schauffelei Pic, 1956a: 3

genus *Parabunothorax* Pu, 1991b: 247 type species *Parabunothorax rubripennis* Pu, 1991
rubripennis Pu, 1991b: 248, 251 A: GUI **ORR**

genus *Quentinus* Vives, 2013a: 105 type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)
lameerei Plavilstshikov, 1921: 110 (*Purpuricenus*) [RN] A: SCH XIZ
cinctus Lameere, 1890: ccxiii (*Philagathes*) [HN]

tribe Pseudolepturini J. Thomson, 1861

genus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863
subgenus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863
bowringii Pascoe, 1863a: 52 (*Erythrus*) A: GUA GUX HKG HUN JIX ZHE

genus *Erythrus* A. White, 1853: 142 type species *Erythrus championi* A. White, 1853
Disidaema J. Thomson, 1860: 142 type species *Erythrus fortunei* A. White, 1853
Pseudoleptura J. Thomson, 1860: 142 [RN] type species *Erythrus championi* A. White, 1853
angustatus Pic, 1916h: 19 A: GUA
apicalis Pic, 1922b: 25 A: GUA GUX **ORR**
atripennis Pic, 1926g: 143
bicolor Westwood, 1848: 60 (*Saperda*) A: BT JIA SD **ORR**
biimpressus Pic, 1943c: 5 A: CH
blairi Gressitt, 1939a: 33 A: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA TAI YUN ZHE
championi A. White, 1853: 142 A: **CE** FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH **SE SW** TAI YUN ZHE **ORR**
lineatus Pic, 1916h: 12
schaiblei Nonfried, 1892a: 92 (*Sternoplistes*)
coccineus Gahan, 1906a: 231 A: FUJ NP "North India" **ORR**
congruus Pascoe, 1863a: 51 A: GUA HKG HUB JIA TAI
formosanus Bates, 1866: 350 A: TAI
fortunei A. White, 1853: 142 A: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE
bijunctus Pic, 1943c: 5

multiplicatus Pic, 1943c: 5
lineatus Pic, 1943c: 4 A: CH
multimaculatus Pic, 1916h: 19 A: GUA SCH
rotundicollis Gahan, 1902: 275 A: YUN **ORR**
rubriceps Pic, 1916h: 12 A: FUJ HEN HUB NE SCH YUN
quadrimaculatus Pic, 1943c: 4 A: CH
quadrisignatus Pic, 1943c: 4 A: CH
suturellus Holzschuh, 1984a: 150 A: NP SD
taiwanicus Heyrovský, 1952: 71 A: TAI
westwoodi A. White, 1853: 143 A: NP "Himalaya"

genus *Pachylocerus* Hope, 1834: 19 type species *Pachylocerus corallinus* Hope, 1834
sulcatus Brongniart, 1892: 240 A: GUX SCH YUN **ORR**

tribe Pyrestini Lacordaire, 1868

genus *Pyrestes* Pascoe, 1857b: 96 type species *Pyrestes haematicus* Pascoe, 1857
cardinalis Pascoe, 1863a: 50 A: HKG YUN
curticornis Pic, 1923a: 13 A: TAI
formosanus Schwarzer, 1925a: 24
densatus Holzschuh, 1998: 41 A: SCH
dohertii Gahan, 1906a: 229 A: YUN **ORR**
festus Holzschuh, 1998: 42 A: YUN
haematicus Pascoe, 1857b: 97 A: ANH FUJ GUA GUI HEN HKG HUB HUN JIA JIX NE NO SC TAI YUN ZHE
coreanus Okamoto, 1927: 66 (*Leptoxenus*)
hypomelas Fairmaire, 1887a: 131 A: YUN
inaequalicollis Hayashi, 1962a: 9 A: JA
longicollis Pic, 1953a: 8 A: TAI
miniatus Pascoe, 1857b: 97 A: "North India"
munekuro Fujimura, 1956: 3 A: JA
nipponicus Hayashi, 1987: 157
nigricollis Pic, 1947c: 18 A: YUN
pascoei Gressitt, 1939a: 31 A: FUJ GAN GUA HUN JIA NE YUN ZHE
pyrrhus Gahan, 1906a: 228 A: NP **ORR**
quinesignatus Fairmaire, 1889a: 65 A: SHX WP
rufipes nepalicus Holzschuh, 1990: 189 A: NP
~~*rufipes rufipes* Pic, 1923a: 13 A: "North India"~~
rugicollis Fairmaire, 1900: 642 A: FUJ GAN GUA HEN HUN JIA YUN ZHE
rugosa Gressitt & Rondon, 1970: 184 A: YUN **ORR**
yayeyamensis Hayashi, 1972: 28 A: JA (Ryukyus)

tribe Rhopalophorini Blanchard, 1845

genus *Dymorphocosmisoma* Pic, 1918e: 6 type species *Dymorphocosmisoma diversicorne* Pic, 1918
diversicorne Pic, 1918e: 6 A: YUN

tribe Rosaliini Fairmaire, 1864

genus *Acrocyrtidus* Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894
Lautitia Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933
Mausaridaeus Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903
argenteofasciatus Pic, 1903c: 29 (*Mausaridaeus*) A: HAI **ORR**
argenteus Gressitt & Rondon, 1970: 189 A: HUN YUN **ORR**
avarus Holzschuh, 1989a: 165 A: YUN **ORR**
auricomus Holzschuh, 1982a: 70 A: NP
diversinotatus Pic, 1903c: 30 (*Mausaridaeus*) A: HAI **ORR**
elegantulus Matsushita, 1933b: 226 (*Lautitia*) A: TAI
elegantulus longicornis Hayashi, 1962a: 10 A: JA
longipes Matsushita, 1941: 152 (*Mausaridaeus*) A: TAI
simianshanensis Chiang & L. Chen, 1994: 107 A: SCH

genus *Eduardiella* Holzschuh, 1993a: 32 type species *Eduardiella pretiosa* Holzschuh, 1993
pretiosa Holzschuh, 1993a: 32 A: YUN

genus *Luteicenus* Pic, 1922: 25 type species *Purpuricenus atromaculatus* Pic, 1922
Latecyrtidus Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011
atromaculatus Pic, 1922: 25 (*Purpuricenus*) A: YUN **ORR**
yamasakoi Vives & Niisato, 2011: 105

magnificus Rapuzzi & Sama, 2014a: 6 A: GUX

genus *Pseudocallidium* Plavilstshikov, 1934f: 226 type species *Pseudocallidium violaceum* Plavilstshikov, 1934
obscuriaeneum Hayashi, 1969a: 62 A: TAI
violaceum Plavilstshikov, 1934f: 226 A: SCH

genus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758

subgenus *Eurybatodes* Semenov, 1911: 121 type species *Rosalia bouvieri* Boppe, 1910
bouvieri Boppe, 1910: 235 A: SCH XIZ YUN

subgenus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861
Eurybatorosalia Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911

binotata Heyrovský, 1952: 73 A: XIZ

decempunctata Westwood, 1848: 59 (*Purpuricenus*) A: GUA GUI GUX HAI HUB SD TAI XIZ YUN "North India" **ORR**
insulana Kriesche, 1920b: 112

dejeani Vuillet, 1911b: 247 A: SCH

ferriei Vuillet, 1911a: 79 A: JA

formosa conviva Csiki, 1911: 612 A: TAI

formosa formosa Saunders, 1839: 178 (*Cerambyx*) A: NP SD TAI XIZ **ORR**

formosa nigroapicalis Pic, 1910g: 36 (*Eurybatus*) A: CE SE SW

formosa pallens Gressitt, 1945a: 124 A: GUI HUB HUN **ORR**

gravida Lameere, 1887: 166 A: CH SD "Himalaya" **ORR**

hariola J. Thomson, 1861: 250 (*Eurybatus*) A: BT NP SD
nakanishii Hayashi & Makihara, 1981: 189

kubotai Takakuwa, 1994: 2 A: GUX **ORR**

lateritia Hope, 1831: 27 (*Lamia*) A: NP SD XIZ "Himalaya" **ORR**

lesnei Boppe, 1911b: 103 A: JA TAI

asahinai Mitono, 1943: 587 (*Eurybatus*)

pachycornis Takakuwa & Karube, 1997: 8 A: YUN **ORR**

subgenus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758

Charmides Gistel, 1848b: [2] [unnecessary substitute name]

alpina alpina Linnaeus, 1758: 392 (*Cerambyx*) **E**: AL AU BH BU BY CR CT CZ FR GE GR HU **IT** LS MC PL RO SK SL SP ST
SV SZ **TR** UK YU A: AB AR GG TR

bifasciata Reitter, 1900b: 131

brancsiki Pic, 1911a: 5

bystricensis Roubal, 1937: 82

cepelaki Pic, 1933d: 6

connexa Reitter, 1900b: 131

croissandeau Pic, 1891b: 22

gelineki Zoufal, 1906: 264

geminata Reitter, 1900b: 131

interrupta Reitter, 1900b: 131

korbéli Roubal, 1937: 82

kysehyi Zoufal, 1906: 264

latemaculata T. Pic, 1908h: 33

multimaculata T. Pic, 1900a: 12

obliterata T. Pic, 1900a: 12

parvonotata Reitter, 1900b: 132

prolongata Reitter, 1900b: 131

pilosa Poda von Neuhaus, 1761: 32 (*Cerambyx*)

quadrimaculata Ragusa, 1905: 8

quadripunctata Reitter, 1901h: 202

transsylvanica Pic, 1908g: 20

triformis Roubal, 1937: 81

v-notata T. Pic, 1908h: 33

uzunkumensis Podány, 1963a: 10

alpina syriaca Pic, 1895i: cclxxxv A: TR

batesi Harold, 1877b: 360 A: JA SCH SHA TAI

coelestis Semenov, 1911: 118 A: FE GUX HEB HEI HEN JIL NC SC SHN

houlberti Vuillet, 1911b: 215 A: XIZ

lameerei Brongniart, 1890: cxxi A: GUX SCH TAI YUN **ORR**

bireducta Dayrem, 1935: 25

quadrinotata Dayrem, 1935: 25

semireducta Pic, 1910g: 30

unireducta Pic, 1937a: 11

tribe Stenhomalini Miroshnikov, 1989

genus *Stenhomalus* A. White, 1855: 243 type species *Stenhomalus fenestratus* A. White, 1855

subgenus *Obriopsis* G. Müller, 1948: 65 type species *Obrium bicolor* Kraatz, 1862

bicolor Kraatz, 1862: 126 (*Obrium*) E: AL AU BH BU CR CZ GR HU IT MC SK SL SV YU A: CY IS SY TR
subgenus *Stenhomalus* A. White, 1855: 243 type species *Stenhomalus fenestratus* A. White, 1855
Stenomalus Gemminger, 1872: 2841 [unjustified emendation]
baibarensis Matsushita, 1933b: 307 A: TAI
cephalotes Pic, 1928a: 28 A: HAI **ORR**
clarinus Holzschuh, 1995: 23 A: YUN
cleroides Bates, 1873: 155 A: JA TAI
complicatus Gressitt, 1948a: 49 A: SCH SHA SHX YUN
coomani Gressitt, 1951a: 164 A: FUJ
fenestratus A. White, 1855: 243 A: FUJ GUA NE NO NP SCH TAI "North India" **ORR**
incongruus incongruus Gressitt, 1939f: 211 A: JIA
incongruus muneaka Hayashi, 1981b: 29 A: JA
incongruus parallelus Niisato, 1988c: 791 A: JA SC
japonicus Pic, 1904f: 22 (*Obrium*) A: FE (Kunashir) JA SC
lighti Gressitt, 1935b: 170
vulcanus Tsherepanov, 1975c: 79
koshunensis Seki, 1935a: 91 A: HEN TAI
kumaso Niisato & Makihara, 1991: 164 A: JA
longicornis Bates, 1873: 155 (*Obrium*) A: JA
mecops Holzschuh, 1990: 187 A: SD
nagaoi Hayashi, 1960c: 11 A: JA
odai Niisato & Kinugasa, 1982: 13 A: YUN **ORR**
pallidus Gressitt, 1935a: 147 A: TAI
ruficollis Gressitt, 1935a: 149 A: TAI
taiwanus Matsushita, 1933b: 307 A: HEB HEN HUB JA SC SHX TAI
takaosanus K. Ohbayashi, 1958c: 37 A: JA
tetricus Holzschuh, 2007: 214 A: HUB
unicolor Niisato & Hua, 1998: 456 A: ZHE
versicolor Holzschuh, 1984a: 147 A: NP

tribe Stenopterini Gistel, 1848

Stenopterinae, Özdikmen, 2012a: 705

genus *Callimoxys* Kraatz, 1863: 105 type species *Stenopterus gracilis* Brullé, 1832
gracilis Brullé, 1832: 257 (*Stenopterus*) E: BH BU CR GR HU MC RO SK SL ST UK YU A: AB AR GG IN TM **TR**
retusifera Holzschuh, 1999: 27 A: HUB
orientalis Niisato & N. Ohbayashi, 2004: 464

genus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)

subgenus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)

Callimellum E. Strand, 1928: 2 [unnecessary substitute name]

abdominalis Olivier, 1795: 70 (*Callidium*) E: AL BH CR FR GR IT SP

decorus Gené, 1839: 38 (*Stenopterus*)

diversipes Pic, 1929b: 9

nigricollis Pic, 1890c: 157

akbesianus Pic, 1892s: cxi [= 1893d: 416] A: TR

angulatus angulatus Schrank, 1789: 77 (*Saperda*) E: AL AU BH BU CR CZ GE GR HU MC PL RO SK SP SZ TR UK YU N: AG

MO A: AB AR GG IN SY TR

bourdini Mulsant, 1846: [7]

cyaneus Fabricius, 1793: 330 (*Callidium*)

gallicus Pic, 1932d: 25 (*Callimellum*)

laetus Motschulsky, 1845a: 85 (*Stenopterus*)

variabilis Bonelli, 1812: 181 (*Necydalis*)

angulatus glabrescens Holzschuh, 1989a: 164 E: AL GR

subgenus *Lampropterus* Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1824

Callimomimus Ienișteea, 1952: 719 type species *Callimomimus distinctus* Ienișteea, 1952 (= *Necydalis femoratus* Germar, 1824)

femoratus Germar, 1824: 519 (*Necydalis*) E: AL BU GR MC MD RO ST TR UK YU A: AB AR GG IN IS CY LE SY TR

adonis Abeille de Perrin, 1881: 139

distinctus Ienișteea, 1952: 719 (*Callimomimus*)

narcissus Abeille de Perrin, 1881: 138

rumelicus Apfelbeck, 1889: 292

thoracicus Chevrolat, 1882: 57 (*Callimoxys*)

subgenus *Nathriopterus* Sama, 2002: 62 type species *Stenopterus shensiensis* Gressitt, 1951

shensiensis Gressitt, 1951a: 176 (*Stenopterus*) A: SHA

truncatipennis Gressitt, 1948a: 52 (*Stenopterus*) A: SHA

subgenus *Procallimus* Pic, 1907b: 7 type species *Callimus egregius* Mulsant & Rey, 1863

distinctipes Pic, 1906a: 11 (*Callimus*) A: IS JO LE

egregius Mulsant & Rey, 1863: 146 (*Callimus*) E: ST UK A: GG LE SY TR

obscurithorax Pic, 1907g: 154 (*Callimus*)
khorasani Holzschuh, 2006a: 234 A: IN
rapillyi Villiers, 1973a: 33 A: IN
semicyaneus Pic, 1905m: 187 (*Callimus*) E: GR

genus *Guerryus* Pic, 1903e: 105 type species *Guerryus aureopubescens* Pic, 1903
argyritis Holzschuh, 1998: 34 A: SCH
aureopubescens Pic, 1903e: 105 A: SCH YUN

genus *Holangus* Pic, 1902i: 33 type species *Holangus flavonotatus* Pic, 1902
guerryi Pic, 1904c: 10 (*Holangus*) A: YUN

genus *Kunbir* Lameere, 1890: ccxiii type species *Kunbir telephoroides* Lameere, 1890
Debilis Fairmaire, 1895: 178 [HN] type species *Debilis rufostylata* Fairmaire, 1895
Debilissa Aurivillius, 1912: 274 [RN] type species *Debilis rufostylata* Fairmaire, 1895
Kurseonigra Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930
atripennis Pic, 1925b: 15 (*Debilissa*) A: HUN YUN
bicolor Pic, 1928h: 160 (*Debilissa*)
obscuricolor Pic, 1925b: 16 (*Debilissa*)
carinatus Pic, 1928h: 159 (*Debilissa*) A: YUN
cephalotes Pic, 1928h: 159 (*Debilissa*) A: FUJ YUN
crusator Gressitt & Rondon, 1970: 127 A: YUN **ORR**
laboissierei Pic, 1930: 16 (*Debilissa*) A: SD
nomurai Hayashi, 1974a: 25 A: HUN TAI
pallidipennis Gressitt, 1940b: 56 A: HAI
pilosipes Holzschuh, 2003: 187 A: HUN SHA
rufostylata Fairmaire, 1895: 179 (*Debilis*) A: YUN **ORR**
diversiceps Pic, 1928a: 27 (*Debilissa*)
simplex Gressitt & Rondon, 1970: 128 A: YUN **ORR**
testaceus Pic, 1924a: 15 (*Debilissima*) A: CH **ORR**
vartianorum Holzschuh, 1974a: 88 A: PA

genus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
subgenus *Macromolorchus* Pic, 1922e: 28 type species *Macromolorchus curtipennis* Pic, 1922
Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936
baoshana Chiang, 1963: 66 A: YUN **ORR**
aglaospadix Gressitt & Rondon, 1970: 118
eburata Holzschuh, 1989a: 162 A: SD **YUN**
hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) A: FUJ HUN JA TAI ZHE
klapperichi Tippmann, 1955: 100 (*Hakata*) A: FUJ
splendida Chiang, 1981: 79 A: GUX **HAI**
subgenus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
fusca Gressitt & Rondon, 1970: 121 A: YUN **ORR**
indica Hope, 1831: 28 (*Molorchus*) A: NP SCH SD YUN **ORR**
jeanvoinei Pic, 1933a: 9 A: GUX **HAI ORR**
nigrella Gressitt, 1942g: 79 A: ANH YUN
nigriceps A. White, 1855: 181 (*Heliomanes*) A: NP XIZ
inapicalis Pic, 1922b: 23
nigroapicalis Gressitt et Rondon, 1970: 120 A: YUN **ORR**
phoebe Gardner, 1939: 3 A: NP UP
scutulata Holzschuh, 1989a: 163 A: SD YUN
uraiensis Kano, 1930: 43 A: TAI
subgenus *Ocytasia* Pascoe, 1869: 565 type species *Ocytasia fulvipennis* Pascoe, 1869
caldwelli Gressitt, 1942a: 3 A: FUJ **GUA GUX HUN YUN**
catoxelytra Gressitt & Rondon, 1970: 119 A: YUN **ORR**
formosana burkwalli Gressitt, 1940b: 54 A: HAI
formosana formosana Heller, 1924a: 32 A: FUJ HAI TAI
kurarensis Seki, 1934: 282
nigra Matsushita, 1937: 102
formosana iriomotensis K. Ohbayashi & N. Ohbayashi, 1965: 3 A: JA (Ryukyus)
formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)
formosana rubriventris Hayashi, 1962a: 8 A: JA
formosana septentrionalis Tamu & Tsukamoto, 1952: 9 A: FUJ JA
tosawai Kobayashi, 1932: 1 A: JA (Ogasawara) TAI

genus *Microdebilissa* Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925

Euchlanis Pascoe, 1869: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869
Neodeuteromma Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)
aethiops Holzschuh, 1995: 25 (*Euchlanis*) A: YUN
argentifera Holzschuh, 1984c: 354 (*Euchlanis*) A: BT NP YUN
atricornis Pic, 1940: 4 A: CH **ORR**
atripennis Pu, 1992b: 600, 620 (*Euchlanis*)
bipartita Pic, 1925b: 16 A: CH
obscura Pic, 1940: 5
diversipes Pic, 1930b: 16 A: SD
furva Holzschuh, 1993a: 30 (*Euchlanis*) A: YUN **ORR**
homalina Holzschuh, 1993a: 29 (*Euchlanis*) A: YUN **ORR**
infirma Holzschuh, 1989b: 375 (*Euchlanis*) A: YUN **ORR**
makiharai Hayashi, 1982: 151 (*Euchlanis*) [RN] A: TAI
obscura Hayashi, 1971: 6 [HN]
minuta Pic, 1927b: 30 A: CH **ORR**
robustula Holzschuh, 1990: 188 (*Euchlanis*) A: NP
simplicicollis Gressitt, 1951a: 181 [RN] A: GUA
gressitti Hayashi, 1951b: 80 [RN]
serratipennis Gressitt, 1937c: 450 [HN]
testacea Matsushita, 1933b: 229 A: NP TAI YUN
serratipennis Mitono, 1936: 31 (*Neodeuteromma*)

genus *Stenopterus* Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767

adlbaueri Sama, 1995b: 408 A: TR
ater Linnaeus, 1767: 642 (*Necydalis*) E: BH CR FR GR IT MC PT SK SL SP UK YU N: AG GG LB MO TU
auriventris Küster, 1851: 96
~~*biskrensis* Dayrem, 1922b: 28~~
flavipes Pic, 1892c: 66
inustulatus Pic, 1892b: 22
nigripes A. Costa, 1855: 67
praeustus Fabricius, 1793: 354 (*Necydalis*)
ruficollis Pic, 1918d: 23
subhumeralis Pic, 1905j: 156
theryi Pic, 1918d: 23
ustulatus Mulsant, 1839: 115
atricornis Pic, 1891h: 102 E: GR A: TR
creticus Sama, 1995b: 403 E: GR
flavicornis Küster, 1846b: 75 E: AL AU BU CR CZ GR HU IT MC RO SK SL TR UK YU A: IS JO SY
procerus A. Costa, 1855: 64
kraatzi Pic, 1892b: 21 A: TR
mauritanicus P. H. Lucas, 1847: pl. 42 E: PT SP N: AG MO TU
rufus geniculatus Kraatz, 1863: 104 E: AL BU CR GR MC RO SL TR YU A: AB AR GG IN TR
rufus rufus Linnaeus, 1767: 642 (*Necydalis*) E: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL SK SL SP ST SZ UK N: CI (Gran Canaria)
attenuatus Geoffroy, 1785: 84 (*Leptura*) [HN]
rufus syriacus Pic, 1892b: 22 A: IS LE SY TR
rufus transcaspicus Lazarev, 2008: 132 A: TM IN
similatus mehli Sama, 1995b: 402 A: CY
similatus similatus Holzschuh, 1979a: 113 E: GR (Ikaria)

tribe Thraniini Gahan, 1906

genus *Thranis* Pascoe, 1859: 22 type species *Thranis bimaculatus* Pascoe, 1859

Singalia Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranis gibbosus* Pascoe, 1859)
formosanus formosanus Schwarzer, 1925a: 23 A: TAI
infernalis Matsushita, 1933b: 225 A: TAI
multinotatus latipennis Hayashi, 1963a: 53 A: JA (Ryukyus)
multinotatus multinotatus Pic, 1922a: 22 A: XIZ YUN **ORR**
multinotatus okinawensis Makihara, 1978: 51 A: JA (Ryukyus)
multinotatus signatus Schwarzer, 1925a: 23 A: FUJ HAI TAI ZHE **ORR**
obliquefasciatus Pu, 1992b: 596 A: YUN
capucinus Holzschuh, 1993a: 31 [see: Lin & Tichý, 2014]
rufescens Bates, 1884a: 258 (*Singalia*) A: JA TAI **ORR**
simplex fulvus Pu, 1992b: 596 A: SCH
simplex simplex Gahan, 1894a: 15 A: BT HUB NP SD SCH SHA XIZ YUN **ORR**
triplagiatus Gahan, 1906a: 238 A: SD **ORR**
variegatus obscurus Hayashi, 1962a: 8 A: JA
variegatus variegatus Bates, 1873: 196 A: JA TAI

maculicornis Plavilstshikov, 1940a: 649
sapporensis Kano, 1933b: 132

tribe Tillomorphini Lacordaire, 1868

genus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
subgenus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
francottei Rapuzzi & Sama, 2010b: 185 A: GAN
semirufus collaris Jakovlev, 1885b: 290 A: AF KI KZ XIN
manifestus Jakovlev, 1900d: 664
strigicollis Jakovlev, 1900d: 663
semirufus savitsky Lazarev, 2014: 276 A: MG
semirufus semirufus Kraatz, 1884a: 225 A: KI KZ UZ
vestitus Jakovlev, 1900d: 664
subgenus *Obliqueclytus* Lazarev, 2014: 276 type species *Anaglyptus banghaasi* Reitter, 1895
banghaasi Reitter, 1895c: 159 (*Anaglyptus*) A: KI TD
semenowi Jakovlev, 1900d: 663
gracilis Jakovlev, 1900d: 665 A: TD
baeckmanni Okunev, 1933: 136
grandiculus Plavilstshikov, 1940a: 542

genus *Clytellus* Westwood, 1854: 240 type species *Clytellus methocoides* Westwood, 1854
methocoides Westwood, 1854: 240 A: GUA HKG **ORR**

genus *Epipedocera* Chevrolat, 1863b: 339 type species *Epipedocera zona* Chevrolat, 1863
affinis Chevrolat, 1863b: 341 A: NP UP
assamensis Gardner, 1926: 204 A: YUN **ORR**
atra Pic, 1937b: 7 A: HAI YUN **ORR**
atritarsis djoui Gressitt, 1951a: 627 A: GUA
chakhata Gardner, 1939: 9 A: BT NP UP
guerryi Pic, 1903e: 105 A: CH
hardwicki A. White, 1855: 288 (*Clytus*) [RN] A: NP SD XIZ **ORR**
undulata Hope, 1831: 28 (*Clytus*) [HN]
hoffmanni Gressitt, 1940b: 85 A: HAI
laticollis Gahan, 1906a: 307 A: YUN **ORR**
lugens Holzschuh, 1990: 192 A: SD
lunata Newman, 1842a: 247 (*Clytus*) A: TAI **ORR**
rollei Pic, 1910g: 30 A: TAI
subatra Gressitt & Rondon, 1970: 283 A: YUN **ORR**
vitalisi Pic, 1922c: 11 A: YUN **ORR**
zona Chevrolat, 1863b: 340 A: GUX NP SD YUN **ORR**

genus *Halme* Pascoe, 1869: 640 type species *Halme cleriformis* Pascoe, 1869
atrocoerulea Gressitt, 1939b: 104 A: FUJ ZHE
basifusca Kusama & Oda, 1979: 74 A: TAI
eburneocincta Gressitt, 1934: 168 A: TAI
masakoe Niisato, 1984b: 211 A: TAI

genus *Pseudomyrmecion* Bedel, 1885: cxxxii type species *Pseudomyrmecion ramalium* Bedel, 1885
ramalium Bedel, 1885: cxxxii N: AG

tribe Vesperellini Sama, 2008

genus *Vesperella* Dayrem, 1933: 89 type species *Vesperella pallida* Dayrem, 1933
maroccana Sama, 2008: 228 N: MO
pallida Dayrem, 1933: 89 N: AG

tribe Xystrocerini Blanchard, 1845

genus *Jendekia* Holzschuh, 1993a: 24 type species *Jendekia eduardi* Holzschuh, 1993
eduardi Holzschuh, 1993a: 25 A: YUN

genus *Leptoxenus* Bates, 1877: 37 type species *Leptoxenus ibidiiformis* Bates, 1877
Kamuia Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933
bimaculatus Matsushita, 1933b: 240 (*Kamuia*) A: TAI
ibidiiformis Bates, 1877: 37 A: JA JIX SC TAI
ornaticollis Gressitt & Rondon, 1970: 47 A: YUN **ORR**

genus *Xystrocera* Audinet-Serville, 1834b: 69 type species *Cerambyx globosus* Olivier, 1795
dispar Fehraeus, 1872a: 49 A: AE SA **AFR**
festiva J. Thomson, 1861: 251 A: AP HAI SD TAI YUN **ORR**
globosa Olivier, 1795: 27 (*Cerambyx*) N: EG A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISI JA JIA JIX NP
 PA SC SCH SHA SHG SHN TAI YUN ZHE **AFRi AURi NTRi ORR**
curticollis Fairmaire, 1882b: 96
invittata Breuning, 1957h: 1241
marginalis Goldfuss, 1805: 44 (*Callidium*)
mediovitticollis Breuning, 1957h: 1241
nitidiventris Fairmaire, 1887c: 326
onomichiensis K. Ohbayashi, 1963: 10
parvicollis Fairmaire, 1892a: 120
diehli Heyrovský, 1967d: 39
reductevittata Breuning, 1957h: 1241
viridipicta Fairmaire, 1896b: 367

subfamily **Lamiinae** Latreille, 1825
 tribe **Acanthocinini** Blanchard, 1845

genus *Acanthocinus* Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758
subgenus *Acanthobatesianus* Wallin, Kwamme & Lin, 2012: 19 type species *Leiopus guttatus* Bates, 1873
guttatus Bates, 1873: 384 (*Leiopus*) A: FE JA JIX SC [see Danilevsky, 2014b: 217]
subgenus *Acanthocinus* Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758
Aedilis Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)
Astynomus Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758
Canonura Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854
Graphisurus Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837
Lamia Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758
Neacanthocinus Dillon, 1956: 230 type species *Acanthocinus obsoletus* Olivier, 1837
Tylocerina Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775
aedilis Linnaeus, 1758: 392 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
 LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC
 NMO SHA SC SHN TR WS
dongbeiensis Z. Wang, 2003: 258
marmoratus Villers, 1789: 239 (*Cerambyx*)
montanus Audinet-Serville, 1835a: 33
obliteratus Pic, 1917g: 9
validus Matsushita, 1936: 148
carinulatus Gebler, 1833: 302 A: ES FE HEI MG NC NE NO SC WS
sibiricus Motschulsky, 1860b: 149 (*Astynomus*)
chinensis Breuning, 1978a: 57 [= 1982a: 24] A: SHG
elegans Ganglbauer, 1884: 534 A: AB IN
griseus Fabricius, 1793: 261 (*Cerambyx*) E: AL AN AU BE BU BY CR CT CZ EN FI FR GE GR HU IT **NT** LA LS LT MC MD
 ND NR PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR CY ES FUJ GAN GG GUA GUI GUX HEB HEI HEN HUB
 JIL JIX KZ LIA MG NC NMO SC SHA TR WS XIN ZHE
alpinus L.Redtenbacher, 1848: 494 (*Astynomus*)
novaki Tippmann, 1952b: 153
obscurus Pic, 1891b: 32
gundaiensis Kano, 1933a: 285 A: TAI
henschi aetnensis Rapuzzi & Sama, 2010a: 130 E: IT (Sicilia)
henschi henschi Reitter, 1900d: 177 E: AL AU BH BU CR IT GR MC SL
hispanicus Sama & Schurmann, 1981: 43 E: SP
meyeri Vitali, 2011: 161 E: PT
orientalis K. Ohbayashi, 1939: 116 A: FE JA
reticulatus Razoumowsky, 1789: 152 (*Cerambyx*) E: AL AU BH BU BY CR CZ FR GE GR HU IT PL RO SK SL SP SZ UK
atomarius Fabricius, 1793: 271 (*Lamia*)
constrictus Pic, 1891b: 32
costatus Fabricius, 1793: 261 (*Cerambyx*)
criticus Schoenherr, 1817a: 376 (*Lamia*) [RN]
nebulosus Schrank, 1781a: 129 (*Cerambyx*)
sachalinensis Matsushita, 1933a: 391 A: ES FE JA MG
sinensis Pic, 1916h: 14 A: XYZ YUN
subsolana Z. Wang, 2003: 262, 395 A: NE (Neimenggu)
tethys Z. Wang, 2003: 262, 396 A: LIA
xanthoneurus Mulsant & Rey, 1852: 2 (*Astynomus*) E: IT
disjunctus Pic, 1908b: 6
edmondi Fairmaire, 1852b: lxiii (*Astynomus*)

genus *Boninella* Gressitt, 1956: 182 type species *Boninella degenerata* Gressitt, 1956

anoplos N. Ohbayashi, 1976: 6 (*Miaenia*) A: JA (Ogasawara)
degenerata Gressitt, 1956: 182 A: JA (Ogasawara)
hirsuta N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara)
igai N. Ohbayashi, 1976: 8 (*Miaenia*) A: JA (Ogasawara)
kamezawai Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)
karubei Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)
satoi masataakai Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)
satoi satoi N. Ohbayashi, 1976: 5 (*Miaenia*) A: JA (Ogasawara)
takakurwai Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)

genus *Boninoleiops* M. Hasegawa & Makihara, 2001: 71 type species *Boninella kitajimai* M. Hasegawa & Makihara, 2001
kitajimai M. Hasegawa & Makihara, 2001: 72 A: JA (Ogasawara)

genus *Cristenes* Breuning, 1978a: 19 type species *Enes cristatus* Pic, 1928
cristatus Pic, 1928a: 20 (*Enes*) A: NP **ORR**

genus *Cristosydonia* Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963
alterna Holzschuh, 2003b: 312 A: NP SD

genus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
subgenus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
schmidi Breuning, 1972c: 418 A: IN SD UP
subgenus *Fasciatodriopea* Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923
chinensis Breuning, 1967f: 187 (*Dryopea*) A: GUI
subgenus *Trichodriopea* Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965
excavatipennis Breuning, 1965b: 38 (*Dryopea*) A: YUN **ORR**

genus *Eoporis* Pascoe, 1864a: 15 type species *Eoporis elegans* Pascoe, 1864
subgenus *Eoporimimus* Schwarzer, 1925c: 147 type species *Eoporis bifasciana* Schwarzer, 1925
bifasciana Schwarzer, 1925c: 147 A: TAI
differens Pic, 1926g: 143 A: SD TAI YUN **ORR**
glabrosignata Pic, 1944a: 10
mitonoi Seki, 1946: 11 (*Rondibilis*) A: TAI
pedongensis Breuning, 1969f: 668 A: SD
simillima Hayashi, 1974c: 57 A: TAI

genus *Euryclytosemia* Hayashi, 1963c: 15 type species *Euryclytosemia nomurai* Hayashi, 1963
nomurai Hayashi, 1963c: 15 A: JA (Ryukyus) TAI

genus *Hoploranomimus* Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939
harmandi Pic, 1939i: 183 (*Acanthocinus*) A: BT

genus *Ipochiromima* Sama & Sudre, 2009: 384 [RN] type species *Mimipochira sikkimensis* Breuning, 1982
Mimipochira Breuning, 1982a: 25 type species *Mimipochira sikkimensis* Breuning, 1982
sikkimensis Breuning, 1982a: 26 (*Mimipochira*) A: SD

genus *Jordanoleiopus* Lepesme & Breuning, 1955: 96 type species *Jordanoleiopus maynei* Lepesme & Breuning, 1955
[?] *monoxenus* Kolbe, 1894: 284 (*Lepturges*) A: OM **AFR**

genus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
subgenus *Carinopus* Wallin, Kwamme & Lin, 2012: 7 type species *Leiopus holzschuhi* Wallin, Kwamme & Lin, 2012
campbelli Gressitt, 1937d: 613 A: JIX
nigropunctatus Wallin, Kwamme & Lin, 2012: 8 A: GUI GUX SCH
fallaciosus Holzschuh, 1993a: 49 A: FUJ
flavomaculatus Wallin, Kwamme & Lin, 2012: 9 A: GUI
ocellatus Wallin, Kwamme & Lin, 2012: 11 A: SHA
shibatai Hayashi, 1974c: 58 A: TAI
nigrofasciculosus Wallin, Kwamme & Lin, 2012: 12 A: ANH SHA
holzschuhi Wallin, Kwamme & Lin, 2012: 14 A: CHQ GUI HEN SCH SHA
multipunctellus Wallin, Kwamme & Lin, 2012: 16 A: SCH YUN
subgenus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
Leiopus Agassiz, 1846b: 212 [unjustified emendation]
Phrurus Gistel, 1856: 376 [unnecessary substitute name]
albivittis albivittis Kraatz, 1879d: 112 A: ES FE JIL MG SC WS
ganglbaueri Csiki, 1901: 116
albivittis malaisei Aurivillius, 1928b: 42 A: FE

andreae Sama, 1994c: 43 A: CY
bedeli Pic, 1892k: 289 N: AG TU
femoratus Fairmaire, 1859a: 62 E: BE BU FR HU IT ?LT LU ME NL SB ST TR UK A: AB AR GG IN TR
caspius Ganglbauer, 1884: 531 (*Liopus*)
constellatus Mulsant & Rey, 1863: 159
pachymerus Ganglbauer, 1884: 532 (*Liopus*)
kharazii Holzschuh, 1974a: 98 A: AB IN
linnei Wallin, Nylander & Kvamme, 2009: 39 E: ?AL AU BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MD NR ?NT
 PL ?PT RO SK ?SP ST SV UK ?YU A: ?KZ
lisae Rapuzzi & Sama, 2012: 679 A: TR
masaoi Tamura & Tamura, 1992: 195 A: JA
montanus Hayashi, 1968a: 25 A: JA
montanoides Breuning, 1978a: 58 (*Acanthocinus*) [RN]
nebulosus caucasicus Ganglbauer, 1887d: 25 (*Liopus*) E: ST A: AB AR GG TR
nebulosus insulanus Sláma, 1985: 19 E: CR
nebulosus nebulosus Linnaeus, 1758: 391 (*Cerambyx*) E: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR
 ?HU IR IT LA LS LU ?MD NL NR PL ?PT RO SL ?SP SV SZ TR UK ?YU
bifasciatus Goeze, 1777: 464 (*Cerambyx*)
dissimilis Pic, 1889a: 5
fasciatus Villers, 1789: 239 (*Cerambyx*)
monilis Geoffroy, 1785: 75 (*Cerambyx*)
siculus Pic, 1924c: 22
taeniatus Gmelin, 1790: 1863 (*Cerambyx*)
unifasciatus Pic, 1891c: 23
punctulatus Paykull, 1800: 57 (*Cerambyx*) E: AU BY CT CZ EN FI GE HU LA LT NT PL SK SV SZ UK
settei Sama, 1985d: 408 E: IT
stillatus Bates, 1884a: 254 (*Acanthocinus*) A: FE JA HEB HEI JIL JIX NC SC ZHE
japonicus Pic, 1901v: 342 (*Liopus*)
syriacus abieticola Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 186 A: TR
syriacus syriacus Ganglbauer, 1884: 532 (*Liopus*) A: CY IS LE SY TR
major Pic, 1898n: 125 (*Liopus*)
syriacus tauricus Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 184 A: TR
wrzecionkoi Sama & Rapuzzi, 2011: 88 A: SY

genus *Mimeryssamena* Breuning, 1972c: 418 type species *Mimeryssamena besucheti* Breuning, 1972
besucheti Breuning, 1972c: 418 A: UP

genus *Mimohoplorana* Breuning, 1960f: 144 type species *Mimohoplorana puncticollis* Breuning, 1960
puncticollis Breuning, 1960f: 144 A: SD

genus *Mimoxenolea* Breuning, 1960e: 36 type species *Mimoxenolea bicoloricornis* Breuning, 1960
Mimaeschopalea Breuning, 1961a: 31 type species *Mimaeschopalea ornata* Breuning, 1961
bicoloricornis Breuning, 1960e: 36 A: SD
sikkimensis Breuning, 1961i: 329 (*Mimaeschopalea*) A: SD

genus *Myromexocentrus* Breuning, 1957a: 20 type species *Myromexocentrus tibialis* Breuning, 1957
quadrinaculatus Hayashi, 1983: 43 A: TAI

genus *Neacanista* Gressitt, 1940b: 182 type species *Neacanista tuberculipennis* Gressitt, 1940
shirakii Mitono, 1943: 584 (*Acanthocinus*) A: TAI
tuberculipennis Gressitt, 1940b: 182 A: HAI

genus *Neoeryssamena* Hayashi, 1974c: 56 type species *Neoeryssamena mitonoana* Hayashi, 1974
mitonoana Hayashi, 1974c: 56 A: TAI

genus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperata* Pascoe, 1859
subgenus *Dentatostedes* Breuning, 1961e: 250 type species *Eoporis bidentata* Pic, 1933
bidentata Pic, 1933f: 6 (*Eoporis*) A: SCH
subdentata Breuning, 1961e: 249
subgenus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperatus* Pascoe, 1859
albomarmorata Breuning, 1969f: 668 A: SD
binodosa Gressitt, 1945a: 130 A: GUA SCH
brunneovariegata Breuning, 1961i: 337 A: NP
dentata Pic, 1936b: 18 A: SCH YUN
harmandi Breuning, 1968d: 231 A: SD
kadleci Danilevsky, 1992c: 204 A: FE NC SC
inermis densepunctata Hayashi, 1962b: 39 A: JA

inermis dwabina Gressitt, 1940b: 190 A: HAI
inermis inermis Schwarzer, 1925c: 146 A: FUJ GUA TAI ORR
nubila Matsushita, 1931c: 405
sikkimensis Breuning, 1958a: 34 A: SD
subfasciata Matsushita, 1933b: 392 A: TAI
tuberculata Pic, 1925a: 31 (*Eryssamena*) A: CH

genus *Paracanthocinus* Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964
laosensis Breuning, 1964e: 53 A: FUJ ORR

genus *Parachydaeopsis* Breuning, 1968a: 28 type species *Parachydaeopsis laosica* Breuning, 1968
shaanxiensis W.-K. Wang & S.-N. Jiang, 2002a: 52 A: SHA
genus *Paraclodia* Breuning, 1974j: 372 type species *Paraclodia besucheti* Breuning, 1974
besucheti Breuning, 1974j: 374 A: NP

genus *Pararondibilis* Breuning, 1961j: 547 type species *Pararondibilis sikkimensis* Breuning, 1961
acrosa Holzschuh, 2003b: 313 A: NP UP
eluta Holzschuh, 2003b: 314 A: NP
macularia Holzschuh, 2003b: 314 A: KA
sikkimensis Breuning, 1961j: 547 A: SD

genus *Pareoporis* Breuning, 1969e: 197 type species *Pareoporis nigrosignata* Breuning, 1969
nigrosignata Breuning, 1969e: 197 A: NP SD

genus *Pareryssamena* Breuning, 1969e: 196 type species *Pareryssamena fuscicornata* Breuning, 1969
fuscicornata Breuning, 1969e: 196 A: BT NP SD

genus *Planeacanista* Hayashi, 1959b: 59 type species *Planeacanista japonica* Hayashi, 1959
japonica Hayashi, 1959b: 60 A: JA

genus *Pterolophioides* Breuning, 1942a: 165 type species *Pterolophioides laterifuscus* Fairmaire, 1886
stramentosus Breuning, 1942a: 165 A: YE AFR

genus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857
subgenus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857

Eryssamena Bates, 1884a: 251 type species *Eryssamena saperdina* Bates, 1884a
Parenes Aurivillius, 1928a: 23 type species *Parenes lineata* Aurivillius, 1928
Polimeta Pascoe, 1864a: 13 type species *Ostedes spinosula* Pascoe, 1860
amanoi Hayashi, 1961a: 23 (*Eryssamena*) A: JA
bastiana Breuning, 1961j: 545 A: BT NP
bispinosa J. Thomson, 1857f: 307 A: IN NP UP "Himalaya"
schmidi Breuning, 1972c: 417 (*Eryssamena*)
bispinosoides Hubweber, 2010: 61 A: SHG
bispinosa Pic, 1926i: 302 (*Eryssamena*) [HN]
chengtuensis Gressitt, 1942b: 6 A: SCH
coreana Breuning, 1974b: 41 (*Eryssamena*) A: NC
elongata elongata Hayashi, 1963c: 14 A: JA (Ryukyus)
elongata minor Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) A: JA
femorata Gressitt, 1938b: 165 A: JA (Ryukyus) TAI
grisescens Pic, 1936b: 19 (*Eryssamena*) A: YUN
horiensis hongshana Gressitt, 1937d: 614 A: HUB JIX ZHE
horiensis horiensis Kano, 1933a: 285 A: TAI
mushensis Matsushita, 1933b: 394
insularis Hayashi, 1962b: 38 (*Eryssamena*) A: JA
japonica Hayashi, 1968a: 26 A: JA
kuluensis Breuning, 1958d: 177 (*Eryssamena*) A: KA
lineaticollis Pic, 1922b: 26 (*Eryssamena*) A: HAI HUB ORR
indentata Pic, 1922b: 26 (*Eryssamena*)
seatomy Gressitt, 1940b: 189
microdentata Gressitt, 1942g: 89 (*Eryssamena*) A: ZHE
parcesetosa Gressitt, 1939a: 83 A: GUA
plagiata Gahan, 1894a: 84 A: NP
saperdina Bates, 1884a: 251 (*Eryssamena*) A: FE JA
acuta Bates, 1884a: 252 (*Eryssamena*)
spinidorsis Bates, 1884a: 252 (*Eryssamena*)
sapporensis Matsushita, 1933b: 375 (*Rhopaloscelis*) A: JA

schabliovskiyi Tsherepanov, 1982b: 30 (*Eryssamena*) A: FE NC NE SC
semielongata Hayashi, 1974c: 53 A: TAI
shibatai Hayashi, 1974c: 55 (*Eryssamena*) A: TAI
sikkimensis Breuning, 1961j: 546 (*Eryssamena*) A: SD
simillima Holzschuh, 2003b: 315 A: NP
slocumi Gressitt, 1942b: 6 (*Eryssamena*) A: SCH
subundulata Breuning, 1958a: 35 (*Eryssamena*) A: NP "North India"
szetschuanica Breuning, 1963h: 454 (*Eryssamena*) A: SCH
taiwana Hayashi, 1974c: 54 (*Eryssamena*) A: TAI
undulata Pic, 1922c: 14 (*Eryssamena*) A: GUA SC
 multinotata Gressitt, 1939a: 83
yunnana Breuning, 1957a: 11 (*Eryssamena*) A: YUN
subgenus *Striatorondibilis* Breuning, 1961j: 546 type species *Rondibilis pedongensis* Breuning, 1961
pedongensis Breuning, 1961j: 546 A: NP SD
genus *Rondibilis*, species incertae sedis
besucheti Breuning, 1972c: 417 A: AP

genus *Sternacanista* Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955
retrospinosa Tippmann, 1955: 130 A: FUJ

genus *Transipochira* Breuning, 1977b: 227 type species *Transipochira sikkimensis* Breuning, 1977
sikkimensis Breuning, 1977b: 227 A: SD

genus *Trichemeopedus* Breuning, 1975d: 357 type species *Trichemeopedus holzschuhi* Breuning, 1975
calosus Holzschuh, 2003b: 311 A: NP
holzschuhi Breuning, 1975d: 358 A: BT NP

genus *Trichodiboma* Breuning, 1961a: 30 type species *Trichodiboma clytoides* Breuning, 1961
clytoides Breuning, 1961a: 30 A: SD

genus *Trichohoplorana* Breuning, 1961j: 548 type species *Trichohoplorana dureli* Breuning, 1961
dureli Breuning, 1961j: 548 A: SD
juglandis Holzschuh, 1989c: 401 A: BT
mutica Holzschuh, 1990: 193 A: NP

genus *Trichorondibilis* Breuning, 1960a: 20 type species *Trichorondibilis rufipennis* Breuning, 1960
rufipennis Breuning, 1960a: 20 A: SD

genus *Trichorondonia* Breuning, 1965c: 60 type species *Trichorondonia hybolasioides* Breuning, 1965
hybolasioides Breuning, 1965c: 60 A: GUX ORR

genus *Tuberculipochira* Breuning, 1975d: 359 type species *Tuberculipochira wittmeri* Breuning, 1975
similis Breuning, 1975d: 360 A: BT
wittmeri Breuning, 1975d: 359 A: BT

genus *Tuberenes* Breuning, 1978a: 20 type species *Eryssamena robustipes* Pic, 1939
robustipes Pic, 1939a: 15 (*Eryssamena*) A: GAN SD
sikkimensis Breuning, 1978a: 21 A: SD

tribe Acanthoderini J. Thomson, 1860

genus *Aegomorphus* Haldeman, 1847: 45 type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)
clavipes Schrank, 1781a: 135 (*Cerambyx*) E: AL AU BH BU CR CT CZ DE EN FI FR GE GR HU IT LA LT MD NR NT PL RO
SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR ES FE GG HEB KZ JA MG NC NE SC TR WS XIN

lucidus Starck, 1890: 71 (*Acanthoderes*)
 varius Fabricius, 1787: 130 (*Cerambyx*)
francottei Sama, 1994e: 331 E: FR MC PL RO YU
grisescens Pic, 1898w: 392 (*Acanthoderes*) A: SY TR
 planiusculus Holzschuh, 1998: 50
krueperi Kraatz, 1859: 56 (*Acanthoderes*) E: GR
obscurior Pic, 1904d: 17 (*Acanthoderes*) E: CT LA PL ST A: ES FE JA KZ MG WS
 wojtylai Hilszczanski & Bystrowski, 2005: 202

genus *Callapoecus* Bates, 1884a: 254 type species *Callapoecus guttatus* Bates, 1884
guttatus Bates, 1884a: 254 A: JA

genus *Oplosia* Mulsant, 1863: 300 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
Hoplosia Fairmaire, 1864a: 158 [unjustified emendation]
Lepargus Schiödte, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
cinerea Mulsant, 1839: 152 (*Exocentrus*) **E:** AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA LT NR NT PL RO SK SL ST SV SZ UK YU
fennica Paykull, 1800: 58 (*Cerambyx*) [HN]
suvorovi Pic, 1914f: 65 (*Hoplosia*) **A:** ES FE JA **NC SC**
jezoensis Matsushita, 1933b: 378

genus *Psapharochrus* J. Thomson, 1864: 18 type species *Acanthoderes cylindricus* Bates, 1861
jaspideus Germar, 1824: 475 (*Lamia*) **Ei:** AZ **NTR**

tribe Agapanthiini Mulsant, 1839

genus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
subgenus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767

Eucrius Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767
Segmentaria Gistel, 1848a: viii [unnecessary substitute name]
cardui Linnaeus, 1767: 632 (*Cerambyx*) **E:** AL AU BE BH BU CR CT CZ FR GE GR HU IT **KZ** MC PL PT RO SK SL SP ST SZ UK YU **A:** **KZ**
coeruleus V. Petagna, 1787: 18 (*Saperda*)
consobrina Chevrolat, 1840: 17
grossa Pic, 1891g: 63
marginalis Mulsant, 1839: 179
nigroaenea Mulsant, 1839: 179
pannonica Kratochvíl, 1985a: 3
peragalli Mulsant, 1863: 364
trilineata Schoenherr, 1817a: 433 (*Saperda*)
suturalis Fabricius, 1787: 149 (*Saperda*) **E:** FR GR (Dodecanissos) IT MA PT SP **N:** AG CI LB MO TU **A:** AB AR GG CY IN IS IQ JO LE SY TR
annulata Fabricius, 1793: 314 (*Saperda*)
ruficornis Pic, 1918d: 5
rufofemoralis Pic, 1946a: 8
subacutalis Chevrolat, 1882: 63
velox Gistel, 1857b: 560

subgenus *Agapanthoplia* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia coeruleipennis* Frivaldszky, 1878
coeruleipennis Frivaldszky, 1878b: 9 **A:** IN SY TR
brevis Pic, 1891a: 1

subgenus *Amurobia* Pesarini & Sabbadini, 2004b: 128 type species *Agapanthia amurensis* Kraatz, 1879
amurensis Kraatz, 1879d: 115 **A:** ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG NMO SCH SHA SHN XIN ZHE "Korea"
melanolopha Fairmaire, 1900: 643
plicatipennis Pic, 1915e: 8
semicyanea Pic, 1915e: 8
japonica Kano, 1933a: 286 **A:** JA
pilicornis laushanensis Breuning, 1965g: 92 **A:** HEN SHN
pilicornis pilicornis Fabricius, 1787: 148 (*Saperda*) **A:** ES FE HUB JIA JIL JIX NC SC SCH SHA SHN ZHE
fasciculosa Motschulsky, 1861b: 41
yiershiensis Z. Wang, 2003: 266, 396
yagii Hayashi, 1982: 147 **A:** JA

subgenus *Chionostieta* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981
niveisparsa Holzschuh, 1981: 103 **A:** PA

subgenus *Drosotrichia* Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1795
annularis Olivier, 1795: 11 (*Saperda*) **E:** PT SP **N:** AG EG LB MO TU

subgenus *Epoetes* Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804
Agapanthiella Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosoviridescens* DeGeer, 1775

altaica Plavilstshikov, 1933d: 113 **A:** WS
alternans alternans Fischer von Waldheim, 1842: 26 **A:** ES KZ MG NC NMO WS XIN

coeruleonigra Reitter, 1898c: 132
ganglbaueri Semenov, 1893: 503
transbaicalica Suvorov, 1913: 80

alternans songarica Kostin, 1973: 225 **A:** KZ
songarica Kostin, 1978: 605 [HN]

alternans tarbagataica Kostin, 1978: 605 **A:** KZ
angelicae Reitter, 1898c: 131 **A:** IN TM

hauseri Reitter, 1902c: 185
jacobsoni Plavilstshikov, 1915d: 122
latior Pic, 1898t: 179
subnuda Reitter, 1905a: 93

asphodeli Latreille, 1804a: 282 (*Lamia*) **E:** AL BH BU CR FR GR IT MA MC MD PT RO SP ST SV UK **A:** AB AR GG KZ TR
insularis Gautier des Cottes, 1870b: 263

mimica Pic, 1927e: 1
reyi Mulsant & Godart, 1870: 27
spencii Gyllenhal, 1817: 187
auliensis Pic, 1907c: 12 A: KZ UZ
amabilis Holzschuh, 1981: 104
cretica Bernhauer, 1978: 70 E: GR (Kriti)
cynarae cynarae Germar, 1817: 222 (*Saperda*) E: AL BH BU CR CZ ES GE GR HU IT MC SL RO SK ST TR WS UK YU A: AB
AR GG
boeberi Fischer von Waldheim, 1805: 16 (*Saperda*) [DA]
decora Krynicki, 1834: 170 (*Saperda*) [DA]
diversicornis Pic, 1927e: 1
cynarae michaeli Sláma, 1986: 469 E: GR (Kriti)
dahli alaiensis Kratochvíl, 1985b: 68 A: KI UZ
dahli alexandris Pic, 1901r: 82 A: KI KZ
dahli calculensis Lazarev, 2013d: 128 A: KZ
dahli dahli C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BH BU BY CR CT CZ FR GE GR HU MC MD RO SK SL SL SP
ST SZ UK YU A: CH ES GG MG KZ TD UZ WS
gyllenhali Ganglbauer, 1883a: 190
dahli ismailovae Lazarev, 2013c: 446 E: ST A: AB
dahli malmerendii Sama, 1981: 504 E: FR (Corse) IT
dahli muellneri Reitter, 1898c: 133 A: KI ZU
dahli nitidipennis Holzschuh, 1984c: 371 E: ST A: GG
dahli persica Semenov, 1893: 505 A: IN
dahli rubenyani Lazarev, 2013c: 443 A: AB AR IN
dahli sicula Ganglbauer, 1884: 541 E: IT (Sicilia)
dahli transcaspica Pic, 1900g: 14 A: TM
dahli walteri Reitter, 1898c: 132 A: AB AR GG IN TR [see: Lazarev, 2013c]
erivanica Pic, 1900f: 14
theryi Pic, 1908b: 6
danilevskyi Lazarev, 2013b: 235 A: KZ
daurica daurica Ganglbauer, 1884: 544 A: ES FE HEI HUB JA JIL LIA MG NC NMO SC XIN
melancholica Suvorov, 1913: 79
daurica sakaii Hayashi, 1982: 149 A: JA
detrita Kraatz, 1882c: 336 A: KI KZ TD UZ
bucharica Pic, 1901b: 13
fadli Sama & Rapuzzi, 2006: 186 N: EG
hirsuticornis Holzschuh, 1975: 86 A: IN
kindermanni Pic, 1905a: 13 A: TR
amicula Holzschuh, 1989a: 176
lateralis Ganglbauer, 1884: 541 E: TR
bilateralis Pic, 1927e: 1
orientalis Pic, 1901r: 83 [DA]
lederi Ganglbauer, 1884: 542 E: ST A: AB AR GG
helianthi Plavilstshikov, 1935b: 250
lopatini Kaziutshitz, 1988: 583
mesmini Pic, 1927e: 7
markusi Rapuzzi, Sama & Kotán, 2013: 583 E: GR
mutinensium Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 179 A: LE
nicosiensis Pic, 1927e: 1 A: CY
nigriventris C. O. Waterhouse, 1889: 130 A: AF TM
obydovi Danilevsky, 2000c: 292 A: KZ
paki Rapuzzi, 2012: 958 A: AF
probsti Holzschuh, 1984c: 370 E: GR (Kriti)
pustulifera Pic, 1905a: 12 A: JO IS LE SY
salviae Holzschuh, 1975: 88 A: IN
schmidtii Holzschuh, 1975: 89 A: TR
schurmanni Sama, 1979b: 505 E: GR MC
shovkuni Shapovalov, 2009: 16 A: KZ
simplicicornis Reitter, 1898c: 133 A: TR
subchalybaea Reitter, 1898c: 134 E: ST A: AB GG
subacuta Pic, 1909b: 106
subflavida Pic, 1903p: 163 A: TR
subnigra Pic, 1890b: 119 E: ST A: GG
subsimplificornis Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 180 A: LE
turanica Plavilstshikov, 1929c: 131 A: KI KZ UZ XIN
ustinovi Danilevsky, 2013g: 35 A: TD
verecunda Chevrolat, 1882: 63 A: TR

delagrangei Pic, 1894e: 75
villosoviridescens DeGeer, 1775: 76 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: ES KZ MG TR WS
acutipennis Mulsant, 1863: 357
angusticollis Gyllenhal, 1817: 189 (*Saperda*)
lineatocollis Donovan, 1797: 71 (*Cerambyx*)
nicaeensis Chevrolat, 1881: xcvi
pyrenaea C. Brisout de Barneville, 1863: 117
viridescens Gmelin, 1790: 1864 (*Cerambyx*)
zappii Sama, 1987: 62 N: AG LB MO TU
subgenus *Homoblephara* Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817
korostelevi Danilevsky, 1985: 385 [= 1987: 620] A: AB AR
maculicornis davidi Sláma, 1986: 465 E: IT
maculicornis maculicornis Gyllenhal, 1817, app.: 189 (*Saperda*) E: BH GR HU KZ MC MD RO SL ST UK A: KZ WS
orbachi Sama, 1993e: 471 A: IS
subgenus *Smaragdula* Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775
amitina Holzschuh, 1989a: 174 A: IN
chalybaea Faldermann, 1837: 303 A: AB AR GG IN TR
fallax Holzschuh, 1974a: 95 A: TR
frivaldszkyi Ganglbauer, 1884: 546 E: BU RO A: IS IN IQ JO SY TR
gemella Holzschuh, 1989a: 175 A: CY
incerta Plavilstshikov, 1930: 12 A: KI TD UZ
intermedia Ganglbauer, 1884: 543 E: AU CT CZ FR GE GR HU IT LU MD NL NT PL SK SP ST SZ UK YU A: GG KZ
izzilloi Rapuzzi, Sama & Kotán, 2013: 582 E: GR
lais Reiche & Saulcy, 1858: 21 A: IS JO LE SY TR
naciyae Rapuzzi & Sama, 2012: 676 A: TR
osmanlis Reiche & Saulcy, 1858: 19 E: BU GR HU RO SK YU A: TR
ozdikmeni Rapuzzi & Sama, 2012: 673 A: TR
persicola Reitter, 1894d: 146 A: AB AR GG IN TM
violaceipennis Pic, 1904b: 9
pesarinii Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 177 A: TR
psoraleae Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 176 A: LE
talassica Kostin, 1973: 223 A: KI KZ
violacea Fabricius, 1775: 187 (*Saperda*) E: AL AU BE BU CT CR CZ FR GE GR HU IT LA LU MC MD NT PL PT SK SL SP ST TR UK YU A: AB AR ES GG KZ TR
chalybaea Mulsant, 1839: 177 [HN]
coerulea Schoenherr, 1817a: 437 (*Saperda*)
cyanea Herbst, 1784: 95 (*Saperda*)
janthina Gmelin, 1790: 1842 (*Cerambyx*)
micans Fuessly, 1775: 13 (*Cerambyx*)
smaragdina Krynicki, 1832: 161 (*Saperda*)
viti Rapuzzi & Sama, 2012: 675 E: CR HU RO SB SK [see Kovács, Németh & Merkl, 2012]
subgenus *Stichodera* Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787
irrorata Fabricius, 1787: 147 (*Saperda*) E: FR (Corse) IT PT SP N: AG MO TU
granulosa Chevrolat, 1881: xcv
integra Chevrolat, 1882: 64
pubiventris Mulsant, 1863: 352
rorida Gmelin, 1790: 1838 (*Cerambyx*)
soror Kraatz, 1882c: 336 A: KI KZ TD UZ
subgenus *Synthapsia* Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817
kirbyi Gyllenhal, 1817: 186 (*Saperda*) E: AL BH BU CR CT FR GR HU IT MC MD RO SK SP ST TR UK YU A: AB AR GG IN IS SY TM TR
latipennis Mulsant, 1863: 352
zawadskyi Fairmaire, 1866b: 275
genus *Agapanthiola* Ganglbauer, 1900: 139 type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817)
Calamobiomorphus Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817
leucaspis Steven, 1817: 184 (*Saperda*) E: AU BH BU CR CT CZ GR HU MC MD RO SK ST TR UK YU A: AB AR GG ES KI KZ MG TD TR UZ WS
cyanela Dalman, 1817b: 190 (*Saperda*)
euterpe Ganglbauer, 1900: 139 (*Agapanthia*)
pectoralis Eschscholtz, 1818: 482 (*Saperda*)
sinae Dahlgren, 1986: 75 (*Agapanthia*) A: XIN
genus *Aulaconotus* J. Thomson, 1864: 99 type species *Aulaconotus pachypezoides* J. Thomson, 1864
atronotatus Pic, 1927b: 36 A: FUJ GUA GUI GUX HAI HUN JIX SCH YUN ORR
varius Gressitt, 1942b: 5
gracilicornis Makihara & S. Saito, 1985: 14 A: TAI

grammopterus Breuning, 1940b: 186 A: NP **ORR**
incorrugatus Gressitt, 1939b: 117 A: ZHE
pachypezoides J. Thomson, 1864: 99 A: FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE
breviscapus Heller, 1923b: 73 (*Phelipara*)
semiaulaconotus Hayashi, 1974c: 43 (*Pothyne*) A: TAI
szetschuanus Breuning, 1968f: 709 A: SCH

genus *Calamobius* Guérin-Méneville, 1847: xvii type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790)
filum Rossi, 1790: 152 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT MA MD **NL** PT RO SK SL SL SP ST SZ TR UK
YU A: AB AR CY GG IN IS JO LE SY TR N: AG MO TU
decoloripes Pic, 1945b: 7
gracilis Creutzer, 1799: 124 (*Saperda*)
hirtus Fabricius, 1793: 317 (*Saperda*)
magnini Pic, 1931c: 10
marginellus Fabricius, 1801b: 332 (*Saperda*)
tenuis Blanco-Fernández, 1859: 411 (*Saperda*)

genus *Cleptomtopus* J. Thomson, 1864: 95 type species *Cleptomtopus terrestris* J. Thomson, 1864
Acroama Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894
Anapophrena Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925
Apophrena Pascoe, 1866: 323 type species *Apophrena filifera* Pascoe, 1866
Itohigea Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smermus bimaculatus* Bates, 1873)
Metopoplectus Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936
Mimocleptomtopus Pic, 1934g: 36 type species *Mimocleptomtopus undulatus* Pic, 1934
Smermus Lacordaire, 1869: 692 type species *Smermus mniszechi* Lacordaire, 1869
annulaticornis Mitono, 1944: 252 A: HAI
aureovittatus Breuning, 1947a: 63 A: BT
bhutanensis Breuning, 1975d: 342 A: BT
bimaculatus Bates, 1873: 383 (*Smermus*) A: JA
bimaculatus Matsushita, 1938b: 102 (*Itohigea*) [HN]
fuscospinatus Breuning, 1947a: 63 A: SD
~~*grossepunctatus* Breuning, 1967b: 32 A: AP~~
indecorus Holzschuh, 2012: 413 A: NP
indistinctus Breuning, 1940b: 206 A: NP SD
mimolivaceus Breuning, 1972a: 50 [RN] A: SD
parolivaceus Breuning, 1972c: 416 [HN]
minor Gressitt, 1937a: 93 (*Metopoplectus*) A: ZHE
mniszechi Lacordaire, 1872: 696 (*Smermus*) A: NP SD
rufovittatus Breuning, 1966a: 109
motuoensis W.-K. Wang & S.-N. Jiang, 1999a: 14 A: XIZ
olivaceus Breuning, 1942a: 172 A: NP **ORR**
orientalis Mitono, 1934: 492 A: TAI
parolivaceus Breuning, 1966b: 13 A: NP SD
pseudolivaceus Breuning, 1975d: 341 A: BT
quadrilineatus Pic, 1924d: 24 (*Pothyne*) A: SD **ORR**
flavopictus Breuning, 1940b: 206
schmidi Breuning, 1971b: 77 ~~[RN]~~ A: AP
~~*grossepunctatus* Breuning, 1967b: 32 [HN]~~
sikkimensis Breuning, 1972c: 416 A: SD
similaris Gressitt, 1945a: 129 (*Metopoplectus*) A: SCH
similis Gahan, 1894a: 81 (*Smermus*) A: HUN **ORR**
subtereaureus Breuning, 1967b: 33 A: SD
taiwanensis Gressitt, 1936: 105 (*Metopoplectus*) A: TAI

genus *Coreocalamobius* Hasegawa, Han et Oh, type species *Coreocalamobius parantennatus* Hasegawa, Han et Oh, 2014
parantennatus Hasegawa, Han et Oh, 2014: 50 A: SC

genus *Eucomatocera* A. White, 1846: 49 type species *Eucomatocera vittata* A. White, 1846
minuta Pu, 1988: 303 A: XIZ
vittata A. White, 1846: 49 A: NP SD TAI YUN **ORR**

genus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
subgenus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
albosuturalis Breuning, 1954c: 16 A: FUJ HUN
dimorpha Gressitt, 1937d: 612 A: FUJ GUX JIX SCH ZHE
guangdongensis Hua, 1991: 348 A: GUA
proxima Breuning, 1940b: 195 A: SD

suturalis Aurivillius, 1920: 25 A: FUJ JIX
subgenus *Mimosmermus* Breuning, 1966a: 104 type species *Hippocephala fuscostriata* Breuning, 1966
argentistriata Holzschuh, 2006c: 485 A: NP
fuscolineata Breuning, 1947a: 64 A: BT

genus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
Falsanandra Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924
subgenus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
albolateralis Breuning, 1950d: 259 A: UP
chinensis Breuning, 1948b: 35 A: GUX JIX
flava Breuning, 1950d: 259 A: UP
indica Breuning, 1947a: 62 A: HP
lineata Gahan, 1894a: 79 A: NP
ruficolor Pic, 1934b: 15 (*Hippopsis*) A: FUJ **ORR**
rufipes Pic, 1934j: 133 (*Hippopsis*) A: YUN
saigonensis Pic, 1933b: 30 (*Pothyne*) A: YUN **ORR**
strandii Breuning, 1940b: 198 A: HKG
taihokensis Matsushita, 1933b: 385 (*Pothyne*) A: JA TAI
oshimana Breuning, 1955b: 73
subvittipennis Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)

genus *Neoludwigia* Sama, 2008: 235 [RN] type species *Agapanthia lixoides* P. H. Lucas, 1849
Ludwigia Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1849
lixoides P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU
insuturalis Pic, 1934c: 22 (*Ludwigia*)

genus *Parahyllisia* Breuning, 1942a: 170 type species *Parahyllisia annamensis* Breuning, 1942
hainanensis Breuning, 1966a: 81 A: HAI

genus *Phelipara* Pascoe, 1866: 322 type species *Phelipara marmorata* Pascoe, 1866
subgenus *Phelipara* Pascoe, 1866: 322 type species *Phelipara marmorata* Pascoe, 1866
Diaxenopsis Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939
Falsopothyne Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932
Oncideropsis Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922
Paraphelipara Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940
affinis Breuning, 1940b: 204 A: NP SD
indica Breuning, 1940b: 204 (*Paraphelipara*) A: NP "North India"
marmorata Pascoe, 1866: 322 A: YUN **ORR**
radovskyi Hua, 1987: 90 A: GUX

genus *Pothyne* J. Thomson, 1864: 97 type species *Pothyne variegata* J. Thomson, 1864
Neopothyne Matsushita, 1931a: 46 type species *Pothyne variegata* J. Thomson, 1864
acaciae Gardner, 1930: 160 A: UP "North India"
flavescens Breuning, 1940b: 186
albolineata Matsushita, 1933b: 383 A: TAI
albosternalis Breuning, 1982a: 12 A: CH
annulata annulata Breuning, 1942a: 167 A: HAI JA TAI
annulata ishigakiana Takakuwa & Kusama, 1979: 7 A: JA (Ryukyus)
annulata nobuoi Breuning & K. Ohbayashi, 1964: 17 A: JA
annulata yonagumiensis Hayashi, 1976: 17 A: JA (Ryukyus)
miyakoensis Hayashi, 1976: 19
chocolata Gressitt, 1939a: 88 A: GUA HAI HUN JIX TAI ZHE
combreti Gardner, 1930: 160 A: UP
convexifrons Gardner, 1930: 161 A: UP
distincta Breuning, 1950d: 256 A: NP SD
fasciata Gressitt, 1951a: 539 A: HUB
formosana chocolatoides Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)
formosana formosana Schwarzer, 1925c: 146 A: GUA TAI
formosana haterumaensis Takakuwa, 1984: 12 A: JA (Ryukyus)
formosana liturata Matsushita, 1933b: 384 A: JA (Ryukyus)
formosana nanshanchina Takakuwa & Kusama, 1979: 10 A: TAI
fusiscapa Gressitt, 1940b: 194 A: HAI HUB
imasakai Hayashi, 1976: 18 A: JA (Ryukyus)
indica Breuning, 1940b: 188 A: NP **ORR**
indistincta Breuning, 1940b: 187 A: "India"
laeviscapa Breuning, 1950i: 535 A: FUJ
lanhsuensis Hayashi, 1978b: 108 A: TAI

lateralis Gressitt, 1937d: 611 A: GUX JIX
albolateralis Breuning, 1942a: 166
lineolata Gressitt, 1940b: 195 A: HAI YUN
macrophthalma Breuning, 1940b: 187 A: NP SD
obliquetruncata Gressitt, 1939a: 89 A: FUJ GUA GUX HAI HUN JIX
pauloplicata Breuning, 1934: 14 A: CH **ORR**
polyplicata Hua & She, 1987: 55 A: FUJ GUA GUX HAI JIX ZHE
proxima Breuning, 1940b: 186 A: "North India"
rugifrons Gressitt, 1940b: 196 A: FUJ GUA HAI HUN JIX YUN ZHE
septemvittipennis Breuning, 1962d: 61 A: YUN **ORR**
seriata Gressitt, 1940b: 197 A: HAI
sikkimana Breuning, 1968f: 709 A: SD
sikkimensis Breuning, 1940b: 189 A: NP SD **ORR**
nepalensis Hayashi, 1979: 93
silacea Pascoe, 1871: 278 A: HAI TAI ZHE
sinensis Pic, 1926k: 394 A: YUN
suturella Breuning, 1942a: 167 A: GUI HUN NO
thibetana Breuning, 1950i: 535 A: XIZ
variegata hayashii Breuning, 1953: 19 A: JA
variegata okinoerabua Takakuwa & Kusama, 1979: 4 A: JA
variegata ryukyuna Yokoyama, 1974: 279 [RN] A: JA (Ryukyus)
albolateralis Yokoyama, 1971: 95 [HN]
okinawana Takakuwa & Kusama, 1979: 3
variegata variegata J. Thomson, 1864: 97 A: HUN NP SD TAI YUN **ORR**
niveosparsa Pic, 1908f: 16
variegata yayeyamana Breuning & K. Ohbayashi, 1966b: 34 A: JA (Ryukyus)
virginalis Takakuwa & Kusama, 1979: 4 A: TAI

genus *Pseudocalamobius* Kraatz, 1879d: 116 type species *Calamobius japonicus* Bates, 1873

bhutanensis Breuning, 1975d: 340 A: BT
burmanensis Breuning, 1949a: 12 A: NP **ORR**
filiformis Fairmaire, 1888b: 146 A: FUJ HAI HEB HUB HUN TAI ZHE
japonicus Bates, 1873: 383 (*Calamobius*) A: FE FUJ HUB JA JIX SC TAI ZHE
leptissimus Gressitt, 1936: 103 A: FUJ GUA TAI
luteonotatus Pic, 1908f: 17 A: NP YUN **ORR**
mediomaculatus Breuning, 1940b: 202
montanus Hayashi, 1959b: 58 A: JA
niisatoi M. Hasegawa, 1987: 514 A: TAI
obscuriscapus Breuning, 1975d: 339 A: NP
okinawanus Samuelson, 1965b: 125 A: JA (Ryukyus)
piceus Gressitt, 1951a: 543 A: GUA TAI
proximus Breuning, 1940b: 203 A: NP SD
pubescens M. Hasegawa, 1987: 517 A: TAI
rufescens Breuning, 1940b: 202 A: NP SD **ORR**
rufipennis Gressitt, 1942d: 4 A: XIZ
szetschuanicus Breuning, 1947a: 64 A: SCH TAI
moupinensis Breuning, 1967f: 188
taiwanensis Matsushita, 1931c: 404 A: TAI
talianus Pic, 1916h: 15 A: YUN
truncatus Breuning, 1940b: 203 A: NP SD
tsushimae Breuning, 1961c: 156 A: JA
yunnanus Breuning, 1942a: 172 A: YUN

genus *Tetraglenes* Newman, 1842c: 300 type species *Tetraglenes insignis* Newman, 1842

bacillarius Lameere, 1893a: 285 A: CH **ORR**
hirticornis Fabricius, 1798: 148 (*Saperda*) A: FUJ GUA GUI GUX HAI NP SD YUN ZHE **ORR**
sublineatus Gressitt, 1935g: 572
tonkinus Pic, 1919c: 11 (*Dorcasta*)
insignis Newman, 1842c: 300 A: PA UP **ORR**

genus *Theophilea* Pic, 1895b: 39 type species *Theophilea cylindricollis* Pic, 1895

cylindricollis Pic, 1895b: 39 A: AB AR GG TR
erzurumensis Önalp, 1974: 174 (*Agapanthia*)
subcylindricollis Hladil, 1988: 1 E: CT HU MD RO **SB** SK ST UK A: KZ

genus *Trichopothyne* Breuning, 1942a: 168 type species *Trichopothyne strandiella* Breuning, 1942

hindostanica Breuning, 1950d: 258 A: UP

tribe Ancytonotini Lacordaire, 1869

genus *Idactus* Pascoe, 1864c: 273 type species *Idactus tridens* Pascoe, 1864

Togonius Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893

bettoni Gahan, 1898: 46 A: SA

coquereli Fairmaire, 1890: 551 (*Dichostates*) A: YE OM AFR

iranicus Breuning, 1975d: 348 A: AE IN OM

hieroglyphicus Taschenberg, 1883: 179 (*Coptops*) A: YE (Suqutra)

gratii Gahan, 1900a: 12

maculicornis Gahan, 1890d: 312 A: YE AFR

paramaculicornis Breuning, 1973c: 662 A: PA

genus *Palimna* Pascoe, 1862a: 346 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)

Apalimna Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a

Cylanca J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)

Goniages Pascoe, 1865: 135 type species *Golsinda infausta* Pascoe, 1859

annulata Olivier, 1797: 465 (*Lamia*) A: FUJ HAI UP TAI YUN ORR

mouhotii Pascoe, 1866: 237

nodulosa Schoenherr, 1817a: 395 (*Lamia*)

reticulata Pascoe, 1857a: 50 (*Golsinda*)

tessellata Pascoe, 1857a: 49 (*Golsinda*)

formosana Kano, 1933a: 282 (*Apalimna*) A: TAI

fukiena Gressitt, 1951a: 434 A: FUJ

liturata continentalis Semenov, 1914: 20 (*Apalimna*) A: FE NO SC

liturata liturata Bates, 1884a: 241 (*Apalimna*) A: JA TAI

glabriventris Kano, 1933a: 282 (*Apalimna*)

palimnoides Schwarzer, 1925b: 62 (*Apalimna*) A: BT FUJ GUX HAI NP SD TAI YUN ORR

similis Gressitt, 1940b: 131

yunnana Breuning, 1935b: 153 A: SD YUN ORR

genus *Palimnodes* Breuning, 1938d: 330 type species *Apalimna ducalis* Bates, 1884a

ducalis Bates, 1884a: 242 (*Apalimna*) A: BT NP XIZ YUN "North India" ORR

mimica Fairmaire, 1898c: 399 (*Palimna*)

genus *Pseudoparaphloeus* Sama, 2009: 25 [RN] type species *Paraphloeus scorteccii* Breuning, 1968

Paraphloeus Breuning, 1968c: 91 [HN] type species *Paraphloeus scorteccii* Breuning, 1968

scorteccii Breuning, 1968c: 92 (*Paraphloeus*) A: SA YE

genus *Parorsidis* Breuning, 1935d: 65 type species *Parorsidis birmanica* Breuning, 1935

Paranephelotes Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935

nigrosarsa nigrosarsa Pic, 1926a: 15 (*Ostedes*) A: BT HAI ORR

birmanica Breuning, 1935d: 65

tribe Apodasyini Lacordaire, 1872

genus *Adjinga* Pic, 1926a: 25 type species *Adjinga vittata* Pic, 1926

vittata Pic, 1926a: 25 A: YUN ORR

genus *Anaesopogonius* Gressitt, 1938a: 53 type species *Anaesopogonius fulvus* Gressitt, 1938

fulvus Gressitt, 1938a: 53 A: SCH

ochraceofulvus Hayashi, 1974c: 49 A: TAI

piceonigris Hayashi, 1972: 39 A: JA

genus *Anaesthetus* Dejean, 1835: 348 type species *Saperda testacea* Fabricius, 1781

Anaesthetus Gistel, 1856: 377 [unjustified emendation]

anatolica Holzschuh, 1969: 79 A: IS LE SY TR

confossicollis Baeckmann, 1903c: 394 A: ES FE GUI JA JIL JIX MG SC

flavipilis Baeckmann, 1903c: 394 A: WS XIN

lanuginosa Baeckmann, 1903c: 395 A: TM

testacea rufescens Baeckmann, 1903c: 395 E: ST A: AB AR GG IN

testacea testacea Fabricius, 1781: 235 (*Saperda*) E: AL AN AU BE BH BU BY CR CT CZ ES FR EN GE GR HU IT LA LT LU

MD NL PL RO SK SL SP ST SV SZ TR UK YU A: CY KZ TR

fusca Geoffroy, 1785: 84 (*Leptura*)

livida Herbst, 1784: 95 (*Saperda*)

teutonica Gmelin, 1790: 1842 (*Cerambyx*)

genus *Anaesthetobrium* Pic, 1923c: 20 type species *Anaesthetobrium luteipenne* Pic, 1923

Paraphidola Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933
fuscoflavum Matsushita, 1933b: 377 (*Paraphidola*) A: TAI
lieuae Gressitt, 1942b: 5 A: SCH
luteipenne Pic, 1923c: 20 A: HEN JA JIA SC ZHE
pallidipes Holzschuh, 2010: 211 A: SHA

genus *Aragea* Hayashi, 1953: 41 type species *Aragea mizunoi* Hayashi, 1953
mizunoi Hayashi, 1953: 42 A: JA

genus *Arhopaloscelis* Murzin, Danilevsky & Lobanov, 1981: 790 type species *Rhopaloscelis bifasciata* Kraatz, 1879
bifasciata Kraatz, 1879d: 113 (*Rhopaloscelis*) A: FE NE SC
nipponensis Pic, 1932a: 3 (*Rhopaloscelis*) A: FE (Kuril Is.) JA

genus *Bonipogonius* Kusama, 1973: 128 type species *Bonipogonius fujitai* Kusama, 1973
fujitai Kusama, 1973: 129 A: JA (Ogasawara)

genus *Cervoglenea* Gressitt, 1951a: 621 type species *Glenea lata* Gressitt, 1935
lata Gressitt, 1935c: 191 (*Glenea*) A: TAI

genus *Clytosemia* Bates, 1884a: 253 type species *Clytosemia pulchra* Bates, 1884
bicincta Gressitt, 1938b: 164 A: TAI
pulchra Bates, 1884a: 254 A: FE JA

genus *Cristorhodopina* Breuning, 1966d: 15 type species *Cristorhodopina assamensis* Breuning, 1965
mussardi Breuning, 1966d: 15 A: AP

genus *Cylindilla* Bates, 1884a: 250 type species *Cylindilla griseescens* Bates, 1884a
Anaesthetomorphus Pic, 1929h: 119 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla griseescens* Bates, 1884)
Ascoldatimura Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla griseescens* Bates, 1884)
Microestola Gressitt, 1940b: 180 type species *Microestola bidentata* Gressitt, 1940
Mimatimura Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla griseescens* Bates, 1884)
Pseudanesthetis Pic, 1922c: 15 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla griseescens* Bates, 1884)
bidentata Gressitt, 1940b: 180 (*Microestola*) A: HAI
formosana Gressitt, 1951a: 513 (*Microestola*) A: TAI
griseescens Bates, 1884a: 250 A: CH FE JA SC
apicalis Pic, 1929h: 120 (*Pseudanesthetis*)
ascoldensis Heyden, 1884: 298 (*Atimura*)
inornata Gressitt, 1951a: 514 (*Microestola*) A: GUA
interrupta Gressitt, 1951a: 514 (*Microestola*) A: FUJ SCH
makiharai M. Hasegawa, 1992: 37 A: JA (Ryukyus) TAI
parallela Gressitt, 1951a: 515 (*Microestola*) A: AF HUB ORR

genus *Deroplia* Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830
Belodera J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Deroplia Rosenhauer, 1847: 59 type species *Deroplia obliquetruncata* Rosenhauer, 1847 (= *Saperda genei* Aragona, 1830)
Stenidea Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenosoma Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
albida Brullé, 1839: 62 (*Cerambyx*) E: CI
annulicornis Brullé, 1839: 62 (*Cerambyx*) E: CI
costigera Demelt, 1982: 97 (*Stenidea*) N: CI (Hiero)
genei genei Aragona, 1830: 25 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT RO SK SL SP ST SZ UK YU A: AB AR
CY GG IS JO TR
foudrasi Mulsant, 1839: 162 (*Stenosoma*)
obliquetruncata Rosenhauer, 1847: 59
genei konvickai Rapuzzi & Sama, 2012: 677 A: CY
genei naviauxi Villiers, 1970: 136 (*Stenidea*) A: IN
gertiana Sama, 1996a: 86 N: CI (Tenerife)
gomeræ Sama, 1996a: 88 N: CI (Gomera)
hesperus Wollaston, 1863: 110 (*Stenidea*) N: CI (Hiero)
lorenzo García, 2002: 109 N: CI (La Palma)
niveopicta Demelt, 1982: 99 (*Stenidea*) N: CI (Gran Canaria)
pilosa Wollaston, 1862a: 181 (*Blabinotus*) E: CI (Lanzarote, Fuerteventura)
machadoi Demelt, 1982: 100 (*Stenidea*)
schurmanni Sama, 1996a: 88 N: CI (Hiero)
troberti cruciata Sama, 1996d: 37 E: GR (Kíti)
troberti troberti Mulsant, 1843: 283 (*Stenidea*) E: BH CR FR GR IT SP YU N: AG MO TU A: CY

genus *Eunidiella* Breuning, 1940b: 177 type species *Eunidiella pilosa* Breuning, 1940
pilosa Breuning, 1940b: 178 A: SD UP

genus *Eupogoniopsis* Breuning, 1949b: 23 type species *Eupogonius tenuicornis* Bates, 1884a
caudatula Holzschuh, 1999: 46 A: YUN
granulatus Lim J., Lim J.-S. & Lee B.-W., 2013: 359 A: SC
omeimontis Gressitt, 1938a: 54 (*Anaesopogonius*) A: SCH
sepicola Holzschuh, 1999: 46 A: NP
tenuicornis Bates, 1884a: 249 (*Eupogonius*) A: JA

genus *Eupogonius* LeConte, 1852: 159 type species *Desmiphora tomentosa* Haldeman, 1847
Eriopsilus Bates, 1866: 193 type species *Eriopsilus nigrinus* Bates, 1866
Phydola J. Thomson, 1864: 110 type species *Phidola maculicornis* Chevrolat, 1862
tomentosus Haldeman, 1847: 50 (*Desmiphora*) Ni: MO NAR
pinivorus Fitch, 1859: 712

genus *Euseboides* Gahan, 1893b: 385 type species *Euseboides plagiatus* Gahan, 1893
gorodinskii Holzschuh, 2006c: 487 A: HP
matsudai matsudai Gressitt, 1938b: 163 A: JA TAI
matsudai spinipennis Gressitt, 1940b: 137 A: HAI
plagiatus Gahan, 1893b: 386 A: AP SD
plagiatoides Breuning, 1950f: 266 A: SD
punctatissimus Holzschuh, 2010: 220 A: HUB GUI

genus *Falseunidia* Breuning, 1943a: 52 type species *Falseunidia albosignata* Breuning, 1943
albosignata Breuning, 1943a: 52 A: HP NP

genus *Falsostesilea* Breuning, 1940b: 168 type species *Stesilea perforata* Pic, 1926
perforata Pic, 1926b: 9 (*Stesilea*) A: GUA YUN ORR
melli Breuning, 1964a: 101

genus *Falsoterinaea* Matsushita, 1938a: 95 type species *Hirayamaia fusciorufa* Matsushita, 1937 (= *Eupogonius rufipennis* Matsushita, 1933b)
Hirayamaia Matsushita, 1937: 103 [HN] type species *Hirayamaia fusciorufa* Matsushita, 1937
rufipennis Matsushita, 1933b: 377 (*Eupogonius*) A: TAI
formosana Breuning, 1975a: 22 (*Pseudanaesthetis*)
fusciorufa Matsushita, 1937: 103 (*Hirayamaia*)
pakistanana Breuning, 1975d: 349 A: PA

genus *Graphidessa* Bates, 1884a: 248 type species *Graphidessa venata* Bates, 1884
obliquefasciata Z. Komiya & Kusama, 1973: 138 A: TAI
variegata Hayashi, 1974c: 50 A: TAI
venata takakuwai Fujita, 1980: 15 A: JA
venata venata Bates, 1884a: 248 A: JA

genus *Miccolamia* Bates, 1884a: 253 type species *Miccolamia cleroides* Bates, 1884a
subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12 type species *Miccolamia verrucosa* Bates, 1884a
glabricula glabricula Bates, 1884a: 253 A: FE JA
kaniei Takakuwa & N. Ohbayashi, 1992: 33
glabricula sadoensis M. Hasegawa & N. Ohbayashi, 2001: 22 A: JA
inspinosa Takakuwa & N. Ohbayashi, 1995: 197 A: JA
takakuwai M. Hasegawa & N. Ohbayashi, 2001: 12 A: JA
tuberculata Pic, 1918a: 10 (*Pogonocherus*) A: JA
verrucosa Bates, 1884a: 253 A: JA
palurae Takakuwa & N. Ohbayashi, 1995: 194
yakushimensis M. Hasegawa & N. Ohbayashi, 2001: 24 A: JA (Yakushima)
subgenus *Miccolamia* Bates, 1884a: 253 type species *Miccolamia cleroides* Bates, 1884
albasetosa Gressitt, 1951a: 533 A: TAI
bicristata Pesarini & Sabbadini, 1997: 115 A: SHA
castaneoverrucosa Hayashi, 1974c: 52 A: TAI
cleroides Bates, 1884a: 253 A: FE JA
coenosa Holzschuh, 2010: 207 A: HUB SHA
dracuncula Gressitt, 1942b: 7 A: FUJ SCH
relucens Holzschuh, 2003b: 312 A: NP SD
rugosula Holzschuh, 2003b: 311 A: SD

savioi Gressitt, 1940c: 192 A: JIA SHG
tonsilis Holzschuh, 2010: 207 A: GAN SHA
tuberculipennis Breuning, 1947a: 58 A: FUJ

genus *Mimectatina* Aurivillius, 1928a: 27 type species *Mimectatina singularis* Aurivillius, 1928
Doius Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)
Falsodoius Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933
Nipposybra Breuning, 1939b: 280 type species *Nipposybra fuscoplagiata* Breuning, 1939
Parasydonia Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884
divaricata divaricata Bates, 1884a: 247 (*Sydonia*) A: FE JA JIA SC TAI ZHE
grisea Matsushita, 1940: 53 (*Doius*)
rufescens Matsushita, 1933b: 380 (*Doius*)
divaricata fulvovariiegata Hayashi, 1963c: 14 (*Doius*) A: JA
divaricata similis Takakuwa, 1984: 13 A: JA
divaricata yayeyamana Toyoshima, 1982: 35 (*Doius*) A: JA (Ryukyus)
fukudai Hayashi, 1969a: 65 (*Doius*) A: TAI
fuscoplagiata Breuning, 1939b: 280 (*Nipposybra*) A: JA
adachii Hayashi, 1958b: 49 (*Doius*)
iriei Hayashi, 1984: 34 A: JA TAI
longipennis Makihara, 2004a: 20 A: JA
meridiana meridiana Matsushita, 1933b: 380 (*Doius*) A: TAI
meridiana ohirai Breuning & Villiers, 1973: 50 A: JA
murakamii Hayashi, 1978b: 111 A: TAI
truncatipennis Pic, 1944a: 14 (*Sybra*) A: CH ORR
variegata Kusama & Takakuwa, 1984: 13 A: JA

genus *Mimeuseboides* Breuning, 1967b: 33 type species *Mimeuseboides excavatipennis* Breuning, 1967
excavatipennis Breuning, 1967b: 33 A: AP

genus *Mimoscapeuseboides* Breuning, 1976b: 102 type species *Mimoscapeuseboides pedongensis* Breuning, 1976
pedongensis Breuning, 1976b: 103 A: SD

genus *Mimovitalisia* Breuning, 1959b: 82 type species *Zodale tuberculata* Pic, 1924
wittmeri Breuning, 1975d: 354 A: BT NP

genus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
subgenus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
sikkimensis Breuning, 1940a: 79 (*Zotale*) A: SD
subgenus *Parazotale* Breuning, 1976a: 52 type species *Zotale longipennis* Pic, 1927
cylindrica Hayashi, 1981a: 16 A: NP
longipennis Pic, 1927f: 6 (*Zotale*) A: YUN
approximata Pic, 1927b: 18 (*Zotale*)

genus *Nedine* J. Thomson, 1864: 27 type species *Nedine longipes* J. Thomson, 1864
Opsioleus Pascoe, 1864a: 10 type species *Opsioleus adversus* Pascoe, 1864
Parazygocera Heller, 1924c: 200 type species *Parazygocera spaethi* Heller, 1924
sparatis W.-K. Wang & S.-N. Jiang, 1999c: 214 A: YUN
subspinosa W.-K. Wang & S.-N. Jiang, 1999c: 213 A: YUN

genus *Paranaesthetis* Breuning, 1982a: 27 type species *Paranaesthetis metallica* Breuning, 1982
metallica Breuning, 1982a: 28 A: CH

genus *Pararhopaloscelides* Breuning, 1947a: 58 type species *Pararhopaloscelides sericeipennis* Breuning, 1947
Mimostedes Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955
Punjabostedes Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957
sericeipennis jumlaensis Holzschuh, 2003b: 312 A: NP
sericeipennis sericeipennis Breuning, 1947a: 58 A: KA PA "Punjab"
kashmirensis Breuning, 1957g: 277 (*Mimostedes*)
punjabensis Breuning, 1957g: 276 (*Mimostedes*)

genus *Parectatosia* Breuning, 1940b: 207 type species *Parectatosia valida* Breuning, 1940
valida Breuning, 1940b: 208 A: "North India"

genus *Pareuseboides* Breuning, 1948a: 30 type species *Pareuseboides albomarmorata* Breuning, 1948
albomarmorata Breuning, 1948a: 30 A: NP SD

genus *Paroricopis* Breuning, 1958c: 35 type species *Paroricopis latefasciata* Breuning, 1958

latefasciata Breuning, 1958c: 36 A: BT

genus *Penthides* Matsushita, 1933b: 430 type species *Penthides flavus* Matsushita, 1933

Hirakura Hayashi, 1957b: 47 type species *Hirakura rufoflava* Hayashi, 1957

flavus flavus Matsushita, 1933b: 431 A: TAI

flavus multipubens Makihara, 1978: 57 A: JA (Ryukyus)

modestus Tippmann, 1955: 135 A: FUJ

rufoflavus Hayashi, 1957b: 48 (*Hirakura*) A: JA

genus *Pseudanaesthetis* Pic, 1922c: 15 type species *Pseudanaesthetis langana* Pic, 1922

assamensis Breuning, 1966c: 14 (*Sophronica*) A: NP **ORR**

formosana Breuning, 1976a: 51 A: TAI

langana Pic, 1922c: 15 A: FUJ GUA GUI HAI HUN JIX SCH SHA SHN ZHE **ORR**

mizunumai Hayashi, 1974c: 48 A: TAI

rufa Gressitt, 1942c: 3 A: FUJ

genus *Pseudectatosia* Breuning, 1940b: 209 type species *Pseudectatosia strandiella* Breuning, 1940

strandiella Breuning, 1940b: 209 A: BT SD

genus *Pseudoterinaea* Breuning, 1940b: 178 type species *Pseudanaesthetis bicoloripes* Pic, 1926

Duportius Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926

bicoloripes Pic, 1926a: 26 (*Pseudanaesthetis*) A: FUJ GUA GUX HAI HKG YUN **ORR**

laosensis Breuning, 1965: 34 (*Desisa*)

marmorata Gressitt, 1940b: 158 (*Phesates*)

seticornis Gressitt, 1940b: 176 (*Pseudanaesthetis*) A: HAI

genus *Quasimesosella* Miroshnikov, 2006: 232 [RN] type species *Microlera ussuriensis* Tsherepanov, 1983

Pseudomesosella Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983

ussuriensis Tsherepanov, 1983: 215 (*Microlera*) A: FE

florovi Tsherepanov, 1984: 128 (*Miaenia*)

genus *Rhodopina* Gressitt, 1951a: 439 [RN] type species *Rhodopis pubera* J. Thomson, 1857

Rhodopis J. Thomson, 1857e: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857

albomaculata Gahan, 1890a: 60 (*Rhodopis*) A: NP SD TAI **ORR**

albomarmorata Breuning, 1958a: 12 A: NP SD

alboplagiata Gahan, 1890a: 60 (*Rhodopis*) A: NP SD

assamana Breuning, 1966d: 15 A: AP

formosana Breuning, 1954b: 5 (*Rhodopis*) A: TAI

integripennis Bates, 1884a: 243 (*Rhodopis*) A: JA

lewisii koshikijimana Z. Komiya, 1984b: 463, 15 A: JA (Ryukyus)

lewisii lewisii Bates, 1873: 313 (*Rhodopis*) A: JA TAI

japonica Breuning, 1940d: 414 (*Rhodopis*)

lewisii yakushimana Z. Komiya, 1984b: 464, 15 A: JA

laevipunctata Breuning, 1958a: 12 A: SD

manipurensis Breuning, 1972c: 416 A: NP **ORR**

meshimensis Makihara, 1980: 66 A: JA

modica Komiya, 1984: 15 A: JA

nasui Z. Komiya & Kusama, 1973: 138 A: JA TAI

okinawensis Matsushita, 1933b: 350 (*Rhodopis*) A: JA (Ryukyus)

okinoerabuana Hayashi, 1966b: 67 A: JA

paraseriata Breuning, 1969e: 193 A: "India"

parassamensis Breuning, 1975d: 352 A: BT

pedongensis Breuning, 1969e: 193 A: SD

pubereoides Breuning, 1956g: 682 (*Rhodopis*) A: SD

sakishimana Yokoyama, 1966: 57 A: JA (Ryukyus)

subuniformis Gressitt, 1951a: 440 A: TAI

tokarensis komiyai Hayashi, 1969a: 66 A: JA

tokarensis obscura Makihara, 1977: 65 A: JA (Kuroshima Is., Tokaru Is.)

tokarensis orientalis Yokoyama, 1971: 100 A: JA

tokarensis tokarensis Hayashi, 1956b: 14 A: JA

tuberculicollis Gressitt, 1942b: 4 (*Rhodopis*) A: SCH

genus *Rhopaloscelis* Blessig, 1873: 205 type species *Rhopaloscelis unifasciata* Blessig, 1873

maculata Bates, 1877: 38 A: FE JA [see: Danilevsky, 2014b: 223]

apicalis Pic, 1907d: 22 (*Clytosemia*)

kuwayamanus Kano, 1933a: 286 (*Clytosemia*)

schurmanni Breuning, 1969c: 76 A: AB IN
unifasciata Blessig, 1873: 206 A: ES FE FUJ GUA HKG JA JIL KZ MG NC SC WS ZHE
obscura Plavilstshikov, 1915c: 109

genus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
subgenus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
saginatam Holzschuh, 1999: 45 A: JIX

genus *Similonedine* Hua, 1993: 31 type species *Similonedine brunniifasciata* Hua, 1993
brunniifasciata Hua, 1993: 31 A: FUJ HUN

genus *Sophronica* Blanchard, 1845: 160 type species *Sophronica calceata* Chevrolat, 1855
Dasyo Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858
Dasystola Kolbe, 1894b: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)
Dimbrokoa Pic, 1944b: 16 type species *Dimbrokoa apicalis* Pic, 1944
Elithiotes Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864
Eupogonioides Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)
Lasiapheles Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873
Mimanaesthetis Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926
Phunginus Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922
apicalis Pic, 1922c: 15 (*Phunginus*) A: NP UP
gardneri Fisher, 1930: 276 (*Eupogonioides*)
arabica Breuning, 1962f: 239 A: YE
bicoloripes Pic, 1928a: 29 (*Mimanaesthetis*) A: JIA ORR
bowringi Gressitt, 1939f: 213 (*Mimanaesthetis*) A: FUJ HKG
brunnea Fisher, 1940: 206 (*Eupogonioides*) A: NP
carissae Fisher, 1930: 277 (*Eupogonioides*) A: UP
chinensis Breuning, 1940a: 48 A: GUI GUX
egena Holzschuh, 2006c: 488 A: AF
intricata Aurivillius, 1926b: 483 A: YE AFR
koreana Gressitt, 1951a: 508 A: SC
obrioides Bates, 1873: 382 (*Lasiapheles*) A: JA TAI
paupercula Holzschuh, 2006c: 488 A: NP
pienaarri Distant, 1898: 378 (*Tetraglenes*) A: YE AFR
venzoi Breuning, 1940c: 173
pseudintricata Breuning, 1940a: 55 A: YE AFR
sundukovi Danilevsky, 2009: 25 A: FE NC SC
talhouki Holzschuh, 1991d: 306 A: SA
tonkinensis Breuning, 1976a: 51 A: CH ORR
wittmeri Holzschuh, 1991d: 308 A: SA YE

genus *Sphingothorax* Gressitt, 1939a: 85 type species *Sphingothorax bicinctus* Gressitt, 1939
bicinctus Gressitt, 1939a: 85 A: GUA
tricinctus Gressitt, 1951a: 534 A: YUN
tsushmanus Hayashi, 1961a: 23 A: JA

genus *Spinozorilispe* Breuning, 1963f: 83 type species *Spinozorilispe fusca* Breuning, 1963
fusca Breuning, 1963f: 84 A: BT

genus *Sybrinus* Gahan, 1900a: 12 type species *Sybrinus commixtus* Gahan, 1900
Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848
Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903
~~*Sophroniella* Breuning, 1943a: 51 type species *Sophroniella pusilla* Breuning, 1943~~
albosignatus Breuning, 1948b: 16 A: SA YE
commixtus Gahan, 1900a: 12 A: YE (Suqutra)
gahani Aurivillius, 1922b: 299
flavescens Breuning, 1948b: 16 A: SA YE
simonyi Gahan, 1903: 287 A: YE (Suqutra)
sokotrensis Téocchi, Jiroux & Sudre, 2004: 22 (*Arabosybrinus*)
x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)
kabateki Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

genus *Sybrocentrura* Breuning, 1947a: 57 type species *Sybrocentrura obscura* Breuning, 1947
costigera Holzschuh, 2010: 218 A: SHA
fatalis Holzschuh, 2010: 215 A: SHA
obscura Breuning, 1947a: 57 A: GUX YUN
procerior Holzschuh, 2010: 214 A: GUI

ropicoides Gressitt, 1939f: 214 (*Sydonia*) A: FUJ JIX HAI
tenera Holzschuh, 2010: 219 A: YUN ORR
tristicula Holzschuh, 2010: 216 A: GUI SCH

genus *Taiwanajinga* Hayashi, 1978b: 109 type species *Taiwanajinga albofasciata* Hayashi, 1978
albofasciata Hayashi, 1978b: 110 A: TAI

genus *Terinaea* Bates, 1884a: 249 type species *Terinaea atrofusca* Bates, 1884a
atrofusca Bates, 1884a: 250 A: JA
rufonigra Gressitt, 1940b: 175 A: FUJ GUA GUX HAI ZHE
tiliae Murzin, 1983: 584 (*Miaenia*) A: FE NC SC

genus *Ussurella* Danilevsky, 1997b: 44 [RN] type species *Ussuria napolovi* Danilevsky, 1995
Ussuria Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995
napolovi Danilevsky, 1995a: 114 (*Ussuria*) A: FE NO

genus *Vittatopothyne* Breuning, 1968b: 58 [RN] type species *Falsopothyne flavovittata* Breuning, 1960
Falsopothyne Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960
flavovittata Breuning, 1960a: 16 (*Falsopothyne*) A: SD

genus *Zotalemimon* Pic, 1925a: 29 type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)
Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)
Donyisia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933
bhutanensis Breuning, 1975d: 350 (*Diboma*) A: BT NP
bhutanum Breuning, 1975a: 38 (*Diboma*) [see Danilevsky, 2014b: 221-222]
ciliatum Gressitt, 1942h: 212 (*Donyisia*) A: FUJ GUA HAI HKG YUN
costatum Matsushita, 1933b: 379 (*Sydonia*) A: FUJ HAI JA (Ryukyus) TAI ZHE
lochooanum Breuning, 1940a: 78 (*Diboma*)
formosanum Breuning, 1975a: 38 (*Diboma*) A: TAI
lineatoides Breuning, 1969e: 192 (*Diboma*) A: SD
malinum Gressitt, 1951a: 511 (*Diboma*) A: YUN
obscurior Breuning, 1940a: 78 (*Diboma*) A: UP
posticata Gahan, 1894a: 77 (*Sybra*) A: SD
apicale Pic, 1925a: 29 (*Zotalemimon*)
subglabratum Gressitt, 1938a: 54 (*Sydonia*) A: SCH

tribe Apomecynini J. Thomson, 1860

genus *Apomecyna* Dejean, 1821: 108 type species type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)
subgenus *Apomecyna* Dejean, 1821: 108 type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

Anapomecyna Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925
Crassapomecyna Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896
Mecynapus J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856
Pseudoalbana Pic, 1895d: 77 type species *Pseudoalbana lameerei* Pic, 1895
Vocula Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)
cretacea Hope, 1831: 28 (*Callidium*) A: GUA GUX HAI NP SD YUN ORR
laosensis Pic, 1938d: 124
perroteti J. Thomson, 1868: 159
proba Newman, 1842c: 299
fallaciosa Breuning, 1938a: 50 A: PA UP
flavovittata Chiang, 1963: 67 A: XIZ YUN
histrio histrio Fabricius, 1793: 288 (*Lamia*) A: ES GUI HAI JA MG NP PA SC SD TAI YUN ORR
alboguttata Megerle, 1802: 10 (*Saperda*)
maculaticollis Pic, 1918b: 6
quadrifasciata J. Thomson, 1868: 159
histrio okinawana Makihara, 1992b: 74 A: JA (Ryukyus)
lameerei Pic, 1895d: 77 (*Eurycotyle*) N: EG MO A: AE IN IQ IS OM PA SA SI YE AFR
arabica Breuning, 1938a: 50
mateui Breuning, 1953: 11
leucosticta Hope, 1831: 28 (*Callidium*) A: AF BT NP PA SD YUN ORR
lineata Pic, 1937a: 14
longicollis coreana Breuning, 1967f: 188 A: "Korea"
longicollis longicollis Pic, 1926a: 28 A: GUI HKG JIX YUN ORR
fouqueti Pic, 1938d: 124
luteomaculata Pic, 1925a: 29 (*Anapomecyna*) A: YUN ORR
naevia deguchii Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
naevia iriei Hayashi, 1984: 69 A: JA
naevia naevia Bates, 1873: 317 A: NP

naevia tsutsuii Hayashi, 1956b: 15 A: JA
naevia yokoyamai Hayashi, 1974c: 68 A: JA
proxima Breuning, 1938a: 49 A: SW **ORR**
saltator Fabricius, 1781: 141 (*Lamia*) A: NP FUJ GUA GUI GUX HAI HKG HUB HUN JIA JIX PA TAI YUN ZHE **ORR**
excaviceps Pic, 1918b: 6
multinotata Pic, 1918b: 5
neglecta Pascoe, 1865: 152
niveosparsa Fairmaire, 1895: 185
pertigera J. Thomson, 1868: 160
sinensis Pic, 1918b: 6
subuniformis Pic, 1944a: 14
tonkinea Pic, 1918b: 5
scortecii Breuning, 1968c: 90 A: SA YE
semihistrion Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) **TAI**
tigrina indica Breuning, 1969f: 656 A: SD
tigrina tigrina J. Thomson, 1857g: 343 A: YUN **ORR**

genus *Asaperda* Bates, 1873: 385 type species *Asaperda rufipes* Bates, 1873

agapanthina Bates, 1873: 386 A: FE JA TAI
confutis Z. Komiya, 1984a: 371, 14
nakayamai Z. Komiya, 1984a: 14
obliquevittata Z. Komiya, 1984a: 370, 14
obscura Breuning, 1939b: 232
yamawakii Z. Komiya, 1984a: 369, 14
bicostata bicostata Hayashi, 1956b: 16 A: JA
bicostata okinawana Komiya, 1984: 372, 14 A: JA (Ryukyus)
chongqingensis L. Chen & Chiang, 1993: 65, 67 A: SCH
kani Hayashi, 1976: 15 A: JA
maculosa Pic, 1927o: 199 A: CH **ORR**
meridiana Matsushita, 1931a: 45 A: FUJ GUA JIX TAI
takushaensis Kano, 1933a: 283
rufa Breuning, 1954e: 136 A: SHN
rufipes Bates, 1873: 386 A: CH FE JA NC SC TAI
albosuturalis Breuning, 1957g: 278
nigricornis Breuning, 1957g: 278
tsushima Breuning, 1955e: 658
uniformis Pic, 1907d: 22
silvicultrix Toyoshima & Iwata, 1990: 1 A: JA
stenostola Kraatz, 1879h: 227 A: FE KZ MG SC WS
tenuicornis Z. Komiya, 1984a: 370, 15 A: JA
wadai Makihara, 1980: 55 A: JA

genus *Asaperdina* Breuning, 1976a: 51 type species *Asaperdina regularis* Pic, 1923

brunnea Pesarini & Sabbadini, 2000: 62 A: SHA
regularis Pic, 1923c: 21 (*Asaperda*) A: CH
sordida Gressitt, 1951a: 506 (*Pseudanaesthetis*) A: HUB SHG
whiteheadi Gressitt, 1940b: 177 (*Pseudanaesthetis*) A: HAI

genus *Athylia* Pascoe, 1864a: 27 type species *Athylia avara* Pascoe, 1864

Enispia Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864
Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athylia nobilis* Breuning, 1960)
horishensis Seki, 1946: 10 (*Enispia*) A: TAI
quadristigma Gressitt, 1940b: 156 (*Enispia*) A: HAI

genus *Atimura* Pascoe, 1863b: 548 type species *Atimura terminata* Pascoe, 1863

affinis Breuning, 1939b: 240 A: UP **ORR**
apicalis Gahan, 1894a: 76 A: FUJ SCH TAI **ORR**
combreti Gardner, 1930: 158 A: NP UP
cylindrica Gressitt, 1940b: 173 A: HAI
formosana Matsushita, 1933b: 371 A: TAI
fujiiwarai Hayashi, 1994: 70 A: TAI
fulva Schwarzer, 1925c: 145 A: TAI
japonica Bates, 1873: 381 A: JA SC **ORR**
tonkinea Pic, 1931a: 14
koreana Danilevsky, 1996b: 22 A: SC
minima Breuning, 1939b: 240 A: UP **ORR**
proxima Breuning, 1939b: 240 A: UP **ORR**

genus *Brachysybra* Breuning, 1940d: 427 type species *Brachysybra elliptica* Breuning, 1940
elliptica Breuning, 1940d: 428 A: TAI **ORR**

genus *Callomecyna* Tippmann, 1955: 125 type species *Callomecyna superba* Tippmann, 1955
Mimoxenoleoides Breuning, 1963f: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963
leehsuehae Yamasako & Chou, 2014a: 252 A: TAI
superba Tippmann, 1955: 126 A: FUJ GUI GUX
fasciculosa Breuning, 1963f: 83 (*Mimoxenoleoides*)
tigrinula Holzschuh, 1999: 44 A: SCH

genus *Coomanum* Pic, 1927i: 111 type species *Coomanum singulare* Pic, 1927
Niphosaperda Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962
singulare Pic, 1927i: 112 A: YUN **ORR**
rondoni Breuning, 1962d: 49 (*Niphosaperda*)

genus *Cornallis* J. Thomson, 1864: 47 type species *Cornallis gracilipes* J. Thomson, 1864
Parasybrodiboma Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969
gracilipes J. Thomson, 1864: 47 A: NP SD
bootangensis Breuning, 1968f: 702 (*Hyagnis*)
sikkimensis Breuning, 1969f: 667 (*Parasybrodiboma*)
sybroides Breuning, 1939b: 206 (*Hyagnis*)

genus *Diaxenes* C. O. Waterhouse, 1884a: 128 type species *Diaxenes taylora* C. O. Waterhouse, 1884
dendrobii Gahan, 1894e: 520 A: SD **ORR**

genus *Discolops* Fairmaire, 1886a: 459 type species *Discolops strigicollis* Fairmaire, 1886
strigicollis Fairmaire, 1886a: 459 A: YE **AFR**
aureicornis Gahan, 1890d: 325 (*Stathmodera*)
basalis Kolbe, 1894: 281
grandis Waterhouse, 1898: 264 (*Stathmodera*)

genus *Doliops* G. R. Waterhouse, 1841: 57 [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841
Dolops Agassiz, 1846b: 128 [unjustified emendation]
Lamprobytile Heller, 1923c: 420 type species *Lamprobytile magnifica* Heller, 1923
similis cheni Nakamura, 1974: 15 A: TAI
similis similis Miwa & Mitono, 1933: 373 [RN] A: TAI **ORR**
pachyrrhynchoides Miwa & Mitono, 1932: 305 (*Aprophata*) [HN]

genus *Enaretta* J. Thomson, 1864: 325 type species *Enaretta castelnaudi* J. Thomson, 1864
Athenes Fehraeus, 1872b: 194 type species *Athenes caudata* Fehraeus, 1872
Fouquetia Pic, 1932i: 150 type species *Fouquetia fasciculata* Pic, 1932
Phoryctus Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871
Sympiodes Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886
caudata Fehraeus, 1873: 36 (*Athenes*) A: YE **OM AFR**
exigua Gahan, 1904: 152

genus *Estigmenida* Gahan, 1894a: 82 type species *Estigmenida variabilis* Gahan, 1894
albolineata Breuning, 1940b: 211 A: BT
robusta Breuning, 1940b: 211 A: SD
variabilis Gahan, 1894a: 83 A: CH **ORR**

genus *Eumidia* Erichson, 1843: 261 type species *Eumidia nebulosa* Erichson, 1843
Anomoesia Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858
Aserixia Pic, 1925b: 31 type species *Aserixia savioi* Pic, 1925
Boucardia Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925
Frixus J. Thomson, 1857f: 313 type species *Frixus variegatus* J. Thomson, 1857
Mycerinella Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924
Paphraecia Fairmaire, 1894c: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eumidia nebulosa* Erichson, 1843)
Semiclinia Fairmaire, 1897e: 254 type species *Semiclinia denseguttata* Fairmaire, 1898
Syessita Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864
Tritomicrus Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892
arabica Breuning, 1968c: 90 A: SA YE
arabensis Breuning, 1969d: 104 [RN]
atripennis Pu & Yang, 1993: 301, 305 A: GUI
atripes Breuning, 1960g: 475 A: GUA
breuningae Villiers, 1951: 201 N: EG A: **OM SA YE AFR**
djiboutiana Breuning, 1974e: 122
naviauxi Villiers, 1977: 168
renaudi Breuning, 1961f: 252

submarmorata Breuning, 1968c: 91
flavicans Breuning, 1954b: 16 A: YE **AFR**
haplotrita Aurivillius, 1911b: 32 [218] A: SA YE
kristenseni Aurivillius, 1911b: 29 [215] A: **OM** SA YE **AFR**
kumatai Hayashi, 1981a: 10 A: NP
lateralis Gahan, 1893b: 387 A: HAI NP SC YUN **ORR**
cincta Pic, 1926h: 237 (*Aserixia*)
nebulosa nebulosa Erichson, 1843: 262 A: **OM** SA YE **AFR**
brevicollis Fairmaire, 1896b: 394 (*Paraphraecia*)
distinguenda Aurivillius, 1926: 480
laterita Fairmaire, 1903: 255 (*Diadelia*)
gabonica Breuning, 1938c: 214
mixta Gahan, 1909: 73
obliquepicta Fairmaire, 1894c: 332 (*Paraphraecia*)
proxima Breuning, 1938c: 215
puncticollis Fehraeus, 1873: 52
rustica Fehraeus, 1873: 53
senilis J. Thomson, 1868: 137
savioi Pic, 1925b: 31 (*Aserixia*) A: JIA SHG
taiwanensis Hayashi & Nara, 1992: 148 A: TAI
fengkangshanensis Hayashi & Nara, 1992: 149
thomsoni Distant, 1898: 377 A: SA YE **AFR**
albicans Breuning, 1938: 211
apiceclarior Breuning, 1967g: 297
bicoloripennis Breuning, 1974k: 413
clarkei Breuning, 1974k: 414
ferrandi Aurivillius, 1926: 482
guttata Breuning, 1957b: 71 [RN]
guttulata Aurivillius, 1908: 8
pseudoalbicans Breuning, 1968b: 58 [RN]
rubroscapus Breuning, 1962e: 71
subalbicans Breuning, 1967d: 86
suturebrunnea Breuning, 1977b: 273
zavattarii Breuning, 1942d: 94
yemenensis Breuning, 1968c: 90 A: YE

genus *Eunidiopsis* Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939
bicolor Breuning, 1939b: 220 A: ZHE

genus *Falsoropica* Breuning, 1939b: 232 type species *Falsoropica clavipes* Breuning, 1939
grossepunctata Breuning, 1968a: 32 A: YUN **ORR**
sikkimensis Breuning, 1973c: 651 A: SD

genus *Falsozorilspella* Breuning, 1963a: 4 [RN] type species *Falsozorilispe albosignata* Pic, 1945
Falsozorilispe Pic, 1945a: 2 [HN] type species *Falsozorilispe albosignata* Pic, 1945
albosignata Pic, 1945a: 2 (*Falsozorilispe*) A: GUI

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864
apicatus Holzschuh, 1984c: 369 A: UP
chinensis Breuning, 1961i: 317 A: GUA
kashmirensis Breuning, 1939b: 206 A: KA
pakistanus Breuning, 1975d: 352 A: NP PA
persimilis Breuning, 1939b: 206 A: "India"
intuberculata Pic, 1946a: 3 (*Atimura*)

genus *Iproca* Gressitt, 1940b: 165 type species *Iproca acuminata* Gressitt, 1940
acuminata Gressitt, 1940b: 165 A: HAI
aoyamaorum M. Hasegawa & N. Ohbayashi, 2006: 253 A: JA (Ryukyus)
flavolineata Hayashi, 1971: 10 A: TAI **ORR**
ishigakiana Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)
pedongensis Breuning, 1968f: 701 A: SD

genus *Microlera* Bates, 1873: 380 type species *Microlera ptinoides* Bates, 1873
kanoi Hayashi, 1971: 9 A: TAI
ptinoides Bates, 1873: 380 A: FE JA SC TAI
yayeyamensis Hayashi, 1968c: 15 A: JA (Ryukyus)

genus *Microleroides* Breuning, 1956g: 691 type species *Microleroides chinensis* Breuning, 1956

chinensis Breuning, 1956g: 692 A: SCH

genus *Mimatimura* Breuning, 1939b: 241 type species *Mimatimura rufescens* Breuning, 1939
subferruginea Gressitt, 1951a: 496 (*Atimura*) A: FUJ HAI

genus *Mimoplocia* Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842
notata Newman, 1842c: 292 (*Plocia*) A: TAI **ORR**
albicornis Heyrovský, 1935a: 19 (*Epaphra*)

genus *Mimophaeopate* Breuning, 1967b: 30 type species *Mimophaeopate assamensis* Breuning, 1967
assamensis Breuning, 1967b: 31 A: AP

genus *Mimopothyne* Breuning, 1956a: 7 type species *Mimopothyne flavolineata* Breuning, 1956
flavolineata Breuning, 1956a: 7 A: CH

genus *Mycerinopsis* J. Thomson, 1864: 50 type species *Mycerinus aridus* Pascoe, 1862 (= *Hathlia lacteola* Hope, 1841)
subgenus *Zotale* Pascoe, 1866: 329 type species *Zotale unicolor* Pascoe, 1866

apomecynoides Hayashi, 1972: 29 A: JA

lineata Gahan, 1894a: 75 A: FUJ GUA JIX HAI HUN YUN **ORR**

subunicolor Breuning, 1968a: 14 A: YUN **ORR**

genus *Neosybra* Breuning, 1939b: 276 type species *Neosybra ropicooides* Breuning, 1939

albomarmorata Breuning, 1961i: 333 A: JA

costata Matsushita, 1933b: 370 A: TAI

cribrella Bates, 1873: 318 (*Sybra*) A: JA

flavovittata Breuning, 1954b: 21 A: SD

flavovittipennis Breuning, 1963d: 6 A: HUN **ORR**

hachijoensis Hayashi, 1961a: 22 (*Palausybra*) A: JA

mizoguchii Hayashi, 1956c: 41 (*Ropica*) A: JA

ochreovittata Breuning, 1939b: 277 A: NP

rotundipennis Breuning, 1939b: 278 A: HKG

ryukyuensis Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)

sinuicosta Gressitt, 1951a: 502 A: TAI

tokaraensis depressa Makihara, 1980: 58 (*Palausybra*) A: JA (Danjo-guntō)

tokaraensis tokaraensis Makihara, 1977: 53 (*Palausybra*) A: JA (Tokara-rettō)

genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicooides* Breuning, 1962

Rondonia Breuning, 1962b: 7 [HN] type species *Rondonia ropicooides* Breuning, 1962

bisignata Hayashi, 1976: 16 (*Rondonia*) A: TAI

ropicooides Breuning, 1962: 7 (*Rondonia*) A: YUN **ORR**

genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908

forticornis Breuning, 1942a: 142 A: SA YE **AFR**

sulcata Aurivillius, 1908: 150 A: SA YE **AFR**

genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956

chibi Hayashi, 1974c: 41 A: TAI

genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978

fulvofasciata Hayashi, 1978b: 108 A: TAI

genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890

Parazotalemimon Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936

humeralis Gahan, 1890a: 65 A: SD YUN **ORR**

nigropunctatus Pic, 1936b: 12 (*Parazotalemimon*)

genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858

affinis Breuning, 1939b: 224 A: NP SD

assamensis Breuning, 1972c: 415 A: AP

bicostata Pic, 1926a: 27 (*Sybra*) A: CH

caenosa Matsushita, 1932: 107 (*Pterolophia*) A: JA (Ryukyus) TAI

chinensis Breuning, 1964a: 403 A: ZHE

coomani Pic, 1926b: 5 A: SD

coreana Breuning, 1980b: 50 A: SC

dorsalis Schwarzer, 1925c: 145 A: BT GUA GUX HAI JA JIA NP SD TAI UP **ORR**

burketi Gressitt, 1937d: 609

langana Pic, 1945a: 3

rufescens Pic, 1926b: 5
formosana Bates, 1866: 351 A: TAI
hirayamai Matsushita, 1941: 156
fuscolaterimaculata Hayashi, 1974c: 42 A: TAI
honesta Pascoe, 1865: 190 A: JA NP TAI **ORR**
japonica amamiana Makihara, 1995: 456 A: JA
japonica japonica Hayashi, 1972: 37 A: JA
japonica tokarana Takakuwa, 1984: 12 A: JA
lineatithorax Pic, 1927b: 17 A: NP **ORR**
elongata Pic, 1929a: 30 (*Sybra*)
vietnamensis Breuning, 1972b: 235
loochooana hayashii Breuning, 1958c: 34 A: JA (Ryukyus)
loochooana loochooana Matsushita, 1933b: 361 (*Pterolophia*) A: JA (Ryukyus)
ngauchilae Gressitt, 1940b: 163 A: HAI
pedongensis Breuning, 1968f: 701 A: SD
rosti Breuning, 1958d: 177 A: KA NP SD
signatoides Breuning, 1939b: 221 A: UP
subaffinis Breuning, 1968f: 701 A: SD
sublineata Gressitt, 1940b: 162 A: FUJ HAI
subnotata Pic, 1925e: 138 A: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHN SHX YUN ZHE
trichantennalis Breuning, 1968a: 13 A: FUJ **ORR**
tsushimensis Hayashi, 1972: 38 A: JA
umbrata Gressitt, 1951a: 492 A: FUJ GUA
variabilis Schwarzer, 1925b: 68 A: TAI

genus *Sybra* Pascoe, 1865: 141 type species *Ropica stigmatica* Pascoe, 1859

subgenus *Microzotale* Hayashi, 1956b: 17 type species *Microzotale uenoi* Hayashi, 1956

Kirishimoopsis Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958

alבודistincta Takakuwa, 1984: 382 A: JA (Ryukyus)

kuri K. Ohbayashi & Hayashi, 1962: 33 A: JA

uenoi sakamotoi Hayashi, 1958b: 49 A: JA (Kyushu)

uenoi uenoi Hayashi, 1956b: 18 A: JA (Tokara)

subgenus *Sybra* Pascoe, 1865: 141 type species *Ropica stigmatica* Pascoe, 1859

Gracisylbra L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisylbra flava* L. S. Dillon & E. S. Dillon, 1952

Lamprosybra Aurivillius, 1928c: 144 type species *Lamprosybra sulcata* Aurivillius, 1928

Microopsis L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952

Paroopsis L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952

Ropicomorpha Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927

Sybrinura Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907

albomaculata albomaculata Breuning, 1939b: 264 A: NO

albomaculata formosana Breuning, 1964a: 305 A: GUX TAI

alternans Wiedemann, 1823: 11 (*Lamia*) A: TAI **ORR**

angustata Pic, 1926b: 6 (*Atelais*)

carolina Matsushita, 1935: 121

fuscobiplagiata Breuning, 1939b: 265

fuscovittata Aurivillius, 1928a: 24

latiuscula Aurivillius, 1928a: 23

multilineata Pic, 1927: 16 (*Atelais*)

baculina baculina Bates, 1866: 352 A: HKG TAI

kotoensis Matsushita, 1934b: 541

baculina miyakoana Hayashi, 1972: 31 A: JA (Ryukyus)

basialbofasciata Hayashi, 1972: 33 A: JA

bioculata bioculata Pic, 1926i: 302 A: FUJ JIA TAI ZHE **ORR**

bioculata quadrinotata Schwarzer, 1925c: 145 A: JIA TAI YUN ZHE **ORR**

obliterata Pic, 1927h: 109

bioculata sikkimana Breuning, 1969f: 657 A: SD

botelensis Breuning & K. Ohbayashi, 1966: 11 A: TAI

breuningi Gressitt, 1940b: 169 A: HAI

chaffanjoni Breuning, 1969f: 656 A: GUI

elongatula Breuning, 1939b: 270 A: SD

flavomaculata Breuning, 1939b: 263 A: HUB JA SC

flavostriata flavostriata Hayashi, 1968c: 16 A: JA (Ryukyus) TAI

flavostriata miyakojimana Hayashi, 1972: 33 A: JA (Ryukyus)

icanoides Breuning, 1942a: 150 A: SD

longipes Breuning & De Jong, 1941: 104 A: SD

maculiclunis Matsushita, 1931c: 404 A: JA TAI

marmorea Breuning, 1939b: 264 A: CH **ORR**

masatakai Makihara, 2007: 216 A: JA (Ryukyus)
mimobaculina Breuning, 1970c: 90 A: TAI
mimogeminata Breuning & K. Ohbayashi, 1964: 17 A: JA (Ryukyus)
carinatipennis Breuning & Chûjô, 1970: 56
miscanthivola Makihara, 1977: 25 A: JA (Ryukyus) TAI
musashinoi Breuning & Chûjô, 1970: 56 A: JA (Ryukyus)
narai Hayashi, 1976: 14 A: TAI
ordinata loochooana Breuning, 1939b: 263 A: JA (Ryukyus)
ordinata okinoerabuensis Hayashi, 1972: 32 A: JA
ordinata ordinata Bates, 1873: 318 A: JA
ordinata subtesselata Breuning, 1960a: 14 A: JA
ordinata tokara Hayashi, 1972: 33 A: JA
oshimana Breuning, 1958c: 34 A: JA
nipponensis Hayashi, 1972: 32
omoro Hayashi, 1972: 32
parvula Breuning, 1939b: 271 A: "North India"
pascoei ishigakii Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)
miyakoensis Hayashi, 1972: 31
pascoei okinawana Breuning & K. Ohbayashi, 1967: 4 A: JA (Ryukyus)
pascoei pascoei Lameere, 1893a: 285 A: HAI **ORR**
pascoei taiwanella Gressitt, 1951a: 499 A: JA TAI
piceomacula Gressitt, 1951a: 500 A: FUJ
punctatostriata Bates, 1866: 351 A: FUJ GUA HAI JIX TAI
gossipi Matsumura, 1912: 219 (*Homonoxa*)
pusilla Breuning, 1939b: 270 A: "North India"
rondoniana Breuning, 1965: 45 A: TAI
savioi Pic, 1925e: 138 A: FUJ HAI JIA TAI
sikkimensis Breuning, 1939b: 270 A: SD
tenganensis Breuning, 1965h: 178 A: JIX
unifasciata Fujimura, 1956: 5 A: JA
unipunctata Breuning, 1939b: 264 A: HKG
subgenus *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a
subfasciata mikurensis Hayashi, 1971: 17 (*Sybrodiboma*) A: JA
subfasciata subfasciata Bates, 1884a: 246 (*Sybra*) A: JA SC
ohbayashii Breuning, 1960a: 16 (*Hyagnis*)
taiwanensis Hayashi, 1974c: 51 (*Sybrodiboma*) A: TAI
trimeresura Takakuwa, 1984: 12 A: JA

genus *Xylariopsis* Bates, 1884a: 247 type species *Xylariopsis mimica* Bates, 1884a
Falsosybra Pic, 1928a: 28 type species *Falsosybra fulvonotata* Pic, 1928
esakii Mitono, 1943: 582 A: HUN TAI YUN
fujiwarai Hayashi, 1994: 71 A: TAI
iriei Hayashi, 1976: 13 A: JA (Ryukyus)
mimica Bates, 1884a: 247 A: FE JA JIA NC NE SC SHG
uenoi Hayashi, 1994: 72 A: TAI

genus *Zorilispe* Pascoe, 1865: 156 type species *Zorilispe fulvisparsa* Pascoe, 1865
harai Hayashi, 1979: 92 A: NP

tribe Astathini Thomson, 1864

genus *Anastathes* Gahan, 1901: 60 type species *Astathes nigricornis* J. Thomson, 1865
nigricornis J. Thomson, 1865a: 560 (*Astathes*) A: FUJ GUI GUX HAI HUN YUN **ORR**
atricornis Pic, 1922c: 15 (*Chreonoma*)
parallelus Breuning, 1956f: 486 A: HUB FUJ
parvus Gressitt, 1935c: 193 A: FUJ GUA GUX HAI HUN TAI
atricornis Gressitt, 1940b: 223 (*Chreonoma*) [HN]
hainanus Gressitt, 1942c: 7 [RN]
robustus Gressitt, 1940b: 222 A: FUJ GUA GUX HAI JIX

genus *Bacchisa* Pascoe, 1866a: 329 type species *Bacchisa coronata* Pascoe, 1866

subgenus *Atrobacchisa* Breuning, 1956f: 457 type species *Chreonoma atrocoerulea* Gressitt, 1951
atrocoerulea Gressitt, 1951a: 617 (*Chreonoma*) A: SHA

subgenus *Bacchisa* Pascoe, 1866: 329 type species *Bacchisa coronata* Pascoe, 1866

Chreonoma Pascoe, 1867b: 348 type species *Chreonoma venustum* Pascoe, 1867
atritarsis Pic, 1912h: 21 (*Chreonoma*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE
basalis Gahan, 1894d: 487 (*Chreonoma*) A: FUJ GUA GUX HAI HKG **ORR**

tonkinea Pic, 1916h: 15 (*Chreonoma*)
chinensis Breuning, 1948e: 119 A: CH
comata Gahan, 1901: 67 (*Chreonoma*) A: FUJ GUA GUI GUX HAI HKG YUN ZHE
cyaneoapicalis Gressitt, 1939a: 112 (*Chreonoma*) A: GUA HAI
dimidiata Gressitt, 1940b: 224 (*Chreonoma*)
cyanipennis Breuning, 1961i: 338 A: SCH
dioica Fairmaire, 1878: 133 (*Astathes*) A: SCH YUN **ORR**
fortunei flavicornis Kano, 1933a: 291 (*Chreonoma*) A: TAI
fortunei fortunei J. Thomson, 1857a: 58 (*Plaxomicrus*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN
 QIN SC SCH SHA SHN SHX ZHE
obscuricollis Pic, 1928: 21 (*Chreonoma*)
fortunei japonica Gahan, 1901: 68 (*Chreonoma*) A: FUJ HUN JA NE
frontalis Gahan, 1894a: 100 (*Chreonoma*) A: NP "North India"
guerryi Pic, 1911e: 20 (*Astathes*) A: FUJ GUA GUX HUN JIX YUN
apicalis Pic, 1911e: 20 (*Astathes*)
nigronotata Pic, 1912h: 21 (*Chreonoma*)
hoffmanni Gressitt, 1939a: 113 (*Chreonoma*) A: GUA
klapperichi Breuning, 1956c: 236 A: FUJ
kweichowensis Breuning, 1959e: 174 A: GUI
pallens S.-H. Chen, 1936c: 165 (*Chreonoma*) A: CH
pallidiventris J. Thomson, 1865a: 559 (*Astathes*) A: HAI YUN **ORR**
aegrota J. Thomson, 1865a: 560 (*Astathes*)
pallidicolor Pic, 1916d: 6 (*Chreonoma*)
rigida Gressitt, 1942c: 6 (*Chreonoma*) A: SCH ZHE
violaceoapicalis Pic, 1923a: 14 (*Chreonoma*) A: GUX YUN **ORR**
genus *Cleonaria* J. Thomson, 1864: 119 type species *Cleonaria bicolor* Thomson, 1864
taiwana Hayashi, 1984: 36 A: TAI

genus *Lasiophrys* Gahan, 1901: 71 type species *Lasiophrys latifrons* Gahan, 1901
latifrons Gahan, 1901: 72 A: BT NP

genus *Momisis* Pascoe, 1867b: 361 type species *Momisis aegrota* Pascoe, 1867
longicornis Pic, 1912b: 10 (*Lasiophrys*) A: HAI
tinhosensis Gressitt, 1940b: 226 (*Lasiophrys*)
longzhouensis Hua, 1982: 53 A: GUX
monticola Breuning, 1956f: 467 A: NP SD

genus *Plaxomicrus* J. Thomson, 1857a: 57 type species *Plaxomicrus ellipticus* J. Thomson, 1857
ellipticus J. Thomson, 1857a: 58 A: GUX HUB JIA NP SCH SHA SHG YUN ZHE **ORR**
ventralis Gahan, 1901: 70
latus Gahan, 1901: 70 A: BT NP YUN
nigriventris Pu, 1991a: 208, 210 A: YUN
pallidicolor Pic, 1912l: 15 A: GUX **ORR**
sikkimensis Breuning, 1956f: 464 A: SD
szetschuanus Breuning, 1956f: 463 A: SCH
violaceomaculatus Pic, 1912b: 11 A: YUN **ORR**

genus *Tetraopthalmus* Dejean, 1835: 347 type species *Cerambyx splendidus* Fabricius, 1793
Astathes Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842
bimaculatus Fabricius, 1793: 263 (*Cerambyx*) A: PA **ORR**
externus Pascoe, 1859: 46 (*Astathes*)
contentiosus Pascoe, 1867b: 352 (*Astathes*) A: PA
episcopalis Chevrolat, 1852: 418 (*Astathes*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NMO SC
 SCH SHA SHX **TAI** XIN ZHE
formosanus Breuning, 1956f: 499 (*Astathes*) A: TAI
gibbicollis J. Thomson, 1865a: 559 (*Astathes*) A: "North India"
holorufus Breuning, 1968a: 31 (*Astathes*) A: HKG **ORR**
janthinipennis cyanopterus Gahan, 1900d: 353 (*Astathes*) A: HAI TAI **ORR**
janthinipennis flavus Chiang, 1963: 68 (*Astathes*) A: YUN
janthinipennis janthinipennis Fairmaire, 1895: 187 A: YUN **ORR**
janthinipennis yunnanensis Breuning, 1956f: 500 (*Astathes*) A: YUN
japonicus J. Thomson, 1857a: 51 A: "Himalaya"
sikanga Gressitt, 1942c: 6 (*Chreonoma*) A: SCH
splendidus Fabricius, 1793: 263 (*Cerambyx*) A: CH **ORR**
decipiens Pascoe, 1859: 46 (*Astathes*)
flavicornis Pic, 1939f: 31 (*Astathes*)
splendidulus Aurivillius, 1923: 583 (*Astathes*)

violaceipennis J. Thomson, 1857a: 53 A: GUX NP SD XIZ **ORR**

tribe *Batocerini* J. Thomson, 1864

genus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831

subgenus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831

Anapriona Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917

Cylindrapriona Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857

Humeroapriona Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840

Mesapriona Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866

Parapriona Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948

cinerea Chevrolat, 1852: 416 A: AF HP PA UP XIZ

newcombei Gilmour, 1958: 112

germari germari Hope, 1831: 28 (*Lamia*) A: BT NP SD XIZ **ORR**

cribrata J. Thomson, 1878: 57

deyrollei Kaup, 1866: 7

germari parvigranula J. Thomson, 1878: 59 A: GUA HAI YUN **ORR**

rugicollis rugicollis Chevrolat, 1852: 418 A: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX LIA
NC SC SCH SHA SHN SHX TAI XIZ YUN ZHE

gressitti Gilmour, 1958: 76

japonica J. Thomson, 1878: 58

plicicollis Motschulsky, 1854a: 48

rugicollis nobuoi Breuning & K. Ohbayashii, 1966: 32 A: JA (Ryukyus)

rugicollis yayeyamai Breuning, 1976d: 739 A: JA (Ryukyus)

paucigranula J. Thomson, 1878: 58 A: YUN

sublaevis J. Thomson, 1878: 79 A: HAI GUX **ORR**

bicolor Kriesche, 1920a: 193

swainsoni swainsoni Hope, 1840: 79 (*Lamia*) A: FUJ GUI HAI HEN JIA NC SC SCH YUN **ORR**

daifungensis Chiang, 1982: 41

kediana Wang, 1999: 125

swainsoni basicornis Fairmaire, 1895: 185 A: HAI YUN **ORR**

trilineata Chevrolat, 1852: 416 A: SD **ORR**

subgenus *Cristapriona* Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986

chemsaki Hua, 1986c: 209 A: JIX

genus *Batocera* Dejean, 1835: 341 type species *Cerambyx rubus* Linnaeus, 1758

Semibatocera Kriesche, 1915: 115 type species *Batocera calana* Parry, 1844 (= *Batocera parryi* Hope, 1845)

Tyrannolamia Kriesche, 1915: 115 type species *Batocera wallacei* Thomson, 1858

armata Olivier, 1795: 121 (*Cerambyx*) A: YUN **AUR ORR**

whitei Kaup, 1866: pl. 3

calana Parry, 1844: 454 [= 1845: 86] (*Lamia*) A: AP FUJ HAI SD TAI YUN **ORR**

bimaculata Schwarzer, 1914: 280

fabricii J. Thomson, 1878: 54

guttata Vollenhoven, 1871: 110 (*Megacriodes*)

immaculata Schwarzer, 1914: 280

narada Kriesche, 1928: 45

parryi Hope, 1845b: 77 (*Lamia*)

davidis H. C. Deyrolle, 1878: 131 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE **ORR**

henrietta Kriesche, 1915: 138

obscura Gilmour & Dibb, 1948: 38

horsfieldi Hope, 1839: 42 A: ANH BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX SCH SD SHA SHN XIZ YUN
ZHE **ORR**

adelpha J. Thomson, 1859: 77

kuntzeni Kriesche, 1915: 139

lineolata Chevrolat, 1852: 417 A: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE **ORR**

catenata Vollenhoven, 1871: 215

chinensis J. Thomson, 1857e: 170

flachi Schwarzer, 1914: 280

hauseri Schwarzer, 1914: 280

joannisi Pic, 1901g: 28

variecollis Schwarzer, 1925b: 60

numitor Newman, 1842b: 275 A: HAI NP SCH SD XIZ YUN **ORR**

ajax J. Thomson, 1858: 455

ferruginea J. Thomson, 1858: 456

javanica J. Thomson, 1859: 83

loki Kriesche, 1915: 143

palawanicola Kriesche, 1928: 47

rufopunctata Breuning, 1956a: 1

sumatrensis Aurivillius, 1922b: 126 [RN]

titana J. Thomson, 1859: 82

punctata Schwarzzer, 1925b: 60 A: TAI
roylei Hope, 1833: 64 (*Lamia*) A: A: BT GUX HAI KA NP SD YUN **ORR**
coreana Kolbe, 1886: 238
downesii Hope, 1845b: 76
ebenina Vollenhoven, 1871: 211
orientalis Kriesche, 1915: 119
porus Parry, 1844: 454 [= 1845: 86] (*Lamia*)
princeps L. Redtenbacher, 1844: 551
rubus Linnaeus, 1758: 390 (*Cerambyx*) A: FUJ GUA GUI GUX HAI HKG JA NP PA SA SCH SHA SHX TAI UP YUN ZHE
ORR
albofasciata DeGeer, 1775: 106 (*Cerambyx*)
albomaculata Retzius, 1783: 138 (*Cerambyx*)
bipunctata Kriesche, 1915: 134
dividopunctata Gilmour & Dibb, 1948: 61
formosana Kriesche, 1915: 136
lombokensis Breuning, 1947a: 16
mniszewi J. Thomson, 1859: 79
octomaculata Fabricius, 1793: 290 (*Lamia*)
palawanica Schwarzzer, 1926a: 12
punctatella Kriesche, 1915: 135
sabina J. Thomson, 1878: 52
sarawakensis J. Thomson, 1858: 452
siporensis Schwarzzer, 1930: 122
rufomaculata rufomaculata DeGeer, 1775: 107 (*Cerambyx*) A: HKGi IS LE NP OM PA SI SY TR UP XIZ YE **AFR NTRi ORR**
cruentata Gmelin, 1790: 1863 (*Cerambyx*)
diana Nonfried, 1892b: 276
ushijimai Ohbayashi, 1981: 47 A: TAI

genus *Microcriodes* Breuning, 1943a: 14 type species *Microcriodes sikkimensis* Breuning, 1943
sikkimensis Breuning, 1943a: 15 A: SD XIZ [see: Bi & Lin, 2014]
wuchaoi Bi & Lin, 2014: 5 A: XIZ

tribe Ceroplesini J. Thomson, 1860
 subtribe Ceroplesina J. Thomson, 1860

genus *Ceroplesis* Audinet-Serville, 1835a: 93 type species *Lamia aethiops* Fabricius, 1775
Moecha J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787
aestuans Olivier, 1795: 123 (*Cerambyx*) N: MO **AFR**
aegyptiaca Gilmour, 1956c: 753
senegalensis Fiedler, 1938: 591
elegans Gestro, 1889: 70 A: SA YE
milligeni Pic, 1895d: 77 A: SA YE

genus *Thysia* J. Thomson, 1860: 96 type species *Lamia wallichi* Hope, 1831
Thysiotes J. Thomson, 1868: 201 [RN] type species *Lamia wallichi* Hope, 1831
wallichi tonkinensis Kriesche, 1924: 289 (*Diastocera*) A: GUA GUX **ORR**
dalatenis Breuning, 1968a: 27 (*Diastocera*)
savioi Yen, 1932: 165 (*Diastocera*)
wallichi wallichi Hope, 1831: 27 (*Lamia*) A: AP GUI HP NP PA SD SCH YUN **ORR**
tricincta Duncan, 1835: 254 (*Lamia*)

genus *Titoceres* J. Thomson, 1868: 201 [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Ceratites Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Paratitoceres Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962
Rangifer Gistel, 1848a: viii [HN]
arabicus Breuning, 1962g: 235 (*Paratitoceres*) A: SA YE
jaspideus Audinet-Serville, 1835a: 35 (*Ceratites*) N: MO A: OM SA YE **AFR**

subtribe Crossotina J. Thomson, 1864

genus *Biobessa* Gahan, 1898: 56 type species *Biobessa beatrix* Gahan, 1898
holzschuhi Téocchi, 1991: 304 A: SA YE

genus *Crossotus* Audinet-Serville, 1835a: 52 type species *Lamia plumicornis* Audinet-Serville, 1835
Crossotides Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912
albicollis Guérin-Méneville, 1844: 249 N: MO **AFR**
obtusus Hintz, 1912: 194
senegalensis Breuning, 1950i: 525
arabicus Gahan, 1896b: 458 A: OM SA YE
kadleci Sama & Sudre, 2010: 953 A: JE

katbeh Sama, 2000b: 107 A: IS JO YE
strigifrons Fairmaire, 1886a: 457 (*Dichosthates*) N: EG A: IS JO OM SA SI YE **AFR**
albicans Breuning, 1942a: 145
nebulosus Fairmaire, 1892a: 124 (*Dichosthates*)
sublineatus Gestro, 1892: 788 N: AG MO **AFR**
subocellatus heimschi Peyerimhoff, 1923b: 318 N: AG MO
subocellatus subocellatus Fairmaire, 1886a: 458 (*Dichosthates*) N: AG EG LB SI **AFR**
phillippsi Gahan, 1896b: 458
tamer Sama & Rapuzzi, 2006: 188 N: EG
tubericollis Fairmaire, 1891a: 271 (*Dichosthates*) N: MO **AFR**
robustus Jordan, 1894a: 236
vittatus Aurivillius, 1914: 30
vagepictus Fairmaire, 1886a: 456 A: SA **AFR**
adenensis Breuning, 1969f: 665
lateralis Hintz, 1912: 194
obliquevittatus Breuning, 1940c: 166
saudicola Téocchi, 1991: 304
xanthoneurus Sama, 2000a: 92 A: IS JO SI

genus *Ecyroschema* J. Thomson, 1864: 48 type species *Ecyroschema favosum* J. Thomson, 1864
favosum J. Thomson, 1864: 48 A: YE **AFR**

genus *Gasponia* Fairmaire, 1892a: 123 type species *Gasponia gaurani* Fairmaire, 1892
gaurani Fairmaire, 1892a: 123 A: YE **AFR**

genus *Moechohecyra* Breuning, 1938c: 231 type species *Moechohecyra verrucicollis* Gahan, 1894
arctifera W.-K. Wang & S.-N. Jiang, 2002a: 52 A: GUI YUN

genus *Moechotypa* J. Thomson, 1864: 55 type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)
Scotinauges Pascoe, 1871: 277 type species *Scotinauges diphysis* Pascoe, 1871
Tylophorus Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873
Tylophorus Blessig, 1873: 215 (wrong subsequent spelling)
alboannulata Pic, 1934a: 13 A: GUI GUX HUN SCH
asiatica Pic, 1903i: 121 (*Hecyrida*) A: GUI GUX NP SD YUN **ORR**
sikkimensis Breuning, 1936: 324
delicatula A. White, 1858a: 268 (*Nyphona*) A: GUI GUX HAI HUN SCH TAI YUN ZHE **ORR**
elongata Pic, 1925b: 29
diphysis Pascoe, 1871: 277 (*Scotinauges*) A: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC
SCH SHA SHX ZHE
davidis Fairmaire, 1887c: 328
fuliginosa Kolbe, 1886: 221
wulffiusi Blessig, 1873: 215 (*Tylophorus*)
formosana Pic, 1917f: 7 (*Hecyrida*) A: TAI
nigricollis W.-K. Wang & S.-N. Jiang, 2000c: 185 A: YUN
paraformosana Breuning, 1979a: 46 [RN] A: TAI
formosana Breuning, 1974j: 372 [HN]
semenovi Heyrovský, 1934c: 172 A: **CHQ**
suffusa Pascoe, 1862a: 336 (*Niphona*) A: HAI YUN **ORR**
arida J. Thomson, 1864: 55
thoracica A. White, 1858a: 266 (*Nyphona*) A: SD
infasciculata Pic, 1926b: 7
tuberculicollis W.-K. Wang & S.-N. Jiang, 2000c: 186 A: GUI YUN
uniformis Pic, 1922c: 14 (*Hecyrida*) A: GUX **ORR**

genus *Paramoechotypa* Breuning, 1938c: 230 type species *Paramoechotypa fasciculata* Breuning, 1938
fasciculata Breuning, 1938c: 230 A: BT

tribe Dorcadionini Swainson, 1840

Dorcadioninae, Özdikmen, 2012b: 759

genus *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773
subgenus *Acutodorcadion* Danilevsky, Kasatkin & Rubenyan, 2005: 135 type species *Dorcadion acutispinum* Motschulsky, 1860
absinthium absinthium Plavilstshikov, 1937a: 30 A: KZ
absinthium ishkovi Kadyrbekov, 2004: 94 A: KZ
acutispinum Motschulsky, 1860c: 310 A: KZ
alexandris Pic, 1900m: 56 A: KI
luteolum Suvorov, 1910b: 63
staudingeri Pic, 1900l: 29 [HN]

arietinum arietinum Jakovlev, 1898: 678 A: KZ
arietinum charynense Danilevsky, 1996f: 610 A: KZ
arietinum chilikense Danilevsky, 1996f: 611 A: KZ
arietinum ketmeniense Danilevsky, 1996f: 613 A: KZ
arietinum lucae Pic, 1898f: 42 A: XIN
arietinum phenax Jakovlev, 1899b: 68 A: KZ XIN
strandii Plavilstshikov, 1931b: 274
arietinum zhalanash Danilevsky, 1996f: 614 A: KZ
borochorensense Breuning, 1944: 11 A: XIN
hornianum Plavilstshikov, 1958a: 394
danilevskiyi Dolin & Ovtshinikov, 1999: 97 A: KI
darjae Danilevsky, 2001f: 632 A: KI
globithorax Jakovlev, 1895: 288 A: KZ
grande Jakovlev, 1906b: 42 A: KZ
irinae Danilevsky, 1997c: 59 A: KZ
kastekum Danilevsky, 1996d: 415 A: KI KZ
kapchagaicum Danilevsky, 1996d: 413 A: KZ
leopardinum Plavilstshikov, 1937a: 28 A: XIN
mystacinum mystacinum Ballion, 1878: 369 A: KI KZ
ataense Pic, 1901e: 18
auliense Pic, 1901p: 69
capreolum Heyden, 1887d: 317
kusnezovi Jakovlev, 1906b: 40
mystacinum pumilio Plavilstshikov, 1951: 114 A: KZ
mystacinum rufidens Jakovlev, 1906b: 39 A: KZ
nikolaevi Danilevsky, 1995b: 420 A: KZ
ninae Danilevsky, 1995b: 422 A: KZ
nivosum Suvorov, 1913: 66 (*Compsodorcadion*) A: KZ
optatum kadyrbekovi Danilevsky, 1999b: 20 A: KZ
optatum mathieseni Suvorov, 1910b: 66 A: KI
mathieseni Plavilstshikov, 1958: 295, 392 [unjustified emendation]
luctuosum Suvorov, 1913: 76
optatum optatum Jakovlev, 1906b: 38 A: KI
optatum toropyginae Danilevsky, 1999b: 22 A: KI
optatum vallesum Danilevsky, 1999b: 27 A: KI
pantherinum desertum Danilevsky, 1995b: 427 A: KZ
pantherinum pantherinum Jakovlev, 1899a: 147 A: KZ
pantherinum sabulosum Danilevsky, 1995b: 426 A: KZ
pantherinum shamaevi Danilevsky, 1995b: 427 A: KZ
pelidnum Jakovlev, 1906b: 38 A: KI
profanifuga Plavilstshikov, 1951: 113 A: KZ
songaricum Ganglbauer, 1884: 477 A: KZ XIN
ininterruptum Pic, 1897f: 94
suvorovi karachokense Danilevsky, 1996e: 459 A: KZ
suvorovi konyrolenum Danilevsky, 1996e: 458 A: KZ
suvorovi suvorovi Jakovlev, 1906c: 274 A: KZ
suvorovi taldykurganum Danilevsky, 1996e: 461 A: KZ
suvorovi tekeliense Danilevsky, 1996e: 459 A: KZ
suvorovianum koramense Danilevsky, 1999b: 32 A: KZ
suvorovianum suvorovianum Plavilstshikov, 1915b: 80 [RN] A: KZ
formosum Suvorov, 1910b: 65 [HN]
tianshanense Breuning, 1947d: 142 A: XIN
tianshanskii heptapotamicum Plavilstshikov, 1951: 115 A: KZ
tianshanskii radkevitschi Suvorov, 1910b: 61 A: KZ
opulentum Suvorov, 1910b: 63
tianshanskii algaense Danilevsky, 2012i: 12 A: KZ
tianshanskii euzhaisanicum Danilevsky, 2012i: 20 A: KZ
tianshanskii otariense Danilevsky, 2012i: 13 A: KZ
tianshanskii terminum Danilevsky, 1999b: 23 A: KZ
tianshanskii tianshanskii Suvorov, 1910b: 67 A: KZ
tianshanskii parapumilio Danilevsky, 2012i: 15 A: KZ
tibiale Jakovlev, 1889: 250 (*Compsodorcadion*) A: KI XIN
toropovi Danilevsky, 1999b: 34 A: KI
tschitscherini Jakovlev, 1899a: 153 A: KZ
~~*abortivum* Suvorov, 1910b: 71~~
~~*abundans* Suvorov, 1910b: 71~~
~~*mixtum* Suvorov, 1910b: 71~~

~~perinterruptum~~ Suvorov, 1910b: 71
tshitsherini Plavilstshikov, 1958a: 294 [unjustified emendation]
unidiscale Danilevsky, 1996d: 416 A: KZ
urdzharicum Plavilstshikov, 1937a: 29 A: KZ
zhaisanicum Shapovalov, 2007: 72 A: KZ
subgenus *Carinatodorcadion* Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771
aethiops aethiops Scopoli, 1763: 53 (*Cerambyx*) E: AL AU BU CR CZ GR HU MC MD RO SK SL TR UK YU
bergmanni Tippmann, 1958b: 151
morio Fabricius, 1787: 141 (*Lamia*)
scopolii Gmelin, 1790: 1835 (*Cerambyx*)
aethiops asenovii Danilevsky, 2014c: 253 E: BU
aethiops majoripenne Pic, 1926d: 13 E: GR [see: Danilevsky, 2014c: 251]
aethiops propinquum Breuning, 1962a: 517 E: GR [see: Danilevsky, 2014c: 251]
aethiops strumense Danilevsky, 2014c: 252 E: BU
balthasari Heyrovský, 1962b: 225 E: AL
carinatum carinatum Pallas, 1771: 465 (*Cerambyx*) E: CT KZ ST UK A: KZ
pigrum Schoenherr, 1817a: 398 (*Lamia*)
carinatum cylindraceum Reitter, 1886: 69 E: ST A: AB
carinatum igrenum Danilevsky, 1998b: 137 E: UK
carinatum sunzhenum Danilevsky, 1998b: 138 E: ST
carinatum uralense Danilevsky, 1998b: 138 A: KZ
cervae Frivaldszky, 1892b: 133 E: HU
fulvum erythropterum Fischer von Waldheim, 1823: Tab. L - 7 E: AL BH BU CR MC MD RO PL TR UK YU
canaliculatum Fischer von Waldheim, 1824: 240
fulvum fulvum Scopoli, 1763: 53 (*Cerambyx*) E: AU CZ HU SK SL UK
freyi Tippmann, 1958b: 158
frontale Mulsant & Rey, 1863: 154
kulzeri Tippmann, 1958b: 158
nigripenne Fleischer, 1894: 121
rugipenne Tippmann, 1958b: 155
sanguinolentum Scopoli, 1772: 99 (*Prionus*)
hybridum hedvigae Jureček, 1933: 127 E: GR
hybridum hybridum Ganglbauer, 1884: 441 E: GR TR
ingae Peks, 1993: 3 E: TR
laevipunctatum Breuning, 1944a: 14 E: AL MC
maderi Breit, 1923: 147 E: AL
sterbai Breuning, 1944a: 14 E: AL
subgenus *Cribridorcadion* Pic, 1901b: 12 type species *Dorcadion mniszecchi* Kraatz, 1873
Autodorcadion Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763
Bergerianum Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysochroum* Breuning, 1943
Dzhungarodorcadion Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899
Pedestredorcadion Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761
abstersum Holzschuh, 1982a: 75 A: TR
accola Heyden, 1894b: 87 A: TR
glabrolineatum Pic, 1927e: 6
afflictum Pesarini & Sabbadini, 1999: 54 A: TR
akpinarensis Bernhauer & Peks, 2010a: 196 A: TR
albanicum Heyrovský, 1934b: 135 E: AL
albolineatum Küster, 1847a: 86 A: TR
byzantinum J. Thomson, 1867: 69
albonotatum Pic, 1895b: 39 A: TR
albosuturale Breuning, 1946: 115 E: AL GR MC
amaliae Pesarini & Sabbadini, 2013: 55 A: TR
amanense Breuning, 1943b: 94 A: TR
amphissae Breuning, 1974g: 153 E: GR
anatolicum Pic, 1900g: 12 A: TR
brevipenne Pic, 1902c: 10
chehirensis Pic, 1902c: 10
ininterruptum Pic, 1900g: 13 [HN]
medointerruptum Pic, 1901p: 73
subuniforme Pic, 1902j: 27
andirinense Bernhauer & Peks, 2011b: 218 A: TR
apicerufum Breuning, 1943b: 91 [RN] A: AB AR GG ?IN TR
sanguinolentum J. Thomson, 1865a: 548 [HN]
thomsonianum Plavilstshikov, 1948: 126 [RN]
aracense Bernhauer & Peks, 2011a: 204 A: TR
arcivagum J. Thomson, 1867: 121 A: TR
cilicium Pic, 1904a: 4

ardahense Breuning, 1975c: 10 A: TR
arenarium abruptum Germar, 1839: 18 E: AL BH CR
arenarium arenarium Scopoli, 1763: 53 (*Cerambyx*) E: CR IT SL
beszedesi Depoli, 1926a: 11
istriatum Depoli, 1912: 37, 40
liburnicum Depoli, 1912: 37, 39
sabandum Pic, 1945b: 7
vittigerum Panzer, 1797b: 24 (*Lamia*)
arenarium brattiense J. Müller, 1905: 135 E: BH CR
arenarium dalmatinum J. Müller, 1905: 134 E: BH CR
arenarium hypsophilum J. Müller, 1905: 135 E: BH CR YU
arenarium lemniscatum Küster, 1847a: 89 E: BH CR
mostarense Pic, 1942a: 1
arenarium muelleri Depoli, 1912: 37, 40 E: BH CR
arenarium rubrimembris Pic, 1917g: 6 [RN] E: AL BH CR YU
rubripes J. Müller, 1905: 135 [HN]
arenarium shkypetarum Heyrovský, 1937b: 91 E: AL
arenarium marsicanum Fracassi, 1905: 112 E: FR IT
fuscovestitum Pic, 1905a: 11
subcarinatum J. Müller, 1905: 139
arenarium velebiticum J. Müller, 1905: 140 E: BH CR
arenarioides Rabaron, 1979: 11 E: GR
ariannae Pesarini & Sabbadini, 2008: 115 E: GR
atticum Kraatz, 1873a: 72 E: GR
luteovittatum Pic, 1942a: 1
multinigronotatum Pic, 1927e: 6
auratum Tournier, 1872: 291 A: GG
lederi Kraatz, 1878a: 217 [1878: 353]
avgadiense Bernhauer & Peks, 2011b: 215 A: TR
axillare Küster, 1847a: 88 E: BU RO
kraatzi Tournier, 1872: 281
varmanum Pic, 1926d: 13
bangi bangi Heyden, 1894b: 89 A: TR
bangi heinzorum Braun, 1975: 17 A: TR
bangi roridum Pesarini & Sabbadini, 1999: 55 A: TR
banjkovskiyi Plavilstshikov, 1958a: 147 A: TR
basale Kraatz, 1873a: 86 A: TR
kagyzmanicum Suvorov, 1915: 120
beckeri beckeri Kraatz, 1873a: 71 E: ST A: AB
beckeri koenigi Jakovlev, 1897: 245 E: ST A: AB
impressipenne Pic, 1900g: 14
beloni Pic, 1891: lxxvii A: TR
berytense Breuning, 1964c: 31 A: LE
biforme Kraatz, 1873a: 53 A: IN
discomaculatum Pic, 1905m: 187
bisignatum Jakovlev, 1899b: 66 A: ?GG TR
bistriatum Pic, 1898h: 55 A: AB AR
bithyniense Chevrolat, 1856a: 88 A: TR
serotinum J. Thomson, 1865a: 549
blanchardi Mulsant & Rey, 1863: 147 A: IN TR
blandulum Holzschuh, 1977a: 131 A: TR
bodemeyeri K. Daniel, 1900: 140 A: TR
boluense boluense Breuning, 1962c: 38 A: TR
boluense corallinum Pesarini & Sabbadini, 1999: 53 A: TR
boluense imitator Pesarini & Sabbadini, 1999: 53 A: TR
borisi Heyrovský, 1931: 84 E: BU MC
boszdaghense Fairmaire, 1866b: 275 A: TR
grammophilum J. Thomson, 1867: 70
boucardi Pic, 1942c: 6 A: SY
bouilloni Breuning & Ruspoli, 1975: 116 A: TR
brauni Breuning, 1979b: 92 A: TR
bravardi Pic, 1916a: 22 E: AL GR MC
bremeri Breuning, 1981c: 181 A: TR
brenskai Ganglbauer, 1884: 450 [RN] E: GR
aeginasum Pic, 1942c: 6
apicale Kraatz, 1873a: 76 [HN]
nemeense Breuning, 1974g: 151
breuningi Heyrovský, 1943: 78 E: GR TR

brunneicolle Kraatz, 1873: 37 A: IN
casvinense Pic, 1905o: 392
jakovlevi Semenov, 1905: 144
subfulvovestitum Pic, 1914c: 8
brunoi Breuning, 1964c: 31 A: LE
bulgharmaadense Breuning, 1946: 116 A: TR
buresi Štěrba, 1922: 2 E: GR
cachinno J. Thomson, 1867: 120 A: TR
immersum Tournier, 1872: 281
caglayanceritense Bernhauer & Peks, 2013a: 314 A: TR
caprai caprai Breuning, 1950: 303 A: IN
caprai completomentosum Breuning, 1974f: 133 (*Pedestredorcadion*) A: IN
carinipenne Pic, 1900g: 13 A: TR
carolisturani Breuning & Ruspoli, 1971: 128 A: TR
caspiense Breuning, 1956j: 723 A: AB
catenatum bleusei Pic, 1899d: 300 E: GR
diversejunctum Pic, 1907j: 179
rhodicum Depoli, 1924: 43
catenatum catenatum Walth, 1838: 469 A: TR
bonyi Pic, 1942b: 1
divisum Germar, 1839: 15
dorsale Pic, 1907j: 179
mancum Gistel, 1848: 431
smyrnanum Breuning, 1946: 106
smyrnense Pic, 1917a: 10
sparsedivisum Pic, 1911h: 185
subobliteratum T. Pic, 1899: 351
thebesianum Pic, 1942a: 1
uninterruptum T. Pic, 1899: 351
catenatum dissimile Ganglbauer, 1884: 458 E: TR
catenatum intercisum Kraatz, 1873a: 66 A: TR
catenatum loratum J. Thomson, 1867: 123 A: TR
catenatum mytilinense Kraatz, 1873a: 66 E: GR
latevittatum Kraatz, 1873a: 66
catenatum oedemischense Heyrovský, 1932: 104 A: TR
catenatum subdivisum Breuning, 1955d: 263 A: TR
chopardi Breuning, 1948c: 60 A: IN
chrysochroum Breuning, 1943b: 95 E: GR
cinctellum Fairmaire, 1866b: 272 A: TR
cinerarium adygorum Lazarev, 2011c: 276 E: ST
cinerarium azovense Lazarev, 2011c: 281 E: UK
cinerarium bartenevi Lazarev, 2011c: 287 E: UK
cinerarium belousovi Lazarev, 2011c: 280 A: AB
cinerarium cinerarium Fabricius, 1787: 140 (*Lamia*) E: CT MD ST UK
tricolor Fischer von Waldheim, 1805: 15 (*Lamia*)
cinerarium demidovi Danilevsky, 2013e: 429 E: UK
cinerarium deniz Lazarev, 2011c: 279 A: AB
cinerarium gorodinskii Danilevsky, 1996c: 65 E: UK
cinerarium macropoides Plavilstshikov, 1932b: 183 E: UK
cinerarium napolovi Lazarev, 2011c: 279 A: AB
cinerarium panticapaeum Plavilstshikov, 1951: 116 E: UK
cinerarium papayense Lazarev, 2014: 277 E: ST
cinerarium perroudi Pic, 1942b: 2 E: UK
cinerarium sindorum Lazarev, 2011c: 284 E: ST
cinerarium skrylniki Lazarev, 2011c: 282 E: UK
cinerarium smetanai Lazarev, 2011c: 281 E: ST
cinerarium terkense Lazarev, 2011c: 276 E: ST
cinerarium veniamini Lazarev, 2011c: 275 E: ST
cinerarium zubovi Lazarev, 2011c: 274 E: MD
cineriferum Suvorov, 1910a: 290 A: AB AR
cingulatoides cingulatoides Breuning, 1946: 122 A: IN
cingulatoides hassani Danilevsky, 2010c: 8 A: IN
cingulatum Ganglbauer, 1884: 484 A: IN TR
invicinum Pic, 1902q: 93
persianum Breuning, 1943b: 94
ciscaucasicum abramovi Lazarev, 2009: 14 E: ST
ciscaucasicum mokrzeckii Jakovlev, 1902: 148 E: UK

ciscaucasicum ciscaucasicum Jakovlev, 1899b: 59 E: ST
borodini Suvorov, 1915: 118
coiffaiti Breuning, 1962a: 392 A: TR
complanatum Ganglbauer, 1884: 485 A: IN
condensatum Küster, 1852: 92 E: BU TR A: TR
adampolum Pic, 1917g: 6
inlineatum Pic, 1917g: 6
punctatissimum Ganglbauer, 1884: 94
confluens Fairmaire, 1866b: 274 A: TR
subobscuripes Pic, 1914c: 9
conspersum Pesarini & Sabbadini, 2013: 56 A: TR
corcyricum Ganglbauer, 1884: 453 E: GR
crassicolle Pesarini & Sabbadini, 2007b: 57 E: GR
crux Billberg, 1817: 175 (*Lamia*) A: TR
bifidum Chevrolat, 1882: 60
biinterruptum Pic, 1901d: 19
brevedisjunctum Pic, 1929b: 9
cruciator Gistel, 1848a: 131
graecum Waltl, 1838: 470
grandevittatum Pic, 1904b: 7
integrofasciatum K. Daniel, 1900: 140
lateargenteum Pic, 1929b: 9
lunulatum Pic, 1900g: 12
niveopictum K. Daniel, 1900: 140
subfurcatum Pic, 1914c: 9
culminicola J. Thomson, 1867: 122 A: TR
czegodaevi Danilevsky, 1992b: 110 A: AB
czipkai Breuning, 1973a: 54 A: IN
danczenkoi Danilevsky, 1996d: 417 A: IN AB
daratshitshagi Suvorov, 1915: 120 A: AR
decipiens Germar, 1824: 486 (*Lamia*) E: HU MD RO UK YU
jacqueti Pic, 1902c: 10
delagrangei Pic, 1894h: 110 A: TR
fuscopubescens Pic, 1900g: 12
mardinense Pic, 1900c: 6
demokidovi Suvorov, 1915: 115 A: AB GG
deyrollei deyrollei Ganglbauer, 1884: 482 A: TR
deyrollei opacum Pesarini & Sabbadini, 2013: 54 A: TR
dimidiatum dimidiatum Motschulsky, 1838: 186 A: AB AR GG IN TR
degaullei Pic, 1948: 13
erivanicum Pic, 1901s: 91
transitorium Pic, 1948: 13
dimidiatum kelkiticum Özdikmen & Hasbenli, 2004: 23 A: TR
dimidiatum korgei Breuning, 1966b: 21 A: TR
discodivisum Pic, 1939c: 21 A: IN
dobrovljanskii Suvorov, 1915: 116 A: TR
dokhtouroffi Ganglbauer, 1886b: 130 A: KI UZ
dokhturovi Plavilstshikov, 1958a: 145 [unjustified emendation]
subcostatum Heyden, 1887d: 323
drusoides Breuning, 1962a: 375 A: SY TR
drusum Chevrolat, 1870: 84 A: IS LE SY
apicale Chevrolat, 1873: 205 [HN]
libanoticum Kraatz, 1873a: 100
perrini Fairmaire, 1881: 88
tarabuliense Ganglbauer, 1889d: 481
eflaniense Bernhauer & Peks, 2011a: 205 A: TR
elazigi Fuchs & Breuning, 1971: 439 A: TR
holzschuhi Breuning, 1974g: 148
elbursense Breuning, 1943b: 93 A: IN
elegans Kraatz, 1873a: 73 E: KZ ST UK A: KZ
vicinum Pic, 1892f: 91
enricisturanii densepunctatum Braun, 1978a: 107 A: TR
enricisturanii enricisturanii Breuning & Ruspoli, 1971: 127 A: TR
epirensis Breuning, 1942b: 128 E: GR
equestre bernhauerorum Peks, 2010: 213 A: TR
equestre bisuturale Jureček, 1933: 128 [type locality: Griechenland, Bos-Dahr-Gebirge bei Drama] E: BU GR TR
equestre equestre Laxmann, 1770: 596 (*Cerambyx equestis*) E: CT ST UK A: GG
cruciatum Fabricius, 1787: 140 (*Lamia*)
cruciferum Lepechin, 1774: 231 (*Cerambyx*)

pallassii Fischer von Waldheim, 1805: 14 (*Lamia*)
razumoffskii Fischer von Waldheim, 1805: 13 (*Lamia*)
equestre festivum Pesarini & Sabbadini, 2013: 58 **A: TR**
equestre nogelli Fairmaire, 1866b: 270 **A: TR**
nogelii Thomson, 1867: 58 ["Armenia"]
equestre reclinatum Kraatz, 1892: 173 **E: AL GR MC YU**
immaculatum Kraatz, 1892: 174 ["Balkan"]
equestre transilvanicum Ganglbauer, 1884: 462 **E: MD RO**
niveoconjectum T. Pic, 1900c: 352
quadristrigatum Kraatz, 1893: 70
romaniense T. Pic, 1900c: 352
eskipazareense Bernhauer & Peks, 2011a: 203 **A: TR**
etruscum etruscum Rossi, 1790: 147 (*Lamia*) **E: IT**
apenninum Depoli, 1926a: 25
apulium Depoli, 1926a: 25
beieri Pic, 1932d: 18
calabricum Breuning, 1942b: 126
femoratum Brullé, 1832: 259
fuscifrons Chevrolat, 1882: 60
italicum Küster, 1847c: 99
nudum Küster, 1852: 93
romanorum Pic, 1917g: 7
siculum Depoli, 1926a: 25
subiacum Pic, 1917a: 10
etruscum forii Breuning, 1942b: 126 **E: IT**
eugeniae emgei Ganglbauer, 1886a: 519 **E: GR**
eugeniae eugeniae Ganglbauer, 1886a: 521 **E: GR**
arcadicum Breuning, 1946: 104
faldermanni Ganglbauer, 1884: 493 **A: IN**
ferruginipes Ménériés, 1836a: 151 **E: GR TR A: TR**
subfuscopubens Pic, 1911a: 7
sublineatum Pic, 1909b: 99
thracicum Küster, 1846b: 90
formosum formosum Kraatz, 1871c: 411 **A: TR**
formosum ponticum Breuning, 1964b: 1 **A: TR**
frustrator Plavilstshikov, 1958a: 172 [RN] **A: AB**
hypocrita Plavilstshikov, 1937a: 27 [HN]
hypocritellum Breuning, 1958b: 29 [RN]
funestum Ganglbauer, 1884: 501 **E: GR**
gallipolitanum atritarse Pic, 1931c: 10 **E: GR**
gallipolitanum fumidum Pesarini & Sabbadini, 2010: 186 **E: GR**
gallipolitanum gallipolitanum J. Thomson, 1867: 59 **E: GR TR**
gandolphei Tournier, 1872: 288
suturaalba Desbrochers des Loges, 1870c: 125
gallipolitanum samothrakeanum Breuning, 1962a: 326 **E: GR**
gashtarovi Sama, Dascalu & Pesarini, 2010: 287 **E: BU RO**
glabricolle Breuning, 1943b: 92 **A: TR**
glaucum Faldermann, 1837: 277 **A: ?AB ?AR IN**
goelbasiense goelbasiense Bernhauer & Peks, 2013a: 310 **A: TR**
goelbasiense karadutense Bernhauer & Peks, 2013a: 311 **A: TR**
goelbasiense kathaense Bernhauer & Peks, 2013a: 312 **A: TR**
goelbasiense oeksuezdagense Bernhauer & Peks, 2013a: 311 **A: TR**
gorbunovi gorbunovi Danilevsky, 1985: **313, 328, 332** [= 1987: 617] **A: AB AR**
gorbunovi rubenyani Lazarev, 2014: 278 **A: AR**
granigerum Ganglbauer, 1884: 458 **E: GR**
gusakovi Danilevsky, 2007b: 1 **A: GG**
guzeldereense Bernhauer & Peks, 2012: 213 **A: TR**
guzeldereense Bernhauer & Peks, 2013b: 336 [unjustified emendation – Art. 32.5.2.1. (Lazarev, 2014: 279)]
hacgedigiense Bernhauer & Peks, 2011b: 216 **A: TR**
haemorrhoidale Hampe, 1852b: 313 **A: IN TR**
halepense halepense Kraatz, 1873a: 72 **A: SY TR**
internotatum Pic, 1931c: 9
internesignatum Pic, 1914f: 79
latealbum Pic, 1926d: 13
latebivittatum Pic, 1931c: 1
halepense sehittkamilense Özdikmen, Mercan & Cihan, 2012c: 604 **A: TR**
hampii aureovittatum Kraatz, 1873a: 81 **A: TR**
hampii hampii Mulsant & Rey, 1863: 157 **A: TR**

heinzi Breuning, 1964b: 1 A: TR
heldreichi Kraatz, 1873a: 90 E: GR
bilaterale Chevrolat, 1882: 59
presaturale Pic, 1903a: 5
hellmanni Ganglbauer, 1884: 486 A: IN IQ TR
heyrovskyi Breuning, 1943b: 97 E: GR MC
holosericeum holosericeum Krynicki, 1832: 159 E: BL CT KZ MD PL RO ST UK
rossicum Plavilstshikov, 1927a: 52 [RN]
holosericeum tristriatum Suvorov, 1913: 71 E: ST A: GG
estriatum Suvorov, 1913: 72
striatum Dalman, 1817b: 175 (*Lamia*) [HN]
holtzi Pic, 1905g: 115 A: TR
iconiense K. Daniel, 1900: 140 A: TR
albicollis Breuning, 1943b: 89
fulvovestitum Pic, 1903a: 5
muchei Breuning, 1962c: 38
parescherichi Breuning, 1966e: 146
semisetosum Jakovlev, 1901a: 85
subatritarse Breuning, 1966e: 146
impressicollis Kraatz, 1873a: 47 A: SY
indutum Faldermann, 1837: 276 A: AB AR
infernale asperatum Breuning, 1947e: 169 A: TR
infernale edremittense Breuning, 1966b: 20 A: TR
infernale infernale Mulsant & Rey, 1863: 158 A: TR
immutatum Pic, 1903q: 171
miminfemale Breuning, 1970d: 98
revestitum K. Daniel, 1900: 140
rugosum J. Thomson, 1867: 46
inikliense Bernhauer & Peks, 2010b: 208 A: TR
inopinatum Pesarini & Sabbadini, 2013: 51 A: TR
inspersum Holzschuh, 1982a: 76 A: TR
insulare Kraatz, 1873a: 62 E: GR
intrusum Pesarini & Sabbadini, 2009: 26 E: TR
~~*investitum* Braun, 1978: 111 A: TR [nomen nudum]~~
irakense Al-Ali & Ismail, 1987: 1 A: IQ
iranicum Breuning, 1947d: 141 A: IN
ispartense Breuning, 1962a: 394 A: TR
ispirense Bernhauer & Peks, 2013b: 328 A: TR
ivani Pesarini & Sabbadini, 2011: 47 A: TR
jacovleviellum Plavilstshikov, 1951: 120 A: TR
janatai Kadlec, 2006b: 11 A: TR
joanninae Breuning, 1967a: 1 E: GR
johannisfranci Pesarini & Sabbadini, 2007b: 40 E: GR TR
kaimakcalanum Jureček, 1929: 143 E: GR MC
kalashiani Danilevsky, 1992b: 108 A: AB IN
karacaorenense Bernhauer & Peks, 2012: 211 A: TR
karacaorenense Bernhauer & Peks, 2013b: 336 [unjustified emendation – Art. 32.5.2.1. (Lazarev, 2014: 279)]
karamanense Özdikmen & Koçak, 2013: 672 E: TR
karsense Suvorov, 1915: 118 A: TR
kartaldagense Bernhauer & Peks, 2013a: 314 A: TR
kasikoporanum Pic, 1902c: 10 A: AR TR
kazanciense Bernhauer & Peks, 2010a: 197 A: TR
kharpuense Danilevsky, 1998a: 49 A: IN
kindermanni Waltl, 1838: 470 A: TR
griseum Waltl, 1838: 470
kizildagense Bernhauer & Peks, 2012: 212 A: TR
klavdiae Danilevsky, 1992a: 92 A: GG
koechlini Pic, 1898h: 56 A: SY
komarowi komarowi Jakovlev, 1887a: 155 A: IN TM
janczyki Breuning, 1963e: 36
interruptum Jakovlev, 1895: 510
komarovi Plavilstshikov, 1932a: 193 [unjustified emendation]
transcaspicum Jakovlev, 1901b: 108
komarowi kryzhanovskii Plavilstshikov, 1958a: 167 A: TM
konradi Bernhauer & Peks, 2012: 210 A: TR
kozanii daccordii Pesarini & Sabbadini, 2007b: 42 E: GR
kozanii kozanii Breuning, 1962a: 318 E: GR

kraetschmeri Bernhauer, 1988: 98 A: TR
krueperi Ganglbauer, 1884: 453 E: AL GR MC
thessalicum Pic, 1942a: 3
viturati Pic, 1903a: 5
kuldschanum Pic, 1908b: 4 A: XIN
albidolimbatum Pic, 1912a: 9
julduasianum Pic, 1912j: 89
kuldshanum Breuning, 1962a: 436 [unjustified emendation]
kuldzhanum Plavilstshikov, 1958a: 282 [unjustified emendation]
pauli Pic, 1909b: 99
kurdistanum Breuning, 1944a: 12 A: TR
kurucanum Holzschuh, 2007: 249 A: TR
kykladicum Breuning, 1944a: 13 E: GR
ladikanum Braun, 1976b: 173 A: TR
ladikense Breuning, 1975c: 10
paraladikense Breuning, 1977a: 60
laeve laeve Faldermann, 1837: 278 A: IN
permudum Reitter, 1913d: 665
persicum Faldermann, 1837: 282
plasoni Ganglbauer, 1884: 491
laeve hyrcanum Jakovlev, 1899b: 64 A: IN
laeve micula Plavilstshikov, 1937a: 26 A: TR
laeve vladimiri Danilevsky & Murzin, 2009a: 13 A: AR
lameerei Théry, 1896: 109 A: TR
lamiae Breuning, 1962a: 263 E: GR
ledouxi Breuning, 1974c: 65 A: TR
lianokladii Breuning, 1962a: 255 E: GR
linderi Tournier, 1872: 285 A: TR
henrici Pic, 1905j: 156
kollari Kraatz, 1873a: 87
lineatocolle Kraatz, 1873a: 57 E: AL BU GR MC YU
atrofemoratum Pic, 1917g: 7
riveti Pic, 1927l: 162
sinuaticolle Pic, 1927e: 6
lineatopunctatum Breuning, 1944a: 13 A: IN
litigiosum litigiosum Ganglbauer, 1884: 454 E: ?MD RO
litigiosum otshakovi Suvorov, 1913: 81 E: UK
ljubetense ljubetense Pic, 1909b: 105 E: AL MC YU
ljubetense Breit, 1929a: 206 [HN]
ljubetense peristeriense Breuning, 1962a: 248 E: GR
lodosi abanozense Bernhauer & Peks, 2010a: 199 A: TR
lodosi lodosi Sabbadini & Pesarini, 1992a: 29 A: TR
lohsei Braun, 1976c: 254 A: TR
longulum Breuning, 1943b: 89 A: TR
lugubre lugubre Kraatz, 1873a: 41 E: ?BU GR MC [described from Saloniki]
discosulcatum Pic, 1926d: 1
pseudolugubre Breuning, 1943b: 96 ["Karatschköi" = Dioni 40°58'45"N, 25°33'46"E or Asvestohori" - 40°38'27"N, 23°1'27"E]
salonicum Pic, 1916a: 22
sparsepilosum Pic, 1926d: 13 ["Salonique"]
lugubre meteorum Breuning, 1969b: 42 E: GR [Meteora]
lugubre minkovae Heyrovský, 1962b: 225 E: BU [Kresna] [see: Danilevsky, 2014c: 252]
lugubre parinfernale Breuning, 1975c: 10 E: GR [Kavala]
giachinoi Pesarini & Sabbadini, 2007b: 45 [Oros Kavala]
lugubre pelionense Breit, 1923: 145 E: GR [Mt. Pelion - 39°26'N, 23°03'E]
lugubre thessalicum Pic, 1916a: 22 E: GR ["Thessalie" - from Pella (Notia - 41°6'6"N, 22°12'30"E) e Kilkis (Fanos - 41°4'46"N, 22°28'39"E) to Kavala]
macedonicum Jureček, 1929: 143 E: AL MC
glabriscapus Breuning, 1943b: 97
maceki Holzschuh, 1995: 41 A: TR
maljushenkoi Pic, 1904b: 8 A: AB
marandense Holzschuh, 2007: 248 A: IN
margheritae Breuning, 1964c: 32 E: GR TR
martini Bernhauer, 1988: 100 A: TR
mediterraneum Breuning, 1942b: 125 E: IT
megriense Lazarev, 2009: 212 A: AR
menradi Holzschuh, 1989a: 172 A: TR
merkli Ganglbauer, 1884: 506 A: TR
meschniggi Breit, 1929a: 205 E: GR

disconigrolineatum Heyrovský, 1940: 59
olympianum Meschnigg, 1947: 137
mesopotamicum Breuning, 1944a: 12 A: IQ TR
micans micans J. Thomson, 1867: 61 A: TR
amasinum Pic, 1898h: 58
atripes Reitter, 1900a: 88
corallicorne Pic, 1904a: 4
macropus Kraatz, 1873a: 99
obscurans Pic, 1892f: 91
paracinerarium Breuning, 1974g: 149
sericatum Kraatz, 1873a: 98
subobesum Pic, 1942a: 2
subreductum Pic, 1942a: 2
tokatense Pic, 1901b: 12
micans susheriense Breuning, 1970d: 97 A: TR
mimarenarium Breuning, 1974g: 152 E: GR
minutum minutum Kraatz, 1873a: 76 E: GR
irroratum Kraatz, 1873a: 76
minutum rugicolle Breuning, 1962a: 263 E: GR
mniszecchi Kraatz, 1873a: 39 A: AR GG TR
mokrzeckii Jakovlev, 1902: 148 E: UK
moldavicum Dascalu & Fusu, 2012: 39 E: RO
moreanum Pic, 1907c: 12 E: GR
morozovi Danilevsky, 1992a: 94 A: KZ XIN
mosulense Özdikmen, Al-Hamadani & Ali, 2013: 1 A: TR
multimaculatum Pic, 1932d: 22 A: TR
murrayi Küster, 1847a: 84 E: RO YU
montandoni Pic, 1902c: 9
triste Petri, 1885: 56
musarti Pic, 1907f: 104 A: XIN
narlianum Özdikmen, Mercan & Cihan, 2012b: 550 A: TR
nigrostriatum Adlbauer, 1982: 104 A: TR
nigrosuturatum Reitter, 1897b: 236 A: AR
griseipenne Breuning, 1943b: 92
nihalae Rapuzzi & Sama, 2012: 671 A: TR
niksarensis Bernhauer & Peks, 2013b: 327 A: TR
nitidum Motschulsky, 1838: 185 A: AB AR GG TR
suturatum Ferrari, 1865: 481
niveisparsum J. Thomson, 1865a: 548 A: GG TR
cretosum Ferrari, 1865: 479
postobliteratum Pic, 1942c: 1
sobrinum Pic, 1898h: 55
nobile Hampe, 1852b: 313 A: IN TR
nurense Danilevsky & Murzin, 2009a: 20 A: IN
obenbergeri Heyrovský, 1940: 58 E: GR
marani Heyrovský, 1940: 59
obtusicolle Pic, 1926d: 2 A: XIN
obtusum marashense Breuning, 1948c: 59 A: TR
obtusum obtusum Breuning, 1944a: 13 A: TR
oetalicum Pic, 1902f: 19 E: GR
oezdurali Önalp, 1988: 361 A: TR
olympicum convexum Breuning, 1943b: 90 A: TR
olympicum flavosuturale Krätschmer, 1987: 340 A: TR
olympicum olympicum Kraatz, 1873a: 78 A: TR
obsoletum Kraatz, 1873a: 78
oreophilum Ganglbauer, 1884: 500
subalpinum Kraatz, 1873a: 78
ortrudae Braun, 1978b: 185 A: TR
ossae Heyrovský, 1941c: 79 E: GR
ossaum Meschnigg, 1947: 137
pararenarium Breuning, 1969b: 42 E: GR
pararufipenne pararufipenne Braun, 1976c: 257 A: TR
pararufipenne rassei Braun, 1976c: 261 A: TR
parcepunctatum Breuning, 1948c: 60 A: IN
parilis Pesarini & Sabbadini, 2013: 52 A: TR
parnassi Kraatz, 1873a: 72 E: GR
oertzeni Ganglbauer, 1884: 454
pasquieri Breuning, 1975d: 65 A: IN

pavesii Pesarini & Sabbadini, 1999: 57 A: TR
pedestre pedestre Poda von Neuhaus, 1761: 34 (*Cerambyx*) E: AL AU BH BU CR CZ HU MC MD PL RO SK SL UK YU
austriacum Ganglbauer, 1889d: 481
gogium J. Thomson, 1867: 125
~~*mollitor* L. Redtenbacher, 1849: 496 [HN]~~
ruficornis Pic, 1931c: 10
rufipes Fabricius, 1793: 288 (*Lamia*)
zoufali Tippmann, 1958b: 156
pedestre kaszabi Breuning, 1956e: 404 E: HU
peksi Bernhauer, 2010: 190 A: TR
peloponesium Pic, 1902c: 10 E: GR
subunctum Pic, 1904b: 7
weiratheri Pic, 1929b: 9
peloponnesicum Breuning, 1982b: 146 E: GR
pergamenum Pesarini & Sabbadini, 2009: 22 A: TR
petrovitzi Heyrovský, 1964b: 97 A: TR
pilosellum obscurimembre Breuning, 1946: 110 E: GR
pilosellum pilosellum Kraatz, 1873a: 58 E: GR
pilosipenne kazdagense Özdikmen, 2013: 56 in Küçükaykay et al., 2013 A: TR
pilosipenne pilosipenne Breuning, 1943b: 90 E: GR
pilosum Breuning, 1943: 91
pindicum Breuning, 1966c: 4 E: GR
piochardi Kraatz, 1873a: 85 A: TR
elongatum Pic, 1898h: 58
ladikense Breuning & Villiers, 1967a: 60 (*Pedestredorcadion*)
mauricei Plavilstshikov, 1927a: 51 [RN]
quadripustulatum Ganglbauer, 1884: 457
pelops Jakovlev, 1901a: 83
roberti Pic, 1905a: 11
theophilei Pic, 1901h: 32 [HN]
varievittatum Pic, 1942a: 1
pittinorum Pesarini & Sabbadini, 1999: 48 A: TR
pluto J. Thomson, 1867: 47 A: TR
poleti Breuning, 1948c: 59 A: TR
ponomarenkoi Danilevsky, 2010c: 6 A: AB
praetermissum mikhaili Özdikmen, 2010: 457 A: TR
praetermissum praetermissum Pesarini & Sabbadini, 1999: 47 A: TR
preissi Heyden, 1894b: 86 A: TR
pseudarcivagum Breuning, 1943b: 91 A: TR
pseudinfernale Breuning, 1943b: 94 A: TR
pseudobithyniense Breuning, 1962a: 465 A: TR
pseudocinctellum Breuning, 1943b: 90 A: TR
pseudoholosericeum Breuning, 1962a: 300 A: TR
pseudolineatocolle Breuning, 1962a: 334 E: GR
pseudonobile Breuning, 1946: 120 A: IN
pseudopreissi Breuning, 1962a: 411 A: TR
pulchrum Pic, 1908i: 58 A: AB
punctipenne Küster, 1852: 94 E: GR A: TR
distinguendum Pic, 1931c: 10
gebzeense Breuning, 1974g: 148
punctulatum Pesarini & Sabbadini, 2013: 57 A: TR
punctulicolle Breuning, 1944a: 12 A: TR
purkynei Heyrovský, 1925: 45 E: GR MC
pusillum berladense Pic, 1903a: 7 E: RO
pusillum pusillum Küster, 1847a: 90 E: MD RO UK
pusillum tanaiticum Kasatkin, 2002: 277 E: ST
pygmaeum Breuning, 1947e: 168 A: TR
quadripustulatum Kraatz, 1873a: 88 A: TR
regulare dramaticum Pesarini & Sabbadini, 2010: 190 E: GR
regulare regulare Pic, 1931c: 6 E: GR TR
reitteri Ganglbauer, 1884: 492 A: GG
resadiyeense Bernhauer & Peks, 2011b: 219 A: TR
ressli Holzschuh, 2007: 246 A: IN
rigattii Breuning, 1966e: 145 A: TR
rizeanum Breuning & Villiers, 1967b: 60 (*Pedestredorcadion*) A: TR
ikizderense Breuning, 1973a: 54
robustum Ganglbauer, 1884: 500 A: TR

rolandmenradi Peks, 1992: 197 A: TR
rostri Pic, 1900s: 82 A: GG TR
kalinowskyi König, 1901: 10
rufoapicipenne Breuning, 1946: 125 A: TR
rufoapicale Breuning, 1943b: 91 [HN]
rufogenum discoflavovitatum Breuning, 1946: 129 A: XIN
rufogenum rufogenum Reitter, 1895c: 161 A: KZ XIN
posticejunctum Pic, 1909b: 99
sabanoezueense Bernhauer & Peks, 2013b: 326 A: TR
sapkaianum Krätschmer, 1987: 337 E: GR
sareptanum kubanicum Plavilstshikov, 1934d: 120 E: ST
sareptanum euxinum Suvorov, 1915: 119 E: ST
sareptanum sareptanum Kraatz, 1873a: 74 E: KZ ST UK A: KZ
sareptanum striatiforme Suvorov, 1913: 73 E: ST
saulyi javeti Kraatz, 1873a: 91 A: SY TR
destinoi Fairmaire, 1884b: 173
tabense Pic, 1931c: 1
univestitum Pic, 1903a: 5
saulyi saulyi J. Thomson, 1865a: 549 A: SY TR
adanense Pic, 1904a: 4
fenestratum Pic, 1895i: cclxxxiv
simile Kraatz, 1884b: 234
subelongatum Pic, 1931c: 1
scabricolle balikesirensense Breuning, 1962a: 460 A: TR
scabricolle caramanicum K. Daniel & J. Daniel, 1903b: 332 A: TR
scabricolle corpulentum Ménétrés, 1832: 226 A: AB IN
scabricolle crassofoasciatum Özdikmen in Küçükkayki et al., 2013: 56 A: TR
scabricolle gilanense Lazarev, 2013a: 227 A: IN
scabricolle elisabethpolicum Suvorov, 1915: 119 A: AB
micheli Pic, 1948: 13
scabricolle nakhiczewanum Danilevsky, 1999a: 28 A: AB
scabricolle paiz Danilevsky, 1999a: 28 A: AB
scabricolle paphlagonicum Breuning, 1962a: 459 A: TR
scabricolle sagezense Lazarev, 2013a: 227 A: IN
scabricolle scabricolle Dalman, 1817b: 174 (*Lamia*) A: AB AR GG TR
lutescens Kraatz, 1873a: 50
modestum Tournier, 1872: 338
scabricolle skoupyi Lazarev, 2013a: 226 A: IN
scabricolle sevangense Reitter, 1889a: 41 A: AR
scabricolle subcorpulentum Breuning, 1946: 121 A: IN
scabricolle uludaghicum Breuning, 1970d: 98 A: TR
schultzei Heyden, 1894b: 86 A: TR
scopolii Herbst, 1784: 91 (*Lamia*) E: BU CR CZ HU MD PL RO SK UK YU
convexicolle Küster, 1852: 91
germanicum Gmelin, 1790: 1835 (*Cerambyx*)
interclarepubens Breuning, 1956e: 404
lineatum Fabricius, 1787: 141 (*Lamia*)
ungaricum Gmelin, 1790: 1836 (*Cerambyx*)
scrobicolle morulum Holzschuh, 1995: 42 A: TR
scrobicolle scrobicolle Kraatz, 1873a: 97 A: TR
sebenense Bernhauer & Peks, 2011a: 202 A: TR
semenovi almatense Danilevsky, 2002: 5 A: KZ
semenovi bisbicostatum Pic, 1908i: 52 A: KI
semenovi flavopubescens Danilevsky, 2002: 13 A: XIN
semenovi hauseri Reitter, 1895c: 160 A: KI
semenovi issykkulense Pic, 1906h: 96 A: KI
semenovi kaiduense Danilevsky, 2002: 14 A: XIN
semenovi kuvakense Danilevsky, 2002: 16 A: KI
semenovi semenovi Ganglbauer, 1884: 479 A: KI KZ XIN
semenovi terskeicum Danilevsky, 2002: 4 A: KI
semenovi thaisiae Danilevsky, 2002: 16 A: KI
semenovi uriuktense Danilevsky, 2002: 9 A: KI
semiargentatum burdushense Danilevsky & Murzin, 2009b: 14 A: IN
semiargentatum ortrudheinzae Danilevsky, 1998a: 51 A: IN
semiargentatum sarabense Holzschuh, 1993a: 46 A: IN
semiargentatum sementivum Danilevsky & Murzin, 2009b: 61 A: IN
semiargentatum semiargentatum Pic, 1905n: 300 A: IN

descampsi Villiers, 1967: 339 (*Pedestredorcadion*)
shiita Plavilstshikov, 1951: 118
semibrunneum mediocreimpressum Pic, 1909b: 123 A: TR [♀20mm type label: "Anamas Gbg."]
anamasum Pic, 1934g: 33
~~*mediocreimpressum* Pic, 1910b: 5 [wrong posterior spelling - unavailable]~~
semibrunneum notatum Pesarini & Sabbadini, 2013: 62 A: TR
semibrunneum semibrunneum Pic, 1903e: 170 A: TR [type labels: Eski-Chehir, Bos-Dagh]
semilineatum Fairmaire, 1866b: 273 A: TR
semilucens Kraatz, 1873a: 84 A: AB AR
 [?] *mesmini* Pic, 1903n: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino"]
seminudum Kraatz, 1873a: 83 A: AB AR
~~*impuncticolle* Breuning, 1946: 120 - unavailable, described as morph~~
impuncticolle Breuning, 1962: 452
nachyceanicum Breuning, 1943b: 92
semivelutinum Kraatz, 1873a: 82 A: TR
septemlineatum abanti Braun, 1976a: 54 A: TR
septemlineatum demirciense Breuning, 1966b: 19 A: TR
septemlineatum novemlineatum Kraatz, 1873a: 61 A: TR
forcipiferum Kraatz, 1873a: 60
septemlineatum octolineatum Kraatz, 1873a: 61 A: TR
septemlineatum septemlineatum Walth, 1838: 469 E: BU GR TR
apicale J. Thomson, 1865a: 549
rufoapicale Pic, 1942a: 2
sericatum C. R. Sahlberg, 1823: 53 E: UK
velutinum Kraatz, 1873a: 96
serouense Kadlec, 2006b: 8 A: IN
sevliczi Danilevsky, 1985: 328 [= 1987: 618] A: AR
shestopalovi Danilevsky, 1993b: 9 A: GG
shirvanicum azerbajdzhanicum Plavilstshikov, 1937a: 25 A: AB
shirvanicum shirvanicum Bogatchev, 1934: 70 A: AB
shushense Lazarev, 2010: 3 A: AB
sinopense Breuning, 1962a: 299 A: TR
sinuatevittatum Pic, 1937c: 6 A: TR
brevemediolineatum Pic, 1942c: 6
sisianense Lazarev, 2009: 210 A: AR
skoupyorum Bernhauer & Peks, 2014: 191 [RN] A: TR
skoupyi Bernhauer & Peks, 2013b: 326 [HN]
sodale blumenthali Breuning, 1966b: 20 A: TR
sodale sodale Hampe, 1852b: 313 A: GG TR
sodale trapesunticum Breuning, 1946: 124 A: TR
sokolowi Jakovlev, 1899a: 151 A: KZ XIN
amymon Jakovlev, 1906c: 276
apicipenne Jakovlev, 1900b: 61
conicolle Breuning, 1946: 130
dsungaricum Pic, 1907f: 104
jacobsoni Jakovlev, 1899: 243
melancholicum Pic, 1907g: 111
merzbacheri Breuning, 1946: 130
sokolovi Plavilstshikov, 1958a: 270 [unjustified emendation]
sonjae Peks, 1993: 5 A: TR
spectabile Kraatz, 1873a: 38 A: IN
steineri Holzschuh, 1977a: 129 A: TR
stephaniae Pesarini & Sabbadini, 2004c: 142 E: GR
striolatum Kraatz, 1873a: 93 A: ?AB AR GG ?IN TR
masculinum Plavilstshikov, 1927a: 51 [RN]
obesum Tourmier, 1872: 340 [HN]
suramense Breuning, 1946: 98 [RN]
sturmii Frivaldszky von Frivald, 1837: 179 E: BU MC TR
subcinctellum Breuning, 1962a: 275 A: TR
subinterruptum Pic, 1900g: 12 E: TR A: TR
indivisum Pic, 1900g: 12
subsericatum majus Breuning, 1962a: 371 A: TR
subsericatum rufipenne Breuning, 1946: 118 A: TR
cankiriense Breuning, 1962c: 39
subsericatum subsericatum Pic, 1901b: 12 A: TR
paphlagoniense Breuning, 1944a: 12
subsericatum vulneratum Pesarini & Sabbadini, 1999: 51 A: TR
subvestitum K. Daniel, 1900: 140 A: TR

sulcipenne argonauta Suvorov, 1913: 74 A: AR GG TR
kurda Suvorov, 1913: 76
~~—*palescens* Suvorov, 1913: 75~~
sulcipenne caucasicum Küster, 1847c: 98 A: AR GG
impressicorne Tournier, 1872: 282
sulcipenne gorkshantum Suvorov, 1915: 117 A: AR
armenum Suvorov, 1915: 117
sulcipenne sulcipenne Küster, 1847a: 87 A: GG
syriense Breuning, 1943b: 94 A: TR
taborskyi Heyrovský, 1941d: 149 E: GR
talyschense Ganglbauer, 1884: 491 A: AB IN
ardebense Pic, 1905n: 301
morgani Pic, 1905n: 301
posticeinterruptum Pic, 1900g: 12
talyschense Plavilstshikov, 1958a: 234 [unjustified emendation]
tassii Breuning, 1964c: 32 E: GR
tauricum pittinoi Pesarini & Sabbadini, 2010: 185 E: GR
tauricum tauricum Walzl, 1838: 468 E: BU GR MD RO TR UK
nigritarse Kraatz, 1873a: 77
taygetanum Pic, 1902c: 10 E: GR
tebriscum Plavilstshikov, 1951: 119 A: IN
theophilei Pic, 1898h: 57 A: TR
costiferum Pic, 1898h: 57
tuerki Ganglbauer, 1884: 486 A: IN
curtulum Pic, 1906f: 50
 [?] *lundbladi* Breuning, 1947d: 141 [“Transcaucasie: Achal-Zich” - Akhaltsikhe]
tuleskovi Heyrovský, 1937a: 30 E: GR
frigidum Meschnigg, 1947: 137
olympicola Heyrovský, 1941d: 148
turcicum Breuning, 1963e: 35 A: TR
turkestanicum Kraatz, 1881: 335 A: KI KZ UZ
samarkandiae Breuning, 1946: 130
ullrichi Bernhauer, 1988: 102 A: TR
urmianum Plavilstshikov, 1937a: 27 A: IN TR
valonense Pic, 1917g: 6 E: AL
apfelbecki Winkler, 1929: 1188
valonense Apfelbeck, 1923: 145
variegatum Ganglbauer, 1884: 502 A: SY TR
veluchense Pic, 1903a: 6 E: GR
vincenzae Pesarini & Sabbadini, 2007b: 60 E: GR
wagneri Küster, 1846b: 87 A: AR GG TR
 [?] *solyzinusum* Pic, 1942b: 2
wewalkai Breuning, 1974g: 150 E: GR
weyersii Fairmaire, 1866b: 271 A: TR
aolense Pic, 1942b: 1
xerophilum Pesarini & Sabbadini, 2007b: 54 E: GR
yahyalense Bernhauer & Peks, 2011b: 217 A: TR
zanteanum Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) E: GR
subgenus *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773
Compsodorcadion Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873
abakumovi abakumovi J. Thomson, 1865a: 548 A: KZ
abakumovi laterale Jakovlev, 1895: 287 A: KZ
abakumovi lepsyense Danilevsky, 2004b: 5 A: KZ
abakumovi sarkandicum Danilevsky, 2004b: 4 A: KZ
aizhanae Kadyrbekov, 2004: 94
alakoliense Danilevsky, 1988a: 12 A: KZ
cephalotes Jakovlev, 1889: 252 (*Compsodorcadion*) A: KZ A: XIN
alexii Suvorov, 1915: 121 (*Compsodorcadion*)
crassipes crassipes Ballion, 1878: 368 A: KZ
crassipes glazunovi Suvorov, 1910b: 69 A: KZ XIN
crassipes validipes Jakovlev, 1906c: 279 A: KI
chantengrii Breuning, 1943b: 95
robustissimum Pic, 1908i: 35
ganglbaueri ganglbaueri Jakovlev, 1898: 676, 677 A: KZ
ganglbaueri paveli Danilevsky, 2013g: 35 A: KZ
gebleri demimetrum Danilevsky, 1996a: 3 A: KZ
gebleri gebleri Kraatz, 1873a: 33 A: KZ XIN
jakovlevianum Suvorov, 1911a: 60

occidentale Breuning, 1947e: 164
pallasii Gebler, 1833: 303 [HN]
~~*trypthis* Suvorov, 1911a: 61~~
zaisanense Suvorov, 1911a: 61
gebleri lukhtanovi Danilevsky, 1996a: 4 A: KZ
gebleri takyr Danilevsky, 1996a: 5 A: KZ
glycyrrhizae androsovi Suvorov, 1909b: 93 A: KZ
~~*barsukorum* Suvorov, 1909b: 95~~
~~*rufiscapus* Suvorov, 1909b: 95~~
glycyrrhizae chivilini Danilevsky, 2012a: 46 A: KZ
glycyrrhizae dalilae Kadyrbekov, 2004: 94 A: KZ
glycyrrhizae dostojewskii Semenov, 1899d: 655 A: KZ
glycyrrhizae dubianskii Jakovlev, 1906c: 278 E: KZ ST A: KZ
glycyrrhizae fedorenkoi Danilevsky, 2001c: 17 A: KZ
glycyrrhizae galinae Danilevsky, 2001c: 23 A: KZ
glycyrrhizae glycyrrhizae Pallas, 1773: 723 (*Cerambyx*) E: ST KZ A: KZ
glycyrrhizae Fabricius, 1781: 222 (*Lamia*) [unjustified emendation]
glycyrrhizae gubertense Danilevsky, 2006a: 19 E: ST
glycyrrhizae inderiense Suvorov, 1911a: 69 E: KZ A: KZ
~~*penicrum* Suvorov, 1911a: 70~~
glycyrrhizae ishkarganum Danilevsky, 2009: 69 E: ST
glycyrrhizae korshikovi Danilevsky, 2006a: 9 E: ST A: KZ
glycyrrhizae murati Danilevsky, 2013f: 434 A: KZ
glycyrrhizae nemkovi Danilevsky, 2006a: 15 E: ST A: KZ
glycyrrhizae nikireevi Danilevsky, 2001c: 19 A: KZ
glycyrrhizae obtusipenne Motschulsky, 1860d: 538 A: KZ
glycyrrhizae striatum Goeze, 1777: 464 (*Cerambyx*) E: KZ ST A: KZ
fimbriatum Gmelin, 1790: 1862 (*Cerambyx*)
iliense Plavilstshikov, 1937a: 31
olivieri J. Thomson, 1867: 39
rufifrons Motschulsky, 1860c: 311
glycyrrhizae tobolense Danilevsky, 2001c: 22 A: KZ
glycyrrhizae turgaicum Suvorov, 1915: 121 (*Compsodorcadion*) A: KZ
akmoliticum Suvorov, 1915: 121 (*Compsodorcadion*)
glycyrrhizae uvarovi Suvorov, 1911b: 279 A: KZ
tenuelineatum Jakovlev, 1895: 286 A: KZ
separatum Pic, 1897f: 94
subgenus *Maculatodorcadion* Breuning, 1943d: 525 type species *Dorcadion quadrimaculatum* Küster, 1848
janssensi Breuning, 1966b: 21 A: TR
quadrimaculatum nodicorne Tournier, 1872: 287 E: GR TR
quadrimaculatum quadrimaculatum Küster, 1848c: 79 E: GR TR
bimaculatum Pic, 1898h: 56
clementinum Pic, 1918d: 11
innotatum Pic, 1908a: 2
triste phrygicum Peks, 1993: 8 A: TR
triste triste Frivaldszky von Frivald, 1845: 184 A: TR
wolffi Krätschmer, 1985: 24 A: TR
subgenus *Megalodorcadion* Pesarini & Sabbadini, 1999: 58 type species *Dorcadion ledereri* J. Thomson, 1865
dombilicoides Özdikmen & Kaya, 2013: 494 A: TR
escherichi Ganglbauer, 1897b: 54 A: TR
angorense Ganglbauer, 1897b: 57
egregium Ganglbauer, 1897b: 56
obliquesignatum Pic, 1900g: 12
posticedisjunctum Pic, 1909b: 99
glabrofasciatum K. Daniel, 1900: 140 A: TR
imparivittatum K. Daniel, 1900: 140
ledereri J. Thomson, 1865a: 548 A: TR
parallelum Küster, 1847c: 79 A: TR
walteri Holzschuh, 1991c: 55 A: TR

genus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
subgenus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
altaicum Suvorov, 1909a: 89 (*Neodorcadion*) A: KZ
carinatum blessigi Ganglbauer, 1884: 512 (*Neodorcadion*) A: ES WS
carinatum bramsoni Pic, 1901p: 67 (*Neodorcadion*) A: WS
gasneri Breit, 1917: 65 (*Neodorcadion*)
carinatum carinatum Fabricius, 1781: 222 (*Lamia*) E: CT ST A: ES KZ WS
carinatum involvens Fischer von Waldheim, 1823: pl. 1 (*Dorcadion*) A: ES FE HEI MG NMO XIN

longjiangense Z. Wang, 2003: 299
vestitum Jakovlev, 1901c: 150, 152 (*Neodorcadion*)
carinatum kiahtenum Danilevsky, 2007a: 31 A: ES
chinganicum chinganicum Suvorov, 1909a: 90 (*Neodorcadion*) A: NMO
chinganicum darigangense Heyrovský, 1967a: 104 A: MG
chinganicum mandschukuoense Breuning, 1944a: 15 (*Neodorcadion*) A: JIL LIA
jilinense Chiang, 1983: 60, 66
gansuense Breuning, 1943b: 99 (*Neodorcadion*) A: GAN
glaucopterum Ganglbauer, 1884: 511 (*Neodorcadion*) A: GAN QIN
albescens Breuning, 1943b: 99 (*Neodorcadion*)
annulicorne Breuning, 1947d: 142
atratum Jakovlev, 1901c: 153 (*Neodorcadion*)
grisescens Breuning, 1947d: 142
przewalskyi Jakovlev, 1887b: 317 (*Neodorcadion*)
przewalskii Jakovlev, 1900c: 71 (*Neodorcadion*) [unjustified emendation]
kadleci Danilevsky, 2007a: 62 A: GAN
maurum australis Danilevsky, 2014a: 151 A: MG
maurum katharinae Reitter, 1898a: 21 (*Neodorcadion*) A: ES MG
maurum maurum Jakovlev, 1889: 247 (*Neodorcadion*) A: ES MG
boldi Heyrovský, 1965b: 45
fortecostatum Heyrovský, 1975: 22
grumi Suvorov, 1909a: 80 (*Neodorcadion*)
hirtipes Jakovlev, 1901c: 159 (*Neodorcadion*)
~~*leucotaenium* Suvorov, 1909a: 82 (*Neodorcadion*)~~
maurum quinquevittatum Hammarström, 1892: 192 (*Neodorcadion*) A: ES
maurum sajanicum Hammarström, 1892: 193 (*Neodorcadion*) A: ES
leucogrammmum Suvorov, 1909a: 82 (*Neodorcadion*)
minicarinatum Danilevsky & Lin, 2012: 22 A: ANH
multicarinatum Breuning, 1943b: 99 (*Neodorcadion*) A: GAN QIN SNX
oligocarinatum Danilevsky, 2007a: 55 A: SNX
ptyalopleurum Suvorov, 1909a: 84 (*Neodorcadion*) A: ES
rubrosuturale kerulenum Danilevsky, 2007a: 41 A: MG
rubrosuturale rubrosuturale Breuning, 1943b: 98 (*Neodorcadion*) A: HEB NMO
shanxiense Danilevsky, 2007a: 52 A: SNX
sifanicum Suvorov, 1912: 74 (*Neodorcadion*) A: GAN
sinicum Breuning, 1948c: 57 A: CH
tuvense Plavilstshikov, 1958a: 451 A: ES
virgatum virgatum Motschulsky, 1854b: 65 (*Dorcadion*) A: BEI GAN HEB NMO SNX
virgatum subvirgatum Pic, 1914f: 74 (*Neodorcadion*) A: NMO
virgatum taihangense Danilevsky & Lin, 2012: 21 A: SHX
subgenus *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823
humerale humerale Gebler, 1823b: 130 (*Neodorcadion*) A: ES HEI MG NMO
humerale impluviatum Faldermann, 1833: 66 (*Dorcadion*) A: MG
irroratum Reitter, 1893b: 224 (*Neodorcadion*)
humerale quadrilineatum Breit, 1915: 355 (*Neodorcadion*) A: HEB NMO
humerale trabeatum Jakovlev, 1901c: 148 (*Neodorcadion*) A: FE HEI NMO
humerale xinganum Chiang [Jiang S.-N.] & Z. Wang, 2003: 304, 396 A: JIL HEI NMO
lutshniki altanelsense Heyrovský, 1973b: 124 A: MG
lutshniki bicoloratum Danilevsky, 2007a: 158 A: ES
lutshniki burenum Danilevsky, 2007a: 158 A: ES
lutshniki lutshniki Plavilstshikov, 1937a: 33 (*Neodorcadion*) A: ES
subgenus *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833
argaloides Breuning, 1947e: 172 (*Neodorcadion*) A: MG NMO
brandti Gebler, 1841b: 610 (*Dorcadion*) A: KZ XIN
dux Jakovlev, 1893: 120 (*Neodorcadion*)
nigrolineatum Reitter, 1897a: 182 (*Neodorcadion*)
consentaneum Jakovlev, 1899: 241 (*Neodorcadion*) A: MG
hirticolle Jakovlev, 1901c: 154 (*Neodorcadion*)
insigne Jakovlev, 1901c: 160 (*Neodorcadion*)
dorcas dorcas Jakovlev, 1901c: 163 (*Neodorcadion*) A: MG
annulatum Heyrovský, 1969b: 229
morosum Jakovlev, 1901c: 162 (*Neodorcadion*)
pruinatum Jakovlev, 1901c: 163 (*Neodorcadion*)
dorcas scabrosum Namkhaidorz, 1972: 524 A: MG
egregium Reitter, 1897a: 180 (*Neodorcadion*) A: MG XIN
albitarsale Breuning, 1966f: 257
kabaki Kadyrbekov, 2004: 93
exaratum argali Jakovlev, 1889: 249 (*Neodorcadion*) A: MG

hircum Jakovlev, 1906a: 1 (*Neodorcadion*)
miraculum Reitter, 1897a: 182 (*Neodorcadion*)
quadricarinatum Heyrovský, 1970b: 141
exaratum exaratum Ménériés, 1854: 38 (*Dorcadion*) A: MG NMO
rugipenne Heyrovský, 1967a: 103
gorbunovi Danilevsky, 2004d: 7 A: MG
heros Jakovlev, 1899: 237 (*Neodorcadion*) A: NIN NMO
intermedium intermedium Jakovlev, 1889: 246 (*Neodorcadion*) A: MG
kaszabi Heyrovský, 1965b: 44
mongolicum Jakovlev, 1895: 508 (*Neodorcadion*)
intermedium kozlovi Suvorov, 1912: 71 (*Neodorcadion*) A: MG
hedini Pic, 1935c: 12 (*Neodorcadion*)
jakovlevi fangzhoui Lin et Danilevsky, 2011: 381 A: NMO
jakovlevi jakovlevi Suvorov, 1912: 70 (*Neodorcadion*) A: NMO
kaznakovi kaznakovi Suvorov, 1912: 73 (*Neodorcadion*) A: NIN NMO
kaznakovi zhilini Lin et Danilevsky, 2011: 382 A: NMO
licenti Pic, 1939c: 25 (*Neodorcadion*) A: CH
novitzkyi Suvorov, 1909a: 87 (*Neodorcadion*) A: MG NMO
oreadis Reitter, 1897a: 179 (*Neodorcadion*) A: XIN
ornatum Faldermann, 1833: 64 (*Dorcadion*) A: NMO
princeps Jakovlev, 1899: 239 (*Neodorcadion*)
oryx Jakovlev, 1895: 506 (*Neodorcadion*) A: MG
potaninellum Danilevsky & Lin, 2012: 21 A: SHA
potanini Jakovlev, 1889: 245 (*Neodorcadion*) A: NMO
pseudornatum Danilevsky & Lin, 2012: 24 A: SHA
savitskyi Danilevsky, 2014a: 152 A: MG
wenhsini Yang & Danilevsky, 2013: 93 A: NMO
zichyi Csiki, 1901: 115 (*Neodorcadion*) A: MG

genus *Iberodorcadion* Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758

subgenus *Baeticodorcadion* Vives, 1976: 166 type species *Dorcadion mus* Rosenhauer, 1856

amorii amorii Marseul, 1856: 48 (*Dorcadion*) E: SP
penascosum Lauffer, 1911: 44 (*Dorcadion*)
staudingeri Chevrolat, 1862: 345 (*Dorcadion*)
amorii segurense Escalera, 1911: 82 (*Dorcadion*) E: SP
albacetae Breuning, 1947e: 161 (*Dorcadion*)
seguranum Lauffer, 1911: 45 (*Dorcadion*)
atlantis Bedel, 1921: 60 (*Dorcadion*) N: MO
isernii Perez Arcas, 1868: 81 (*Dorcadion*) E: SP
ceballosi Breuning, 1948c: 64 (*Dorcadion*)
dispersepunctatum Escalera, 1924: 195 (*Dorcadion*)
impunctatum Breuning, 1943b: 98 (*Dorcadion*)
steparium Escalera, 1900: 239 (*Dorcadion*)
lorquini cobosi Vives, 1979: 155 E: SP
lorquini lorquini Fairmaire, 1855: 322 (*Dorcadion*) E: SP
giganteum Escalera, 1911: 82 (*Dorcadion*)
rufolabrum Pic, 1912a: 35 (*Dorcadion*)
lusitanicum evorense Breuning, 1943b: 98 (*Dorcadion*) E: PT SP
lusitanicum lusitanicum Chevrolat, 1840: 16 (*Dorcadion*) E: PT
boabdil Flach, 1907: 18 (*Dorcadion*)
carinicolle Breuning, 1948c: 64 (*Dorcadion*)
lusitanicum mimomucidum Breuning, 1976c: 161 (*Dorcadion*) E: PT
marmottani Escalera, 1900: 237 (*Dorcadion*) E: SP
cabrasense Nicolas, 1904b: 83 (*Dorcadion*)
robustioripenne Pic, 1941b: 2 (*Dorcadion*)
mucidum annulicorne Chevrolat, 1862: 346 (*Dorcadion*) E: SP
parmeniforme Escalera, 1902: 288 (*Dorcadion*)
mucidum coelloi Verdugo, 1996: 11 E: SP
mucidum mucidum Dalman, 1817b: 173 (*Lamia*) E: SP
handschuchii Küster, 1848c: 77 (*Dorcadion*)
mucidum nigrosparsum Pic, 1941b: 3 (*Dorcadion*) E: SP
mucidum rondense Verdugo, 2003: 127 E: SP
mus grisescens Escalera, 1900: 240 (*Dorcadion*) E: SP [personal message by A. Verdugo-2014]
escalerae Pic, 1900y: 405 (*Dorcadion*)
mus mus Rosenhauer, 1856: 304 (*Dorcadion*) E: SP
andalusiicum Breuning, 1962a: 546 (*Dorcadion*)
quadrifuscivittatum Breuning, 1947e: 162 (*Dorcadion*)
rondae Flach, 1907: 19 (*Dorcadion*)

suturale Chevrolat, 1862: 345 (*Dorcadion*) E: SP
insuturale Pic, 1898c: 22 (*Dorcadion*)
rufescentimembre Pic, 1947a: 9 (*Dorcadion*)
schaufussi Pic, 1947a: 9 (*Dorcadion*)
suturaloides Breuning, 1958b: 37 [RN]

subgenus *Hispanodorcadion* Vives, 1976: 166 type species *Dorcadion hispanicum* Mulsant, 1851

abulense abulense Lauffer, 1902: 105 (*Dorcadion*) E: SP
granulosum Pic, 1904e: 17 (*Dorcadion*)
griseum Escalera, 1911: 83 (*Dorcadion*)
hispanoloides Escalera, 1911: 84 (*Dorcadion*)
infraciatum Pic, 1910h: 51 (*Dorcadion*)
laufferoides Escalera, 1911: 83 (*Dorcadion*)
nigripenne Escalera, 1911: 82 (*Dorcadion*)
perezoides Escalera, 1911: 84 (*Dorcadion*)
plurilineatum Escalera, 1911: 84 (*Dorcadion*)
puncticolle Breuning, 1944a: 14 (*Dorcadion*)
umbripenne Escalera, 1908: 336 (*Dorcadion*)
umbrosus Escalera, 1911: 83 (*Dorcadion*)
abulense granulipenne Escalera, 1908: 337 (*Dorcadion*) E: SP
aguadoi Aguado & Tomé, 2000: 68 E: SP
albicans albicans Chevrolat, 1862: 341 (*Dorcadion*) E: SP
aestivum Pic, 1910i: 79 (*Dorcadion*)
inalbicans Nicolas, 1904b: 83 (*Dorcadion*)
lainzi Breuning, 1956j: 726 (*Dorcadion*)
multialternatum Pic, 1910i: 79 (*Dorcadion*)
nigrinum Escalera, 1911: 82 (*Dorcadion*)
palentinum Lauffer, 1911: 27 (*Dorcadion*)
palentinum Escalera, 1911: 81 (*Dorcadion*) [HN]
reynosae Brisout de Barneville, 1866: 418 (*Dorcadion*)
albicans demandense Escalera, 1902: 286 (*Dorcadion*) E: SP
incanum Lauffer, 1911: 28 (*Dorcadion*)
albicans marinae Tomé & Bahillo, 1996: 715 E: SP
albicans vanhoegaerdeni Breuning, 1956j: 725 (*Dorcadion*) E: SP
aries Tomé & Berger, 1999: 393 E: SP
becerrae Lauffer, 1901: 90 (*Dorcadion*) E: SP
loroi Escalera, 1924: 196 (*Dorcadion*)
moncayoense Nicolas, 1909: 116 (*Dorcadion*)
bolivari bolivari Lauffer, 1898: 107 (*Dorcadion*) E: SP
diversevittatum Pic, 1941b: 2 (*Dorcadion*)
grisescens Pic, 1900c: 7 (*Dorcadion*)
laufferi Pic, 1900c: 7 (*Dorcadion*)
operosum Pic, 1947b: 1 (*Dorcadion*)
paulovittatum Pic, 1947b: 1 (*Dorcadion*)
rodriguessi Pic, 1900c: 405 (*Dorcadion*)
rufipes Escalera, 1900: 238 (*Dorcadion*)
semifulvovittatum Pic, 1947b: 1 (*Dorcadion*)
sparsealbum Pic, 1941b: 2 (*Dorcadion*)
toledense Pic, 1947a: 9 (*Dorcadion*)
bolivari danielae Saz, 2013: 116 E: SP
circumcinctum circumcinctum Chevrolat, 1862: 341 (*Dorcadion*) E: SP
arandae Schramm, 1911: 306 (*Dorcadion*)
ariasi Chevrolat, 1862: 341 (*Dorcadion*)
burgense Lauffer, 1911: 33 (*Dorcadion*)
burgosense Pic, 1910h: 82 (*Dorcadion*)
candidae Pic, 1914c: 8 (*Dorcadion*)
escorialense Chevrolat, 1866: 107 (*Dorcadion*)
saturioi Escalera, 1924: 198 (*Dorcadion*)
sebastiani Pic, 1901i: 32 (*Dorcadion*)
seboldi Escalera, 1902: 288 (*Dorcadion*)
circumcinctum tenuecinctum Pic, 1898c: 20 (*Dorcadion*) E: SP
rufobasicorne Pic, 1941b: 3 (*Dorcadion*)
ferdinandi Escalera, 1900: 235 (*Dorcadion*) E: SP
fuentei Pic, 1899a: 81 (*Dorcadion*) E: SP
bouvieri Escalera, 1900: 232 (*Dorcadion*)
elvira Pic, 1904j: 58 (*Dorcadion*)
lesnei Escalera, 1900: 233 (*Dorcadion*)
graellsii cinereum Escalera, 1901: 81 E: SP
atienzanum Pic, 1910h: 51 (*Dorcadion*)
auripenne Escalera, 1908: 334 (*Dorcadion*)
cinerarium Lauffer, 1901: 92 (*Dorcadion*)
fuscolineatum Schramm, 1910: 288 (*Dorcadion*)

intermedium Escalera, 1902: 287 (*Dorcadion*)
graellsii graellsii Graells, 1858: 91 (*Dorcadion*) E: SP
alternatum Chevrolat, 1862: 338 (*Dorcadion*)
consanguineum Lauffer, 1911: 40 (*Dorcadion*)
costicolle Chevrolat, 1862: 339 (*Dorcadion*)
latealbidum Pic, 1910h: 90 (*Dorcadion*)
ovale Chevrolat, 1870: 85 (*Dorcadion*)
subbrevelineatum Pic, 1941a: 5 (*Dorcadion*)
graellsii incallosum Escalera, 1908: 335 (*Dorcadion*) E: SP
paradoxum Escalera, 1908: 336 (*Dorcadion*)
pulvipenne Escalera, 1908: 335 (*Dorcadion*)
graellsii longipenne Chevrolat, 1862: 342 (*Dorcadion*) E: SP
bisbilineatum Pic, 1910h: 90 (*Dorcadion*)
cazurroi Lauffer, 1901: 91 (*Dorcadion*)
matritense Schramm, 1910: 288 (*Dorcadion*)
oberthueri Ganglbauer, 1884: 471 (*Dorcadion*)
tenuilineatum Escalera, 1924: 196 (*Dorcadion*)
grustani González, 1992: 3 E: SP
heydenii Kraatz, 1870a: 161 (*Dorcadion*) E: SP
internelineatum Pic, 1910h: 82 (*Dorcadion*)
semiglabratum Pic, 1910h: 82 (*Dorcadion*)
stableaui Chevrolat, 1870: 84 (*Dorcadion*)
korbi Ganglbauer, 1884: 469 (*Dorcadion*) E: SP
rubrocarinatum Pic, 1912a: 35 (*Dorcadion*)
martinezii Perez Arcas, 1874: 145 (*Dorcadion*) E: SP
espanoli Breuning, 1956j: 727 (*Dorcadion*)
longelineatum Pic, 1941a: 5 (*Dorcadion*)
molitor molitor Fabricius, 1775: 176 (*Lamia*) E: FR SP
aragonicum Breuning, 1957e: 51
brisouti Kraatz, 1873a: 68 (*Dorcadion*)
donzeli Mulsant, 1839: 129 (*Dorcadion*)
lineola Illiger, 1806: 238 (*Lamia*)
lutshniki Plavilstshikov, 1915b: 80 (*Dorcadion*) [RN]
pseudodonzeli Breuning, 1957e: 51
rubripes Pic, 1896f: 142 (*Dorcadion*)
senegalense J. Thomson, 1867: 54 (*Dorcadion*)
superbum Lauffer, 1911: 34 (*Dorcadion*)
tutori Lauffer, 1911: 34 (*Dorcadion*)
molitor navasi Escalera, 1900: 234 (*Dorcadion*) E: SP
caesaraugustae Lauffer, 1911: 34 (*Dorcadion*)
tarraconense Breuning, 1967e: 93 (*Dorcadion*)
mosqueruelense Escalera, 1902: 283 (*Dorcadion*) E: SP
carbonarium Nicolas, 1904b: 83 (*Dorcadion*)
glabrocostatum Nicolas, 1909: 115 (*Dorcadion*)
nigritulum Escalera, 1924: 197 (*Dorcadion*)
prolongatum Pic, 1908i: 58 (*Dorcadion*)
pseuduhagoni Breuning, 1948c: 62 (*Dorcadion*)
neilense almarzense Escalera, 1902: 279 (*Dorcadion*) E: SP
brevipenne Pic, 1903r: 178 (*Dorcadion*)
circumalbum Escalera, 1924: 199 (*Dorcadion*)
costatum Escalera, 1902: 280 (*Dorcadion*)
logronense Pic, 1903r: 178 (*Dorcadion*)
nicolasianum Plavilstshikov, 1915b: 80 (*Dorcadion*)
nigratum Escalera, 1924: 200 (*Dorcadion*)
nivosum Escalera, 1924: 198 (*Dorcadion*)
obscuratum Escalera, 1924: 199 (*Dorcadion*)f
rufipedes Escalera, 1924: 199 (*Dorcadion*)
schrammi Nicolas, 1904a: 40 (*Dorcadion*)
subbrevipenne Pic, 1904a: 5 (*Dorcadion*)
urbionense Escalera, 1902: 280 (*Dorcadion*)
villosladense Escalera, 1902: 280 (*Dorcadion*)
vincenti Nicolas, 1904a: 39 (*Dorcadion*)
neilense neilense Escalera, 1902: 278 E: SP
paulae Iñarra & Beltrán, 2012: 43 E: SP
perezi cercedillanum Pic, 1900y: 404 (*Dorcadion*) E: SP
laufferi Escalera, 1900: 236 (*Dorcadion*)
schrammi Pic, 1903r: 178 (*Dorcadion*)
subpolitum Lauffer, 1901: 98 (*Dorcadion*)
perezi ghilianii Chevrolat, 1862: 338 (*Dorcadion*) E: SP
ebeninum Lauffer, 1901: 96 (*Dorcadion*)
reichei Chevrolat, 1862: 342 (*Dorcadion*)

perezi hispanicum Mulsant, 1851: 125 (*Dorcadion*) E: SP
albidipenne Pic, 1907b: 8 (*Dorcadion*)
brunneofasciatum Lauffer, 1901: 94 (*Dorcadion*)
cebolterense Lauffer, 1911: 40 (*Dorcadion*)
diversepubens Pic, 1907b: 8 (*Dorcadion*)
encaustum Chevrolat, 1862: 337 (*Dorcadion*)
erythropus Lauffer, 1901: 93 (*Dorcadion*)
griseopubescens Lauffer, 1911: 41 (*Dorcadion*)
multilineatum Pic, 1907b: 8 (*Dorcadion*)
nigrolineatum Chevrolat, 1862: 339 (*Dorcadion*)
perezi nudipenne Escalera, 1908: 337 (*Dorcadion*) E: SP
riazanum Pic, 1910h: 51 (*Dorcadion*)
perezi ortunoi Hernández, 1991: 278 E: SP
perezi perchini Saz, 2012: 404 E: SP
perezi perezi Graells, 1849: 622 (*Dorcadion*) E: SP
anthracinum Chevrolat, 1870: 86 (*Dorcadion*)
rutilipes Nicolas, 1904b: 82 (*Dorcadion*)
septemvittatum Lauffer, 1901: 95 (*Dorcadion*)
pseudomolitor Escalera, 1902: 285 (*Dorcadion*) E: SP
ribotense Corraleño Iñarra A., Murria Beltrán A. & del Saz Fucho, 2013: 106 E: SP
segovianum dejeanii Chevrolat, 1862: 340 (*Dorcadion*) E: SP
albolineatum Escalera, 1924: 200 (*Dorcadion*)
baudueri Pic, 1910h: 91 (*Dorcadion*)
carbonicum Escalera, 1924: 200 (*Dorcadion*)
francianum Breuning, 1956j: 727 (*Dorcadion*)
montanum Lauffer, 1911: 53 (*Dorcadion*)
submontanum Lauffer, 1911: 54 (*Dorcadion*)
segovianum segovianum Chevrolat, 1862: 339 (*Dorcadion*) E: SP
castanarense Breuning, 1948c: 62 (*Dorcadion*)
corralimembris Pic, 1917g: 6 (*Dorcadion*) [RN]
gredosanum Lauffer, 1911: 50 (*Dorcadion*)
merceti Schramm, 1910: 286 (*Dorcadion*)
tornavacense Lauffer, 1911: 52 (*Dorcadion*)
tournieri Pic, 1910h: 91 (*Dorcadion*)
villatorense Breuning, 1962a: 606
seguntianum K. Daniel & J. Daniel, 1898: 78 (*Dorcadion*) E: SP
confluens Schramm, 1910: 288 (*Dorcadion*)
guadalajaranum Pic, 1910h: 90 (*Dorcadion*)
insidiosum Escalera, 1901: 87 (*Dorcadion*)
pruinatum Escalera, 1902: 285 (*Dorcadion*)
ruspolii Breuning, 1974a: 36 (*Dorcadion*)
schrammianum Plavilstshikov, 1932d: 198 [RN]
subtricolor Breuning, 1958b: 40 [RN]
tricolor Schramm, 1910: 287 (*Dorcadion*) [HN]
terolense Escalera, 1902: 282 (*Dorcadion*) E: SP
albarium Escalera, 1902: 283 (*Dorcadion*)
georgei Pic, 1904e: 17 (*Dorcadion*)
glabripenne Pic, 1904a: 6 (*Dorcadion*)
multiplicatum Pic, 1908i: 58
uhagonii pradae Saz Fucho, 2007: 196 E: SP
uhagonii uhagonii Perez Arcas, 1868: 83 (*Dorcadion*) E: SP
avilense Breuning, 1947e: 158 (*Dorcadion*)
cuencaense Pic, 1941b: 3 (*Dorcadion*)
griseolineatum Pic, 1894o: cccxlviii (*Dorcadion*)
inhumeralis Pic, 1898c: 21 (*Dorcadion*)
lacunosum Escalera, 1908: 335 (*Dorcadion*)
multidisjunctum Pic, 1941b: 3 (*Dorcadion*)
panteli Théry, 1892: xcvi (*Dorcadion*)
subirreductum Pic, 1910h: 82 (*Dorcadion*)
valencianum Pic, 1910i: 79 (*Dorcadion*)
zarcoi turdetanum Lauffer, 1911: 25 (*Dorcadion*) E: SP
denudatum Escalera, 1911: 80 (*Dorcadion*)
ignotum Escalera, 1911: 80 (*Dorcadion*)
zarcoi zarcoi Schramm, 1910: 285 (*Dorcadion*) E: SP
belbezei Escalera, 1914b: 152 (*Dorcadion*)
bilbilitanum Escalera, 1914b: 153 (*Dorcadion*)
curvilineatum Schramm, 1910: 286 (*Dorcadion*)
rugulipenne Breuning, 1947e: 160 (*Dorcadion*)
zenete Anichtchenko & Verdugo, 2004: 33 E: SP
subgenus Iberodorcadion Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758
brannani Schaufuss, 1870: 64 (*Dorcadion*) E: PT

lategriseovittatum Breuning, 1947e: 164 (*Dorcadion*)
castilianum Chevrolat, 1862: 347 (*Dorcadion*) E: SP
ardoisi Schramm, 1909: 297 (*Dorcadion*)
fuliginator andianum Pic, 1917g: 8 (*Dorcadion*) E: SP
fuliginator fuliginator Linnaeus, 1758: 393 (*Cerambyx*) E: AU BE FR GE LA NL PL SZ
annulicorne Chevrolat, 1882: 60 (*Dorcadion*)
atrum Bach, 1856a: 32 (*Dorcadion*)
chevrolati Ganglbauer, 1884: 475 (*Dorcadion*)
epipleurale Breuning, 1957e: 44
fasciatum Geoffroy, 1785: 75 (*Cerambyx*)
flavicolle Breuning, 1957e: 44
fuliginosum Schrank, 1798: 658 (*Lamia*)
hypocrita Mulsant, 1863: 255 (*Dorcadion*)
jaenneri Hubenthal, 1908: 43 (*Dorcadion*)
lateglabricolle Breuning, 1957e: 44
mendax Mulsant, 1853b: 33
mulsantianum Breuning, 1957e: 44 (*Dorcadion*)
ovatum Sulzer, 1776: 45 (*Cerambyx*)
pseudomonticola Breuning, 1957e: 45
quadrilineatum Mulsant, 1839: 124 (*Dorcadion*)
subnitidipenne Pic, 1917g: 8 (*Dorcadion*)
vittiferum Aurivillius, 1922b: 46 (*Dorcadion*)
vittigerum Fabricius, 1801b: 303 (*Lamia*)
fuliginator loarrensense Berger, 1997: 40 E: FR SP
fuliginator meridionale Mulsant, 1839: 125 (*Dorcadion*) E: FR
alpinum Chevrolat, 1856b: 435 (*Dorcadion*)
guerryi Pic, 1917g: 8 (*Dorcadion*)
fuliginator monticola Mulsant, 1853b: 27 (*Dorcadion*) E: FR
fuliginator navarricum Mulsant, 1853b: 29 (*Dorcadion*) E: FR SP
fuliginator obesum Gautier des Cottés, 1870b: 263 (*Dorcadion*) E: FR
fuliginator pyrenaeum Germar, 1839: 16 (*Dorcadion*) E: FR SP
albodiversum Pic, 1945b: 7 (*Dorcadion*)
curtecostatum Pic, 1941b: 3 (*Dorcadion*)
fuliginator striola Mulsant, 1863: 238 (*Dorcadion*) E: FR
fuliginator urgulli Breuning, 1976c: 161 (*Dorcadion*) E: SP
seoanei kricheldorffi Pic, 1910i: 79 (*Dorcadion*) E: PT SP
cabrerense Breuning, 1956j: 724 (*Dorcadion*)
lainzgalloi Rodríguez, 1996: 189
suturelevatum Breuning, 1956j: 725 (*Dorcadion*)
seoanei laurae Bahillo, 1994: 65 E: SP
seoanei seoanei Graells, 1858: 93 (*Dorcadion*) E: SP
sulcatithorax Pic, 1909b: 186 (*Dorcadion*)
spinolae caunense Lauffer, 1910: 92 (*Dorcadion*) E: SP
escalerae Lauffer, 1901: 89 [HN]
laufferianum Plavilstshikov, 1915b: 80 [RN]
spinolae soricinum Chevrolat, 1862: 347 (*Dorcadion*) E: SP
vallisoletanum Lauffer, 1901: 89 (*Dorcadion*)
spinolae spinolae Dalman, 1817b: 174 (*Lamia*) E: SP
basigranosum Breuning, 1943b: 97 (*Dorcadion*)
mulsanti Brisout de Barneville, 1866: 420 (*Dorcadion*)
paganettii Pic, 1910i: 79 (*Dorcadion*)

genus *Neodorcadion* Ganglbauer, 1884: 437 type species *Lamia bilineata* Germar, 1824
bilineatum Germar, 1824: 485 (*Lamia*) E: AL BH BU CR GR HU MC MD RO SK TR UK YU
macedonicum Pic, 1917g: 5
calabricum Reitter, 1889a: 41 E: IT
exornatoides Breuning, 1962a: 68 A: TR
exornatum Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) E: BU GR RO TR A: TR
anticejunctum Pic, 1917g: 6
balcanicum Tourmier, 1872: 284 (*Dorcadion*)
labyrinthicum J. Thomson, 1865a: 549 (*Dorcadion*)
subdiversum Pic, 1917g: 6
fallax Kraatz, 1873a: 89 (*Dorcadion*) E: BU GR MV
laqueatum Waltl, 1838: 469 (*Dorcadion*) E: BU TR A: TR
abeillei Tourmier, 1872: 208 (*Dorcadion*)
anceyi Pic, 1913c: 186
bulgaricum Pic, 1913c: 186
diversesparsum Pic, 1914c: 8
interruptum Mulsant & Rey, 1863: 150 (*Dorcadion*)
insparsum Pic, 1914c: 8

kadiense Pic, 1917a: 10
lemoulti Pic, 1914c: 8
servilorum Pic, 1917g: 6
sparsenotatum Pic, 1914c: 8
sparsum Mulsant & Rey, 1863: 152 (*Dorcadion*)
subinterruptum Pic, 1917g: 6
orientale Ganglbauer, 1884: 510 A: TR
dispar Pic, 1892o: xxvii
eduardi Pic, 1900s: 82
flaschneri Pic, 1890e: clxxv
merkli Pic, 1893e: cxvii
pelleti Mulsant & Rey, 1863: 149 (*Dorcadion*) E: GR TR A: TR
credulum Pic, 1917a: 10
disjunctum Pic, 1917g: 6
segne Mulsant & Rey, 1863: 155 (*Dorcadion*)
virleti Brullé, 1832: 258 (*Dorcadion*) E: GR
acarnanicum Pic, 1914c: 8
ionicum Pic, 1901l: 52
subbinotatum Pic, 1914c: 8

genus *Politodorcadion* Danilevsky, 1996d: 407 type species *Dorcadion politum* Dalman, 1823
archarlense Danilevsky, 1996d: 411 (*Dorcadion*) A: KZ
balchashense balchashense Suvorov, 1911a: 64, 69 (*Dorcadion*) A: KZ
balchashense betpakdalense Danilevsky, 1996d: 410 (*Dorcadion*) A: KZ
eurygyne eurygyne Suvorov, 1911a: 65, 69 (*Dorcadion*) A: KZ WS
eurygyne lailanum Danilevsky, 2007e: 204 A: KZ
lativittis Kraatz, 1878b: 219 (*Dorcadion*) A: KZ XIN
altaiense Pic, 1898f: 44 (*Dorcadion*)
cribricolle Kraatz, 1882b: 196 (*Dorcadion*)
politum akmolense Suvorov, 1911a: 63 (*Dorcadion*) E: ST A: KZ
politum politum Dalman, 1823: 68 (*Dorcadion*) A: KZ WS
basicorne Pic, 1929b: 9 (*Compsodorcadion*)
conjunctum Pic, 1898f: 45 (*Dorcadion*)
lydiae Plavilstshikov, 1929b: 209 (*Dorcadion*)
politipenne Pic, 1897f: 94 (*Dorcadion*)
politum shapovalovi Danilevsky, 2006a: 2 E: ST A: KZ
ribbei bobrovi Danilevsky, 2001f: 631 (*Dorcadion*) A: KZ
ribbei ribbei Kraatz, 1878b: 220 (*Dorcadion*) A: KZ XIN
corallipes Ganglbauer, 1884: 476 (*Dorcadion*)
rubrofemoratum Pic, 1897f: 94 (*Dorcadion*)

tribe Dorcaschematini J. Thomson, 1860

genus *Cylindrecamptus* Breuning, 1940e: 560 type species *Olenecamptus lineatus* Aurivillius, 1914
lineatus Aurivillius, 1914: 25 (*Olenecamptus*) A: YUN **ORR**
interruptus Pic, 1922c: 14 (*Olenecamptus*)

genus *Cylindrepomus* Blanchard, 1853: 268 type species *Cylindrepomus nigrofasciatus* Blanchard, 1853
Hippardium Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907
fouqueti hainanensis Hua, 1979: 110 (*Olenecamptus*) A: HAI
viridipennis Pic, 1937b: 7 (*Olenecamptus*) A: YUN

genus *Macrocamptus* L. S. Dillon & E. S. Dillon, 1947: 253 type species *Cylindrepomus virgatus* Gahan, 1890
virgatus Gahan, 1890a: 61 (*Cylindrepomus*) A: SD

genus *Microlenecamptus* Pic, 1925a: 22 type species *Cylindrepomus albonotatus* Pic, 1925
albonotatus flavosignatus Breuning, 1965d: 53 A: GUX **ORR**
biocellatus Schwarzer, 1925b: 63 (*Olenecamptus*) A: ANH GUA HUN TAI
virescens Savio, 1929: 8
nakabayashii Takakuwa, 1992: 102 A: JA (Ryukyus)
obsoletus Fairmaire, 1888b: 146 (*Olenecamptus*) A: FUJ HEB JIA TAI
albatus Matsushita, 1933b: 353 (*Dorcaschema*)
signatus Aurivillius, 1914: 25 (*Cylindrepomus*) A: GUX YUN **ORR**

genus *Olenecamptus* Chevrolat, 1835: 134 type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1801)
Authades J. Thomson, 1857e: 191 type species *Authades indianus* J. Thomson, 1857
Ibidimorphum Motschulsky 1860:152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860
anogeissi Gardner, 1930: 156 A: NP
bilobus bilobus Fabricius, 1801b: 324 (*Saperda*) A: FUJ GUA GUX HAI HEB HKG JA (Ryukyus) LIA NP PA SCH SD TAI UP

YUN ZHE AFR AUS ORR

- borneensis* Pic, 1916d: 6
dahli Kriesche, 1926: 375
gressitti L. S. Dillon & E. S. Dillon, 1948: 158
luzonensis L. S. Dillon & E. S. Dillon, 1948: 228
rouyeri Pic, 1916d: 6
serratus Chevrolat, 1835: 134
ternatus L. S. Dillon & E. S. Dillon, 1948: 227
tonkinus L. S. Dillon & E. S. Dillon, 1948: 230
bilobus nipponensis L. S. Dillon & E. S. Dillon, 1948: 229 A: JA
bilobus quinquemaculatus L. S. Dillon & E. S. Dillon, 1947: 234 A: BT SD
clarus Pascoe, 1859: 44 A: ANH FE FUJ GUI HEB HEN HUB HUN JA JIA JIX NC SC SCH SHN TAI ZHE
cretaceus cretaceus Bates, 1873: 314 A: HEB HEN HUB JA JIA JIX SCH TAI ZHE "Korea"
cretaceus marginatus Schwarzer, 1925b: 63 A: HEN TAI ORR
dominus J. Thomson, 1860: 362 A: HAI YUN ORR
formosanus Pic, 1914e: 19 A: HUB JA SC TAI ZHE ORR
decemmaculatus Pic, 1916h: 13
hondoensis Seki, 1941: 453 [31]
fukutomii M. Hasegawa, 2004: 225 A: JA (Ogasawara)
griseipennis Pic, 1932h: 138 A: GUI HUB SCH YUN ZHE
montanus Gressitt, 1942b: 4 (*Olenocamptus*)
indianus J. Thomson, 1857e: 192 (*Authades*) A: HAI NP SD TAI UP YUN ORR
albolineatus Pic, 1916d: 5
multinotatus Pic, 1916i: 141
salweeni Heller, 1926: 39
nigromaculatus Pic, 1915g: 14 A: XIZ
octopustulatus Motschulsky, 1860b: 152 (*Ibidimorphum*) A: ES FE FUJ GUI HEN HUB JA JIX LIA MG NC NIN NMO SC SHA
TAI ZHE ORR
chinensis L. S. Dillon & E. S. Dillon, 1948: 204
choseni Gilmour, 1956c: 754
mordkovitshi Tshernyshev & Dubatov, 2000: 386
optatus optatus Pascoe, 1866: 253 A: TAI ORR
sumbawanus Breuning, 1947a: 29
pseudostrigosus Breuning, 1938c: 226 A: SD
quadriplagiatus L. S. Dillon & E. S. Dillon, 1948: 197 A: GUX ORR
riparius Danilevsky, 2011c: 67 A: FE JA NC NE SC YUN ZHE
siamensis Breuning, 1936: 319 A: TAI YUN ORR
subobliteratus Pic, 1923c: 19 A: FUJ GUI HUB JA JIA JIX NE SC SCH SHA TAI YUN ZHE
superbus Pic, 1908f: 16 A: YUN
taiwanus L. S. Dillon & E. S. Dillon, 1948: 229 A: GUA GUX HAI HKG JA TAI YUN

tribe Exocentrini Pascoe, 1864

genus *Acartus* Fehraeus, 1873: 50 type species *Acartus hirtus* Fehraeus, 1873
biplagiatus Aurivillius, 1926: 485 A: YE AFR

genus *Exocentrus* Dejean, 1835: type species *Cerambyx balteus* Linnaeus *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767)

- Bicolorihirtus* Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978
Formosexocentrus Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925
adpersus Mulsant, 1846: [9] [NP] E: AL AU BE BH BU CR CZ CY GE GR HU IT LU MC MD NL PL RO SK SL SP ST SV SZ
TR UK YU A: AB AR GG SY TR (see: Ambrus et al., 2014: 185)
alemdaghensis Breuning, 1981c: 182
clarae Mulsant & Rey, 1861b: 206 [1861c: 193]
hirsutulus Faldermann, 1837: 272 (*Astynomus*) [DA]
quercus Rossi, 1790: 143 (*Cerambyx*)
revelieri Mulsant & Rey, 1875a: 413 [=1875b: 77]
alboguttatus alboguttatus Fisher, 1925: 240 A: GUX HAI KA NP UP YUN ORR
annamensis Breuning, 1957a: 15
alboguttatus obscurior Pic, 1929a: 30 A: BT ORR
rufescens Pic, 1929a: 30
alboguttatus subconjunctus Gressitt, 1940b: 184 A: GUX HAI
alboguttatus taiwanensis Kusama & Tahira, 1978: 22 A: TAI
alni Fisher, 1932: 298 A: NP SD
alboeriatatus Gahan, 1894a: 85 A: NP ORR
albomultiseriatatus Breuning, 1964b: 6 [RN]
alboeriatipennis Breuning, 1963c: 13 [HN]
rubripennis Pic, 1929a: 29
assamensis Breuning, 1972c: 419 A: AP

basirufus Gressitt, 1940b: 185 A: GUA HAI
becvari Holzschuh, 1999: 48 A: YUN
beijingensis S.-C. Chen, 1993: 197 A: BEI
blanditus Holzschuh, 2010: 199 A: SHA
brevisetosus Gressitt, 1938b: 167 A: HUB TAI YUN ORR
businskae Holzschuh, 2007: 266 A: XIZ
carissae Fisher, 1932: 312 A: HP NP PA UP
kuluensis Breuning, 1957g: 277
championi Fisher, 1940: 207 A: BT HP KA NP PA SCH UP
kashmirensis Breuning, 1957g: 277
collarti Breuning, 1958a: 41 A: BT
constricticollis Gressitt, 1940b: 186 A: HAI
coronatus Holzschuh, 2007: 276 A: YUN
 cudraniaae Fisher, 1932: 314 A: NP UP
dalbergiae Fisher, 1932: 310 A: NP UP
dalbergianus Gressitt, 1951a: 528 A: HUB
diminutus Holzschuh, 2007: 280 A: GUI
diversiceps Pic, 1931f: 259 A: BT NP SD YUN ORR
lateraloides Breuning, 1958f: 300
rufoampliatius Breuning, 1958f: 300
testaceus Fisher, 1932: 322
euchromus Holzschuh, 2007: 279 A: HUN
explanatidens Pic, 1930e: 58 A: BT NP SD
fasciolatus Bates, 1873: 384 A: FE JA NC NE SC #10
curtipennis Pic, 1918a: 10 ["Japan"]
fastigatus Holzschuh, 2007: 275 A: YUN ORR
ficicola Fisher, 1932: 315 A: NP UP ORR
fisheri Gressitt, 1935b: 175 A: JA JIX SC
flemingiae Fisher, 1932: 297 A: NP SD UP YUN ORR
fuscoscapus Breuning, 1958f: 299
rufiscapus Pic, 1939k: 344
formosofasciolatus Kusama & Tahira, 1978: 17 A: TAI
fulvobrunneus Kusama & Tahira, 1978: 15 A: TAI (Roshan)
galloisi Matsushita, 1933a: 397 A: JA NC
gardneri Fisher, 1932: 302 A: UP
grewiae Fisher, 1932: 317 A: NP UP
himalayanus Breuning, 1974b: 42
guttulatus guttulatus Bates, 1873: 385 A: JA
guttulatus ussuricus Tsherepanov, 1973c: 138 A: FE NC NE SC
hayashii Samuelson, 1965b: 119 A: JA (Ryukyus)
hupehensis Gressitt, 1951a: 528 A: HUB
immaculatus Gressitt, 1951a: 529 A: TAI
keiichii Tsuyuki, 1999: 8 A: TAI
kentingensis Kusama & Tahira, 1978: 12 A: TAI
klapperichi Breuning, 1957c: 12 A: AF PA
kleebergi Holzschuh, 2003b: 315 A: NP
kucerai Holzschuh, 1999: 48 A: YUN
kusamai Tsuyuki, 1999: 5 A: TAI
lineatus Bates, 1873: 384 A: FE JA JIX SC
longipennis Holzschuh, 1999: 50 A: YUN
lusitanus Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT MC MD NR
NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR GG KZ TR WS
balteatus Gyllenhal, 1817: 163 (*Lamia*)
crinitus Panzer, 1795: 249 (*Cerambyx*)
pubicornis Schrank, 1789: 76 (*Cerambyx*)
subpilosus Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
marginatus Tsherepanov, 1973a: 124 A: FE
marui Makihara, 1986b: 253 A: JA
melli Breuning, 1961i: 323 A: CH
misellomimus Breuning, 1963b: 48 A: GUX ORR
montilineatus Kusama & Tahira, 1977: 39 A: JA
m-signatus Pic, 1933f: 6 A: SCH
pici Breuning, 1958f: 230
multiguttulatus Pic, 1927a: 24 A: HAI ORR
multilineatipennis Breuning, 1974b: 42 A: PA
nakanei Makihara, 1986b: 254 A: JA (Ryukyus)
nanshanensis Kusama & Tahira, 1978: 14 A: TAI

nobuoi nobuoi Breuning & K. Ohbayashi, 1964: 29 A: JA
nobuoi nonakai Makihara, 1986b: 251 A: JA
nobuoi okinawensis Breuning & K. Ohbayashi, 1966: 35 A: JA (Ryukyus)
paraguttulatus Breuning & Chûjô, 1971: 31 A: JA (Okinawa)
parassamensis Breuning, 1975d: 355 A: BT
parcus Holzschuh, 1984a: 157 A: NP
parrotiae Fisher, 1932: 304 A: KA
procerulus Holzschuh, 1984: 154 A: NP
pseudopunctipennis Holzschuh, 1979a: 115 A: AB AR GG IN TM
pseudovariopennis Kusama & Tahira, 1978: 18 A: TAI
pubescens Fisher, 1932: 303 A: NP UP **ORR**
punctipennis *punctipennis* Mulsant & Guillebeau, 1856: 103 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MD PL RO SK
 SL SP SZ UK YU A: **TR**
graecus Pic, 1901: 52
punctipennis signatus Mulsant & Rey, 1863: 163 A: AB GG TR
ravillus Holzschuh, 1984a: 158 A: NP SD
ritae Sama, 1985a: 65 A: SY TR
rondoni Breuning, 1963b: 47 A: YUN **ORR**
rufithorax Gressitt, 1935e: 286 A: TAI
satoi K. Ohbayashi, 1961a: 20 A: JA
savioi Pic, 1925e: 138 A: FUJ GUX JIA JIX SC **TAI**
semiglaber Breuning, 1968a: 29 A: YUN **ORR**
seriatomaculatus Schwarzer, 1925c: 147 A: TAI **ORR**
seticolis Fisher, 1932: 300 A: UP
specularis Holzschuh, 1989a: 174 A: NP SD
spineus Holzschuh, 2007: 283 A: GUI SHA
spurcatus Holzschuh, 1984a: 156 A: UP
stierlini Ganglbauer, 1883b: 298 E: CZ PL ST UK A: ES FE KZ SC WS
subbicolor Breuning, 1958f: 300 [RN] A: NP **ORR**
bicolor Pic, 1929a: 30 [HN]
subbidentatus Gressitt, 1937d: 615 A: FUJ GUA
submoerens Breuning, 1958a: 40 A: HKG
subniger Breuning, 1975d: 356 A: BT
subsolana Z. Wang, 2003: 369, 397 (*Pogonocherus*) A: HEI
superstes Holzschuh, 1995: 46 A: YUN **ORR**
takakuwai Makihara, 1982a: 43 A: JA
taniguchii Makihara, 1986a: 13 A: JA TAI
tantillus Holzschuh, 2007: 264 A: SCH
tenellus Holzschuh, 1984a: 155 A: NP
testudineus Matsushita, 1931a: 47 A: CH FE JA SC
wistariae Fujimura, 1956: 6
theresae Pic, 1939b: 4 A: BEI
transversifrons Fisher, 1940: 209 A: KA NP SD UP
mediomfasciatus Hayashi, 1981a: 17
trifasciellus Gressitt, 1940b: 187 A: HAI
tsushimanus Hayashi, 1968a: 27 A: FE JA NC NE SC
conjugatofasciatus Tsherepanov, 1973c: 138
ulmicola Holzschuh, 2007: 284 A: HEB
variabilis Holzschuh, 2007: 272 A: YUN **ORR**
variopennis Schwarzer, 1925c: 147 (*Camptomine*) A: TAI
venatoides Kusama & Tahira, 1978: 9 A: TAI
vetustus Holzschuh, 2007: 281 A: SHA
zikaweiensis Savio, 1929: 3 A: FUJ HUB SC JIA SHG
saitoi Matsushita, 1935: 313

genus Nobuosciades M. Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933
bioculatus Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) A: JA (Ogasawara)
ivojimana Gressitt, 1956: 158 (*Sciadella*)
lanatus Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara)

genus Sciades Pascoe, 1864a: 30 type species *Leiopus suffusus* Pascoe, 1864
subgenus Estoliops Matsushita, 1943: 574 type species *Estoliops fasciatus* Matsushita, 1943
fasciatus fasciatus Matsushita, 1943: 575 (*Estoliops*) A: JA SC
fasciatus nobuoi Breuning & K. Ohbayashi, 1964: 29 (*Miaenia*) A: JA
fasciatus okinawanus Ohbayashi, 1984: 15 A: JA (Ryukyus)
fasciatus taiwanensis Kusama & Oda, 1979: 76 (*Estoliops*) A: TAI

fasciatus yaeyamanus Ohbayashi, 1984: 15 A: JA (Ryukyus)
sakishimanus deguchii Ohbayashi, 1984: 15 A: JA (Ryukyus)
sakishimanus sakishimanus Gressitt, 1951b: 227 (*Miaenia*) A: JA (Ryukyus)
subgenus *Granulimiaenia* Breuning, 1977b: 259 type species *Miaenia granulicollis* Gressitt, 1938
granulicollis Gressitt, 1938b: 166 (*Miaenia*) A: GUA HKG TAI
subgenus *Indoaegocidnus* Breuning, 1956d: 360 type species *Aegocidnus indicus* Breuning, 1956
binhanus Pic, 1926e: 48 (*Exocentrus*) A: HAI HKG **ORR**
laterimaculatus Gressitt, 1940b: 188 (*Miaenia*)
honkongensis Breuning, 1968d: 232 A: HKG
subgenus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
Pseudocidnus Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873
brevicollis Gressitt, 1951b: 225 (*Miaenia*) A: JA (Ryukyus)
changi Kusama & Oda, 1979: 75 (*Miaenia*) A: TAI
elongatus Gressitt, 1951a: 532 (*Miaenia*) A: HUB NP
longicollis Breuning & K. Ohbayashi, 1964: 29 (*Miaenia*) A: JA
hirashimai Samuelson, 1965b: 121 (*Miaenia*)
maritimus Tsherepanov, 1979: 82 (*Miaenia*) A: FE **NC SC**
nakanei Hayashi, 1956b: 18 (*Miaenia*) A: JA
subfasciatus Schwarzer, 1925c: 148 (*Miaenia*) A: TAI
tonsus Bates, 1873: 385 (*Exocentrus*) A: JA
fujiyamai Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)
inhirsutus Pic, 1907d: 21 (*Exocentrus*)
leiopodinus Matsushita, 1933b: 397 (*Exocentrus*)
subgenus *Sciades* Pascoe, 1864a: 30 type species *Leiopus suffusus* Pascoe, 1864
Truncatomiaenia Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938
botelensis Gressitt, 1951a: 531 (*Nonymoides*) A: TAI

tribe Gnomini J. Thomson, 1860

genus *Imantocera* Dejean, 1835: 341 type species *Lamia plumosa* Olivier, 1797
Himantocera Gistel, 1848a: xi [unjustified emendation]
Himantocera Pascoe, 1866: 288 [unjustified emendation]
penicillata Hope, 1831: 28 (*Lamia*) A: GUI GUX NP SD XIZ YUN **ORR**
vicina Gahan, 1894a: 47 (*Himantocera*) A: NP UP

genus *Trichognoma* Breuning, 1956g: 674 type species *Trichognoma chinense* Breuning, 1956
chinense Breuning, 1956g: 674 A: CH

tribe Gyaritini Breuning, 1950

genus *Microleropsis* Gressitt, 1937d: 607 type species *Microleropsis rufimembris* Gressitt, 1937
rufimembris Gressitt, 1937d: 608 A: FUJ GUA

genus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858
Zeargyra Pascoe, 1886: 245 type species *Zeargyra vidua* Pascoe, 1886
Mimoenispia Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a
auratus Breuning, 1963: 19 A: YUN **ORR**

genus *Tinkhamia* Gressitt, 1937d: 605 type species *Tinkhamia hamulata* Gressitt, 1937
hamulata hamulata Gressitt, 1937d: 606 A: JIX
hamulata lantauana Gressitt, 1937d: 606 A: GUA HKG
validicornis Gressitt, 1951a: 487 A: GUA

genus *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937
denticulata Gressitt, 1937d: 604 A: GUA
lungtauensis Gressitt, 1951a: 484 A: GUA
theae Gressitt, 1951a: 485 A: FUJ

genus *Yimnashaniana* Hua, 1986a: 181 type species *Yimnashaniana jianfenglingensis* Hua, 1986
jianfenglingensis Hua, 1986a: 181 A: HAI

tribe Homonoieini J. Thomson, 1864

genus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
subgenus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
Brachyhomonoea Aurivillius, 1925: 30 type species *Brachyhomonoea conspersa* Aurivillius, 1925
Homonoeomorpha Aurivillius, 1913: 23 type species *Homonoeomorpha flavovariegata* Aurivillius, 1913
Microabryna Pic, 1925b: 28 type species *Microabryna mediodentata* Pic, 1925 (= *Homonoeomorpha flavovariegata* Aurivillius, 1913)
Yochostyla J. Thomson, 1868: 151 type species *Yochostyla japonica* J. Thomson, 1868

brevicornis Makihara, 1978: 54 A: JA (Ryukyus)
japonica japonica J. Thomson, 1868: 151 (*Yochostyla*) A: JA
japonica okinawana Hayashi, 1963c: 12 A: JA (Ryukyus)
lanhsuana Hayashi, 1974c: 40 A: TAI
lutaana Hayashi, 1974c: 41 A: TAI
oscitans Pascoe, 1858: 252 A: HKG JA SC SHA TAI
 kiushuensis Matsushita & Tamanuki, 1937: 147
 plagiata Schwarzer, 1925b: 64
 variegata Schwarzer, 1925b: 64
oshimana heiana Hayashi, 1963b: 57 A: JA
oshimana oshimana Breuning, 1939b: 162 A: JA
sakishimana ishigaki Hayashi, 1966b: 71 A: JA (Ryukyus)
sakishimana sakishimana Hayashi, 1966b: 70 A: JA (Ryukyus)
sakishimana yonaguni Hayashi, 1966b: 71 A: JA (Ryukyus)
 senkakuana Hayashi, 1972: 28
stolata Matsushita, 1931a: 45 (*Tmesisternus*) A: TAI
yagii Hayashi, 1994: 69 A: TAI

genus *Notomulciber* Blackburn, 1894: 166 type species *Notomulciber carpentariae* Blackburn, 1894

subgenus *Micromulciber* Aurivillius, 1913: 22 type species *Mulciber biguttatus* Pascoe, 1867

Kamikiria Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)
gressitti Tippmann, 1955: 124 (*Kamikiria*) A: FUJ TAI
quadrisignatus Schwarzer, 1925b: 64 (*Micromulciber*) A: JA TAI
 plagiatus Matsushita, 1933b: 349 (*Kamikiria*)

genus *Pseudokamikiria* Breuning, 1964a: 32 type species *Kamikiria klapperichi* Tippmann, 1955
klapperichi Tippmann, 1955: 122 (*Kamikiria*) A: FUJ

tribe Lamiini Latreille, 1825

genus *Aethalodes* Gahan, 1888a: 270 type species *Aethalodes verrucosus* Gahan, 1888

verrucosus formosanus Kriesche, 1924: 285 A: TAI

verrucosus verrucosus Gahan, 1888a: 270 A: FUJ GUA GUI GUX HUB JIX NO SCH ZHE **ORR**

armatus Nonfried, 1892a: 93 (*Trachystola*)
 nodicollis Fairmaire, 1900: 640 (*Trachystola*)

genus *Arctolamia* Gestro, 1888a: 129 type species *Arctolamia villosa* Gestro, 1888

fasciata Gestro, 1890: 222 A: GUX YUN **ORR**

grisea Pic, 1927b: 35

fruhstorferi Aurivillius, 1902: 208 A: GUI GUX SCH YUN **ORR**

margaretae Gilmour, 1950: 537

luteomaculata Pu, 1981: 436 A: YUN

alcinoides Z. Wang, 2014: 604, 1123

strandii Breuning, 1936: 296 A: YUN

villosa Gestro, 1888a: 129 A: YUN **ORR**

genus *Echinovelleda* Breuning, 1936: 284 type species *Echinovelleda chinensis* Breuning, 1936

antiqua Gressitt, 1951a: 347 A: GUI HUB HUN

chinensis Breuning, 1936: 284 A: SCH

genus *Echthistatodes* Gressitt, 1938a: 49 type species *Echthistatodes brunneus* Gressitt, 1938

brunneus Gressitt, 1938a: 49 A: SCH YUN

subobscurus Holzschuh, 1993a: 46 A: YUN

genus *Hayashiechthistatus* Miyake, 1980: 70 type species *Parechthistatus inexpectus* Hayashi, 1959

inexpectus Hayashi, 1959b: 56 (*Parechthistatus*) A: JA

genus *Eupromus* Pascoe, 1868: xii type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)

nigrovittatus Pic, 1930a: 16 A: GUA GUI GUX HUB HUN JIA JIX YUN **ORR**

ruber Dalman, 1817b: 167 (*Lamia*) A: FUJ GUA GUI GUX HUB HUN JA JIA JIX **SC** SCH TAI ZHE **ORR** [see Lim et. al. 2013]

championi A. White, 1858b: 398 (*Monochamus*)

sieboldi Guérin-Méneville, 1844: 238 (*Callimation*)

genus *Herophila* Mulsant, 1863: 273 type species *Dorcadion fairmairei* J. Thomson, 1857

Dorcatypus J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857

fairmairei J. Thomson, 1857d: 151 (*Dorcadion*) E: GR

tristis martinascovi E. Contarini & Garagnani, 1983: 152 (*Dorcatypus*) E: GR IT

tristis tristis Linnaeus, 1767: 629 (*Cerambyx*) E: AL AU BH BU CR FR GR HU IT MC RO SL SZ TR YU A: TR
adpersa Gmelin, 1790: 1863 (*Cerambyx*)
beieri Breuning, 1942e: 135 (*Dorcatypus*)
confirmata Chevrolat, 1882: 61 (*Dorcatypus*)
divisa Pic, 1921a: 5
funerea Schoch, 1878: 134
funesta Fabricius, 1787: 139 (*Lamia*)
gennadii Buquet, 1882: cxxxvii (*Lamia*)
interrupta Pic, 1921a: 5
obliterata Pic, 1921a: 5
obsoleta Fairmaire, 1859a: 62 (*Morimus*)
posticalis Pic, 1921a: 5
pulverulenta Scopoli, 1772: 95 (*Cerambyx*)
veluchiana Breuning, 1943b: 96 (*Dorcadion*)
zajecarensis Breuning, 1948c: 58 (*Dorcadion*)

genus *Lamia* Fabricius, 1775: 170 type species *Cerambyx textor* Linnaeus, 1758

Morimides J. Thomson, 1859: 95 type species *Cerambyx textor* Linnaeus, 1758
Pachystola Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758
textor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN WS XIN
nigrorugosa DeGeer, 1775: 64 (*Cerambyx*)
noctis Gronovius, 1764: 162 [n.538] (*Cerambyx*) [description only, without name; name in the Index n.538 (1781)]
tricarinata Cornelius, 1884: 50
unicolor P. Brown, 1776: 134 (*Cerambyx*) [HN]

genus *Lamiomimus* Kolbe, 1886: 223 type species *Lamiomimus gottschei* Kolbe, 1886

chinensis Breuning, 1936: 286 A: GUI YUN
gottschei Kolbe, 1886: 224 A: ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE
adelphus Ganglbauer, 1887a: 137 (*Lamia*)

genus *Mesechthistatus* Breuning, 1950c: 222 type species *Echthistatus binodosus* C. O. Waterhouse, 1881

binodosus binodosus C. O. Waterhouse, 1881: 431 (*Echthistatus*) A: JA
binodosus insularis Hayashi, 1955: 55 A: JA
fujisanus Hayashi, 1957b: 46 A: JA
furcifer furcifer Bates, 1884a: 237 (*Echthistatus*) A: JA
furciferus Bates, 1884a: 237 [incorrect orig. spelling]
furcifer meridionalis Hayashi, 1951b: 79 (*Echthistatus*) A: JA
taniguchii Seki, 1944b: 168 (*Echthistatus*) A: JA JIX
hayashii Yokoyama, 1969: 58

genus *Mimechthistatus* Breuning, 1956i: 706 type species *Echthistatus yamahoi* Mitono, 1943

yamahoi Mitono, 1943: 578 (*Echthistatus*) A: TAI

genus *Morimospasma* Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889

granulatum Chiang, 1981: 80 A: SHA
nitidituberculatum Hua, 1992: 509, 523 A: HUN
paradoxum Ganglbauer, 1889a: 80 A: GAN HUB QIN SCH SHA
difformis Pic, 1934a: 12 (*Trachystola*)
tuberculatum Breuning, 1939b: 147 A: HUB SCH ZHE
bimaculatum Breuning, 1947a: 1

genus *Morimus* Brullé, 1832: 258 type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)

Morimus Brullé, 1832: 258 [original incorrect spelling]
asper asper Sulzer, 1776: 44 (*Cerambyx*) E: AL CR FR GR IT SP SZ YU
lugubris Fabricius, 1793: 283 (*Lamia*)
asper funereus Mulsant, 1863: 279 E: AL AU BH BU CR CZ GR HU IT MC MD RO SK SL UK YU
asper ganglbaueri Reitter, 1894b: 44 E: BH CR YU
assamensis Breuning, 1936: 285 A: XIZ ORR
lethalis J. Thomson, 1857e: 182 A: SCH SHG YUN ORR
morimoides A. White, 1858a: 266 (*Leptodera*)
quadrimaculatus Pic, 1925a: 17 (*Trachystola*)
trinotatus Pic, 1925a: 17 (*Trachystola*)
whitei Lacordaire, 1869: 298
orientalis Reitter, 1894b: 43 E: BU TR A: TR
verecundus Faldermann, 1836: 396 (*Lamia*) E: ST UK(Crimea) A: AB AR GG IN TM TR
ficitor Bogatchev, 1949: 183

genus *Neotrachystola* Breuning, 1942e: 133 type species *Trachystola maculipennis* Fairmaire, 1900
incerta Breuning, 1942e: 134 A: CH
maculipennis Fairmaire, 1900: 639 (*Trachystola*) A: GUA **ORR**
subobliterata Pic, 1925a: 17 (*Trachystola*)
superciliata Pu, 1997: 821, 834 A: SCH

genus *Parechthistatus* Breuning, 1942e: 131 type species *Echthistatus gibber* Bates, 1873
chinensis Breuning, 1942e: 132 A: HEN SHA
gibber daisen Miyake & Tsuyi, 1980: 76 A: JA
gibber gibber Bates, 1873: 308 (*Echthistatus*) A: JA
gibber grossus Bates, 1884a: 237 (*Echthistatus*) A: JA
gibber longicornis Hayashi, 1951b: 80 A: JA
gibber nakanei Miyake, 1980: 76 A: JA
gibber nankiensis Yokoyama, 1969: 59 A: JA
gibber pseudogrossus Miyake, 1980: 78 A: JA
gibber shibatai Miyake, 1980: 74 A: JA
gibber tanakai Miyake, 1980: 77 A: JA
gibber tsushimanus K. Ohbayashi, 1961b: 49 A: JA
sangzhiensis Hua, 1992: 514 A: YUN

tribe Mesosini Mulsant, 1839

genus *Aesopida* J. Thomson, 1864: 62 type species *Aesopida malasiaca* J. Thomson, 1864
malasiaca J. Thomson, 1864: 62 A: HAI NP SD YUN **ORR**
dubiosa Heller, 1926: 37

genus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
subgenus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
nigromaculata Gahan, 1894a: 52 A: TAI **ORR**
subgenus *Epagelasta* Breuning, 1939c: 429 type species *Agelasta newmani* A. White, 1856
balteata Pascoe, 1866: 236 A: CH **ORR**
subgenus *Dissosira* Pascoe, 1865: 124 type species *Agelasta catenata* Pascoe, 1862
Anthriboscyla Thomson, 1868. 165 type species *Anthriboscyla mima* Thomson, 1868.
Pseudaemocia Breuning, 1935. 269 type species *Pseudaemocia rufa* Breuning, 1935.
cana Breuning, 1939c: 520 A: TAI
gardneri Breuning, 1938c: 204 A: NP UP
konoï amamiana Hayashi, 1962a: 13 A: JA (Amami-Ōshima)
konoï konoï Hayashi, 1956b: 13 A: HUB JA
konoï kumejimana Kusama & Takakuwa, 1984: 49 A: JA (Kume Is.)
konoï okinoerabuensis K. Ohbayashi, 1959: 34 A: JA (Okinoerabu Is.)
konoï okinawana Hayashi, 1960d: 27 A: JA (Okinawa Is.)
kumei Takakuwa, 1991: 52 A: TAI
mouhoti Pascoe, 1862a: 335 A: YUN **ORR**
perplexa Pascoe, 1858: 243 A: FUJ HEN JA JIX LIA SC TAI ZHE
alternans Schwarzer, 1925b: 62 (*Saimia*)
formosana Pic, 1925b: 30 (*Mimocoptops*)
praelongipes Kusama & Irie, 1976: 20 A: JA (Ryukyus)
rufa Breuning, 1935e: 269 (*Pseudaemocia*) A: JA (Ogasawara)
sikkimensis Breuning, 1963f: 78 A: SD
szetschuanica Breuning, 1967f: 184 A: SCH
tonkinea omeishana Gressitt, 1951a: 427 A: NP FUJ SCH **ORR**
tonkinea palminsulana Gressitt, 1940b: 127 (*Choeromorpha*) A: HAI
tonkinea tonkinea Pic, 1925f: 188 A: TAI **ORR**
formosana Schwarzer, 1925b: 61
yonaguni kashiwaii Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
yonaguni similis Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
semipraelongipes Kusama & Takakuwa, 1984: 358
yonaguni subkonoï Breuning, 1964f: 91 A: JA (Ryukyus)
yonaguni yonaguni Hayashi, 1962c: 5 A: JA (Ryukyus)
yunnanensis Breuning, 1954a: 10 A: YUN
subgenus *Mesolophus* Gahan, 1894a: 56 type species *Mesolophus humeralis* Gahan, 1894
Samiomimus Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927
humeralis Gahan, 1894a: 57 (*Mesolophus*) A: NP
marmorata Pic, 1927b: 36 (*Samiomimus*) A: FUJ SCH **ORR**
pici Breuning, 1938c: 210 A: FUJ NMO
yunnana Chiang, 1963: 69 A: YUN
subgenus *Parasaimia* Breuning, 1935e: 267 [RN] type species *Mimocoptops laosensis* Pic, 1925

Mimocoptops Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925
glabrofasciata Pic, 1917j: 353 (*Mesosa*) A: YUN
hirticornis Gressitt, 1936: 102 (*Saimia*) A: TAI
subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* A. White, 1858
bifasciana A. White, 1858a: 273 A: JIX NP SD **YUN ORR**
bisinuata Pic, 1937b: 4 (*Mesosa*)
savioi Pic, 1937b: 4 (*Mesosa*)
***birmanica* Breuning, 1935e: 273 (*Paragelasta*) A: YUN ORR**
fallaciosa Breuning, 1938c: 208 A: SD **YUN**

genus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
subgenus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
apicalis Pic, 1925a: 32 A: CH NP SD UP **ORR**
adpersa Schwarzer, 1931a: 68 (*Choeromorpha*)
lineifrons Gressitt, 1951a: 429 A: FUJ
subgenus *Mesagelasta* Breuning, 1939c: 494 type species *Anagelasta trimaculata* Breuning, 1938
nigromaculata Breuning, 1938c: 212 A: HP

genus *Cacia* Newman, 1842c: 290 type species *Cacia spinigera* Newman, 1842
subgenus *Corethrophora* Blanchard, 1853: 301 type species *Corethrophora semiluctuosa* Blanchard, 1853
shirupiti Kano, 1939: 31 A: TAI
subgenus *Ipocregyes* Pascoe, 1864a: 96 type species *Ipocregyes newmani* Pascoe, 1866
Falsoereis Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925
arisana Kano, 1933a: 281 (*Ipocregyes*) A: TAI
scopifera Mitono, 1934: 492 (*Cenodocus*)
basialboantennalis Breuning, 1958a: 6 A: BT
bootanana Breuning, 1968f: 693 A: BT
cephaloides Breuning, 1968a: 8 A: YUN **ORR**
cephalotes Pic, 1925b: 25 (*Falsoereis*) A: BT SD YUN **ORR**
formosana Schwarzer, 1925b: 60 (*Mesosa*) A: FUJ HUB JIX TAI ZHE
lepesmei Gressitt, 1951a: 423 A: GUX SHA
nigrofasciata Gressitt, 1940b: 122 A: HAI
watantakkuni Kano, 1933a: 280 (*Ipocregyes*) A: TAI
yunnana Breuning, 1938c: 208 A: YUN
subgenus *Pericacia* Breuning, 1939c: 459 type species *Lamia cretifera* Hope, 1831
cretifera cretifera Hope, 1831: 27 (*Lamia*) A: NP PA SD
incensa Pascoe, 1865: 112
macularia Gressitt, 1939a: 62
cretifera dilacerata Breuning, 1939c: 459 A: NP SD
cretifera thibetana Pic, 1917h: 12 (*Mesosa*) A: GUX SCH XIZ YUN
multirustica Chiang, 1951: 64 A: GUI

genus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
subgenus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
subfasciata Pic, 1922b: 26 (*Coptops*) A: YUN **ORR**

genus *Clyzomedus* Pascoe, 1865: 115 type species *Coptops nanus* Pascoe, 1859
transversefasciatus Breuning, 1938c: 212 A: UP

genus *Coptops* Audinet-Serville, 1835a: 64 type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)
aedificator Fabricius, 1793: 275 (*Lamia*) A: OM SA TAI YE **AFR ORR**
ambulator Fabricius, 1775: 171 (*Lamia*)
bidens Wollaston, 1877: 210
fuscus Olivier, 1795: 83 (*Cerambyx*) [1797: 462] (*Lamia*)
parallelus Audinet-Serville, 1835a: 64
quadrisignatus Fehraeus, 1873: 30
villicus Olivier, 1795: 102 (*Cerambyx*) [1797: 468] (*Lamia*)
albonotatus Pic, 1917j: 354 (*Pachyosa*) A: SCH YUN **ORR**
albosparsus Pic, 1926b: 7 (*Mutatocoptops*)
annulipes annulipes Gahan, 1894a: 54 A: YUN "North India" **ORR**
curvatosignatus Pu, 1992b: 606 A: SCH
diversesparsus Pic, 1917f: 7 (*Pachyosa*) A: YUN
nigrosparsus Pic, 1933a: 13 (*Mutatocoptops*)
japonicus Breuning, 1936: 311 A: TAI
leucosticticus leucosticticus A. White, 1858a: 272 A: GUI GUX NP SD XIZ YUN **ORR**
centurio Pascoe, 1869: 205

lacertosus Pascoe, 1865: 121
longipes Pic, 1925b: 29 (*Mutatocoptops*)
niveisparsus Fairmaire, 1904b: 145
olivaceus Breuning, 1935e: 263
petechialis Pascoe, 1865: 119
polyspilus Pascoe, 1865: 118
vitalisi Pic, 1926b: 7 (*Mutatocoptops*)
leucosticticus rusticus Gressitt, 1940b: 124 [RN] A: GUX HAI
polyspilus Gahan, 1900d: 351 [HN]
licheneus Pascoe, 1865: 118 A: FUJ GUA GUX HAI NP YUN **ORR**
salvazai Pic, 1925b: 29 (*Mutatocoptops*)
pascoei Gahan, 1894a: 55 A: GUX **ORR**
bidentatithorax Pic, 1925b: 30 (*Mutatocoptops*)
penghuensis Yamasako & Lin, 2010: 292 A: TAI
szechuanicus Gressitt, 1951a: 431 A: SCH
thibetanus Breuning, 1974d: 79 A: XIZ

genus *Epimesosa* Breuning, 1939c: 420 type species *Mesosa taliana* Pic, 1917
taliana Pic, 1917h: 13 (*Mesosa*) A: SCH YUN

genus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
subgenus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
albofasciata Pic, 1925b: 27 A: YUN
bhutanensis Breuning, 1968e: 859 (*Mesosella*) A: **BT** NP
breuningi Pic, 1944b: 14 A: CH
gardneri Breuning, 1938c: 197 A: NP SD UP **YUN**
affinis Breuning, 1938c: 198
annamensis Breuning, 1939c: 516 (*Mesosa*)
gracilior Bates, 1884a: 244 (*Mesosa*) A: JA
grisella A. White, 1858b: 401 (*Cacia*) A: HKG **TAI**
horishana Gressitt, 1938b: 161 A: TAI
mediofasciata Breuning, 1968f: 697 A: SD
minor Pic, 1925b: 27 A: YUN TAI
minor Pic, 1926b: 9 (*Mesosa*)
nigronotata hakka Gressitt, 1937d: 597 A: GUA HAI **ORR**
rufovittata Breuning, 1938c: 198 A: NP UP
transversefasciata Breuning, 1938c: 198 A: UP
subalba Gressitt, 1938b: 162 A: TAI
truncatipennis Pic, 1944b: 13 A: CH
unicolor Breuning, 1965: 44 A: TAI **ORR**

genus *Golsinda* Thomson, 1861: 343 type species *Golsinda carolina* Thomson, 1861
basicornis Gahan, 1894a: 48 A: YUN **ORR**

genus *Hypocacia* Breuning, 1935e: 275 type species *Hypocacia biplagiata* Breuning, 1935
shimomurai Holzschuh, 1989b: 386 A: TAI
wenhsini Yamasako & Chou, 2013: 97 A: TAI

genus *Japanomesosa* Yamasako & N. Ohbayashi, 2007: 344 type species *Mesosa poecila* Bates, 1884a
poecila Bates, 1884a: 245 (*Mesosa*) A: JA

genus *Leptomesosa* Breuning, 1938c: 392 type species *Mesosa cephalotes* Pic, 1903
cephalotes Pic, 1903i: 121 (*Mesosa*) A: SCH YUN **ORR**
nodosipennis Pic, 1917h: 12 (*Mesosa*)

genus *Mesocacia* Heller, 1926: 32 type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)
duplicaria Holzschuh, 2006c: 484 A: NP
multimaculata Pic, 1925b: 24 (*Ereis*) A: BT GUX HAI SD YUN **ORR**
assamensis Heller, 1926: 33
punctifasciata Gressitt, 1940b: 120 A: HAI
rugicollis Gressitt, 1940b: 121 A: HAI YUN **ORR**

genus *Mesoereis* Matsushita, 1933b: 338 type species *Mesoereis koshunensis* Matsushita, 1933
horiana Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) A: JA (Ryukyus)
ohirai Breuning & Villiers, 1973: 48
koshunensis Matsushita, 1933b: 339 A: HEN TAI
kikuchii Matsushita, 1933b: 339

yunnana Breuning, 1974d: 72 A: YUN

genus Mesosa Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760

subgenus Aplocnemia Stephens, 1831: 236 type species *Cerambyx nubilus* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)

Aphelocnemia Stephens, 1832: 414 [emendation, not in usage]

Haplocnemia Agassiz, 1846b: 172 [unjustified emendation]

Helixoea Pascoe, 1865: 124 type species *Agelasta rupta* Pascoe, 1862

affinis affinis Breuning, 1936: 306 A: NP BT SD

affinis nepalica Holzschuh, 2003b: 307 A: NP

andrewsi Gressitt, 1942c: 3 A: XIZ

angusta Gressitt, 1951a: 417 A: GUA

cheni Gressitt, 1951a: 418 A: HAI HUB

griseomarmorata Breuning, 1939c: 517 A: GUX

latifasciata A. White, 1858b: 401 (*Cacia*) A: FUJ JIA JIX TAI **ORR**

luteopubens Pic, 1917c: 7

longipennis Bates, 1873: 313 A: GAN GUI HEB JA JIA SC SHX TAI ZHE

amakusae Breuning, 1964f: 91

posticeconnexa Hayashi, 1964: 73

subobliterata Pic, 1901m: 62

nebulosa algerica Pic, 1898h: 58 N: AG TU

nebulosa nebulosa Fabricius, 1781: 218 (*Lamia*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD NL NR PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG **HEB** TR

brevis Villers, 1789: 257 (*Cerambyx*)

lineatopunctata Baudi di Selve, 1889a: 193

nubila Gmelin, 1790: 1832 (*Cerambyx*)

nebulator Turton, 1802: 306 (*Lamia*)

silvestrii Tippmann, 1956: 492

nigrofasciaticollis Breuning, 1968a: 5 A: YUN **ORR**

obscuricornis Pic, 1894b: 44 A: AB IN

rupta Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX **YUN ORR**

nhouabayi Breuning, 1965c: 44

nigrobifasciata Pic, 1925b: 30 (*Mimocoptops*)

unifasciata Pic, 1922b: 26

senilis Bates, 1884a: 245 A: FE JA

sikkimensis Breuning, 1935e: 274 A: SD **ORR**

subfasciata Gahan, 1894a: 49 A: UP YUN **ORR**

undata Fabricius, 1793: 270 (*Lamia*) A: GUX **ORR**

antennata A. White, 1858b: 401 (*Cacia*)

subgenus Lissomesosa Yamasako & N. Ohbayashi, 2007: 340 type species *Mesosa cribrata* Bates, 1884a

cribrata Bates, 1884a: 245 A: JA

kirisimana Matsushita, 1943: 576 A: JA

shikokensis K. Ohbayashi, 1963: 11

subgenus Mesosa Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760

Dendrobium Gistel, 1834: 30 [unnecessary substitute name]

bipunctata Chiang, 1951: 62 A: GUI GUX

curculionoides Linnaeus, 1760: 193 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT **LA** LT MC MD NR PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG IN TR

— *bioculata* Nicolas, 1902: 28 (*Haplocnemia*) [see Danilevsky, 2014b: 227]

— *curculionoides* Seopoli, 1772: 101

nigronotata Pic, 1906h: 86 (*Haplocnemia*)

oculata Geoffroy, 1785: 78 (*Leptura*) [HN]

tokatensis Pic, 1904a: 6 (*Haplocnemia*)

japonica Bates, 1873: 312 A: FE(islands) JA ~~HL TAI~~

mediofasciata Breuning, 1942a: 142 A: HUB JA TAI

myops Dalman, 1817b: 168 (*Lamia*) E: **BY** CT FI LA **LT** NT PL ST SV UK A: ?**ANH** ES FE ?**GAN** ?**GUA** ?**GUI** HEB HEI ?**HEN** ?**HUB** JIL KZ LIA MG NC NMO ?**QIN** SC ?**SCH** ?**SHA** ~~TAI~~ WS XIN ?**ZHE**

plotina Z. Wang, 2003: 323, 396

stictica rugosa Gressitt, 1951a: 416 A: GUI

stictica stictica Blanchard, 1871: 812 A: BEI GAN GUI HUB SCH SHA SHN SHX XIZ YUN ZHE

oculicollis Fairmaire, 1878: 131

subgenus Metamesosa Breuning, 1939c: 411 type species *Mesosa basinodosa* Pic, 1925

basinodosa Pic, 1925b: 28 A: YUN

nomurai Hayashi, 1964: 71 A: JA

sinica Gressitt, 1939b: 113 (*Aesopida*) A: FUJ GUX HUN ZHE

subgenus Perimesosa Breuning, 1939c: 409 type species *Mesosa hirsuta* Bates, 1884a

atrostigma Gressitt, 1942g: 84 A: FUJ GUX TAI ZHE

bimaculata Breuning, 1936: 306 A: SD UP **ORR**

binigrovittata Breuning, 1942a: 143 A: FUJ TAI

binigrovittipennis Breuning, 1968f: 692 A: AP SD
chassoti Breuning, 1970c: 89 A: TAI
hirsuta albihirsuta Kusama & Takakuwa, 1984: 11 A: JA (Yakushima, Tanegashima Is.)
hirsuta brevihirsuta Makihara, 1980: 53 A: JA (Danjo Is.)
hirsuta hirsuta Bates, 1884a: 244 A: JA
 harmandi Pic, 1901v: 341
 nigrohumeralis Breuning, 1938c: 203
hirsuta continentalis Hayashi, 1964: 76 [= 1965: 29] A: FE NC NE SC
hirsuta konishii Hayashi, 1964: 76 [= 1965: 30] A: JA (Tsushima Is.)
hyunchaei Yamasako & Hasegawa, 2009: 290 A: SC
irrorata Gressitt, 1939b: 111 A: FUJ HEN HUB JIX ZHE
maculifemorata Gressitt, 1940b: 117 A: HAI ORR
medioalbofasciata Breuning, 1969a: 35 A: TAI
pictipes miyamotoi Hayashi, 1956b: 20 A: JA (Tokara Is.)
pictipes pictipes Gressitt, 1937b: 323 A: JA (Ryukyus)
pieli Pic, 1936d: 16 A: JIX
setulosa Breuning, 1938c: 202 A: HP NP
yayeyamai Breuning, 1955b: 61 A: JA (Ryukyus)
subgenus *Saimia* Pascoe, 1866b: 234 [RN] type species *Samia albidorsalis* Pascoe, 1865
 Samia Pascoe, 1864a: 96 [HN] type species *Samia albidorsalis* Pascoe, 1865
alternata Breuning, 1936: 311 (*Saimia*) A: TAI ORR
indica Breuning, 1935e: 265 A: UP YUN ORR
lata Breuning, 1956g: 677 A: "North-west India"
kuntzeni Matsushita, 1933b: 340 A: TAI
obscura Gahan, 1894a: 49 A: YUN ORR
yunnana Breuning, 1938c: 202 (*Saimia*) A: HAI YUN

genus *Mutatocoptops* Pic, 1925b: 29 type species *Mutatocoptops alboapicalis* Pic, 1925
alboapicalis Pic, 1925b: 30 A: YUN ORR
 cristatus Fisher, 1936: 183 (*Paracoptops*)
anancyloides Schwarzer, 1925b: 61 (*Coptops*) A: TAI ORR

genus *Pachyosa* Fairmaire, 1897a: 71 type species *Pachyosa cervinopicta* Fairmaire, 1897
atronotata atronotata Kusama & Irie, 1976: 19 (*Mesosa*) A: JA
atronotata yamawakii Hayashi, 1976: 11 (*Mesosa*) A: JA
cervinopicta Fairmaire, 1897a: 71 A: JA (Ryukyus)
guanyin Yamasako & Chou, 2014b: 44 A: TAI
hirtiventris Gressitt, 1937b: 324 (*Coptops*) A: JA (Ogasawara)
itoi Ohbayashi, 1985: 1 (*Mesosa*) A: JA (Ryukyus)
kojimai Hayashi, 1974c: 37 (*Coptops*) A: TAI

genus *Paragolsinda* Breuning, 1956g: 675 type species *Paragolsinda fruhstorferi* Breuning, 1956g
obscura Matsushita, 1933b: 339 (*Mesoereis*) A: TAI
tonkinensis Breuning, 1938c: 197 (*Mesoereis*) A: HAI ORR

genus *Paripocregyes* Breuning, 1938c: 204 type species *Paripocregyes brunneomaculatus* Breuning, 1938
brunneomaculatus Breuning, 1938c: 204 A: UP ORR

genus *Pseudipocregyes* Pic, 1923c: 20 type species *Pseudipocregyes maculatus* Pic, 1923
albosignatus Breuning, 1974d: 74 A: CH ORR
maculatus Pic, 1923c: 20 A: YUN ORR

genus *Spinipocregyes* Breuning, 1949a: 6 type species *Spinipocregyes nigrescens* Breuning, 1949a
wenhsini Bi, 2013: 104 A: HAI

tribe Monochamini Gistel, 1848

genus *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858
 Cypriola J. Thomson, 1864: 16 type species *Cypriola acanthocinoides* J. Thomson, 1864
 Dihammus J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835)
 Haplohammus Bates, 1884a: 239 type species *Monohammus luxuriosus* Bates, 1873
 Neanthes Pascoe, 1878: 372 type species *Monohammus curialis* Pascoe, 1858 (= *Monochamus subluscus* J. Thomson, 1857)
 Niphohammus Matsushita, 1932: 170 type species *Niphohammus korolensis* Matsushita, 1932
affinis Breuning, 1935d: 55 (*Dihammus*) A: NP SD
amamiana amamiana Hayashi, 1962b: 36 (*Cypriola*) A: JA
amamiana simillima Breuning & K. Ohbayashi, 1966: 32 A: JA (Ryukyus)

okinawensis Breuning & K. Ohbayashi, 1966: 31
aurata Gahan, 1888c: 260 (*Monohammus*) A: NP
basicornis Gahan, 1894a: 37 (*Haplohammus*) A: GUX HUN SD YUN **ORR**
basiplagiata Breuning, 1935c: 249 (*Dihammus*) A: YUN **ORR**
battonii Breuning, 1980a: 16 A: NP
bifasciata Westwood, 1848: 59 (*Monohammus*) A: AP HUB SD "Himalaya" **ORR**
kingana Pic, 1921c: 6 (*Monohammus*)
perplexa Gahan, 1888d: 393 (*Monohammus*)
boninensis Hayashi, 1971: 16 A: JA (Ogasawara)
breuningii Gressitt, 1951a: 399 (*Dihammus*) A: GUA
breviscapus Hayashi, 1980: 2 A: NP
cervina Hope, 1831: 27 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE **ORR**
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
chinensis Breuning, 1970f: 475 A: GUI
coreanica Breuning, 1956c: 234 A: "Korea"
coreensis Breuning, 1967f: 183 A: SC
crassepunctifrons Breuning, 1960d: 34 (*Cypriola*) A: SD
degeneroides Breuning, 1948a: 8 (*Dihammus*) A: JIX
elongata Breuning, 1935c: 251 (*Dihammus*) A: GUI NP SCH **ORR**
fasciata Hua, 1992: 492 A: YUN
ferriei Breuning, 1954d: 73 (*Cypriola*) A: FUJ JA
flocclata flocclata Gressitt, 1935c: 188 (*Monochamus*) A: TAI
flocclata paucisetosa Gressitt, 1938c: 154 (*Dihammus*) A: GUI GUX SCH SHA
fermosana Breuning, 1935c: 251 (*Dihammus*) A: TAI
fraudatrix fraudatrix Bates, 1873: 309 (*Monohammus*) A: FE JA SC
fraudatrix nigricornis Makihara, 1977: 63 A: JA
mogii Makihara, 1980: 62
fraudatrix satoi Breuning & K. Ohbayashi, 1966: 32 A: JA
fraudatrix yakushimana Yokoyama, 1971: 99 A: JA
freudei Heyrovský, 1976: 184 A: NP
gardneri Breuning, 1938c: 186 (*Dihammus*) A: SD
ginkgovora Makihara, 1992a: 62 A: JA
griseipennis J. Thomson, 1857f: 296 (*Monochamus*) A: BT NP SD YUN **ORR**
griseoplagiata Breuning, 1935c: 250 (*Dihammus*) A: SD
grossescapa Breuning, 1942a: 117 (*Dihammus*) A: TAI
hachijoensis Gressitt, 1956: 113 (*Dihammus*) A: JA
mikurensis Hayashi, 1969a: 64
hainana Breuning, 1959d: 149 (*Cypriola*) A: HAI
haradai Hayashi, 1980: 3 A: NP
hingstoni Gilmour, 1956b: 743 (*Dihammus*) A: XIZ
holosericea Breuning, 1939b: 158 (*Dihammus*) A: XIZ **ORR**
hunanensis Breuning, 1963g: 218 A: HUN
inaequalis Gardner, 1937: 8 (*Dihammus*) A: SD
iwashihii Makihara, 1992a: 59 A: JA (Ryukyus)
kuniyoshii Hayashi, 1963c: 11 A: JA (Ryukyus)
kusamai Hayashi, 1969a: 64 A: JA SC
laeviceps Breuning, 1938c: 186 (*Dihammus*) A: SD
longicollis Gilmour, 1956b: 744 (*Dihammus*) A: NP
luxuriosa kawadai Takakuwa, 1984: 431 A: JA
luxuriosa kuro Makihara, 1977: 65 A: JA
luxuriosa luxuriosa Bates, 1873: 309 (*Monohammus*) A: FE JA
masatakai Makihara, 2003: 356 A: JA
mutans Breuning, 1938a: 32 (*Dihammus*) A: XIZ **ORR**
nepalensis Hayashi, 1980: 1 A: NP
ningshanensis Danilevsky, 2013g: 34 A: GUI HUB SCH SHA YUN
nishimurai Makihara, 1992a: 70 A: JA (Ryukyus)
nivosa A. White, 1858b: 409 (*Monohammus*) A: NP PA "Himalaya"
oshimana omoro Hayashi, 1963c: 11 A: JA (Ryukyus)
oshimana oshimana Breuning, 1954d: 73 (*Cypriola*) A: JA
paraspeciosa Breuning, 1982: 19 A: XIZ
permutans occidentalis Breuning, 1958h: 268 (*Cypriola*) A: SCH
permutans okinawana Gressitt, 1951b: 216 (*Dihammus*) A: JA (Ryukyus)
teragrama Gilmour, 1951: 67 (*Dihammus*)
permutans paucipunctata Gressitt, 1938b: 157 (*Dihammus*) A: JA TAI YUN
permutans permutans Pascoe, 1857b: 103 (*Monohammus*) A: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI
ZHE **ORR**

severini Nonfried, 1892a: 94 (*Monohammus*)
vicina Pascoe, 1858: 245 (*Monohammus*)
pseudosericans Breuning, 1949b: 6 A: ZHE **ORR**
punctifrons Gahan, 1894a: 36 (*Haplohammus*) A: SD
rusticatrix formosensis Breuning & K. Ohbayashi, 1966a: 11 A: TAI
rusticatrix rusticatrix Fabricius, 1801b: 294 (*Lamia*) A: TAI **ORR**
bianor Newman, 1842b: 277 (*Monohammus*)
fistulatrix Germar, 1824: 478 (*Lamia*)
musiva Pascoe, 1866c: 251 (*Monochamus*)
scotti Breuning, 1936: 289 (*Dihammus*) A: SD
sejuncta hamai Hayashi, 1962b: 36 (*Cypriola*) A: JA
sejuncta izuinsulana Hayashi, 1968a: 25 A: JA
sejuncta morii Makihara, 1980: 65 A: JA
sejuncta sejuncta Bates, 1873: 310 (*Monohammus*) A: FE FUJ HUB JA SC
fraxini Matsushita, 1933a: 328 (*Dihammus*)
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
olivacea Breuning, 1944b: 471 (*Dihammus*)
sejuncta tsushimae Breuning, 1960e: 35 (*Cypriola*) A: JA
semisericea Pic, 1935b: 17 (*Dihammus*) A: SCH
semidegenera Hayashi, 1981a: 14 A: NP
sericans Breuning, 1938a: 33 (*Dihammus*) A: NP SD UP
sericeomicans Fairmaire, 1889a: 67 (*Monochamus*) A: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**
seunghwani Danilevsky, 2013g: 32 A: FE JIL NC SC
sikkimensis nigrina Breuning, 1975d: 344 A: BT
sikkimensis rufoantennata Breuning, 1975d: 345 A: BT NP
sikkimensis sikkimensis Breuning, 1935c: 250 (*Dihammus*) A: SD
sobria Pascoe, 1858: 246 (*Monohammus*) A: TAI **ORR**
socia Gahan, 1888a: 275 (*Haplohammus*) A: FUJ GUX JIA JIX NO
speciosa Gahan, 1888a: 275 (*Haplohammus*) A: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**
sublusca boehmeriavora Makihara, 1992a: 60 A: JA (Ryukyus)
sublusca maculihumera Matsushita, 1933b: 328 (*Dihammus*) A: TAI
sublusca sublusca J. Thomson, 1857f: 293 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA
 SHN ZHE **ORR**
curialis Pascoe, 1858: 246
subspeciosa Breuning, 1963g: 217 A: ZHE
sulphurifera Hope, 1842b: 128 (*Monochamus*) A: SD **ORR**
szechuana Gressitt, 1938c: 155 (*Dihammus*) A: SCH
tenuipes Breuning, 1939b: 158 (*Dihammus*) A: SD
ussurica Plavilstshikov, 1951: 121 (*Dihammus*) A: FE
vitalisi Pic, 1925a: 19 (*Monochamus*) A: FUJ GUA GUX HAI HUN JIX SCH TAI ZHE **ORR**
ikedai Mitono, 1943: 581 (*Dihammus*)
wittmeri Breuning, 1975d: 343 A: BT
yokoyamai Hayashi, 1971: 15 A: TAI

genus Agnioides Breuning, 1956g: 671 type species *Agnioides striatopunctatus* Breuning, 1956
striatopunctatus Breuning, 1956g: 671 A: BT CH

genus Agniomorpha Breuning, 1935e: 257 type species *Agniomorpha ochraceomaculata* Breuning, 1935
ochraceomaculata Breuning, 1935e: 257 A: GUI GUX SD **ORR**

genus Agnoderus J. Thomson, 1864: 83 type species *Agnoderus gnomoides* J. Thomson, 1864
gnomoides J. Thomson, 1864: 83 A: SD

genus Anamera J. Thomson, 1864: 63 type species *Anamera alboguttata* J. Thomson, 1864
gigantea gigantea Breuning, 1935d: 66 A: PA **?ORR**
gigantea iliyashenkoi Jiroux, Garreaux & Gurko, 2012: 19 A: PA

genus Annamanum Pic, 1925a: 23 type species *Annamanum vitalisi* Pic, 1925
Uraeochopsis Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894
albisparsum Gahan, 1888b: 62 (*Monochamus*) A: FUJ GUI GUX HUN JIX
albonotatum Pic, 1925a: 22 (*Uraecha*)
albonotatum Breuning, 1935f: 76 A: CH **ORR**
cardoni Breuning, 1953: 2 A: "India"
chebanum Gahan, 1894a: 41 (*Uraecha*) A: GUA GUX YUN **ORR**
fuscomaculatum Breuning, 1979c: 99 A: YUN
griseolum Bates, 1884a: 240 (*Uraecha*) A: JA

humerales Pic, 1934a: 35 (*Uraecha*) A: YUN **ORR**

indicum Breuning, 1938c: 191 A: SD

mediomaculatum Breuning, 1962b: 19 A: GUX **ORR**

sikkimense Breuning, 1942a: 119 A: NP SD

thoracicum Gahan, 1894a: 42 (*Uraecha*)

touzalini Breuning, 1979c: 99

sinicum Gressitt, 1951a: 387 A: FUJ SCH

strandii Breuning, 1938c: 191 A: XIZ YUN

subauratum Breuning, 1958h: 266 A: SCH

szetschuanicum Breuning, 1947a: 8 A: SCH

yunnanum Breuning, 1947a: 8 A: YUN

genus *Anoplophora* Hope, 1839: 43 type species *Anoplophora stanleyana* Hope, 1839

Callopliphora J. Thomson, 1864: 76 [unnecessary replacement name]

Cyriocrates J. Thomson, 1868: 181 type species *Oplophora horsfieldii* Hope, 1842

Falsocyriocrates Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888

Melanauster J. Thomson, 1868: 181 type species *Cerambyx chinensis* Forster, 1771

Micromelanauster Pic, 1931d: 49 type species *Monochamus bowringii* A. White, 1858

Oplophora Hope, 1839: 42 type species *Oplophora sollii* Hope, 1839

albopicta Matsushita, 1933b: 279 (*Cyriocrates*) A: TAI

elegans Kano, 1933a: 279 (*Melanauster*) [HN]

beryllina Hope, 1840: 79 (*Monochamus*) A: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE **ORR**

argentifera Pic, 1902i: 31 (*Melanauster*)

melanosticta A. White, 1858b: 407 (*Monohammus*)

subberyllina Breuning, 1964e: 47

bowringii A. White, 1858b: 398 (*Monohammus*) A: FUJ GUA GUX HKG HUB JIX ZHE

subuniformis Pic, 1934g: 34

chiangi Hua & Zhang, 1991: 77 A: HUN

chinensis Forster, 1771: 39 (*Cerambyx*) Ei: AU GE A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL

JIX LIA NC SC SCH SHA SHN SHX TAI YUN ZHE **ORR**

abbreviata J. Thomson, 1865a: 553 (*Callopliphora*)

afflicta J. Thomson, 1865a: 553 (*Callopliphora*)

farinosa Houttuyn, 1766: 536 (*Cerambyx*) [HN]

luctuosa J. Thomson, 1865a: 553 (*Callopliphora*)

perroudi Pic, 1953a: 3 (*Melanauster*)

punctator Fabricius, 1777: 230 (*Lamia*)

sepulchralis J. Thomson, 1865a: 553 (*Callopliphora*)

sinensis Gmelin, 1793: 1863 (*Cerambyx*)

coeruleoantennata Breuning, 1947b: 23 (*Melanauster*) A: SCH

davidis Fairmaire, 1886b: 355 (*Melanauster*) A: SCH SHA TAI XIZ YUN **ORR**

adonis Pic, 1925a: 20 (*Melanauster*)

alboapicalis Chiang, 1951: 48

vitalisi Pic, 1936b: 16 (*Melanauster*)

decemmaculata Pu, 1999: 82 A: HEB HUN SCH

elegans Gahan, 1888e: 450 (*Cyriocrates*) A: GUA GUI HAI HEN YUN **ORR**

albonotata Pic, 1926l: 455 (*Melanauster*)

macrospila Gahan, 1900d: 349 (*Melanauster*)

superba Pic, 1925c: 4 (*Melanauster*)

flavomaculata Gressitt, 1935f: 385 (*Melanauster*) A: TAI

freyi Breuning, 1947b: 23 (*Melanauster*) A: SCH

fruhstorferi Aurivillius, 1902: 209 (*Callopliphora*) A: GUX **ORR**

depressinotata Chiang, 1951: 50 (*Cyriocrates*)

glabripennis Motschulsky, 1854a: 48 (*Cerosterna*) Ei: AU CZ FR GE IT A: ANH FUJ GAN GUI GUX HEB HEI HEN HUB HUN

JIA JIL JIX LIA NIN NMO SC SCH SHA SHN SHX XIZ YUN ZHE **NARi**

angustata Pic, 1925a: 21 (*Melanauster*)

laevigatrix J. Thomson, 1857f: 297 (*Cerosterna*)

laglaisei Pic, 1953a: 3 (*Melanauster*)

luteonotata Pic, 1925a: 21 (*Melanauster*)

nankinea Pic, 1926b: 2 (*Melanauster*)

nobilis Ganglbauer, 1889a: 82 (*Melanauster*)

granata Holzschuh, 1993a: 48 A: GUX **ORR**

gressitti N. Ohbayashi & Bi, 2014: 156 A: AP XIZ **ORR**

horsfieldii Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SCH SHA TAI

YUN ZHE **ORR**

nigrofasciata Pic, 1953a: 2 (*Cyriocrates*)

tonkinensis Kriesche, 1924: 287 (*Cyriocrates*)

voluptuosa J. Thomson, 1856b: 529 (*Cerosterna*)

imitatrix A. White, 1858b: 404 (*Cerosterna*) A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE

pirouletii Fairmaire, 1889a: 66 (*Melanauster*)

jianfenglingensis Hua, 1989b: 301 A: HAI
leechi Gahan, 1888b: 63 (*Melanauster*) A: HEB HEN HUB HUN JIA JIX TAI ZHE
longehirsuta Breuning, 1968a: 23 A: GUX **ORR**
parelegans Chiang, 1981: 81
lurida Pascoe, 1856: 47 (*Monohammus*) A: GAN GUX HEB HEN HUB HUN JIA JIX SCH TAI ZHE
macularia J. Thomson, 1865a: 553 (*Callophophora*) A: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE SCH TAI ZHE **ORR**
malasiaca J. Thomson, 1865a: 553 (*Callophophora*) A: JA SC
ogasawaraensis Makihara, 1976: 9 A: JA (Ogasawara)
oshimana oshimana Fairmaire, 1895: 390 (*Melanauster*) A: JA (Ryukyus)
oshimana tokunoshimana Samuelson, 1965b: 89 A: JA (Ryukyus)
rubidacorpora Xie, Shi & Wang, 2012b: 2 A: GUI
ryukyensis Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)
similis Gahan, 1900d: 350 (*Melanauster*) A: FUJ GUA HAI
sollii Hope, 1839: 43 (*Oplophora*) A: GUX SD **ORR**
stanleyana Hope, 1839: 43 A: BT **NP** SD SE SW **ORR**
angustata Pic, 1934a: 11 [HN]
chapaensis Breuning, 1950i: 511
gloriosa Tippmann, 1953: 152
grisea Tippmann, 1953: 153
melancholica Tippmann, 1953: 153
tonkinea Breuning, 1943c: 285 [RN]
tonkinea Pic, 1907h: 152 (*Callophophora*) A: GUX **ORR**
viriantennata W.-K. Wang & Jiang, 1998: 335 A: SCH
wusheana Chang, 1960: 2 A: TAI

genus *Aristobia* J. Thomson, 1868: 178 type species *Cerosterna hispida* Saunders, 1853
approximatrix J. Thomson, 1865a: 552 (*Celosterna*) A: NP YUN
birmanica Gahan, 1894a: 40
hispida Saunders, 1853: 112 (*Cerosterna*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ YUN ZHE **ORR**
horridula Hope, 1831: 27 (*Lamia*) A: KA NP PA SCH SD TAI YUN **ORR**
fasciculata L. Redtenbacher, 1844: 552 (*Cerosterna*)
reticulatrix Fabricius, 1781: 219 (*Lamia*) A: FUJ GUA GUX HAI NP SHA YUN **ORR**
clathratrix J. Thomson, 1865a: 552 (*Celosterna*)
voeti J. Thomson, 1878: 51 A: FUJ GUA GUX HAI HEN HUB JIX SHA YUN **ORR**
angustifrons Gahan, 1888a: 276
pulcherrima Nonfried, 1892a: 94

genus *Astynoscelis* Pic, 1904b: 8 type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)
Saitoa Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)
degener degener Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NMO SC SCH SHA SHN TAI YUN ZHE "Korea"
contempta Gahan, 1888b: 62 (*Haplohammus*)
longicornis Pic, 1904b: 8
nana Ganglbauer, 1889a: 81 (*Haplohammus*)
savioi Pic, 1925a: 21 (*Orsidis*)
teneburosa Matsushita, 1937: 104 (*Saitoa*)

genus *Blepephaeopsis* Breuning, 1938c: 193 type species *Blepephaeopsis nigrosparsus* Breuning, 1938
yagii Hayashi, 1992: 150 A: TAI

genus *Blepephaeus* Pascoe, 1866b: 249 type species *Monohammus succintor* Chevrolat, 1852
Parablepephaeus Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980
Perihammus Aurivillius, 1925: 21 type species *Perihammus bifasciatus* Aurivillius, 1924 (= *Monohammus infelix* Pascoe, 1856)
arrowi Breuning, 1935d: 70 A: SD
fulvus Pic, 1933a: 13 (*Uraecha*) A: YUN **ORR**
pardalinus Breuning, 1935d: 68
indicus Breuning, 1935d: 70 A: SD XIZ **ORR**
infelix Pascoe, 1856: 48 (*Monohammus*) A: FUJ GUA GUX HUN JIX SC SCH ZHE
bifasciatus Aurivillius, 1924: 21 (*Perihammus*)
multinotatus Pic, 1925a: 18 (*Nemophas*) A: GUX **ORR**
nepalensis Hayashi, 1981a: 13 (*Perihammus*) A: NP
nigrofasciatus Pu, 1999: 84 A: HAI
nigrosparsus Pic, 1925b: 28 A: UP YUN **ORR**
ocellatus Gahan, 1888c: 262 (*Monochamus*) A: BT NP YUN ZHE "North India" **ORR**
pauloperforatus Pic, 1930b: 17 (*Epepeotes*)
wittmeri Breuning, 1975d: 342 (*Cypriepepeotes*)
stigmatosus Gahan, 1894a: 44 A: YUN **ORR**

laosicus Pic, 1930b: 18 (*Epepeotes*)
subannulatus Breuning, 1979c: 100 A: YUN **ORR**
subcruciatus A. White, 1858b: 410 (*Monohammus*) A: GUA GUX HAI HKG
succinator Chevrolat, 1852: 417 (*Monohammus*) A: NP SD **TAI ORR**
fleutiauxi Lameere, 1893a: 283
fuscocomaculatus Breuning, 1948a: 11 (*Perihammus*)
humeralis Pic, 1925: 23
obfuscatus A. White, 1858b: 410
scutellaris Fairmaire, 1895: 179
sublineatus A. White, 1858b: 410
puae Lin, 2011: 44 [RN] A: YUN
undulatus Pu, 1999: 79 (*Perihammus*)
variegatus Gressitt, 1940b: 107 A: HAI YUN **ORR**
sciamaei Breuning, 1962b: 19 (*Paramelanauster*)

genus *Cereopsius* Pascoe, 1857b: 105 type species *Cereopsius exoletus* Pascoe, 1857

Etymestia Pascoe, 1866: 228 type species *Cereopsius helena* A. White, 1858
Vitticereopsius Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935
praetorius Erichson, 1834: 268 (*Lamia*) A: TAI **ORR**
shamankariyali Kano, 1939: 30
ziczac Matsushita, 1940: 54 (*Etymestia*) A: TAI

genus *Cerosterna* Dejean, 1835: 341 type species *Lamia gladiator* Fabricius, 1801 (= *Lamia scabrator* Fabricius, 1781) [see: Alonso-Zarazaga, 2009]

Celosterna Blanchard, 1845: 158 [unavailable]
Celosterna J. Thomson, 1860: 85 [see: Alonso-Zarazaga, 2009]
Coelosterna Gemminger, 1872: 3024 [unnecessary emendation]
Falsopriona Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925
Loxotropoides Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935
Psaromaia Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866
Toxosterna J. Thomson, 1868: 178 type species *Lamia spinator* Fabricius, 1798
Trichocelosterna Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906
pulchellatrix Westwood, 1838b: 128 (*Lamia*) A: TAI **ORR**
argenteomaculata Aurivillius, 1887: 196
scabratrix Fabricius, 1781: 224 (*Lamia*) A: NP PA UP "India"
gladiatrix Fabricius, 1801b: 284 (*Lamia*)
griseatrix Aurivillius, 1920: 12 (*Celosterna*)
murina Nonfried, 1894: 82 (*Aristobia*)
renei Pascoe, 1888: 501 (*Psaromaia*)
spinatrix Fabricius, 1798: 145 (*Lamia*)

genus *Combe* J. Thomson, 1864: 83 type species *Monohammus brianus* A. White, 1858

brianus A. White, 1858b: 409 (*Monohammus*) A: NP
fulguratus J. Thomson, 1864: 84

genus *Coscinesthes* Bates, 1890: 246 type species *Coscinesthes porosus* Bates, 1890

minuta Pu, 1985b: 271 A: YUN
porosa Bates, 1890: 247 A: GUA HEN SCH SHA YUN ZHE
grossefoveata Breuning, 1958h: 262 (*Trichocoscinesthes*)
multiperforata Pic, 1920a: 2 (*Monochamus*)
salicis Gressitt, 1951a: 380 A: SCH YUN ZHE

genus *Cremnosterna* Aurivillius, 1920: 12 type species *Monohammus carissimus* Pascoe, 1857

carissima Pascoe, 1857b: 104 (*Monohammus*) A: NP XIZ YUN **ORR**
laosensis Breuning, 1965c: 47 (*Jeanvoinea*)
maculosa J. Thomson, 1865a: 552 (*Celosterna*)
ocellata Nonfried, 1892c: 379 (*Celosterna*)
pardalis J. Thomson, 1865a: 552 (*Celosterna*)
tesselata A. White, 1858b: 404 (*Celosterna*)
vittata Gilmour, 1956c: 747
plagiata A. White, 1858b: 403 (*Celosterna*) A: PA **ORR**

genus *Cribragapanthia* Pic, 1903i: 121 type species *Cribragapanthia scutellata* Pic, 1903

scutellata Pic, 1903i: 121 A: GUI GUX SCH YUN **ORR**

genus *Cyanagapanthia* Breuning, 1968a: 25 type species *Cyanagapanthia bicolor* Breuning, 1968

aurescens Wang & Zheng, 2002: 79 A: YUN
bicolor Breuning, 1968a: 25 A: CH **ORR**

genus *Dolichoprosopus* Ritsema, 1881c: 149 type species *Dolichoprosopus maculatus* Ritsema, 1881
sameshimai N. Ohbayashi, 2001b: 265 A: JA
yokoyamai Gressitt, 1937b: 322 (*Monochamus*) A: JA

genus *Epepeotes* Pascoe, 1866b: 249 type species *Lamia lusca* Fabricius, 1787
Diochares Pascoe, 1866: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (= *Lamia fimbriata* Olivier, 1795 = *Cerambyx desertus* Linnaeus, 1758)
Falsomonochammus Pic, 1943b: 3 type species *Falsomonochammus diverseglabratus* Pic, 1943
Mengelotes L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941
ambigenus formosanus Gressitt, 1951a: 361 A: TAI
himalayanus Breuning, 1950a: 1 A: "Himalaya"
luscus densemaculatus Gressitt, 1951a: 362 A: JIX SCH YUN
luscus luscus Fabricius, 1787: 139 (*Lamia*) A: HP
uncinatus Gahan, 1888a: 271 A: BT NP SD XIZ YUN "North India" ORR
lineatus Pic, 1944a: 14 (*Pseudopsacothea*)
salvazai Pic, 1925a: 18

genus *Epicedia* J. Thomson, 1864: 78 type species *Lamia carcelli* Guérin-Méneville, 1833 (= *Lamia maculatrix* Perty, 1831)
maculatrix Perty, 1831: xlii (*Lamia*) A: HP
carcelli Guérin-Méneville, 1833: 491 (*Lamia*)
pleuricosta J. Thomson, 1857e: 179 (*Leptodera*)

genus *Eutaenia* J. Thomson, 1857e: 184 type species *Ceroplesis javeti* J. Thomson, 1857 (= *Lamia trifasciella* A. White, 1850)
Eutaeniopsis Gahan, 1888a: 277 type species *Lamia trifasciella* A. White, 1850
formosana Matsushita, 1941: 156 A: TAI
trifasciella A. White, 1850: 13 (*Lamia*) A: FUJ GUA GUX HKG HUN JIX TAI YUN ORR
javeti J. Thomson, 1857b: 127 (*Ceroplesis*)
trifasciata J. Thomson, 1864: 72

genus *Falsagnia* Breuning, 1938b: 93 type species *Falsagnia obenbergeri* Breuning, 1938
obenbergeri Breuning, 1938b: 93 A: SD

genus *Falsocylindrepomus* Pic, 1927b: 35 type species *Falsocylindrepomus maculosus* Pic, 1927
maculosus Pic, 1927b: 35 A: GUX ORR

genus *Gibbohammus* W.-K. Wang & S.-N. Jiang, 1999b: 121 type species *Gibbohammus stricticollis* W.-K. Wang & S.-N. Jiang, 1999
stricticollis W.-K. Wang & S.-N. Jiang, 1999b: 122 A: HAI

genus *Hainanhammus* Gressitt, 1940b: 108 type species *Hainanhammus griseopubens* Gressitt, 1940
griseopubens Gressitt, 1940b: 108 A: HAI

genus *Haplothrix* Gahan, 1888a: 278 type species *Haplothrix simplex* Gahan, 1888
amicator Gahan, 1888c: 261 (*Monochamus*) A: SD
foveatus Chiang & Li, 1984: 99 A: YUN

genus *Macrochenus* Guérin-Méneville, 1843: 59 type species *Cerambyx tigrinus* Olivier, 1797
Mecotagus Pascoe, 1866: 252 type species *Cerambyx tigrinus* Olivier, 1797
assamensis Breuning, 1935d: 61 A: XIZ YUN ORR
guerinii A. White, 1858a: 274 (*Pelargoderus*) A: GUX NP SCH SD YUN ORR
isabellinus Aurivillius, 1920: 12
tonkinensis Aurivillius, 1920: 12 A: GUA GUI GUX HAI HUB YUN ORR
inarmatus Gressitt, 1940b: 92 (*Psacothea*)
semijunctus Pic, 1944a: 11
tigrinus Olivier, 1795: 101 (*Cerambyx*) [1797: 468] (*Lamia*) A: PA ORR
birmanus J. Thomson, 1878: 49
tesselatus Guérin-Méneville, 1843: 58

genus *Mecynippus* Bates, 1884a: 240 type species *Mecynippus pubicornis* Bates, 1884
ciliatus Gahan, 1888a: 273 (*Monohammus*) A: CHQ GUA GUX HAI HKG JIX SCH YUN ORR [see: Lin et al., 2014]
delkeskampi Breuning, 1961i: 311 (*Mimothestus*) [see: Lin et al., 2014]
luteicornis Xie, Shi & Wang, 2012a: 67 (*Mimothestus*) [see: Lin et al., 2014]
rondoni Breuning, 1964e: 50 (*Monohammus*) [see: Lin et al., 2014]

pubicornis Bates, 1884a: 241 A: HUB JA

genus *Mimocoelosterna* Breuning, 1940b: 125 type species *Mimocoelosterna flavescens* Breuning, 1940

hainanensis Breuning, 1966g: 289 A: HAI

genus *Mimocratotragus* Pic, 1926j: 323 type species *Mimocratotragus superbus* Pic, 1925
superbus Pic, 1926j: 324 A: HUN YUN

genus *Mimognoma* Breuning, 1959d: 151 type species *Mimognoma szetschuanense* Breuning, 1959
szetschuanense Breuning, 1959d: 151 A: SCH

genus *Mimorsidis* Breuning, 1938a: 33 type species *Mimorsidis lemoulti* Breuning, 1938
scutellata Gressitt, 1951a: 404 A: FUJ
taiwanensis Hayashi, 1974c: 47 A: TAI
yayeyamensis Samuelson, 1965b: 96 A: JA (Ryukyus)
ishigakiana Breuning & Villiers, 1973: 49 (*Acalolepta*)

genus *Mimothestus* Pic, 1935e: 15 type species *Mimothestus annulicornis* Pic, 1935
annulicornis Pic, 1935e: 16 A: GUA GUI GUX HKG HUB YUN **ORR** [Cambodia]
atricornis Pu, 1999: 81 A: HAI

genus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758
subgenus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758

~~*Anthores* Pascoe, 1868: xiii type species *Anthores leuconotus* Pascoe, 1868~~

~~*Ceratades* Gistel, 1834: 29 [unnecessary substitute name]~~

~~*Herpetophygas* Fehraeus, 1872b: 194 [RN]~~

~~*Meges* Pascoe, 1866: 272 type species *Monohammus gravidus* Pascoe, 1858~~

~~*Monohammus* Dejean, 1835: 340 [unjustified emendation]~~

~~*Noseroecera* Bates, 1884b: 17 type species *Noseroecera tuberosa* Bates, 1884b (= *Homelix buquetii* J. Thomson, 1858)~~

~~*Penhammus* Kolbe, 1894: 259 type species *Penhammus pauper* Kolbe, 1894~~

~~*Phygas* Fehraeus, 1873: 31 type species *Phygas fasciatus* Fehraeus, 1873~~

alboapicalis Pic, 1934a: 9 (*Thrysimia*) A: GUX **ORR**

strandiellus Breuning, 1935b: 153

alternatus alternatus Hope, 1842a: 61 A: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN
ZHE **ORR**

tesserula A. White, 1858b: 408 (*Monohammus*)

alternatus endai Makihara, 2004a: 17 A: JA TAI

basifossulatus Breuning, 1938c: 185 A: NP YUN **ORR**

bimaculatus Gahan, 1888c: 260 (*Monohammus*) A: GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE

ingranulatus Pic, 1925a: 20 (*Monohammus*)

bootangensis Breuning, 1947a: 9 A: BT

convexicollis Gressitt, 1942g: 83 A: TAI ZHE

desperatus J. Thomson, 1857f: 295 A: SD

fredericus A. White, 1858b: 408 (*Monochammus*)

dubius Gahan, 1894a: 35 (*Monohammus*) A: NP SD YUN

sintikensis Matsushita, 1939: 58

sparsenotatus Pic, 1920a: 2

foveatus Breuning, 1961c: 142 A: YUN

galloprovincialis cinerascens Motschulsky, 1860b: 150 (*Monochammus*) E: NT A: ES FE HEI JIL MG NMO WS

sibiricus Pic, 1908b: 5 (*Monohammus*)

galloprovincialis galloprovincialis Olivier, 1795: No. 67: 125 (*Cerambyx*) E: FR IT (Sicily) PT SP N: AG MO TU

parendeli Théry, 1891: xxiii (*Monohammus*)

subrufopubens Pic, 1912g: 18

galloprovincialis pistor Germar, 1818: 242 (*Lamia*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT MC MD NL
NT PL RO SK SL ST SV SZ TR UK YU A: KI KZ WS

lignator Krynicki, 1832: 158

nitidior Abeille de Perrin, 1870: 87 (*Monohammus*)

unifasciatus Pic, 1905a: 12 (*Monohammus*) ["Altai?"]

galloprovincialis tauricola Pic, 1912g: 18 E: ST UK (Crimea) A: AB AR GG JO TR

gardneri Breuning, 1938c: 185 A: SD

grandis C. O. Waterhouse, 1881: 431 A: FE JA

gravidus Pascoe, 1858: 245 (*Monohammus*) A: FUJ HUN SHA SHN **ORR**

multimaculatus Pic, 1933j: 31 (*Apriona*)

guerryi Pic, 1903i: 121 (*Monohammus*) A: GUA GUI GUX HUB HUN SCH YUN **ORR**

granulipennis Breuning, 1938a: 52 (*Melanauster*) [see Hüdepohl & Hefferm, 2004: 248]

guttulatus Gressitt, 1951a: 394 [RN] A: FE HEI HEN JIL LIA NC SC

guttatus Blessig, 1873: 196 (*Monohammus*) [HN]

hiekei Breuning, 1964g: 445 A: BT

impluviatus impluviatus Motschulsky, 1859a: 571 (*Monohammus*) E: CT NT A: ES FE HEI MG NMO SHA WS "Korea"

impluviatus silvicola Z. Wang, 2003: 331, 397 A: HEI

itzingeri Breuning, 1938c: 190 (*Melanauster*) A: FUJ SCH

kaszabi Heyrovský, 1955b: 260 A: TAI
latefasciatus Breuning, 1944b: 435 [RN] A: GUX **ORR**
unifasciatus Breuning, 1935e: 251 [HN]
luteodispersus Pic, 1927b: 35 (*Monohammus*) A: FUJ **ORR**
maruokai Hayashi, 1962c: 8 A: JA (Ryukyus)
masaoi Kusama & Takakuwa, 1984: 431 A: JA
nigromaculatus Gressitt, 1942c: 2 A: XIZ
nitens **Bates, 1884a**: 238 (*Monohammus*) A: FE JA SC
griseonotatus Pic, 1921c: 6 (*Monohammus*)
saltuarius Gebler, 1830: 184 (*Monohammus*) E: AU BH BY CR CT CZ GE HU IT LA **LT** NT PL RO SK SL UK A: ES FE KZ
HEI JA JIL JIX MG NC NMO SC SHA SHN SHX WS XIN ZHE
sartor Fabricius, 1787: 137 (*Lamia*) E: AU BH BU BY CR CZ EN FR GB GE HU IT LA LS LT PL RO SK SL SZ UK YU
mulstantii Seidlitz, 1891a: 749 [1891b: 844] (*Monochammus*)
okenianus Gistel, 1857a: 49 (*Monohammus*)
sparsutus Fairmaire, 1889a: 67 A: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE
subconvexicollis Breuning, 1967f: 183 A: BT
subfasciatus kumageinsularis Hayashi, 1955: 35 A: JA
subfasciatus meridianus Hayashi, 1955: 57 A: JA
subfasciatus shikokensis Breuning, 1956a: 1 A: JA
subfasciatus subfasciatus Bates, 1873: 308 (*Monohammus*) A: FUJ JA JIX SC TAI
beloni Pic, 1901v: 341 (*Monohammus*)
fascioguttatus Gressitt, 1938b: 156
subgranulipennis Breuning, 1974h: 153 A: GUI
subtrangularis Breuning, 1972c: 416 A: AP
sutor longulus Pic, 1898c: 23 (*Monohammus*) A: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE
sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT **ME** NL
NR NT PL RO SK SL SP ST SV SZ UK YU A: GG KZ **MG** WS **NARi**
atomarius DeGeer, 1775: 65 (*Cerambyx*)
fuseomaculatus Petri, 1912: 249 (*Monachamus*) – **unavailable** [see Danilevsky, 2014b: 229]
heinrothi Cederhjelms, 1798: 88 (*Lamia*)
hybrida Petri, 1912: 249 (*Monachamus*) – **unavailable** [see Danilevsky, 2014b: 229]
obscurior Abeille de Perrin, 1869: 42 (*Monohammus*)
pellio Germar, 1818: 244 (*Lamia*)
rosenmuelleri Cederhjelms, 1798: 89 (*Lamia*) [DA]
taiheizanensis Mitono, 1943: 580 A: TAI
talianus Pic, 1912h: 20 A: XIZ YUN
tonkinensis Breuning, 1935c: 249 A: GUA **ORR**
urussovii Fischer von Waldheim, 1805: 12 (*Cerambyx*) E: BY CT EN FI LA NR NT SV ST UK A: ES FE KZ MG NC NIN NMO
NW HEB HEI HEN JA JIL SC SHA WS XIN
quadrimaculatus Motschulsky, 1845a: 86 (*Monohammus*)
schaufusi Pic, 1912g: 18
subgenus *Tibetobia* Frivaldszky, 1892a: 118 type species *Tibetobia szechenyiana* Frivaldszky, 1892 (= *Monohammus millegranus*
Bates, 1891)
millegranus Bates, 1891b: 80 (*Monohammus*) A: FUJ GUI SCH XIZ YUN
szechenyianus Frivaldszky, 1892a: 119 (*Tibetobia*)
touzalini Pic, 1920g: 198 (*Monohammus*)

genus *Murzinia* Lazarev, 2011: 639 type species *Murzinia karatauensis* Lazarev, 2011
karatauensis Lazarev, 2011: 639 A: KZ

genus *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878
yagii Hayashi, 1994: 74 A: TAI

genus *Nanohammus* **Bates, 1884a**: 243 type species *Nanohammus rufescens* Bates, 1884
Microcyos Pic, 1934a: 9 type species *Microcyos annulicornis* Pic, 1934
Pararhodopis Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894
Rarasanus Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941
aberrans Gahan, 1894a: 59 (*Rhodopis*) A: GUX **ORR**
sinica Pic, 1926c: 16 (*Orsidis*) A: FUJ GUA HUN JIX SCH
blairi Gressitt, 1937d: 598 (*Rhodopis*)
strandii Breuning, 1935: 173 (*Rhodopis*)
oshimanus Breuning & K. Ohbayashi, 1964: 15 A: JA
rufescens **Bates, 1884a**: 244 A: HUB JA
griseonotatus Pic, 1931c: 14
subfasciatus Matsushita, 1941: 157 (*Rarasanus*) A: TAI
taiyal Gressitt, 1951a: 628
yunnanus W.-K. Wang & S.-N. Jiang, 2000b: 80 A: YUN

genus *Nemophas* J. Thomson, 1864: 75 type species *Nemophas batoceroides* J. Thomson, 1864
~~*subcylindricus* Aurivillius, 1928a: 3 A: SCH ORR~~
~~*virescens* Aurivillius, 1928a: 3~~
~~*zonatoides* Breuning, 1980c: 174~~
~~*subterrubus* Heller, 1924b: 164 A: SCH ORR~~
~~*trifasciatus* Heller, 1919: 101 A: SCH YUN AUR~~

genus *Neodihammus* Breuning, 1935d: 60 type species *Neodihammus pici* Breuning, 1935
pici Breuning, 1935d: 60 A: SE SW

genus *Neoxenicotela* Breuning, 1947a: 10 type species *Neoxenicotela mausoni* Breuning, 1947
Maaia Gressitt, 1951a: 384 type species *Maaia terminata* Gressitt, 1951
mausoni Breuning, 1947a: 11 A: FUJ HAI ORR
~~*flavotarsus* W.-K. Wang & Zheng, 2002: 377, 379~~
~~*terminata* Gressitt, 1951a: 385 (*Maaia*)~~

genus *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)
Lophoptera Perroud, 1855b: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855
Zephyropepharus Hayashi, 1962: 6 type species *Opepharus asiaticus* Hayashi, 1962
asiaticus Hayashi, 1962: 7 A: JA (Ryukyus)

genus *Paragnia* Gahan, 1893b: 384 type species *Paragnia fulvomaculata* Gahan, 1893
fulvomaculata Gahan, 1893b: 385 A: GUI SD YUN ORR
~~*aureomaculata* Chiang & Li, 1984: 100 (*Stegenagapanthia*)~~

genus *Paraleprodera* Breuning, 1935e: 253 type species *Lamia crucifera* Fabricius, 1793
bimaculata W.-K. Wang & S.-N. Jiang, 2000b: 80 A: SCH
carolina Fairmaire, 1900: 641 (*Archidice*) A: FUJ GUI HUB HUN JIA JIX SCH TAI YUN ZHE ORR
diophthalma diophthalma Pascoe, 1857a: 49 (*Morimus*) A: ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA YUN
 ZHE
~~*bioculata* Fairmaire, 1900: 641 (*Leprodera*)~~
~~*diophthalma formosana*-Gressitt, 1951: 362 (*Leprodera*) A: TAI~~
~~*insidiosa* Gahan, 1888d: 391 (*Leprodera*) A: NP SD YUN~~
~~*imbasalis* Pic, 1925a: 18 (*Epepeotes*)~~
~~*unimaculata* Pic, 1925a: 19 (*Epepeotes*)~~
itzingeri Breuning, 1935e: 255 A: TAI
mesophthalma Bi & Lin, 2012: 6 A: XIZ
stephanus A. White, 1858b: 406 (*Leprodera*) A: BT GUX NP SD XIZ YUN ORR
~~*officinatrix* A. White, 1858b: 409 (*Monohammus*)~~
~~*quadrinotata* J. Thomson, 1865a: 554 (*Archidice*)~~
triangularis J. Thomson, 1865a: 554 (*Epicedia*) A: GUX YUN ORR
~~*lecta* Gahan, 1888d: 389 (*Leprodera*)~~

genus *Paramelanauster* Breuning, 1936: 294 type species *Paramelanauster bimaculatus* Breuning, 1936
flavosparsus Breuning, 1936: 295 A: YUN ORR

genus *Paranamera* Breuning, 1935d: 66 type species *Paranamera malaccensis* Breuning, 1935
ankangensis Chiang, 1981: 82 A: HEN SHA

genus *Paraepepeotes* Pic, 1935: 16 type species *Paraepepeotes breuningi* Pic, 1935
~~*Paraepepeotes* Breuning, 1938c: 182 [unjustified emendation]~~
affinis Breuning, 1938c: 183 (*Paraepepeotes*) A: UP ORR
albomaculatus Gahan, 1888a: 272 (*Epepeotes*) A: BT "North India"
breuningi Pic, 1935b: 16 (*Paraepepeotes*) A: SCH XIZ ORR
guttatus Guérin-Méneville, 1844: 242 (*Monohamus*) A: NP SCH "Himalaya" ORR
~~*punctulatus* Westwood, 1848: 12 (*Monohammus*)~~
~~*marmoratus* Pic, 1925a: 19 (*Monohammus*) A: YUN ORR~~
szetschuanicus Breuning, 1969e: 188 (*Paraepepeotes*) A: SCH
~~*westwoodi* Westwood, 1848: 12 (*Monohammus*) A: SD "Himalaya"~~

genus *Parapolytretus* Breuning, 1944b: 370 type species *Cycos rugosus* Matsushita, 1933
~~*Breuningia* Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933~~
rugosus Matsushita, 1933b: 335 (*Cycos*) A: TAI

genus *Pareutaenia* Breuning, 1948a: 11 type species *Pareutaenia flavostellata* Breuning, 1948
arnaudi Breuning, 1962b: 18 A: GUX ORR

genus Parhaplothrix Breuning, 1935e: 255 type species *Parhaplothrix strandi* Breuning, 1935
szetschuanica Breuning, 1935e: 256 A: GUX SCH

genus Paruraecha Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935

subgenus Arisania Gressitt, 1936: 106 type species *Arisania submarmorata* Gressitt, 1936

acutipennis Gressitt, 1942h: 209 (*Arisania*) A: GUA GUI SHA YUN

submarmorata Gressitt, 1936: 107 (*Arisania*) A: TAI

subgenus Paruraecha Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935

sikkimensis Breuning, 1938c: 192 A: SD

szetschuanica Breuning, 1935d: 65 A: SCH

genus Peblephaeus Kusama & Takakuwa, 1984: 14 type species *Cereopsius decoloratus* Schwarzer, 1925

decoloratus Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI

ishigakianus Yokoyama, 1971: 97 (*Blepephaeus*) A: JA (Ryukyus)

lutaensis Takakuwa, 1991: 55 A: TAI

nobuoi Breuning & K. Ohbayashi, 1966: 31 (*Blepephaeus*) A: JA (Ryukyus)

okinawanus doii Fujita, 2002: 10 A: JA (Ryukyus)

okinawanus okinawanus Hayashi, 1962: 6 (*Blepephaeus*) A: JA (Ryukyus)

satoi Makihara, 2003: 358 A: JA (Amami-Ōshima)

yayeyamai Breuning, 1955b: 60 (*Blepephaeus*) A: JA (Ryukyus)

caesius Takakuwa, 1984: 13

yonagunii Breuning & K. Ohbayashi, 1964: 27 (*Blepephaeus*) A: JA (Ryukyus)

genus Peribasis J. Thomson, 1864: 86 type species *Monohammus helenor* Newman, 1851

pubicollis Pascoe, 1866: 231 A: BT

genus Pharsalia J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864

subgenus Antennopharsalia Breuning, 1944b: 330 type species *Pharsalia antennata* Gahan, 1894

antennata Gahan, 1894a: 46 A: FUJ GUX SD YUN **ORR**

tuberculifera Pic, 1903b: 22 (*Triammatus*)

subgenus Cycos Pascoe, 1866: 244 type species *Monohammus subgemmatus* J. Thomson, 1857

gibbifera Guérin-Méneville, 1844: 243 (*Monohammus*) A: SD

subgemmata J. Thomson, 1857f: 294 (*Monochamus*) A: FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" **ORR**

georgia A. White, 1858b: 407

rondoniana Breuning, 1964: 46 (*Anoplophora*) [see Hüdelpohl & Heffern, 2004: 248]

subgenus Pharsalia J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864

mandli Tippmann, 1955: 118 A: FUJ

pulchra pulchra Gahan, 1888a: 280 A: GUX HAI HUN **ORR**

albofasciata Pic, 1932b: 34

ferruginea Gahan, 1906a: 116

nigrofasciata Aurivillius, 1913: 14

thibetana Breuning, 1982: 17 A: XIZ

genus Polytretus Gahan, 1893b: 382 type species *Polytretus cribripennis* Gahan, 1893

cribripennis Gahan, 1893b: 383 A: SD XIZ **ORR**

genus Psacothea Gahan, 1888d: 400 type species *Monohammus hilaris* Pascoe, 1857

hilaris botelensis K. Ohbayashi, 1965: 4 A: TAI

hilaris hilaris Pascoe, 1857b: 103 (*Monohammus*) A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN JA JIA JIX NE

SC SCH SHA TAI YUN ZHE **ORR**

albomaculata Kano, 1933a: 278

flavoguttata Fairmaire, 1887a: 133 (*Diochares*)

machidai Seki, 1935b: 292

suzukii Shiraki, 1913: 610 (*Hammoderes*)

szetschuanica Breuning, 1943c: 220

hilaris insularis Hayashi, 1960d: 25 A: JA

hilaris intermedia Breuning & K. Ohbayashi, 1966: 31 A: JA

hilaris ishigakiana K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)

iriomotensis Hayashi, 1969a: 63

hilaris macronotata Hayashi, 1956b: 20 A: JA

hilaris maculata Hayashi, 1962: 17 A: JA

hilaris miyakejimana Matsushita, 1937: 314 A: JA

hilaris miyakoana K. Ohbayashi & N. Ohbayashi, 1965: 5 A: JA (Ryukyus)

hilaris teneburosa Matsushita, 1933b: 322 A: JA (Ryukyus)

hilaris yonaguniana K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)

nigrostigma W.-K. Wang, S.-N. Jiang & L.-Y. Zheng, 2002: 177 A: YUN

rubra Gressitt, 1938a: 49 A: SCH

genus *Pseudagapanthia* Breuning, 1971b: 77 [RN] type species *Cribrohammus chinensis* Breuning, 1966
Cribrohammus Breuning, 1966b: 1 [HN] type species *Cribrohammus chinensis* Breuning, 1966
chinensis Breuning, 1966b: 2 (*Cribrohammus*) A: YUN
fragosa Holzschuh, 1998: 48 (*Cribrohammus*) A: SCH

genus *Pseudechthistatus* Pic, 1917f: 6 type species *Pseudechthistatus obliquefasciatus* Pic, 1917
acutipennis Chiang, 1981: 80 A: SCH
birmanicus Breuning, 1942e: 133 A: YUN **ORR**
granulatus Breuning, 1942e: 133 A: SCH YUN
obliquefasciatus Pic, 1917f: 7 A: YUN

genus *Pseudomacrogenus* Breuning, 1943c: 271 type species *Pelargoderus antennatus* Gahan, 1894
affinis Breuning, 1960e: 30 A: BT
albipennis Chiang, 1981: 81 A: SCH
antennatus Gahan, 1894a: 34 (*Pelargoderus*) A: FUJ HAI SCH YUN **ORR**
apicalis Gahan, 1900d: 348 (*Pelargoderus*)
perplexus Schwarzer, 1926a: 11 (*Pelargoderus*)
rufilosparus Fairmaire, 1902b: 268 (*Mecotagus*)
oberthueri Breuning, 1955b: 59 A: SCH

genus *Pseudomeges* Breuning, 1944b: 299 type species *Hammaticherus marmoratus* Westwood, 1848
marmoratus Westwood, 1848: 11 (*Hammaticherus*) A: BT "Himalaya"
varioti Le Mout, 1946: 136 A: HAI SCH YUN XIZ **ORR**

genus *Pseudonemophas* Breuning, 1944b: 281 type species *Monochamus baluanus* Aurivillius, 1923
versteegii Ritsema, 1881d: 155 (*Monochamus*) A: FUJ HAI NP SCH SD YUN **ORR**
albescens Pic, 1920a: 2 (*Monochamus*)
glabronotatus Pic, 1934g: 34 (*Monochamus*)
siamensis Breuning, 1982: 17 (*Anoplophora*)
subuniformis Pic, 1934g: 34 (*Monochamus*)

genus *Pseudopsacothea* Pic, 1935b: 16 type species *Pseudopsacothea albonotata* Pic, 1935
albonotata albonotata Pic, 1935b: 16 A: GUA GUX JIX **ORR**
albonotata psacotheoides Gressitt, 1942f: 6 (*Epepeotes*) [RN] A: HAI
tonkinensis Gressitt, 1940b: 93 (*Epepeotes*) [HN]

genus *Pseudorsidis* Breuning, 1944: 495 type species *Diochares griseomaculata* Pic, 1916
griseomaculata Pic, 1916h: 18 (*Diochares*) A: YUN

genus *Pseudotrachystola* Breuning, 1943c: 187 type species *Trachystola rugiscapus* Fairmaire, 1900
rugiscapus Fairmaire, 1900: 640 (*Trachystola*) A: FUJ ZHE
strix Gressitt, 1939b: 109 (*Leprodera*)

genus *Pseuduraecha* Pic, 1925a: 23 type species *Pseuduraecha sulcaticeps* Pic, 1925
punctiventris Heller, 1926: 28 (*Dihammus*) A: FUJ GUX SCH
nigronotata Pic, 1935g: 178 (*Uraecha*)
sulcaticeps Pic, 1925a: 23 A: CH

genus *Rufohammus* Breuning, 1939b: 147 type species *Rufohammus rufescens* Breuning, 1939
rufescens Breuning, 1939: 148 A: GUX **ORR**

genus *Stegenagapanthia* Pic, 1924a: 18 type species *Stegenagapanthia albovittata* Pic, 1924
albovittata Pic, 1924a: 18 A: GUX HAI SHA **ORR**

genus *Sternohammus* Breuning, 1935c: 253 type species *Dihammus femoralis* Aurivillius, 1928
sericeus Breuning, 1938c: 187 (*Paradihammus*) A: SD
yunnanus W.-K. Wang & S.-N. Jiang, 1998: 462 A: YUN

genus *Sternorsidis* Breuning, 1959c: 126 type species *Sternorsidis brunnea* Breuning, 1959
brunnea Breuning, 1959c: 126 A: SD

genus *Stratioceros* Lacordaire, 1869: 303 type species *Stratioceros princeps* Lacordaire, 1869
Cacoscapus J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* Thomson, 1878
princeps Lacordaire, 1869: 303 A: YUN **ORR**
mouhoti J. Thomson, 1878: 48 (*Cacoscapus*)

genus *Taeniotus* Audinet-Serville, 1835a: 90 type species *Cerambyx subocellatus* Olivier, 1795 [1797]
Metoscopus Gistel, 1848a: 131 [unnecessary substitute name]
cayennensis J. Thomson, 1859: 96 E: AZ **NTR**
azoricus Kolbe, 1888: 180

genus *Thermonotus* Gahan, 1888d: 399 type species *Thermonotus nigripes* Gahan, 1888
Gibbanamera Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923
nigripes Gahan, 1888d: 399 A: SD
ruber Pic, 1923c: 20 (*Gibbanamera*) A: YUN **ORR**

genus *Trachystolodes* Breuning, 1943c: 188 type species *Trachystola bimaculatus* Kriesche, 1924
tonkinensis Breuning, 1943c: 188 A: FUJ GUA GUX HAI JIX SCH YUN **ORR**

genus *Trichoscincesthes* Breuning, 1954d: 70 type species *Trichoscincesthes szetschuanica* Breuning, 1954
szetschuanica Breuning, 1954d: 71 A: SCH

genus *Trichohammus* Breuning, 1938c: 189 type species *Trichohammus granulatus* Breuning, 1938
granulatus Breuning, 1938c: 189 A: BEI HEB

genus *Uraecha* J. Thomson, 1864: 84 type species *Uraecha bimaculata* J. Thomson, 1864
albovittata Breuning, 1956c: 233 A: FUJ
angusta Pascoe, 1857a: 49 (*Monohammus*) A: FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ ZHE **ORR**
attenuata Pic, 1925a: 23
bimaculata Matsushita, 1933b: 330 (*Orsidis*) [HN]
horishana Matsushita, 1935: 312 [RN]
bimaculata bimaculata J. Thomson, 1864: 85 A: JA SC TAI
bimaculata brevicornis Makihara, 1980: 60 A: JA
chinensis Breuning, 1935d: 61 A: NMO
gilva gilva Yokoyama, 1966: 56 A: JA
gilva hachijoensis Hayashi, 1969a: 64 A: JA
guerryi Pic, 1903e: 105 A: YUN
longzhouensis W.-K. Wang & S.-N. Jiang, 2000a: 47 A: GUX
obliquefasciata Chiang, 1951: 54 A: GUI
oshimana Breuning, 1954d: 70 A: JA
perplexa Gressitt, 1942d: 3 A: SCH
punctata Gahan, 1888b: 63 A: FUJ GUA JIX **YUN ORR**
yunnana Breuning, 1936: 296 A: SCH YUN

genus *Uraeoides* Breuning, 1981b: 73 type species *Uraeoides vivesi* Breuning, 1981
taomeiae Hayashi, Nara & Yu, 1995: 149 A: TAI

genus *Xenicotela* Bates, 1884a: 242 type species *Xenicotela fuscula* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)
distincta Gahan, 1888d: 392 (*Monohammus*) A: NP SD **YUN**
quadrimaculata Pic, 1925a: 17 (*Trachystola*)
tonkinensis Pic, 1926g: 143 (*Nephelotes*)
trinitata Pic, 1925a: 17
pardalina Bates, 1884a: 239 (*Monohammus*) A: JA SC
fuscula Bates, 1884a: 242

genus *Xenohammus* Schwarzer, 1931b: 204 type species *Xenohammus bimaculatus* Schwarzer, 1931
albomaculatus W.-K. Wang & S.-N. Jiang, 2000b: 78, 80 A: SCH
bimaculatus Schwarzer, 1931b: 204 A: FUJ GUA GUI GUX HAI JIX TAI ZHE
filicornis Gressitt, 1935f: 383 (*Monochammus*)
flavoguttatus Pu, 1999: 83 A: HAI
griseomarmoratus Breuning, 1956c: 233 A: FUJ
nebulosus Schwarzer, 1931b: 205 A: TAI
rufomaculatus Pu, 1999: 821, 834 A: SCH

tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

genus *Morimonella* Podaný, 1979b: 43 type species *Morimonella bednariki* Podaný, 1979
bednariki Podaný, 1979b: 43 E: ST A: GG

tribe Morimopsini Lacordaire, 1869

genus *Aconodes* Pascoe, 1857b: 106 type species *Aconodes montanus* Pascoe, 1857
Centrura Guérin-Méneville, 1843: 61 [HN] type species *Centrura costata* Guérin-Méneville, 1843

Dioxippe J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852
Chambaganorum Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925
euphorbiae Holzschuh, 2003b: 309 A: NP
latefasciatus Holzschuh, 1984a: 153 A: NP
lima Holzschuh, 1989a: 173 A: BT
montanus Pascoe, 1857b: 107 A: NP "Himalaya"
multituberculatus Breuning, 1947a: 6 (*Centrura*) A: BT
nepalensis Heyrovský, 1976: 183 A: NP
pedongensis Breuning, 1956g: 667 A: SD
piniphilus Holzschuh, 2003b: 309 A: BT
sikkimensis Breuning, 1940b: 118 (*Centrura*) A: SD
submontanus Breuning, 1949a: 4 (*Centrura*) A: BT
truncatus Breuning, 1939b: 144 (*Centrura*) A: SD

genus *Dolophrades* Bates, 1884a: 237 type species *Dolophrades terrenus* Bates, 1884a
Dorcadiohammus Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)
annulicornis Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI
punctatus Pic, 1934a: 8 (*Dorcadiohammus*)
subdenudatus Gressitt, 1938b: 153
mustanganus Holzschuh, 2003b: 308 A: NP
terrenus Bates, 1884a: 238 A: HUB JA

genus *Falsotrachystola* Breuning, 1950c: 218 type species *Trachystola asidiformis* Pic, 1916
asidiformis Pic, 1916: 326 (*Trachystola*) A: YUN
torquata Holzschuh, 2007: 250 A: YUN

genus *Lamidorcadion* Pic, 1934g: 33 type species *Lamidorcadion annulipes* Pic, 1934
annulipes Pic, 1934g: 33 A: SCH YUN XIZ
tuberosum Holzschuh, 1993a: 47 A: YUN

genus *Mimodorcadion* Breuning, 1942a: 115 type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Méneville, 1844)
indicum Guérin-Méneville, 1844: 241 (*Dorcadion*) A: "India"
griseum Breuning, 1942a: 115

genus *Morimopsidius* Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948
triangularis Breuning, 1948a: 5 A: BT

genus *Morimopsis* J. Thomson, 1857e: 182 type species *Morimopsis lacrymans* J. Thomson, 1857
assamensis Breuning, 1966d: 14 A: AP
dalihodi Holzschuh, 2003b: 308 A: NP
glabripennis Holzschuh, 2003b: 308 A: BT
granulipennis Breuning, 1966b: 1 A: SD
lacrymans J. Thomson, 1857e: 183 A: SD
mussardi Breuning, 1966d: 14 A: AP
truncatipennis Breuning, 1940d: 410 A: "North India"
unicolor Breuning, 1975d: 347 A: BT

genus *Sinodorcadion* Gressitt, 1939b: 107 type species *Sinodorcadion punctulatum* Gressitt, 1939
jiangi Xie, Shi & Wang, 2013: 584 A: ZHE
magnispinicolle Xie, Shi & Wang, 2013: 585 A: ZHE
punctulatum Gressitt, 1939b: 108 A: ZHE
punctuscapum Xie, Shi & Wang, 2013: 587 A: ZHE

genus *Sinomimovelleda* Chiang, 1963: 66 type species *Sinomimovelleda dentihumeralis* Chiang, 1963
dentihumeralis Chiang, 1963: 66 A: SCH

genus *Trichodorcadion* Breuning, 1942a: 116 type species *Trichodorcadion gardneri* Breuning, 1942
dubiosum Breuning, 1954f: 265 A: "India"
gardneri Breuning, 1942a: 116 A: NP UP

tribe Nyctimeniini Gressitt, 1951

genus *Nyctimenius* Gressitt, 1951a: 629 [RN] type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)

Nyctimene J. Thomson, 1857f: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
tristis Fabricius, 1793: 314 (*Saperda*) A: HAI NP SD YUN **ORR**

lineatus Fabricius, 1801b: 326 (*Saperda*)
testaceovittatus Pic, 1926g: 144 (*Nyctimene*)
vittatus Pascoe, 1866: 330 (*Nyctimene*)
varicornis Fabricius, 1801b: 325 (*Saperda*) A: TAI **ORR**
agriloides J. Thomson, 1857f: 314 (*Nyctimene*)

tribe Parmenini Mulsant, 1839

genus *Deucalion* Wollaston, 1854: 430 type species *Deucalion oceanicus* Wollaston, 1854
oceanicus Wollaston, 1854: 433 N: MR (Salvages Isl.)

genus *Lepromoris* Pascoe, 1864c: 278 [RN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
Anthrodus Gistel, 1848a: xi [HN]
Leprosoma J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
gibba Brullé, 1839: 62 (*Lamia*) N: CI
asperata J. Thomson, 1860: 23 (*Leprosoma*)
pedestris Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

genus *Paradeucalion* Breuning, 1950b: 153 type species *Deucalion desertarum* Wollaston, 1854
desertarum Wollaston, 1854: 430 N: MR (Desertas Is.)

genus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790
aurora Danilevsky, 1980: 852 A: AB GG IN
balearica balearica Vives, 1998: 28 E: SP (Mallorca)
balearica minoricensis Vives, 1998: 30 E: SP (Minorca)
balteus Linnaeus, 1767 (*Cerambyx*) E: BE FR IT SZ
balteata Fabricius, 1793: 262 (*Cerambyx*)
fasciata Villers, 1789: 239 (*Cerambyx*)
gauthieri Stöcklein, 1940: 341
bicincta Küster, 1849c: 69 E: AL BH CR YU
cruciata Pic, 1912c: 4 E: SP
schrampi Pic, 1945b: 7
lukati Sama, 1994a: 12 A: TR
mergallii Sama, 1984: 218 E: AN FR SP
mutilloides Sabbadini & Pesarini, 1992: 27 A: TR
novaki Sama, 1997a: 98 E: GR
pilosa pilosa Brullé, 1832: 260 E: AL BH CR GR IT SL ?UK
hirsuta Küster, 1846b: 95
pilosa inclusa Mulsant, 1863: 242 E: FR IT MA N: LB
dahlia Mulsant, 1863: 245
pontocircassica Danilevsky & Miroshnikov, 1985: 289 E: ST UK(Crimea) A: AB AR GG TR
pubescens Dalman, 1817b: 176 (*Lamia*) E: IT SP N: AG MO TU
algerica Laporte, 1840: 485
minuta Pic, 1891b: 29
sericata Sama, 1996c: 104 A: TR
slamai Sama, 1986: 23 E: GR (Kriti, Rodos) TR
solieri breuningi Vives, 1979: 156 E: SP
solieri lanzai Sama, 1985b: 76 E: IT FR (Corse)
solieri solieri Mulsant, 1839: 119 E: FR IT
pilosa Solier, 1835: 100 [HN]
striatopunctata Sama, 1994f: 553 A: TR
subpubescens Hellrigl, 1971: 445 E: IT
unifasciata Rossi, 1790: 147 (*Lamia*) E: AL BH CR FR GR IT MD RO SL SZ UK YU

genus *Plectrura* Motschulsky, 1845b: 370 type species *Plectrura spinicauda* Motschulsky, 1845 [see Danilevsky, 2014b: 230-231]
subgenus *Phlyctidola* Bates, 1884a: 236 type species *Phlyctidola metallica* Bates, 1884
metallica metallica Bates, 1884a: 236 (*Phlyctidola*) A: FE HUB JA NC NE SC
mandshurica Jakobson, 1899b: 43
sachalinica Jakobson, 1899b: 44
metallica yoshihiroii Takakuwa, 1984: 12 A: JA

tribe Petrognathini Blanchard, 1845

genus *Ioesse* J. Thomson, 1864: 68 type species *Ioesse sanguinolenta* J. Thomson, 1864
Macrocelosterna Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924
rubra Pic, 1925c: 3 (*Macrocelosterna*) 68 A: HAI YUN **ORR**

genus *Ithocritus* Lacordaire, 1872: 447 type species *Monohammus ruber* Hope, 1839
multimaculatus Pic, 1934g: 35 A: GUX **ORR**

fascicollis Breuning, 1935b: 171
ruber Hope, 1839: 43 (*Monohammus*) A: NP SD YUN **ORR** [see: Lin & Yang, 2014]

genus *Pseudapriona* Breuning, 1936: 304 type species *Pseudapriona flavoantennata* Breuning, 1936
Parajoesse Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21
flavoantennata* Breuning, 1936: 304 A: XIZ **ORR*
medogensis Chiang & Chen, 1992, 69 (*Loesse*)
nagaensis Breuning, 1982a: 21 (*Parajoesse*)
niger Pu, 1988: 300, 303 (*Ithocritus*)

tribe Phrynetini J. Thomson, 1864

genus *Calothyrsa* J. Thomson, 1868: 168 type species *Phryneta margaritifera* Westwood, 1848
margaritifera Westwood, 1848: 11 (*Phryneta*) A: NP YUN "Himalaya"

genus *Phryneta* Dejean, 1835: 341 type species *Lamia marmorea* Olivier, 1797
Inesida J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775
leprosa Fabricius, 1775: 178 (*Lamia*) Ei: MA **AFR**
brunicornis Guérin-Méneville, 1844: 239 (*Lamia*)

tribe Phytoeciini Mulsant, 1839

genus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
subgenus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)

allardi allardi Fairmaire, 1866a: 68 N: AG
elegantula Fairmaire, 1871: 402
leprieuri Pic, 1892g: 104
allardi guyi Sama, 2005a: 37 N: MO
***anularis* Holzschuh, 1984a: 160 A: TR**
***anulifera* Löbl & Smetana, 2013: 41 [unjustified emendation]**
aresteni Pic, 1951a: 11 N: MO
detrita Fabricius, 1793: 308 (*Saperda*) N: AG MO TU
maculosa Mulsant, 1839: 201 (*Phytoecia*)
vittigera Fabricius, 1801b: 318 (*Saperda*)
guerini Breme, 1840: 277 (*Saperda*) N: AG TU
glauca Erichson, 1841: 189 (*Saperda*)
luteopubens Pic, 1918d: 17
lineata Pic, 1918d: 11
***kalashiani* Danilevsky, 1992b: 113 A: AR**
mounai Sama, 2005a: 40 N: MO
simia Sama, 2005a: 38 N: AG
warnieri P. H. Lucas, 1847: pl. 43 (*Phytoecia*) N: AG MO TU
aumontiana P. H. Lucas, 1851b: xli (*Phytoecia*)
bicoloricornis Pic, 1942a: 1
cinerea Guérin-Méneville, 1841: 9 (*Saperda*) [HN]
coquerelii Fairmaire, 1873b: 353
fuscicornis Heyden, 1863: 130 (*Phytoecia*)
henoni Pic, 1891b: 49
heterogyna Fairmaire, 1871: 402
inlateralis Pic, 1942d: 3
invittata Pic, 1942a: 1 [DA]
mimeuri Pic, 1950d: 93
poweli Pic, 1941a: 13
pygidialis Pic, 1911a: 9
vittithorax Pic, 1900d: 16

subgenus *Eurycoptosia* Reitter, 1913d: 666 type species *Phytoecia bodoani* Pic, 1912
bodoani Pic, 1912a: 10 (*Phytoecia*) A: AB IN

subgenus *Iranocoptosia* Villiers, 1967: 340 type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer, 1886)
fausti Ganglbauer, 1886c: 521 (*Phytoecia*) A: IN TM
balachowskyi Villiers, 1967: 340

genus *Epiglenea* Bates, 1884a: 259 type species *Epiglenea comes* Bates, 1884a
comes comes Bates, 1884a: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX SC SCH ZHE YUN **ORR**
comes formosana Schwarzer, 1925c: 153 (*Daphisia*) A: TAI
comes szetschuanica Breuning, 1967c: 40 (*Phytoecia*) A: SCH

genus *Kabylophytoecia* Sama, 2005d: 149 [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
Tala Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
cirteensis P. H. Lucas, 1842: 187 (*Phytoecia*) N: AG TU

cyrтана P. H. Lucas, 1849: 506 (*Phytoecia*) [unjustified emendation]

genus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852

subgenus *Dasyllinda* J. Thomson, 1868: 184 type species *Dasyllinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)

apicalis apicalis Pic, 1906d: 17 A: GUI SCH XIZ YUN

gibbosicollis Pic, 1915c: 12

nigriventris Heller, 1923b: 74

subcincta Pic, 1924a: 19

apicalis yunnanana Breuning, 1978b: 7 A: GUI SCH XIZ YUN

yunnanica Breuning, 1979a: 46 [RN]

fasciculata Pic, 1902i: 32 A: SCH SHA YUN

vitalisi Vuillet, 1912: 300 (*Dasyllinda*)

testacea Saunders, 1839: 179 (*Saperda*) A: NP SD XIZ YUN **ORR**

rubripennis Pic, 1923a: 14

scopigera J. Thomson, 1868: 185 (*Dasyllinda*)

subgenus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852

Miocris Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902

annamensis yunnanensis Breuning, 1960f: 147 A: YUN

annulicornis Matsushita, 1939: 424 A: SE SW TAI

subannulata Breuning, 1966b: 19 [RN]

subannulicornis Breuning & K. Ohbayashi, 1964b: 30 [HN]

atricornis Pic, 1924a: 19 A: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH ?SHA YUN ZHE

bimaculicollis Breuning, 1954g: 558 A: XIZ **ORR**

femorata Chevrolat, 1852: 418 (*Amphionycha*) A: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN

melanoptera Fairmaire, 1895: 187 (*Amphionycha*)

fraterna Chevrolat, 1852: 419 (*Amphionycha*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN
ZHE

luteonotata Pic, 1907d: 24

pratti Pic, 1902a: 3

seminigra Fairmaire, 1887a: 134

subtestacea Pic, 1906d: 17

gracilicornis Pic, 1907d: 24 A: SCH YUN

macilenta Gressitt, 1947: 551 A: SCH

major Gressitt, 1942b: 8 A: ANH FUJ GUI

nigroscutata ampliata Pu, 1993: 361 A: GUI

nigroscutata nigroscutata Fairmaire, 1902a: 245 (*Miocris*) A: GUI HUB HUN SCH XIZ YUN **ORR**

rubescens frontalis Pu, 1988: 304 A: XIZ

rubescens rubescens Hope, 1831: 28 (*Saperda*) A: BT NP SD YUN

bisbimaculata Pic, 1930e: 59 (*Miocris*)

fulva Fairmaire, 1895: 188

semiatra Holzschuh, 2003b: 315 A: NP

semivittata Fairmaire, 1887a: 134 (*Oberea*) A: YUN

subtestaceicolor Pic, 1916h: 17 (*Oberea*)

tricostata Gressitt, 1947: 554

signaticornis Schwarzer, 1925c: 154 A: TAI

stolata Pesarini & Sabbadini, 1997: 127 A: SCH

subannulicornis Breuning, 1956c: 236 A: FUJ TAI

subatricornis Lin & Yang, 2012: 3 A: FUJ HEB NIN SCH SHA

zayuensis Pu, 1981: 428 A: XIZ

genus *Mallosia* Mulsant, 1863: 399 type species *Saperda graeca* Sturm, 1843

subgenus *Eumallosia* Danilevsky, 1990: 364 type species *Mallosia herminae* Reitter, 1890

Anatolomallosia Özdikmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.

Anatolomallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia nonnigra* Özdikmen & Aytar, 2012a

Submallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895

armeniaca Pic, 1897i: 188 A: AR IN TR

caucasica Pic, 1898r: 168

haiastanica Danilevsky, 2007b: 3

brevipes Pic, 1897i: 188 A: AR IN TR

cribratofasciata K. Daniel, 1904a: 309

costata Pic, 1898m: 124 A: IN TR

kurdistana Breuning, 1970b: 30

gobustanica Danilevsky, 1990: 366 A: AB

herminae Reitter, 1890d: 241 A: AB IN

imperatrix Abeille de Perrin, 1885: cxl A: IN IQ LE SY TR

robusta Pic, 1901e: 19

tauricola K. Daniel, 1904a: 308

jakowlewi Semenov, 1895b: 204 A: IN

iranica K. Daniel & J. Daniel, 1898: 79
nonnigra Özdikmen & Aytar, 2012a: 656 A: TR
tamashaczi Sama & Székely, 2010: 896 A: IN
subgenus Mallosia Mulsant, 1863: 399 type species *Saperda graeca* Sturm, 1843
graeca Sturm, 1843: 356 (*Saperda*) E: GR
cardoriensis Pic, 1900w: 109
tomentosa Sturm, 1843: 355 (*Dorcadion*)
subgenus Semnosia K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837
Eusemnosia Özdikmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837
baiocchii Sama, 2001: 94 (*Semnosia*) A: SY
galinae Danilevsky, 1990: 364 A: AB GG #12
interrupta Pic, 1905b: 28 A: IN TR ["Kurdistan"]
mirabilis devexula Holzschuh, 1989a: 176 A: TR ["Hakkari"]
mirabilis mirabilis Faldermann, 1837: 283 (*Saperda*) A: IN IQ TR
bitlisiensis Pic, 1902m: 42 ["Bitlis"]
delagranei Pic, 1902m: 42 ["Monts Amanus"]
ganglbaueri Kraatz, 1884b: 233 ["Malatia"]
kotschyi Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]
multimaculata Pic, 1902m: 42 ["Malatia"]
semirubra Pic, 1905b: 31 [no locality, unavailable: "*mirabilis* ssp. *ganglbaueri* var. *semirubra*"]
scovitzii Faldermann, 1837: 284 (*Saperda*) A: AB AR GG ?IN TR
atricornis Pic, 1915e: 10
semilimbata Pic, 1900g: 14
tristis Reitter, 1888a: 134 A: AB IN
angelicae Reitter, 1890d: 242
lederi Pic, 1908e: 14

genus Mallosiola Semenov, 1895b: 205 type species *Mallosiola regina* Heyden, 1887
regina Heyden, 1887d: 319 (*Mallosia*) A: TD
lopatini Heyrovský, 1969a: 34 (*Mallosia*)

genus Micromallosia Pic, 1900g: 15 type species *Micromallosia theresae* Pic, 1900
heinzorum Holzschuh, 1991a: 27 (*Mallosia*) A: TR
heydeni Ganglbauer, 1888b: 76 (*Phytoecia*) A: TR
theresae Pic, 1900g: 15 A: TR

genus Mimocoptosia Breuning & Villiers, 1972: 37 type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia*
luteovittigera Pic, 1906)
luteovittigera Pic, 1906a: 4 (*Phytoecia*) A: IN TR
iraniensis Breuning & Villiers, 1972: 37

genus Nupserha J. Thomson, 1860: 60 type species *Stibara cosmopolita* J. Thomson, 1860 (= *Saperda ustulata* Erichson, 1834)
acuta Holzschuh, 1986b: 152 A: SD
alexandrovi Plavilstshikov, 1915c: 109 (*Oberea*) A: FE JA JIL
infrequens Plavilstshikov, 1915: 110 (*Oberea*)
annulata annulata J. Thomson, 1857c: 147 (*Stibara*) A: BT NP PA SD
subannulicornis Pic, 1916d: 7 (*Oberea*)
annulata mustangensis Holzschuh, 1990: 194 A: NP
atriceps Breuning, 1948e: 121 A: GUI SD UP ORR
basipilosa Holzschuh, 1986b: 148 A: NP SD
bicolor J. Thomson, 1857c: 147 (*Stibara*) A: UP TAI ORR
brevior Pic, 1908f: 18 (*Oberea*) A: YUN
cauta Holzschuh, 1986b: 150 A: NP
clypealis clypealis Fairmaire, 1895: 188 (*Oberea*) A: GUI TAI YUN ORR
bisbinotaticollis Pic, 1917h: 13 (*Oberea*)
clypealis formosana Breuning, 1960c: 19 A: TAI
dubia Gahan, 1894a: 93 A: AP FUJ GUX HAI NP SD TAI UP YUN ORR
flavipennis Breuning, 1950a: 16 A: BT NP SD
fricator fricator Dalman, 1817b: 183 (*Saperda*) A: AP FUJ GUX HAI NP SD TAI ORR
bipartipennis Pic, 1943b: 3 (*Stibara*)
haddeni Gressitt, 1940d: 419
inopinata Gilmour, 1965: 482
lineatipes Pic, 1928b: 22
producta Schwarzer, 1931b: 212
rufopicea Schwarzer, 1930: 127
fuscoapicalis Breuning, 1949a: 15 A: NP SD ORR
fuscodorsalis W.-K. Wang & S.-N. Jiang, 2002b: 126 A: YUN
infantula Ganglbauer, 1889a: 83 (*Oberea*) A: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE

bisbinotata Pic, 1928b: 23 (*Oberea*)
subvelutina Gressitt, 1937d: 619
infuscata Breuning, 1960c: 31 A: XIZ
lenita Pascoe, 1867b: 410 (*Glenea*) A: GUX NP PA SD UP **ORR**
ambigua Lameere, 1893a: 286
annamensis Pic, 1939a: 18
nigromaculata Pic, 1926c: 18
longipennis Pic, 1926c: 18 A: XIZ
malabarensis Pic, 1939a: 17 A: UP **ORR**
marginella binhensis Pic, 1926c: 18 A: FUJ HUN **ORR**
marginella marginella Bates, 1873: 390 (*Oberea*) A: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG SC SHA SHN
 TAI ZHE
minor Pic, 1939a: 17 A: FUJ **GUX YUN ORR**
multimaculata Pic, 1939a: 16 A: YUN **ORR**
nigriceps Gahan, 1894a: 90 A: NP YUN **ORR**
nigricollis Breuning, 1960c: 13 A: "North India"
nigrohumeralis Pic, 1927o: 200 A: YUN **ORR**
pallidipennis flavipennis Breuning, 1950a: 16 A: NP
pallidipennis pallidipennis L. Redtenbacher, 1844: 552 (*Phytoecia*) A: BT JIX KA NP SD UP XIZ **ORR**
pseudinfantula Breuning, 1948e: 119 A: GUI
quadrioculata Thunberg, 1787: 57 (*Saperda*) A: NP GUX HAI YUN "North India" **ORR**
carinata J. Thomson, 1857c: 146 (*Stibara*)
corrugata Gressitt, 1940b: 211
costata Wiedemann, 1923: 112 (*Saperda*)
notaticeps Pic, 1926c: 17
rotundicollis Breuning, 1950d: 263 A: BT NP SD
schmidi arunensis Holzschuh, 1990: 195 A: NP
schmidi darjeelingensis Holzschuh, 1990: 195 A: SD
schmidi schmidi Breuning, 1966d: 16 A: AP NP SD
schmidi tambaensis Holzschuh, 1990: 195 A: NP
sericans Bates, 1884a: 260 (*Oberea*) A: CH FE JA TAI
spinifera spinifera Gressitt, 1948b: 63 A: BT SCH SD
subabbreviata Pic, 1916h: 16 (*Oberea*) A: SCH YUN
szetschuanica Breuning, 1947d: 148 A: SCH
taliana Pic, 1916h: 16 (*Oberea*) A: GUX XIZ YUN **ORR**
brevilineata Pic, 1928b: 23 (*Oberea*)
lemoultii Pic, 1916h: 18 (*Oberea*)
pseudomarginella Breuning, 1947d: 148
tatsienlui Breuning, 1948e: 120 A: SCH
testaceipes Pic, 1926c: 18 A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN
batesi Gressitt, 1937d: 618
thibetana Breuning, 1948e: 120 A: SCH XIZ
ustulata ustulata Erichson, 1834: 270 (*Saperda*) A: GUX **ORR**
cosmopolita J. Thomson, 1857c: 146 (*Stibara*)
grandis Pic, 1939a: 17
seminigra Breuning, 1960c: 48
variabilis Gahan, 1894a: 92 A: GUX YUN **ORR**
apicalis Aurivillius, 1926: 21 (*Stibara*)
ventralis Gahan, 1894a: 91 A: HUN SD XIZ YUN **ORR**
pseudoventralis Breuning, 1950d: 263
yunnana Breuning, 1960c: 36 A: YUN
yunnanensis Breuning, 1960c: 19 A: YUN

genus *Oberea* Dejean, 1835: 351 type species *Cerambyx linearis* Linnaeus, 1760

subgenus *Amaurostoma* J. Müller, 1906: 223 type species *Cerambyx erythrocephalus* Schrank, 1776

donceeli Pic, 1907d: 23 A: ES FE HEB MG XIN

atrosignata Breuning, 1947c: 57

obscuripennis Pic, 1939b: 3

erythrocephala bicolor Reiche, 1878a: cxlix E: PT SP (Andalusía) N: MO

maroccana Pic, 1914c: 11

reichei Plavilstshikov, 1927a: 64 [unnecessary RN]

erythrocephala erythrocephala Schrank, 1776: 67 (*Cerambyx*) E: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT MC MD

PL PT RO SK SL SP SZ TR UK YU A: AB AR GG **IN KZ LE SY TR WS**

amanica Holzschuh, 1993a: 50

anatolica Pic, 1901d: 19

calvescens G. Müller, 1948: 15

cincta Gebler, 1830: 186 (*Saperda*)

erivanica Pic, 1917a: 11

hungarica Pic, 1914c: 11
insidiosa Mulsant, 1863: 396
luteicollis Gebler, 1833: 303 (*Saperda*)
melitana Reiche, 1878a: cxlix
montandoni Pic, 1914c: 11
~~*mulsanti* Plavilstshikov, 1927a: 64 [RN]~~
~~*nigriceps* Mulsant, 1863: 394 [HN]~~
planeti Pic, 1945b: 5
richteri Bau, 1888: 425
schurmanni Heyrovský, 1962a: 42
sinuatesignata Pic, 1945b: 7
theophilei Pic, 1914c: 11
euphorbiae Germar, 1813: 131 (*Saperda*) E: AU BU CT CZ HU IT MD RO SK ST UK A: AR KZ WS
imitans G. Müller, 1948: 76
intermedia Breuning, 1947c: 59 [HN]
intermissa Breuning, 1962f: 212 [RN]
histrionis Pic, 1917a: 11 E: AU CZ HU MD RO SK UK
moravica Kratochvíl, 1989: 1
ressli Demelt, 1963: 150 A: TR
ruficeps muchei Breuning, 1981a: 26 A: TD
ruficeps ruficeps Fischer von Waldheim, 1842: 18 A: KI KZ UZ WS XIN
semirufa Kraatz, 1882a: 115
taygetana Pic, 1901d: 27 E: GR
subgenus *Oberea* Dejean, 1835 351 type species *Cerambyx linearis* Linnaeus, 1760
Isosceles Newman, 1842d: 318 type species *Isosceles macilenta* Newman, 1842
acuta Gressitt, 1951a: 629 A: SCH
atroantennalis Breuning, 1960b: 39 [= 1962f: 190] A: FUJ
atropunctata Pic, 1916h: 17 A: ANH GUA GUI GUX HUB HUN JIX NP SCH SHA YUN ZHE YUN
flavescens Breuning, 1947d: 146
toi Gressitt, 1939b: 106
bicoloricornis Pic, 1915c: 13 A: FUJ SHA XIZ
rubroantennalis Breuning, 1960b: 38
binotaticollis binotaticollis Pic, 1915c: 13 A: HUB JIX SCH SHA TAI ZHE
basimaculata Breuning, 1960b: 34
griseopennis Schwarzer, 1925c: 154
melli Breuning, 1960b: 33
tiennuana Gressitt, 1939b: 124
binotaticollis chinensis Breuning, 1982a: 29 A: SCH
binotaticollis ichangensis Breuning, 1969e: 670 A: HUB
birmanica Gahan, 1894a: 96 A: GUX SCH YUN **ORR**
lajoyei Pic, 1919c: 12
bisbipunctata bisbipunctata Pic, 1916h: 17 A: GUA GUI GUX NE SCH ZHE **ORR**
bisbipunctulata Breuning, 1960b: 34 [= 1962f: 191] A: SD
bootangensis Breuning, 1960b: 55 [= 1962f: 177] A: SD NP
breviantennalis Kurihara & N. Ohbayashi, 2006: 257 A: TAI
brevithorax Gressitt, 1936: 108 A: HAI TAI
inepta Gressitt, 1939b: 122
clara Pascoe, 1866b: 265 A: YUN **ORR**
armata Gahan, 1894a: 95
fingeriventris W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75
conica W.-K. Wang, Y.-Z. Le & S.-N. Jiang, 2002: 74 A: YUN
consentanea Pascoe, 1867b: 426 A: BT NP SD FUJ GUX HAI JIX YUN **ORR**
imbrevicollis Pic, 1928d: 16
mausoni Breuning, 1950e: 274
posticata Pic, 1926b: 16 [HN]
rufopyga Pic, 1926b: 10
unicolor Breuning, 1956c: 236
coreana Pic, 1912h: 21 A: "Korea"
~~*eoreensis* Breuning, 1947e: 58 A: JA SC [unavailable, see Danilevsky, 2014b: 232-233]~~
coxalis Gressitt, 1940a: 14 [RN] A: GUA
discipennis Gressitt, 1939a: 100 [HN]
curialis Pascoe, 1866: 264 A: CH **ORR**
nonfriedi Pic, 1923a: 14
curtilineata Pic, 1916l: 326 A: YUN
depressa Gebler, 1825: 51 A: ES FE FUJ MG NC NE SC SHA WS XIN
altaica Gebler, 1830: 187 (*Saperda*)
amurica Suvorov, 1913: 78
pupillatoides Breuning, 1947d: 145
rosinae Pic, 1904d: 18
rufomaculata Kôno & Tamanuki, 1926: 278, 293

transbaicalica Suvorov, 1913: 78
distinctipennis Pic, 1902a: 2 A: FUJ HAI SCH XIZ **ORR**
lateriventris Gressitt, 1939a: 101
subparallela Pic, 1928b: 23
thibetana Pic, 1916h: 16
diversimembris Pic, 1923b: 11 A: XIZ ZHE **ORR**
elongatipennis Pic, 1940: 11 A: GUI
ferruginea Thunberg, 1787: 57 (*Saperda*) A: NP SD
atricornis Fabricius, 1793: 308 (*Saperda*)
elongata Olivier, 1795: 19 (*Saperda*)
maculiventris Pic, 1923a: 15 [HN]
notativentris Pic, 1924d: 30 [RN]
prolixa Pascoe, 1867b: 424
semiargentata Pic, 1923a: 15
flavipennis Kurihara & N. Ohbayashi, 2007: 202 A: TAI
formosana Pic, 1911e: 20 A: FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SC SCH SHA TAI ZHE **ORR**
clarior Breuning, 1960b: 43
spinipennis Breuning, 1960b: 43
formososylvia Kurihara & N. Ohbayashi, 2007: 207 A: TAI
fuscipennis fairmairei Aurivillius, 1912: 532 [RN] A: FUJ **ORR**
brevicollis Fairmaire, 1895: 190 [HN]
fuscipennis fuscipennis Chevrolat, 1852: 419 (*Isosceles*) A: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX NC SC SCH TAI
XIZ ZHE **ORR**
cephalotes Breuning, 1947d: 147
diversipes Pic, 1919c: 11
fulveola Bates, 1873: 390
holoxantha Fairmaire, 1888a: 35
infratestacea Pic, 1936a: 24
rosi Gressitt, 1940b: 214
rufotestacea Pic, 1923b: 12
theryi Pic, 1902a: 2
fusciventris Fairmaire, 1895: 189 A: SE SW **ORR**
grossepunctata Breuning, 1947d: 145 A: SHN YUN
hebescens Bates, 1873: 389 A: JA JIA
herzi Ganglbauer, 1887c: 23 A: FE HEB JIA JIL NC QIN SC SHN
licentei Pic, 1939b: 3
longevittata Breuning, 1960b: 31
mediomaculata Breuning, 1960b: 32
rufipennis Breuning, 1960b: 36
rufithorax Breuning, 1947c: 58
swampingensis Breuning, 1960b: 37
teranishii K. Ohbayashi, 1936b: 17
heudei Pic, 1936a: 23 A: SHN
heyrovskyi Pic, 1927e: 10 A: FE SC
himalayana Breuning, 1972c: 420 A: NP UP **ORR**
holatripenoides Löbl & Smetana, 2010: 59 A: CH
holatripennis Breuning, 1982a: 29 [HN]
humeralis Gressitt, 1939a: 103 A: FUJ GUA HUN JIX NE **ORR**
fruhstorferi Breuning, 1960b: 55
inclusa Pascoe, 1858: 261 A: FUJ GUA GUX HEN HUB JIA JIX NC NMO SC SCH ZHE
basirufa Breuning, 1960b: 19
discipennis Fairmaire, 1889a: 68
partenigrescens Breuning, 1960b: 39
incompleta Fairmaire, 1897e: 255 A: SCH
infranigrescens Breuning, 1960b: 36 A: JA
ishigakiana Matsushita, 1941: 158 A: JA (Ryukyus)
japonica Thunberg, 1787: 57 (*Saperda*) A: FE FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA
SHN TAI ZHE
japonica Bates, 1873: 388 [HN]
laterifusca Breuning, 1947c: 58
niponensis Bates, 1884a: 260
komiya Kurihara & N. Ohbayashi, 2006: 261 A: TAI
kostini Danilevsky, 1988b: 35 A: ES KZ WS
lacana Pic, 1923a: 16 A: SD **YUN ORR**
orientalis Breuning, 1960b: 49
lama Gressitt, 1942c: 5 A: XIZ **ORR**
laosensis Breuning, 1963b: 52 A: **YUN ORR**
latipennis Gressitt, 1939a: 104 A: GUA **ORR**
leucothrix Toyoshima, 1982: 33 A: JA

linearis Linnaeus, 1760: 191 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL
 NR PL PT RO SK SL SP ST SV SZ UK YU A: AB AR GG TR
cylindricollis Gray, 1832: 119 (*Saperda*)
fulvipes Geoffroy, 1785: 79 (*Leptura*)
limbata Mulsant, 1839: 197
parallela Scopoli, 1763: 47 (*Leptura*)
regularis Poda von Neuhaus, 1761: 38 (*Leptura*)
maculicollis P. H. Lucas, 1842: 187 N: AG
mauritanica P. H. Lucas, 1842: 187
medioobliterata Pic, 1945b: 7
semijuncta Pic, 1945b: 7
mixta Bates, 1873: 389 A: JA ZHE
montivagans medioplagiata Breuning, 1960b: 51 [= 1962f: 158] A: NP SD YUN **ORR**
dorsoplagiata Breuning, 1960b: 51
morio Kraatz, 1879d: 117 A: ES FE MG SC
pictibasis Reitter, 1902c: 186
nigriceps A. White, 1844: 425 (*Saperda*) A: HAI HKG **ORR**
binhana Pic, 1923b: 12
nigromaculicollis Breuning, 1960: 35 (“Chine: prov. Ngan-hwei”)
sylvia Pascoe, 1858: 261
nigriventris nigriventris Bates, 1873: 389 A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH
 SHN TAI ZHE **ORR**
angustissima Pic, 1908f: 17
gracillima Pascoe, 1867b: 422
horiensis Matsushita, 1931a: 47
langana Pic, 1902l: 35
michikoi Yokoyama, 1971: 101
postrufofemoralis Breuning, 1960b: 44
subannulipes Pic, 1913a: 19
notata Pic, 1936a: 24 A: GUA JIA SCH ZHE
kwangtungensis Breuning, 1960: 37 (“Chine: prov. Kwang-Tung Lien-ping”)
rufoantennata Breuning, 1960: 37 (“Chine: prov. Cheking, Kiukiang”)
oculata Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
 MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA MG NMO
 SC SHA SHN SY TR WS XIN N: MO
borysthena Mokrzecki, 1900: 294
inoculata Heyden, 1892a: 81
~~*mediobliterata* Rungs, 1947: 101~~
quadrimaculata Donisthorpe, 1913: 158
tomensis Kiseleva, 1927: 131
okinawana Kusakabe, 1992: 40 A: JA (Ryukyus)
pedemontana Chevrolat, 1856b: 436 E: AU BH BU CR HU IT RO SL SZ YU
koniensis Breuning, 1960b: 39
melanura Gredler, 1857a: 151
posticata Gahan, 1894a: 94 A: NP SD TAI **ORR**
longulicollis Breuning, 1960b: 53
rubroantennata Breuning, 1960b: 53
pseudoposticata Breuning, 1960b: 53 A: NP **ORR**
pupillata Gyllenhal, 1817: 185 (*Saperda*) E: AU BE BH BY CR CT CZ EN FR GE GR HU IT LA LS LT MC MD NT PL RO SL
 SK SP ST SZ UK YU
alsatica Pic, 1915e: 10
luteonotata Pic, 1918d: 5
cognata Lentz, 1857: 145
reductesignata Pic, 1916h: 17 A: FUJ HUB TAI **ORR**
kiotensis Pic, 1916h: 17
ruficornis Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE
pseudoformosana Li, Cuccodoro & Chen, 2014: 57
rufiventris Breuning, 1968a: 41 A: GUX **ORR**
rufosternalis Breuning, 1960b: 42 [= 1961b: 95] A: SCH YUN
savioi Pic, 1924a: 19 A: JIA SHG ZHE
scutellaroides Breuning, 1947c: 58 [RN] A: CH FE
chinensis Tsherepanov, 1985: 147 [RN]
scutellaris Fairmaire, 1888b: 147 [HN]
shibatai Hayashi, 1962: 40 A: JA
shimomurai Kurihara & N. Ohbayashi, 2007: 209 A: TAI
shirahatai K. Ohbayashi, 1956b: 762 A: JA
shirakii Hayashi, 1963c: 16 A: JA (Ryukyus)
sikkimensis Breuning, 1960b: 38 A: SD
simplex Gressitt, 1942g: 91 A: ANH CE FE NE SC **SHG**

sobosana K. Ohbayashi, 1956b: 761 A: JA
strigicollis Gressitt, 1942g: 92 A: JIX
subelongatipennis Breuning, 1955b: 77 A: GUI
subsericea Breuning, 1960b: 42 [= 1962f: 180] A: GUI YUN
taihokuensis Breuning, 1960b: 51 [= 1962f: 168] A: TAI
taiwana Matsushita, 1933b: 423 A: TAI
tsuyukii Kurihara & N. Ohbayashi, 2007: 206 A: TAI
umebayashii K. Ohbayashi, 1964: 24 A: JA
unimaculicollis Breuning, 1960b: 35 [= 1962f: 194] A: SHA **ORR**
nigroampliata Breuning, 1960b: 35
uninotaticollis Pic, 1939d: 16 A: FUJ GUX JIX YUN ZHE **ORR**
unipunctata Gressitt, 1939b: 125
vittata Blessig, 1873: 223 A: ES FE JA MG
longissima Pic, 1905a: 15
walkeri Gahan, 1894d: 487 A: FUJ GUA GUI GUX HAI HEN HKG JIX SCH YUN ZHE **ORR**
atroanalis Fairmaire, 1895: 189
atrosternalis Breuning, 1960: 38 (“Chine: prov. Kwang-Tung, Gao-Tung”)
bicoloritarsis Pic, 1923b: 11
changii Gressitt, 1942c: 5
nigrobasicollis Breuning, 1960: 38 (“Chine: prov. Kwang-Tung, Lien Distr.”)
robustior Pic, 1923b: 12
wiskotti Z. Wang, 2003: 347, 397 A: JIL
yaoshana Gressitt, 1942g: 93 A: GUI GUX
yasuhikoi Kusakabe, 2001: 17 A: JA
yunnana Pic, 1926b: 10 A: GUA YUN **ORR**
yunnanensis Breuning, 1947d: 147 A: GUX HAI YUN **ORR**

genus *Obereopsis* Chevrolat, 1855: 289 type species *Obereopsis obscuritarsis* Chevrolat, 1855

Paroberea Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)
annulicornis Breuning, 1957d: 107 A: BT NP "North India"
aterrima Breuning, 1949a: 17 A: BT "India"
atritarsis Pic, 1920b: 3 (*Oberea*) A: XIZ
atrosternalis Breuning, 1957: 104 A: NP SD
bicoloripes Pic, 1916h: 16 (*Oberea*) A: TAI
bimaculicollis Breuning, 1949a: 20 A: "India"
bipuncticollis bootanana Breuning, 1957: 89 A: BT
borchmanni Breuning, 1959c: 131 A: "North India"
bootangensis Breuning, 1970f: 488 A: SD
darjeelingensis Breuning & Heyrovský, 1964: 30 A: SD
flavicornis Fairmaire, 1889a: 69 (*Oberea*) A: JIX
flavodiscalis bhutanensis Breuning, 1975d: 362 A: BT
flavodiscalis flavodiscalis Breuning, 1982a: 29 A: SD
infranigra Breuning, 1962f: 181 (*Oberea*) A: NP
kankauensis Schwarzer, 1925c: 153 (*Oberea*) A: FUJ SCH TAI
~~*nigroventralis* Breuning, 1956c: 235 [as var.]~~
~~*rufoantennalis* Breuning, 1956c: 235 [var. from same locality]~~
tetrastigma Gressitt, 1951a: 601 (*Oberea*)
limbata L. Redtenbacher, 1844: 553 (*Phytoecia*) A: KA NP UP
himalayana Breuning, 1972c: 420
lineaticeps Pic, 1911e: 21 (*Oberea*) A: TAI ZHE
fainanensis Pic, 1912h: 21 (*Oberea*)
longipes Breuning, 1957d: 109 A: SD NP
luteicornis Breuning, 1957d: 105 A: SD NP "India"
maculithorax Matsushita, 1933b: 421 (*Oberea*) A: SCH TAI
pulla Matsushita, 1933b: 421 (*Oberea*)
modica Gahan, 1894a: 97 (*Oberea*) A: NP GUX SHG "North India" **ORR**
binhensis Pic, 1926b: 29 (*Oberea*)
diversicornis Pic, 1923a: 15 (*Oberea*)
pallidicornis Gahan, 1894a: 98 (*Oberea*)
rufonotaticeps Pic, 1923c: 21 (*Oberea*)
semisericea Pic, 1923a: 15 (*Oberea*)
nepalensis Breuning, 1975d: 362 A: NP
nigriceps nigriceps Breuning, 1957d: 81 A: SD
obscura nigroabdominalis Breuning, 1972c: 420 A: NP SD UP
paratricollis Breuning, 1967b: 36 A: AP
pedongensis Breuning, 1960f: 148 A: SD
pseudannulicornis Breuning, 1982a: 29 A: SD

quadrinoticollis lachungi Breuning, 1982a: 28 A: SD
rubetra sikkimana Breuning, 1982a: 29 A: SD
 insularis Fisher, 1937: 198 (*Oberea*)
rufescens Breuning, 1960f: 148 A: SD
sericea Gahan, 1894a: 96 (*Oberea*) A: AP BT SD
sericeoides Holzschuh, 2006c: 488 A: BT NP SD
signaticornis Matsushita, 1933b: 423 (*Oberea*) A: TAI
sikkimensis Breuning, 1957d: 108 A: NP SD UP
 himalayana Breuning, 1972c: 420
subteratra Breuning, 1957d: 75 A: SD "North India"
trinoticollis Breuning, 1967b: 36 A: NP **ORR**
truncata Breuning, 1957d: 109 A: BT
varieantennalis Breuning, 1982a: 28 A: SD

genus *Oxylia* Mulsant, 1863: 398 type species *Phytoecia languida* Ménétériés, 1839
argentata argentata Ménétériés, 1832: 227 (*Saperda*) E: UK A: AB AR GG IN TR
argentata languida Ménétériés, 1839: 42 (*Phytoecia*) A: CY IN IQ IS JO LE SY TR
duponcheli Brullé, 1832: 260 (*Saperda*) E: AL BU MC GR
 atomaria Frivaldszky von Frivald, 1837: 178 (*Saperda*)
 vestita Küster, 1848c: 82 (*Phytoecia*)

genus *Paramallosia* Fuchs, 1955b: 274 type species *Paramallosia afghanica* Fuchs, 1955
afghanica Fuchs, 1955b: 274 A: AF TM

genus *Paraserixia* Breuning, 1954g: 442 type species *Paraserixia flava* Breuning, 1954
flava Breuning, 1954g: 442 A: SD

genus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
subgenus *Barbarina* Sama, 2010: 49 type species *Phytoecia behen* Sama & Rejzek, 1999

behen Sama & Rejzek, 1999: 330 A: TR
cheshirensis Breuning, 1943b: 103 (*Conizonia*) A: TR
nausicae Rejzek & Kakiopoulos, 2004: 405 E: GR
nepheloides Sama, 1997a: 100 A: SY
subgenus *Blepisanis* Pascoe, 1866: 365 type species *Saperda bohemani* Pascoe, 1858
 Obereina Ganglbauer, 1886: 524 type species *Phytoecia rubricollis* P. H. Lucas, 1847 (= *Saperda melanocephala* Fabricius, 1787)
 Rubrophytoecia Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787
forticornis forticornis Breuning, 1947b: 22 A: KA PA
forticornis povolnyi Heyrovský, 1971: 82 A: AF
magnanii Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanis*) A: IN
melanocephala Fabricius, 1787: 148 (*Saperda*) E: IT N: AG MO TU
 lineatocollis Levrat, 1859: 35
 rubricollis P. H. Lucas, 1847: pl. 43
nigrofemorata Breuning, 1947b: 23 A: KA
nivea Kraatz, 1882a: 116 A: KI KZ TD UZ
ochraceipennis Kraatz, 1882c: 337 A: AF KI KZ TD UZ
pallidipennis Plavilstshikov, 1926c: 340 A: TM
remaudierei Villiers, 1967: 341 (*Blepisanis*) A: IN
repetekensis Semenov, 1935a: 279 A: TM
tatyanae Skrylnik, 2010: 260 A: AF
tekensis Semenov, 1896: 258 A: AF IN TM
vittipennis leuthneri Ganglbauer, 1886c: 523 A: IS SY TR
 akbesiana Pic, 1900j: 20
 inhumeralis Pic, 1900c: 7 (*Obereina*)
 samai Özdikmen & Turgut, 2008c: 572
vittipennis pallidior Pic, 1901o: 67 (*Obereina*) A: TR
vittipennis pravei Plavilstshikov, 1926a: 8 [= 1926c: 339] A: AB AR GG IN TM TR
vittipennis vittipennis Reiche, 1877c: cxli E: AL BU GR A: LE TR
 tokatensis Pic, 1933d: 11
volkovitshi Danilevsky, 2010b: 24 A: TR
subgenus *Cardoria* Mulsant, 1863: 436 type species *Saperda scutellata* Fabricius, 1793
scutellata Fabricius, 1793: 317 (*Saperda*) E: AU CT CZ GE GR HU YU MD RO SK ST UK A: AB AR GG IN TR
 obscuricolor Pic, 1952e: 691
subgenus *Cinctophytoecia* Breuning, 1947d: 143 type species *Phytoecia cinctipennis* Mannerheim, 1849
albosuturalis Breuning, 1947d: 143 A: CH
cinctipennis Mannerheim, 1849: 242 A: BEI ES FE MG NC NMO SC WS
 coreensis Breuning, 1955e: 658
guilleti callosicollis Pic, 1933e: 7 A: YUN

guilleti guilleti Pic, 1906a: 4 A: SCH YUN
obscurithorax Pic, 1922b: 27
kukunorensis Breuning, 1943b: 102 A: QIN
punctipennis Breuning, 1947d: 143 A: CH
sareptana Ganglbauer, 1888e: 376 A: ES FE HUB
densepubens Pic, 1939b: 3
testaceolimbata Pic, 1933e: 7 A: SCH YUN
subgenus *Coptosia* Fairmaire, 1865: 177 type species *Phytoecia languida* Fairmaire, 1865 (= *Phytoecia albovittigera* Heyden, 1863)
albovittigera Heyden, 1863: 130 (*Phytoecia*) E: BU GR MC TR A: TR
languida Fairmaire, 1865: 177 (*Phytoecia*) [HN]
semiannulicornis Pic, 1936c: 4
antoniae Reitter, 1889a: 42 (*Phytoecia*) A: AB AR GG IN TM TR
uniformis Pic, 1933d: 11
bithynensis Ganglbauer, 1884: 573 (*Phytoecia*) A: TR
amasina Pic, 1949c: 60
conjuncta Pic, 1901b: 13 [DA]
latevittata Breuning, 1963a: 10
limbata Pic, 1949c: 61 [DA]
piciana Jakovlev, 1924: 239 (*Phytoecia*) [RN]
trilinea Pic, 1892t: cxii (*Phytoecia*)
trilineata Pic, 1892t: cxii [= 1893d: 419] (*Phytoecia*)
brunnerae Sama, 2000a: 98 A: SY
compacta compacta Ménétriés, 1832: 228 (*Saperda*) A: AB AR GG IN TR
rufobrunnea Heyden, 1894b: 88 (*Conizonia*)
compacta sancta Reiche, 1877b: cxxxvi A: IS JO LE SY
nigrosuturata Bytinski-Salz, 1956: 221 (*Coptosia*)
demelti Breuning, 1973b: 143 (*Conizonia*) A: TR
ganglbaueri Pic, 1936c: 3 A: CY IS JO LE SY TR
gianassoi Sama, 2007a: 97 A: IN
minuta Pic, 1891a: 2 (*Phytoecia*) A: TR
kurda Jakobson, 1924c: 239 (*Phytoecia*) [RN]
mardinensis Pic, 1901b: 13
schuberti Fuchs, 1965: 110 (*Conizonia*) A: TR
tauricola Breuning, 1943b: 104 (*Conizonia*) A: TR
subgenus *Fulgophytoecia* Pic, 1900h: 16 type species *Phytoecia circumdata* Kraatz, 1882
Pseudomallosia Breuning, 1967a: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967
circumdata Kraatz, 1882c: 337 A: AF KI KZ UZ TD
parterufipennis Breuning, 1967a: 2 (*Pseudomallosia*)
sellata Ganglbauer, 1887: 296
pilosicollis Holzschuh, 1981: 107 A: KZ UZ
valentinae Skrylnik, 2010: 258 A: AF
subgenus *Helladia* Fairmaire, 1864a: 176 type species *Saperda flavescens* Brullé, 1832
adelpha Ganglbauer, 1886c: 522 A: AR CY SY TR
diversepubens Pic, 1952c: 691
alziari Sama, 1992b: 306 (*Helladia*) E: GR A: CY IS JO LE SY TR
ariannae Pesarini & Sabbadini, 2011: 51 A: TR
armeniaca Frivaldszky, 1878b: 10 [=1879: 318; =1879: 62] A: AB AR GG IS SY TR
demelti Sama, 2003: 73 A: TR
diademata Faldermann, 1837: 297 A: AB AR GG IN TR
fatima Ganglbauer, 1884: 570 A: AB
ferrugata Ganglbauer, 1884: 574 A: IS JO LE SY TR
dilatocollis T. Pic, 1900b: 67
flavescens Brullé, 1832: 262 (*Saperda*) A: AL GR MC
fumigata Küster, 1848c: 81
humeralis caneri Özdikmen & Turgut, 2010: 331 A: TR
humeralis humeralis Waltl, 1838: 471 (*Saperda*) E: GR (Rodas) A: AB CY GG IN IQ IS LE SY TR
frontalis Chevrolat, 1882: 63
mersinensis Pic, 1900x: 140
scapularis Chevrolat, 1882: 63
scapulata Mulsant, 1851: 194 [1852: 54]
imperialis dorud Sama, Rapuzzi & Rejzek, 2007: 166 (*Helladia*) A: IN
imperialis imperialis Sama & Rejzek, 2001: 239 A: IN
insignata Chevrolat, 1854: 485 A: IS JO SY
bethaniensis T. Pic, 1900b: 67
millefolii Adams, 1817: 311 (*Saperda*) E: BU GR ST UK A: AB AR GG IN TR
azurea Steven, 1817: 190 (*Saperda*)
excelsa Stierlin, 1876: 479
orbicollis Reiche & Saulcy, 1858: 15 A: JO LE

damascena Pic, 1899c: 210
edessensis Reitter, 1898e: 358
scapipicta Reitter, 1898e: 358
schmiedeknechti Pic, 1899c: 209
urfanensis Reitter, 1898e: 358
paulusi bludanica Sama, 2000a: 99 A: SY
paulusi paulusi Holzschuh, 1971: 67 A: LE
plasoni Ganglbauer, 1884: 571 A: AB AR IN TM TR
pontica Ganglbauer, 1884: 574 A: IS JO SY TR
praetextata nigricollis Pic, 1891h: 102 A: SY TR
praetextata praetextata Steven, 1817: 184 (*Saperda*) E: BU RO ST UK A: AB AR GG TR
implagiata Reitter, 1898b: 126
pretiosa nigroapicalis Breuning, 1944: 16 A: IQ
ninives Sama, 1994b: 33
pretiosa pretiosa Faldermann, 1837: 298 A: AB AR GG IN SY TR
testaceovittata testaceovittata Pic, 1934c: 18 (*Musaria*) A: IN
iranica Villiers, 1960b: 99
testaceovittata natali Lobanov, 1994a: 105 A: AB
subgenus *Kalashania* Danilevsky, 2010: 43 type species *Phytoecia erivanica* Reitter, 1899
erivanica Reitter, 1899: 161 A: AB AR GG IN TR
nigripennis Jakobson, 1924c: 239 [RN]
nigritarsis Pic, 1895b: 40 [HN]
rosinae Pic, 1900c: 7
pici Reitter, 1892a: 64 A: AB AR GG IN TR
truncatipennis Pic, 1919a: 22 A: IN
subgenus *Metallidia* Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012
alinae Kasatkin, 2012: 143 A: TR
subgenus *Musaria* J. Thomson, 1864: 121 type species *Leptura affinis* Harrer, 1784
affinis affinis Harrer, 1784: 209 (*Leptura*) [NP] E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SK SL SP ST
SZ UK YU A: KZ TR
bipunctata Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]
compacta Pic, 1890b: 120 [HN]
janus Frölich, 1793: 154 (*Saperda*)
mutata Pic, 1892a: 4 [RN]
nigritarsis Schoenherr, 1817a: 435 (*Saperda*)
oculata Scopoli, 1763: 47 (*Leptura*) [NO]
subaurata Pic, 1889b: 68
affinis altaica Suvorov, 1913: 79 (*Musaria*) A: ES KZ WS
affinis boeberi Ganglbauer, 1884: 559 E: ST A: AB AR GG IN TR
melichari Pic, 1914c: 10
persathensis Pic, 1895b: 40
teberdensis Pic, 1952e: 693
affinis nigrohirta G. Müller, 1948: 76 E: IT
affinis nigropubescens Müller, 1948: 76 E: ST A: AR GG ?TR
~~*circassica* Reitter, 1888b: 282~~
~~*stareki* Reitter, 1888b: 282~~
affinis volgensis Kraatz, 1883: 276 E: ST
m-notata Pic, 1911h: 185
anatolica Fuchs & Breuning, 1971: 75 A: TR
argus Frölich, 1793: 155 (*Saperda*) E: AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK
astarte astarte Ganglbauer, 1886c: 523 A: SY (north) TR (south-east)
astarte lederi Pic, 1899f: 391 A: AB AR GG IN TR
astarte perrini Pic, 1892m: clxxxvi A: LE
cephalotes Küster, 1846d: 61 E: CR GR IT
faldermanni Faldermann, 1837: 296 E: ST UK A: AB AR GG KZ
blessigi Morawitz, 1863: 172
pubicollis Pic, 1917g: 10 (*Musaria*)
rostri Pic, 1900h: 16 (*Musaria*)
griseicornis Pic, 1892m: clxxxvii A: TR
kurdistanica Ganglbauer, 1884: 572 A: AB AR GG IN IQ TR
caucasica Pic, 1897o: 262 (*Musaria*)
innoticeps Pic, 1931c: 10
korbi Pic, 1898v: 334
luristanica Pic, 1917g: 9 (*Musaria*)
puncticollis puncticollis Faldermann, 1837: 291 E: ST A: AB AR GG IN IQ TR
aladaghensis Reitter, 1906a: 37
diversicollis Pic, 1917g: 9 (*Musaria*)
gamborensis Pic, 1917g: 9 (*Musaria*)
heydeni Pic, 1952e: 693

mardiniensis Heyden, 1894b: 87
octopunctata Pic, 1952e: 693
persica Ganglbauer, 1884: 572
quinquepuncticollis Pic, 1952e: 693
trimaculata Pic, 1917g: 9 (*Musaria*)
trinotaticollis Pic, 1952e: 693
turcica Pic, 1952b: 4 (*Musaria*)
verticeuninotata Pic, 1952e: 694
puncticollis stygia Ganglbauer, 1884: 572 A: IN TM
rubropunctata Goeze, 1777: 507 (*Leptura*) E: FR IT SP
jourdani Mulsant, 1839: 202
nigrescens Pic, 1891b: 38
obscurior Pic, 1896f: 142
punctata Geoffroy, 1785: 80 (*Leptura*)
punctulata Gmelin, 1790: 1877 (*Leptura*)
tirellii Luigioni, 1913: 168 E: GR IT
tuerki Ganglbauer, 1884: 575 A: TR
wachanrui Mulsant, 1851: 127 E: GR (Rodos) ST A: IN IS JO LE SY TR
alboscuteolata Chevrolat, 1854: 485
berytensis Pic, 1952e: 696
binodosa Chevrolat, 1882: 61
bisulcata Chevrolat, 1882: 61
breuningi Pic, 1952e: 696
coyei Pic, 1952e: 695
haasi Pic, 1952e: 695
innotaticeps Pic, 1952e: 696
irregularisignata Pic, 1952e: 696
jekeli Pic, 1917g: 10 (*Musaria*)
jezabel Reiche & Saulcy, 1858: 13
marsabana Pic, 1952e: 696
microquadrisignata Pic, 1952e: 696
obscuricornis Pic, 1897i: 189
pallidithorax Pic, 1898c: 24 (*Musaria*)
rufomaculata Pic, 1917g: 9
syriaca Chevrolat, 1854: 484
trinotatithorax Pic, 1952e: 696
tripunctata Chevrolat, 1882: 61
subgenus *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835
adusta Reitter, 1889a: 43 A: TR
balcanica Frivaldszky von Frivald, 1835: 268 (*Saperda*) E: BU GR TR A: IQ TR
dantchenkoi Danilevsky, 2008a: 7 A: AR
inapicalis Pic, 1905f: 107 A: SY TR
alepensis Pic, 1931c: 2
latepubens Pic, 1926d: 6 (*Helladia*)
longicornis Pesarini & Sabbadini, 2009: 27 A: TR
merkli Ganglbauer, 1884: 560 A: SY TR
mesopotamica Breuning, 1948d: 91 A: IN IQ SY
pauliraputii Sama, 1993d: 295 (*Neomusaria*) A: TR
salvicola Holzschuh, 1989a: 176 A: TR
suvorowi Pic, 1905c: 38 A: TR
suvorowi König, 1906: 26
waltli Sama, 1991: 127 [RN] A: IS JO LE SY TR
modesta Waltl, 1838: 471 (*Saperda*) [HN]
subgenus *Opsilia* Mulsant, 1863: 387 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coeruleascens* Scopoli, 1763)
aspericollis Holzschuh, 1981: 106 A: KZ
badenkoi Danilevsky, 1988a: 16 A: KZ
brevicornis Kasatkin, 2013: 265 A: AF
bucharica Breuning, 1943b: 101 A: AF TD
breuningi Dahlgren, 1988: 114
chinensis Breuning, 1943: 102 A: HEB
coeruleascens Scopoli, 1763: 49 (*Leptura*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT LS LU MC MD NL PL PT RO SK
SL SP ST SZ TR UK YU N: AG MO TU A: AB AR GG IN IQ IS JIA JO KI KZ LE NE TD TR SY UZ WS
aeruginosa Mulsant, 1839: 210
chlorizans Chevrolat, 1860b: 303
cobaltina Chevrolat, 1860: 270
cretensis Breuning, 1947c: 60
echii Chevrolat, 1860b: 302
estrelana Pic, 1930c: 6 (*Opsilia*)
flavescens Mulsant, 1843: 284 [HN]
flavicans Mulsant, 1851: 137 [RN]

grisea Chevrolat, 1860: 269
incerta Mulsant, 1863: 433
nigrita Nedelkow, 1905: 204
obscura Brisout de Barneville, 1863: 116
subcoerulea Geoffroy, 1785: 77 (*Leptura*)
tienschanica Fuchs, 1965: 111
virescens Fabricius, 1782: 499 (*Saperda*)
viridiuscula Goeze, 1777: 506 (*Leptura*)
irakensis Breuning, 1967h: 435 A: IQ
molybdaena Dalman, 1817b: 186 (*Saperda*) E: AU BU CZ GE GR HU IT PT RO SK SP ST SZ UK YU A: AB AR ES GG IN KZ
TM TR WS N: AG MO TU
longitarsis Reitter, 1911b: 271
prasina kotaika Miroshnikov, 2009: 244 A: AR TR
prasina prasina Reitter, 1911b: 270 A: AB IN TM
schurmanni Fuchs, 1971: 159 E: MC
tenuilinea Fairmaire, 1876c: 98 N: AG MO TU
mateui Breuning, 1951a: 365
transcaspica Fuchs, 1955a: 228 A: TM UZ
uncinata W. Redtenbacher, 1842: 25 (*Saperda*) E: AU BH BU CR CT CZ FR GE HU MD PL RO SK ST UK YU A: TM
glabricollis Roubal, 1934c: 140
varentzowi Semenov, 1896: 257 E: ST A: AB AR GG IN KI KZ TD TM UZ
immundula Reitter, 1911b: 270
varentzovi Semenov, 1912: 499 [unjustified emendation]
subgenus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
Hoplotoma Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1849
acridula Holzschuh, 1981: 105 A: KI TD UZ
aenigmatica Sama, Rapuzzi & Rejzek, 2007: 166 A: IN
algerica Desbrochers des Loges, 1870c: 126 N: AG MO
nigritarsis Chevrolat, 1882: 62
rufotibialis Pic, 1926d: 6
annulicornis Reiche, 1878a: cli N: AG
annulipes Mulsant & Rey, 1863: 165 A: TR
asiatica asiatica Pic, 1891h: 102 A: SY TR
achilleae Holzschuh, 1971: 68
asiatica sublineata Holzschuh, 1984a: 159 A: AB AR TR
atripes Pic, 1922a: 8 A: CH
bangi Pic, 1897i: 189 A: IN TR
bialookii Danilevsky, 2010b: 22 A: TR
bodemeyeri Reitter, 1913d: 665 A: IN TR
brunneicollis Pu, 1992b: 613 A: SCH
caerulea baccueti Brullé, 1832: 262 (*Saperda*) E: GR A: TR
caerulea bethseba Reiche & Saulcy, 1858: 17 A: IN IS JO LE SY
caerulea caerulea Scopoli, 1772: 102 (*Saperda*) E: AL AU BH BU BY CR CT CZ GR HU IT IT MC MD PT RO SK SL SP ST SZ
TR UK YU A: AB AR I GG N KZ SY TD TM TR UZ
coelestis Townson, 1797: 469 (*Saperda*)
flavimana Creutzer, 1796: 15 (*Saperda*)
gilvimana Ménétrière, 1832: 227 (*Saperda*)
rufimana Schrank, 1789: 77 (*Saperda*)
viridis Gronovius, 1764: 163 [n. 546] (*Cerambyx*) [description only, without name; name in the Index n.546 (1781)]
centaureae Sama, Rapuzzi & Rejzek, 2007: 163 A: IN
coeruleipennis Breuning, 1947b: 22 A: KA
coeruleomicans Breuning, 1947b: 22 A: JA
croceipes Reiche & Saulcy, 1858: 17 [RN] A: AB AR CY GG IQ IN IS LE SY TR
annulifera Pic, 1900b: 67
longicollis A. Costa, 1875: ??
macilenta Mulsant & Wachanru, 1863: 421 [RN]
puncticollis Mulsant & Wachanru, 1852: 175 [HN]
cylindrica Linnaeus, 1758: 394 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG IN KZ TR WS XIN
cinerea DeGeer, 1775: 75 (*Cerambyx*)
fuliginosa Scopoli, 1786: 49 (*Leptura*)
grandis Pic, 1891a: 2 [DA]
kammereri Schatzmayr, 1928: 47
silphoides Schrank, 1781a: 145 (*Cerambyx*)
simplonica Stierlin, 1878a: 438
verna O. F. Müller, 1776: 94 (*Leptura*)
drurei Pic, 1909b: 153 A: IQ
erythrocnema P. H. Lucas, 1847: pl. 43 E: FR PT SP N: AG MO TU
grenieri Fairmaire, 1861: xi

brevis Chevrolat, 1882: 62
cosettae Iablokoff-Khnzorian, 1953: 61
ferrea Ganglbauer, 1887c: 22 A: BEI ES FE HUB GUA MG NE WS
analis Mannerheim, 1849: 244 [HN]
atropygidialis Pic, 1939b: 3
mannerheimi Breuning, 1951a: 368 [RN]
flavipes Fabricius, 1801b: 329 (*Saperda*) N: MO
gaubili Mulsant, 1851: 129 N: AG
gabilloti Pic, 1891b: 39
griseipes Pic, 1890f: cxi
impunctata Pic, 1895c: 64
innotata Pic, 1898a: 14
peregrina Reiche, 1877b: cxxxv
separata Pic, 1895c: 70
geniculata geniculata Mulsant, 1863: 420 A: CY IN IQ IS JO LE TR
ingeniculata T. Pic, 1900b: 67
nazarena Reiche, 1877b: cxxxvi
palaestina Pic, 1930c: 3
geniculata orientalis Kraatz, 1871a: 272 [RN] E: BU GR TR
donatellae Rapuzzi & Sama, 2010b: 187
fuscicornis Mulsant & Rey, 1863: 168 [HN]
gougeleti Fairmaire, 1880b: 251 N: MO
griseola Breuning, 1951a: 359 [RN] A: HP
grisea Breuning, 1947b: 21 [HN]
icterica Schaller, 1783: 292 (*Cerambyx*) E: AU BH BU CR CZ FR GE HU IT LU MC MD PL PT RO SK SL SP ST SZ TR UK YU
A: KZ WS
ephippium Fabricius, 1793: 317 (*Saperda*)
ragusana Küster, 1844: 55 (*Oberea*) [DA]
subannulipes Pic, 1915: 11
kabateki Sama, 1997a: 104 A: SY
kartalensis Danilevsky, 2010b: 21 A: TR
lahoulensis Breuning, 1951a: 359 A: KA
malachitica P. H. Lucas, 1847: pl. 43 E: IT PT SP N: AG MO TU
bolivari Perez Arcas, 1874: 149
hispancia Breuning, 1951a: 364
parvula Breuning, 1960a: 23
manicata Reiche & Saulcy, 1858: 17 A: IS LE SY TR
marki Danilevsky, 2008a: 11 A: AR
mongolorum Namkhaidorz, 1979: 584 A: MG
napolovi Danilevsky, 2012c: 4 A: IS
nigricornis Fabricius, 1782: 499 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD NT
PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES GG KZ WS
canaliculata Fröhlich, 1793: 144 (*Saperda*)
caroni Mulsant & Godart, 1876: 419
julii Mulsant, 1863: 429
melanocera Gmelin, 1790: 1838 (*Cerambyx*)
solidaginis Bach, 1856a: 39
tristriga Reitter, 1913a: 70
pubescens Pic, 1895c: 64 E: BH BU CR GR MC ST A: AB AR GG IN IS JO LE SY TR
glaphyra K. Daniel, 1906b: 177
pustulata adulta Ganglbauer, 1884: 572 A: IN [see Danilevsky, 2014b: 236-237]
pustulata pilipennis Reitter, 1895c: 161 A: AB AR IR TR [see Danilevsky, 2014b: 236-237]
adnexa Pic, 1947a: 1
parvimaacula Roubal, 1916b: 186
vexans Reitter, 1895c: 162
pustulata pulla Ganglbauer, 1886a: 130 E: ST A: KZ KI UZ
gibbicollis Reitter, 1893a: 114
intermedia Pic, 1895c: 65
kryzhanovskii Kostin, 1973: 230
pustulata pustulata Schrank, 1776: 66 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA MC MD PL PT RO SK
SL SP SZ ST UK YU A: AB AR GG KI KZ TD TR UZ
brevenotata Pic, 1936c: 4
lineola Fabricius, 1781: 235 (*Saperda*)
macedonica Pic, 1929b: 9
murina Marseul, 1870: 384
obscuripes Pic, 1895c: 65
posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
vulnerata Schaller, 1783: 293 (*Cerambyx*)
rabatensis Sama, 1992a: 41 E: SP N: MO
rufipes latior Pic, 1895c: 66 A: SY TR

rufipes rufipes Olivier, 1795: 25 (*Saperda*) E: BH BU CR FR GR (Kriti) IT PT SL SP ST SZ UK A: AR ES GG IN KI KZ TD TM TR UZ WS
coeca Küster, 1848a: 85 (*Oberea*)
femoralis Mulsant, 1863: 416
ledereri Mulsant, 1851: 132
ludovici Pic, 1891: 133 [1891m: cxxxv] ["Sarepta"]
sibirica Gebler, 1833: 304 (*Saperda*)
umbellatarum Gistel, 1831: 303 (*Saperda*)

rufiventris Gautier des Cottes, 1870a: 104 A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC NMO SC SHA SHN SHX TAI ZHE
abdominalis Chevrolat, 1882: 62
atrimembris Pic, 1915f: 14
hakutozana Z. Wang, 2003: 365
partenigrescens Breuning, 1947d: 60
pieli Pic, 1952e: 699
punctigera Blessig, 1873: 226
tonkinea Pic, 1902l: 34
tristigma Pic, 1897i: 190
ventralis Bates, 1873: 388

rufovittipennis Breuning, 1972c: 419 A: UP
rungsi Antoine, 1953: 221 N: MO
shokhini Kasatkin, 2010: 61 A: TR
sikkimensis Pic, 1907h: 152 A: KA NP SD
kashmirica Breuning, 1943b: 101
reductevittata Breuning, 1943b: 101
stenostoloides Breuning, 1943b: 101 A: ES FE
subannularis Pic, 1901b: 14 A: TR
vaulogeri Pic, 1892l: 314 N: AG

virgula Charpentier, 1825: 225 (*Saperda*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LT MC MD PL PT RO SK SL SP ST SZ TR UK YU A: AB AR CY GG IN IS JO KI KZ LE SY TD TM TR UZ XIN
bravardi Pic, 1947a: 1
cyclops Küster, 1848a: 88
grisea Pic, 1891o: 139
major Pic, 1901b: 14
punctum Ménétriés, 1832: 227 (*Saperda*)

vulneris eremita Sama, 1999a: 53 E: IT
vulneris vulneris Aurivillius, 1923: 566 [RN] E: BH CR FR IT MC SL
vulnerata Mulsant, 1851: 131 [HN]
staudingeri Pic, 1947a: 1
paganettii Breuning, 1944: 16

subgenus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851
angusterufonotata Pic, 1952a: 2 E: GR
inarmata Holzschuh, 1984b: 168
annulata annulata Hampe, 1852b: 315 A: AB AR IN TR
annulata wawerkana Reitter, 1905b: 239 (*Pilemia*) A: TR ["Akbes"]
angorensis Pic, 1952a: 2 (*Pilemia*)
breverufonotata Pic, 1952a: 2 A: TR
maculifera Holzschuh, 1984b: 170
griseomaculata Pic, 1891h: 102 A: SY TR
laterufonotata Pic, 1952a: 2
halperini Holzschuh, 1999: 51 A: IS
hirsutula hirsutula Frölich, 1793: 141 (*Saperda*) E: AL BH BU CR GR HU KZ MD MC RO SK SL ST UK YU A: AB AR GG IN IS JO LE KZ SY TR WS
androsensis Breuning, 1963a: 10 (*Oxyilia*)
atomaria Townson, 1797: 470 (*Saperda*)
ciliciae Breuning, 1951a: 406
holosericea Faldermann, 1837: 287 (*Saperda*)
~~*holosericea* Ganglbauer, 1884: 568 [HN]~~
obsOLEta Ganglbauer, 1889d: 487 [RN]
tourneri Pic, 1952a: 2
hirsutula homoiesthes Ganglbauer, 1888c: 197 A: IN TM
hirsutula moreana Breuning, 1943b: 102 E: GR
hadilorum Holzschuh, 2006a: 274
holtzi Pic, 1952a: 3
konyaensis Danilevsky, 2010b: 20 A: TR
samii Özdikmen & Turgut, 2010: 97 A: TR
serriventris Holzschuh, 1984b: 169 E: BU
smatanai Holzschuh, 2003: 240 A: TR
tigrina Mulsant, 1851: 134 E: BU HU RO ?ST UK YU A: ?AR

anchusae Fuss, 1852: 138
vagecarinata Pic, 1952a: 3 A: SY TR
subgenus *Pseudocoptosia* Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891
cinerascens Kraatz, 1882c: 337 (*Phytoecia*) A: AF KI KZ TD TM UZ
sokolovi Breuning, 1951a: 45 [unjustified emendation]
sokolovi Semenov, 1895b: 209 (*Phytoecia*)
eylandti Semenov, 1891: 325 (*Phytoecia*) A: KI KZ TM TD UZ
glasunovi Breuning, 1951a: 45 (*Phytoecia*) [unjustified emendation]
glasunovi Semenov, 1895b: 210 (*Phytoecia*)
kubani Holzschuh, 1991c: 56 A: TD
subgenus *Pseudomusaria* Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886
farinosa Ganglbauer, 1886c: 522 (*Phytoecia*) A: IN TM
mucida Semenov, 1893: 506 (*Phytoecia*)

genus *Pteromallosia* Pic, 1900h: 16 type species *Phytoecia albolineata* Hampe, 1852
albolineata Hampe, 1852b: 314 (*Phytoecia*) A: AB AR GG IN TR
fulvolineata Reitter, 1891a: 33 (*Phytoecia*)

genus *Pygoptosia* Reitter, 1895a: 86 type species *Phytoecia speciosa* Frivaldszky, 1884
eugeniae Ganglbauer, 1884: 568 (*Phytoecia*) A: IN
speciosa Frivaldszky, 1884: 5 (*Phytoecia*) A: IN LE SY TR
lineolata Reitter, 1895a: 86 (*Phytoecia*)
pictipennis Pic, 1909b: 106 (*Phytoecia*)

genus *Semiangusta* Pic, 1893d: 421 type species *Conizonia delagrangei* Pic, 1891
ambrusi Danilevsky, 2012m: 934 A: IN
delagrangei Pic, 1891a: 2 (*Conizonia*) A: TR
brevior Pic, 1897i: 188 (*Phytoecia*)
katarinae Holzschuh, 1974a: 99 (*Phytoecia*) A: TR
rebecca Sama & Rejzek, 2002: 106 A: IN

tribe Pogonocherini Mulsant, 1839

genus *Parmenopsis* Ganglbauer, 1882: 693 type species *Parmena caucasica* Leder, 1880
caucasica Leder, 1880: 484 (*Parmena*) E: ST A: GG TR

genus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
subgenus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
Eupogonocherus Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758
Pogonocherus Gistel, 1848a: 131 [unjustified emendation]
Pogonochaerus Gemminger, 1873: 3116 [unjustified emendation]
Strophinus Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758
anatolicus K. Daniel & J. Daniel, 1898: 76 E: GR (Rodos) A: CY SY TR
barbarae Rapuzzi & Sama, 2012: 678 A: TR
caroli Mulsant, 1863: 313 E: FR GB SP SV SZ
cedri Peyerimhoff, 1917: 318 (*Pogonochaerus*) N: AG
griseus Pic, 1889b: 67
creticus Kratochvíl, 1985a: 1 E: GR (Kriti)
dimidiatus Blessig, 1873: 208 A: FE HEI JA JIL NC SC
bicristatus Kraatz, 1879d: 114
seminiveus Bates, 1873: 382
tristiculus Kraatz, 1879d: 115
eugeniae eugeniae Ganglbauer, 1891: 131 E: AL AU BH CR GR IT RO
eugeniae taygetanus Pic, 1903a: 8 E: GR (Peloponnisos)
hispidulus Piller & Mitterpacher, 1783: 35 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ FR GR HU IR IT LA LS LT LU MC MD NL NT PT RO SK SL SP ST SZ UK YU A: AB AR GG TR N: MR
bickhardti Pic, 1927e: 1 (*Pogonochaerus*)
bidentatus C. G. Thomson, 1866: 85
hispidus Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: AB AR GG TR N: AG TU
dentatus Geoffroy, 1785: 76 (*Cerambyx*)
pilosus Fabricius, 1787: 134 (*Cerambyx*)
rufescens Pic, 1917a: 6
marcoi Sama, 1993b: 29 E: IT
neuhausi J. Müller, 1916: 98 (*Pogonochaerus*) E: BH CR GR IT N: AG MO TU
icosiensis Peyerimhoff, 1918b: 143
ovatooides Rapuzzi & Sama, 2014a: 9 E: IT
pepa Verdugo & Torres-Méndez, 2010: 110 E: SP N: MO
perroudi brevipilosus Holzschuh, 1993a: 50 E: GR (Kriti)

perroudi perroudi Mulsant, 1839: 158 E: AL BH BU CR FR GR IT SP ST TR UK N: AG MO TU A: GG CY IS LE TR
vaulogeri Pic, 1927e: 1
pesarinii Sama, 1993c: 21 N: MO
pilosipes Pic, 1907d: 21 A: "Chine orientale"
pilosipes Pic, 1907d: 21 [incorrect original spelling]
plasoni Ganglbauer, 1884: 526 E: GR
sieversii Ganglbauer, 1887b: 139 E: UK A: AR GG TR
caucasicus Ganglbauer, 1891: 132
kuksha Plavilstshikov, 1924: 225
sturarii Sama & Schurmann, 1982: 66 E: SP

subgenus *Pityphilus* Mulsant, 1863: 302 type species *Cerambyx ovatus* Goeze, 1777

Pityphilus Bedel, 1889: 41 [unjustified emendation] [HN]
decoratus Fairmaire, 1855: 320 E: AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD NL NR NT PL SK
 SL SP ST SV SZ UK YU A: TR WS
ovalis Gyllenhal, 1827: 65 (*Lamia*) [wrong spelling?]
ehdenensis Sama & Rapuzzi, 2000: 18 A: LE
fasciculatus fasciculatus DeGeer, 1775: 71 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN ES FI FR GB GE GR HU IR IT
 KZ LA LS LT LU MA MC MD MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG KZ MG NE SC TR
 WS
costatus Motschulsky, 1859a: 234
fascicularis Panzer, 1793c: 15 (*Cerambyx*)
pullus Matsushita, 1931b: 376
setifer O. F. Müller, 1776: 92 (*Cerambyx*)
fasciculatus hondoensis K. Ohbayashi, 1963: 12 A: JA
inermicollis Reitter, 1894f: 247 E: ST A: GG TR
ovatus Goeze, 1777: 474 (*Cerambyx*) [NP] E: AL AU BE BH CR CZ EN FR GE GR HU IT LA NL PL RO SK SL SP SZ
multipunctatus Georg, 1857: 64
ovalis Gmelin, 1790: 1863 (*Cerambyx*)
schlumbergeri Dufour, 1851: 351
scutellaris Mulsant, 1846: [11]
subovatus Mulsant, 1839: 155
ressli Holzschuh, 1977a: 132 A: AB IN

tribe Prosopocerini J. Thomson, 1864

genus *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)
subgenus *Dalterus* Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892
Timoreticus Peringuey, 1896: 181 type species *Monohammus degeeri* Fehraeus, 1873
dejeani Gahan, 1890d: 315 A: YE AFR
subgenus *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)
Anoplostetha Dejean, 1835: 341 type species *Lamia lactator* Fabricius, 1801
Hagesata Pascoe, 1864c: 275 type species *Hagesata foxcroftii* Pascoe, 1864
Imalmus Pascoe, 1864c: 276 type species *Imaimus capito* Pascoe, 1864
Zalates J. Thomson, 1860: 376 type species *Zalates callipyga* J. Thomson, 1860
albescens Breuning, 1938e: 110 A: SA

tribe Pteropliini J. Thomson, 1860

genus *Abryna* Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842
coenosa coenosa Newman, 1842c: 289 A: SE SW TAI ORR
subuniformis Pic, 1925a: 30
obscura Schwarzer, 1925b: 65 A: JA TAI
oshimensis Breuning, 1955b: 64 (*Palimna*)
superba Pic, 1932d: 24
uniformis Breuning & K. Ohbayashi, 1966b: 32
regispetri Paiva, 1860: 5 A: YUN ORR
genus *Albana* Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846
m-griseum Mulsant, 1846: [13] E: FR SP
accentifera Fairmaire, 1856a: 543 (*Pogonocherus*)
[grisea Mulsant, 1846: [13] unused original spelling]
genus *Alidus* Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893
biplagiatus Gahan, 1893a: 258 A: NP YUN ORR

genus *Anaches* Pascoe, 1865: 160 type species *Sthenias dorsalis* Pascoe, 1858
dorsalis Pascoe, 1858: 251 (*Sthenias*) A: HP NP SCH SD YUN ORR
albonotata Pic, 1932c: 25 (*Anaches*)
semicylindricus Hayashi, 1974c: 45 (*Sthenias*) A: TAI

wenhsini Holzschuh & Y.-L. Lin, 2013: 152 A: TAI
yitingi Holzschuh & Y.-L. Lin, 2013: 154 A: TAI

genus *Cyphoscyla* Thomson, 1868: 65 type species *Cyphoscyla lacordairei* Thomson, 1868
Hoabinhia Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a
lacordairei Thomson, 1868: 66 A: YUN **ORR**
multituberculata Pic, 1934a: 12

genus *Desisa* Pascoe, 1865: 163 type species *Praonetha subfasciata* Pascoe, 1862
subgenus *Desisa* Pascoe, 1865: 163 type species *Praonetha subfasciata* Pascoe, 1862
Mesopenthea Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925
chinensis Breuning, 1938c: 373 A: CH
dispersa Pic, 1944a: 10 (*Mesosella*) A: YUN
kuraruana Matsushita, 1935: 312 (*Mesosella*) A: TAI
quadriplagiata Breuning, 1938c: 372 A: PA "North India"
subfasciata Pascoe, 1862a: 348 (*Praonetha*) A: GUA GUX HAI HEN HKG HUB JIA YUN ZHE **ORR**
infasciata Pic, 1944a: 10 (*Mesosella*)
latefasciata Pic, 1924e: 79 (*Mesosella*)
major Pic, 1925b: 28 (*Mesosella*)
rufa Pic, 1936a: 17 (*Falsomesosella*)
takasagoana Matsushita, 1933b: 364 A: FUJ GUA HAI TAI
variabilis Schwarzer, 1925b: 67 (*Mesopenthea*) A: TAI

genus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
subgenus *Callegesina* Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943
anfracta Gressitt, 1940b: 155 (*Enispia*) A: HAI
subgenus *Cuphisia* Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866
cleroides Gahan, 1890a: 63 (*Enispia*) A: NP TAI "North India" **ORR**
digitata Pesarini & Sabbadini, 2000: 62 A: SCH
guerryi Pic, 1926c: 12 (*Enispia*) A: CH
salicivora Holzschuh, 2007: 253 A: YUN
subfasciata Pic, 1926b: 2 (*Gyaritus*) A: CH **ORR**
tarsata Holzschuh, 2007: 252 A: YUN
subgenus *Callienispia* Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925
Larica Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)
anterufipennis Breuning, 1958a: 16 A: NP SD
subgenus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
Neogesina Fisher, 1925: 215 type species *Neogesina ornata* Fisher, 1925
Platyzeargyra Fisher, 1925: 213 type species *Platyzeargyra bakeri* Fisher, 1925
albofasciata Hayashi, 1974c: 46 A: TAI
albolineata Breuning, 1942c: 132 A: YUN **ORR**
amoenula Holzschuh & Y.-L. Lin, 2013: 155 A: TAI
basirufa Breuning & Heyrovský, 1961: 142 A: SD
bhutanensis Breuning, 1975d: 338 (*Similosodus*) A: BT
diffusa Holzschuh, 2007: 255 A: YUN
generosa Holzschuh, 2003b: 310 A: NP
lacertosa Holzschuh, 2007: 256 A: GUI
lanigera Holzschuh, 2007: 259 A: GUI
nomurai Hayashi, 1994: 70 A: TAI
picina Holzschuh, 2007: 258 A: SHA
setosa Gressitt, 1937d: 603 (*Enispia*) A: JIX
umbrina Holzschuh, 2007: 260 A: SHA
subgenus *Nijimaia* Matsushita, 1933a: 386 type species *Nijimaia bifasciana* Matsushita, 1933
Baeckmanella Shabliovskiy, 1936: 186 type species *Baeckmanella iljinskyi* Shabliovskiy, 1936 (= *Nijimaia bifasciana* Matsushita, 1933)
bifasciana bifasciana Matsushita, 1933a: 387 (*Nijimaia*) A: CH FE JA SC
coreana Breuning, 1950e: 266
iljinskyi Shabliovskiy, 1936: 187 (*Baeckmanella*)
bifasciana tsushimae Breuning & K. Ohbayashi, 1964: 27 A: JA
flavoapicalis Hayashi, 1971: 14 A: JA (Ryukyus)
flavopicta Breuning & Heyrovský, 1961: 144 A: NP SD
formosana Schwarzer, 1925b: 68 (*Enispia*) A: TAI
fujiiwarai Toyoshima, 1999: 32 A: JA
fuscolaterimaculata Hayashi, 1971: 13 A: TAI
picea Hayashi, 1962: 16 A: JA
shibatai Hayashi, 1962: 15 A: JA
sikkimensis Breuning, 1940b: 145 A: SD

genus *Gibbomesosella* Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932
nodulosa Pic, 1932b: 33 (*Mesosella*) A: GUX **ORR**

genus *Macropraonetha* Breuning, 1961j: 542 type species *Desisa pterolophioides* Gressitt, 1942
pterolophioides Gressitt, 1942a: 6 (*Desisa*) A: FUJ GUX HUN

genus *Marmylaris* Pascoe, 1866a: 88 type species *Hathlia buckleyi* Pascoe, 1857
buckleyi Pascoe, 1857b: 107 (*Hathlia*) A: NP SD TAI **ORR**
truncatipennis Breuning, 1940b: 140 A: NP SD

genus *Mesosella* Bates, 1884a: 246 type species *Mesosella simiola* Bates, 1884
kumei Takakuwa, 1984: 12 A: JA
simiola Bates, 1884a: 246 A: JA

genus *Mimectatosia* Breuning, 1959e: 173 type species *Mimectatosia compacta* Breuning, 1959
compacta Breuning, 1959e: 173 A: SD

genus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
subgenus *Dryusa* Pascoe, 1864a: 58 type species *Dryusa flexuosa* Pascoe, 1864
sonthianae Breuning, 1963: 59 A: GUX **ORR**
subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)
curvilinea Pascoe, 1869: 206 A: GUX YUN **ORR**
multilineatus Pic, 1925a: 24 (*Alidus*)
zonaria Lacordaire, 1872: 365
punctifrons Breuning, 1938c: 381 A: YUN **ORR**
tholana Gressitt, 1940b: 157 (*Enispia*) A: HAI YUN
subgenus *Trichomispila* Breuning, 1939a: 71 type species *Trichomispila picta* Breuning, 1939
pedongensis Breuning, 1968f: 704 A: SD

genus *Nipholophia* Gressitt, 1951a: 458 type species *Nipholophia chujoi* Gressitt, 1951
chujoi Gressitt, 1951a: 458 A: TAI

genus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
subgenus *Hammatoniphona* Pic, 1936f: 31 type species *Camptocnema longicornis* Pic, 1926
longicornis Pic, 1926b: 8 (*Camptocnema*) A: HUN SCH YUN XIZ **ORR**
lateralba Breuning, 1938c: 241
tibetana Gressitt, 1951a: 457
subgenus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
Aelara J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860
Camptocnema J. Thomson, 1864: 54 type species *Niphona lateralis* A. White, 1858
Falsoniphona Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925
Ocheutes J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864
albofasciata Breuning, 1938c: 238 A: HEB
appendiculata Gerstaecker, 1871: 78 A: SA
belligerans Pesarini & Sabbadini, 1997: 114 A: GUX
cantonensis Gressitt, 1939a: 71 A: GUA HAI
chinensis Breuning, 1938c: 240 A: CH
excisa Pascoe, 1862a: 337 A: HAI **ORR**
falaizei Breuning, 1962b: 67 A: YUN **ORR**
fasciculata Pic, 1917f: 7 (*Ocheutes*) A: XIZ YUN **ORR**
furcata Bates, 1873: 314 (*Aelara*) A: HEN HUB JA JIA JIX SC TAI ZHE
fuscatrix Fabricius, 1793: 291 (*Lamia*) A: HP NP PA
spinicollis Bates, 1891a: 22 (*Ocheutes*)
hookeri Gahan, 1900d: 351 A: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN **ORR**
indica Breuning, 1938c: 239 A: AE AF IN OM PA
grisea Breuning, 1938c: 241
lateraliplagiata Breuning, 1943: 49 A: YUN **ORR**
longesignata Pic, 1936f: 31 A: GUX YUN **ORR**
lutea Pic, 1925b: 27 (*Falsoniphona*) A: HKG **ORR**
obliquata Breuning, 1938c: 240 A: CH
obscura Breuning, 1938c: 241 A: NP "India or."
parallela A. White, 1858a: 267 (*Nyphona*) A: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" **ORR**
malaccensis Breuning, 1938c: 240
minor Lameere, 1893a: 284 (*Aelara*)
minuta Pic, 1926b: 8
picticornis Mulsant, 1839: 169 E: AL BH BU CR FR GR IT MA SP YU N: AG MO TU A: CY IS JO LE SY TR

plagiata A. White, 1858a: 267 A: YUN **ORR**
pluricristata Pesarini & Sabbadini, 2000: 60 A: SCH
similis Breuning, 1938c: 238 A: YE **AFR**
stoetzneri Breuning, 1938a: 57 A: SCH
stramentosa Breuning, 1938a: 57 A: PA "Punjab"
subgrisea Breuning, 1973c: 654 A: PA
variegata Breuning, 1938c: 239 A: UP
yanoi reducta Gressitt, 1940b: 144 A: HAI
yanoi yanoi Matsushita, 1934a: 240 A: JA TAI
subgenus *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989
longzhouensis Hua, 1989a: 74 A: GUX

genus *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943
sikkimense Breuning, 1957g: 276 A: SD

genus *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923
pellita Heller, 1923a: 44 A: "India" **ORR**

genus *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940
alboplagiata Breuning, 1948b: 3 A: BT
fasciculata Breuning, 1940: 143 A: YUN **ORR**
medioalba Breuning, 1956c: 234 A: FUJ
stheniformis Breuning, 1940b: 143 A: NP UP
sthenioides Breuning, 1938c: 374 (*Desisa*) A: KA

genus *Paramispilopsis* Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947
indica Breuning, 1947a: 37 A: BT

genus *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928
simplex Pic, 1928b: 20 (*Anaches*) A: NP

genus *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona niponoides* Breuning, 1970
rotundipennis Breuning, 1974h: 151 A: CH

genus *Prosoplus* Blanchard, 1853: 290 type species *Prosoplus sinuatofasciatus* Blanchard, 1853
subgenus *Prosoplus* Blanchard, 1853: 290 type species *Prosoplus sinuatofasciatus* Blanchard, 1853

Aegomomus Pascoe, 1864a: 58 type species *Aegomomus encaustus* Pascoe, 1864
Atyporis Pascoe, 1864a: 58 type species *Atyporis jubata* Pascoe, 1864
Micracantha Montrouzier, 1861: 271 type species *Penthea woodlarkiana* Montrouzier, 1855
Prosacanthus Fauvel, 1862: 163 type species *Prosacanthus chevrolati* Fauvel, 1862 (= *Prosoplus australis* Montrouzier, 1861)
Zaeralia Pic, 1925a: 28 type species *Zaera vaulogeri* Pic, 1925 (= *Lamia bankii* Fabricius, 1775)
bankii Fabricius, 1775: 176 (*Lamia*) A: GUA HAI JA TAI **AUR ORR**
hollandicus Boisduval, 1835: 491 (*Acanthocinus*)
insularis Pascoe, 1859: 39 (*Niphona*)
iratus Pascoe, 1862b: 464 (*Niphona*)
miscellus Pascoe, 1863b: 529 (*Niphona*)
musivus Pascoe, 1864a: 65 (*Aegomomus*)
nutans Sharp, 1878: 209 (*Micracantha*)
torosus Pascoe, 1864b: 223 (*Niphona*)
uchiyamai Matsushita, 1935: 120
vaulogeri Pic, 1925a: 28 (*Zaera*)
metallicus Pic, 1935g: 178 A: YUN **AUR**
salomonum Breuning, 1938c: 357

genus *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938
melanura Pascoe, 1857b: 106 (*Pterolophia*) A: NP TAI YUN **ORR**
moensi Ritsema, 1881a: 15 (*Praonetha*)
montana Pascoe, 1865: 165 (*Praonetha*)
quadraticollis Pascoe, 1865: 168 (*Praonetha*)
uniformis Breuning, 1938c: 368 A: SD

genus *Pseudomiccolamia* Pic, 1916h: 14 type species *Pseudomiccolamia pulchra* Pic, 1916
pulchra Pic, 1916h: 14 A: YUN

genus *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956
borchmanni Breuning, 1956c: 235 A: FUJ

genus *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1935
strandii Breuning, 1942a: 128 A: HAI

genus *Pterolophia* Newman, 1842c: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

subgenus *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864

albovittata Breuning, 1938c: 250 A: FUJ

bicostata Breuning, 1943a: 26 A: YUN

bilatevittata Breuning, 1942a: 127 A: FUJ

brunnea Breuning, 1938c: 308 A: YUN **ORR**

camela Pic, 1926a: 30 A: HAI **ORR**

chekiangensis Gressitt, 1942g: 87 A: FUJ GUA ZHE **ORR**

cylindricollis Gressitt, 1942a: 4 A: XIZ

gibbosipennis gibbosipennis Pic, 1926a: 32 A: TAI

crispipennis Matsushita, 1931c: 403

gibbosipennis iriomotei Breuning & K. Ohbayashi, 1966: 33 A: JA (Ryukyus)

gibbosipennis kuniyoshii Hayashi, 1968c: 17 A: JA (Ryukyus)

gibbosipennis subcrispipennis Breuning & K. Ohbayashi, 1964: 16 A: JA

jugosa carinissima Takakuwa, 1984: 12 A: JA

jugosa jugosa Bates, 1873: 315 (*Praonetha*) A: FE HUB JA SC TAI

lineatipennis Breuning, 1974j: 371 A: TAI

nitidomaculata Pic, 1944a: 13 (*Ropica*) A: CH

ochreomaculata Breuning, 1940b: 140 A: SD

postscutellaris Breuning, 1967b: 30 A: AP

sikkimensis Breuning, 1938c: 329 A: SD

sinensis Fairmaire, 1900: 642 (*Praonetha*) A: FUJ JIX

sulcatithorax Pic, 1926a: 31 A: SCH YUN

humergibbosa Pic, 1926a: 31

subgenus *Arabopraonetha* Téocchi, 1991: 302 type species *Pterolophia arabica* Téocchi, 1991

arabica Téocchi, 1991: 302 A: SA YE

subgenus *Armatopraonetha* Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894

bifasciata Breuning, 1968d: 227 A: SD

subgenus *Curtolophia* Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974

curticornis Breuning, 1974h: 165 A: SD

subgenus *Gibbopraonetha* Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926

quadrigibbosa Pic, 1926a: 32 A: YUN

quadrigibbosipennis Breuning, 1968e: 857 A: SCH

subgenus *Hylobrotus* Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872

albanina Gressitt, 1942g: 85 A: ANH ANH FUJ GAN GUX HEB HEI HEN HUB HUN JIA JIX SCH ZHE

annulata Chevrolat, 1845: 99 (*Coptops*) A: FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX SC SCH SD SHA

TAI YUN ZHE **ORR**

annulicornis Pic, 1925e: 138

bowringii Pascoe, 1865: 170 (*Praonetha*)

lacosa Pic, 1926b: 3

scutellata Schwarzer, 1925b: 66

discalis Gressitt, 1951a: 468 A: GUA GUX HAI **ORR**

formosana Schwarzer, 1925b: 66 A: JA TAI

humerosopunctata Breuning, 1938c: 320 A: UP

latefascia Schwarzer, 1925b: 65 A: JA (Ryukyus) TAI

fainanensis Pic, 1926a: 32

horii Breuning & K. Ohbayashi, 1967: 3

yayeyamai Breuning, 1961a: 9

lateralis Gahan, 1894a: 65 A: TAI YUN **ORR**

moupinensis Breuning, 1973c: 657 A: SCH

obscuroides Breuning, 1938c: 274 A: BT SD

oculata Breuning, 1938c: 271 A: NP UP

subunicolor Breuning, 1965: 44 A: TAI

szetschuanensis Breuning, 1973c: 658 A: SCH

tibialis Breuning, 1938c: 275 A: NP SD

trilineicollis Gressitt, 1951a: 475 A: FUJ GUA HUN JIX

yunnanensis Breuning, 1974i: 237 A: YUN

subgenus *Lychrosis* Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863

caballina Gressitt, 1951a: 476 (*Lychrosis*) A: FUJ GUA GUX HUN YUN

caballina Chiang, 1951: 74 [HN]

gressitti Hubweber, 2010: 61 A: HAI

fasciata Gressitt, 1940b: 152 (*Lychrosis*) [HN]

humerosa J. Thomson, 1865a: 550 (*Mycerinus*) A: CH UP **ORR**

albonotata Pic, 1918a: 10 (*Lychrosia*)
varipennis J. Thomson, 1865a: 550 (*Mycerinus*) A: "North India"
mimica Gressitt, 1942g: 88 (*Lychrosia*) A: FUJ GUA JIX ZHE
obscuricolor Breuning, 1943a: 29 A: YUN
zebrina Pascoe, 1858: 252 (*Hathlia*) A: FUJ GUA GUX HAI HUB HUN JIX NP SD TAI
subgenus *Mimoron* Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934
brevegibbosa Pic, 1926a: 32 A: HAI HKG NP SD UP **ORR**
gardneri Schwarzer, 1931a: 71 (*Cenodocus*)
pedongensis Breuning, 1968f: 705 A: NP SD
phungi Pic, 1925a: 28 A: NP YUN **ORR**
ropicoides Breuning, 1968e: 857 A: BT SD
subgenus *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938
kanoi Hayashi, 1966a: 7 A: TAI
subgenus *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albolateralis* Breuning, 1938
subropicoides Breuning, 1968e: 857 A: GUI
subgenus *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925
adachii Hayashi, 1983: 41 (*Pseudale*) A: JA
dorsotubercularis Hayashi, 1984: 33 (*Pseudale*) A: TAI
fasciata Schwarzer, 1925b: 67 (*Pseudale*) A: TAI
izumikurana Hayashi, 1971: 13 (*Pseudale*) A: JA
jiriensis Danilevsky, 1996b: 21 A: SC
coreana M. Hasegawa & Lee, 2000: 198
koshikijimana Makihara, 2006: 10 (*Pseudale*) A: JA
kyushuensis Takakuwa, 1988: 103 A: JA
obovata Hayashi, 1971: 12 (*Pseudale*) A: JA (Ryukyus)
oshimana Breuning, 1955b: 64 A: JA
nobuoi Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)
suginoi Makihara, 1986a: 9 A: TAI
subgenus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888
Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864
Cormia Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864
Eurycotyle Blesig, 1873: 210 type species *Eurycotyle maacki* Blesig, 1873
Incamelomorpha Pic, 1926b: 4 type species *Pterolophia depensis* Pic, 1926
Paralophia Aurivillius, 1925: 30 [HN] type species *Paralophia quadrinodosa* Aurivillius, 1925
Praonetha Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823
Praonetha Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853
Prioneta Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853
Prionetopsis J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)
Theticus J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858
albonigra Gressitt, 1940b: 146 A: HAI
alboplagiata Gahan, 1894a: 70 A: YUN **ORR**
albomaculipennis Breuning, 1962d: 51
bifasciculata Breuning, 1940d: 422
flavovittata Breuning, 1938a: 47
alternata Gressitt, 1938a: 51 A: SCH
angusta Bates, 1873: 317 (*Praonetha*) A: JA NE SC TAI
apicefusca Breuning, 1938c: 319 A: AF PA "North-West India"
arcuata Breuning, 1938c: 306 A: GUI
baiensis Pic, 1926a: 30 A: FUJ **ORR**
bigibbera Newman, 1842d: 323 (*Mesosa*) A: JA TAI **ORR**
binodosa Bates, 1866: 350 (*Praonetha*)
camura Newman, 1842e: 371
saipana K. Ohbayashi, 1941b: 225
bimaculaticeps Pic, 1926b: 3 A: CH
bituberata Breuning, 1938c: 328 A: SD
bituberculata Breuning, 1938c: 270 A: SD
bottangensis Breuning, 1968e: 854 A: BT
brahma Holzschuh, 2006c: 486 A: NP
carinata Gahan, 1894a: 72 A: NP
carinipennis Gressitt, 1942h: 210 A: GUA
castaneivora K. Ohbayashi & Hayashi, 1962: 33 A: JA SC
caudata caudata Bates, 1873: 315 (*Praonetha*) A: JA SC TAI
caudata curtipennis Makihara, 1980: 59 A: JA
chinensis Breuning, 1982: 14 A: CH
consularis Pascoe, 1866b: 240 (*Praonetha*) A: BT GUA GUI GUX HAI YUN SD **ORR**
cervina Gressitt, 1939a: 74
cristulata Fairmaire, 1896b: 391 (*Praonetha*)

notaticeps Pic, 1934b: 12
ochreomaculipennis Breuning, 1968e: 852
crassipes Wiedemann, 1823: 111 (*Lamia*) A: GUAi **ORR**
iliaca Pascoe, 1865: 178 (*Praonetha*)
imbuta Newman, 1842: 381
dalbergiae Breuning, 1938c: 268 A: UP
dalbergicola Gressitt, 1951a: 467 A: HEB
densefasciculata Breuning, 1938c: 269 A: BT "Himalaya" **ORR**
discalis Gressitt, 1951a: 468 A: GUA **ORR**
elegans Breuning, 1938c: 321 A: FUJ **ORR**
elongata Pic, 1934b: 12 A: CH
elongatissima Breuning, 1938c: 255 A: "North India"
externemaculata Breuning, 1938c: 292 A: SCH
fuchsi Breuning, 1970a: 9 A: TAI
fukiens Gressitt, 1940c: 189 A: FUJ
fulvescens Breuning, 1938c: 324 A: UP
granulata Motschulsky, 1866a: 174 (*Pogonocherus*) A: JA NC SC TAI
granulosa Breuning, 1938c: 294 A: SD
hongkongensis Gressitt, 1942h: 211 HKG
holzschuhi Breuning, 1975d: 335 A: PA
indica Breuning, 1938c: 328 A: "India"
indra Holzschuh, 2012: 218 A: NP
inexpectata Breuning, 1938c: 255 A: UP
kaleea inflexa Gressitt, 1940a: 11 A: FUJ GUA SCH TAI
kaleea kaleea Bates, 1866: 351 (*Praonetha*) A: GUI HAI JA TAI
subleiopodina Breuning & K. Ohbayashi, 1964: 16
kiangsina Gressitt, 1937d: 601 A: FUJ JIX SCH
krishna Holzschuh, 2006c: 487 A: NP
kubokii Hayashi, 1976: 20 A: JA (Ryukyus) TAI
kusamai M. Hasegawa & Makihara, 1999: 28 A: JA (Ogasawara)
lama Breuning, 1943a: 20 A: XIZ
lateralba Schwarzer, 1925b: 68 (*Albana*) A: TAI
leiopodina Bates, 1873: 317 (*Praonetha*) A: FUJ JA JIX
subangusta Matsushita, 1933b: 362
ligata Pascoe, 1862a: 350 (*Praonetha*) A: SD
apicalis Schwarzer, 1924: 238
lunigera Aurivillius, 1913: 25 A: NP **ORR**
maacki Blessig, 1873: 211 (*Eurycotyle*) A: FE HEB JIX NC NE SC SHN
chahara Gressitt, 1940c: 188
latenotata Pic, 1927k: 153 (*Sybra*)
marmorata Breuning, 1938c: 322 A: SD
matsushitai Breuning, 1938c: 289 A: TAI
multifasciculata Pic, 1926a: 30 A: YUN **ORR**
multinotata Pic, 1931c: 1 A: ES FE MG
burakowskii Heyrovský, 1973a: 117
mandshurica Breuning, 1938a: 46
selengensis Lyamtzeva, 1979: 79
ussuriensis Plavilstshikov, 1954: 473
nigricans Breuning, 1938c: 323 A: SD
nigrobicrucata Breuning, 1938a: 45 A: UP
nigrofasciculata Breuning, 1938c: 295 A: YUN **ORR**
nigroplagiata Breuning, 1938c: 320 A: UP
nigrovirgulata Breuning, 1939b: 196 A: NP SD
obscura Schwarzer, 1925b: 66 A: TAI
~~postmaculata Breuning & K. Ohbayashi, 1966a: 13 [HN] (not available - described as morpha)~~
~~postmaculatoides Breuning, 1968: 57 [RN] (not available - described as morpha)~~
schwarzeri Mitono, 1944: 161
obscurata Breuning, 1938c: 269 A: NP SD "Himalaya"
occidentalis Schwarzer, 1931a: 72 A: UP
omeishana Gressitt, 1945a: 128 A: SCH
pedongana Breuning, 1968d: 228 A: SD
penicillata Pascoe, 1862a: 349 (*Praonetha*) A: YUN **ORR**
tonkinea Pic, 1926b: 3
persimilis Gahan, 1894a: 71 A: FUJ GUA HKG HP HUB NP SD UP **YUN ORR**
subexternefasciata Pic, 1926a: 29
persimiloides Breuning, 1968e: 854 A: SCH
postalbofasciata Breuning, 1962b: 23 A: YUN **ORR**

postfasciculata Pic, 1934b: 11 A: GUA HAI HKG NP SD UP YUN ORR
arctofasciata Gressitt, 1940b: 147
gerardinae Breuning, 1938c: 272
subfasciculata Breuning, 1938c: 291
postfuscomaculata Breuning, 1973c: 655 A: CH ORR
pseudobscuroides Breuning, 1938c: 318 A: SD
pseudoculata Breuning, 1938c: 265 A: UP
pseudoculatoides Breuning, 1968d: 227 A: SD
pseudotincta Breuning, 1938c: 295 A: SD
quadrifasciata Gahan, 1894a: 71 A: NP
quadrivittata Breuning, 1938c: 319 A: UP
reduplicata Gressitt, 1951a: 471 A: HUB TAI
rigida Bates, 1873: 316 (*Praonetha*) A: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE
rubricornis Gressitt, 1951a: 472 A: FUJ HUN
rufobrunnea Breuning, 1938c: 267 A: SD
salebrosa Breuning, 1938: 289 A: YUN ORR
serrata Gressitt, 1939a: 52 A: SCH
serricornis Gressitt, 1937d: 599 [RN] A: FUJ HEB HUB JIX ZHE
rigida Gahan, 1894d: 485 [HN]
shiva Holzschuh, 2006c: 486 A: NP
sikkimana Breuning, 1973c: 657 A: SD
spinicornis Breuning, 1938c: 256 A: "India"
sthenioides grossepunctipennis Breuning, 1969f: 660 A: BT SD
subbicarinata Breuning, 1968e: 853 A: SD
subbituberculata Breuning, 1968a: 2 [RN] A: YUN ORR
subtuberculata Breuning, 1965e: 48 [HN]
subtuberculata Breuning & Heyrovský, 1964: 27 A: SD
suisapana Gressitt, 1951a: 473 A: HUB
szetschuanica Breuning, 1973c: 656 A: SCH
tenebrica Breuning, 1938c: 324 A: HP
thibetana Pic, 1926a: 32 A: XIZ
touzalini Breuning, 1973c: 655 A: SD
transversefasciata Breuning, 1938c: 252 A: FUJ SD UP YUN ORR
transverseplagiata Breuning, 1938c: 275 A: NP UP
tsurugiana Matsushita, 1934b: 541 (*Desisa*) A: JA
japonica Breuning, 1939b: 195
tuberculata Breuning, 1938a: 46 A: SD
variantennalis Breuning, 1970a: 10 A: TAI
wittmeri Breuning, 1975d: 337 A: BT
yunnana Breuning, 1968e: 855 A: YUN
yunnanica Hubweber, 2010: 61 A: YUN
yunnanensis Breuning, 1982: 14
zonata Bates, 1873: 315 (*Praonetha*) A: JA NC SC TAI
subgenus *Sociopraonetha* Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894
nigrocincta Gahan, 1894a: 69 A: BT
atrofasciata Pic, 1925e: 138 (*Stesilea*)
socia Gahan, 1894a: 70
quadratiplagiata Breuning, 1938a: 44 A: NP

genus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
subgenus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
Sodus Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865
bhutanensis Breuning, 1975d: 338 A: BT
chinensis Gressitt, 1951a: 483 A: FUJ
taiwanus Hayashi, 1966a: 8 A: TAI
torui Holzschuh, 1989b: 388 A: TAI

genus *Sthenias* Laporte, 1840: 466 type species *Lamia grisator* Fabricius, 1787
subgenus *Albosthenias* Breuning, 1961j: 538 type species *Sthenias albicollis* Gahan, 1860
leucothorax Breuning, 1938c: 370 A: JIA
partialbicollis Breuning, 1968a: 17 A: YUN ORR
subgenus *Sthenias* Laporte, 1840: 466 type species *Lamia grisator* Fabricius, 1787
Anomamomus Fehraeus, 1872b: 194 [RN] type species *Sthenias leucaspis* Fehraeus, 1872 (= *Lamia leucaspis* Fabricius, 1801)
Chalarus Fehraeus, 1873: 45 [HN] type species *Sthenias leucaspis* Fehraeus, 1873 (= *Lamia leucaspis* Fabricius, 1801)
Thysanodes Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842
cylindricus Gressitt, 1939b: 114 A: FUJ HUN TAI ZHE
franciscanus J. Thomson, 1865a: 550 A: FUJ GUX HUN SD YUN ORR

gahani Pic, 1912d: 19 (*Anaches*) A: YUN
gracilicornis Gressitt, 1937d: 602 A: FUJ GUA HUN JIX YUN
gracilis Breuning, 1938c: 370 A: "India or."
grisator Fabricius, 1787: 136 A: PA UP
javanicus Breuning, 1940d: 424 A: GUX **ORR**
longeantennatus Breuning, 1938c: 369 A: NP **ORR**
pascoei Ritsema, 1888b: 272 A: YUN "North India" **ORR**
persimilis Breuning, 1938c: 368 A: SD
pictus Breuning, 1938c: 369 A: YUN **ORR**
nigrosignatus Breuning, 1965e: 41 (*Paramesosella*)
pseudodorsalis Breuning, 1938c: 369 A: BT NP SD XIZ **ORR**
semicylindricus Hayashi, 1974c: 45 A: TAI
tonkineus Pic, 1925b: 26 A: CH **ORR**
yunnanus Breuning, 1938c: 370 A: XIZ YUN

genus *Trichoniphona* Breuning, 1968e: 860 type species *Trichoniphona albomarmorata* Breuning, 1968
albomarmorata Breuning, 1968e: 860 A: SD

genus *Xynenon* Pascoe, 1865: 159 type species *Sthenias bondii* Pascoe, 1859
Falsoxynenon Pic, 1925a: 26 type species *Falsoxynenon convexum* Pic, 1925 (= *Sthenias bondii* Pascoe, 1859)
bondii Pascoe, 1859: 48 (*Sthenias*) A: SD
convexum Pic, 1925a: 26 (*Falsoxynenon*)

tribe Saperdini Mulsant, 1839

genus *Blamada* Lin & Holzschuh, 2013: 95 type species *Blamada rubripronota* Lin & Holzschuh, 2013
rubripronota Lin & Holzschuh, 2013: 97 A: GUX **ORR**

genus *Cagosima* J. Thomson, 1864: 116 type species *Cagosima sanguinolenta* J. Thomson, 1864
sanguinolenta J. Thomson, 1864: 116 A: FE GUX JA TAI
kiushiensis K. Ohbayashi, 1956a: 8
oshimaensis Kano, 1933a: 287
tetrastigma Matsumura, 1906: 135 (*Saperda*)

genus *Callundine* J. Thomson, 1879: lvi type species *Callundine lacordairei* J. Thomson, 1879
Pseudosaperda Pic, 1903i: 121 type species *Pseudosaperda goliath* Pic, 1903
lacordairei J. Thomson, 1879: lvii A: BT "India"
goliath Pic, 1903i: 121 (*Pseudosaperda*)

genus *Dystomorphus* Pic, 1926c: 11 type species *Dystomorphus notatus* Pic, 1926
esakii Hayashi, 1974c: 59 A: TAI
nigrosignatus Pu, Wang & Li, 1998: 82, 83 A: GAN
notatus Pic, 1926c: 12 A: GAN QIN SCH SHA
piceae Holzschuh, 2003: 238 A: HUB SCH SHA YUN
sichuanensis C.-K. Yu, 1994: 388 A: SCH

genus *Entelopes* Guérin-Méneville, 1844: 245 type species *Entelopes glaucus* Guérin-Méneville, 1844
subgenus *Aspineoentelops* Hua, 1990: 343 type species *Entelopes longzhouensis* Hua, 1990
longzhouensis Hua, 1990: 343 A: GUX

genus *Eumecocera* Solsky, 1871a: 391 type species *Saperda impustulata* Motschulsky, 1860
anomala Bates, 1884a: 259 (*Stenostola*) A: JA
morii Makihara, 2002: 342
argyrosticta Bates, 1884a: 258 (*Stenostola*) A: JA
japonica Tamanuki, 1927: 124
callosicollis Breuning, 1943b: 100 (*Stenostola*) A: FE NE SC
gleneoides Gressitt, 1935c: 177 (*Phytoecia*) A: JA
lineata Gressitt, 1951a: 609 (*Stenostola*) A: HUB SCH SHA TAI
minamii Makihara, 1984: 17 A: JA
trivittata Breuning, 1947d: 143 (*Stenostola*) A: JA
brunnescens Breuning, 1947d: 144 (*Stenostola*)
impustulata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE JA MG NC NE SC WS
impunctata Motschulsky, 1875: 151 (*Saperda*)
unicolor Kano, 1933a: 290 (*Stenostola*) A: JA SC
atrofusca Hayashi, 1960: 12
univittata Breuning, 1947d: 144 (*Stenostola*)
genus *Eumecocera*, species incertae sedis
acuminata Fischer von Waldheim, 1842: 26 (*Phytoecia*)

genus *Eutetrappa* Bates, 1884a: 256 type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)
bicostata Hayashi, 1994: 75 A: TAI
chlorotica Pu & Jin, 1991: 192, 197 A: YUN
chrysochloris chrysoargyrea Bates, 1884a: 256 A: JA
chrysochloris chrysochloris Bates, 1879b: 467 (*Glenea*) A: FE HEN HUB HUN JA SCH SHA TAI ZHE
piciella Breuning, 1956b: 17
podanyii Pic, 1953a: 9 [RN]
cinnabarina Pu, 1986: 202 A: HUB
complexa Pu & Jin, 1991: 192, 197 A: SHA
elegans Hayashi, 1966a: 9 A: TAI
flavoguttata Pu & Jin, 1991: 190, 196 A: XIN
laosensis Breuning, 1964d: 62 A: CH **ORR**
lini Chou, Chung & Lin, 2010: 313 A: TAI
metallescens Motschulsky, 1860b: 150 (*Saperda*) A: ES FE HEB HEI JIL LIA NC SC SHA
ocelota Bates, 1873: 387 (*Glenea*) A: FE (*Kunashir*) JA SC TAI #9
maculithorax Pic, 1900i: 19
sedecimpunctata australis Takakuwa & Hirokawa, 1998: 303 A: JA (Kyushu)
sedecimpunctata sedecimpunctata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEI HUB JA JIL LIA NC SHA TAI
carinata Blessig, 1873: 219 (*Saperda*)
duodecimpunctata Motschulsky, 1860b: 151 (*Saperda*) [HN]
infrequens Plavilstshikov, 1927b: 108 (*Demonax*)
motschulskyi Plavilstshikov, 1915b: 80 [RN]
rosinae Pic, 1904d: 17 (*Saperda*)
variicornis Bates, 1873: 256
shiqianensis Pu & Jin, 1991: 190, 196 A: GUI
stigmosa Pu & Jin, 1991: 191, 196 A: GUX
velutinofasciata Pic, 1939b: 2 A: BEI HEB NMO SHA
nigromaculata W.-K. Wang & S.-N. Jiang, 2002c: 145 (*Paraglenea*)
virides Pu & Jin, 1991: 191, 196 A: SCH

genus *Glenea* Newman, 1842c: 301 type species *Glenea lepida* Newman, 1842
subgenus *Acutoglenea* Breuning, 1958j: 838 type species *Saperda acuta* Fabricius, 1801
langana Pic, 1903f: 107 A: GUX YUN **ORR**
atrolateralis Pic, 1926c: 24
nigromarginella W.-K. Wang & Jiang, 2002b
versuta versuta Newman, 1842c: 302 A: TAI **ORR**
basalis Aurivillius, 1925: 39 [HN]
maura Pascoe, 1867b: 405
parasiargonensis Breuning, 1981b: 75
subgenus *Aridoglenea* Breuning, 1958j: 869 type species *Glenea arida* J. Thomson, 1865
cancellata J. Thomson, 1865a: 565 A: SD YUN **ORR**
favrei Pic, 1943d: 7
decolorata Heller, 1926: 47 (*Stirolenea*) A: YUN **ORR**
flavorubra Gressitt, 1940b: 205 A: HAI **ORR**
invitticollis Breuning, 1956b: 99
meiyingae Holzschuh, 2009: 423 A: NP SD YUN **ORR**
shuteae Lin & Yang, 2011a: 40 A: YUN
vaga J. Thomson, 1865a: 565 A: NP SD UP YUN **ORR**
subgenus *Citrinoglenea* Breuning, 1958j: 885 type species *Glenea citrina* J. Thomson, 1865
citrina J. Thomson, 1865a: 566 A: YUN **ORR**
anthyllis Pascoe, 1866: 262
gardneriana Breuning, 1958j: 887 [RN] A: YUN **ORR**
bifasciata Gardner, 1830: 164 [HN]
subgenus *Formosoglenea* Breuning, 1969a: 36 type species *Glenea ochreomaculata* Breuning, 1969
ochreomaculata Breuning, 1969a: 35 A: TAI
subgenus *Glenea* Newman, 1842c: 301 type species *Glenea lepida* Newman, 1842
Accola Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)
Accolona E. Strand, 1942: 392 [RN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)
Cryllis Pascoe, 1867b: 363 type species *Cryllis clytoides* Pascoe, 1867
Hapochoron Gistel, 1848a: x [RN]
Sphenura Dejean, 1835: 350 [HN]
Sphenura Laporte, 1840: 489 [HN] type species *Sphenura novemguttata* Laporte, 1840
acutoides acutoides Schwarzer, 1925c: 151 A: GUX TAI
albesignata Pic, 1943d: 7
acutoides obliqua Gressitt, 1939b: 119 A: ANH FUJ HUB ZHE
roubali Heyrovský, 1939b: 68
aeolis laosica Breuning, 1963b: 49 A: YUN **ORR**

afghana Breuning, 1971a: 44 A: AF
annulicornis Schwarzer, 1925c: 149 A: TAI
nijimai Matsushita, 1938a: 94
astathiformis Breuning, 1958j: 888 [RN] A: NP SD YUN **ORR**
citrina Jordan, 1894b: 503 (*Accola*) [HN]
atricilla Pesarini & Sabbadini, 1997: 120 A: FUJ
atricornis apicespinosa Breuning, 1956h: 763 A: GUX **ORR**
bedoci mussardi Breuning, 1967b: 35 A: AP
beesoni Heller, 1926: 46 A: SD UP
bidiscovittata Breuning, 1969e: 190 A: SCH
bimaculata *ithorax* Pic, 1946a: 16 A: YUN **ORR**
capriciosa J. Thomson, 1857c: 142 A: BT NP
centroguttata Fairmaire, 1897d: 232 A: FUJ GUX HEN JA SCH SHA TAI XIZ YUN
issikii Mitono, 1934: 490
chalybeata J. Thomson, 1861: 57 A: SD
inapicalis Pic, 1926c: 20
luteoapicalis Pic, 1926c: 20
medijuncta Pic, 1946a: 10
changchini Lin & W. Lin, 2011: 13 A: YUN **ORR**
chlorospila chlorospila Gahan, 1897: 488 A: JA (Ryukyus) TAI
chlorospila hachijonis Matsumura & Matsushita, 1933a: 110 A: JA
hayashii K. Ohbayashi, 1963: 12 [RN]
humerolineata Hayashi, 1956b: 19 [HN]
izuinsularis Umeya & Fujimura, 1954: 13
chlorospila okinawensis Makihara, 1988: 151 A: JA (Ryukyus)
chrysomaculata Schwarzer, 1925c: 152 A: GUX TAI
breameri Kano, 1928: 267
chujoi Mitono, 1937: 149 A: GUA HUB TAI
citrinopubens Pic, 1926c: 20 A: GUI GUX HUB SCH YUN
coomani Pic, 1926c: 21 A: HAI YUN **ORR**
humerosa Gressitt, 1940b: 206
crucicollis Breuning, 1956h: 671 A: "India"
crucifera Gahan, 1889: 222 A: BT
diana diana J. Thomson, 1865a: 561 A: YUN **ORR**
theresae Pic, 1943c: 15
didymoides Breuning, 1956b: 166 A: BT
discofasciata Breuning, 1983: 61 A: JA
diverselineata diverselineata Pic, 1926c: 23 A: YUN **ORR**
diverselineatoides Breuning, 1968a: 34
fainanensis fainanensis Pic, 1916h: 17 A: TAI
horishana Matsushita, 1933b: 412
flava Jordan, 1895: 270 A: GUX HUB SD YUN **ORR**
atroapicalis Pic, 1926c: 21
binhensis Breuning, 1956h: 683
flavosignata Breuning, 1956h: 736 A: YUN **ORR**
formosana Schwarzer, 1925c: 150 A: TAI
fortii Pesarini & Sabbadini, 1997: 121 A: FUJ
glabronotata Pesarini & Sabbadini, 1997: 122 A: SCH
glechomoides Breuning, 1982: 27 A: SD
hauseri Pic, 1933a: 15 A: HUN SCH YUN
leopardina Gressitt, 1942d: 4
hieroglyphica Pesarini & Sabbadini, 1997: 123 A: YUN
hwasiiana Gressitt, 1945a: 133 A: SCH YUN
indiana J. Thomson, 1857c: 141 (*Stibara*) A: BT NP SD **ORR**
inlineata Pic, 1943d: 6 A: TAI
iriei heikichii Makihara, 1982a: 45 A: JA (Ryukyus)
iriei iriei Hayashi, 1971: 17 A: JA
iwasakii Kano, 1933b: 139 A: JA (Ryukyus) TAI
stolata Matsumura & Matsushita, 1933b: 413
jeanvoinei Pic, 1927c: 19 A: YUN **ORR**
jini Lin & Dai, 2012: 6 A: XIZ
kusamai Makihara, 1988: 151 A: JA (Ryukyus)
lacteomaculata lacteomaculata Schwarzer, 1925c: 151 A: TAI
lacteomaculata quadriguttata Pic, 1926c: 22 A: GUX YUN **ORR**
lecta Gahan, 1889: 219 A: BT **ORR**
leucomaculata Breuning, 1968a: 33 A: GUX **ORR**
licenti Pic, 1939b: 3 A: GAN HUB NIN SCH SHA

lineata ihai Hayashi, 1960d: 29 A: JA (Ryukyus)
okinawana K. Ohbayashi & N. Ohbayashi, 1965: 5
lineata lineata Gahan, 1897: 483 A: JA TAI
lineosa Aurivillius, 1923: 499
lineata ryukyuensis Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)
lineata sauteri Schwarzer, 1925c: 150 A: GUA TAI YUN
synknensis Breuning & K. Ohbayashi, 1964b: 29
linwenhsini Lin, 2013: 109 A: GUI
luteicollis Gressitt, 1935c: 190 A: TAI
luteosignata Pic, 1943c: 15 A: YUN
magdelainei Pic, 1943c: 14 A: YUN **ORR**
masakii Makihara, 1978: 60 A: JA (Ryukyus)
mitonoana Gressitt, 1951a: 576 [RN] A: TAI
ornata Mitono, 1934: 491 [HN]
mouhoti J. Thomson, 1865a: 567 A: HKG YUN **ORR**
albodiversa Pic, 1946a: 10
cochinchenensis Breuning, 1956b: 174
mounieri horiensis Breuning, 1953: 21 A: TAI
multiinterrupta Pic, 1947: 14 A: YUN **ORR**
nanshanchiana Hayashi, 1978a: 89 A: TAI
neohumerosa Lin et Yang, 2011b: 62 A: FUJ GUX HAI **ORR**
nigerrima Breuning, 1953: 26 A: SD
octoguttata Breuning, 1956h: 685 A: HUB
omeiensis Chiang, 1963: 68 A: SCH
ornata Gahan, 1889: 223 A: BT SD
pallidipes Pic, 1926c: 23 A: GUI YUN **ORR**
papiliomaculata Pu, 1992b: 608 A: YUN
paraornata Lin, 2013: 113 A: HAI YUN **ORR**
pici pici Aurivillius, 1920: 17 A: GUX YUN **ORR**
rufotibialis Pic, 1947b: 14
sexmaculata Pic, 1947b: 14
pici schmidi Breuning, 1965a: 16 A: AP
pieliana nigra Gressitt, 1940c: 194 A: FUJ GUX JIX
pieliana pieliana Gressitt, 1939b: 120 A: FUJ HUB JIX ZHE
tiemuschnana Heyrovský, 1939b: 69
plagiata Gardner, 1930: 164 A: BT
posticata Gahan, 1894a: 97 A: YUN **ORR**
vitalisi Pic, 1926c: 20
problematica Lin & Yang, 2009: 171 A: GAN QIN YUN **ORR**
pseudocaninia Lin & Montreuil, 2009: 166 A: YUN **ORR**
pseudoscalaris miwai Mitono, 1943: 585 A: TAI
pseudoscalaris pseudoscalaris Fairmaire, 1895: 186 A: GUA GUI GUX **ORR**
gressitti Breuning, 1956h: 725
monticola Gressitt, 1951a: 576 [HN]
pseudoluctuosa Breuning, 1953: 22 A: BT SD
pulchra Aurivillius, 1926: 111 A: GUI GUX NP SD TAI XIZ YUN **ORR**
pulchella J. Thomson, 1860: 58 [HN]
quaduordecimmaculata Hope, 1831: 28 (*Saperda*) A: BT NP UP
argus J. Thomson, 1857c: 145
regularis Newman, 1842c: 302 A: TAI **ORR**
relicta formosensis Breuning, 1960d: 15 A: TAI
relicta izuinsulana Fujita, 1980: 16 A: HUN JA (Kyushu)
relicta relicta Pascoe, 1858: 258 A: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA TAI ZHE **ORR**
rufipes Gressitt, 1939a: 94 A: FUJ GUA HKG HUN **ORR**
atropubens Pic, 1943c: 16
sanctaemariae J. Thomson, 1857c: 141 (*Stibara*) A: BT
saperdifformis Breuning, 1953: 25 A: AP
semiluctuosa Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN
reitteri Pic, 1943c: 14
siamensis Gahan, 1897: 481 A: HAI YUN **ORR**
sikkimensis Breuning, 1982: 26 A: SD
silhetica Plavilstshikov, 1927a: 63 [RN] A: FUJ GUA HAI SCH TAI **ORR**
assimilis Gahan, 1897: 494 [HN]
subabbreviata Breuning, 1956h: 791 [RN] A: TAI
abbreviata Gressitt, 1951a: 573 [HN]
subalcyone Breuning, 1964: 20 A: YUN **ORR**
subregularis Pic, 1943c: 14 A: GUA GUX TAI **ORR**

tenuivittata Gressitt, 1951a: 579
subsimilis Gahan, 1897: 479 A: YUN **ORR**
subviridescens Breuning, 1963d: 11 A: YUN **ORR**
suensoni Heyrovský, 1939b: 70 A: ZHE
pieli Pic, 1943c: 14
sulphurea J. Thomson, 1865a: 566 A: ?CH SD **ORR**
sulphuroides Breuning, 1982: 27 A: CH
suturata Gressitt, 1939a: 95 A: ANH FUJ GUA HUB HUN
tatsienlui Breuning, 1956h: 678 A: CH
t-notata Gahan, 1889: 223 A: GUX HUB NP SCH **ORR**
tonkinea diversenotata Schwarzer, 1925c: 152 A: TAI
tonkinea tonkinea Aurivillius, 1926: 19 A: GUX HAI TAI **ORR**
torquatella Aurivillius, 1923: 505 [RN] A: YUN **ORR**
torquata Gahan, 1907: 104 [HN]
virens bastiana Breuning, 1956h: 700 A: NP
virens virens Aurivillius, 1925: 19 A: BT
viridescens Pic, 1927: 19 A: GUX YUN **ORR**
weigeli Lin & Liu, 2012: 114 A: YUN
wenhsini Lin, 2013: 107 A: GUI
zalinensis Gahan, 1897: 478 A: BT
subgenus *Lobunguiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014
judsoni Lin & Tavakilian, 2014: 162 A: ?TAI
subgenus *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842
nigrorubricollis Lin et Yang, 2009: 11 A: GUA
rubricollis Hope, 1842b: 128 (*Colobothea*) A: GUA HAI SD **ORR**
subgenus *Stirolgenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787
cantor cantor Fabricius, 1787: 142 (*Lamia*) A: GUA GUI GUX HAI HKG JIX SD YUN **ORR**
cantator Fabricius, 1801b: 304 (*Lamia*)
luzonica Aurivillius, 1926: 112
spilota J. Thomson, 1861: 58 A: NP SD

genus *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888
cyaneipennis cyaneipennis Gahan, 1888: 66 A: BT GUA GUX HAI JIX
cyaneipennis ikedai Mitono, 1939: 147 A: TAI
suffusa Gahan, 1888b: 66 A: FUJ GUX JIX SCH TAI

genus *Heteroglenea* Gahan, 1897: 490 type species *Glenea nigromaculata* J. Thomson, 1865
bastiensis Breuning, 1956h: 769 (*Glenea*) A: SD **ORR**
fissilis Breuning, 1953: 20 (*Glenea*) A: YUN XIZ **ORR**
gemella Lin & Yang, 2009: 17 A: NP
glechoma Pascoe, 1867b: 409 (*Glenea*) A: JA (Ryukyus) TAI **AUR ORR**
fuscovirgata Fairmaire, 1883a: 53 (*Glenea*)
guedalcanalana Breuning, 1958g: 315 (*Glenea*)
hamabovola Hayashi, 1978a: 91 (*Glenea*)
palawana Breuning, 1956h: 879 (*Glenea*)
mediodiscoprolongata Breuning, 1965: 43 (*Glenea*) A: YUN
mimoluctuosa Breuning, 1968a: 34 (*Glenea*)
nigromaculata J. Thomson, 1865a: 566 (*Glenea*) A: GUX YUN **ORR**
amelia Gahan, 1889: 224 (*Glenea*)
hamifera Heller, 1926: 49 (*Daphisia*)
vicinalis Lin & Yang, 2009: 18 A: NP **ORR**

genus *Malloderma* Lacordaire, 1872: 842 type species *Malloderma pascoei* Lacordaire, 1872
kueglieri Holzschuh, 2010: 223 A: YUN **ORR**
pascoei Lacordaire, 1872: 842 A: BT
tonkineum Pic, 1932i: 151
pulchrum Pic, 1926a: 29 (*Paraglenea*) A: GUX **ORR**

genus *Mandibularia* Pic, 1925a: 24 type species *Mandibularia nigriceps* Pic, 1925
nigriceps Pic, 1925a: 24 A: XIZ **ORR**

genus *Menesia* Mulsant, 1856: 157 type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)
Daphisia Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867
akemiae Makihara, 1992b: 78 A: JA
albifrons Heyden, 1886d: 276 A: ES FE SC
bipunctata Zubkov, 1829: 167 (*Saperda*) E: AU BH BY CR CT CZ EN FR GE HU IT **KZ** LA LS LT NT PL RO
SK SL ST SZ UK YU

biguttata W. Redtenbacher, 1842: 26 (*Saperda*)
perrisi Mulsant, 1856: 158
quadripustulata Mulsant, 1863: 343
trimaculata Lentz, 1857: 145 (*Saperda*)
flavotecta Heyden, 1886d: 276 A: CH FE JA SC
tokioensis Kobayashi & Seki, 1935: 42
immaculipennis Breuning, 1954g: 410 [RN] A: SCH
immaculata Gressitt, 1945a: 132 [HN]
matsudai Hayashi, 1985: 135 A: TAI
octoguttata Breuning, 1954g: 411 A: SCH
sulphurata Gebler, 1825: 52 (*Saperda*) E: CT A: ES FE HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI WS
galathea J. Thomson, 1865a: 566 (*Glenea*)
nigrocincta Pic, 1915e: 10
semivittata Pic, 1915e: 10
yuasai Gressitt, 1935b: 176 (*Praolia*)
vitiphaga Holzschuh, 2003: 237 A: SHA

genus *Mimocagosima* Breuning, 1968a: 32 type species *Mimocagosima ochreipennis* Breuning, 1968
humeralis Gressitt, 1951a: 561 (*Mandibularia*) A: FUJ GUX YUN
ochreipennis Breuning, 1968a: 32 A: YUN **ORR**

genus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925
subgenus *Neopraolia* Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933
delicata Matsushita, 1933b: 407 (*Neopraolia*) A: TAI
longicollis Gressitt, 1935e: 287
schwarzeri Gressitt, 1935e: 289
subgenus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925
infasciata Gressitt, 1935e: 289 A: TAI
pulchra continentalis Gressitt, 1939a: 91 A: GUA
pulchra pulchra Schwarzer, 1925c: 148 A: TAI **YUN**

genus *Neoxantha* Pascoe, 1856: 45 type species *Neoxantha amicta* Pascoe, 1856
amicta Pascoe, 1856: 45 A: FUJ GUX HUB HUN JIA JIX ZHE
immaculata Pic, 1893g: lxxxvii

genus *Niponostenostola* K. Ohbayashi, 1958d: 64 type species *Stenostola niponensis* Pic, 1901
niponensis kanoi Kano, 1933b: 140 (*Stenostola*) A: JA
jezoana Matsushita, 1933b: 427 (*Stenostola*)
niponensis niponensis Pic, 1901c: 12 (*Stenostola*) A: JA
chichibuensis Kano, 1933a: 289 (*Stenostola*)
niponensis pterocaryai Hayashi, 1960c: 11 (*Eumecocera*) A: JA

genus *Paradystus* Aurivillius, 1923: 184 [RN] type species *Dystus notator* Pascoe, 1867
Dystus Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867
infrarufus Breuning, 1954: 458, 460 A: YUN **ORR**

genus *Paraglenea* Bates, 1866: 352 type species *Glenea fortunei* Saunders, 1853
atropurpurea Gressitt, 1951a: 567 A: FUJ GUX
cinereonigra Pesarini & Sabbadini, 1997: 126 A: HEN SHA
fortunei Saunders, 1853: 112 (*Glenea*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI
YUN ZHE **ORR**
bisbinotata Pic, 1915f: 14 (*Glenea*)
chloromelas J. Thomson, 1879: 21 (*Glenea*)
fasciata Pic, 1915f: 14 (*Glenea*)
innotata Pic, 1915f: 14 (*Glenea*)
innotaticollis Pic, 1936d: 17
notatipennis Pic, 1914b: 7 (*Glenea*)
pubescens Pic, 1914b: 7 (*Glenea*)
savioi Pic, 1923c: 21 (*Glenea*)
soluta Ganglbauer, 1887c: 22 (*Glenea*)
szetchwana Heller, 1926: 48
jianfenglingensis Hua, 1985: 87 A: HAI
swinhoei swinhoei Bates, 1866: 352 A: TAI

genus *Paramenesia* Breuning, 1952: 139 type species *Paraglenea theaphia* Bates, 1884a
kasugensis Seki & Kobayashi, 1935: 225 (*Glenea*) A: JA TAI
subcarinata Gressitt, 1951a: 557 (*Menesia*) A: GUA HUB
theaphia Bates, 1884a: 257 (*Paraglenea*) A: FE JA

genus *Parastenostola* Breuning, 1952: 200 type species *Saperda brunnipes* Gahan, 1888
brunnipes Gahan, 1888b: 65 (*Saperda*) A: FUJ HUN JIX

quadricolor Gressitt, 1951a: 561

nigroantennata nigroantennata Lin & Yang, 2008: 12 A: GUX

nigroantennata taiwanensis Lin & Yang, 2008: 15 A: TAI

genus *Pardaloberea* Pic, 1926b: 9 type species *Pardaloberea curvaticeps* Pic, 1926
curvaticeps Pic, 1926b: 10 A: YUN ORR

genus *Pareutetrappa* Breuning, 1952: 135 type species *Paraglenea eximia* Bates, 1884a

eximia Bates, 1884a: 257 (*Paraglenea*) A: JA NC

magnifica caeruleithoracica Takakuwa, 1984: 14 A: JA

magnifica magnifica Schwarzer, 1925c: 148 (*Saperda*) A: TAI

olivacea Breuning, 1952: 138 A: CH

simulans Bates, 1873: 388 (*Phytoecia*) A: HEN JA TAI

daisenensis Matsushita, 1933a: 109 (*Glenea*)

sylvia Gressitt, 1951a: 569 (*Paraglenea*) A: FUJ ORR

postjuncta Pic, 1952c: 13 (*Paraglenea*)

weixiensis Pu, 1992b: 609 A: CH

genus *Praolia* Bates, 1884a: 261 type species *Praolia citrinipes* Bates, 1884a

citrinipes atripennis Pic, 1923c: 20 (*Serixia*) A: TAI

griseipennis Gressitt, 1938b: 169 (*Serixia*)

citrinipes citrinipes Bates, 1884a: 261 A: JA SC

citrinipes ishigakiana Ohbayashi, 1970: 3 (*Serixia*) A: JA (Ryukyus)

iriomoteana Ohbayashi, 1970: 3 (*Serixia*)

citrinipes takeuchii Ohmoto, 1990: 31 A: JA

citrinipes umui Kusama & Takakuwa, 1984: 14 A: JA (Ryukyus)

hayashii Hayashi, 1974c: 60 (*Serixia*) A: TAI

mizutanii Niisato, 1989: 10 A: JA

yakushimana Hayashi, 1976: 22 A: JA

genus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758

subgenus *Compsidia* Mulsant, 1839: 182 type species *Cerambyx populneus* Linnaeus, 1758

balsamifera Motschulsky, 1860b: 151 (*Compsidia*) A: ES FE JA MG NC QIN NMO SC XIN XIZ

innotatipennis Pic, 1910a: 2

bacillicornis Pesarini & Sabbadini, 1997: 116 A: GAN QIN

bilineatocollis Pic, 1924a: 19 A: FE GAN HEB HEN HUB JIA QIN SCH SHA SHG

gilanense Shapovalov, 2013: 141 (*Compsidia*) A: IN

nigra Gressitt, 1951a: 552 A: SHA

populnea Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC
MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ANH ES FE FUJ GAN GG GUA HEB HEI HEN HUB
IN JIA JIL KZ LIA MG NIN NMO SC SHA SHN SHX TR WS XIN NAR

betulina Geoffroy, 1785: 78 (*Leptura*)

decempunctata DeGeer, 1775: 78 (*Cerambyx*)

populi Duméril, 1860: 607

salicis Zetterstedt, 1818: 258

quercus ocellata Abeille de Perrin, 1895a: ccxxix A: IS JO SY TR

quercus quercus Charpentier, 1825: 224 E: BH BU GR TR YU

subgenus *Lopezcolonia* Alonso-Zarazaga, 1998: 131 [RN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)

Argalia Mulsant, 1863: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)

alberti Plavilstshikov, 1915b: 80 [RN] A: ES FE GUA HEB JA JIL KZ MG NC SC TAI WS

decempunctata Gebler, 1830: 186 [HN]

internescalaris Pic, 1934g: 36 A: SCH

interrupta Gebler, 1825: 52 A: ES FE FUJ HEN JA JIL NC SC WS

laterimaculata Motschulsky, 1860b: 151

kojimai Makihara & Nakamura, 1985: 18 A: TAI

maculosa Ménétériés, 1832: 226 A: AB IN

octomaculata Blessig, 1873: 221 A: ES FE JA MG SC SHN

octopunctata Scopoli, 1772: 101 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT LT MD PL RO SK SL SP ST
SZ UK YU A: AB AR GG TR

magnini Dayrem, 1928b: 77

sexpunctata Reitter, 1909a: 57

tiliae Schrank, 1798: 667

tremula Fabricius, 1775: 186

ohbayashii Podaný, 1963c: 62 [RN] A: JA
breuningii K. Ohbayashi, 1957: 14 [HN]
pallidipennis Gressitt, 1951a: 553 A: SHA
perforata Pallas, 1773: 723 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT MD NR NT PL RO SK
 SP ST SV SZ TR UK A: AB AR ES FE GG IN KZ MG NE TR WS XIN N: AG
albella Reitter, 1913d: 665
algerica Pic, 1903a: 8
decempunctata Goeze, 1777: 506 (*Leptura*)
duodecimpunctata Brahm, 1790: 176 (*Cerambyx*)
pallidipes Pic, 1904b: 9
rudolphi Cederhjelm, 1798: 92
seydlii Frölich, 1793: 135
punctata Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AN AU BH BU BY CR CT CZ EN FR GE GR HU IT **KZ** LA LT MA MC MD
 NT PL RO SK SL SP ST SZ TR UK YU N: AG A: AB AR CY GG TR
gallica Pic, 1918d: 5
scalaris hieroglyphica Pallas, 1773: 723 (*Cerambyx*) E: CT NT ST A: ES FE HEI JIL KZ LIA MG NC SHN WS XIN
varia Gmelin, 1790: 1875 (*Leptura*)
variegata Goeze, 1777: 506 (*Leptura*)
scalaris scalaris Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT
 LU MD NE NL NR NT PL RO SK SP ST SV SZ TR UK YU A: AB AR GG KZ TR N: AG
algeriensis Breuning, 1952: 176
estellae Mulsant, 1839: 188
fenestrata Reineck, 1919: 72
xantha Demelt, 1960: 182
simulans Gahan, 1888b: 64 A: HUN JIA JIL SCH
subobliterata Pic, 1910c: 13 A: FE HEI JA JIL SC
mandschukuoensis Breuning, 1943b: 104
harbinensis **Chiang**, 1983: 60, 66 [RN]
subscalaris Breuning, 1952: 179 A: YUN
tetrastigma Bates, 1879b: 466 A: JA SC TAI
yezoana Matshushita, 1933: 402 (*Cagosima*)
viridipennis Gressitt, 1951a: 554 A: SHA
subgenus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
Amilia Mulsant, 1863: 376 type species *Saperda phoca* Frölich, 1793 (= *Saperda similis* Laicharting, 1784)
Anaerea Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758
carcharias Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU
 MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG
 NC SCH SHA TR WS XIN
grisescens Mulsant, 1839: 184 (*Anaerea*)
villosa Gmelin, 1790: 1837 (*Cerambyx*)
jansonis Z. Wang, 2003: 382, 397 A: JIL
similis Laicharting, 1784: 31 E: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT MC NR NT PL RO SK SL SP ST SV SZ
 UK YU A: ES FE KI KZ MG TD UZ WS
albopubescentis Pic, 1925d: 11
phoca Frölich, G. F. 1793: 139

genus *Savang* Breuning, 1963b: 51 type species *Savang vatthanai* Breuning, 1963
sulphuratus Pesarini & Sabbadini, 1997: 117 A: SCH

genus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
subgenus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
Iole Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858
Iolea Pascoe, 1862a: 353 [RN]
albopleura Gressitt, 1935e: 291 A: TAI
aurescens Breuning, 1965c: 52 A: GUX **ORR**
botelensis Kano, 1933a: 288 A: TAI
bootangana Breuning, 1958e: 213 A: BT SD
chinensis Breuning, 1948e: 121 A: GUI
formosana Breuning, 1960d: 13 A: TAI
juisuiensis Hayashi, 1974c: 61 A: TAI
kisana Matsushita, 1937: 105 (*Neopraolea*) A: TAI
subsericea Gressitt, 1938b: 170
prolata prolata Pascoe, 1858: 254 (*Iole*) A: HAI **ORR**
abbreviata Gressitt, 1940b: 200
tonkinea Pic, 1922c: 14
pubescens Gressitt, 1940b: 201 A: HAI **YUN**
sedata gigantea Breuning, 1950c: 217 A: CH
sedata sedata Pascoe, 1862a: 354 A: GUX HAI YUN **ORR**

signaticornis Schwarzer, 1925c: 149 A: TAI
sinica Gressitt, 1937d: 616 A: JIX
testaceicollis Kano, 1933a: 287 A: TAI

genus *Stenostola* Dejean, 1835: 350 type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)
alboscuteolata Kraatz, 1862: 124 E: GR
atra Gressitt, 1951a: 608 A: SHA
basisuturalis Gressitt, 1935g: 573 A: SCH SHA
dubia Laicharting, 1784: 52 (*Saperda*) E: AU BE BH CR CT CZ DE EN FI FR GE HU IR IT LS LU MD NL NR PL RO SL SK SP
ST SL SV SZ UK YU A: AB AR GG
tiliae Küster, 1846d: 59
ferrea ferrea Schrank, 1776: 66 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL
RO SK SL SP ST SZ UK YU A: AB AR GG TR
nigripes Fabricius, 1793: 310 (*Saperda*)
plumbea Bonelli, 1812: 180 (*Saperda*)
ferrea maculipennis Holzschuh, 1982b: 155 E: ST ?UK
nigerrima Breuning, 1947b: 21 (*Phytoecia*) A: FE JA
pallida Gressitt, 1951a: 610 A: SHA

genus *Spinoberea* Breuning, 1954g: 528 type species *Obera subspinosa* Pic, 1922
cephalotes Gressitt, 1942b: 7 (*Nupserha*) A: SCH
subspinosa Pic, 1922e: 28 (*Obera*) A: SCH YUN ORR
rufopubens Gressitt, 1942b: 8 (*Nupserha*)

genus *Stibara* Hope, 1840: 79 type species *Stibara tetraspilota* Hope, 1840
nigrovittata Breuning, 1954g: 467 A: "India"
rufina Pascoe, 1858: 259 A: GUX YUN ORR
dichroma J. Thomson, 1865a: 560
grisescens Pic, 1928b: 22
laosensis Pic, 1925a: 32
obsoleta J. Thomson, 1860: 60
tetraspilota Hope, 1840: 79 A: NP SD PA
tricolor Fabricius, 1793: 309 (*Saperda*) A: CE SE YUN ORR
beloni Pic, 1907d: 22
multipunctata Pic, 1925f: 188
pallidior Pic, 1943b: 4

genus *Thermistis* Pascoe, 1867b: 438 type species *Lamia croceocincta* Saunders, 1839
cheni Lin & Chou, 2012: 49 A: SCH YUN
conjunctesignata Rondon & Breuning 1971: 546 A: YUN ORR
croceocincta Saunders, 1839: 178 (*Lamia*) A: ANH FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE ORR
hainanensis Lin & Yang, 2012: 32 A: HAI
kaiyuni Chou & Kurihara, 2012: 45 A: TAI
nigromacula Hua, 1992: 523 A: HUN
rubromaculata Pu, 1984: 61 A: GUX
sagittifera Pesarini & Sabbadini, 2000: 65 A: SCH
sulphureonotata Pu, 1984: 61 A: GUX
taiwanensis Nara & S.-K. Yu, 1992: 132 A: TAI
xanthomelas Holzschuh, 2007: 263 A: FUJ GUI GUX HAI YUN ORR

genus *Thyestilla* Aurivillius, 1923: 491 [RN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)
Thyestes J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)
coerulea Breuning, 1943b: 100 A: SCH
gebleri Faldermann, 1835c: 434 (*Saperda*) A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC
NMO QIN SC SCH SHA SHX TAI ZHE
curtipennis Pic, 1952b: 5 (*Phytoecia*)
funebri Gahan, 1888b: 67 (*Thyestes*)
infernalis Pic, 1904e: 17 (*Phytoecia*)
kadowakii Fujimura, 1962: 211
lepesmei Gilmour, 1950: 554
nigrinus Plavilstshikov, 1915: 109
pubescens J. Thomson, 1864: 116 (*Thyestes*)

tribe Tetropini Portevin, 1927

genus *Lenotetrops* Danilevsky, 2012g: 5 type species *Lenotetrops ivanovae* Danilevsky, 2012g
ivanovae Danilevsky, 2012g: 6 A: AF

genus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758
Anaetia Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758
Mimosophronica Breuning, 1943a: 53 type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903)
Polyopsia Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758
bicoloricornis Kostin, 1973: 207 A: KZ UZ
brunneicornis Pu, 1985a: 102 A: XIN
elaeagni Plavilstshikov, 1954: 474 E: ST A: KZ TM UZ
plavilstshikovi Kostin, 1973: 206
formosus bivittulatus Jankowski, 1934: 112 A: KZ
formosus formosus Baeckmann, 1903b: 311 A: KI
strandiellus Breuning, 1943a: 53 (*Mimosophronica*)
formosus songaricus Kostin, 1973: 206 A: KZ
gilvipes adlbaueri Lazarev, 2012: 951 E: (CZ)
gilvipes efetovi Lazarev, 2012: 949 E: UK
gilvipes gilvipes Faldermann, 1837: 290 (*Anaetia*) E: ST UK A: AB AR GG IN TM TR
gilvipes murzini Lazarev, 2012: 950 A: AB IN TM
gilvipes niger Kraatz, 1859: 57 E: IT FR SZ
muehlfeldi Mulsant, 1863: 348 (*Polyopsia*)
hauseri Reitter, 1897c: 225 A: KI XIN
kostini Özdikmen & Turgut, 2008e: 625 [RN]
niger Kostin, 1973: 207 [HN]
mongolicus Murzin, 1977: 301 A: ES MG
praeustus algiricus Chobaut, 1894b: cclxxvi N: AG
praeustus anatolicus Özdikmen & Turgut, 2008e: 627 A: TR SY
praeustus angorensis Pic, 1918d: 11 A: TR
praeustus praeustus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA
LS LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES GG KZ MG SY TR WS
inapicalis Pic, 1891b: 37
pilosus Geoffroy, 1785: 78 (*Leptura*) [HN]
ustulatus Hagenbach, 1822: 11 (*Saperda*)
rosarum Tsherepanov, 1975a: 34 A: FE
starkii aquilus Danilevsky, 2012m: 937, 939 E: ST
starkii starkii Chevrolat, 1859a: 541 E: AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LT MD NL NR PL RO SK
SL SP ST SV SZ UK YU A: AB
mesmini Pic, 1928c: 6
vicinus Pic, 1928c: 6
warncke Holzschuh, 1977a: 133 A: TR

tribe Tragocephalini J. Thomson, 1857

genus *Chariesthes* Chevrolat, 1858: 312 type species *Chariesthes multinotata* Chevrolat, 1858
subgenus *Sokothes* Adlbauer, 2002: 20 type species *Chariesthes socotraensis* Adlbauer, 2002
socotraensis Adlbauer, 2002: 20 A: YE (Suqutra)

genus *Cherochariesthes* Téocchi, 1989: 10 type species *Pseudochariesthes variegata* Breuning, 1939
holzschuhi Téocchi, 1989: 11 (*Freapomecyna*) A: SA YE

genus *Dinocephalus* Peringuey, 1899: 323 type species *Dinocephalus ornatus* Peringuey, 1899
heissi Holzschuh, 1991d: 296 A: SA

tribe Xenoleini Lacordaire, 1872

genus *Hirtaeschopalea* Pic, 1925a: 22 type species *Hirtaeschopalea albolineata* Pic, 1925
Jezohammus Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933
albolineata Pic, 1925a: 22 A: YUN ORR
fasciculata Breuning, 1938c: 226 A: FUJ GUA ORR
obliqua Gressitt, 1940a: 9 (*Xenolea*)
nubila Matsushita, 1933b: 347 (*Yezohammus*) A: JA SC

genus *Xenolea* J. Thomson, 1864: 91 type species *Xenolea collaris* J. Thomson, 1864
Aeschopalea Pascoe, 1864a: 10 type species *Aeschopalea agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)
asiatica Pic, 1925c: 16 (*Aeschopalea*) A: GUA GUX HAI HEN HKG HUB JA JIX NP SC SCH TAI YUN ZHE ORR
collaris collaris J. Thomson, 1864: 91 A: TAI AUR ORR
agraria Pascoe, 1864a: 24 (*Aeschopalea*)
grisella Pascoe, 1864a: 25 (*Aeschopalea*)
laticollis Pascoe, 1864a: 25 (*Aeschopalea*)
collaris formosana Breuning, 1965h: 177 A: TAI

tribe Xylorhizini Lacordaire, 1872

genus *Cyrtogrammus* Gressitt, 1939a: 67 type species *Cyrtogrammus lateripictus* Gressitt, 1939
lateripictus Gressitt, 1939a: 67 A: GUA **ORR**

genus *Kuatuniana* Hua, 2002: 212 [RN] type species *Kuatuniana subasperata* Gressitt, 1951
Kuatuniana Gressitt, 1951a: 437 [HN] type species *Kuatuniana subasperata* Gressitt, 1951
subasperata Gressitt, 1951a: 438 (*Kuatuniana*) A: FUJ

genus *Microxylorhiza* Hayashi, 1974c: 38 type species *Microxylorhiza matsudai* Hayashi, 1974
matsudai Hayashi, 1974c: 39 A: TAI

genus *Parathylactus* Breuning & de Jong, 1941: 65 type species *Thylactus dorsalis* Gahan, 1890
dorsalis Gahan, 1890a: 58 (*Thylactus*) A: NP

genus *Thylactus* Pascoe, 1866b: 242 type species *Thylactus angularis* Pascoe, 1866
angalis Franz, 1954: 95 A: SCH **AURi**
chinensis Kriesche, 1924: 289 A: GUA SCH **TAI ORR** [Yamasako & Chou, 2014c]
angustatus Pic, 1925a: 24
densepunctatus Chiang & Li, 1984: 100 A: YUN
dentipennis W.-K. Wang & S.-N. Jiang, 1998: 462 A: YUN
pulawskii Hua, 1986c: 211 A: GUX
sikkimensis Breuning, 1938c: 224 A: GUI HEN HUN JIX NP SD YUN ZHE **ORR**
simulans Gahan, 1890a: 58 A: SD YUN
uniformis Pic, 1934a: 10 A: "South China"

genus *Xylorhiza* Dejean, 1835: 344 type species *Lamia adusta* Wiedemann, 1819
adusta Wiedemann, 1819: 182 (*Lamia*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE **ORR**
venosa Laporte, 1840: 476
pilosipennis Breuning, 1943a: 16 A: GUX HKG **ORR**
erectepilosa Tippmann, 1951: 309

family Cerambycidae, nomina dubia

Lamia aspera Roemer, 1789: 46[pl. 5] **E: IT**

Cerambyx carbonarius Scopoli, 1763: 56

Stenocorus lucidus Scopoli, 1772: 98

References.

- Alonso-Zarazaga M. A. 2009: A peculiar interpretation of the Code: the case of *Cerosterna* Dejean, 1835 (Col., Cerambycidae). *Bulletin de la Société entomologique de France*, vol. 114, no 4: p. 444.
- Ambrus R., Grosser W. & Hrbek J. 2014: Contribution to the knowledge of longhorn beetles from Cyprus (Coleoptera: Cerambycidae). *Humanity space. International almanac* 3(2): 173-190.
- Barševskis A. & Savenkov N. 2013: Contribution to the knowledge of long-horned beetles (Coleoptera: Cerambycidae) in Latvia.- *Baltic Journal of Coleopterology*, 13(2): 91 – 102.
- Bassi C. 1834: Description de quelques nouvelles espèces de coléoptères de l'Italie. *Annales de la Société Entomologique de France* 3: 463-472.
- Bates H. W. 1884a: Longicorn beetles of Japan. Additions, chiefly from the later collections of G. Lewis, and notes on the synonymy, distribution, and habits of the previously known species.- *Journal of the Linnean Society of London, Zoology*, 18: 205-261. 2 pls.
- Bates H. W. 1884b: New Longicorn Coleoptera of the Monohamminae group from tropical West Africa.- *The Entomologist's Monthly Magazine*, London 21: 14-18.
- Bentanachs J. 2010: Nouveaux Callichromatini de l'Institut royal des Sciences naturelles de Belgique. *Lambilionea* 1(3): 305-309.
- Bentanachs J. 2012: Revision del genero *Polyzonus* Dejean, 1835 y generos afines (Coleoptera, Cerambycidae, Callichromatini). *Cahiers Magellanes* 8 (N.S.): 1-100.

- Bentanachs J. 2013: Callichromatini nouveaux de la région orientale (Coleoptera, Cerambycidae, Cerambycinae). *Cahiers Magellanes* 11 (N.S.): 92-102.
- Bentanachs J., Niisato T. & Ohbayashi N. 2011: Synonymic Notes on Callichromatine Species (Coleoptera, Cerambycidae, Cerambycinae) Described from Japan. *Elytra, Tokyo, New Series*, 1(1): 125-129.
- Bernhauer D. 2010: Eine neue Art der Gattung Dorcadion Dalm. aus der Turkey, nördlich von Anamur. (Coleoptera, Cerambycidae, Lamiinae). 2. Beitrag zur Kenntnis der türkischen Dorcadion. *Coleoptera* 14: 189-194.
- Bernhauer D. & Peks H. 2010a: Zwei neue Arten der Gattung Dorcadion Dalm. aus der Turkey, nördlich von Anamur. (Coleoptera, Cerambycidae, Lamiinae), sowie eine neue Unterart zu *Dorcadion lodosi* Sabbadini und Pesarini. 3. Beitrag zur Kenntnis der türkischen Dorcadion. *Coleoptera* 14: 195-206.
- Bernhauer D. & Peks H. 2010b: Eine neue Art der Gattung Dorcadion Dalm. aus der Turkey, Umgebung göls. (Coleoptera, Cerambycidae, Lamiinae), sowie eine neue Unterart zu *Dorcadion lodosi* Sabbadini und Pesarini. 4. Beitrag zur Kenntnis der türkischen Dorcadion. *Coleoptera* 14: 207-212.
- Bernhauer D. & Peks H. 2011a: Vier neue Arten der Gattung Dorcadion Dalm. aus der Nord-west-Turkey. (Coleoptera, Cerambycidae, Lamiinae). 5. Beitrag zur Kenntnis der türkischen Dorcadion. *Coleoptera* 15: 201-214.
- Bernhauer D. & Peks H. 2011b: Fünf neue Arten der Gattung Dorcadion Dalm. aus dem mittleren bis östlichen Taurus (Coleoptera, Cerambycidae, Lamiinae). 6. Beitrag zur Kenntnis der türkischen Dorcadion. *Coleoptera* 15: 215-227.
- Bernhauer D. & Peks H. 2012: Vier neue Arten der Gattung Dorcadion Dalm. aus der Osttürkei. (Coleoptera, Cerambycidae, Lamiinae). 7. Beitrag zur Kenntnis der türkischen Dorcadion. *Entomologische Blätter und Coleoptera* 108: 209-221.
- Bernhauer D. & Peks H. 2013a: Drei neue Arten der Gattung Dorcadion Dalman, 1817 aus der Südost-Türkei, sowie drei neue Unterarten von *D. (Cribridorcadion) goelbasiense* sp.n. (Coleoptera, Cerambycidae, Lamiinae). 8. Beitrag zur Kenntnis der türkischen Dorcadion. *Entomologische Blätter und Coleoptera* 109: 309-323.
- Bernhauer D. & Peks H. 2013b: Vier neue Arten der Gattung Dorcadion Dalman, 1817 aus der Nordtürkei, (Coleoptera, Cerambycidae, Lamiinae). 9. Beitrag zur Kenntnis der türkischen Dorcadion. *Entomologische Blätter und Coleoptera* 109: 325-336.
- Bernhauer D. & Peks H. 2014: *Dorcadion skoupyorum* nom. nov. for *Dorcadion skoupyi* Bernhauer & Peks, 2014 (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 191-192.
- Bi W.-X. 2013: Description of a new species of the genus *Spinipocregyes* Breuning (Coleoptera, Cerambycidae, Lamiinae, Mesosini) from Haianan, South China.). Pp.: 103-106. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Bi W.-X. & Lin M.-Y. 2012: Description of a new species of the genus *Paraleprodera* from Xizang, China (Coleoptera, Cerambycidae, Lamiinae, Monochamini). *Humanity space. International almanac* 1, Supplement 12: 4-11.
- Bi W.-X. & Lin M.-Y. 2013: Description of a new species of *Distenia* (Coleoptera, Disteniidae, Disteniini) from Southeastern China, with records and diagnoses of similar species. *ZooKeys* 275: 77-89.
- Bi W.-X. & Lin M.-Y. 2014: Notes on the genus *Microcriodes* Breuning, with description of a new species from Xizang, China (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *ZooKeys* 412: 1-8.

- Bi W.-X. & Ohayashi N. 2014: Notes on the Tribe Xylosteini (Coleoptera, Cerambycidae) with Descriptions of One New Genus and Three New Species from China. *Elytra, Tokyo*, New Series 4 (1): 5–16.
- Breuning S. 1970d: Nouveaux Dorcadion des collections du Muséum de Paris. *L'Entomologiste* **26**: 97-101.
- Brullé G. A. 1832: I Ve Classe. Insectes. Pp. 1-228. In: **Bory de Saint-Vincent J.B.G.M.**: *Expédition scientifique de Morée. Section des sciences physiques. Tome III. - I. re Partie. Zoologie. Deuxième Section. - Des animaux articulés*. Paris, Strasburg: F. L. Levrault, [1] + 400 + [2(errata)] pp., pls 27-53 [note: pp. 289-400 issued in 1833; **plates in 1832-1836**].
- Büttner [Büttner J. G.] 1818: *Molorchus abbreviatus* Fab. *Magasin der Entomologie* (Germar) **3**: 245.
- Chevrolat L. A. A. 1838: Du Necdalis major de Linné, Molorchus abbreviatus de Fabricius. *Revue Entomologique* (Silbermann) [5]: 73-78 [separate issue only].**
- Chiang S.-N. 1983: [new taxon]. In: **Chou I., Chao H.-F. & Chiang S.-N.**: Modification of insect scientific names connected with 'Manchukuo'. *Entomotaxonomia* **5**: 60-66.
- Chiang [S.-N.] [=Jiang S.-N.] & Wang Z. 2003: [new taxon], pp. 304, 396.- In: Wang Z. *Monographia of original colored longicorn beetles of China's north-east*. Jilin Science and Technology Publishing House, 420 + [1] pp. (in Chinese with English Abstanct).**
- Chou I., Chao H.-F. & Chiang S.-N. 1983: Modification of insect scientific names connected with 'Manchukuo'. *Entomotaxonomia* **5**: 60-66.**
- Chou W.-I. 2009: Discovery of the Lepturine Genus *Pidonia* Mulsant (Coleoptera, Cerambycidae) from Guangxi, Southwest China. *Special Bulletin of the Japanese Society of Coleopterology* **7**: 109-115.
- Chou W.-I., Chung Y.-T. & Lin M.-Y. 2010: Description of *Eutetrappa lini* sp. nov. from Taiwan, China (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Acta Zootaxonomica Sinica* **35**(2): 313-318.
- Chou W.-I. & Ohbayashi N. 2010: A New Genus and Four New Species of Taiwanese Lepturinae (Coleoptera, Cerambycidae). Studies on the Taiwanese Lepturinae, III. *Japanese Journal of Systematic Entomology* **16** (2): 359-371.
- Chou W.-I. & Ohbayashi N. 2011: A Replacement Name for *Pseudostrangalia* Chou et N. Ohbayashi, 2010 (Coleoptera, Cerambycidae). *Japanese Journal of Systematic Entomology* **17** (1): 9.
- Costa A. 1855: [new names] Coleotteri tetrameri. Sezione de'longicorni. *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto: 1- 68 + 1 + Tav. XXXI – XXXVI. [note: Part II issued in 21 “foglio’s”]
- Costa A. 1856: Foglio 16. Pp. 49-56. Coleotteri tetrameri. Sezione de'longicorni. [Gen. *Clytus* (cont.) and *Anaglyptus*]. In: *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto, 68 pp.
- Danilevsky M. L. 2009a: A new species of the genus *Sophronica* Blanchard, 1845 (Coleoptera, Cerambycidae) from Russian Primorie. *Euroasian Entomological Journal* **8** (1): 25-26, tab.II.
- Danilevsky M. L. 2009b: New Dorcadion (s. str.) Dalman, 1817 (Coleoptera: Cerambycidae) from Orenburg Region of Russia. *Caucasian Entomological Bulletin* **5**(1): 69-71, plates 1-2.
- Danilevsky M.L. 2010: New Acts and Comments. Cerambycidae, pp. 43-49. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp

- Danilevsky M. L. 2010a: New and poorly known Longicorn-beetles of the genus *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) from South-East Europe. *Caucasian Entomological Bulletin* **6**(1): 57-60, plates 3-5.
- Danilevsky M. L. 2010b: Four new *Phytoecia* (Coleoptera: Cerambycidae) from Turkey. *Studies and reports of District Museum Prague-East. Taxonomical Series* **6**(1-2): 19-30.
- Danilevsky M. L. 2010c: New taxa of longicorn-beetles (Coleoptera, Cerambycidae) from Transcaucasia and North Iran. *Eversmannia. Entomological research in the Russia and adjacent regions* 23-24: 3-9 + 2 plates.
- Danilevsky M. L. 2010d: Phymatodes (Phymatoderus) vandae sp. nov. from Greece (Coleoptera: Cerambycidae). *Folia Heyrovskyana, series A*, **18** (1-3): 67-70.
- Danilevsky M.L. 2010e: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. *Russian Entomological Journal* **19**, 3: 215-239.
- Danilevsky M. L. 2011a: Novyy zhuk-usach roda *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) iz Zhigulevskogo zapovednika (Samarskaya oblast, Rossiya), pp. 42-47. In: *Issledovaniya v oblasti estestvennyh nauk i obrazovaniya. Mezhvuzovskiy sbornik nauchno-issledovatel'skikh rabot. Vypusk 2*. Samara: "Povolzhskaya gosudarstvennaya sotsialno-gumanitarnaya akademiya": 188pp.
- Danilevsky M.L., 2011b: New subspecies of *Stenurella bifasciata* (Müller, 1776) (Coleoptera, Cerambycidae) from South West Turkey. *Munis Entomology & Zoology* **6** (1): 1-5.
- Danilevsky M.L., 2011c: New species of the genus *Olenecamptus* Chevrolat, 1835 (Coleoptera: Cerambycidae) from Russian Ussuri Region. *Russian Entomological Journal* **20**(1): 67-70.
- Danilevsky M.L. 2011d: New species of the genus *Pachytella* Heyrovský, 1969 (Coleoptera, Cerambycidae) from Mongolia. *Euroasian Entomological Journal* **10**(2): 253-254, Pl.3.
- Danilevsky M.L., 2011e: A review of genus *Protapatophysis* Semenov-Tian-Shanskij et Stschegoleva-Barovskaia, 1936 stat. nov. (Coleoptera: Cerambycidae: Apatophyseinae). *Studies and reports of District Museum Prague-East. Taxonomical Series*, **7**(1-2): 93-104.
- Danilevsky M.L., 2011f: *Molorchus (Nathrioglaphyra) smetanai* sp. nov. (Coleoptera: Cerambycidae) from South China. *Studies and reports of District Museum Prague-East. Taxonomical Series* **7**(1-2): 105-108.
- Danilevsky M.L., 2011g: A new species of genus *Aegosoma* Audinet-Serville, 1832 (Coleoptera, Cerambycidae) from the Russian Far East with the notes on allied species. *Far Eastern Entomologist* **238**: 1-10.
- Danilevsky M.L., 2011h: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. II. *Russian Entomological Journal* **19** [2010], 4: 313-324.
- Danilevsky M.L., 2012a: A new subspecies of *Dorcadion* (s. str.) *glycyrrhizae* (Pallas, 1773) (Coleoptera: Cerambycidae) from Wst Kazakhstan. *Munis Entomology & Zoology* **7**, No. 1: 46-50.
- Danilevsky M.L., 2012b: Two new subspecies of *Cortodera villosa* Heyden, 1876 (Coleoptera, Cerambycidae) from South Russia. *Caucasian Entomological Bulletin* **7**[2011] (2): 139-141, plates 3-4.
- Danilevsky M.L. 2012c: A new species of genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from Israel. *Humanity Space. International Almanac* **1**. Supplement 1: 4-7.
- Danilevsky M.L. 2012d: New Chinese *Purpuricen* Dejean, 1821 (Coleoptera, Cerambycidae) close to *P. temminckii* Guérin-Méneville, 1844 group of species. *Humanity Space. International Almanac* **1**. Supplement 1: 8-28.

- Danilevsky M.L. 2012e: A contribution to the revision of the genus *Rhamnusium* Latreille, 1829 (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 8 (1-2): 43-65.
- Danilevsky M.L. 2012f: New species of genus *Cortodera* Mulsant 1863 from Bulgaria (Coleoptera, Cerambycidae). *ANIMA.X* 44: 1-4.
- Danilevsky M.L. 2012g: *Lenotetrops ivanovae*, gen. nov., sp. nov. from Afghanistan (Coleoptera, Cerambycidae). *ANIMA.X* 44: 5-8.
- Danilevsky M.L., 2012h: A new species of the genus *Paraxylocrius* Niisato, 2009 (Coleoptera, Cerambycidae) from Ussuriland of Russian Far East. *Humanity Space. International Almanac*, Vol. 1. Supplement 8: 4-10.
- Danilevsky M.L. 2012i: New data on *Dorcadion* Dalman, 1817 (Coleoptera, Cerambycidae) of middle Chu-river basin in Kazakhstan and Kirgizia. *Humanity Space. International Almanac*, Vol. 1. Supplement 11: 4-46.
- Danilevsky M.L., 2012j: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. *Munis Entomology & Zoolog* 7, No. 1: 109-173.
- Danilevsky M.L., 2012k: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV.- *Humanity Space. International Almanac*, Vol. 1, No. 1: 86-136.
- Danilevsky M.L., 2012l: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. V.- *Humanity Space. International Almanac*, Vol. 1, No. 3: 695-741.
- Danilevsky M.L., 2012m: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VI. *Humanity space. International almanac* 1 (4): 900-943.
- Danilevsky M.L. 2013a: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VII. *Humanity space. International almanac* 2 (1): 170-210.
- Danilevsky M.L. 2013b: New and poorly known species of the genus *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) from Kazakhstan. *Humanity space. International almanac* 2 (1): 211-221.
- Danilevsky M.L. 2013c: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VIII. *Humanity space. International almanac* 2 (3): 401-424.
- Danilevsky M.L. 2013d: *Cortodera kiesenwetteri gusakovi* ssp. n. from north-west Kazakhstan (Coleoptera, Cerambycidae). *Humanity space. International almanac* 2 (3): 425-427.
- Danilevsky M.L. 2013e: *Dorcadion* (*Cribridorcadion*) *cinerarium demidovi* ssp. n. (Coleoptera, Cerambycidae) from South-West Ukraine. *Humanity space. International almanac* 2 (3): 428-432.
- Danilevsky M.L. 2013f: New *Dorcadion* (Coleoptera, Cerambycidae) from Kazakhstan. *Humanity space. International almanac* 2 (3): 433-442.
- Danilevsky M.L. 2013g: Six new Longicorn (Coleoptera, Cerambycidae) taxa from Russia and adjacent countries. *Humanity Space. International Almanac* 2. Supplement 2: 28-41.
- Danilevsky M.L. 2014a: Two new *Eodorcadion* Breuning, 1947 from Mongolia (Coleoptera, Cerambycidae). Pp. 151-155. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Danilevsky M.L. 2014b: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IX. *Humanity space. International almanac* 3(2): 193-250.

- Danilevsky M.L. 2014c: Two new subspecies of *Dorcadion aethiops* (Scopoli, 1763) from Bulgaria (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 251-254.
- Danilevsky M.L. 2014d: Two new species of genus *Cortodera* Mulsant, 1863 from Asia (Coleoptera, Cerambycidae).- *Humanity space. International almanac* 3(2): 255-258.
- Danilevsky M.L. 2014e: *Vadonia vartanisi* sp. n. from Turkey and *Vadonia hirsuta* (K. Daniel & J. Daniel, 1891) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 259-266.
- Danilevsky M.L. & Komiya Z. 2014: *Pogonarthron* (Multicladum subgen. n.) and a female of *Pogonarthron* (*Pseudomonocladum* Villiers, 1961, stat. nov.) *minutum* (Pic, 1905) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 267-271.
- Danilevsky M.L. & Lin M.Y. 2012: A contribution to the study of China *Dorcadioni* (Coleoptera, Cerambycidae). Part 2. *Humanity Space. International Almanac* 1. Supplement 4: 20-35.
- Dascalu M.-M. & Fusu L. 2012: *Dorcadion axillare* Küster, 1847 (Coleoptera, Cerambycidae): distribution, morphometrics, karyotype and description of a new subspecies from Romania. *Zootaxa* 3322: 35–48.
- Dauber D. 2006: Sechszwanzig neue Clytini aus Malaysia vornehmlich Borneo und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). *Linzer Biologische Beiträge* 38 (1): 423-453.
- Drumont A. & Bi W.-X. 2014. Description of a new *Sarmyds* species from Zixang Autonomous Region in China: *Sarmyds cheni* sp. nov. (4th contribution to the study of genus *Sarmyds* Pascoe, 1867) (Coleoptera, Cerambycidae, Prioninae). *Lambillionea* 113 [2013], 3: 267-271.
- Drumont A. & Griffee V. 2005: Une nouvelle espèce de Longicornes pour la faune de Belgique: *Gaurotes* (*Carilia*) *virginea* (Linnaeus, 1758) (Coleoptera, Cerambycidae). *Lambillionea* 105 (3), T.2: 433-436.
- Drumont A. & Weigel A. 2010: Description of a new *Sarmyds* species from Yunnan Province in China: *Sarmyds loebli* sp. n. (Coleoptera, Cerambycidae, Prioninae). *Cahiers Magellanes* 2 (N.S.): 66-72.
- Donisthorpe H. 1905: *Gramoptera holomelina*, Pool, a good species. *Entomologist's Record and Journal of Variation* 17: 182-183.
- Estlund O. 1796: Entomologiske **Anmärkningar** hörande til Fauna Svecica. *Kongl. Vetenskaps Academiens Nya Handlingar* 17: 126-132.
- Fabricius J. C. 1793: *Entomologia systematica emendata et aucta, secundum classes, ordines, genera, species, adjectis, synonymis, locis, observationibus, descriptionibus. Tomus I. Pars II.* Hafniae: C. G. Proft, xx + 538 pp.
- Fancello L. & Cillo D. 2012: Descrizione di una nuova specie di *Hesperophanes* della Sardegna (Coleoptera, Cerambycidae, Cerambycinae). *Estratto dagli annali del Museo civico di Storia Naturale "G. Doria"* 104: 252-264.
- Feng B. & Chen L. 2009: A new species and a new record species of the genus *Megopis* (Coleoptera, Cerambycidae, Prioninae) from China. *Acta Zootaxonomica Sinica* 34 (1): 38 – 41.
- Fujita H. 2010: Three new subspecies of *Xylotrechus chinensis* (Chevrolat, 1852) and *X. reductemaculatus* Hayashi, 1968 (Coleoptera, Cerambycidae) from Japan. *Gekkan-Mushi*, 476: 30-35.
- Gao W.-T., Meng Q.-F. & Yan M.-Z. 2011: A new species and a new record genus *Munamizoa* in Lepturinae (Coleoptera, Cerambycidae) from China. *Acta Zootaxonomica Sinica* 36(2):400-403.
- Gebler F. A. von. 1823b: **Coleoptera Sibiriae Orientalis**. *Mémoires de la Société Impériale des Naturalistes de Moscou* 6: 127-131.
- Götz G. F. 1783: **Beytrag** zur **Naturgeschichte** der **Insekten**. *Der Naturforscher* 19: 70-77, 1 pl.

- Gressitt J. L. 1950: Two new Oriental Prionids of the genus *Megopis* (Coleoptera: Cerambycidae). *The Pan-Pacific Entomologist* 26 (3): 134-136.
- Gronovius L.T. 1764: Zoophylacii Gronoviani. Fasciculus secundus. Exhibens enumerationem Insectorum, quae in Museo suo adservat, examini subjecit, systematice disposuit atque descripsit. Lugduni Batavorum, sumptibus auctoris: 141-236 [Les 20 planches et le volume 3 datent de 1781 (Index insectorum), la partie 1 de 1763]
- Han Ch.-do & Niisato T. 2010: A New Clytine Beetle Belonging to the Genus *Xylotrechus* (Coleoptera, Cerambycidae) from Taiwan. *Japanese Journal of Systematic Entomology* 16 (2): 249-254.
- Hasegawa M., Han T. & Oh S. H. 2014: A New Species Belonging to the New Agapanthiine Genus (Coleoptera, Cerambycidae, Lamiinae) from Korea. *Elytra, Tokyo*, N.S. 4 (1): 49–55.
- Hasegawa M. & Ohbayashi N. 2009: A Revisional Study of the Genus *Boninella* Gressitt (Coleoptera, Cerambycidae, Lamiinae). *Special Bulletin of the Japanese Society of Coleopterology* 7: 407-438.
- Hayashi M. 1982: The Cerambycidae of Japan (Col.) (13). *The Entomological Review of Japan* 37(2): 141-152.
- Hayashi M. & Villiers A. 1987: Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) With special reference to the type specimens' inspection. Part II. *Bulletin of Osaka Jonan Women's Junior College* 22: 1-20.
- Heyden C.H.G. von, 1844: Ueber zwei neue europäische Käfer. *Entomologische Zeitung (Stettin)* V, 1: 14-15.
- Heyden L.F.J.D. von & Faust J. 1888: Beiträge zur Kleinasiatischen Coleopteren-Fauna. *Deutsche Entomologische Zeitschrift* 32: 45-47.
- Holzschuh C. 2009: Beschreibung von 59 neuen Bockkäfern und vier neuen Gattungen aus der orientalischen und palaearktischen Region, vorwiegend aus Laos, Borneo, und China (Coleoptera, Cerambycidae). *Entomologica Basiliensia et Collectionis Frey* 31: 267-358.
- Holzschuh C. 2009: Eine neue Arten der Gattung *Glenea* Newman, 1842 aus dem Himalaya (Insecta: Coleoptera: Cerambycidae: Acanthocinini). *Biodiversität und Naturlausstattung im Himalaya III*. Erfurt: 423-422, Taf, XV-XVI.
- Holzschuh C. 2010: Beschreibung von 66 neuen Bockkäfern und zwei neuen Gattungen aus der orientalischen Region, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). *Entomologica Basiliensia et Collectionis Frey* 32: 137-225.
- Holzschuh C. 2011: Beschreibung von 69 neuen Bockkäfern und 6 neuen Gattungen aus Asien, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). *Entomologica Basiliensia et Collectionis Frey* 33: 249-328.
- Holzschuh C. 2012: Zwei neue Lamiinae aus Nepal (Insecta: Coleoptera: Cerambycidae), S.413-414 + Tf. XXXIV. In: M. Hartmann & J. Weipert (Ed.). *Biodiversität und Naturlausstattung im Himalaya IV*. Verein der Freunde & Foerderer des Naturkundemuseums Erfurt e. V., Erfurt: 492 S.
- Holzschuh C. 2013: Beschreibung von zehn neuen Bockkäferarten (Coleoptera: Cerambycidae) und einer neuen Gattung aus Südostasien. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 65: 5-21.
- Holzschuh C. & Lin Y.-L. 2013: Beitrag zur Bockkäferfauna von Taiwan, mit Beschreibung neuer Arten (Coleoptera, Cerambycidae). Pp.: 147-158. In: M.-Y. Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Huang X.-L., Pan J.-J. & Lin M.-J. 2014: Finding and description on the male of *Cortodera baltea* Holzschuh, 2003 and new province record from Inner Mongolia (Coleoptera: Cerambycidae: Lepturinae: Rhagiini). Pp. 168-172. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.

- Huang J., Wang W., Zhou Sh. & Wang Sh. 2009: Review of the Chinese species of *Apriona* Chevrolat, 1852, with proposal of new synonyms (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *Les Cahiers Magellanes*, 94: 1-23.
- Hubweber L. 2010: New Acts and Comments. Cerambycidae, pp. 61-62. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp.
- Hüdepohl K.-E. & Heffern D. J. **2004**: Notes on Oriental Lamiini (Coleoptera: Cerambycidae: Lamiinae). *Insecta Mundi* 16 [2002] (4): 247-249.
- Iñarra A. C. & Beltrán A. M. 2012: Descripción de una nueva especie del género *Iberodorcadion* Breuning, 1943 (Coleoptera, Cerambycidae, Lamiinae) de la Península Ibérica.- *Biocosme mésogéen*, Nice, 29 (2): 43-55.
- Jakobson G. G. **1895**: Tria Coleoptera nova e Rossia europea. *Horae Societatis Entomologicae Rossicae* **29** [1895-1896]: 520-524.
- Jakovlev B. E. [Jakowlew] **1893**: *Neodorcadion dux*; sp. n. *Horae Societatis Entomologicae Rossicae* **28**: 120-122.
- Jakovlev B. E. [Jakowlew] **1895**: Description de quelques longicornes paléarctiques nouveaux ou peu connus. *Horae Societatis Entomologicae Rossicae* **29** [1894-1895]: 506-514.
- Jakovlev B. E. [Jakowleff] **1899a [April]**: Quelques nouvelles espèces du sous-genre *Compsodorcadion* Ganglb. *Horae Societatis Entomologicae Rossicae* **33 [1901]**: 147-155.
- Jakovlev B. E. [Jakowleff] **1899b [May]**: Nouvelles espèces du genre *Dorcadion* Dalm. *Horae Societatis Entomologicae Rossicae* **34 [1899-1900]**: 59-70.
- Jingke L., Drumont A., Xueping Zh. & Lin L. 2013. Note on the egg productivity of females of *Callipogon* (*Eoxenus*) *relictus* Semenov-Tian-Shanskij, 1899, and first record for Inner Mongolia Autonomous Region in China (Coleoptera, Cerambycidae, Prioninae).- *Les Cahiers Magellanes*, (NS) 12: 52-56.
- Jiroux E, Garreaux Ph. & Gurko V. 2012: Note concernant *Anamera gigantea* Breuning, 1935, et description d'une nouvelles sous-espèces originaire du Balochistan (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* **7** (N.S.): 18-20.
- Kasatkin D. G. 2010: A new species of the genus *Phytoecia* Dejean 1835 (Coleoptera: Cerambycidae) from Eastern Turkey. *Caucasian Entomological Bulletin* **6**(1): 73-74, plate 6.
- Kasatkin D. G. 2012: A new species of the genus *Phytoecia* Dejean 1835 (Coleoptera: Cerambycidae) from Eastern Turkey. *Caucasian Entomological Bulletin* **7**[2011], 2: 73-74, plates 5-6.
- Kasatkin D. G. 2013: A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from Afghanistan. *Caucasian Entomological Bulletin* **9**, 2: 265, plates 5-6.
- Kiseleva E. F. **1927**: *O zhykakh – usachakh* (Coleoptera, Cerambycidae) okrestnostey g. Tomska. *Izvestiya Tomskogo Gosudarstvennogo Universiteta* **77 [1926]**: 123-133.
- Komiya Z. & Drumont A. 2012a: Description of two new taxa of the genus *Aegosoma* Audinet-Serville, 1832 from Borneo (Coleoptera, Cerambycidae). *Les Cahiers Magellanes*, NS, 9: 88-97.
- Komiya Z. & Drumont A. 2012b: Description of a New Genus Close to *Aegosoma* (Coleoptera, Cerambycidae, Prioninae) (Revisional Studies of the Genus *Megopis* sensu Lameere, 1909-11). *Elytra* **2** (2): 181-187.
- Kotán A. & Sama G. 2011: A new species of *Neoplocaederus* Sama, 1991 from Syria (Coleoptera: Cerambycidae, Cerambycinae). *Folia Entomologica Hungarica* **72**: 59-63.
- Kovács T., Németh T. & Merkl O. 2012: Beetles new to Albania, Croatia and Serbia (Coleoptera: Elateridae, Cucujidae, Melandryidae, Cerambycidae). *Folia Historico Naturali Musei Matraensis* **36**: 43-44.
- Kraatz G. 1878. [*Dorcadion lederi*: 353-355] In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. Brünn: W. Burkart, 358 pp., 6 pls.

- Kraatz G. 1893: *Dorcadion equestre* Laxm. var. **quadristrigatum** Krtz. *Deutsche entomologische Zeitschrift* **37**: 70, 1 pl.
- Krynicky J. [I.], 1832: Enumeratio Coleopterorum Rossiae meridionalis et praecipue in Universitatis Caesariae Charkoviensis circulo obvenientium, quae annorum 1827-1831 spatio observavit.- *Bulletin de la Société Impériale des Naturalistes de Moscou*, **5**: [+3pages] 68-179, pls II-III.
- [Krynicky J. I.] 1834 [no author's name in the publication]: Addenda et nonnulla synonyma Rossiae meridionalis Coleopterorum. (vide Bulletin. Vol. v. p. 69).- *Bulletin de la Société Impériale des Naturalistes de Moscou*, **7**: 166-173.
- Küçükkaykı E. C., Şirin Ü., Çalışkan H. & Şenyüz Y. 2013: Preliminary work on Longhorned Beetles fauna of Kaz Dağları (Ida Mountain) and near with two new subspecies (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **8** (1): 50-62.
- Laicharting J. N. E. von. 1784: *Verzeichniss und Beschreibung der Tyroler-Insecten. I. Theil. Käferartige Insekten. II. Band.* Zürich: Johann Caspar Füessly, xiv + 176 pp.
- Lameere A. 1912a: Révision des prionides. Vingt-et-unième mémoire: Anacolines. Vingt-deuxième mémoire. Addenda et corrigenda. *Mémoires de la Société Entomologique de Belgique* **21**: 1-188.
- Lazarev M. A. 2008: Zаметки по спорным вопросам систематики и распространения жуков-усачей (Coleoptera, Cerambycidae) России и сопредельных стран. Pp. 129-136. In: *Aktualnye problemy prioritetnykh napravleniy razvitiya estestvennykh nauk. Sbornik statey.* Moskva, Izdatelstvo «Prometey» MPGU: 220c.
- Lazarev M. A. 2009a: New species of Longicorn-beetle (Coleoptera: Cerambycidae) of the genus *Neoplocaederus* Sama, 1991 from Uzbekistan.- *Caucasian Entomological Bulletin* **5**(1): 143-144, plates 3-4.
- Lazarev M. A. 2009b: Taxonomical structure of *Dorcadion (Cribridorcadion) ciscaucasicum* Jakovlev, 1900 with the description of a new subspecies from Taman. *Eversmannia, Entomological research in the Russia and adjacent regions* No.19-20: 10-15 + 1 plate.
- Lazarev M. A. 2009c: Armenian *Dorcadion* (Coleoptera, Cerambycidae) of “cinerarium-group”. *Studies and reports of District Museum Prague-East. Taxonomical Series* **53** (1-2): 197-220.
- Lazarev M. A. 2010a: New species of genus *Dorcadion* (Coleoptera: Cerambycidae) from Transcaucasia. *Eversmannia, Entomological research in the Russia and adjacent regions*, No.21-22: 3-5 + 1 plate.
- Lazarev M. A. 2010b: New subspecies of *Brahyta rosti* Pic, 1900 from North Caucasus (Coleoptera, Cerambycidae). *Lambillionea* **110**, 2: 191-196.
- Lazarev M. A. 2010c: New subspecies of *Plagionotus arcuatus* (Linnaeus, 1758) from Transcaucasia and Kyrgyzstan (Coleoptera, Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* **6** (1-2): 149-164.
- Lazarev M. A. 2011a: *Murzinia karatauensis*, n. gen., n. sp. (Coleoptera: Cerambycidae: Lamiinae: Monochamini) from Kazakhstan. *Munis Entomology & Zoology* **6** (2): 639-641.
- Lazarev M. A. 2011b: New subspecies of *Brachyta interrogationis* (Linnaeus, 1758) from Caucasus (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* **6** (2): 859-865.
- Lazarev M. A. 2011c: A revision of the taxonomic structure of *Dorcadion cinerarium* (Fabricius, 1787) (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* **7** (1-2): 255-292.
- Lazarev M. A. 2012: Revision of the taxonomic structure of *Tetrops gilvipes* (Faldermann, 1837) (Coleoptera, Cerambycidae). *Humanity space. International almanac* **1** (4): 944-957.
- Lazarev M. A. 2013a: New subspecies of *Dorcadion scabricolle* (Dalman, 1817) of Iran and Azerbaijan (Coleoptera, Cerambycidae). *Humanity space. International almanac* vol. 2, No 1: 222-234.
- Lazarev M. A. 2013b: New species of *Agapanthia danilevskyi* from South Kazakhstan (Coleoptera, Cerambycidae). *Humanity space. International almanac* vol. 2, No 1: 235-237.

- Lazarev M. A. 2013c: Two new subspecies of *Agapanthia dahli* (Richter, 1821) from Dagestan and Armenia (Coleoptera, Cerambycidae). *Humanity space. International almanac* 2(3): 443-448.
- Lazarev M. A. 2013d: A new subspecies of *Agapanthia dahli* (C. F. W. Richter, 1820) from North-East Kazakhstan (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 9 (1): 127-131.
- Lazarev M.A. 2014: Taxonomy notes (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 272-285.
- Lefebvre A. L. 1835: **Description d'un Coléoptère nouveau**. *Revue Entomologique* (G. Silbermann) 3: 303-307.
- Levrat J. N. G. B. 1858: Description de deux coléoptères nouveaux. *Annales de la Société Linnéenne de Lyon* (2) 5: 261-263.
- Li Zh., Tian L.-Ch. & Chen L. 2013: A new species of *Demonax* Thomson (Coleoptera: Cerambycidae: Cerambycinae) from Southwest China, with a key to thirteen species from China. *Zootaxa* 3682 (3): 454-458.
- Li Zh., Cuccodoro G. & Chen L. 2014: On the identity of *Oberea formosana* Pic, 1911, with description of *Oberea pseudoformosana* sp. n. from China. *Revue suisse de Zoologie* 121 (1): 51-62.
- Lim J., Han Y., Lee B., Oh H. & Lyu D. 2012: A new species of *Clytus* Laicharting (Coleoptera: Cerambycidae) from Korea with a key to Korean species. *Entomological Research* 42: 192-195.
- Lim J., Lim J.-S. & Lee B.-W. 2013: A new species of *Eupogoniopsis* and new record of *Eupromus ruber* (Dalman) (Coleoptera, Cerambycidae) from South Korea.- *Entomological Research* 43: 358-364.
- Lin M.-Y. 2013: Three new species of the genus *Glenea* Newman, 1942 from the Oriental Region (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Pp.: 107-116. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Lin M.-Y. & Aston P. 2014: First record of the subfamily Lepturinae from the Hong Kong Fauna (Coleoptera, Cerambycidae). *Hong Kong Entomological Bulletin* 6 (1): 19-21.
- Lin M.-Y. & Bi W. 2011: A new genus and species of the subfamily Philinae (Coleoptera: Vesperidae). *Zootaxa* 2777: 54-60.
- Lin M.-Y., Bi W.-X. & Jiroux E. 2014: Three new synonyms of *Mecynippus ciliatus* (Gahan, 1888) (Cerambycidae: Lamiinae: Monochamini). *Journal of Insect Biodiversity* 2(5): 1-6.
- Lin M.-Y. & Dai L. 2012: Description of a new species of the genus *Glenea* from Tibet, China (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *ZooKeys* 216: 5-11.
- Lin M.-Y. & Danilevsky M.L., 2011: Two new subspecies of *Eodorcadion* Breuning, 1947 (Coleoptera, Cerambycidae) from Helan Mountains (Helanshan), Inner Mongolia. *Euroasian Entomological Journal* 10(3): 381-382, 380, Pl. 8.
- Lin M.-Y. & Holzschuh C. 2013: *Blamada rubripronota*, a new genus and species of the tribe Saperdini (Coleoptera: Cerambycidae: Lamiinae) from Southeast Asia. *Zootaxa* 3640 (1): 95-100.
- Lin M.-Y. & Lin W. 2011: *Glenea changchini* sp. nov. from Yunnan of China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2011 5 Aug.: 13-17.
- Lin M.-Y., Lin Y.-L., Li W.-Zh. & Yang X.-K. 2009: Study on *Glenea fainanensis* species group (Coleoptera, Cerambycidae, Lamiinae). *Acta Zootaxonomica Sinica* 34(2): 214-220.
- Lin M.-Y. & Liu F. 2012: A new species *Glenea weigeli* n. sp. from Yunnan, China, compared with *Glenea loosdregti* Breuning (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Cahiers Magellanes* 8 (N.S.): 113-117.

- Lin M.-Y., Montreuil O., Tavakilian G., & Yang X. 2009: Reinstatement of the genus *Heteroglenea* Gahan, with four new combinations, four new synonyms and three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2137: 1–22.
- Lin M.-Y., Tavakilian G. 2014. A strange new species *Glenea judsoni* sp. nov. from Taiwan, China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Pp. 161-167. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Lin M.-Y., Tavakilian G., Montreuil O. & Yang X. 2009: Eight species of the genus *Glenea* Newman, 1842 from the Oriental Region, with description of three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2155: 1–22.
- Lin M.-Y., Tavakilian G., Montreuil O. & Yang X. 2009: A study on the indiana & galathea species-group of the genus *Glenea*, with descriptions of four new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Annales de la Société Entomologique de France* (N. S.) **45** (2): 157-176.
- Lin M.-Y. & Tichý T. 2014: Taxonomic notes on three species described by Fu-Ji Pu (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* NS, N14, mars: 127-132.
- Lin M.-Y. & Yang X. 2011a: A new species *Glenea shuteae* sp. nov. from Yunnan, China, compared with *Glenea decolorata* Heller (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Acta Zootaxonomica Sinica* 36(1): 40-44.
- Lin M.-Y. & Yang X. 2011b: *Glenea coomani* Pic, 1926 and its related species of South China with description of a new species. *ZooKeys* 153: 57-71.
- Lin M.-Y. & Yang X.-K. 2012: Contribution to the Knowledge of the Genus *Linda* Thomson, 1864 (Part I), with the Description of *Linda* (*Linda*) *subatricornis* n. sp. from China (Coleoptera, Cerambycidae, Lamiinae). *Psyche (Cambridge)* 2012, Article ID 672684: 8 pages.
- Lin M.-Y. & Yang X.-K. 2014: One new record species, *Ithocritus ruber* (Hope, 1839) from China (Coleoptera: Cerambycidae: Lamiinae: Petrognathini). *Zoological Systematics* 39 (2): 309–312.
- Lin M.-Y., Yang X. & Lin Y. 2009: Taxonomic Notes on *Glenea pseudoscalaris* (Fairmaire, 1895) (Coleoptera, Cerambycidae, Lamiinae). *Longicornists, Special Bulletin of the Japanese Society of Coleopterology*, No. 7: 385-390.
- Lo Cascio P. & Grita F. 2010: A new longhorn beetle from Socotra island (Yemen) (Coleoptera, Cerambycidae). *Fragmenta Entomologica* **41**(1): 123-127.
- Löbl I. 2010: New Acts and Comments. Cerambycidae, pp. 60-61. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp.
- Löbl I. & Smetana A. 2010: New Acts and Comments. Cerambycidae, p. 59. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp
- Löbl I. & Smetana A.(ed.) 2010: *Catalogue of Palaearctic Coleoptera, vol. 6. Chrysomeloidea*. Stenstrup, Apollo Books: 924pp.
- Makihara H. & Niisato N. 2014: A New *Massicus* (Coleoptera, Cerambycidae) from Taiwan. *Elytra, Tokio*, N.S. 4 (1): 23-33.
- Marklund S. & Marklund D. 2013: A new species of *Xylotrechus* (Chevrolat, 1860) from Eastern Turkey (Coleoptera, Cerambycidae, Clytini).- *Lambillionea*, **113**, 1: 7-8.
- Marseul S. A. de. 1870: Descriptions de coléoptères nouveaux. *L'Abeille, Mémoires d'Entomologie* **6** [1869]: 368-384
- Miroshnikov A. I. 1998: Novaya klassifikacia zhukov-drovosekov kompleksa Anoplodera tribu Lepturini (Coleoptera, Cerambycidae) **fauny Golarkтики. II. Entomologicheskoe Obozrenie** **77**(3): 587-618.
- Miroshnikov A. I. 2009: Contribution to the knowledge of the little-known longicorn beetles species – *Phytoecia* (*Opsilia*) *prasina* Reitter, 1911 (Coleoptera: Cerambycidae). *Caucasian Entomological Bulletin* **5**(2): 243-244, Pl. 9-10. [in Russian]

- Miroshnikov A. I. 2011: Novyy vid zhukov-usachey roda *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) iz Yuzhnogo Zakavkazya. *Caucasian Entomological Bulletin* 7 (1): 53-54, plate 4.
- Miroshnikov A. I. 2013a: The longicorn beetle genus *Oligoenoplus* Chevrolat, (Coleoptera: Cerambycidae) in China. *Humanity space. International almanac* 2 (1): 238-246.
- Miroshnikov A. I. 2013b: Razdelenie roda *Oxymirus* Mulsant, 1863 (Coleoptera: Cerambycidae) na podrody. *Humanity space. International almanac* 2 (3): 453-460.
- Miroshnikov A. I. 2014a: New genera and species of the tribe Apatophyseini Lacordaire, 1869 from continental Asia, with notes on the little-known taxa (Coleoptera: Cerambycidae). Pp. 11-50. In: A.S. Konstantinov, S.A. Šlipiňsky & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids (Coleoptera: Cerambycidae). Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014b: A review of the genus *Paraclytus* Bates, 1884, with the description of a new species from China (Coleoptera: Cerambycidae). Pp. 73-132. In: A.S. Konstantinov, S.A. Šlipiňsky & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids (Coleoptera: Cerambycidae). Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014c: A review of the genus *Clytellus* Westwood, 1853, with notes on its systematic position and descriptions of eleven new species (Coleoptera: Cerambycidae). Pp. 133-237. In: A.S. Konstantinov, S.A. Šlipiňsky & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids (Coleoptera: Cerambycidae). Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014d: A new species of the genus *Agastophysis* Miroshnikov, 2014 (Coleoptera: Cerambycidae) from China and corrigenda to the author's publications of 2013 and 2014. *Russian Entomological Journal* 23(3): 195-197.
- Miroshnikov A.I. & Lin M.-Y. 2012: New or little-known species of the genus *Paraclytus* Bates, 1884 (Coleoptera: Cerambycidae) from China. *Caucasian Entomological Bulletin* 8 (2): 246-251, plates 3-6.
- Miroshnikov A.I. & Lin M.-Y. 2014: A new species of the genus *Formosotoxotus* Hayashi, 1960 from China, with additions to the description of *Agastophysis meiyngae* Miroshnikov, 2014 (Coleoptera: Cerambycidae). *Russian Entomological Journal* 23(2): 117-120.
- Miroshnikov A. I. & Lobanov A. 1990: Novyy vid zhukov-drovosekov roda *Purpuricenus* (Coleoptera: Cerambycidae) iz Afganistana. *Vestnik Zoologii* 1990 (5): 15-18.
- Mulsant E. 1847d: Description de deux coléoptères nouveaux, constituant chacun une nouvelle coupe générique. *Annales des Sciences Physiques et Naturelles, d'Agriculture et d'Industrie de Lyon* 10: 515-521, pl. 7.
- Mulsant E., 1862. Tribu des Longicornes. *Annales des sciences physiques et naturelles, d'agriculture et d'industrie, publiées par La Société impériale d'Agriculture, etc., de Lyon*. Troisième Série. Tome 6: [307]-466.
- Mulsant E., 1863a. Tribu des Longicornes (suite).- *Annales des sciences physiques et naturelles, d'agriculture et d'industrie, publiées par La Société impériale d'Agriculture, etc., de Lyon*. Troisième Série. Tome 7: title + 97-320.
- Mulsant E. 1863b: Histoire naturelle des coléoptères de France. Longicornes. [Pp. 1-480]. Ed. 2. Paris: Magnin, Blanchard et Cie, successeurs de Louis Janet, 590 pp.
- Mulsant E., 1864. Tribu des Longicornes (suite).- *Annales des sciences physiques et naturelles, d'agriculture et d'industrie, publiées par La Société impériale d'Agriculture, etc., de Lyon*. Troisième Série. Tome 8: 1-208.

- Nakamura Sh., Makihara H., Kurihara T. & Yamasako J. 2014. Check-list of Longicorn-beetles of Taiwan. *Miscellaneous Report of the Hiwa Museum for the Natural History* 55: 1-278. Shinsei art Pub., Shobara, Hiroshima, Japan.
- Niisato T. 2009: A new callidine genus and species (Coleoptera, Cerambycidae) from Sakhalin Island, Russia. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 205-210.
- Niisato T. 2013: Longipalpus wenhsini sp. nov. (Coleoptera, Cerambycidae, Cerambycinae, Obriini) discovered from southern Taiwan. Pp.: 63-68. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Niisato T., Chou W.-I & Kusakabe Y. 2009: Taxonomic notes on the genus *Cyrtoclytus* (Coleoptera, Cerambycidae) from China and Indochina. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 221-235.
- Niisato T. & Han Ch.-D. 2011: A revision of the genus *Amamiclytus* Ohbayashi from Taiwan and the Ryukyu Islands (Coleoptera, Cerambycidae). *ZooKeys* 118: 19–52.
- Oh S.H. & Lee S.H. 2013: Four Species of the Subfamily Lamiinae (Coleoptera, Cerambycidae) Newly Recorded from Korea. *Elytra* 3(2): 301-304.
- Ohbayashi N. 2008: A revisional study of the Macroleptura genus-group (Coleoptera: Cerambycidae: Lepturinae). *Special Publication of the Japan Coleopterological Society, Osaka* 2: 407-438.
- Ohbayashi N. 2014: A New Genus *Gahanaspia* for *Leptura* miniacea GAHAN, 1906 (Coleoptera, Cerambycidae, Lepturinae). *Elytra, Tokyo, New Series* 4 (1): 17–22.
- Ohbayashi N. & Bi W.-X. 2014. A New Anoplophora Species from Xizang, China and its Adjacent Area (Coleoptera, Cerambycidae, Lamiinae). Pp. 156-160. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Ohbayashi N. & Chou W.-I. 2013: Revision of the Genus *Leptura* Linnaeus, 1758 of Taiwan (Coleoptera: Cerambycidae: Lepturinae). Studies on the Taiwanese Lepturinae, IV. Pp.: 17-40. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Ohbayashi N., Kurihara T. & Niisato T. 2008: Some taxonomic changes on the Japanese Cerambycidae, with description of a new subspecies (Coleoptera). *Japanese Journal of systematic Entomology* 11: 287-298.
- Ohbayashi N. & Lin M.-Y. 2012: Studies on the Chinese Lepturinae (Coleoptera, Cerambycidae) I. Genera *Nivelliomorpha* Boppe, 1920 and *Houzhenzia* gen. nov. *Elytra, Tokyo, New Series* 2 (1): 13–19.
- Ohbayashi N. & Lin M.-Y. 2012: A Review of the Asian Genera of the Petrognathini, with Description of a New Species and Proposal of a New Synonym (Coleoptera, Cerambycidae, Lamiinae). *Japanese Journal of systematic Entomology* 18 (2): 235-251.
- Ohbayashi N. & Lin M.-Y. 2013: Studies on the Chinese Lepturinae (Coleoptera: Cerambycidae), II. Notes on the Genus *Ischnostrangalis* Ganglbauer, 1890. Pp. 41-56. In: M.-Y Lin & C.-C. Chen (Eds.). *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Olivier A. G. 1797. *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; precede d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot et d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire Naturelle. Insectes. Tome septième. Pars II*. Paris: Panckoucke, 369-827 pp.
- Özdikmen H. 2010: The Turkish Dorcadiini with zoogeographical remarks (Coleoptera, Cerambycidae, Lamiinae). *Munis Entomology & Zoology* 5, No. 2: 380-498.

- Özdikmen H. 2012a: The longhorned beetles that originally described from whole territories of Turkey (Coleoptera: Cerambycoidea) Part II - Cerambycidae (Cerambycinae and Stenopterinae). *Munis Entomology & Zoology* 7 (2): 699-707.
- Özdikmen H. 2012b: The longhorned beetles that originally described from whole territories of Turkey (Coleoptera: Cerambycoidea) Part III - Cerambycidae (Dorcadioninae). *Munis Entomology & Zoology* 7 (2): 759-779.
- Özdikmen H. 2013: An attempt on subgeneric composition of the genus *Stenurella* Villiers, 1974 (Cerambycidae: Lepturinae: Lepturini). *Munis Entomology & Zoology* 8 (2): 509-531.
- Özdikmen H., Al-Hamadani N. D. S. & Ali M. A. 2013: A new species of *Dorcadion* Dalman, 1817 from Iraq (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 1-3.
- Özdikmen H. & Aytar F. 2012a: Subgeneric arrangement of *Mallosia* Mulsant, 1862 with three new subgenera, and a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 653-662.
- Özdikmen H. & Aytar F. 2012b: A new subspecies of *Isotomus comptus* (Mannerheim, 1825) from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 691-694.
- Özdikmen H. & Aytar F. 2014. A new subspecies of *Callidium aeneum* (Degeer) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 599-601.
- Özdikmen H. & Aytar F. 2012c: A new subspecies of *Aseum tenuicorne* Kraatz, 1879 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 1252-1255.
- Özdikmen H., Aytar F., Cihan N., Şamlı N., Özbek H. & Kaya G. 2013: A synopsis of Palearctic genus *Calchaenesthes* Kraatz, 1863 with a new species of *C. primis* sp. n. from Turkey (Cerambycidae: Cerambycinae). *Munis Entomology & Zoology* 8 (1): 148-153.
- Özdikmen H., Cihan N. & Kaya G. 2014: An approval for acception as a separate species of *Purpuricen* nudicollis Demelt, 1968 (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 724-726.
- Özdikmen H. & Kaya G. 2013: *Dorcadion* (Megalodorcadion) Pesarini & Sabbadini, 1998 with a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 493-501.
- Özdikmen H., Kaya G. & Cihan N. 2014: A proposal on a new taxonomical arrangement of *Aromia moschata* (Linnaeus) species group (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 761-764.
- Özdikmen H. & Koçak Ö. 2013: A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 672-676.
- Özdikmen H., Mercan N. & Cihan N. 2012a: A new species of the genus *Stenurella* Villiers, 1974 from Turkey (Coleoptera: Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 7, No. 1: 18-21.
- Özdikmen H., Mercan N. & Cihan N. 2012b: A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7, No. 1: 550-554.
- Özdikmen H., Mercan N. & Cihan N. 2012c: A new subspecies of *Dorcadion halepense* (Kraatz, 1873) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (1): 604-606.
- Özdikmen H., Mercan N. & Cihan N. 2012d: A new subspecies of *Cortodera pumila* Ganglbauer, 1882 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 746-748.
- Özdikmen H. & Özbek H. 2012: A new species of *Cortodera* Mulsant, 1863 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 931-934.
- Özdikmen H. & Turgut S. 2010a: An overview on the palaeartic subgenus *Phytoecia* (Pilemia) fairmaire, 1864 with a new species *Phytoecia* (Pilemia) samii sp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 5, No. 1: 90-108.

- Özdikmen H. & Turgut S. 2010b: An overview on the W-Palaeartic subgenus *Phytoecia* (*Helladia*) Fairmaire, 1864 with a new subspecies *Phytoecia* (*Helladia*) *humeralis caneri* ssp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology*, 5 (2): 317-343.
- Panzer G. W. F. 1789: **Einige seltene Insecten**. *Der Naturforscher* **24**: 1-35. [or original version of the title: “**Einige seltene Insecten beschrieben von G. W. F. Panzer, der Arzneykunst Doctor zu Nürnberg.**”]
- Pascoe F. P. 1868: Contributions to a Knowledge of the Coleoptera. Part I (continued). *The Proceedings of the Entomological Society of London for the year 1868*: xi-xiii.
- Pascoe F. P. 1869: Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VII). *The Transactions of the Entomological Society of London*. (3)3:553-712.
- Paulian A. 1986: Contribution à la connaissance de la faune entomologique de la Corse 5^e note (addenda). *L'Entomologiste* **42**: 91-98.
- Peks H. 2010: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Türkei, Umgebung Iznik (Coleoptera, Cerambycidae, Lamiinae). *Coleoptera* 14: 213-220.
- Pesarini C., Rapuzzi P. & Sabbadini A. 2004: [new taxon, p. 158-162]. In: Pesarini C. & Sabbadini A.: Descrizione di due nuove specie di Lepturini di Grecia, note sulle specie affini e considerazioni sistematiche, sinonimiche e nomenclatoriali. *Bollettino de la Società Entomologica Italiana* **136**: 157-172.
- Pesarini C. & Sabbadini A. 1999: Osservazioni sistematiche su alcuni *Dorcadion* della fauna anatolica, con descrizione di 9 nuovi taxa (Coleoptera, Cerambycidae). *Annali del Museo Civico di Storia Naturale di Ferrara* 1 (1998): 45-61.
- Pesarini C. & Sabbadini A. 2004: Descrizione di due nuove specie di Lepturini di Grecia, note sulle specie affini e considerazioni sistematiche, sinonimiche e nomenclatoriali. *Bollettino de la Società Entomologica Italiana* **136**: 157-172.
- Pesarini C. & Sabbadini A. 2009: Sei nuovi taxa di Cerambycidae della fauna turca e greca (Coleoptera). *Annali del Museo Civico di Storia Naturale di Ferrara* **12**: 15-32.
- Pesarini C. & Sabbadini A. 2010: Ricerche sui *Dorcadionini* di Grecia. IV. Le specie della Macedonia e della Tracia (Coleoptera Cerambycidae).- *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano* **151**(2):179-216.
- Pesarini C. & Sabbadini A. 2011: Note su Cerambycidae di Grecia e Turchia, con descrizione di tre nuove specie e una nuova sottospecie (Coleoptera). *Annali del Museo Civico di Storia Naturale di Ferrara* 13 (2010): 41-59.
- Pesarini C. & Sabbadini A. 2013: Note su *Dorcadion* turchi, con descrizione di cinque nuove specie e tre nuove sottospecie (Coleoptera Cerambycidae). *Annali del Museo Civico di Storia Naturale di Ferrara* 14/15 (2011/2012): 51-64.
- Pic M. 1889a: Un peu de longicornes. *L'Échange, Revue Linnéenne* **5**: 4-5 [note: issue mispaginated, pages 4-5 are in fact pages 20-21]
- Pic M. 1890e: [new taxa]. *Bulletin de la Société Entomologique de France* **1889**: clxxv-clxxvi.
- Pic M. 1891a: *Descriptions de longicornes de Syrie*. Lyon: L. Jacquet: 2pp.
- Pic M. 1892a: Descriptions et corrections. *L'Échange, Revue Linnéenne* **8**: 4.
- Pic M. 1892b: Petite étude sur le genre *Stenopterus* Steph. *L'Échange, Revue Linnéenne* **8**: 21-23.
- Pic M. 1897c: Nouvelles variétés de longicornes. *Revue Scientifique du Bourbonnais* **10**: 30-32.
- Pic M. 1897p: Descriptions de coléoptères. *Bulletin de la Société d'Histoire Naturelle d'Autun* **10**, 2^{nde} partie: 295-300.
- Pic M. 1898v: Diagnose d'une variété nouvelle de *Phytoecia* (Col.). *Bulletin de la Société Entomologique de France* **1898**: 334-335.

- Pic M. 1900f: Catalogue bibliographique et synonymique d'Europe et des régions avoisinantes comprenant les régions suivantes: Région circum méditerranéenne. Région caucasique. Région transcaspienne. La Perse, le Turkestan, la Sibérie. *Matériaux pour servir à l'étude des longicornes 3ème cahier, 2ème partie*. Lyon: Imprimerie Jacquet Frères, 121 pp.
- Pic M. 1903. *Espèces et variétés nouvelles de Coléoptères.- L'Échange, Revue Linnéenne* 19 (227): 169-171.
- Pic M. 1947a: Coléoptères du globe (suite). *L'Échange, Revue Linnéenne* 63: 1-4, 5-8, 9-12.
- Plavilstshikov N. N. 1927: Zametki o zhukakh-drovosekakh Kavkaza. II. (Coleoptera, Cerambycidae). *Izvestia Stavropolskogo entomologicheskogo obshchestva* 3 (1): 1-7.
- Plavilstshikov N. N. 1932a: *Zhuki-drovoseki vrediteli drevesiny*. Moskva-Leningrad. Gosudarstvennoe Lesnoe Tekhnicheskoe Izdatel'stvo. 200pp.
- Plavilstshikov N. N. 1932b: Lepturinen-Studien (Col., Cerambycidae). I. *Časopis Československé Společnosti Entomologické* 29: 87-88, 174-175.
- Rapuzzi P. 2012: *Agapanthia* (Epopetes) paki sp. n. from central Afghanistan (Coleoptera: Cerambycidae). *Humanity space. International almanac* 1, No 4: 958-960.
- Rapuzzi P. 2013: *Pachyta gorodinskii* n. sp. from Western China (Qinghai) (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology*, 8 (1): 466-467.
- Rapuzzi P. & Sama G. 2010a: Considerazioni tassonomiche su alcuni Cerambycidi di Sicilia e descrizione di tre nuove sottospecies (Coleoptera: Cerambycidae). *Lambillionea*, 110, 1: 127-131.
- Rapuzzi P. & Sama G. 2010b: Description of new Cerambycidae from Greece, Turkey, northern Syria and China (Insecta Coleoptera Cerambycidae). *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 29 (2009): 181-188.
- Rapuzzi P. & Sama G. 2012: New taxa and new records of Longhorn-Beetles from Eastern Mediterranean Region (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology* 7 (2): 663-690.
- Rapuzzi P. & Sama G. 2013: A new species of *Apatophysis* Chevrolat, 1860 from Jordan (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 682-684.
- Rapuzzi P. & Sama G. 2014a: Descriptions of nine new species of longhorn beetles (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (1): 1-16.
- Rapuzzi P. & Sama G. 2014b: Revision of the *Purpuricenus interscapillatus* species - group and allied taxa (Coleoptera, Cerambycidae). *Fragmenta entomologica, Roma* 45(2013), 1-2: 143-171.
- Rapuzzi P., Sama G. & Kotán A. 2013: Two new *Agapanthia* Audinet-Serville, 1835 species from Greece (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 582-587.
- Rapuzzi P., Sama G. & Tichy T. 2011: Description of a new species of *Poecilium* Fairmaire, 1864 from Syria. *Munis Entomology & Zoology* 6 (2): 673-675.
- Reiche L. 1877b: [description trois nouvelles espèces de coléoptères de la famille des Longicornes]. *Bulletin de la Société Entomologique de France* 1877: cxxxv-cxxxvii.
- Reiche L. 1878a: [description de deux nouvelles espèces de Longicornes]. *Bulletin de la Société Entomologique de France* 1877: cxlix-cl.
- Reitter E. 1904: Über vier Coleopteren aus der palaearktischen Fauna. *Wiener Entomologische Zeitung* 23: 81-82.
- Sama G. 2010: New Acts and Comments. Cerambycidae, pp. 49-58. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera*, Vol. 6. Stenstrup: Apollo Books, 924pp.
- Sama G., 2011: [new taxon] p. 826. In: Sama G., Jansson N., Avcı M., Sarıkaya O., Coşkun M., Kayış T. & Özdikmen H. Preliminary report on a survey of the saproxylic beetle fauna living on old hollow oaks (*Quercus* spp.) and oak wood in Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 6 (2): 819-831.

- Sama G., Dascalu M. & Pesarini C. 2010: Description of *Dorcadion gashtarovi* n.sp. (Coleoptera, Cerambycidae) from Romania and Bulgaria with review of the closely related species. *North-Western Journal of Zoology* 6 (2): 286-293.
- Sama G. & Rapuzzi P.: 2011. Description of three new species of longhorn beetles (Coleoptera, Cerambycidae) from Turkey and Syria. *Biodiversity Journal* 2 (2): 85-88
- Sama G., Rapuzzi P. & Kairouz A. 2010: Catalogue commenté des Cerambycidae du Liban. An annotated catalogue of the Cerambycidae of Lebanon (Insecta Coleoptera Cerambycidae). *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 30: 131-201.
- Sama G. & Sudre J. 2010: Description of *Crossotus kadleci* from Yemen (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 5, Supplement: 953-956.
- Sama G. & Székely K., 2010: Description of a new species of *Mallosia (Eumallosia)* from Iran (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 5, Supplement: 896-899.
- Santos-Silva A., Heffern D. & Matsuda K., 2010. Revision of Hawaiian, Australasian, Oriental and Japanese Parandrinae (Coleoptera, Cerambycinae).- *Insecta Mundi*, 0130: 1-120.
- Saz A. del 2012: Descripción de una nueva subespecie de Dorcadionini de la Península Ibérica: *Iberodorcadion (Hispanodorcadion) perezii* perchini ssp. n. (Coleoptera, Cerambycidae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* 51: 99-104.
- Saz A. del 2013: Descripción de una nueva subespecie de Cerambycidae de la Comunidad de Madrid (España): *Iberodorcadion (Hispanodorcadion) bolivari danielae* ssp. n. y ampliación de la corología de los taxones *I. bolivari* Lauffer, 1898 e *I. martinezii* Pérez Arcas, 1874 (Coleoptera). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* nº 53 (31/12/2013): 111-119.
- Semenov A. P. 1896: Coleoptera asiatica nova. VII. *Horae Societatis Entomologicae Rossicae* 30 [1896-1897]: 238-259.
- Shapovalov A. M. 2009: New species of the genus *Agapanthia* Serville, 1835 (Coleoptera, Cerambycidae) from South-West Kazakhstan.- *Eversmannia, Entomological research in the Russia and adjacent regions*, N19-20: 16-20 + 1 plate.
- Shapovalov A.M. 2013: A new species and taxonomic changes in the genus *Compsidia* Mulsant, 1839 (Coleoptera, Cerambycidae). *Euroasien Entomological Journal* 12(2): 139-143.
- Skrylnik Yu. E. 2010: Two new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from Afghanistan. *Lambillionia* 110, 2: 258-262.
- Sláma M. 2010: Contribution to the recognition of Cerambycidae (Cerambycidae). *Biocosme Mésogéen, Nice* 27(3): 74-86.
- Tian L., Chen L. & Li Zh., 2012: A new species of *Artimpaza* Thomson (Coleoptera, Cerambycidae, Cerambycinae) from China, with a key to the Chinese species of the genus. *Zootaxa* 3282: 42-44.
- Tomé M. 2012: Conexiones geológicas del Dorcadion (*Iberodorcadion*) *perezii* Graells, 1849 en la Sierra de Guadarrama (España). *Revista gaditana de Entomología* 3 (1-2): 41- 50.
- Tomé M. 2013a: Nuevos datos y posición sistemática de *Dorcadion (Iberodorcadion) marinae* (Tomé & Bahillo, 1996), con una sinonimia del taxón *palentinum* Lauffer, 1911 (Coleoptera, Cerambycidae). *Revista gaditana de Entomología* 4 (1): 83-97.
- Tomé M. 2013b: Rehabilitación de *Dorcadion (Iberodorcadion) demandense* Escalera, 1902 y *Dorcadion (Iberodorcadion) almarzense* Escalera, 1902 (Coleoptera, Cerambycidae). *Archivos Entomológicos* 8: 121-128.
- Tomé M. 2013c: Nueva revisión del género *Iberodorcadion* Breuning, 1943 (Coleoptera, Cerambycidae): Revalidación de la sinonimia de los subgéneros. *Archivos Entomológicos* 9: 183-195.
- Tsherepanov [=Cherepanov] A. I. 1971: Novyy vid roda *Chlorophorus* (Coleoptera, Cerambycidae). Pp. 14-16. In: *Novye i maloizvestnye vidy fauny Sibiri* 4. Novosibirsk: Nauka, 107 pp.

- Tsherepanov A. I. 1973b: [new taxon]. Pp. 80-85. In: Tsherepanov A. I. & Tsherepanova N. E. 1973: Novyy rod i vid drovoseka (Coleoptera, Cerambycidae) dlya fauny SSSR. Pp. 79-85. In: *Novye i maloizvestnye vidy fauny Sibiri* 7. Novosibirsk, Nauka, 148 pp.
- Tsherepanov A. I. 1973c: Novye vidy zhukov-drovosekov roda *Exocentrus* (Coleoptera, Cerambycidae). Pp. 138-139. In: *Novye i maloizvestnye vidy fauny Sibiri* 7. Novosibirsk: Nauka, 148 pp.
- Verdugo A. 2009: Descripción de *Vesperus barredai* (Coleoptera, Cerambycidae, Vesperinae), nueva especie de cerambícido de la Península Ibérica. *Boletín de la Sociedad Andaluza de Entomología* 16: 21-32.
- Verdugo A. & Torres-Méndez J. L. 2010: *Pogonocherus pepa* sp. n., nuevo Cerambícido bético-magrebí (Coleoptera: Cerambycidae: Lamiinae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* 46: 109–113.
- Viktora P. & Lin M.Y. 2012: Some new country records of five species of *Glenea* Newman (Coleoptera: Cerambycidae: Lamiinae: Saperdini) from the Oriental Region. *Entomotaxonomia* 34 (1):50-57.
- Vitali F. 2011: Une nouvelle espece d'*Acanthocinus* du Portugal (Coleoptera, Cerambycidae). *Lambillionea* 111(2): 161-164.
- Vitali F. 2012: Nouvelles données faunistiques sur les Longicornes du Grand-Duché de Luxembourg (Coleoptera, Cerambycidae). *Lambillionea* 112(3): 235-240.
- Vitali F. 2014: Taxonomic revision of the genus *Nemophas* Thomson, 1864 (Coleoptera, Cerambycidae). *Lambillionea* 113 [2013], 3: 267-271.
- Vives E. 2013a: Notas sobre algunos Purpuricenini asiáticos (Coleoptera, Cerambycidae). *Nouvelle Revue d'Entomologie (N.S.)* 28 [2012] (3/4): 215-222.
- Vives E. 2013b: *Leptochroma*, a new genus of Callichromatini from China (Coleoptera, Cerambycidae). Pp.: 85-92. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Vives E. & Lin M.Y. 2013: One new and seven newly recorded Callichromatini species from China (Coleoptera, Cerambycidae, Cerambycinae). *ZooKeys* 275: 67–75.
- Vives E. & Niisato T. 2011: Two new genera of Rosaliini from Northern Indochina (Coleoptera, Cerambycidae). *Nouvelle Revue d'Entomologie (N.S.)* 26 (2009), 4: 359-367.
- Voříšek J. 2012: Two new species of longhorn beetles (Coleoptera, Cerambycidae) from Iran. *ANIMA.X* 45: 1-6.
- Wagner H. 1928: Beschreibungen neuer Coleopteren der europäischen Fauna, nebst kritischen Bemerkungen zu bekannten Arten. 2. Teil. *Coleopterologisches Centralblatt* 3 [1928-1929]: 111–125.
- Wallin H., Kvamme T. & Lin M.-Y. 2012: A review of the genera *Leiopus* Audinet-Serville, 1835 and *Acanthocinus*, Dejean, 1821 (Coleoptera: Cerambycidae, Lamiinae, Acanthocinini) in Asia, with descriptions of six new species of *Leiopus* from China. *Zootaxa* 3326: 1–36.
- Wang Zhicheng, 2014. *Monographia of original colored longicorn beetles of China (Basics)*. Beijing: Scientific and Technical Documentation Press: 1188pp. [Vol. 1: 1-593. Vol. 2: 595-1188]
- Waterhouse C. O. 1889: Coleoptera. Pp. 122-131. In: Aitchison J. E. T.: The Zoology of the Afghan Delimitation Commission. *The Transactions of the Linnean Society of London* (2) 5 Zoology [1888-1894]: 53-142, pls. 6-14.
- Weigel A. & Holzschuh C. 2009: Die *Exocentrus*-Arten Nepal (Insecta: Coleoptera: Cerambycidae: Acanthocinini). Biodiversität und Naturlausstattung im Himalaya III. Erfurt: 411-422, Taf, XV-XVI.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2012a: Synopsis of the genus *Mimothestus* Pic with description of a new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3385: 62–68.

- Xie G.-L., Shi F.-M. & Wang W.-K. 2012b: An unusual new species of Anoplophora Hope, 1839 (Coleoptera: Cerambycidae) from Guizhou, China. *Far Eastern entomologist* 248: 1-4.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2013: A review of the genus Sinodorcadion Gressitt, 1939 with description of three new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3709 (6): 581-590.
- Xie G.-L. & Wang W.-K. 2012 [Chlorophorus caragana sp.n.]: In: Sh.-X. Zong, G.-L. Xie, W.-K. Wang, Y. Luo & Ch.-J. Cao: A new species of Chlorophorus Chevrolat (Coleoptera: Cerambycidae: Cerambycinae) from China with description of biology. *Zootaxa* 3157: 54-60.
- Xiong S., Tian L. & Chen L., 2012: A newly record species in the genus Stenodryas Bates (Coleoptera: Cerambycidae: Cerambycinae) from China. *Entomotaxonomia* 34 (2): 395-398, 6 figs.
- Yamasako J. & Chou W.-I 2013: A new species of Hypocacia (Coleoptera: Cerambycidae: Lamiinae, Mesosini). Pp.: 97-102. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Yamasako J. & Chou W.-I 2014a: A new species of the genus Callomecyna from Taiwan (Coleoptera: Cerambycidae).- *Acta Entomologica Musei Nationalis Pragae*, 54 (1): 251-256.
- Yamasako J. & Chou W.-I 2014b: An Additional New Species of the Genus Pachyosa from Taiwan, with Supplemental Description on the Endophallus of Pachyosa kojimai (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Elytra, Tokyo*, N.S. 4 (1): 43-47.
- Yamasako J. & Chou W.-I 2014c: New Record of Thylactus chinensis Kriesche (Coleoptera, Cerambycidae, Lamiinae, Xylorhizini) from Taiwan. *Elytra, Tokyo*, N.S. 4 (1): 48.
- Yamasako J. & Hasegawa M. 2009: A new Species of Mesosa (Perimesosa) from South Korea and Identity of Mesosa (Saimia) amakusae Breuning, 1964 (Coleoptera, Cerambycidae, Lamiinae [Studies on Asian Mesosini, III]. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 289-295.
- Yamasako J. & Lin Y.-L. 2010: A new Species of the genus Coptops Serville, 1835 (Coleoptera, Cerambycidae, Lamiini, Mesosini) from Penghu County, Taiwan [Studies of Asian Mesosini, VI]. *Japanese Journal of systematic Entomology* 16(2): 291-296.
- Yamasako J. & Ohbayashi N. 2011: Review of the genus Paragolsinda Breuning, 1956 (Coleoptera, Cerambycidae, Lamiinae, Mesosini), with reconsideration of the endophallic terminology. *Zootaxa* 2882: 35-50.
- Yamasako J. & Ohbayashi N. 2012a: Revision of the reinstated genus Pachyosa Fairmaire, 1897 (Coleoptera: Cerambycidae: Lamiinae: Mesosini). *Zoological Studies* 51(6): 819-831.
- Yamasako J. & Ohbayashi N. 2012b: Taxonomic Position of the Oriental Species of Mesosa (Mesosa) (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Hindawi Publishing Corporation. Psyche*. Volume 2012, Article ID 467949, 15 pages. doi:10.1155/2012/467949.
- Yang Ch.-W. & Danilevsky M.L. 2013: Description of a new species of the genus Eodorcadion Breuning, 1947 from Inner Mongolia, China (Coleoptera, Cerambycidae, Lamiinae, Dorcadionini). Pp.: 93-95. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Yang R.-G., Vives E., Zhou Sh.-Y. & Huang J.-H. 2011: Notes on the identification and distribution of Leptura auratopilosa (Matsushita, 1931) and Leptura aurosericans Fairmaire (Coleoptera, Cerambycidae, Lepturinae, Lepturini). *Acta Zootaxonomica Sinica*, 36 (3): 808-811.
- Yang Sh. 2014: A new species of Phymatodes Mulsant (Coleoptera, Cerambycidae) from China.- *ZooKeys*, 367: 11-17.