

Updated 18.01.2023

**A check list of the longicorn beetles (Cerambycoidea) of Russia
M.L. Danilevsky, 2018**

Regions (see the corresponding map):

R – Russia:

NT – North of European Russia: Komi, Vologda and S.-Petersburg regions.

CT – Centre of European Russia (eastwards to Urals and Ural River) including Kaliningrad, Samara, Bashkiria and Ulianovsk regions).

ST – South of European Russia (including European part of Orenburg Region – south-eastwards to Ural river, Kalmykia, Rostov, Saratov and Astrakhan regions).

CA – Russian Caucasus and Ciscaucasia including Dagestan, Stavropol and Krasnodar regions.

WS – West Siberia: Asian part of Orenburg region, Ekaterinburg, Cheliabinsk, Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo regions, as well as Khanty-Mansi and Jamalo-Nenetz regions.

AT – Altaj: Altaj Region and Altaj republic.

ES – East Siberia (from Tuva, Khakassia and Krasnoirsksk to Chukotka, Kamchatka and north Kuril Islands (but without Sakhalin and south Kuril Islands))

SE – South-East Siberia: Amur and Khabarovsk regions.

FE – Far East Siberia: Primorie region.

SI – Sakhalin Island.

KU – South Kuril Islands: mostly Kunashir.

E – Europe without Russia:

AL – Albania

AT – Austria

BE – Belgium

BH – Bosnia & Herzegovina

BU – Bulgaria

BY – Belorussia

CE – Czechia

CR - Croatia

DE – Germany

DK – Denmark

EO – Estonia

ES – Spain

FI – Finland

FR - France (without
Corsica)

FRC - Corsica

GB - Great Britain

GR - Greece (without
Crete)

GRC - Crete

HU – Hungary

IE – Ireland

IT-Italy (without
Sardinia & Sicilia)

ITA - Sardinia

ITI - Sicilia

KD – Macedonia

KZ - European Kazakhstan

LA – Latvia

LJ – Slovenia

LT – Lithuania

LU-Luxembourg

MD – Moldova

MN – Montenegro

MT – Malta

NL – Netherlands

NO – Norway

PL – Poland

PT – Portugal

RO – Romania

SK – Slovakia

SS – Serbia

SV – Sweden

SZ – Switzerland

TR - European Turkey

UK- Ukraine (without
Crimea)

UKC – Crimea

A – Asia without Russia

AB – Azerbaidjan (including
Nakhichevan and Karabakh)

AF - Afghanistan

AR – Armenia

CH – China

GG – Georgia (including Abkhazia
and Adzharia)

ID - India

IN - Iran

IQ - Iraq

IS - Israel

JA – Japan

JO – Jordan

KI – Kyrgyzstan

KO - Korea

KZ – Kazakhstan (without European part of NW
Kazakhstan)

LE - Lebanon

MG - Mongolia

SY - Syria

TD - Tadzhikistan

TM - Turkmenia

TR - Turkey

UZ – Uzbekistan

N – North Africa

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= Apehes Blessig, 1872

Subgenus: Distenia Lepeletier & Audinet-Serville, 1828

gracilis (Blessig, 1872) **R:** SE FE SI **A:** CH KO

japonica Bates, 1873 **R:** KU **A:** JP

ssp. japonica Bates, 1873 **R:** KU **A:** JP

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: Callipogon Audinet-Serville, 1832

Subgenus: Eoxenus Semenov, 1899

relictus Semenov, 1898 **R:** SE FE **A:** CH KO

Tribus: ERGATINI

Genus: Ergates Audinet-Serville, 1832

Subgenus: Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760)

ssp. faber (Linnaeus, 1760) **R:** ?CT ST CA **E:** PT ES FR FRC IT ITI AL LJ CR BH SS MN GR

BU ?TR HU AT SZ NL DE CE SK PL SV LA LT BY UK UKC **A:** GG AR ?AB N

Tribus: REMPHANINI

Genus: Rhaesus Motschulsky, 1875

= Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)

serricollis (Motschulsky, 1838) **R:** CA **E:** AL MN KD GR BU TR **A:** GG AR AB TR SY LE IS IN N

Tribus: AEGOSOMATINI

Genus: Aegosoma Audinet-Serville, 1832

Subgenus: Aegosoma Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **R:** FE SI **A:** KO CN JP

ivanovi Danilevsky, 2011 **R:** FE

scabricorne (Scopoli, 1763) **R:** ST CA **E:** GB ES FR FRC IT ITA ITI LJ CR BH SS MN KD AL GR

BU TR RO HU AT SZ BE DE CE SK BY UK UKC ?MD **A:** GG AR AB TR SY ?LE IN IQ

Tribus: MEROSCELISINI

Genus: Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) **R:** NT CT ST(Orenburg) WS AT ES SE ?FE **E:** ES FR SZ DE IT LJ CR

BH SS MN AL GR BU AT CE SK PL SV NO FI EO LT LA BY UK

Tribus: PRIONINI

Genus: Dorysthenes Vigors, 1826

Subgenus: Cyrtognathus Dejean, 1835

paradoxus (Faldermann, 1833) **R:** ES SE **A:** ?MG ?KO CH

Genus: Prionus Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **R:** AT ES SE FE SI KU **A:** KO CN JP

coriarius (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI AL LJ CR BH SS MN GR BU

TR RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV FI EO LA LT BY UK UKC MD KZ **A:** ?KZ GG AR AB IN TR N

Genus: Mesoprionus Jakovlev, 1887

asiaticus (Faldermann, 1837) **R:** ST CA **E:** KZ **A:** GG AR AB KZ TR IN

Genus: Psilotarsus Motschulsky, 1860

= Psilopus Gebler, 1860

= Otiartes Thomson, 1866

= Brachyprionus Jakovlev, 1887

= Prionoxys Semenov, 1899

brachypterus (Gebler, 1830)

ssp. brachypterus (Gebler, 1830) **R:** ?WS **A:** KZ CH

= latidens Motschulsky, 1860

ssp. hemipterus (Motschulsky, 1845) **R:** ?ST(Orenburg) WS **E:** KZ **A:** KZ UZ

Subfamilia: LEPTURINAE Latreille, 1802

Tribus: XYLOSTEINI

Genus: Xylosteus I.Frivaldsky, 1837

caucasicola Plavilstshikov, 1936 **R:** CA **A:** GG TR
 Genus: Leptorhabdium Kraatz, 1879
 = Psilorhabdium Kraatz, 1879
 caucasicum (Kraatz, 1879) **R:** CA **A:** GG AR AB IN TR
 Tribus: ENCYCLOPINI
 Genus: Encyclops Newman, 1838
 = Microrhabdium Kraatz, 1879
 macilentus (Kraatz, 1879) **R:** SE FE **A:** CN KO
 = parallelus Pic, 1914
 = ussuricus Tsherepanov, 1975
 olivaceus Bates, 1884 **R:** KU **A:** JP
 Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Neoxymirus Miroshnikov, 2013
 mirabilis (Motschulsky, 1838) **R:** CA **A:** GG AR AB IN TR
 Genus: Oxymirus Mulsant, 1862
 cursor (Linnaeus, 1758) **R:** NT CT ST WS AT **E:** FR IT LJ CR BH SS KD AL GR BU RO HU AT
 SZ CE SK DE LU BE NL DK PL SV NO FI EO LT LA BY UK MD
 Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Enoploderes Faldermann, 1837
 Subgenus: Enoploderes Faldermann, 1837
 sanguineus Faldermann, 1837 **R:** ST CA **E:** AL UKC **A:** GG AR AB TR IN
 Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Rhamnusium Latreille, 1829
 bicolor (Schrank, 1781)
 = gracilicorne Théry, 1894
 ssp. constans Danilevsky, 2012 **R:** NT CT ST WS (Orenburg) **E:** FI EO LA LT BY UK ?UKC
 MD KZ **A:** KZ
 testaceipenne Pic, 1897 **R:** CA **E:** UKC **A:** GG AR TR
 Tribus: RHAGIINI
 Genus: Rhagium Fabricius, 1775
 Subgenus: Hagrium Villiers, 1978
 bifasciatum Fabricius, 1775 **R:** ?CT ST CA **E:** PT ES FR IT ITI AL LJ CR BH SS MN KD GR BU
 TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL EO LT UK ?UKC MD **A:** GG AR AB TR N
 Subgenus: Megarhagium Reitter, 1913
 fasciculatum Faldermann, 1837 **R:** CA **A:** GG AR AB TR IN
 mordax (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** ES FR IT AL LJ CR BH SS ME KD BU ?TR
 RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL EO LA LT BY UK ?UKC MD **A:** KZ
 caucasicum Reitter, 1889
 ssp. caucasicum Reitter, 1889 ?**R:** ?CA **A:** GG AR AB TR
 sycophanta (Schrank, 1781) **R:** CT ST WS AT **E:** FR IT ?ITI AL LJ CR BH SS BU TR RO HU AT
 SZ BE NL DK DE LU CE SK PL SV FI LA LT BY UK ?UKC MD
 Subgenus: Rhagium Fabricius, 1775
 inquisitor (Linnaeus, 1758)
 ssp. inquisitor (Linnaeus, 1758) **R:** NT CT ST CA WS ES MG **E:** PT ES FR IT ITI AL LJ CR
 BH SS GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IR CE SK NO PL SV FI EO LA LT BY UK UKC MD KZ
A: KZ MG
 ssp. rugipenne Reitter, 1898 **R:** ES SE FE SI **A:** MG CH KO
 ssp. schtschukini Semenov, 1898 **R:** CA **A:** GG AR AB IN TR
 = minimum Podaný, 1964
 japonicum Bates, 1884 **R:** SI KU
 heyrovskiyi Podaný, 1964 **R:** SI
 Genus: Akimerus Audinet-Serville, 1835
 schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR ?CR BH GR BU HU AT ?SZ DE CE SK PL
 UK MD
 ssp. schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR BH GR BU HU AT SZ DE CE SK
 PL UK MD
 Genus: Japanocorus Danilevsky, 2012
 caeruleipennis (Bates, 1873) **R:** SI KU **A:** JP
 Genus: Stenocorus Geoffroy, 1762
 = Toxotus Dejean 1821
 Subgenus: Anisorus Mulsant, 1862
 quercus (Götz, 1783)

ssp. *quercus* (Götz, 1783) **R:** CT ST CA ?WS ?AT ES **E:** ES FR IT CR BH SS GR BU ?TR RO
HU AT SZ BE NL DE LU CE SK PL BY UK MD

Subgenus: *Stenocorus* Geoffroy, 1762

amurensis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
= *sachalinensis* Matsumura, 1911

meridianus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** ES FR IT AL LJ CR BH SS GR BU
?TR RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV FI EO LA LT BY UK MD **A:** KZ

insitivus (Germar, 1824)

ssp. *insitivus* (Germar, 1824) **R:** CA **A:** GG AR AB TR SY

lepturoides (Reitter, 1914) **R:** SE **A:** CH

minutus (Gebler, 1841) **R:** ?AT **A:** KZ ?MG CH
= *tataricus* Gebler, 1841

Genus: *Pachyta* Dejean, 1821

lamed (Linnaeus, 1758) **R:** NT CT WS AT ES SE FE SI **A:** MG CH KO JP **E:** FR IT LJ BU RO HU
AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK MD
= *sasaki* Fujita, 2018

bicuneata Motschulsky, 1860 **R:** WS SE FE SI **A:** CH KO

quadrimaculata (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** ES FR IT LJ CR BH SS MN KD BU
RO HU AT SZ DE CE SK PL DK FI EO LA LT BY UK MD **A:** KZ MG CH

Genus: *Evodinellus* Plavilstshikov, 1915

Subgenus: *Evodinellus* Plavilstshikov, 1915

borealis (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI **E:** SK PL NO SV FI EO LA LT BY UK
A: MG CH KO JP
= *grisescens* Pic, 1889

Genus: *Brachyta* Fairmaire, 1865

Subgenus: *Fasciobrachyta* Danilevsky, 2014

bifasciata (Olivier, 1800)

ssp. *bifasciata* (Olivier, 1800) **R:** ES SE FE SI **A:** MG KO CH

ssp. *plasoni* (Breit, 1915) **R:** ?ES ?SE **A:** ?MG CH

ssp. *japonica* (Matsushita, 1933) **R:** SI **A:** JP

caucasica (Rost, 1892)

ssp. *caucasica* (Rost, 1892) **R:** CA **A:** GG
= *conjuncta* Rost, 1893

ssp. *kubanica* Miroshnikov, 1990 **R:** CA **A:** GG

Subgenus: *Variobrachyta* Danilevsky, 2014

rosti Pic, 1900 **R:** CA **A:** ?GG

ssp. *rosti* Pic, 1900 **R:** CA **A:** ?GG
= *caucasicola* Plavilstshikov, 1936

ssp. *baksaniense* Lazarev, 2010b **R:** CA

ssp. *alexeevi* Lazarev, 2010b **R:** CA

variabilis (Gebler, 1817)

ssp. *variabilis* (Gebler, 1817) **R:** NT CT WS ES **A:** KZ
= *constricta* Germar, 1824

ssp. *tungusensis* Danilevsky, 2014 **R:** ES

ssp. *scapularis* (Mannerheim, 1849) **R:** ES FE **A:** MG CH
= *solskyi* Kraatz, 1879
= *comosa* Solsky, 1871

ssp. *testaceimembris* Pic, 1916 **R:** FE
= *rufimembris* Pic, 1926

ssp. *jakutensis* Danilevsky, 2014 **R:** ES

ssp. *ivlievi* Danilevsky, 2014 **R:** ES

ssp. *chukotensis* Danilevsky, 2014 **R:** ES

ssp. *basarukini* Danilevsky, 2014 **R:** SI

ssp. *aberrans* (Villiers, 1960) **R:** FE **A:** CH KO

ssp. *striolata* (Gebler, 1817) **R:** ES
= *mutabilis* Motschulsky, 1859a [1859b]
= *eurinensis* Tsherepanov, 1978

ssp. *sinuatolineata* (Pic, 1915) **R:** ES **A:** MG
= *breiti* (Tippmann, 1946)

ssp. *tuvensis* Danilevsky, 2014 **R:** ES **A:** MG

ssp. *kurayensis* Danilevsky, 2014 **R:** WS

interrogationis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR IT SZ AT DE CE SK
PL NO SV FI EO LA ?LT BY UK **A:** GG KZ MG CH KO

ssp. interrogationis (Linnaeus, 1758) **R:** NT **E:** NO SV **FI**
 ssp. russica (Herbst, 1784) **R:** NT CT ST WS AT **E** EO LA ?LT BY UK KZ **A:** KZ
 = altajensis Pic, 1900
 ssp. zubovi Lazarev, 2016a **R:** NT WS
 ssp. mannerheimii Motschulsky, 1860 **R:** WS ES **A:** MG
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciatus Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **R:** SE FE SI **A:** CH KO
 =kraatzii Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **R:** CA
 ssp. miroshnikovi Lazarev, 2011 **R:** CA **A:** GG
 ssp. lederi Lazarev, 2011 **R:** CA
 punctata (Faldermann, 1833) **R:** ES FE **A:** MG CH KO
 ssp. punctata (Faldermann, 1833) **R:** ES **A:** MG CH
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014 **R:** FE **A:** CH KO
 danilevskiy Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JP
 ssp. danilevskiy Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JP
 amurensis (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **R:** SE FE SI **A:** CH KO JP
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **R:** FE **A:** KO
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens (Jakovlev, 1893) **R:** ES **A:** ?MG
 magnifica Plavilstshikov, 1958 **R:** FE
 Genus: Carilia Mulsant, 1863
 virginea (Linnaeus, 1758)
 ssp. virginea (Linnaeus, 1758) **R:** NT CT ST WS **E:** IT AL LJ CR BH SS ME KD GR BU RO
 HU AT SZ BE DE CE SK NO PL SV EO LA LT BY UK ?UKC MD
 ssp. aemula (Mannerheim, 1852) **R:** ?CT ?ST WS AT ES SE FE SI **A:** KZ MG CH
 ssp. kozhevnikovi (Plavilstshikov, 1915) **R:** FE **A:** CH
 = sibirica Podany, 1962
 Genus: Paragaurotis Plavilstshikov, 1921
 ussuriensis (Blessig, 1873) **R:** SE FE **A:** KO CH
 doris (Bates, 1884)
 ssp. suvorovi (Semenov, 1914) **R:** SI KU **A:** JP
 Genus: Euracmaeops Danilevsky, 2014
 = Acmaeops auct. nec LeConte, 1850
 marginatus (Fabricius, 1781) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT LJ CR MN AT SZ CE
 GR SK BE NL DE PL NO SV FI EO LA ?LT BY UK **A:** TR KZ MG CH ?KO
 septentrionis (Thomson, 1866) **R:** NT CT ST WS AT ES SE FE SI KU **E:** FR IT ?LJ SZ AT DE BU
 RO CE SK PL NO SV FI EO ?LT BY UK **A:** KZ MG CH KO JP
 smaragdulus (Fabricius, 1793) [NP] **R:** NT CT WS AT ES SE FE SI **E:** FR ?IT ?SZ NO SV FI ?LT
 BY **A:** KZ MG CH KO
 = smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) **R:** NT CT WS AT ES SE FE SI **E:** PL BY **A:** MG CH KO JP
 = viridula Matsumura, 1911
 = sachalinensis Tsherepanov, 1978
 Genus: Gnathacmaeops Linsley et Chemsak, 1972
 pratensis (Laicharting, 1784) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT LJ BH SS KD AL
 BU RO HU AT SZ DE CE SK PL NO SV FI EO LA ?LT BY UK ?UKC MD KZ **A:** GG AR AB KZ UZ KI MG CH
 KO
 Genus: Pseudodinoptera Pic, 1900

daghestanica (Pic,1897) **R:** CA
 Genus: Dinoptera Mulsant, 1863
 minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO JP
 ssp. minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO
 anthracina (Mannerheim, 1849) **R:** ES SE FE **A:** MG CH KO
 collaris (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT ?ITI AL LJ CR BH SS MN KD
 GR BU TR RO HU AT SZ BE NL DK DE LU GB ?IE CE SK NO PL SV EO LA LT BY UK UKC MD KZ **A:** GG
 AR AB IN TR SY KZ CH
 Genus: Cortodera Mulsant, 1863
 = Taiwanocarilia Hayashi, 1983
 humeralis (Schaller, 1783) **R:** ST **E:** ES FR IT CR BH SB GR BU ?TR RO HU AU SZ CZ SK GE
 BE PL BY UK MD
 femorata (Fabricius, 1787) **R:** NT CT ST ?CA WS **E:** FR IT LJ CR BH GR BU RO HU AT SZ CE
 SK DE PL NO SV FI EO LA LT BY UK
 pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AR AB TR IN
 ssp. pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AB
 ussuriensis Tsherepanov, 1978 **R:** FE
 villosa Heyden, 1876
 ssp. magdeevi Danilevsky, 2011 **R:** CT
 ssp. major Miroshnikov, 2007 **R:** CT ?ST
 ssp. kuvandykensis Danilevsky, 2012 **R:** ST
 ssp. mikhailovi Danilevsky, 2001 **R:** ST WS
 ssp. krasnobaevi Danilevsky, 2010 **R:** ?ST **E:** UK
 ssp. kazakorum Danilevsky, 2014 **R:** ST
 ssp. mariae Danilevsky, 2010 **R:** CA
 ssp. circassica Reitter, 1890 **R:** CA
 ssp. zhuravlevi Miroshnikov, 2007 **R:** ST **A:** KZ
 ssp. chuvilini Danilevsky, 2012 **R:** ST
 holosericea (Fabricius, 1801)
 ssp. holosericea (Fabricius, 1801) **R:** ST CA **E:** IT LJ CR BH SS ?GR RO HU AT CE SK UK
 colchica Reitter, 1890
 ssp. aishkha Danilevsky, 2014 **R:** CA
 ssp. murzini Danilevsky, 2014 **R:** CA
 ssp. ossetica Danilevsky, 2014 **R:** CA
 ssp. bulungensis Danilevsky, 2014 **R:** CA
 kiesenwetteri Pic,1898
 ssp. kiesenwetteri Pic,1898 **R:** ST
 ssp. subtruncata Pic, 1934 **R:** CT
 ciliata Danilevsky, 2001
 ssp. sakmarensis Danilevsky, 2006 **R:** ST
 ssp. milaenderi Danilevsky, 2001 **R:** CT
 reitteri Pic,1891
 ssp. reitteri Pic, 1891 **R:** CT ST **E:** UK
 = alexandri Danilevsky, 1996
 nalis (Gebler, 1830) **R:** AT **A:** KZ
 = haemorhoidalis Pic,1898
 = ruficornis Pic,1926
 sibirica (Plavilstshikov, 1915)
 = semenovi Plavilstshikov, 1936
 ssp. sibirica (Plavilstshikov, 1915) **R:** AT WS
 ssp. shavrovi Danilevsky, 2001 **R:** ES
 tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **R:** ST
 = pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **R:** ST WS(Orenburg) **E:** KZ **A:** KZ
 ssp. rossica Danilevsky, 2001 **R:** CT (Ulyanovsk) ST **E:** UK
 turgaica Danilevsky, 2001 **R:** WS(Orenburg) **A:** KZ
 khatchikovi Danilevsky, 2001 **R:** ST
 alpina (Ménétriés, 1832)
 ssp. alpina (Ménétriés, 1832) **R:** CA **A:** AB GG
 ssp. matusiaki Danilevsky, 2014 **R:** CA **A:** GG
 ssp. baksaniensis Danilevsky, 2014 **R:** CA
 ssp. rosti Pic,1892 **R:** CA

ssp. psebayensis Danilevsky, 2014 **R:** CA
 ssp. starki Reitter, 1888 **R:** CA **A:** GG
 ssp. fischensis Stark, 1894 **R:** CA
 Genus: Fallacia Mulsant et Rey, 1863
 elegans (Faldermann, 1837) **R:** CA **E:** TR **A:** GG AR AB TR IN
 Genus: Macropidonia Pic, 1901
 = Sivana Strand, 1942
 = Sieversia Ganglbauer, 1886
 bicolor (Ganglbauer, 1886) **R:** FE **A:** CH KO
 = coreana Okamoto, 1927
 Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = ruficollis Plavilstshikov, 1915
 Genus: Pidonia Mulsant, 1863
 Subgenus: Pseudopidonia Pic, 1900
 similis (Kraatz, 1879) **R:** FE **A:** KO CH
 semiobscura Pic, 1901 **R:** SI
 alticollis (Kraatz, 1879) **R:** FE **A:** KO CH
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis (Pic, 1900) **R:** SE FE **A:** KO CH
 = quelpartensis Hayashi 1983
 malthinoides (Kraatz, 1879) **R:** FE
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **R:** SE FE **A:** KO CH JP
 suvorovi Baeckmann, 1903 **R:** FE **A:** KO CH
 Subgenus: Mumon Hayashi, 1968
 debilis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO JP
 Subgenus: Cryptopidonia Kuboki, 1981
 amentata (Bates, 1884)
 ssp. kurosawai (Ohbayashi et Hayashi, 1960) **R:** KU **A:** JP
 Subgenus: Omphalodera Solsky, 1873
 puziloi (Solsky, 1873) **R:** SE FE SI **A:** ?MG CH KO JP
 Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei (Heyden, 1887) **R:** ES FE SI KU **A:** CH KO JP
 Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **R:** SE FE SI **A:** CH KO
 = plavilstshikovi Heyrovsky, 1965
 Subgenus: Grammoptera Dejean, 1835
 abdominalis (Stephens, 1831) **R:** CT[Kalinigrad] ST **E:** PT ES FR IT LJ CR BH KD GR BU RO HU
 AT SZ BE NL DK DE LU GB IE CE SK PL LT BY UK **A:** GG AR AB TR IR
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781)
 ssp. ruficornis (Fabricius, 1781) **R:** CT[Kalinigrad] ST **E:** PT ES FR IT ITI AL LJ CR BH SS
 GR BU RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV EO LT LA BY UK ?UKC MD ?N
 ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR BH SS GR GRC BU RO HU
 AT SZ BE NL DK DE LU GB CE SK NO PL SV LA ?LA ?BY UK ?UKC MD **A:** AR AB IN TR
 ssp. ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR BH SS GR GRC BU
 RO HU AT SZ BE NL DK DE LU GB CE SK NO PL SV LA ?LA BY UK ?UKC MD **A:** TR
 gracilis Brancsik, 1914 **R:** SE FE SI **A:** CH KO
 coerulea Jurecek, 1933 **R:** SE FE **A:** KO
 Genus: Cornumutilla Letzn. 1844
 quadrivittata (Gebler, 1830) **R:** ?CT WS AT ES SE ?FE **A:** KO
 = semenovi Plavilstshikov, 1936
 lineata (Letzner, 1844) **R:** NT WS ES **E:** FR SZ IT AT RO CE SK PL UK
 Genus: Corennys Bates, 1884
 sericata Bates, 1884 **R:** KU **A:** KO CH JP
 Genus: Nivellia Mulsant, 1863

sanguinosa (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI ?KU **E:** SS AT DE RO SK PL NO SV
 FI EO BY UK **A:** ?KZ MG CH KO JP
 = rubripennis Matsumura, 1911
 extensa (Gebler, 1833)
 ssp. extensa (Gebler, 1833) **R:** NT WS ES AT SE FE **E:** FI **A:** MG CH KO
 ssp. umbratilis Shimomura & Toyoshima, 1988 **R:** SI **A:** JP
 Genus: Strangalomorpha Solsky, 1873
 tenuis Solsky, 1873
 ssp. tenuis Solsky, 1873 **R:** SE FE SI **A:** CH KO JP
 Genus: Alosterna Mulsant, 1863
 tabacicolor (DeGeer, 1775)
 ssp. tabacicolor (DeGeer, 1775) **R:** NT CT ST CA WS **E:** ES FR IT ITI AL LJ CR BH SS KD
 GR BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK PL NO SV FI EO LT LA BY UK ?UKC MD TR KZ **A:**
 KZ
 = chrysoloides Schrank, 1781
 ssp. subvittata Reitter, 1885 **R:** CA **A:** GG AR AB IN TR
 = caucasica Plavilstshikov, 1936
 ssp. erythropus (Gebler, 1841) **R:** WS AT ES SE FE SI KU **A:** KZ MG CH KO JP
 = bivittis Motschulsky, 1860
 = plavilstshikovi Podaný, 1963
 ssp. tenebris Danilevsky, 2012 **R:** FE **A:** CH KO
 ssp. sachalinensis Danilevsky, 2012 **R:** SI
 ingrica (Baeckmann, 1902) **R:** NT CT ST WS **E:** SK PL EO LT LA BY UK
 diversipes Pic, 1929 **R:** SE FE SI **A:** CH KO
 = perpera Danilevsky, 1988
 chalybeella (Bates, 1884) **R:** SI KU **A:** JP
 = japonica Pic, 1935
 Genus: Vadonia Mulsant, 1863
 unipunctata (Fabricius, 1787)
 ssp. unipunctata (Fabricius, 1787) **R:** CT ST CA WS **E:** IT LJ CR BH SS GR BU TR RO HU
 AT CE SK ?PL MD UK UKC **A:** KZ GG AR AB TR IN
 bipunctata (Fabricius, 1781)
 ssp. bipunctata (Fabricius, 1781) **R:** CT ST CA WS **A:** KZ
 ssp. sareptana Pic, 1941 **R:** ST WS **A:** KZ
 = beckeri Pic, 1941 [HN]
 ssp. urdensis Danilevsky, 2014 **R:** ?ST **A:** KZ
 ssp. globicollis (Desbrochers des Loges, 1870) **R:** CT ST CA **E:** MD UK RO
 = mulsantiana (Plavilstshikov, 1936)
 ssp. steveni (Sperk, 1835) **R:** ST CA **E:** HU MD SK SL UK
 ssp. teberdensis Danilevsky, 2014 **R:** CA
 Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula (Kraatz, 1879) **R:** SE FE ?SI **A:** CH KO
 = orientalis Plavilstshikov, 1934
 Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 livida (Fabricius, 1777)
 ssp. bicarinata (Arnold, 1869) **R:** NT CT ST CA WS AT ES SE **E:** SV PL BY LA LT EO UK
 UKC KZ **A:** AR GG AB IN TR KZ KI
 Genus: Konoa Matsushita, 1933
 granulata (Bates, 1884) **R:** SI **A:** JP
 Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes (Schaller, 1783)
 ssp. rufipes (Schaller, 1783) **R:** ?NT **E:** ES FR IT LJ CR BH SS GR BU RO HU AT SZ DE CE
 SK PL ?EO LT LA BY UK MD
 ssp. ventralis Heyden, 1886 **R:** CT ST CA WS ?AT ES **E:** BY UK KZ **A:** GG AR AB KZ
 sexguttata (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR BH SS KD GR BU TR RO
 HU AT SZ DE LU BE GB IR NL DK CE SK PL NO SV FI EO LT LA BY UK MD **A:** GG N
 rufihumeralis (Tamanuki 1938) **R:** FE **A:** KO
 Genus: Anoploderomorpha Pic, 1901
 cyanea (Gebler, 1832) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Genus: Xestoleptura Casey, 1913
 rufiventris (Gebler, 1830) **R:** WS AT ES ?SE SI **A:** ?KZ MG
 baeckmanni (Plavilstshikov, 1936) **R:** FE **A:** KO

= changbaishanensis (Gao, Meng & Yan, 2011)
Genus: Stictoleptura Casey, 1924
= Brachyleptura auct. (not Casey, 1913)
Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957
= Corymbia Des Gozis, 1886
rubra (Linnaeus, 1758)
ssp. rubra (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** PT ES FR FRC IT LJ CR BH SS MN
AL GR BU RO HU AT SZ DE LU BE GB NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** KZ N
dichroa (Blanchard, 1871) **R:** ES SE FE SI KU **A:** CH KO JP
= succedanea Lewis, 1879
Subgenus: Stictoleptura Casey, 1924
cordigera Fuesslin, 1775
ssp. cordigera Fuesslin, 1775 **R:** CA (Derbent) **E:** BE GB BU DE FR GE GR IT NL RO ES
SZ RO UK **N:** LB **A:** AB AR CY GG IN IQ IS LE SY TR
erythroptera (Hagenbach, 1822) **R:** CA **E:** ES FR CR BH SS GR BU RO HU AT SZ DE CE SK UK
A: AR GG AB TR IN
rufa (Brullé, 1832)
ssp. realis Danilevsky, 2012 **R:** CA **A:** GG AR AB TR
Subgenus: Variileptura Danilevsky, 2014
variicornis (Dalman, 1817) **R:** NT CT WS AT ES SE FE SI KU **E:** PL EO LT LA BY UK **A:** KZ
MG CH KO JP
Subgenus: Melanoleptura Miroshnikov 1998
scutellata (Fabricius, 1781)
ssp. scutellata (Fabricius, 1781) **R:** ?CT ST CA **E:** PT ES FR FRC IT ITI ITA LJ CR BH SS MN
KD AL GR BU RO HU AT SZ DE LU BE GB IR DK CE SK PL SV LA BY UK UKC MD
ssp. ochracea (Faust, 1878) **R:** ST **A:** GG AR AB TR
Subgenus: Maculileptura Danilevsky, 2014
maculicornis (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR IT LJ CR BH SS MN AL GR BU TR
RO HU AT SZ DE BE LU CE SK PL NO SV FI EO LT LA BY UK MD **A:** ?GG
Subgenus: Batesiata Miroshnikov, 1998
tesserula (Charpentier, 1825) **R:** CA **E:** SS AL GR BU RO HU ?DE SK PL UK **A:** GG AR AB TR
IN
Subgenus: Paracorymbia Miroshnikov 1998
fulva (DeGeer, 1775) **R:** CT ST **E:** PT ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU TR RO
HU AT SZ DE LU BE GB IR NL CE SK PL ?BY UK
= apicalis Motschulsky, 1875
tonsa (J.Daniel et K.Daniel, 1891) **R:** CA **A:** UKC GG AR AB TR IN
= ustulata Ménétrés, 1832 [HN]
pallidipennis (Tournier, 1872) **R:** CA **A:** GG ?AB
nadezhdae (Plavilstshikov, 1932) **R:** CA
Genus: Anastrangalia Casey 1924
scotodes (Bates, 1873)
ssp. scotodes (Bates, 1873) **R:** SI KU **A:** JP
ssp. continentalis (Plavilstshikov, 1936) **R:** SE FE **A:** CH KO
sanguinolenta (Linnaeus, 1760) **R:** NT CT ST CA **E:** ES FR IT LJ CR BH SS KD AL GR BU RO
HU AT SZ DE NL GB CE SK PL NO SV FI EO LT LA BY UK ?MD **A:** GG AR AB KZ WS ?AT ?ES
dubia (Scopoli, 1763)
ssp. melanota (Faldermann, 1837) **R:** CA **A:** GG AR ?AB TR
= distincta (Tournier, 1872)
reysi (Heyden, 1885) **R:** NT CT ST WS **E:** LJ AT RO SZ DE CE SK PL NO SV FI EO LT LA BY
UK **A:** KZ
= inexpectata Jansson & Sjöberg, 1928
sequensi (Reitter, 1898) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
renardi (Gebler, 1848) **R:** NT WS AT ES SE FE SI ?KU **A:** KZ MG CH KO
Genus: Lepturobosca Reitter, 1913
virens (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT LJ CR BH SS BU RO HU
AT SZ DE ?GB CE SK PL NO SV FI EO ?LT LA BY UK **A:** KZ MG CH
Genus: Eustrangalis Bates, 1884
distenioides Bates, 1884 **R:** KU **A:** JP
Genus: Podostrangalia Sokol. 1897
Subgenus: Neosphenalia Löble, 2010
= Sphenalia Daniel 1904 (not Sphenalia Wood, 1874, in Mollusca)
femoralis (Motschulsky, 1860) **R:** SE FE SI KU **A:** CH KO JP

= xanthoma Bates, 1873
 Genus: Etorofus Matsushita 1933
 Subgenus: Etorofus Matsushita 1933
 nemurensis Matsushita, 1933 **R:** SI KU **A:** JP
 = variicornis Matsushita, 1933 [HN]
 = niger Matsushita, 1933
 = circaocularis (Pic,1934)
 pubescens (Fabricius, 1787) **R:** NT CT ST CA WS **E:** ES FR IT DK LJ CR BH SS MN AL GR BU
 RO AT SZ DE CE SK PL NO SV FI EO LT LA BY UK **A:** KZ ?GG
 Subgenus: Nakanea Ohb. 1963
 vicaria (Bates, 1884)
 ssp. vicaria (Bates, 1884) **R:** SI KU **A:** JP
 Genus: Judolidia Plavilstshikov, 1936
 znojkoii Plavilstshikov, 1936: **R:** SE FE **A:** CN KO
 Genus: Judolia Mulsant, 1863
 sexmaculata (Linnaeus, 1758) **R:** NT CT ST **E:** ?ES FR IT SZ AT HU RO DE CE SK GB PL NO SV
 FI EO LT LA BY UK **A:**KZ
 dentatofasciata Mannerheim, 1852 **R:** NT WS AT ES SE FE SI KU **A:** MG CH KO JP
 = parallelopipeda Motschulsky,1860
 = abbreviata Motschulsky,1875
 = shirarakensis Matsumura, 1911
 = rufimembris Pic, 1917
 Genus: Pachytodes Pic,1891
 erraticus (Dalman, 1817) **R:** CT ST CA WS AT ES **E:** ES FR IT LJ CR BH SS MN KD AL GR BU
 TR RO HU AT ?SZ DE CE SK PL BY MD UK KZ **A:** GG AR AB KZ MN ?CH TR IN SY
 cerambyciformis (Schrank, 1781) **R:** ?NT CT ST **E:** PT ES FR IT LJ CR BH SS KD AL BU RO HU
 AT SZ DE LU BE DK NL GB CE SK PL ?EO LT LA BY UK MD **A:** ?TR
 bottcheri (Pic, 1911) **R:** WS AT ES **A:** MG
 = orthotrichus (Plavilstshikov, 1936)
 longipes (Gebler, 1832) **R:** ES SE FE SI **A:** MG CH KO
 cometes (Bates, 1884) **R:** SI KU **A:** JP
 = connecta Nishio 1950
 Genus: Oedecnema Thomson, 1857
 gebleri Ganglbauer, 1889 **R:** NT CT ST(Orenburg) WS AT ES SE FE SI KU **E:** BY UK **A:** KZ MG
 CH KO JP
 = dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911
 Genus: Leptura Linnaeus, 1758
 Subgenus: Noona Sama, 2007
 = Nona Sama, 2002
 regalis (Bates, 1884) **R:** SI KU **A:** JP
 Subgenus: Macroleptura Nakane et Ohb. 1957
 thoracica Creutzer, 1799 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** SL CR BH SS RO SK PL FI
 EO ?LT LA BY UK **A:** KZ MG CH KO JP
 = obscurissima Pic, 1900
 Subgenus: Leptura Linnaeus, 1758
 ochraceofasciata (Motschulsky, 1862)
 ssp. ochraceofasciata (Motschulsky, 1862) **R:** SI KU **A:** JP KO CH
 latipennis (Matsushita, 1933) **R:** SI KU **A:** JP
 aurulenta Fabricius, 1793 **R:** ST CT **E:** PT ES FR FRC IT LJ CR BH SS MN AL GR BU TU RO HU
 AT SZ DE LU GB IR CE SK PL MD UK **A:** TR N
 quadrifasciata Linnaeus, 1758
 ssp. quadrifasciata Linnaeus, 1758 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT LJ
 CR BH SS KD AL BU TR RO HU AT SZ DE LU BE DK NL GB IR CE SK PL NO SV FI EO LT LA BY UK UKC
 MD KZ **A:** KZ MG KO CH JP
 ssp. lederi Ganglbauer, 1882 **R:** CA **A:** GG AR AB TR IN
 = caucasica Plavilstshikov, 1924
 annularis Fabricius, 1801
 = arcuata Panzer, 1793
 ssp. annularis Fabricius, 1801 **R:** NT CT ST KZ WS AT ES FE SI **E:** ES FR ?IT CR BH RO HU
 AT SZ DE CE SK PL EO LT LA ?MD BY UK **A:** KZ MG CH KO
 ssp. mimica Bates, 1884 **R:** SI KU **A:** JP
 duodecimguttata Fabricius, 1801 **R:** KZ WS AT ES SE FE SI **A:** MG CH KO JP

aethiops Poda 1761 **R:** NT CT ST CA WS AT ES SE FE ST SI KU **E:** ES FR IT LJ CR BH SS AL
GR RO HU AT SZ DE LU BE DK NL CE SK PL EO LT LA BY UK ?UKC MD **A:** ?GG ?AR ?AB KZ MG CH KO
JP

= aterrma Motschulsky, 1860

= doii (Matsushita, 1933)

= akitai Fujita, 2018

Genus: Lepturalia Reitter, 1913

nigripes (DeGeer, 1775)

ssp. nigripes (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** AT RO SK PL NO SV FI EO ?LT LA
BY UK KZ **A:** KZ

ssp. rufipennis (Blessig, 1873) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO

Genus: Strangalia Dejean, 1835

= Strangalina Aurivillius, 1912

attenuata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR FRC IT LJ CR BH
SS MN KD AL GR BU TR RO HU AT SZ DE LU BE NL DK ?GB CE SK PL NO SV FI EO LT LA BY UK UKC
MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP

takeuchii Matsushita et Tamanuki, 1935 **R:** KU **A:** JP

Genus: Rutpela Nakane et Ohbayashi, 1957

maculata (Poda 1761)

ssp. maculata (Poda 1761) **R:** CT ST CA WS(Orenburg) **E:** FR FRC IT ITA LJ CR BH SS MN
KD AL GR BU RO HU AT SZ DE LU BE DK NL GB IR CE SK PL NO SV FI EO ?LT LA BY UK MD KZ **A:** KZ

ssp. manca (Schaufuss, 1863) **R:** CA **E:** PT ES FR IT ITI BU TR UKC **A:** GG AR AB IN TR

SY

= nigricornis (Stielin, 1864)

Genus: Stenurella Villiers 1974

Subgenus: Stenurella Villiers 1974

melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR IT LJ CR BH SS MN
KD AL GR BU TR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK ?UKC MD KZ **A:**
?GG ?AR ?AB IN TR KZ MG ?CH JP

ssp. melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR IT LJ CR BH
SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK ?UKC MD
KZ **A:** ?GG ?AR ?AB IN KZ MG ?CH JP

=sennii Sama, 2002

Subgenus: Stenurelloides Özdikmen, 2013

novercalis (Reitter, 1901) **R:** CA **A:** GG TR

jaegeri (Hummel, 1825) **R:** RSC RSS CA **E:** UKC **A:** GG AR AB IN TR SY

Subgenus: Priscostenurella Özdikmen, 2013

bifasciata (Müller, 1776)

ssp. bifasciata (Müller, 1776) **R:** NT CT ST CA WS AT ES **E:** PT ES FR FRC IT ITI ITA LJ CR
BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL CE SK PL EO LT LA BY UK UKC MD KZ **A:** GG AR
AB IN TR KZ

= sedakovi Mannerheim, 1852

septempunctata (Fabricius, 1793)

ssp. latenigra Pic, 1915 **R:** CA **E:** BU TR **A:** GG AR TR

Subgenus: Nigrostenurella Özdikmen, 2013

nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SS MN KD AL GR BU
RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV EO LT LA BY UK UKC MD KZ **A:** GG AR AB ?IN TR

ssp. nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SS MN KD
AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV EO LT LA BY UK UKC MD KZ **A:** TR

ssp. maesta Danilevsky, 2013 **R:** CA **A:** GG AR AB ?IN TR

Subfamilia: NECYDALINAE Latreille, 1825

Tribus: NECYDALINI

Genus: Necydalis Linnaeus, 1758

Subgenus: Necydalis Linnaeus, 1758

ulmi (Chevrolat, 1838) **R:** CA **E:** ES FR IT CR BH SS MN KD GR BU RO HU AT SZ DE CE SK
PL ?LT ?LA BY ?MD UK **A:** GG AR IR TR

= mesembrina Plavilstshikov, 1936

major Linnaeus, 1758 **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT CR BH SS MN AL GR BU
RO HU AT SZ DE LU BE NL CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** AB GG TR KZ MG CH KO
JP

= xantha Semenov, 1898

= aino Kusama, 1974

gigantea Kano, 1933 **R:** KU **A:** JP

ssp. gigantea Kano, 1933 **R:** KU **A:** JP
Subgenus: Necydalea Plavilstshikov, 1936
= Eonecydalea Ohbayshi, 1961
pennata Lewis, 1879 **R:** SE FE SI KU **A:** KO CH JP
= morio Kraatz, 1879
= ebenina Bates, 1884
= pacifica Plavilstshikov, 1936
= ussuriensis Plavilstshikov, 1936
= semenovi Plavilstshikov, 1936
= eoa Plavilstshikov, 1936
sachalinensis Matsumura et Tamanuki, 1927 **R:** SE FE SI **A:** KO CH JP
Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
= Aseminae Thomson, 1860
Tribus: SAPHANINI Gistel, 1848
Genus: Drymochares Mulsant, 1847
starcki Ganglbauer, 1888
ssp. starcki Ganglbauer, 1888 **R:** CA **A:** ?GG
Tribus: ATIMIINI Le Conte, 1873
Genus: Atimia Haldeman, 1847
= Myctus Semenov et Plavilstshikov, 1937
maculipuncta (Semenov et Plavilstshikov, 1937)
ssp. nadezhdae Tsherepanov, 1973 **R:** FE **A:** KO
Tribus: ASEMINE Thomson, 1860
Genus: Nothorhina L. Redtenbacher, 1845
punctata (Fabricius, 1798) **R:** NT CT ST WS ?AT **E:** PT ES FR IT ITI BH AL GR DE AT CE SK PL
NO SV FI EO LT LA BY UK KZ **A:** KZ ?SY JP
= muricata (Dalman, 1817)
Genus: Megasemum Kraatz, 1879
quadricostulatum Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
Genus: Asemum Eschscholtz, 1837
striatum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT LJ CR BH SS
MN AL GR BU RO HU AT SZ DE LU BE NL DK GB IR CE SK PL NO SE FI EO LT LA BY UK ?UKC MD KZ **A:**
GG AR ?AB TR KZ KI MG CH KO JP
= subsulcatum Motschulsky, 1860
= amurense Kraatz, 1879
= ishidai Fujita, 2018
tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV PL UKC **A:** GG TR
ssp. tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV UKC **A:** GG TR
punctulatum Blessig, 1872 **R:** SE FE SI KU **A:** KO CH JP
Genus: Arhopalus Audinet-Serville, 1834
Subgenus: Arhopalus Audinet-Serville, 1834
= Criocephalum Dejean, 1835
= Criocephalus Mulsant, 1839
rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR FRC IT ITI LJ CR
BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD
RSN RSC RSS KZ **A:** GG AR AB TD TR IN KZ MG CH KO JP N
ssp. rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR FRC IT ITI
LJ CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK
UKC MD RSN RSC RSS KZ **A:** GG AR AB TD TR IN KZ MG CH KO JP N
= tristis Fabricius, 1787
?= coreanus Sharp, 1905
ferus (Mulsant, 1839) **R:** NT CT ST CA WS AT ES SE **E:** PT ES FR FRC IT ITI ITA LJ CR BH SS
MN KD GR GRC AL BU RO HU ?AT SZ DE LU BE NL DK GB ?IR CE SK PL SV FI EO LT LA BY UK UKC MD
KZ **A:** GG AR AB TR SY JO IS KZ CH
Tribus: Tetropiini Seidlitz, 1891
Genus: Tetropium Kirby 1837
= Isarthron Dejean, 1835
castaneum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT LJ CR BH SS
MN AL BU GR RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG
AR AB TR KZ MG CH KO JP
gabrieli Weise, 1905 **R:** ?CT (Kaliningrad Region) NT **E:** FR IT SL HU AU SZ GE GB IR LU BE
NL DE LS CZ SK PL LT LA BY UK
gracilicorne Reitter, 1889 **R:** NT CT WS AT ES SE FE SI **A:** KZ MG CH KO JA

gracilicum Hayashi, 1983 **R:** FE KU **A:** CH JP
 aquilonium Plavilstshikov, 1940 **R:** NT WS **E:** SV FI
 danilevskiy Slama, 2005 **R:** ES
 fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ BH SS BU RO HU AT SZ DE BE
 NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ
 ssp. fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ BH SS BU RO HU AT SZ
 DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ
 Tribus: SPONDYLIDINI Audinet-Serville, 1832
 Genus: Spondylis Fabricius, 1775
 buprestoides (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT ES FR FRC IT ITI LJ
 CR BH SS MN KD AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY UK UKC
 MD KZ **A:** GG AR AB IN TR AF KZ MG CH KO JP
 Subfamilia: APATOPHYSEINAE Lacordaire, 1869
 Tribus: APATOPHYSEINI
 Genus: Apatophysis Chevrolat, 1860
 Subgenus: Apatophysis Chevrolat, 1860
 caspica Semenov, 1901 **R:** CA **A:** AB GG TM UZ KZ TR IN AF
 Subfamilia: CERAMBYCINAE Latreille, 1802
 Tribus: HESPEROPHANINI
 Genus: Hesperophanes Dejean, 1835
 sericeus (Fabricius, 1787) **R:** CA **E:** PT ES FR FRC IT ITI ITA CR BH MN AL GR UKC **A:** GG AR
 AB TM IN TR JO IS IQ N
 Genus: Trichoferus Wollaston, 1854
 holosericeus (Rossi, 1790) **R:** CA **E:** ES FR FRC SZ IT ITI ITA MT LJ CR BH SS AL GR BU UKC
A: GG AR AB TR IN N
 = cinereus Villers, 1789
 fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT CR MN AL GR BU RO
 UK UKC **A:** GG AR AB TR IN N
 ssp. fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT CR MN AL GR
 BU RO UK UKC **A:** GG AR AB TR IN
 griseus (Fabricius, 1793) **R:** ?CA **E:** PT ES FR FRC IT ITI ITA MT CR BH MN AL GR GRC BU
 TR RO CE UK UKC **A:** ?GG TR JO IS SY IQ N
 campestris (Faldermann, 1835) **R:** CT ST CA WS ES SE FE **E:** GE PL LT CE SK HU RO MD UK
A: AB AR KZ KI UZ TD TM IN MG CH KO JP
 = turkestanicus Heyden, 1886
 pallidus (Olivier, 1790) **R:** ST CA **E:** ES FR FRC IT CR BH SS GR BU RO HU AT CE SK DE PL
 MD UKC
 Genus: Stromatium Audinet-Serville, 1834
 auratum (Böber, 1793) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA LJ DE MT CR BH SS MN KD AL
 GR GRC BU TR RO HU LA UK UKC **A:** GG AR AB TM TR IN IQ JO IS LE N
 = fulvum Villers, 1789
 = unicolor (Olivier, 1800)
 Tribus: CERAMBYCINI
 Genus: Neocerambyx Thomson, 1860
 = Mallambyx Bates, 1873
 = Mesocerambyx Breuning et Hitzinger, 1943
 raddei Blessig, 1872 **R:** SE FE **A:** CH KO JP
 Genus: Cerambyx Linnaeus, 1758
 Subgenus: Cerambyx Linnaeus, 1758
 cerdo Linnaeus, 1758
 ssp. cerdo Linnaeus, 1758 **R:** ?CT **E:** FR FRC IT ITI ITA LJ CR BH SS MN KD GR BU TR RO
 HU AT SZ DE LU BE NL DK CE SK PL SV LT LA BY MD UK
 ssp. acuminatus Motschulsky, 1852 **R:** ST CA **E:** UK **A:** GG AR AB IN TR SY JO IS
 = klinzigi Podaný 1964
 ssp. manderstjernae Mulsant & Godart, 1855 **R:** ST **E:** UKC
 dux (Faldermann, 1837) **R:** CA **E:** KD BU GR UKC **A:** GG AR AB TR IN IQ SY JO LE IS
 nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD AL GR BU TR RO UKC **A:** GG
 AR AB TR SY
 ssp. nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD AL GR BU TR RO UKC
A: GG AR AB TR SY
 miles Bonelli, 1812 **R:** CA **E:** PT ES FR IT ITI MT LJ CR BH SS MN KD AL GR BU TR RO HU
 AT CZ SK SZ MD UKC **A:** GG AR AB IN TR SY N
 Subgenus: Microcerambyx Miksic et Georgijevic, 1973

= Mesocerambyx Zagaikevitch, 1991
scopolii Fuesslin, 1775

ssp. scopolii Fuesslin, 1775 **R:** NT CT ST CA **E:** PT ES FR FRC IT ITA MT LJ CR BH SS MN
KD AL GR GRC BU TR RO HU AT SZ DE LU BE NL DK ?GB CE SK PL NO SE ?EO LT BY MD UK UKC **A:** GG
AR AB IN TR SY

Tribus: COMSOCERINI

= ROSALIINI

Genus: Rosalia Audinet-Serville, 1834

alpina (Linnaeus, 1758)

ssp. alpina (Linnaeus, 1758) **R:** ST CA WS **E:** ES FR FRC IT ITI LJ CR BH SS MN KD AL GR
BU TR RO HU AT SZ DE CE SK PL BY MD UK UKC **A:** GG AR AB TR

coelestis Semenov, 1911 **R:** FE **A:** CH KO

= yanagii Fujita & Akita, 2020 [Tsushima Is.]

Tribus: PURPURICENINI

Genus: Purpuricenus Dejean, 1821

kaehlerii (Linnaeus, 1758)

ssp. rossicus Danilevsky, 2019 **R:** CT ST CA **E:** BU TR RO HU AT SZ DE CE SK PL BY UK

UKC MD KZ

ssp. miroshnikovii Lazarev, 2013 **R:** CA **A:** GG

ssp. menetriesii Motschulsky, 1845 **A:** AR AB IN TR

= astrabadensis Pic, 1915

= caucasicus Pic, 1902

globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH SS AL GR BU RO UK HU
?AT SZ CE SK ?DE **A:** KZ

ssp. globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH SS GR BU RO UK
HU ?AT SZ CE SK ?DE **A:** KZ

= tsherepanovae Tsherepanov, 1980

budensis (Götz, 1783) **R:** CT ST CA ?WS **E:** ES FR IT LJ CR BH SS MN AL KD GR BU RO HU
SK UK UKC **A:** GG AR AB IN TR SY IS

caucasicola Danilevsky, 2015d **R:** CA **A:** GG ?AR AB TR

litoratus Ganglbauer, 1886 **R:** FE **A:** KO CH JP

= petasifer Fairmaire, 1888

sideriger Fairmaire, 1888 **R:** FE **A:** KO CH

ssp. sideriger Fairmaire, 1888 **R:** FE **A:** KO CH

Genus: Anoplistes Audinet-Serville, 1834

= Asias Semenov, 1914

halodendri (Pallas, 1773)

= humeralis Olivier, 1795

= elaeagni Fischer-Waldheim, 1824

ssp. ephippium (Steven et Dalman, 1817) **R:** ST CA **E:** UK KZ **A:** KZ

ssp. kasatkini Lazarev, 2014 **R:** ST

ssp. halodendri (Pallas, 1773) **R:** WS AT **A:** KZ

ssp. minutus Hammarström, 1893 **R:** ES **A:** MG CH

ssp. pirus (Arakawa, 1932) **R:** SE FE **A:** KO CH

tuvensis (Tsherepanov, 1978) **R:** ES **A:** MG

Genus: Amarysius Fairmaire, 1888

sanguinipennis (Blessig, 1872) **R:** CT WS ES SE FE **A:** KZ MG KO CH JP

suturalis (Pic, 1906) **R:** FE **A:** CH

=grallator Baeckmann, 1924

altajensis (Laxmann, 1770)

ssp. altajensis (Laxmann, 1770) **R:** WS AT **A:** KZ CH

= sellatus Germar, 1824

= affinis Motschulsky, 1875

ssp. coreanum (Okamoto, 1924) **R:** ES SE FE **A:** MG CH KO

= ussuricus Tsherepanov, 1975

duplicatus Tsherepanov, 1980 **R:** WS AT ?ES SE FE **A:** KZ? MG CH ?KO

Tribus: CALLICHRMATINI

Genus: Aphrodisium Thomson, 1864

= Tomentaromia Plavilstshikov, 1934

faldermannii (Saunders, 1853)

ssp. faldermannii (Saunders, 1853) **R:**?ES ?SE **A:**?MG CH KO

Genus: Aromia Audinet-Serville, 1834

moschata (Linnaeus, 1758)

= thea Reitter, 1894

ssp. moschata (Linnaeus, 1758) **R:** NT CT ST CA **E:** FR FRC IT AL LJ CR BH SS KD BU TR
RO HU AT SZ BE NL DK DE LU GB IR CE SK NO PL SV FI EO LA LT BY UK UKC MD KZ **A:** GG KZ WS AT
ES ?MG

ssp. malukhini Danilevsky, 2019 **R:** ST

ssp. ambrosiaca (Steven, 1809) **R:** CA **E:** PT ES IT ITI GR **A:** GG AR AB TR IN SY IS LE JO

IQ N

orientalis Plavilstshikov, 1932 **R:** ES SE FE SI **A:** MG CH KO JP

Genus: Chelidonium Thomson, 1864 U

zaitzevi Plavilstshikov, 1933 **R:** FE

Genus: Chloridolum Thomson, 1864

Subgenus: Chloridolum Thomson, 1864

sieversi (Ganglbauer, 1886) **R:** FE **A:** KO CH JP

= coreana Fairmaire, 1897

Genus: Leontium Thomson, 1864

viride Thomson, 1864 **R:** SI KU **A:** JP CH KO

Genus: Polyzonus Dejean, 1835

fasciatus (Fabricius, 1781) **R:** ES SE FE **A:** MG KO CH

Tribus: CALLIDIOPINI

Genus: Stenygrinum Bates, 1873

quadrinotatum Bates, 1873 **R:** FE **A:** CH KO JP

Tribus: GRACILIINI

Genus: Gracilia Audinet-Serville, 1834

minuta (Fabricius, 1781) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH SS AL
GR GRC BU TR RO HU AT ?SZ DE LU BE NL DK GB ?IR CE SK PL NO SV FI EO LT UK UKC MD KZ **A:** KZ
GG AR AB IN TR N

Genus: Penichroa Stephens, 1839

fasciata (Stephens, 1831) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH SS KD AL GR GRC
BU TR UKC **A:** GG AR AB IN TR SY N

Genus: Axinopalpis Dejean, 1835

gracilis (Krynicky, 1832)

ssp. gracilis Krynicky, 1832 **R:** CT ST CA **E:** IT LJ CR BH SS MN KD AL GR BU RO HU AT
CE SK DE PL LA LT UK ?UKC MD **A:** GG TR SY

Genus: Hybometopia Ganglbauer, 1889

starcki Ganglbauer, 1889

ssp. starcki Ganglbauer, 1889 **R:** CA **A:** GG TR

Tribus: OBRIINI

Genus: Obrium Dejean, 1821

cantharinum (Linnaeus, 1767)

ssp. cantharinum (Linnaeus, 1767) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR IT BH SS GR
BU RO TR HU AT SZ DE LU BE NL ?GB CE SK PL NO SV FI EO LT LA BY MD UK ?UKC KZ **A:** GG AR AB
TR KZ MN CH JP

brunneum (Fabricius, 1793) **R:** ?NT ?CT ?ST CA **E:** ES FR IT LJ CR BH SS AL GR BU RO HU AT
SZ DE LU BE NL DK GB CE SK PL SV EO LT LA BY MD UK UKC **A:** GG AR AB TR IR

obscuripenne Pic, 1904 **R:** FE SI ?KU **A:** KO CH JP

= graciliforme Lipp, 1939

= gracile Plavilstshikov, 1933

brevicornis Plavilstshikov, 1940 **R:** FE **A:** KO CH

Tribus: CERTALLINI

Genus: Certallum Dejean, 1821

= Cartallum Audinet-Serville, 1834

ebulinum (Linnaeus, 1767) **R:** ST CA **E:** PT ES FR IT ITI MT AL GR GRC TR UK UKC **A:** GG
AR AB IN TR SY LE JO IS N

= ruficollis Fabricius, 1781

Tribus: DEILINI

Genus: Deilus Audinet-Serville, 1834

fugax (Olivier, 1790) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA LJ CR BH MN GR GRC AL
BU RO HU AT SZ LU BE CE SK PL BY MD UK ?UKC KZ **A:** KZ GG AR AB TR IN SY JO LE IS N

Tribus: STENOPTERINI

Genus: Stenopterus Illiger, 1804

rufus (Linnaeus, 1767)

ssp. rufus (Linnaeus, 1767) **R:** ST CA **E:** ES FR FRC IT ITI ITA MT LJ RO BU HU AT SZ DE
LU BE NL CE SK PL MD UK UKC **A:** GG TR

ssp. geniculatus Kraatz, 1863 **R:** CA **E:** GR AL CR BH SS MN KD AT HU BU **A:** GG AR AB

IN TR

Genus: Callimus Mulsant, 1846

= Callimellum Strand, 1928

Subgenus: Lampropterus Mulsant, 1863

= Callimomimus Ieniştea, 1952

femoratus (Germar, 1824) **R:** CA **E:** SS KD AL GR BU TR RO MD UK UKC **A:** GG AR AB IN TR

SY JO LE IS

= adonis Perrin, 1881

= narcissus Perrin, 1881

= distinctus Ieniştea, 1952

Subgenus: Procallimus Pic, 1907

= Protocallimus Plavilstshikov 1940

egregius Mulsant et Rey, 1863 **R:** ?CA **E:** UKC **A:** GG TR SY LE

Genus: Callimoxys Kraatz, 1863

gracilis (Brullé, 1832) **R:** ST CA **E:** LJ CR BH MN KD GR BU RO HU SK UKC **A:** GG AR AB TM

TR IN

Tribus: PSEBIINI

Genus: Nathrius Brethes, 1916

brevipennis (Mulsant, 1839) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA MT LJ CR BH SS KD BU GR

GRC TR RO HU AT ?SZ CE SK DE GB ?IR BE NL DK GB PL NO SV FI MD UK UKC KZ **A:** KZ GG AR AB IN

TR IS LE N

Tribus: MOLORCHINI

Genus: Leptepania Heller, 1924

= Molorchinus Shabliovsky, 1936

okunevi (Shabliovsky, 1936) **R:** FE **A:** MN

= incognitus Tsherepanov, 1975

Genus: Nadezhdiana Tsherepanov, 1976

villosa Tsherepanov, 1976 **R:** FE

Genus: Molorchus Fabricius, 1793

Subgenus: Caenoptera Thomson, 1859

minor (Linnaeus, 1758)

ssp. minor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** FR IT LJ CR BH SS
AL GR BU RO HU AT SZ DE LU BE NL DK GB CE SK PL NO SV FI EO LT LA BY MD UK ?UKC **A:** GR KZ
MG KO JP CH TR

= rufescens Kiesenwetter, 1879

Subgenus: Molorchus Fabricius, 1793

= Glaphyra Newman, 1840

= Linomius Mulsant, 1862

umbellatarum (Schreber, 1759)

ssp. umbellatarum (Schreber, 1759) **R:** NT CT ST CA **E:** ES FR IT ITI SL CR BH SB MC AL
GR BU TR RO HU AU SZ DE LU BE NL GE GB CZ SK NR PL SV EO LT LA BY MD UK UKC **A:** GG AR AB IR
TR ?TM

plagiatus Reiche, 1877 **R:** ?CT ST CA **A:** GG AR AB ?KZ IN TR

kiesenwetteri Mulsant et Rey, 1861

ssp. kiesenwetteri Mulsant et Rey, 1861 **R:** ST CA **E:** IT ?LJ CR SS ?SZ ?DE AT ?PL HU ?RO

BU UKC

ssp. hircus Abeille de Perrin, 1881 **R:** CA **E:** TR **A:** GG AR AB IN TR SY LE IS

= anatolicus Adlbauer, 1988

schmidti Ganglbauer, 1883 **R:** CT ST CA WS(Orenburg) **E:** GR HU RO CE SK ?PL UK UKC MD

KZ **A:** AB GR KZ TM UZ KI

= salicicola Stiller, 1935

= ?semenovi Plavilstshikov, 1940

marmottani Brisout de Barneville, 1863

ssp. marmottani Brisout de Barneville, 1863 **R:** CT ST **E:** ES FR IT SZ BU AT DE CE SK PL

A: TR

starki Shabliovsky, 1936 **R:** FE **A:** KO CH ?JP

?= kojimai Matsushita, 1939

= ussuriensis Plavilstshikov, 1940

= ichikawai Niisato, 1988

ishiharai Ohbayashi, 1936 **R:** FE SI KU **A:** ?KO JP

= kunashiricus Tsherepanov, 1981

kobotokensis Ohbayashi, 1963 **R:** FE **A:** KO JP

Subgenus: Nathrioglaphyra Sama, 1995

heptapotamicus Plavilstshikov, 1940 **R:** ST **A:** KZ KI UZ

= amygdali Holzschuh, 1979

Tribus: STENHOMALINI

Genus: Stenhomalus White, 1855

japonicus (Pic, 1904) **R:** FE KU **A:** JP

= lighti Gressitt, 1935

= vulcanus Tsherepanov, 1976

Tribus: HYLOTRUPINI

Genus: Hylotropes Audinet-Serville, 1834

bajulus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT ITI ITA MT AL LJ CR BH SS
MN KD GR GRC BU TR RO HU AT SZ BE NL DK DE LU GB IE CE SK NO PL SV FI EO LA LT BY UK UKC
MD **A:** GG AR AB IN CH TR SY LE JO IS N

Tribus: CALLIDIINI

Genus: Paraxylocrius Niisato, 2009

testaceus Niisato, 2009 **R:** SI

verigai Danilevsky, 2012 **R:** FE

Genus: Ropalopus Mulsant, 1839

= Rhopalopus L. Redtenbacher, 1845

Subgenus: Prorrhopalopus Plavilstshikov, 1921

signaticollis (Solsky, 1873) **R:** SE FE **A:** CH KO JP

speciosus (Plavilstshikov, 1915) **R:** FE **A:** CH KO

Subgenus: Pronocerodes Plavilstshikov, 1940

ruficollis (Matsumura, 1911) **R:** FE SI

aurantiicollis (Plavilstshikov, 1940) **R:** FE SI **A:** KO

Subgenus: Ropalopus Mulsant, 1839

ungaricus Herbst, 1784

ssp. insubricus (Germar, 1824) **R:** CT ST CA **E:** ES FR IT SL CR BH SB AL GR BU TR RO

UK MD

= fischeri (Krynicky, 1829)

lederi (Ganglbauer, 1882) **R:** CA **E:** UKC **A:** GG AR AB IN TR ?SY

clavipes (Fabricius, 1775) **R:** NT CT ST CA WS SE **E:** ES FR IT MT LJ CR BH SS MN KD AL GR

GRC BU TR RO HU AT SZ DE BE NL DK CE SK PL LT LA BY UK UKC MD KZ **A:** GG AR AB KZ IN TR SY

macropus (Germar, 1824) **R:** CT ST CA **E:** LJ CR BH SS BU RO HU AT ?SZ DE CE SK PL LA

BY UK UKC MD **A:** GG AR AB IN TR

?= caucasicus Desbrochers, 1873

femoratus (Linnaeus, 1758) **R:** ?CT ST **E:** ES FR IT LJ CR BH SS KD GR BU TR RO HU AT SZ
DE BE CE SK PL SV ?LT LA BY MD UK

Genus: Pronocera Motschulsky, 1859

sibirica (Gebler, 1848) **R:** AT WS ES SE FE SI **A:** MG CH KO

= brevicollis Gebler, 1833

= daurica Motschulsky, 1859

Genus: Turanium Baeckmann, 1923

Subgenus: Turanium Baeckmann, 1923

scabrum (Kraatz, 1882) **R:** ST(Orenburg) WS(Orenburg) **A:** KZ TM KI UZ TD

Genus: Leioderes L. Redtenbacher, 1845

kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT ITI LJ CR BH SS KD AL GR BU RO HU
AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG

ssp. kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT LJ CR BH SS KD GR BU RO HU
AT SZ DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG

Genus: Callidiellum Linsley, 1940

rufipenne (Motschulsky, 1861) **R:** CA SI **E:** ES FR BE IT BH CR SK BU **A:** GG CH KO JP

Genus: Semanotus Mulsant, 1839

undatus (Linnaeus, 1758) **R:** NT CT ?ST WS ES AT SE FE **E:** FR IT LJ CR BH SS BU RO HU AT
SZ DE CE SK NO PL SV FI EO LA LT BY UK **A:** MG CH KO

russicus (Fabricius, 1777)

ssp. russicus (Fabricius, 1777) **R:** CA **E:** IT CR SS AL GR RO HU BU AT CZ SK UK UKC **A:**
AR AB GG IN TR

bifasciatus (Motschulsky, 1875) **R:** FE **A:** CH KO JP

Genus: Callidium Fabricius, 1775

Subgenus: Palaeocallidium Plavilstshikov, 1940

coriaceum Paykull, 1800 **R:** NT CT ST WS FT ES FE **E:** FR IT DK LJ BH RO HU BU AT SZ LU
CE SK DE PL NO SV FI EO LT LA BY UK **A:** MG CH KO JP

chlorizans (Solsky, 1871) **R:** WS AT ES SE FE SI **A:** MG CH KO JP
 Subgenus: Callidium Fabricius, 1775
 violaceum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES FR IT LJ CR BH SS AL
 BU RO HU AT SZ BE NL DK GB IR DE LU CE SK PL NO SV FI EO LA LT BY UK UKC MD **A:** GG AR AB KZ
 MG CH KO JP
 Subgenus: Callidostola Reitter, 1913
 aeneum (DeGeer, 1775)
 ssp. aeneum (DeGeer, 1775) **R:** NT CT ST WS AT ES SE FE SI **E:** FR IT SL CR BH SB ME
 AL GR BU RO HU AU SZ BE NL CZ SK GE PL NR SV FI EO LT LA BY UK **A:** KZ MG CH
 ssp. longipenne Plavilstshikov, 1940 **R:** CA **A:** GG AB
 Genus: Oupyrhidium Pic, 1900
 cinnabarinum (Blessig, 1872) **R:** SE FE **A:** KO CH
 Genus: Pyrrhidium Fairmaire, 1864
 sanguineum (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR IT ITI ITA LJ CR BH SS MN AL GR
 GRC BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SE FI EO LT BY UK UKC MD **A:** GG AR AB IN
 TR SY N
 Genus: Phymatodes Mulsant, 1839
 Subgenus: Phymatodes Mulsant, 1839
 testaceus (Linnaeus, 1758) **R:** NT CT ST CA WS AT FE **E:** PT ES FR FRC IT ITI ITA LJ CR BH
 SS MN KD AL GR GRC BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK
 UKC MD RSN RSC RSS KZ **A:** GG AR AB IN TR SY IS KZ JP N
 Subgenus: Melasmetus Reitter, 1913
 femoralis (Ménétriés, 1832)
 ssp. femoralis (Ménétriés, 1832) **R:** CA **E:** TR **A:** GG AR AB IN TR
 Subgenus: Phymatoderus Reitter, 1913
 = Reitteroderus Sama, 1991
 lividus (Rossi, 1794) **R:** CT ST CA **E:** ES FR FRC IT ITI ITA ?LJ CR BH MN GR GRC BU RO
 ?BE ?DE SZ CE ?SK ?PL UK UKC **A:** GG ?AB TR SY IS N
 puncticollis Mulsant, 1862 **R:** CT ST CA **E:** KD BU RO SK UK UKC KZ **A:** KZ
 pusillus (Fabricius, 1787)
 ssp. rufipenne Stark, 1889 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR
 glabratus (Charpentier, 1825) **R:** CA **E:** ES FR IT ITA CR BH SS GR BU HU AT SZ DE CE SK PL
 UK UKC **A:** GG
 abietinus Plavilstshikov et Lurie, 1960 **R:** NT CT WS
 Subgenus: Phymatodellus Reitter, 1913
 rufipes (Fabricius, 1777)
 ssp. rufipes (Fabricius, 1777) **R:** ST CA **E:** ES FR IT LJ CR BH SS BU RO HU AT SZ DE CE
 SK PL UK UKC MD
 zemlinae (Plavilstshikov et Anufriev, 1964) **R:** FE **A:** KO CH
 infasciatus (Pic, 1935) **R:** FE KU **A:** KO CH JP
 = vandykei Gressitt, 1935
 = ussuricus Plavilstshikov, 1940
 murzini Danilevsky, 1993 **R:** FE **A:** KO
 Subgenus: Paraphymatodes Plavilstshikov, 1934
 mediofasciatus Pic, 1933 **R:** SE FE **A:** KO CH JP
 Subgenus: Poecilium Fairmaire, 1864
 alni (Linnaeus, 1767)
 ssp. alni (Linnaeus, 1767) **R:** NT CT ST CA **E:** MD UK **A:** KZ
 ssp. pici Aurivillius, 1912 **R:** CA **A:** GG AR AB IN TR
 = alnoides Reitter, 1913
 ermolenkoi Tsherepanov, 1980 **R:** FE **A:** KO
 maacki (Kraatz, 1879)
 ssp. maacki (Kraatz, 1879) **R:** SE FE **A:** KO CH
 ssp. viarius Danilevsky, 1988 **R:** SI KU **A:** JP
 Tribus: ANAGLYPTINI
 Genus: Paraclytus Bates, 1884
 excultus Bates, 1884 **R:** KU **A:** JP
 sexguttatus (Adams, 1817) **R:** CA **E:** BU **A:** GG AR AB IN TR
 Genus: Anaglyptus Mulsant, 1839
 simplicicornis Reitter, 1905 **R:** CA **A:** GG AR AB IN TR
 arabicus (Küster, 1847) **R:** CA **A:** GG AR AB TR
 Genus: Aglaophis Thomson, 1857
 colobothoides Bates, 1884 **R:** FE **A:** KO CH JP

Genus: *Oligoenoplus* Chevrolat, 1863

rostri (Pic, 1911)

ssp. *rostri* (Pic, 1911) **R:** KU **A:** JP

Tribus: CLYTINI

Genus: *Plagionotus* Mulsant, 1842

detritus (Linnaeus, 1758)

ssp. *detritus* (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT CR BH SS AL GR

GRC BU TR RO HU AT SZ BE NL GE DE CE SK PL SV EO LA LT BY UK UKC MD KZ **A:** KZ

ssp. *caucasicola* Plavilstshikov, 1940 **R:** CA **A:** GG AR AB IN TR SY

pulcher (Blessig, 1872) **R:** SE FE SI KU **A:** KO CH JP

christophi (Kraatz, 1879) **R:** SE FE **A:** KO CH JP

arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI ITA LJ CR BH SS AL GR

GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB CE SK PL NO SV FI ?EO LA LT BY UK UKC MD KZ **A:** KZ
KI GG AR AB N

ssp. *arcuatus* (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI ITA LJ CR BH SS AL GR

GR GRC BU TR RO HU AT SZ LU BE NL DK DE ?GB CE SK PL NO SV FI ?EO LA LT BY UK UKC MD KZ **A:**
KZ GG AB N

Genus: *Neoplacionotus* Kasatkin, 2005

bobelayei (Brullé, 1832) **R:** ST CA **E:** ES KD GR BU TR RO UK UKC **A:** GG AR AB TM IN TR

SY IS JO LE IQ

ssp. *huseyini* Lazarev, 2016b **R:** ST CA **E:** UK UKC **A:** GG AR AB TM IN TR

Genus: *Echinocerus* Mulsant, 1863

= *Paraplacionotus* Kasatkin, 2005

floralis (Pallas, 1773)

ssp. *floralis* (Pallas, 1773) **R:** CT ST WS ES **A:** KZ

ssp. *aulicus* (Laicharting 1784) **R:** WS ES AT **E:** ES FR IT LJ CR BH SS KD AL GR BU TR

RO HU AT SZ DE CE SK PL LA LT UK MD **A:** KZ UZ KI TR

Genus: *Teratoclytus* Zaitzev, 1937

plavilstshikovi Zaitzev, 1937 **R:** FE SI **A:** KO CH JP

Genus: *Epiclytus* Gressitt, 1935

ussuricus (Pic, 1933) **R:** SE FE **A:** KO CH

Genus: *Rhabdoclytus* Ganglbauer, 1889

= *Hayashiclytus* Ohbayashi, 1963

acutivittis (Kraatz, 1879)

ssp. *acutivittis* (Kraatz, 1879) **R:** FE SI **A:** KO CH JP

Genus: *Isotomus* Mulsant, 1863

speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH SS KD AL GR BU RO HU

AT CE SK PL UK MD **A:** GG AR AB TR

ssp. *speciosus* (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?SZ ?DE LJ CR BH SS KD AL GR BU

RO HU AT CE SK PL UK MD **A:** GG AR AB TR

comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB IN TR

ssp. *comptus* (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB TR

Genus: *Chlorophorus* Chevrolat, 1863

Subgenus: *Immaculatus* Özdikmen, 2011

varius (Müller, 1766)

ssp. *varius* (Müller, 1766) **R:** CT ST CA WS **E:** ES FR FRC IT ITI ITA MT LJ CR BH SS MN

KD AL GR BU TR RO HU AT SZ DE SV CE SK PL LT BY UK UKC MD KZ **A:** GG AR AB KZ IN TR

elaeagni Plavilstshikov, 1956 **R:** ST **A:** AB KZ TM UZ KI TD

faldermanni (Faldermann, 1837) **R:** ST **A:** GG AR AB IN KZ TM UZ TD KI CH

obliteratus (Ganglbauer, 1889) **R:** ES **A:** MG CH

= *mongolicus* Pic, 1943

= *kaszabi* Heyrovsky, 1970

= *ubsanurensis* Tsherepanov, 1971

simillimus (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP

= *sexmaculatus* Motschulsky, 1859

herbstii (Brahm, 1790) **R:** NT CT ST CA WS AT ?ES **E:** ES FR CR BH SS BU TR RO HU AT SZ

DE CE SK PL SV NO FI EO LA LT BY UK MD UK ?UKC KZ **A:** KZ

Subgenus: *Humeromaculatus* Özdikmen, 2011

figuratus (Scopoli, 1763) **R:** NT CT ST CA AT WS ES **E:** PT ES FR IT CR BH SB ME MC AL GR

BU TR RO HU AU SZ LU GE CZ SK PL EO LA LT BY UK MD KZ **A:** GG AR AB KZ IN TR

japonicus (Chevrolat, 1863) **R:** SI KU **A:** KO CH JP

motschulskyi (Ganglbauer, 1886) **R:** ES SE FE SI **A:** MG CH KO

= *latofasciatus* (Motschulsky, 1861)

= chasanensis Tsherepanov, 1982
 diadema (Motschulsky, 1854)
 ssp. diadema (Motschulsky, 1854) **R:** FE **A:** KO CH ?MG
 ssp. inhirsutus Matsushita, 1933 **R:** KU **A:** JP
 tohokensis Hayashi, 1968 **R:** FE **A:** KO JP
 Subgenus: Perderomaculatus Özdikmen, 2011
 sartor (Müller, 1766) **R:** CT ST CA ?WS ?AT ?ES ?SE ?FE **E:** PT ES FR FRC IT ITI ITA LJ CR BH
 SS MN KD AL GR GRC BU TR RO HU AT SZ LU DE CE SK PL BY UK UKC MD KZ **A:** GG AR AB TM KZ IN
 TR SY IS LE JO IQ
 Genus: Rhaphuma Pascoe, 1858
 gracilipes (Faldermann, 1835) **R:** NT CT ST WS ES AT SE FE SI KU **E:** PL ?RO ?LT BY ?UK **A:**
 KZ MG CH KO JP
 = sachalinensis Matsumura, 1911
 diminuta (Bates, 1873)
 ssp. diminuta (Bates, 1873) **R:** FE **A:** JP KO
 Genus: Demonax Thomson, 1861
 savioi (Pic, 1924) **FE A:** CH KO
 Genus: Xylotrechus Chevrolat, 1860
 Subgenus: Xylotrechus Chevrolat, 1860
 antilope (Schönherr, 1817)
 ssp. antilope (Schönherr, 1817) **R:** CT ST CA **E:** PT ES FR DK IT ITI LJ CR BH SS AL GR BU
 TR RO HU AT SZ DE CE SK PL NO SV LT BY UK UKC MD **A:** GG AR AB IN TR N
 arvicola (Olivier, 1800)
 ssp. planarius Danilevsky, 2016 **R:** CT ST CA WS **E:** KZ
 ssp. lazarevi Danilevsky, 2016 **R:** CA **A:** GG AR AB IN TR ?SY
 rufilius Bates, 1884 **R:** FE SI KU **A:** KO CH JP
 = irinae Plavilstshikov, 1925
 = magnicollis Fairmaire, 1888
 mixtus Plavilstshikov, 1940 **R:** FE
 hircus (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG KO CH JP
 cuneipennis (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
 pavlovskii Plavilstshikov, 1954 **R:** FE **A:** KO
 polyzonus (Fairmaire, 1888) **R:** FE **A:** KO CH
 capricornus (Gebler, 1830) **R:** CT ST WS AT **E:** SK AU CE PL UK KZ **A:** KZ
 = capricornis (Chevrolat, 1863)
 ibex (Gebler, 1825) **R:** NT CT ST WS AT ES SE FE **E:** DE PL FI BY KZ **A:** KZ MG KO CH
 clarinus Bates, 1884 **R:** SI KU **A:** KO CH JP
 Subgenus: Turanoclytus Sama, 1994
 ilamensis Holzschuh, 1979 **E:** ST **A:** AB AR IN TR
 ssp. zuvandiensis Lazarev, 2016d **E:** ST **A:** AB IN
 Subgenus: Rustioclytus Vives, 1977
 salicis Takakuwa et Oda, 1978 **R:** ES SE FE **A:** ?MG KO CH JP
 = nadezhdae Tsherepanov, 1982
 rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** PT ES FR LU IT ITA LJ
 CR BH SS MN KD AL GR BU TR RO HU AT SZ DK DE CE SK PL EO LA LT BY UK UKC MD KZ **A:** GG AR
 AB IN TR KZ TM TD MG CH KO JP
 adpersus (Gebler, 1830) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
 pantherinus (Savenius, 1825) **R:** NT CT ST CA WS AT ES SE FE **E:** FR IT AT RO HU CE SK DE
 PL NO SV FI LT BY UK MD **A:** KZ MG KO CH
 = jakowlewi Semenov, 1899
 = jakovlevi Plavilstshikov, 1931
 Subgenus: Ootora Niisato et Wakejima, 2008
 villioni (Villard, 1892) **R:** KU **A:** JP
 Subgenus: Xyloclytus Reitter, 1913
 altaicus (Gebler, 1836) **R:** CT WS AT ES SE SI **A:** ?KZ MG CH KO
 chinensis Chevrolat, 1852
 ssp. kurosawai Fujita, 2010 **R:** ?KU **A:** JP
 Genus: Cyrtoclytus Ganglbauer, 1882
 capra (Germar, 1824) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR IT BH SS RO AT SZ DE CE
 SK PL EO LT LA BY UK MD KZ **A:** AB KZ MG CH KO
 caproides (Bates, 1873)
 ssp. caproides (Bates, 1873) **R:** SI KU **A:** JP
 Genus: Brachyclytus Kraatz, 1879

singularis Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Pseudosphegesthes Reitter, 1913
 brunnescens (Pic, 1897) **R:** CA **A:** GG AR AB ?IN TR
 = circassica Pic, 1905
 Genus: Clytus Laicharting, 1784
 Subgenus: Insolitomaculatus Özdikmen, 2023
 tropicus (Panzer, 1795) **R:** ST(Voronezh) **E:** ES FR FRC CR SS KD GR BU TR RO HU AT SZ DE
 CE SK PL BY UK
 Subgenus: Clytoides Özdikmen, 2023
 rhamni Germar, 1817
 ssp. temesiensis Germar, 1824 **R:** CT ST CA **E:** SS KD BU TR RO HU AT DE CE SK BY UK
 UKC MD KZ **A:** GG AR AB KZ TR IR SY IS LE SY
 Subgenus: Clytus Laicharting, 1784
 arietis (Linnaeus, 1758)
 ssp. oblitus Roubal, 1932 **R:** CA **A:** GG AR AB TR IR
 ssp. arietis (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC IT LJ CR BH SS KD AL GR
 BU TR RO HU AT SZ LU BE NL DK DE GB ?IR CE SK PL NO SV FI EO LA LT BY UK UKC MD ?KZ
 arietoides Reitter, 1899 **R:** NT CT ?ST WS AT ES SE FE SI **A:** KZ MG CH KO JP
 = venustulus Plavilstshikov, 1940
 nigrutilus Kraatz, 1879 **R:** SE FE **A:** KO CH
 Subgenus: Paulomaculatoides Özdikmen, 2023
 melaenus Bates, 1884 **R:** KU **A:** KO JP
 Subgenus: Paulomaculatus Özdikmen, 2023
 fulvohirsutus Pic, 1904 **R:** FE **A:** KO CH
 mayeti Théry, 1892 **R:** ?ES ?FE
 Subgenus: Sphegoclytus Sama, 2005
 stepanovi Danilevsky et Miroshnikov, 1985 **R:** CA **A:** GG
 raddensis Pic, 1904 **R:** SE FE **A:** KO CH JP
 = hypocrita Plavilstshikov, 1940
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: CEROPLESINI
 Genus: Moechotypa Thomson, 1864
 diphysis (Pascoe, 1871) **R:** FE **A:** KO CH JP
 Tribus: PARMENINI
 Genus: Parmena Dejean, 1821
 pontocircassica Danilevsky et Miroshnikov, 1985 **R:** CA **E:** UKC **A:** GG AR AB IN TR
 Genus: Plectrura Mannerheim, 1852
 Subgenus: Phlyctidola Bates, 1884
 metallica Bates, 1884
 ssp. metallica Bates, 1884 **R:** FE SI KU **A:** KO CH JP
 = sachalinica Jacobson, 1899
 = mandshurica Jacobson, 1899
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829
 Subgenus: Mesosa Latreille, 1829
 myops (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI **E:** PL FI SV LT LA BY UK KZ **A:** KZ
 MG KO CH
 japonica Bates, 1873 **R:** SI KU **A:** JP
 curculionoides (Linnaeus, 1761) **R:** CT ST CA WS(Orenburg) **E:** PT ES FR FRC IT ITI ITA LJ CR
 BH SS KD AL GR BU TR RO HU AT SZ DE CE SK PL NO SV LT BY UK UKC MD KZ **A:** GG AR AB KZ IN TR
 Subgenus: Aplocnemia Stephens, 1831
 = Aphelocnemia Stephens, 1832
 nebulosa (Fabricius, 1781)
 ssp. nebulosa (Fabricius, 1781) **R:** CT ST CA **E:** PT ES FR FRC IT ITI ITA LJ CR BH SS MN
 AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV BY UK UKC MD **A:** GG AR AB TR
 obscuricornis Pic, 1894 **R:** ST **A:** AB IN
 senilis Bates, 1884 **R:** SI KU **A:** JP
 Subgenus: Perimesosa Breuning, 1939
 hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **R:** FE **A:** KO CH
 Tribus: MORIMONELLINI
 Genus: Morimonella Podaný, 1979 C
 bednariki Podaný, 1979 **R:** CA **A:** GG

Tribus: BATOCERINI

Genus: *Apriona* Chevrolat, 1852

rugicollis Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JP

ssp. *rugicollis* Chevrolat, 1852 **R:** ?ES FE **A:** KO CH JP

= *plicicollis* Motschulsky, 1853

Tribus: MONOCHAMINI

Genus: *Anoplophora* Hope, 1839

glabripennis (Motschulsky, 1854) **R:** ?SE FE **E:** FR GB DE NL AT CE SK IT TR **A:** KO CH

Genus: *Acalolepta* Pascoe, 1858

Subgenus: *Acalolepta* Pascoe, 1858

ussurica (Plavilstshikov, 1951) **R:** FE **A:** KO CH

fraudator (Bates, 1873)

= *cervina* auct., nec Hope, 1831

ssp. *fraudator* (Bates, 1873) **R:** FE KU **A:** KO CH JP

sejuncta (Bates, 1873)

ssp. *sejuncta* (Bates, 1873) **R:** FE SI KU **A:** KO CH JP

luxuriosa (Bates, 1873)

ssp. *luxuriosa* (Bates, 1873) **R:** KU **A:** JP

seunghwani Danilevsky, 2013 **R:** FE **A:** KO CH

Genus: *Astynoscelis* Pic, 1904

degener (Bates, 1873) **R:** SE FE SI **A:** KO CH JP

= *longicornis* Pic, 1904

Genus: *Monochamus* Dejean, 1821

Subgenus: *Monochamus* Dejean, 1821

= *Monochammus* Dejean, 1835 (wrong subsequent spelling)

guttulatus Gressitt, 1951 **R:** SE FE **A:** KO CH

= *guttatus* Blessig, 1873

impluviatus (Motschulsky, 1859) **R:** NT CT WS AT ES SE FE SI **A:** MG KO CH

saltuarius Gebler, 1830 **R:** NT CT WS AT ES SE FE SI **E:** IT LJ BH RO HU AT CE SK DE PL BY

LA LT UK **A:** KZ MG KO CH JP

ssp. *saltuarius* Gebler, 1830 **R:** ?NT ?CT WS AT ES SE FE SI **A:** KZ MG KO CH JP

ssp. *occidentalis* Sláma, 2017b **R:** NT CT **E:** IT LJ BH RO HU AT CE SK DE PL BY LA LT

UK

galloprovincialis (Olivier, 1800)

ssp. *pistor* (Germar, 1818) **R:** NT CT ST CA WS AT **E:** FRC IT LJ CR BH SS KD AL GR BU

RO HU AT SZ NL GE DE CE SK PL SV FI EO LA LT BY UK MD **A:** KZ KI

= *lignator* Krynicki, 1832

ssp. *cinerascens* (Motschulsky, 1860) **R:** WS ES SE ?FE **A:** MG CH

= *sibiricus* Pic, 1908

ssp. *transitivus* Lazarev, 2017 **R:** CA **A:** GG AR AB TR

nitens Bates, 1884 **R:** SI KU **A:** KO JP

grandis Waterhouse, 1881 **R:** KU **A:** JP

sartor (Fabricius, 1787)

ssp. *urussovii* (Fischer-Waldheim, 1806) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** NO SV

FI EO LT LA BY UK **A:** ?GG KZ MG CH KO JP

= *rosenmuelleri* auct., nec Cederhjelm, 1798

sutor (Linnaeus, 1758)

= *rosenmuelleri* Cederhjelm, 1798

ssp. *sutor* (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** ES FR IT LJ BH SS ME AL BU RO

HU AT SZ DE NL CE SK PL DK NO SV FI EO LT LA BY MD UK ?UKC **A:** AR GG KZ

ssp. *pellio* (Germar, 1818) **R:** ES SE FE SI KU **A:** MG CH KO JP

Tribus: LAMIINI

Genus: *Lamiomimus* Kolbe, 1886

gottschei Kolbe, 1886 **R:** FE **A:** KO CH

Genus: *Lamia* Fabricius, 1775

textor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES FR IT ?ITI LJ CR BH SS

MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV FI EO LA LT BY UK ?UKC

MD KZ **A:** GG AR AB IR TR KZ MG KO CH JP

Genus: *Morimus* Brullé, 1832

= *Morinus* Brullé, 1832 (misprint)

verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN

= *ficitor* Bogachev, 1949

ssp. *verecundus* (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN

= ficitor Bogachev, 1949

Tribus: DORCADIONINI

Genus: *Dorcadion* Dalman, 1817

Subgenus: *Carinatodorcadion* Breuning, 1943

= *Dorcadodium* Gistel, 1856

carinatum (Pallas, 1771)

ssp. *carinatum* (Pallas, 1771) **R:** CT ST CA **E:** MD UK UKC KZ **A:** KZ

ssp. *sunzhenum* Danilevsky, 1998 **R:** CA

ssp. *cylindraceum* Reitter, 1886 **R:** CA **A:** AB

Subgenus: *Cribridorcadion* Pic, 1901

= *Pedestredorcadion* Breuning, 1943

= *Autodorcadion* Plavilstshikov, 1958

= *Dzhungarodorcadion* Danilevsky, 1993

= *Bergerianum* Pesarini et Sabbadini, 2004

pusillum Küster, 1847

= *otshakovi* Suvorov, 1913

ssp. *tanaiticum* Kasatkin, 2002 **R:** ST

ciscaucasicum Jakovlev, 1899 **R:** CA

ssp. *ciscaucasicum* Jakovlev, 1899 **R:** CA

ssp. *abramovi* Lazarev, 2009 **R:** CA

elegans Kraatz, 1873 **R:** ST CA WS **E:** UK KZ **A:** KZ

sareptanum Kraatz, 1873

ssp. *sareptanum* Kraatz, 1873 **R:** ST CA **E:** KZ **A:** KZ

ssp. *euxinum* Suvorov, 1915 **R:** ST

ssp. *kubanicum* Plavilstshikov, 1934 **R:** CA

ssp. *estriatum* Suvorov, 1913 **R:** CA

ssp. *striatifforme* Suvorov, 1913 **R:** CA

cinerarium (Fabricius, 1787)

ssp. *cinerarium* (Fabricius, 1787) **R:** ST CA **E:** UK

ssp. *panticapaeum* Plavilstshikov, 1951 **R:** CA **E:** UKC

ssp. *okhrimenkoi* Danilevsky, 2016b **R:** CA

ssp. *sindorum* Lazarev, 2011 **R:** CA

ssp. *veniamini* Lazarev, 2011 **R:** CA

ssp. *novorossicum* Lazarev, 2015 **R:** CA

ssp. *papayense* Lazarev, 2014 **R:** CA

ssp. *adygorum* Lazarev, 2011 **R:** CA

ssp. *smetanai* Lazarev, 2011 **R:** CA

ssp. *terkense* Lazarev, 2011 **R:** CA

holosericeum Krynicki, 1832

ssp. *holosericeum* Krynicki, 1832 **R:** CT ST CA **E:** RO ?HU ?SK PL BY MD UK UKC KZ

ssp. *tristriatum* Suvorov, 1913 **R:** CA **A:** GG

= *striatum* Dalman, 1817 [HN]

equestre (Laxmann, 1770)

ssp. *equestre* (Laxmann, 1770) **R:** CT ST CA **E:** UK **A:** GG KZ

apicerufum Breuning, 1943 **R:** ?CA **A:** GG AR AB TR

beckeri Kraatz, 1873

ssp. *beckeri* Kraatz, 1873 **R:** CA **A:** AB

ssp. *koenigi* Jakovlev, 1897 **R:** CA

Subgenus: *Dorcadion* Dalm. 1817

= *Compsodorcadion* Ganglbauer, 1884

glycyrrhizae (Pallas, 1773)

ssp. *nemkovi* Danilevsky, 2006 **R:** ST **E:** KZ **A:** KZ

ssp. *korshikovi* Danilevsky, 2006 **R:** WS **A:** KZ

ssp. *ishkarganum* Danilevsky, 2009 **R:** WS

ssp. *striatum* (Goeze, 1777) **R:** CT ST WS **E:** KZ **A:** KZ

= *rufifrons* Motschulsky, 1860

= *?iliense* Plavilstshikov, 1937

ssp. *gubperlense* Danilevsky, 2006 **R:** ST

ssp. *dubianskii* Jakovlev, 1906 **R:** WS **A:** KZ

gebleri Kraatz, 1873

= *occidentale* Breuning, 1947

ssp. *gebleri* Kraatz, 1873 **R:** AT **A:** KZ CH

Genus: Politodorcadion Danilevsky, 1996
 politum (Dalman, 1823)
 ssp. politum (Dalman, 1823) **R:** WS AT **A:** KZ
 = lydiae Plavilstshikov, 1929
 ssp. knyazevi Danilevsky, 2020b **R:** WS
 ssp. akmolense (Suvorov, 1911) **R:** WS **A:** KZ
 ssp. shapovalovi Danilevsky, 2006 **R:** WS **A:** KZ
 eurygyne (Suvorov, 1911)
 ssp. eurygyne (Suvorov, 1911) **R:** AT **A:** KZ CH

Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum (Fabricius, 1781)
 ssp. carinatum (Fabricius, 1781) **R:** CT ST WS AT ES **A:** KZ
 ssp. blessigi (Ganglbauer, 1884) **R:** AT ?ES **A:** KZ
 ssp. bramsoni (Pic, 1901) **R:** AT
 = gassneri Breit, 1917
 ssp. involvens (Fischer-Waldheim, 1823) **R:** ES SE FE **A:** MG CH
 = vestita Jakovlev, 1901
 = longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **R:** ES
 aitaicum Suvorov, 1909
 ssp. violovitshi Danilevsky & Korshunov, 2022 **R:** AT
 tuvense Plavilstshikov, 1958 **R:** ES
 ptyalopleurum (Suvorov, 1909) **R:** ES
 maurum (Jakovlev, 1889)
 ssp. quinquevittatum (Hammarström, 1893) **R:** ES
 ssp. sajanicum (Hammarström, 1893) **R:** ES
 = leucogrammmum Suvorov, 1909
 ssp. katharinae (Reitter, 1898) **R:** ES **A:** MG
 ssp. maurum (Jakovlev, 1889) **R:** ES **A:** MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = fortecostatum Heyrovsky, 1969

Subgenus Ornatodorcadion Breuning, 1947
 brandti (Gebler, 1841) **R:** ?AT **A:** KZ CH
 = dux Jakovlev, 1894
 = nigrolineatum Reitter, 1897

Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005
 humerale (Gebler, 1823)
 ssp. humerale (Gebler, 1823) **R:** ES **A:** MG
 ssp. impluviatum (Faldermann, 1833) **R:** ?ES **A:** MG
 = irroratum Reitter, 1893
 ssp. trabeatum (Jakovlev, 1901) **R:** SE FE **A:** CH ?KO
 = mogissemium Suvorov, 1909, unavailable
 = melan Suvorov, 1909, unavailable
 = quadrilineatum Breit, 1915
 = xingana Chiang et Wang in Wang, 2003
 lutshniki (Plavilstshikov, 1937)
 ssp. lutshniki (Plavilstshikov, 1937) **R:** ES
 ssp. burenum Danilevsky, 2007 **R:** ES
 ssp. bicoloratum Danilevsky, 2007 **R:** ES

Tribus: ANCYLONOTINI
 Genus: Palimna Pascoe, 1862
 liturata (Bates, 1884)
 ssp. continentalis (Semenov, 1914) **R:** FE **A:** KO CH

Tribus: DORCASHEMATINI
 Genus: Olenecamptus Chevrolat, 1835
 octopustulatus (Motschulsky, 1860)
 ssp. octopustulatus (Motschulsky, 1860) **R:** ES SE FE SI **A:** MG KO CH JP
 = mordkovitshi Tshernyshev et Dubatolov, 2000
 riparius Danilevsky, 2011b **R:** FE **A:** KO CH JP

Tribus: PTEROPLIINI

Genus: Pterolophia Newman, 1842
Subgenus: Pterolophia Newman, 1842
maacki (Blessig, 1873) **R: FE A: KO CH**
angusta (Bates, 1873)
ssp. multinotata Pic, 1931 **R: ES SE FE A: MG CH KO**
= mandshurica Breuning, 1938
= ussuriensis Plavilstshikov, 1954
= burakowskii Heyrovsky, 1973
= selengensis Ljamtzeva, 1979

Subgenus: Ale Pascoe, 1865
jugosa (Bates, 1873)
ssp. jugosa (Bates, 1873) **R: SI KU A: JP**

Genus: Egesina Pascoe, 1864
= Baeckmanella Shabliovsky, 1936
Subgenus: Niijimaia Matsushita, 1933
bifasciana (Matsushita, 1933)
ssp. bifasciana (Matsushita, 1933) **R: FE SI A: KO CH JP**
= iljinskyi Shabliovsky, 1936

Tribus: APOMECCYNINI

Genus: Apomeccyna Dejean, 1829
Subgenus: Apomeccyna Dejean, 1829
histrion (Fabricius, 1793) **R: ES A: ?MG KO CH JP ID**

Genus: Microlera Bates, 1873
ptinoides Bates, 1873 **R: KU A: JP**

Genus: Asaperda Bates, 1873
agapanthina Bates, 1873
ssp. agapanthina Bates, 1873 **R: SI KU A: JP**
= "meridiana" sensu Krivolutzkaya, 1973 et auct., not Matsushita, 1931(Taiwan)
rufipes Bates, 1873
ssp. rufipes Bates, 1873 **R: FE A: ?KO ?CH JP**
stenostola Kraatz, 1873 **R: AT ?WS ?ES SE FE A: KZ MG CH KO**

Tribus: PTERICOPTINI

Genus: Xylariopsis Bates, 1884
mimica Bates, 1884 **R: FE A: KO CH JP**

Tribus: APODASYINI

Genus: Quasimesosella Miroshnikov 2006
= Pseudomesosella Miroshnikov, 1989
ussuriensis (Tsherepanov, 1983) **R: SE FE A: CH KO**
= florovi Tsherepanov, 1984

Genus: Deroplia Dejean, 1835
= Stenidea Mulsant, 1842
genei (Aragona, 1830)
ssp. genei (Aragona, 1830) **R: CA E: ES FR FRC IT ITI LJ CR BH SS MN AL GR BU RO HU**

?DE CE SK AT ?SZ UK UKC **A: GG AR ?AB IN TR IS JO**

Genus: Sophronica Blanchard, 1845
sundukovi Danilevsky, 2009 **R: FE A: KO**

Genus: Anaesthetis Dejean, 1835
confossicollis Beckmann, 1903 **R: ES SE FE SI A: MG CH KO**
flavipilis Beckmann, 1903 **R: AT**
testacea (Fabricius, 1781)

ssp. testacea (Fabricius, 1781) **R: CT ST CA WS E: ES FR IT ITI ITA LJ CR BH SS AL BU TR**
RO HU AT SZ LU BE NL DE CE SK PL SV BY EO LA LT UK UKC MD KZ A: KZ

ssp. rufescens Beckmann, 1903 **R: CA A: GG AR AB IN TR**
Genus: Ussurella Danilevsky, 1997
= Ussuria Danilevsky, 1995
napolovi (Danilevsky, 1995) **R: FE A: CH**

Genus: Cylindilla Bates, 1884
= Pseudanaesthetis Pic, 1929
= Anaesthetomorphus Pic, 1929
= Ascoldatimura Breuning, 1960
grisescens Bates, 1884 **R: FE SI KU A: CH KO JP**
= apicalis Pic, 1929
= ascoldensis Heyden, 1884

Genus: Terinaea Bates, 1884
tiliae Murzin, 1983 **R: FE A: CN KO**

Genus: Mimectatina Aurivillius, 1927
= Doius Matsushita, 1933
divaricata (Bates, 1884)
ssp. divaricata (Bates, 1884) **R: FE SI KU A: CH KO JP**

Genus: Rhopaloscelis Blessig, 1873
maculata Bates, 1877 **R: KU A: JP**
unifasciata Blessig, 1873 **R: WS AT ES SE FE SI KU A: KZ MG CH KO JP**

Genus: Arhopaloscelis Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
bifasciata (Kraatz, 1879) **R: FE SI A: KO CH**
nipponensis (Pic, 1932) **R: KU A: JP**

Genus: Clytosemia Bates, 1884
pulchra Bates, 1884 **R: KU A: JP**

Genus: Miccolamia Bates, 1884
Subgenus: Miccolamia Bates, 1884
cleroides Bates, 1884 **R: KU A: JP**
Subgenus: Isomiccolamia Ohbayashi, 1963
glabricula Bates, 1884
ssp. glabricula Bates, 1884 **R: SI KU A: JP**
= verrucosa auct. (not Bates, 1884)

Tribus: POGONOCHEIRINI

Genus: Parmenopsis Ganglbauer, 1882
caucasica (Leder, 1879) **R: CA A: GG TR**

Genus: Pogonocherus Dejean, 1821
Subgenus: Pogonocherus Dejean, 1821
hispidus (Linnaeus, 1758) **R: NT CT ST CA E: PT ES FR FRC IT ITI LJ CR BH SS MN AL GR BU RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV FI EO LA LT BY UK UKC A: GG AR AB IN TR N**
hispidulus (Piller et Mitterpacher, 1783) **R: NT CT ST CA E: PT ES FR FRC IT ITI LJ CR BH KD AL GR BU RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV EO LA LT BY UK ?UKC MD A: GG AR AB IN KZ TR**

dimidiatus Blessig, 1873 **R: SE FE SI KU A: CH KO JP**
= seminiveus Bates, 1873
= tristiculus Kraatz, 1879
perroudi Mulsant, 1839 **R: CA E: ES FR FRC IT ITI ITA LJ CR AL GR GRC UKC A: GG TR IS**

LE N

Subgenus: Pityphilus Mulsant, 1863
fasciculatus (DeGeer, 1775)
= costatus Motschulsky, 1859
ssp. fasciculatus (DeGeer, 1775) **R: NT CT ST CA WS AT ES SE FE SI E: ES FR FRC IT ITI LJ CR BH SS MN KD AL GR GRC BU RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ A: GG AR AB IN TR KZ MG CH KO JP**
decoratus Fairmaire, 1855 **R: NT CT ST CA WS AT E: ES FR IT LJ CR BH SS AL GR BU HU AT SZ BE NL DK DE CE SK PL NO SV FI EO LA LT BY UK UKC A: KZ**
inermicollis Reitter, 1894 **R: CA A: GG TR**

Tribus: ACANTHODERINI

Genus: Aegomorphus Haldeman, 1847
= Acanthoderes auct. (not Audinet-Serville, 1835)
= Psapharochrus auct. (not Thomson, 1874)
clavipes (Schrank, 1781) **R: NT CT ST CA WS AT ES SE FE SI E: ES FR FRC IT ITI ITA LJ CR BH SS ?AL GR BU TR RO HU AT SZ DK DE CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ A: GG AR AB IN TR KZ MG CH KO JP N**
= lucidus Plavilstshikov, 1927 [Caucasus-Syrie]
obscurior (Pic, 1904) **R: CT ST WS AT ES SE FE E: PL LA UK A: KZ MG**
= wojtylai Hilszczanski, Bystrowski, 2005

Genus: Oplosia Mulsant, 1862
= Hoplosia Fairmaire, 1864
cinerea (Mulsant, 1839) **R: NT CT ST CA E: FR IT CR RO HU AT SZ DE CE SK PL DK NO SV FI EO LT ?LA BY UK**
= fennica Paykull, 1800
suvorovi (Pic, 1914) **R: SE FE SI A: KO CH JP**

Tribus: ACANTHOCININI

Genus: Acanthocinus Dejean, 1821

Subgenus: *Acanthocinus* Dejean, 1821

griseus (Fabricius, 1793) **R:** NT CT ST CA WS AT ES **E:** ES FR FRC IT LJ CR BH SS KD AL GR BU TR RO HU AT SZ DE CE BE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** AR ?GG ?AB KZ

orientalis Ohbayashi, 1939 **R:** KU **A:** JP KO

carinulatus (Gebler, 1833) **R:** WS AT ES SE **A:** MG CH

= *sibiricus* Motschulsky, 1860

sachalinensis Matsushita, 1933 **R:** ES SE FE SI KU **A:** CH KO ?MG

aedilis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT ES FR IT LJ CR BH SS KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB ?IR CE SK PL NO SV FI EO LA LT BY UK MD KZ **A:** GG ?AR ?AB KZ MG CH KO

Subgenus: *Acanthobatesianus* Wallin, Kvamme & Lin, 2012

guttatus (Bates, 1873) **R:** KU **A:** KO CH JP

Genus: *Leiopus* Audinet-Serville, 1835

Subgenus: *Leiopus* Audinet-Serville, 1835

stillatus (Bates, 1884) **R:** FE SI KU **A:** KO CH JP

nebulosus (Linnaeus, 1758)

ssp. *nebulosus* (Linnaeus, 1758) **R:** CT [Kaliningrad] **E:** ?PT ?ES FR ?FRC IT ITI ?ME ?CR ?BH ?SS ?AL ?GR ?BU ?TR ?RO ?HU AT ?SZ ?LU BE ?NL GE GB IR ?CZ ?SK ?PL NR SV FI EO LT ?BY UK ?UKC ?MD

ssp. *caucasicus* Ganglbauer, 1887 **R:** CA **A:** GG AR AB **E:** MD UK IN TR

taeniatus (Gmelin, 1790) **R:** ?NT CT ST WS **E:** PT ?ES FR ?FRC ?IT ?ITI ?ME CR ?BH ?SS ?AL ?GR BU ?TR RO ?HU AU SZ ?LU BE ?NL GE GB ?IR CZ SK PL NR SV ?FI EO LA LT BY UK ?UKC MD KZ **A:** ?KZ

= *linnei* Wallin, Nylander & Kvamme, 2009

kharazii Holzschuh, 1974 **R:** ST **A:** AB IN

punctulatus (Paykull, 1800) **R:** NT CT **E:** ?FR ?SZ AT DE HU CE SK PL SV EO LT LA BY UK

femoratus Fairmaire, 1859 **R:** ST CA **E:** FR BE NL DE LU IT ITI SB ME HU BU TR UK UKC **A:** GG AR AB IN TR

= *pachymerus* Ganglbauer, 1884

albivittis (Kraatz, 1879)

= *ganglbaueri* Csiki, 1901

ssp. *albivittis* Kraatz, 1879 **R:** WS AT ES SE FE SI **A:** MG CH KO

ssp. *malaisei* Aurivillius, 1928 **R:** ES

Genus: *Ostedes* Pascoe, 1859

kadleci Danilevsky, 1992 **R:** FE **A:** KO

Genus: *Rondibilis* Thomson, 1857

= *Eryssamena* Bates, 1884

saperdina Bates, 1884 **R:** SI KU **A:** JP

schabliovskiyi (Tsherepanov, 1982) **R:** FE **A:** KO CH

= *shabliovskiyi*, Tsherepanov, 1984

Tribus: EXOCENTRINI

Genus: *Exocentrus* Dejean, 1835

lusitanus (Linnaeus, 1767) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR BH SS AL GR BU RO HU AT SZ DE CE SK PL DK NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB KZ

adspersus Mulsant, 1846 **R:** ST CA **E:** ES FR FRC IT ITI LJ CR BH SS AL GR BU TR RO HU AT SZ LU BE DE CE SK PL SV UK UKC MD **A:** GG AR AB TR

= *alemdaghensis* Breuning, 1981

= ?*hirsutulus* Faldermann, 1837

punctipennis Mulsant et Guill. 1856

ssp. *punctipennis* Mulsant et Guillebeau, 1856 **R:** CT ST CA **E:** ?FR SZ AT DE HU CE SK PL SV EO LT LA BY UK

ssp. *signatus* Mulsant et Rey, 1863 **R:** CA **A:** GG ?AB TR

stierlini Ganglbauer, 1884 **R:** ST CA WS AT ES SE FE **E:** CR SS RO HU ?AT ?SZ CE SK PL UK MD **A:** ?KZ MG CH KO

fasciolatus Bates, 1873 **R:** FE **A:** KO CH JP

= *curtipennis* Pic, 1918

ssp. *plavilstshikovi* Danilevsky, 2014c **R:** FE **A:** KO CH

tsushimanus Hayashi, 1968 **R:** FE **A:** KO CH JP

= *conjugatofasciatus* Tsherepanov, 1973

testudineus Matsushita, 1931 **R:** SI KU **A:** JP KO

lineatus Bates, 1873 **R:** FE **A:** KO CH JP

guttulatus Bates, 1873

ssp. *ussuricus* Tsherepanov, 1973 **R:** FE **A:** KO CH

marginatus Tsherepanov, 1973 **R: FE A: KO CH**

?= fisheri Gressitt, 1935

Genus: Miaenia Pascoe, 1864

Subgenus: Miaenia Pascoe, 1864

maritima Tsherepanov, 1979 **R: FE A: KO**

Tribus: TETROPINI

Genus: Tetrops Kirby in Kirby et Spence, 1826

Subgenus: Tetrops Kirby in Kirby et Spence, 1826

praeustus (Linnaeus, 1758)

ssp. praeustus (Linnaeus, 1758) **R: NT CT ST CA WS AT ES E: PT ES FR IT ITI ITA LJ CR**

BH SS MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB IR CE SK PL NO SV FI EO LA LT BY UK
UKC MD RSN RSC RSS KZ **A: GG AR AB TR IN SY KZ MG**

starkii Chevrolat, 1859 **R: CT ST CA E: ES FR IT ITI SL CR BH SB MD GR BU RO HU AU SZ**

GE GB IR CZ SK PL BE NL DE NR SV EO LT LA BY MD UK ?UKC **A: ?GG AB**

ssp. starkii Chevrolat, 1859 **R: CT ST E: ES FR IT ITI SL CR BH SB MD GR BU RO HU AU**

SZ GE GB IR CZ SK PL BE NL DE NR SV EO LT ?LA BY MD UK ?UKC **A: ?GG ?AB**

ssp. aquilus Danilevsky, 2012 **R: CA**

gilvipes (Faldermann, 1837) **A: GG AR AB TM TR IN**

ssp. gilvipes (Faldermann, 1837) **R: ST CA A: GG AR AB TR**

ssp. adlbaueri Lazarev, 2012 **R: ?ST ?CT E: CE** [probably most part of Europe]

rosarum Tsherepanov, 1975 **R: SE FE A: CH**

mongolicus Murzin, 1977 **R: ES A: MG**

Subgenus: Mimosophronica Breuning, 1943

elaeagni Plavilstshikov, 1954 **R: ST E: KZ A: KZ UZ TM CH**

ssp. elaeagni Plavilstshikov, 1954 **R: ST E: KZ**

Tribus: SAPERDINI

Genus: Eutetrapha Bates, 1884

ocelota (Bates, 1873) **R: KU A: JP**

sedecimpunctata (Motschulsky, 1860) **R: SE FE SI KU A: KO CH JP**

= motschulskyi Plavilstshikov, 1915

metallescens (Motschulsky, 1860) **R: SE FE ?SI A: KO CH**

chrysochloris (Bates, 1879)

ssp. chrysochloris (Bates, 1879) **R: KU SI A: JP**

Genus: Saperda Fabricius, 1775

= Anaerea Mulsant, 1839

Subgenus: Saperda Fabricius, 1775

carcharias (Linnaeus, 1758) **R: NT CT ST CA WS AT ES SE FE E: ES FR IT LJ CR BH SS KD AL**

GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK ?UKC MD KZ **A: GG AR**
AB TR KZ MG CH

similis Laicharting, 1784 **R: CT ST WS AT ES SE FE E: ES FR IT LJ CR SS KD AL BU RO HU**

AT SZ BE DE CE SK PL NO SV FI ?LT LA EO BY UK KZ **A: KZ KI TD UZ MG CH**

Subgenus: Lopezcolonia Alonso-Zarazaga, 1998

= Argalia Mulsant, 1862

= Scalaperda Shapovalov, 2011 [nomen nudum]

= Nietzscheana Zubov, 2014

alberti Plavilstshikov, 1915 **R: WS AT ES SE FE SI A: KZ MG CH KO JP**

= plutenkoi Zubov, 2014

perforata (Pallas, 1773) **R: NT CT ST CA WS AT ES SE FE E: ES FR DK IT CR BH BU RO HU**

AT SZ DE CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A: GG AR AB IN TR KZ MG CH JP N**

scalaris (Linnaeus, 1758)

ssp. scalaris (Linnaeus, 1758) **R: NT CT ST CA E: ES FR IT ITI LJ CR BH SS AL GR BU TR**

RO HU AT SZ LU BE NL DK DE GB CE SK PL ?NO SV ?FI EO LA LT BY UK UKC MD KZ **A: GG AR AB KZ**
TR N

ssp. hieroglyphica (Pallas, 1773) **R: NT CT ST WS AT ES SE FE SI A: KZ MG CH KO**

interrupta Gebler, 1825 **R: WS AT ES SE FE SI KU A: MG CH KO**

subobliterata Pic, 1910 **R: SE FE A: KO CH JP**

= mandchukuoensis Breuning, 1943

= harbinensis Chiang, 1983

octomaculata Blessig, 1873 **R: ES SE FE SI KU A: MG CH KO JP**

octopunctata (Scopoli, 1772) **R: CT ST CA E: ES FR IT LJ CR BH SS AL GR BU RO HU AT SZ**

BE DE CE SK PL LT BY UK UKC MD **A: GG AR AB IN TR**

punctata (Linnaeus, 1767) **R: CT ST WS E: ES FR FRC IT ITI ITA MT LJ CR BH SS KD AL GR**

BU TR RO HU AT SZ DE CE SK PL LA BY UK UKC MD KZ **A: GG AR AB IN TR N**

Subgenus: *Compsidia* Mulsant 1839

populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN KZ TD KO CH N

ssp. *populnea* (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN AF KZ TD KO CH N

ssp. *lapponica* Wallin, Kvamme & Bergsten, 2017 **R:** NT **E:** FI NR SV

ssp. *balsamifera* (Motschulsky, 1860) **R:** ES **A:** MG

bilineatocollis Pic, 1924 **R:** SE FE **A:** CH

Genus: *Eumecocera* Solsky, 1871

impustulata (Motschulsky, 1860) **R:** WS AT ES SE FE **A:** MG CH KO JP

callosicollis (Breuning, 1943) **R:** SE FE **A:** CH KO

Genus: *Stenostola* Dejean, 1835

dubia (Laicharting, 1784) **R:** NT CT ST CA **E:** FR IT LJ CR BH SS RO HU AT SZ LU BE NL DK DE ?GB CE SK PL NO SV E0 LA UK UKC MD **A:** GG AR AB

ferrea (Schrank, 1776)

ssp. *ferrea* (Schrank, 1776) **R:** CT ST CA **E:** FR IT LJ CR BH BU RO HU AT SZ LU BE DK DE ?GB CE SK PL NO FI EO LA LT BY UK UKC MD **A:** GG AR AB

ssp. *maculipennis* Holzschuh, 1982 **R:** CA **E:** UKC

ivanovi Danilevsky, 2014c **R:** FE **A:** KO

Genus: *Menesia* Mulsant, 1856

albifrons Heyden, 1886 **R:** AT ?ES SE FE **A:** KO CH

bipunctata (Zoubkoff, 1829) **R:** NT CT ST WS ?AT **E:** FR IT LJ BH SS RO HU AT SZ DE CE SK PL EO LA LT BY UK KZ **A:** KZ

sulphurata (Gebler, 1825) **R:** ST WS AT ES SE FE SI KU **A:** KZ MG CH KO JP

flavotecta Heyden, 1886 **R:** ?ES SE FE SI KU **A:** ?MG CH KO

Genus: *Paramenesia* Breuning, 1952

theaphia (Bates, 1884) **R:** KU **A:** JP

Genus: *Cagosima* Thomson, 1864

sanguinolenta Thomson, 1864

ssp. *sanguinolenta* Thomson, 1864 **R:** SE SI KU **A:** JP

Genus: *Thyestilla* Aurivillius, 1923

gebleri (Faldermann, 1835) **R:** SE FE **A:** CH KO JP

Tribus: GLENEINI

Genus: *Glenea* Newman, 1842

Subgenus: *Glenea* Newman, 1842

relicta Pascoe, 1868

ssp. *relicta* Pascoe, 1868 **R:** SI KU **A:** JP

Tribus: PHYTOECIINI

Genus: *Nupserha* Chevrolat, 1858

marginella (Bates, 1873) **R:** SE FE **A:** MG CH KO JP

sericans (Bates, 1884) **R:** KU **A:** JP

alexandrovi (Plavilstshikov, 1915) **R:** FE **A:** CH

Genus: *Oberea* Dejean, 1835

Subgenus: *Oberea* Dejean, 1835

pupillata (Gyllenhal, 1817) **R:** NT CT ST **E:** ES FR IT LJ CR BH MN KD GR RO HU AT SZ BE DE CE SK PL EO LA LT BY UK ?UKC MD

kostini Danilevsky, 1988 **R:** CT WS AT ES **A:** KZ

heyrovskyi Pic, 1927 **R:** SE FE **A:** KO CH

depressa (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** MG CH KO

= *amurica* Suvorov, 1913

= *transbaicalica* Suvorov, 1913

oculata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES FR IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN IQ TR KZ MG CH KO N

linearis (Linnaeus, 1761) **R:** CT ST CA **E:** PT ES FR IT ?ITI ITA LJ CR BH SS AL GR BU RO HU AT SZ LU BE NL DK DE CE SK PL NO SV LA BY UK UKC MD **A:** GG AR AB TR IN

morio Kraatz, 1879 **R:** ES SE FE **A:** MG CH

scutellaroides Breuning, 1947 **R:** SE FE **A:** MG CH KO

= *scutellaris* Fairmaire, 1888

= *chinensis* Tsherepanov, 1985

coreensis Gressitt, 1951 **R:** FE **A:** KO CH

herzi Ganglbauer, 1887 **R:** FE **A:** CH
 vittata Blessig, 1873 **R:** ES SE FE **A:** MG CH KO JP
 japonica (Thunberg, 1787) **R:** FE **A:** CH JP
 Subgenus: Amaurostoma Müller, 1906
 euphorbiae (Germar, 1813) **R:** CT ST CA WS **E:** ?IT SZ CR SS MN GR ?BU RO HU AT CE SK PL
 UK ?UKC MD KZ **A:** AR KZ
 doneceeli Pic, 1907 **R:** ES SE FE **A:** MG CH
 erythrocephala (Schrank, 1776)
 ssp. erythrocephala (Schrank, 1776) **R:** CT ST CA WS **E:** PT ES FR IT MT LJ CR BH SS MN
 KD GR GRC BU TR RO HU AT SZ DE CE SK PL LT BY UK UKC MD KZ **A:** GG AR AB KZ TR IN LE SY N
 Genus Pilemia Fairmaire, 1863
 Subgenus Pilemia Fairmaire, 1863
 tigrina Mulsant, 1851 **R:** ?CA(Derbent) **E:** ?FR SS BU RO HU MD UK **A:** AR TR
 Subgenus: Pseudopilemia Kasatkin, 2018
 hirsutula (Frölich, 1793)
 ssp. hirsutula (Frölich, 1793) **R:** ST CA WS **E:** IT CR BH SS KD AL GR BU TR RO HU SK
 MD UK UKC KZ **A:** GG AR AB KZ IN TR SY
 Genus: Phytoecia Dejean, 1835
 Subgenus: Cardoria Mulsant, 1863
 scutellata (Fabricius, 1793) **R:** CT ST CA WS **E:** ?MD UK **A:** GG AR AB IN TR
 Subgenus: Helladia Fairmaire, 1864
 millefolii (Adams, 1817)
 ssp. millefolii (Adams, 1817) **R:** ST CA **E:** GR GRC BU UKC **A:** GG AR AB TR IN
 praetextata (Steven, 1817)
 ssp. praetextata (Steven, 1817) **R:** ?CA **E:** BU RO ?UK UKC **A:** ?GG AR AB IN TR
 pretiosa Faldermann, 1837
 ssp. pretiosa Faldermann, 1837 **R:** ?CA **A:** AR AB ?GG
 Subgenus: Musaria Thomson, 1864
 faldermanni Faldermann, 1837 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR KZ
 wachanrui Mulsant, 1851 **R:** ?ST **A:** ?AB IN TR SY JO LE IS
 argus (Frölich, 1793) **R:** CT ST **E:** IT CR BH GR BU AT RO HU CE SK UK UKC MD
 affinis (Harrer, 1784)
 = nigripes Voet, 1778
 = bipunctata Piller, 1783
 ssp. affinis (Harrer, 1784) **R:** CT ST CA WS **E:** ES FR IT LJ CR BH SS KD AL GR BU RO HU
 AT SZ DE CE SK PL BY UK MD KZ **A:** KZ
 ssp. nigropubescent Müller, 1948 **R:** CA **A:** GG AR TR
 ssp. altaica Suvorov, 1913 **R:** WS AT **A:** KZ
 ssp. volgensis Kraatz, 1884 **R:** ST **A:** ?KZ
 ssp. boeberi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 astarte Ganglbauer, 1886
 ssp. lederi Pic, 1899 **R:** CA **A:** GG AR AB IN TR
 puncticolis Faldermann, 1837
 ssp. puncticolis Faldermann, 1837 **R:** CA **A:** GG AR AB IN TR
 Subgenus: Phytoecia Dejean, 1835
 nigricornis (Fabricius, 1782) **R:** NT CT ST CA WS AT ES FE **E:** ES FR IT ITI LJ BH SS KD AL
 GR BU TR RO HU AT SZ LU BE DE CE SK PL SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
 = julii Mulsant, 1863
 ferrea Ganglbauer, 1887 **R:** ?WS ES SE FE **A:** MG CH
 = analis Mannerheim, 1849
 = mannerheimi Breuning, 1951
 stenostoloides Breuning, 1943 **R:** ES SE FE **A:** CH
 cylindrica (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES FR IT LJ CR BH SS AL
 GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR
 AB IN TR KZ
 pustulata (Schrank, 1776)
 ssp. pustulata (Schrank, 1776) **R:** CT ST CA **E:** PT ES FR IT LJ CR BH SS MN KD AL GR BU
 TR RO HU AT SZ DE CE SK PL LA BY UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD TR IN
 ssp. pulla Ganglbauer, 1886 **R:** ST **A:** KZ KI UZ
 = kryzhanovskii Kostin, 1973
 rufiventris Gautier, 1870 **R:** ES SE FE SI KU **A:** MG CH KO JP
 virgula (Charpentier, 1825) **R:** CT ST CA WS ES **E:** PT ES FR IT ITI LJ CR BH SS KD AL GR BU
 TR RO HU AT SZ DE CE SK PL LA LT BY UK UKC MD KZ **A:** GG AR AB KZ TM UZ KI TD SY LE JO

rufipes (Olivier, 1800)
 = *sibirica* Gebler, 1833
 ssp. *rufipes* (Olivier, 1800) **R:** CT ST CA WS AT ?ES **E:** ES FR FRC IT ITI LJ CR ?AT ?SZ
 ?UK ?UKC KZ **A:** ?GG TR KZ ?TM UZ TD KI N
pubescens Pic, 1895 **R:** CA **E:** LJ CR BH KD GR BU TR **A:** GG AR AB IN TR
 = *glaphyra* K. Daniel, 1906
icterica (Schaller, 1783) **R:** CT ST CA WS AT **E:** PT ES FR IT LJ CR BH SS MN ?AL GR BU TR
 RO HU AT SZ DE ?BE CE SK PL UK UKC MD KZ **A:** ?GG ?AR ?AB KZ
caerulea (Scopoli, 1772)
 ssp. *caerulea* (Scopoli, 1772) **R:** CT ST CA **E:** PT ES IT ITI CR BH SS KD AL GR BU TR RO
 HU AT ?SZ CE SK BY UK UKC MD KZ **A:** GG AR AB IN TR KZ TM UZ TD SY
 Subgenus: *Cinctophytoecia* Breuning, 1947
cinctipennis Mannerheim, 1849
 ssp. *cinctipennis* Mannerheim, 1849 **R:** ES SE FE **A:** MG CH
sareptana Ganglbauer, 1888 **R:** SE FE **A:** CH KO
 Subgenus: *Opsilia* Mulsant, 1863
coerulescens (Scopoli, 1763)
 ssp. *coerulescens* (Scopoli, 1763) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA LJ CR BH SS
 MN KD AL GR BU TR RO HU AT SZ LU BE NL DE CE SK PL LT ?BY UK UKC MD KZ **A:** GG AR AB KZ UZ
 KI TD SY LE N
 = ?*tienschanica* Fuchs, 1965
varentzowi Semenov, 1896 **R:** CA **A:** GG AR AB IN KZ TM UZ TD KI
 = *varentzovi* Semenov, 1912 [unjustified emendation]
uncinata W. Redtenbacher, 1842 **R:** CT ST **E:** FR ?IT LJ CR SS AL BU RO HU AT CE SK PL DE
 MD UK **A:** TM
molybdaena (Dalman, 1817) **R:** ST CA WS **ES E:** PT ES FR IT ?ITI SB GR BU RO HU ?SZ GE CZ
 SK ?PL UK **A:** AR GG AB TM TR IN ?KZ N
 Tribus: AGAPANTHIINI
 Genus: *Theophilea* Pic, 1895
subcylindricollis Hladil, 1988 **R:** CT ST WS CA **E:** AL SK HU RO BU MD UK **A:** KZ
 Genus: *Calamobius* Guérin-Méneville, 1844
filum (Rossi, 1790) **R:** ST CA **E:** PT ES FR FRC BE NL IT ITI ITA MT LJ CR BH SS MN KD AL
 GR GRC BU TR RO HU AT SZ DE PL CE SK UK UKC MD **A:** GG AR AB IN TR IQ SY JO LE IS N
 Genus: *Pseudocalamobius* Kraatz, 1879
japonicus (Bates, 1873) **R:** ?KU **A:** JP
tsushimae Breuning, 1961 **R:** SE FE ?SI **A:** CH KO
 Genus: *Coreocalamobius* Hasegawa, Han & Oh, 2014
parantennatus Hasegawa, Han & Oh, 2014 **R:** FE **A:** KO
 Genus: *Agapanthia* Audinet-Serville, 1835
 Subgenus: *Synthapsia* Pesarini et Sabbadini, 2004
kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** FR IT BH SS KD AL GR BU TR RO HU CZ SK UK
 UKC MD **A:** GG AR AB TM TR IN SY IS
 ssp. *kirbyi* (Gyllenhal, 1817) **R:** CT ST **E:** FR IT RO HU CZ SK UK MD
 Subgenus: *Epoptes* Gistel, 1857
 = *Agapanthiella* Pesarini et Sabbadini, 2004
dahli (Richter, 1821)
 ssp. *dahli* (Richter, 1821) **R:** CT ST CA WS AT ES **E:** ES FR FRC BE LJ CR BH SS MN KD
 AL BU RO HU AT ?SZ DE CE SK PL BY UK UKC MD KZ **A:** KZ TD UZ KZ ?MG
 ssp. *kuleshovi* Danilevsky, 2018 **R:** WS
 ssp. *efimovi* Danilevsky, 2021 **R:** WS
 ssp. *ismailovae* Lazarev 2013 **R:** CA **A:** AB
alternans Fischer-Waldheim, 1842
 ssp. *alternans* Fischer-Waldheim, 1842 **R:** WS AT ES **A:** KZ MG KO
 = *ganglbaueri* Semenov, 1893
 ssp. *eualternans* Danilevsky, 2017a **R:** ST
altaica Plavilstshikov, 1933 **R:** AT
cynarae (Germar, 1817)
 ssp. *cynarae* (Germar, 1817) **R:** ST CA WS **E:** IT LJ CR BH SS MN KD GR BU TU RO HU CE
 SK ?DE UK UKC ?MD RSS KZ **A:** GG AR AB KZ
 ssp. *selengensis* Danilevsky, 2021 **R:** ES
lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 ssp. *lederi* Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 = *mesmini* Pic, 1927

= helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988
 subchalybaea Reitter, 1898 **R:** CA **A:** GG AB ?TR
 villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:** PT ES FR FRC IT ITI LJ CR BH
 SS KD AL GR BU TR RO HU AT SZ LU BE NL DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ
A: KZ ?MG
 daurica Ganglbauer, 1884 **R:** ES SE FE SI KU **A:** MG KO CH JP
 Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis (Gyllenhal, 1817) **R:** ST CA WS AT **E:** CR MN KD GR BU TR RO HU SK UK ?MD
KZ A: KZ
 Subgenus: Agapanthia Audinet-Serville, 1835
 cardui (Linnaeus, 1767) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ CR BH SS MN KD AL GR BU
 TR RO HU AT SZ DE BE NL CE SK PL UK UKC **A:** KZ
 = pannonica Kratochvil, 1985
 Subgenus: Amurobia Pesarini et Sabbadini, 2004
 pilicornis (Fabricius, 1787)
 ssp. pilicornis (Fabricius, 1787) **R:** ES SE FE SI **A:** MG KO CH
 amurensis Kraatz, 1879 **R:** ES SE FE **A:** MG KO CH
 Subgenus: Smaragdula Pesarini et Sabbadini, 2004
 violacea (Fabricius, 1775) **R:** NT CT ST CA WS AT ?ES **E:** ES FR IT ITI ?LJ CR BH SS MN KD
 AL GR BU TR RO HU AT SZ LU BE DE CE SK PL BY UK UKC MD **A:** GG AR AB KZ TR
 = mulsanti Plavilstshikov, 1930
 intermedia Ganglbauer, 1884 **R:** NT CT ST CA WS **E:** ES FR IT HU RO AT SZ GE DE CE DK SK
 PL EO LA BY UK UKC MD KZ **A:** GG KZ
 Genus: Agapanthiola Ganglbauer, 1900
 leucaspis (Steven, 1817) **R:** CT ST CA WS AT ES **E:** CR SS MN KD GR BU TR RO HU AT CE SK
 UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD MG TR IN
 = euterpe Ganglbauer, 1900