

Updated 06.08.2018

**A check list of the longicorn beetles (Cerambycoidea) of Russia
M.L. Danilevsky, 2018**

Regions (see the corresponding map):

R - Russia:

- NT - North of European Russia: Komi, Vologda and S.-Petersburg regions.
CT - Centre of European Russia (eastwards to Urals and Ural River) including Kaliningrad, Samara, Bashkiria and Ulianovsk regions).
ST - South of European Russia (including European part of Orenburg Region - south-eastwards to Ural river, Kalmykia, Rostov, Saratov and Astrakhan regions.
CA - Russian Caucasus and Ciscaucasia including Dagestan, Stavropol and Krasnodar regions.
WS - West Siberia: Asian part of Orenburg region, Ekaterinburg, Cheliabinsk, Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo regions, as well as Khanty-Mansi and Jamalo-Nenetz regions.
AT - Altaj: Altaj Region and Altaj republic.
ES - East Siberia (from Tuva, Khakassia and Krasnoiarsk to Chukotka, Kamchatka and north Kuril Islands (but without Sakhalin and south Kuril Islands)
SE - South-East Siberia: Amur and Khabarovsk regions.
FE - Far East Siberia: Primorie region.
SI - Sakhalin Island.
KU - South Kuril Islands: mostly Kunashir.

E - Europe without Russia:

- | | | |
|---------------------------|--------------------------|----------------------|
| AL - Albania | FRC - Corsica | LU-Luxembourg |
| AT - Austria | GB - Great Britain | MN - Montenegro |
| BE - Belgium | GR - Greece (without | MT - Malta |
| BU - Bulgaria | Crete) | MD - Moldova |
| BH - Bosnia & Herzegovina | GRC - Crete | NL - Netherlands |
| BY - Belorussiya | HU - Hungary | NO - Norway |
| CE - Czechia | IE - Ireland | PL - Poland |
| CH - Switzerland | IT-Italy (without | PT - Portugal |
| CR - Croatia | Sardinia & Sicilia) | RO - Romania |
| DE - Germany | ITA - Sardinia | SV - Sweden |
| DK - Denmark | ITI - Sicilia | SS - Serbia |
| EO - Estonia | KD - Macedonia | SK - Slovakia |
| ES - Spain | KZ - European Kazakhstan | TR - European Turkey |
| FI - Finland | LA - Latvia | UK- Ukraine (without |
| FR - France (without | LJ - Slovenia | Crimea) |
| Corsica) | LT - Lithuania | UKC - Crimea |

A - Asia without Russia

- | | |
|----------------------------------|---|
| AB - Azerbaidjan (including | JO - Jordan |
| Nakhichevan and Karabakh) | KI - Kyrgyzstan |
| AF - Afghanistan | KO - Korea |
| AR - Armenia | KZ - Kazakhstan (without European part of |
| CH - China | NW Kazakhstan) |
| GG - Georgia (including Abkhazia | LE - Lebanon |
| and Adzharia) | MG - Mongolia |
| ID - India | SY - Syria |
| IN - Iran | TD - Tadzhikistan |
| IQ - Iraq | TM - Turkmenia |
| IS - Israel | TR - Turkey |
| JA - Japan | UZ - Uzbekistan |

N - North Africa

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= Apehes Blessig, 1872

Subgenus: Distenia Lepeletier & Audinet-Serville, 1828

gracilis (Blessig, 1872) **R:** SE FE SI **A:** CH KO

japonica Bates, 1873 **R:** KU **A:** JP

ssp. japonica Bates, 1873 **R:** KU **A:** JP

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: Callipogon Audinet-Serville, 1832

Subgenus: Eoxenus Semenov, 1899

relictus Semenov, 1898 **R:** SE FE **A:** CH KO

Tribus: ERGATINI

Genus: Ergates Audinet-Serville, 1832

Subgenus: Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760)

ssp. faber (Linnaeus, 1760) **R:** ?CT ST CA **E:** PT ES FR FRC IT

ITI AL LJ CR BH SS MN GR BU ?TR HU AT CH NL DE CE SK PL SV LA LT BY UK UKC **A:**
GG AR ?AB **N**

Tribus: REMPHANINI

Genus: Rhaesus Motschulsky, 1875

= Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)

serricollis (Motschulsky, 1838) **R:** CA **E:** AL MN KD GR BU TR **A:** GG

AR AB TR SY LE IS IN **N**

Tribus: AEGOSOMATINI

Genus: Aegosoma Audinet-Serville, 1832

Subgenus: Aegosoma Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **R:** FE SI **A:** KO CN JP

ivanovi Danilevsky, 2011 **R:** FE

scabricorne (Scopoli, 1763) **R:** ST CA **E:** GB ES FR FRC IT ITA ITI

LJ CR BH SS MN KD AL GR BU TR RO HU AT CH BE DE CE SK BY UK UKC ?MD **A:** GG AR
AB TR SY ?LE IN IQ

Tribus: MEROSCELISINI

Genus: Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) **R:** NT CT ST(Orenburg) WS AT ES SE ?FE

E: ES FR CH DE IT LJ CR BH SS MN AL GR BU AT CE SK PL SV NO FI EO LT LA BY UK

Tribus: PRIONINI

Genus: Dorysthenes Vigors, 1826

Subgenus: Cyrtognathus Dejean, 1835

paradoxus (Faldermann, 1833) **R:** ES SE **A:** ?MG ?KO CH

Genus: Prionus Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **R:** AT ES SE FE SI KU **A:** KO CN

JP

coriarius (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI

AL LJ CR BH SS MN GR BU TR RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV FI EO
LA LT BY UK UKC MD KZ **A:** ?KZ GG AR AB IN TR **N**

Genus: Mesoprionus Jakovlev, 1887

asiaticus (Faldermann, 1837) **R:** ST CA **E:** KZ **A:** GG AR AB KZ TR IN

Genus: Psilotarsus Motschulsky, 1860

= Psilopus Gebler, 1860

= Otiartes Thomson, 1866

= Brachyprionus Jakovlev, 1887

= Prionoxys Semenov, 1899

brachypterus (Gebler, 1830)

ssp. brachypterus (Gebler, 1830) **R:** ?WS **A:** KZ CH

= latidens Motschulsky, 1860

ssp. hemipterus (Motschulsky, 1845) **R:** ?ST(Orenburg) **WS E:** KZ

A: KZ UZ

Subfamilia: LEPTURINAE Latreille, 1802

Tribus: XYLOSTEINI

Genus: Xylosteus I. Frivaldsky, 1837
caucasicola Plavilstshikov, 1936 **R:** CA **A:** GG TR

Genus: Leptorhabdium Kraatz, 1879
= Psilorhabdium Kraatz, 1879
caucasicum (Kraatz, 1879) **R:** CA **A:** GG AR AB IN TR

Tribus: ENCYCLOPINI

Genus: Encyclops Newman, 1838
= Microrhabdium Kraatz, 1879
macilentus (Kraatz, 1879) **R:** SE FE **A:** CN KO
= parallelus Pic, 1914
= ussuricus Tsherepanov, 1975
olivaceus Bates, 1884 **R:** KU **A:** JP

Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Neoxymirus Miroshnikov, 2013
mirabilis (Motschulsky, 1838) **R:** CA **A:** GG AR AB IN TR

Genus: Oxymirus Mulsant, 1862
cursor (Linnaeus, 1758) **R:** NT CT ST WS AT **E:** FR IT LJ CR BH SS KD
AL BU RO HU AT CH CE SK DE LU BE NL DK PL SV NO FI EO LT LA BY UK MD

Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Enoploderes Faldermann, 1837
Subgenus: Enoploderes Faldermann, 1837
sanguineus Faldermann, 1837 **R:** ST CA **E:** AL UKC **A:** GG AR AB TR IN

Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Rhamnusium Latreille, 1829
bicolor (Schrank, 1781)
= gracilicorne Théry, 1894
ssp. constans Danilevsky, 2012 **R:** NT CT ST WS(Orenburg) **E:** FI
EO LA LT BY UK ?UKC MD KZ **A:** KZ
testaceipenne Pic, 1897 **R:** CA **E:** UKC **A:** GG AR TR

Tribus: RHAGIINI

Genus: Rhagium Fabricius, 1775
Subgenus: Hagrium Villiers, 1978
bifasciatum Fabricius, 1775 **R:** ?CT ST CA **E:** PT ES FR IT ITI AL LJ
CR BH SS MN KD GR BU TR RO HU AT CH BE NL DK DE LU GB IE CE SK NO PL EO ?LA
LT UK ?UKC MD **A:** GG AR AB TR **N**

Subgenus: Megarhagium Reitter, 1913
fasciculatum Faldermann, 1837 **R:** CA **A:** GG AR AB TR IN
mordax (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** ES FR IT AL LJ CR
BH SS ME KD BU ?TR RO HU AT CH BE NL DK DE LU GB IE CE SK NO PL EO LA LT BY
UK ?UKC MD **A:** KZ
caucasicum Reitter, 1889
ssp. caucasicum Reitter, 1889 **R:** ?CA **A:** GG AR AB TR
sycophanta (Schrank, 1781) **R:** CT ST WS AT **E:** FR IT ?ITI AL LJ CR
BH SS BU TR RO HU AT CH BE NL DK DE LU CE SK PL SV FI LA LT BY UK ?UKC MD

Subgenus: Rhagium Fabricius, 1775
inquisitor (Linnaeus, 1758)
ssp. inquisitor (Linnaeus, 1758) **R:** NT CT ST CA WS ES MG **E:** PT
ES FR IT ITI AL LJ CR BH SS GR BU TR RO HU AT CH BE NL DK DE LU GB ?IR CE SK
NO PL SV FI EO LA LT BY UK UKC MD KZ **A:** KZ MG
ssp. rugipenne Reitter, 1898 **R:** ES SE FE SI **A:** MG CH KO
ssp. schtschukini Semenov, 1898 **R:** CA **A:** GG AR AB IN TR
= minimum Podaný, 1964
japonicum Bates, 1884 **R:** SI KU
heyrovskyi Podaný, 1964 **R:** SI

Genus: Akimerus Audinet-Serville, 1835
schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR ?CR BH GR BU
HU AT CH DE CE SK PL UK MD
ssp. schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR BH GR
BU HU AT CH DE CE SK PL UK MD

Genus: Japanocorus Danilevsky, 2012

caeruleipennis (Bates, 1873) **R:** SI KU **A:** JP
 Genus: *Stenocorus* Geoffroy, 1762
 = *Toxotus* Dejean 1821
 Subgenus: *Anisorus* Mulsant, 1862
 quercus (Götz, 1783)
 ssp. *quercus* (Götz, 1783) **R:** CT ST CA ?WS ?AT ES **E:** ES FR IT
 CR BH SS GR BU ?TR RO HU AT CH BE NL DE LU CE SK PL BY UK MD
 Subgenus: *Stenocorus* Geoffroy, 1762
 amurensis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
 = *sachalinensis* Matsumura, 1911
 meridianus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** ES FR IT
 AL LJ CR BH SS GR BU ?TR RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV FI EO
 LA LT BY UK MD **A:** KZ
 insitivus (Germar, 1824)
 ssp. *insitivus* (Germar, 1824) **R:** CA **A:** GG AR AB TR SY
 lepturoides (Reitter, 1914) **R:** SE **A:** CH
 minutus (Gebler, 1841) **R:** ?AT **A:** KZ ?MG CH
 = *tataricus* Gebler, 1841
 Genus: *Pachyta* Dejean, 1821
 lamed (Linnaeus, 1758)
 ssp. *lamed* (Linnaeus, 1758) **R:** NT CT WS AT ES SE FE SI **A:** MG
 CH KO JP **E:** FR IT LJ BU RO HU AT CH DE CE SK PL DK NO SV FI EO LA LT BY UK MD
 bicuneata Motschulsky, 1860 **R:** WS SE FE SI **A:** CH KO
 quadrimaculata (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** ES FR IT
 LJ CR BH SS MN KD BU RO HU AT CH DE CE SK PL DK FI EO LA LT BY UK MD **A:** KZ MG
 CH
 Genus: *Evodinellus* Plavilstshikov, 1915
 Subgenus: *Evodinellus* Plavilstshikov, 1915
 borealis (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI **E:** SK PL NO
 SV FI EO LA LT BY UK **A:** MG CH KO JP
 = *grisescens* Pic, 1889
 Genus: *Brachyta* Fairmaire, 1865
 Subgenus: *Fasciobrachyta* Danilevsky, 2014
 bifasciata (Olivier, 1795)
 ssp. *bifasciata* (Olivier, 1795) **R:** ES SE FE SI **A:** MG KO CH
 ssp. *plasoni* (Breit, 1915) **R:** ?ES ?SE **A:** ?MG CH
 ssp. *japonica* (Matsushita, 1933) **R:** SI **A:** JP
 caucasica (Rost, 1892)
 ssp. *caucasica* (Rost, 1892) **R:** CA **A:** GG
 = *conjuncta* Rost, 1893
 ssp. *kubanica* Miroshnikov, 1990 **R:** CA **A:** GG
 Subgenus: *Variobrachyta* Danilevsky, 2014
 rosti Pic, 1900 **R:** CA **A:** ?GG
 ssp. *rosti* Pic, 1900 **R:** CA **A:** ?GG
 = *causicola* Plavilstshikov, 1936
 ssp. *baksaniense* Lazarev, 2010b **R:** CA
 ssp. *alexeevi* Lazarev, 2010b **R:** CA
 variabilis (Gebler, 1817)
 ssp. *variabilis* (Gebler, 1817) **R:** NT CT WS ES **A:** KZ
 = *constricta* Germar, 1824
 ssp. *tungusensis* Danilevsky, 2014 **R:** ES
 ssp. *scapularis* (Mannerheim, 1849) **R:** ES FE **A:** MG CH
 = *solskyi* Kraatz, 1879
 = *comosa* Solsky, 1871
 ssp. *testaceimembris* Pic, 1916 **R:** FE
 = *rufimembris* Pic, 1926
 ssp. *jakutensis* Danilevsky, 2014 **R:** ES
 ssp. *ivlievi* Danilevsky, 2014 **R:** ES
 ssp. *chukotensis* Danilevsky, 2014 **R:** ES
 ssp. *basarukini* Danilevsky, 2014 **R:** SI
 ssp. *aberrans* (Villiers, 1960) **R:** FE **A:** CH KO
 ssp. *striolata* (Gebler, 1817) **R:** ES
 = *mutabilis* Motschulsky, 1859a [1859b]
 = *eurinensis* Tsherepanov, 1978

ssp. sinuatolineata (Pic, 1915) **R:** ES **A:** MG
 =breiti (Tippmann, 1946)
 ssp. tuvensis Danilevsky, 2014 **R:** ES **A:** MG
 ssp. kurayensis Danilevsky, 2014 **R:** WS
 interrogationis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI
E: FR IT CH AT DE CE SK PL NO SV FI EO LA LT BY UK **A:** GG KZ MG CH KO
 ssp. interrogationis (Linnaeus, 1758) **R:** NT **E:** NO SV FI
 ssp. russica (Herbst, 1784) **R:** NT CT ST WS AT **E** EO LA LT BY UK
KZ A: KZ
 = altajensis Pic, 1900
 ssp. zubovi Lazarev, 2016a **R:** NT WS
 ssp. mannerheimii Motschulsky, 1860 **R:** WS ES **A:** MG
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciatus Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **R:** SE FE SI **A:** CH KO
 =kraatzi Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **R:** CA
 ssp. miroshnikovii Lazarev, 2011 **R:** CA **A:** GG
 ssp. lederi Lazarev, 2011 **R:** CA
 punctata (Faldermann, 1833) **R:** ES FE **A:** MG CH KO
 ssp. punctata (Faldermann, 1833) **R:** ES **A:** MG CH
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 ssp. lazarevi Danilevsky, 2014 **R:** FE **A:** CH KO
 danilevskyi Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JP
 amurensis (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **R:** SE FE SI **A:** CH KO JP
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **R:** FE
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens (Jakovlev, 1893) **R:** ES **A:** ?MG
 magnifica Plavilstshikov, 1958 **R:** FE
 Genus: Carilia Mulsant, 1863
 virginea (Linnaeus, 1758)
 ssp. virginea (Linnaeus, 1758) **R:** NT CT ST WS **E:** IT AL LJ CR
BH SS ME KD GR BU RO HU AT CH BE DE CE SK NO PL SV EO LA LT BY UK ?UKC MD
 ssp. aemula (Mannerheim, 1852) **R:** ?CT ?ST WS AT ES SE FE SI **A:**
KZ MG CH
 ssp. kozhevnikovii (Plavilstshikov, 1915) **R:** FE **A:** CH
 = sibirica Podaný, 1962
 Genus: Paragaurotetes Plavilstshikov, 1921
 ussuriensis (Blessig, 1873) **R:** SE FE **A:** KO CH
 doris (Bates, 1884)
 ssp. suvorovi (Semenov, 1914) **R:** SI KU **A:** JP
 Genus: Lemula Bates, 1884
 decipiens Bates, 1884 **R:** ?FE **A:** JP
 Genus: Euracmaeops Danilevsky, 2014
 = Acmaeops auct. nec LeConte, 1850
 marginatus (Fabricius, 1781) **R:** NT CT ST WS AT ES SE FE SI **E:** ES
FR IT LJ CR MN AT CH CE GR SK BE NL DE PL NO SV FI EO LA LT BY UK A: TR KZ MG
CH ?KO
 septentrionis (Thomson, 1866) **R:** NT CT ST WS AT ES SE FE SI KU **E:**
FR IT ?LJ CH AT DE BU RO CE SK PL NO SV FI EO LA LT BY UK A: KZ MG CH KO JP
 smaragdulus (Fabricius, 1793) [NP] **R:** NT CT WS AT ES SE FE SI **E:**
FR ?IT CH NO SV FI LT BY A: KZ MG CH KO

= smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) **R:** NT CT WS AT ES SE FE SI **E:** PL BY
A: MG CH KO JP
 = viridula Matsumura, 1911
 = sachalinensis Tsherepanov, 1978
 Genus: Gnathacmaeops Linsley et Chemsak, 1972
 pratensis (Laicharting, 1784) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
 ES FR IT LJ BH SS KD AL BU RO HU AT CH DE CE SK PL NO SV FI EO LA LT BY UK
 ?UKC MD KZ **A:** GG AR AB KZ UZ KI MG CH KO
 Genus: Pseudodiptera Pic, 1900
 daghestanica (Pic, 1897) **R:** CA
 Genus: Diptera Mulsant, 1863
 minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO JP
 ssp. minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO
 anthracina (Mannerheim, 1849) **R:** ES SE FE **A:** MG CH KO
 collaris (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT
 ?ITI AL LJ CR BH SS MN KD GR BU TR RO HU AT CH BE NL DK DE LU GB ?IE CE SK NO
 PL SV EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR SY KZ CH
 Genus: Cortodera Mulsant, 1863
 = Taiwanocarilia Hayashi, 1983
 humeralis (Schaller, 1783) **R:** ST **E:** SP FR IT CR BH SB GR BU ?TR
 RO HU AU SZ CZ SK GE BE PL BY UK MD
 femorata (Fabricius, 1787) **R:** NT CT ST ?CA WS **E:** FR IT LJ CR BH
 GR BU RO HU AT CH CE SK DE PL NO SV FI EO LA LT BY UK
 pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AR AB TR IN
 ssp. pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AB
 ussuriensis Tsherepanov, 1978 **R:** FE
 villosa Heyden, 1876
 ssp. magdeevi Danilevsky, 2011 **R:** CT
 ssp. major Miroshnikov, 2007 **R:** CT ?ST
 ssp. kuvandykensis Danilevsky, 2012 **R:** ST
 ssp. mikhailovi Danilevsky, 2001 **R:** ST WS
 ssp. krasnobaevi Danilevsky, 2010 **R:** ?ST **E:** UK
 ssp. kazakorum Danilevsky, 2014 **R:** ST
 ssp. mariae Danilevsky, 2010 **R:** CA
 ssp. circassica Reitter, 1890 **R:** CA
 ssp. zhuravlevi Miroshnikov, 2007 **R:** ST **A:** KZ
 ssp. chuvilini Danilevsky, 2012 **R:** ST
 holosericea (Fabricius, 1801)
 ssp. holosericea (Fabricius, 1801) **R:** ST CA **E:** IT LJ CR BH SS
 ?GR RO HU AT CE SK UK
 colchica Reitter, 1890
 ssp. aishkha Danilevsky, 2014 **R:** CA
 ssp. murzini Danilevsky, 2014 **R:** CA
 ssp. ossetica Danilevsky, 2014 **R:** CA
 ssp. bulungensis Danilevsky, 2014 **R:** CA
 kiesenwetteri Pic, 1898
 ssp. kiesenwetteri Pic, 1898 **R:** ST
 ssp. subtruncata Pic, 1934 **R:** CT
 ciliata Danilevsky, 2001
 ssp. sakmarensis Danilevsky, 2006 **R:** ST
 ssp. milaenderi Danilevsky, 2001 **R:** CT
 reitteri Pic, 1891
 ssp. reitteri Pic, 1891 **R:** CT ST **E:** UK
 = alexandri Danilevsky, 1996
 analis (Gebler, 1830) **R:** AT **A:** KZ
 = haemorhoidalis Pic, 1898
 = ruficornis Pic, 1926
 sibirica (Plavilstshikov, 1915)
 = semenovi Plavilstshikov, 1936
 ssp. sibirica (Plavilstshikov, 1915) **R:** AT WS
 ssp. shavrovi Danilevsky, 2001 **R:** ES
 tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **R:** ST

= pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **R:** ST WS(Orenburg) **E:** KZ **A:**

KZ

ssp. rossica Danilevsky, 2001 **R:** CT (Ulyanovsk) ST **E:** UK
 turgaica Danilevsky, 2001 **R:** WS(Orenburg) **A:** KZ
 khatchikovi Danilevsky, 2001 **R:** ST
 alpina (Ménétriés, 1832)
 ssp. alpina (Ménétriés, 1832) **R:** CA **A:** AB GG
 ssp. matusiaki Danilevsky, 2014 **R:** CA **A:** GG
 ssp. baksaniensis Danilevsky, 2014 **R:** CA
 ssp. rosti Pic, 1892 **R:** CA
 ssp. psebayensis Danilevsky, 2014 **R:** CA
 ssp. starki Reitter, 1888 **R:** CA **A:** GG
 ssp. fischensis Stark, 1894 **R:** CA

Genus: Fallacia Mulsant et Rey, 1863
 elegans (Faldermann, 1837) **R:** CA **E:** TR **A:** GG AR AB TR IN

Genus: Sivana Strand, 1942
 = Sieversia Ganglbauer, 1886
 bicolor (Ganglbauer, 1886) **R:** FE **A:** CH KO
 = coreana Okamoto, 1927

Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = ruficollis Plavilstshikov, 1915

Genus: Pidonia Mulsant, 1863
 Subgenus: Pseudopidonia Pic, 1900
 similis (Kraatz, 1879) **R:** FE **A:** KO CH
 semiobscura Pic, 1901 **R:** SI
 alticollis (Kraatz, 1879) **R:** FE **A:** KO CH
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis (Pic, 1900) **R:** SE FE **A:** KO CH
 = quelpartensis Hayashi 1983
 malthinoides (Kraatz, 1879) **R:** FE
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **R:** SE FE **A:** KO CH JP
 suvorovi Baeckmann, 1903 **R:** FE **A:** KO CH

Subgenus: Mumon Hayashi, 1968
 debilis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO JP

Subgenus: Cryptopidonia Kuboki, 1981
 amentata (Bates, 1884)
 ssp. kurosawai (Ohbayashi et Hayashi, 1960) **R:** KU **A:** JP

Subgenus: Omphalodera Solsky, 1873
 puziloi (Solsky, 1873) **R:** SE FE SI **A:**?MG CH KO JP

Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei (Heyden, 1887) **R:** ES FE SI KU **A:** CH KO JP

Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **R:** SE FE SI **A:** CH KO
 = plavilstshikovi Heyrovsky, 1965

Subgenus: Grammoptera Dejean, 1835
 abdominalis (Stephens, 1831) **R:** CT[Kalinigrad] ST **E:** PT ES FR IT
 LJ CR BH KD GR BU RO HU AT CH BE NL DK DE LU GB IE CE SK PL ?LA BY UK **A:** GG
 AR AB TR IR
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781)
 ssp. ruficornis (Fabricius, 1781) **R:** CT[Kalinigrad] ST **E:** PT
 ES FR IT ITI AL LJ CR BH SS GR BU RO HU AT CH BE NL DK DE LU GB IE CE SK NO
 PL SV EO LT LA BY UK ?UKC MD ?N
 ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR
 BH SS GR GRC BU RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV LA ?LA ?BY UK
 ?UKC MD **A:** AR AB IN TR

ssp. *ustulata* (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI
 AL LJ CR BH SS GR GRC BU RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV LA ?LA
 BY UK ?UKC MD **A:** TR
 gracilis Brancsik, 1914 **R:** SE FE SI **A:** CH KO
 coerulea Jurecek, 1933 **R:** SE FE **A:** KO
 Genus: *Cornumutilla* Letzn. 1844
 quadrivittata (Gebler, 1830) **R:** ?CT WS AT ES SE ?FE **A:** KO
 = *semenovi* Plavilstshikov, 1936
 lineata (Letzner, 1844) **R:** NT WS ES **E:** FR CH IT AT RO CE SK PL UK
 Genus: *Corennys* Bates, 1884
 sericata Bates, 1884 **R:** KU **A:** KO CH JP
 Genus: *Nivellia* Mulsant, 1863
 sanguinosa (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI ?KU **E:** SS
 AT DE RO SK PL NO SV FI EO BY UK **A:** ?KZ MG CH KO JP
 = *rubripennis* Matsumura, 1911
 extensa (Gebler, 1833)
 ssp. *extensa* (Gebler, 1833) **R:** NT WS ES AT SE FE **E:** FI **A:** MG
 CH KO
 ssp. *umbratilis* Shimomura & Toyoshima, 1988 **R:** SI **A:** JP
 Genus: *Strangalomorpha* Solsky, 1873
 tenuis Solsky, 1873
 ssp. *tenuis* Solsky, 1873 **R:** SE FE SI **A:** CH KO JP
 Genus: *Alosterna* Mulsant, 1863
 tabacicolor (DeGeer, 1775)
 ssp. *tabacicolor* (DeGeer, 1775) **R:** NT CT ST CA WS **E:** ES FR IT
 ITI AL LJ CR BH SS KD GR BU TR RO HU AT CH BE NL DK DE LU GB IE CE SK PL NO
 SV FI EO LT LA BY UK ?UKC MD TR KZ **A:** KZ
 = *chrysomeloides* Schrank, 1781
 ssp. *subvittata* Reitter, 1885 **R:** CA **A:** GG AR AB IN TR
 = *caucasica* Plavilstshikov, 1936
 ssp. *erythropus* (Gebler, 1841) **R:** WS AT ES SE FE SI KU **A:** KZ
 MG CH KO JP
 = *bivittis* Motschulsky, 1860
 = *plavilstshikovi* Podaný, 1963
 ssp. *tenebris* Danilevsky, 2012 **R:** FE **A:** CH KO
 ssp. *sachalinensis* Danilevsky, 2012 **R:** SI
 ingrica (Baeckmann, 1902) **R:** NT CT ST WS **E:** SK PL EO LT LA BY UK
 diversipes Pic, 1929 **R:** SE FE SI **A:** CH KO
 = *perpera* Danilevsky, 1988
 chalybeella (Bates, 1884) **R:** SI KU **A:** JP
 = *japonica* Pic, 1935
 Genus: *Vadonia* Mulsant, 1863
 unipunctata (Fabricius, 1787)
 ssp. *unipunctata* (Fabricius, 1787) **R:** CT ST CA WS **E:** IT LJ CR
 BH SS GR BU TR RO HU AT CE SK PL ?LA MD UK UKC **A:** KZ GG AR AB TR IN
 bipunctata (Fabricius, 1781)
 ssp. *bipunctata* (Fabricius, 1781) **R:** CT ST CA WS **A:** KZ
 ssp. *sareptana* Pic, 1941 **R:** ST WS **A:** KZ
 = *beckeri* Pic, 1941 [HN]
 ssp. *urdensis* Danilevsky, 2014 **R:** ?ST **A:** KZ
 ssp. *globoicollis* (Desbrochers des Loges, 1870) **R:** CT ST CA **E:**
 MD UK RO
 = *mulsantiana* (Plavilstshikov, 1936)
 ssp. *steveni* (Sperk, 1835) **R:** ST CA **E:** HU MD SK SL UK
 ssp. *teberdensis* Danilevsky, 2014 **R:** CA
 Genus: *Pseudalosterna* Plavilstshikov, 1934
 elegantula (Kraatz, 1879) **R:** SE FE ?SI **A:** CH ?KO
 = *orientalis* Plavilstshikov, 1934
 Genus: *Pseudovadonia* Lobanov, Danilevsky et Murzin, 1981
 livida (Fabricius, 1777)
 ssp. *bicarinata* (Arnold, 1869) **R:** NT CT ST CA WS AT ES **E:** PL BY LA LT
 UK UKC KZ **A:** AR GG AB IN TR KZ KI
 Genus: *Konoa* Matsushita, 1933
 granulata (Bates, 1884) **R:** SI **A:** JP

Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes (Schaller, 1783)
 ssp. rufipes (Schaller, 1783) **R:** ?NT **E:** ES FR IT LJ CR BH SS
 GR BU RO HU AT CH DE CE SK PL ?EO LT LA BY UK MD
 ssp. ventralis Heyden, 1886 **R:** CT ST CA WS ?AT ES **E:** BY UK KZ
A: GG AR AB KZ
 sexguttata (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR
 BH SS KD GR BU TR RO HU AT CH DE LU BE GB IR NL DK CE SK PL NO SV FI EO LT LA
 BY UK MD **A:** GG **N**
 rufihumeralis (Tamanuki 1938) **R:** FE **A:** KO
 Subgenus: Anoploderomorpha Pic, 1901
 cyanea (Gebler, 1832) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Genus: Xestoleptura Casey, 1913
 rufiventris (Gebler, 1830) **R:** WS AT ES ?SE SI **A:** ?KZ MG
 baeckmanni (Plavilstshikov, 1936) **R:** FE **A:** KO
 Genus: Stictoleptura Casey, 1924
 = Brachyleptura auct. (not Casey, 1913)
 Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957
 = Corymbia Des Gozis, 1886
 rubra (Linnaeus, 1758)
 ssp. rubra (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** PT ES FR
 FRC IT LJ CR BH SS MN AL GR BU RO HU AT CH DE LU BE GB NL DK CE SK PL NO SV
 FI EO LT LA BY UK MD **KZ A:** KZ **N**
 dichroa (Blanchard, 1871) **R:** ES SE FE SI KU **A:** CH KO JP
 = succedanea Lewis, 1879
 Subgenus: Stictoleptura Casey, 1924
 cordigera Fuesslin, 1775
 ssp. cordigera Fuesslin, 1775 **R:** CA (Derbent) **E:** BE BU DE FR
 GE GR IT NL RO SP SZ RO UK **N:** LB **A:** AB AR CY GG IN IQ IS LE SY TR
 erythroptera (Hagenbach, 1822) **R:** CA **E:** ES FR CR BH SS GR BU RO
 HU AT CH DE CE SK UK **A:** AR GG AB TR IN
 rufa (Brullé, 1832)
 ssp. realis Danilevsky, 2012 **R:** CA **A:** GG AR AB TR
 Subgenus: Variileptura Danilevsky, 2014
 variicornis (Dalman, 1817) **R:** NT CT WS AT ES SE FE SI KU **E:** PL EO
 LT LA BY UK **A:** KZ MG CH KO JP
 Subgenus: Melanoleptura Miroshnikov 1998
 scutellata (Fabricius, 1781)
 ssp. scutellata (Fabricius, 1781) **R:** ?CT ST CA **E:** PT ES FR FRC
 IT ITI ITA LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE GB IR DK CE SK PL
 SV LA BY UK UK MD
 ssp. ochracea (Faust, 1878) **R:** ST **A:** GG AR AB TR
 Subgenus: Maculileptura Danilevsky, 2014
 maculicornis (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR IT LJ CR
 BH SS MN AL GR BU TR RO HU AT CH DE BE LU CE SK PL NO SV FI EO LT LA BY UK MD
A: ?GG
 Subgenus: Batesiata Miroshnikov, 1998
 tesserula (Charpentier, 1825) **R:** CA **E:** SS AL GR BU RO HU ?DE SK
 PL UK **A:** GG AR AB TR IN
 Subgenus: Paracorymbia Miroshnikov 1998
 fulva (DeGeer, 1775) **R:** CT ST **E:** PT ES FR FRC IT ITI LJ CR BH SS
 MN KD AL GR BU TR RO HU AT CH DE LU BE GB IR NL CE SK ?BY UK
 = apicalis Motschulsky, 1875
 tonsa (J.Daniel et K.Daniel, 1891) **R:** CA **A:** UKC GG AR AB TR IN
 = ustulata Ménétériés, 1832 [HN]
 pallidipennis (Tournier, 1872) **R:** CA **A:** GG ?AB
 nadezhdae (Plavilstshikov, 1932) **R:** CA
 Genus: Anastrangalia Casey 1924
 scotodes (Bates, 1873)
 ssp. scotodes (Bates, 1873) **R:** SI KU **A:** JP
 ssp. continentalis (Plavilstshikov, 1936) **R:** SE FE **A:** CH KO

sanguinolenta (Linnaeus, 1760) **R:** NT CT ST CA **E:** ES FR IT LJ CR
 BH SS KD AL GR BU RO HU AT CH DE NL GB CE SK PL NO SV FI EO LT LA BY UK ?MD
A: GG AR AB KZ WS ?AT ?ES
 dubia (Scopoli, 1763)
 ssp. melanota (Faldermann, 1837) **R:** CA **A:** GG AR ?AB TR
 = distincta (Tournier, 1872)
 reyi (Heyden, 1885) **R:** NT CT ST WS **E:** LJ AT RO CH DE CE SK PL NO
 SV FI EO LT LA BY UK **A:** KZ
 = inexpectata Jansson & Sjöberg, 1928
 sequensi (Reitter, 1898) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
 renardi (Gebler, 1848) **R:** NT WS AT ES SE FE SI ?KU **A:** KZ MG CH KO
 Genus: Lepturobosca Reitter, 1913
 virens (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT
 LJ CR BH SS BU RO HU AT CH DE ?GB CE SK PL NO SV FI EO LT LA BY UK **A:** KZ MG
 CH
 Genus: Eustrangalis Bates, 1884
 distenioides Bates, 1884 **R:** KU **A:** JP
 Genus: Pedostrangalia Sokol. 1897
 Subgenus: Neosphenalia Löbke, 2010
 = Sphenalia Daniel 1904 (not Sphenalia Wood, 1874, in
 Mollusca)
 femoralis (Motschulsky, 1860) **R:** SE FE SI KU **A:** CH KO JP
 = xanthoma Bates, 1873
 Genus: Etorofus Matsushita 1933
 Subgenus: Etorofus Matsushita 1933
 nemurensis Matsushita, 1933 **R:** SI KU **A:** JP
 = variicornis Matsushita, 1933 [HN]
 = niger Matsushita, 1933
 = circaocularis (Pic, 1934)
 pubescens (Fabricius, 1787) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR
 BH SS MN AL GR BU RO AT CH DE CE SK PL NO SV FI EO LT LA BY UK **A:** KZ ?GG
 Subgenus: Nakanea Ohb. 1963
 vicaria (Bates, 1884)
 ssp. vicaria (Bates, 1884) **R:** SI KU **A:** JP
 Genus: Judolidia Plavilstshikov, 1936
 znojkoii Plavilstshikov, 1936: **R:** SE FE **A:** CN KO
 Genus: Judolia Mulsant, 1863
 sexmaculata (Linnaeus, 1758) **R:** NT CT ST **E:** ?ES FR IT CH AT HU RO
 DE CE SK GB PL NO SV FI EO LT LA BY UK **A:** KZ
 dentatofasciata Mannerheim, 1852 **R:** NT WS AT ES SE FE SI KU **A:** MG
 CH KO JP
 = parallelopipeda Motschulsky, 1860
 = abbreviata Motschulsky, 1875
 = shirarakensis Matsumura, 1911
 = rufimembris Pic, 1917
 Genus: Pachytodes Pic, 1891
 erraticus (Dalman, 1817) **R:** CT ST CA WS AT ES **E:** ES FR IT LJ CR
 BH SS MN KD AL GR BU TR RO HU AT CH DE CE SK PL BY MD UK KZ **A:** GG AR AB KZ MN
 ?CH TR IN SY
 cerambyciformis (Schrank, 1781) **R:** ?NT CT ST **E:** PT ES FR IT LJ CR
 BH SS KD AL BU RO HU AT CH DE LU BE DK NL GB CE SK PL ?EO LT LA BY UK MD **A:**
 ?TR
 bottcheri (Pic, 1911) **R:** WS AT ES **A:** MG
 = orthotrichus (Plavilstshikov, 1936)
 longipes (Gebler, 1832) **R:** ES SE FE SI **A:** MG CH KO
 cometes (Bates, 1884) **R:** SI KU **A:** JP
 = connecta Nishio 1950
 Genus: Oedecnema Thomson, 1857
 gebleri Ganglbauer, 1889 **R:** NT CT ST(Orenburg) WS AT ES SE FE SI
 KU **E:** UK **A:** KZ MG CH KO JP
 = dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911
 Genus: Leptura Linnaeus, 1758
 Subgenus: Noona Sama, 2007

= Nona Sama, 2002
 regalis (Bates, 1884) **R:** SI KU **A:** JP
 Subgenus: *Macroleptura* Nakane et Ohb. 1957
 thoracica Creutzer, 1799 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 SL CR BH SS RO SK PL FI EO LT LA BY UK **A:** KZ MG CH KO JP
 Subgenus: *Leptura* Linnaeus, 1758
 ochraceofasciata (Motschulsky, 1862)
 ssp. ochraceofasciata (Motschulsky, 1862) **R:** SI KU **A:** JP KO CH
 latipennis (Matsushita, 1933) **R:** SI KU **A:** JP
 aurulenta Fabricius, 1793 **R:** ST CT **E:** PT ES FR FRC IT LJ CR BH SS
 MN AL GR BU TU RO HU AT CH DE LU GB IR CE SK PL MD UK **A:** TR **N**
 quadrifasciata Linnaeus, 1758
 ssp. quadrifasciata Linnaeus, 1758 **R:** NT CT ST CA WS AT ES SE
 FE SI KU **E:** ES FR IT LJ CR BH SS KD AL BU TR RO HU AT CH DE LU BE DK NL GB IR
 CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** KZ MG KO CH JP
 ssp. lederi Ganglbauer, 1882 **R:** CA **A:** GG AR AB TR IN
 = caucasica Plavilstshikov, 1924
 annularis Fabricius, 1801
 = arcuata Panzer, 1793
 ssp. annularis Fabricius, 1801 **R:** NT CT ST KZ WS AT ES FE SI
E: SP FR ?IT CR BH RO HU AT CH DE CE SK PL EO LT LA ?MD BY UK **A:** KZ MG CH KO
 ssp. mimica Bates, 1884 **R:** SI KU **A:** JP
 duodecimguttata Fabricius, 1801 1801 **R:** KZ WS AT ES SE FE SI **A:** MG
 CH KO JP
 aethiops Poda 1761 **R:** NT CT ST CA WS AT ES SE FE ST SI KU **E:** ES
 FR IT LJ CR BH SS AL GR RO HU AT CH DE LU BE DK NL CE SK PL EO LT LA BY UK
 ?UKC MD **A:** ?GG ?AR ?AB KZ MG CH KO JP
 = aterrima Motschulsky, 1860
 = doii Matsushita, 1933
 Genus: *Lepturalia* Reitter, 1913
 nigripes (DeGeer, 1775)
 ssp. nigripes (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** AT RO SK
 PL NO SV FI EO LT LA BY UK KZ **A:** KZ
 ssp. rufipennis (Blessig, 1873) **R:** WS AT ES SE FE SI **A:** KZ MG
 CH KO
 Genus: *Strangalia* Dejean, 1835
 = *Strangalina* Aurivillius, 1912
 attenuata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR FRC IT LJ CR BH SS MN KD AL GR BU TR RO HU AT CH DE LU BE NL DK ?GB CE
 SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP
 takeuchii Matsushita et Tamanuki, 1935 **R:** KU **A:** JP
 Genus: *Rutpela* Nakane et Ohbayashi, 1957
 maculata (Poda 1761)
 ssp. maculata (Poda 1761) **R:** CT ST CA WS(Orenburg) **E:** FR FRC
 IT ITA LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE DK NL GB IR CE SK PL
 NO SV FI EO LT LA BY UK MD KZ **A:** KZ
 ssp. manca (Schaufuss, 1863) **R:** CA **E:** PT ES FR IT ITI TR UKC
A: GG AR AB IN TR SY
 = nigricornis (Stielin, 1864)
 Genus: *Stenurella* Villiers 1974
 Subgenus: *Stenurella* Villiers 1974
 melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR
 IT LJ CR BH SS MN KD AL GR BU TR RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LA BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN TR KZ MG ?CH JP
 ssp. melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:**
 PT ES FR IT LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE NL DK GB CE SK PL
 NO SV FI EO LT LA BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN KZ MG ?CH JP
 =sennii Sama, 2002
 Subgenus: *Stenurelloides* Özdikmen, 2013
 novercalis (Reitter, 1901) **R:** CA **A:** GG TR
 jaegeri (Hummel, 1825) **R:** RSC RSS CA **E:** UKC **A:** GG AR AB IN TR SY
 Subgenus: *Priscostenurella* Özdikmen, 2013
 bifasciata (Müller, 1776)

ssp. bifasciata (Müller, 1776) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR FRC IT ITI ITA LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE NL CE SK
 PL EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
 = sedakovi Mannerheim, 1852
 septempunctata (Fabricius, 1793)
 ssp. latenigra Pic, 1915 **R:** CA **E:** BU TR **A:** GG AR TR
 Subgenus: Nigrostenurella Özdikmen, 2013
 nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT LJ CR BH
 SS MN KD AL GR BU RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV EO LT LA BY UK
 UKC MD KZ **A:** GG AR AB ?IN TR
 ssp. nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT
 LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV EO LT
 LA BY UK UKC MD KZ **A:** TR
 ssp. maesta Danilevsky, 2013 **R:** CA **A:** GG AR AB ?IN TR
 Subfamilia: NECYDALINAE Latreille, 1825
 Tribus: NECYDALINI
 Genus: Necydalis Linnaeus, 1758
 Subgenus: Necydalis Linnaeus, 1758
 ulmi (Chevrolat, 1838) **R:** CA **E:** ES FR IT CR BH SS MN KD GR BU RO
 HU AT CH DE CE SK PL ?LT ?LA BY ?MD UK **A:** GG AR IR TR
 = mesembrina Plavilstshikov, 1936
 major Linnaeus, 1758 **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT CR
 BH SS MN AL GR BU RO HU AT CH DE LU BE NL CE SK PL NO SV FI EO LT LA BY UK
 UKC MD KZ **A:** AB GG TR KZ MG CH KO JP
 = xantha Semenov, 1898
 = aino Kusama, 1974
 gigantea Kano, 1933 **R:** KU **A:** JP
 ssp. gigantea Kano, 1933 **R:** KU **A:** JP
 Subgenus: Necydalisca Plavilstshikov, 1936
 = Eonecydalis Ohbayshi, 1961
 pennata Lewis, 1879 **R:** SE FE SI KU **A:** KO CH JP
 = morio Kraatz, 1879
 = ebenina Bates, 1884
 = pacifica Plavilstshikov, 1936
 = ussuriensis Plavilstshikov, 1936
 = semenovi Plavilstshikov, 1936
 = eoa Plavilstshikov, 1936
 sachalinensis Matsumura et Tamanuki, 1927 **R:** SE FE SI **A:** KO CH JP
 Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
 = Aseminae Thomson, 1860
 Tribus: SAPHANINI Gistel, 1848
 Genus: Drymochares Mulsant, 1847
 starcki Ganglbauer, 1888
 ssp. starcki Ganglbauer, 1888 **R:** CA **A:** ?GG
 Tribus: ATIMIINI Le Conte, 1873
 Genus: Atimia Haldeman, 1847
 = Myctus Semenov et Plavilstshikov, 1937
 maculipuncta (Semenov et Plavilstshikov, 1937)
 ssp. nadezhdae Tsherepanov, 1973 **R:** FE **A:** KO
 Tribus: ASEMINI Thomson, 1860
 Genus: Nothorhina L. Redtenbacher, 1845
 punctata (Fabricius, 1798) **R:** NT CT ST WS ?AT **E:** PT ES FR IT ITI
 BH AL GR DE AT CE SK PL NO SV FI EO LT LA BY UK KZ **A:** KZ ?SY JP
 = muricata (Dalman, 1817)
 Genus: Megasemum Kraatz, 1879
 quadricostulatum Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Asemum Eschscholtz, 1837
 striatum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR IT LJ CR BH SS MN AL GR BU RO HU AT CH DE LU BE NL DK GB IR CE SK PL NO
 SE FI EO LT LA BY UK ?UKC MD KZ **A:** GG AR ?AB TR KZ KI MG CH KO JP
 = subsulcatum Motschulsky, 1860
 = amurense Kraatz, 1879
 tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV UKC **A:** GG

TR

ssp. tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV
UKC **A:** GG TR

punctulatum Blessig, 1872 **R:** SE FE SI KU **A:** KO CH JP
Genus: Arhopalus Audinet-Serville, 1834
Subgenus: Arhopalus Audinet-Serville, 1834
= Criocephalum Dejean, 1835
= Criocephalus Mulsant, 1839
rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE NL DK GB CE
SK PL NO SV FI EO LT LA BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TD TR IN KZ
MG CH KO JP **N**

ssp. rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE
SI KU **E:** ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE NL
DK GB CE SK PL NO SV FI EO LT LA BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TD
TR IN KZ MG CH KO JP **N**

= tristis Fabricius, 1787
?= coreanus Sharp, 1905
ferus (Mulsant, 1839) **R:** NT CT ST CA WS AT ES SE **E:** PT ES FR FRC
IT ITI ITA LJ CR BH SS MN KD GR GRC AL BU RO HU ?AT CH DE LU BE NL DK GB ?IR
CE SK PL SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TR SY JO IS KZ CH
Tribus: Tetropini Seidlitz, 1891
Genus: Tetropium Kirby 1837
= Isarthron Dejean, 1835
castaneum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
ES FR IT LJ CR BH SS MN AL BU GR RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV
FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB TR KZ MG CH KO JP
gabrieli Weise, 1905 **R:** ?CT (Kaliningrad Region) **E:** FR IT SL HU
AU SZ GE GB IR LU BE NL DE LS CZ SK PL BY UK
gracilicorne Reitter, 1889 **R:** CT WS AT ES SE FE SI **A:** KZ MG CH KO
gracilicum Hayashi, 1983 **R:** FE KU **A:** CH JP
aquilonium Plavilstshikov, 1940 **R:** NT WS **E:** SV FI
danilevskiyi Slama, 2005 **R:** ES
fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ BH SS
BU RO HU AT CH DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG TR KZ
ssp. fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** GB FR IT LJ
BH SS BU RO HU AT CH DE BE NL DK CE SK PL NO SV FI EO LT LA BY UK MD KZ **A:** GG
TR KZ
Tribus: SPONDYLIDINI Audinet-Serville, 1832
Genus: Spondylis Fabricius, 1775
buprestoides (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
PT ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT CH DE LU BE NL DK GB
CE SK PL NO SV FI EO LT LA BY UK UKC MD KZ **A:** GG AR AB IN TR AF KZ MG CH KO
JP
Subfamilia: APATOPHYSEINAE Lacordaire, 1869
Tribus: APATOPHYSEINI
Genus: Apatophysis Chevrolat, 1860
Subgenus: Apatophysis Chevrolat, 1860
caspiaca Semenov, 1901 **R:** CA **A:** AB GG TM UZ KZ TR IN AF
Subfamilia: CERAMBYCINAE Latreille, 1802
Tribus: HESPEROPHANINI
Genus: Hesperophanes Dejean, 1835
sericeus (Fabricius, 1787) **R:** CA **E:** PT ES FR FRC IT ITI ITA CR BH
MN AL GR UKC **A:** GG AR AB TM IN TR JO IS IQ **N**
Genus: Trichoferus Wollaston, 1854
holosericeus (Rossi, 1790) **R:** CA **E:** ES FR FRC CH IT ITI ITA MT LJ
CR BH SS AL GR BU UKC **A:** GG AR AB TR IN **N**
= cinereus Villers, 1789
fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA
MT CR MN AL GR BU RO UK UKC **A:** GG AR AB TR IN **N**
ssp. fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT
ITI ITA MT CR MN AL GR BU RO UK UKC **A:** GG AR AB TR IN
griseus (Fabricius, 1793) **R:** ?CA **E:** PT ES FR FRC IT ITI ITA MT CR
BH MN AL GR GRC BU TR RO CE UK UKC **A:** ?GG TR JO IS SY IQ **N**

campestris (Faldermann, 1835) **R:** CT ST CA WS ES SE FE **E:** PL LT CE
 SK HU RO MD UK **A:** AB AR KZ KI UZ TD TM IN MG CH KO JP
 = *turkestanicus* Heyden, 1886
pallidus (Olivier, 1790) **R:** ST CA **E:** ES FR FRC IT CR BH SS GR BU
 RO HU AT CE SK DE PL MD UKC
 Genus: *Stromatium* Audinet-Serville, 1834
auratum (Böber, 1793) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA LJ DE
 MT CR BH SS MN KD AL GR GRC BU TR RO HU LA UK UKC **A:** GG AR AB TM TR IN IQ JO
 IS LE **N**
 = *fulvum* Villers, 1789
 = *unicolor* (Olivier, 1795)
 Tribus: CERAMBYCINI
 Genus: *Neocerambyx* Thomson, 1860
 = *Mallambyx* Bates, 1873
 = *Mesocerambyx* Breuning et Hitzinger, 1943
raddei Blessig, 1872 **R:** SE FE **A:** CH KO JP
 Genus: *Cerambyx* Linnaeus, 1758
 Subgenus: *Cerambyx* Linnaeus, 1758
cerdo Linnaeus, 1758
ssp. cerdo Linnaeus, 1758 **R:** ?CT **E:** FR FRC IT ITI ITA LJ CR BH
 SS MN KD GR BU TR RO HU AT CH DE LU BE NL DK CE SK PL SV LT LA BY MD UK
ssp. acuminatus Motschulsky, 1852 **R:** ST CA **E:** UK **A:** GG AR AB IN
 TR SY JO IS
 = *klinzigi* Podaný 1964
*ssp. manderstjerna*e Mulsant & Godart, 1855 **R:** ST **E:** UKC
dux (Faldermann, 1837) **R:** CA **E:** KD BU GR UKC **A:** GG AR AB TR IN IQ
 SY JO LE IS
nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD AL GR BU
 TR RO UKC **A:** GG AR AB TR SY
ssp. nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD
 AL GR BU TR RO UKC **A:** GG AR AB TR SY
miles Bonelli, 1812 **R:** CA **E:** PT ES FR IT ITI MT LJ CR BH SS MN KD
 AL GR BU TR RO HU AT CZ SK CH MD UKC **A:** GG AR AB IN TR SY **N**
 Subgenus: *Microcerambyx* Miksic et Georgijevic, 1973
 = *Mesocerambyx* Zagaikévitch, 1991
scopolii Fuesslin, 1775
ssp. scopolii Fuesslin, 1775 **R:** NT CT ST CA **E:** PT ES FR FRC IT
 ITA MT LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT CH DE LU BE NL DK ?GB CE SK
 PL NO SE ?EO LT ?LA BY MD UK UKC **A:** GG AR AB IN TR SY
 Tribus: ROSALIINI
 Genus: *Rosalia* Audinet-Serville, 1834
alpina (Linnaeus, 1758)
ssp. alpina (Linnaeus, 1758) **R:** ST CA WS **E:** ES FR FRC IT ITI
 LJ CR BH SS MN KD AL GR BU TR RO HU AT CH DE CE SK PL BY MD UK UKC **A:** GG AR
 AB TR
coelestis Semenov, 1911 **R:** FE **A:** CH KO
 Tribus: PURPURICENINI
 Genus: *Purpuricenus* Dejean, 1821
kaehlerii (Linnaeus, 1758)
ssp. kaehlerii (Linnaeus, 1758) **R:** CT ST CA WS **E:** PT ES FR FRC
 IT ITI LJ CR BH SS MN KD AL GR BU TR RO HU AT CH BE DE CE SK PL BY UK UKC MD
ssp. menetriesi Motschulsky, 1845 **R:** CA **A:** GG AR AB IN TR
 = *astrabadensis* Pic, 1915
 = *causicus* Pic, 1902
globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH
 SS AL GR BU RO UK HU ?AT CH CE SK ?DE **A:** KZ
ssp. globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI
 LJ CR BH SS GR BU RO UK HU ?AT CH CE SK ?DE **A:** KZ
 = *tsherepanovae* Tsherepanov, 1980
budensis (Götz, 1783) **R:** CT ST CA ?WS **E:** ES FR IT LJ CR BH SS MN
 AL KD GR BU RO HU SK UK UKC **A:** GG AR AB IN TR SY IS
caucasicola Danilevsky, 2015d **R:** CA **A:** GG ?AR AB TR
lituratus Ganglbauer, 1886 **R:** FE **A:** KO CH JP
 = *petasifer* Fairmaire, 1888

sideriger Fairmaire, 1888 **R:** FE **A:** KO CH
 ssp. sideriger Fairmaire, 1888 **R:** FE **A:** KO CH
 Genus: Anoplites Audinet-Serville, 1834
 = Asias Semenov, 1914
 halodendri (Pallas, 1773)
 = humeralis Olivier, 1795
 = elaeagni Fischer-Waldheim, 1824
 ssp. ephippium (Steven et Dalman, 1817) **R:** ST CA **E:** UK KZ **A:**

KZ

ssp. kasatkini Lazarev, 2014 **R:** ST
 ssp. halodendri (Pallas, 1773) **R:** WS AT **A:** KZ
 ssp. minutus Hammarström, 1893 **R:** ES **A:** MG CH
 ssp. pirus (Arakawa, 1932) **R:** SE FE **A:** KO CH
 tuvensis (Tsherepanov, 1978) **R:** ES **A:** MG
 Genus: Amarysius Fairmaire, 1888
 sanguinipennis (Blessig, 1872) **R:** CT WS ES SE FE **A:** KZ MG KO CH

JP

suturalis (Pic, 1906) **R:** FE **A:** CH
 =grallator Baeckmann, 1924
 altajensis (Laxmann, 1770)
 ssp. altajensis (Laxmann, 1770) **R:** WS AT **A:** KZ CH
 = sellatus Germar, 1824
 = affinis Motschulsky, 1875
 ssp. coreanum (Okamoto, 1924) **R:** ES SE FE **A:** MG CH KO
 = ussuricus Tsherepanov, 1975
 duplicatus Tsherepanov, 1980 **R:** WS AT ?ES SE FE **A:** KZ? MG CH ?KO

Tribus: CALLICHRMATINI

Genus: Aphrodisium Thomson, 1864
 = Tomentaromia Plavilstshikov, 1934
 faldermannii (Saunders, 1853)
 ssp. faldermannii (Saunders, 1853) **R:**?ES ?SE **A:**?MG CH KO
 Genus: Aromia Audinet-Serville, 1834
 moschata (Linnaeus, 1758)
 = thea Reitter, 1894
 ssp. moschata (Linnaeus, 1758) **R:** NT CT ST CA **E:** FR FRC IT AL

LJ CR BH SS KD BU TR RO HU AT CH BE NL DK DE LU GB IR CE SK NO PL SV FI EO LA
 LT BY UK UKC MD KZ **A:** GG KZ WS AT ES ?MG

ssp. ambrosiaca (Steven, 1809) **R:** CA **E:** PT ES IT ITI GR **A:** GG

AR AB TR IN SY IS LE JO IQ **N**

orientalis Plavilstshikov, 1932 **R:** ES SE FE SI **A:** MG CH KO JP
 Genus: Chelidonium Thomson, 1864 U
 zaitzevi Plavilstshikov, 1933 **R:** FE
 Genus: Chloridolum Thomson, 1864
 Subgenus: Chloridolum Thomson, 1864
 sieversii (Ganglbauer, 1886) **R:** FE **A:** KO CH JP
 = coreana Fairmaire, 1897
 Genus: Leontium Thomson, 1864
 viride Thomson, 1864 **R:** SI KU **A:** JP CH KO
 Genus: Polyzonus Dejean, 1835
 fasciatus (Fabricius, 1781) **R:** ES SE FE **A:**MG KO CH

Tribus: CALLIDIOPINI

Genus: Stenygrinum Bates, 1873
 quadrinotatum Bates, 1873 **R:** FE **A:** CH KO JP

Tribus: GRACILIINI

Genus: Gracilia Audinet-Serville, 1834
 minuta (Fabricius, 1781) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT
 ITI ITA MT LJ CR BH SS AL GR GRC BU TR RO HU AT CH DE LU BE NL DK GB ?IR CE
 SK PL NO SV FI EO LT ?LA UK UKC MD KZ **A:** KZ GG AR AB IN TR **N**
 Genus: Penichroa Stephens, 1839
 fasciata (Stephens, 1831) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT LJ
 CR BH SS KD AL GR GRC BU TR UKC **A:** GG AR AB IN TR SY **N**
 Genus: Axinopalpis Dejean, 1835
 gracilis (Krynicky, 1832)

ssp. *gracilis* Krynicki, 1832 **R:** CT ST CA **E:** IT LJ CR BH SS MN
 KD AL GR BU RO HU AT CE SK DE PL LA LT UK ?UKC MD **A:** GG TR SY
 Genus: *Hybometopia* Ganglbauer, 1889
 starcki Ganglbauer, 1889
 ssp. *starcki* Ganglbauer, 1889 **R:** CA **A:** GG TR
 Tribus: OBRIINI
 Genus: *Obrium* Dejean, 1821
 cantharinum (Linnaeus, 1767)
 ssp. *cantharinum* (Linnaeus, 1767) **R:** NT CT ST CA WS AT ES SE
 FE **E:** ES FR IT BH SS GR BU RO TR HU AT CH DE LU BE NL ?GB CE SK PL NO SV FI
 EO LT LA BY MD UK ?UKC KZ **A:** GG AR AB TR KZ MN CH JP
 brunneum (Fabricius, 1793) **R:**?NT ?CT ?ST CA **E:** ES FR IT LJ CR BH
 SS AL GR BU RO HU AT CH DE LU BE NL DK GB CE SK PL SV EO LT LA BY MD UK UKC
A: GG AR AB TR IR
 obscuripenne Pic,1904 **R:** FE SI ?KU **A:** KO CH JP
 = *graciliforme* Lipp, 1939
 = *gracile* Plavilstshikov, 1933
 brevicornis Plavilstshikov, 1940 **R:** FE **A:** KO CH
 Tribus: CERTALLINI
 Genus: *Certallum* Dejean, 1821
 = *Cartallum* Audinet-Serville, 1834
 ebulinum (Linnaeus, 1767) **R:** ST CA **E:** PT ES FR IT ITI MT AL GR
 GRC TR UK UKC **A:** GG AR AB IN TR SY LE JO IS **N**
 = *ruficolle* Fabricius, 1781
 Tribus: DEILINI
 Genus: *Deilus* Audinet-Serville, 1834
 fugax (Olivier, 1790) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA
 LJ CR BH MN GR GRC AL BU RO HU AT CH LU BE CE SK PL BY MD UK ?UKC KZ **A:** KZ GG
 AR AB TR IN SY JO LE IS **N**
 Tribus: STENOPTERINI
 Genus: *Stenopterus* Illiger, 1804
 rufus (Linnaeus, 1767)
 ssp. *rufus* (Linnaeus, 1767) **R:** ST CA **E:** ES FR FRC IT ITI ITA
 MT LJ RO BU HU AT CH DE LU BE NL CE SK PL MD UK UKC **A:** GG TR
 ssp. *geniculatus* Kraatz, 1863 **R:** CA **E:** GR AL CR BH SS MN KD AT
 HU BU **A:** GG AR AB IN TR
 Genus: *Callimus* Mulsant, 1846
 = *Callimellum* Strand, 1928
 Subgenus: *Lampropterus* Mulsant, 1863
 = *Callimomimus* Ienistea, 1952
 femoratus (Germar, 1824) **R:** CA **E:** SS KD AL GR BU TR RO MD UK UKC
A: GG AR AB IN TR SY JO LE IS
 = *adonis* Perrin, 1881
 = *narcissus* Perrin, 1881
 = *distinctus* Ienistea, 1952
 Subgenus: *Procallimus* Pic,1907
 = *Protocallimus* Plavilstshikov 1940
 egregius Mulsant et Rey, 1863 **R:** ?CA **E:** UKC **A:** GG TR SY LE
 Genus: *Callimoxys* Kraatz, 1863
 gracilis (Brullé, 1832) **R:** ST CA **E:** LJ CR BH MN KD GR BU RO HU SK
 UKC **A:** GG AR AB TM TR IN
 Tribus: NATHRIINI
 Genus: *Nathrius* Brethes, 1916
 brevipennis (Mulsant, 1839) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA
 MT LJ CR BH SS KD BU GR GRC TR RO HU AT CH CE SK DE GB ?IR BE NL DK GB PL NO
 SV FI ?LA MD UK UKC **A:** KZ GG AR AB IN TR IS LE **N**
 Tribus: MOLORCHINI
 Genus: *Leptepania* Heller, 1924
 = *Molorchinus* Shabliovskiy, 1936
 okunevi (Shabliovskiy, 1936) **R:** FE **A:** MN
 = *incognitus* Tsherepanov, 1975
 Genus: *Nadezhdiana* Tsherepanov, 1976
 villosa Tsherepanov, 1976 **R:** FE
 Genus: *Molorchus* Fabricius, 1793

Subgenus: *Caenoptera* Thomson, 1859
 minor (Linnaeus, 1758)
 ssp. minor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI
 KU **E:** FR IT LJ CR BH SS AL GR BU RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LA BY MD UK ?UKC **A:** GR KZ MG KO JP CH TR
 = rufescens Kiesenwetter, 1879

Subgenus: *Molorchus* Fabricius, 1793
 = *Glaphyra* Newman, 1840
 = *Linomius* Mulsant, 1862
 umbellatarus (Schreber, 1759)
 ssp. umbellatarus (Schreber, 1759) **R:** NT CT ST CA **E:** SP FR IT
 ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ DE LU BE NL GE GB CZ SK NR PL SV
 EN LT LA BY MD UK UKC **A:** GG AR AB IR TR ?TM
 plagiatus Reiche, 1877 **R:** ?CT ST CA **A:** GG AR AB ?KZ IN TR
 kiesenwetteri Mulsant et Rey, 1861
 ssp. kiesenwetteri Mulsant et Rey, 1861 **R:** ST CA **E:** IT ?LJ CR
 SS CH ?DE AT ?PL HU ?RO BU UKC
 ssp. hircus Abeille de Perrin, 1881 **R:** CA **E:** TR **A:** GG AR AB IN
 TR SY LE IS
 = anatolicus Adlbauer, 1988
 schmidti Ganglbauer, 1883 **R:** CT ST CA WS(Orenburg) **E:** GR HU RO CE
 SK ?PL UK UKC MD KZ **A:** AB GR KZ TM UZ KI
 = salicicola Stiller, 1935
 = ?semenovi Plavilstshikov, 1940
 marmottani Brisout de Barneville, 1863
 ssp. marmottani Brisout de Barneville, 1863 **R:** CT ST **E:** ES FR
 IT CH BU AT DE CE SK PL **A:** TR
 starki Shabliovskiy, 1936 **R:** FE **A:** KO CH ?JP
 ?= kojimai Matsushita, 1939
 = ussuriensis Plavilstshikov, 1940
 = ichikawai Niisato, 1988
 ishiharai Ohbayashi, 1936 **R:** FE SI KU **A:** ?KO JP
 = kunashiricus Tsherepanov, 1981
 kobotokensis Ohbayashi, 1963 **R:** FE **A:** KO JP

Subgenus: *Nathrioglaphyra* Sama, 1995
 heptapotamicus Plavilstshikov, 1940 **R:** ST **A:** KZ KI UZ
 = amygdali Holzschuh, 1979

Tribus: STENHOMALINI
 Genus: *Stenhomalus* White, 1855
 japonicus (Pic, 1904) **R:** FE KU **A:** JP
 = lighti Gressitt, 1935
 = vulcanus Tsherepanov, 1976

Tribus: HYLOTRUPINI
 Genus: *Hylotrupes* Audinet-Serville, 1834
 bajulus (Linnaeus, 1758) **R:** NT CT ST CA WS CH **E:** PT ES FR FRC IT
 ITI ITA MT AL LJ CR BH SS MN KD GR GRC BU TR RO HU AT CH BE NL DK DE LU GB IE
 CE SK NO PL SV FI EO LA LT BY UK UKC MD **A:** GG AR AB IN TR SY LE JO IS **N**

Tribus: CALLIDIINI
 Genus: *Paraxylocrius* Niisato, 2009
 testaceus Niisato, 2009 **R:** SI
 verigai Danilevsky, 2012 **R:** FE

Genus: *Ropalopus* Mulsant, 1839
 = *Rhopalopus* L. Redtenbacher, 1845

Subgenus: *Prorrhopalopus* Plavilstshikov, 1921
 signaticollis (Solsky, 1873) **R:** SE FE **A:** CH KO JP
 speciosus (Plavilstshikov, 1915) **R:** FE **A:** CH KO

Subgenus: *Pronocerodes* Plavilstshikov, 1940
 ruficollis (Matsumura, 1911) **R:** FE SI
 aurantiicollis (Plavilstshikov, 1940) **R:** FE SI **A:** KO

Subgenus: *Ropalopus* Mulsant, 1839
 insubricus (Germar, 1824)
 ssp. fischeri (Krynicky, 1829) **R:** CT ST CA **E:** UK UKC
 lederi (Ganglbauer, 1882) **R:** CA **E:** UKC **A:** GG AR AB IN TR ?SY

clavipes (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT MT LJ CR
 BH SS MN KD AL GR GRC BU TR RO HU AT CH DE BE NL DK CE SK PL LT LA BY UK UKC
 MD KZ **A:** GG AR AB KZ IN TR SY
 macropus (Germar, 1824) **R:** CT ST CA **E:** LJ CR BH SS BU RO HU AT CH
 DE CE SK PL LA BY UK UKC MD **A:** GG AR AB IN TR
 ?= caucasicus Desbrochers, 1873
 femoratus (Linnaeus, 1758) **R:** ?CT **E:** ES FR IT LJ CR BH SS KD GR
 BU TR RO HU AT CH DE BE CE SK PL SV ?LT LA UK
 Genus: Pronocera Motschulsky, 1859
 sibirica (Gebler, 1848) **R:** AT WS ES SE FE SI **A:** MG CH KO
 = brevicollis Gebler, 1833
 = daurica Motschulsky, 1859
 Genus: Turanium Baeckmann, 1923
 Subgenus: Turanium Baeckmann, 1923
 scabrum (Kraatz, 1882) **R:** ST(Orenburg) WS(Orenburg) **A:** KZ TM KI
 UZ TD
 Genus: Leioderes L. Redtenbacher, 1849
 kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT ITI LJ CR
 BH SS KD AL GR BU RO HU AT CH DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG
 ssp. kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT LJ
 CR BH SS KD GR BU RO HU AT CH DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG
 Genus: Callidiellum Linsley, 1940
 rufipenne (Motschulsky, 1861) **R:** CA SI **E:** ES FR IT CR BU **A:** GG CH
 KO JP
 Genus: Semanotus Mulsant, 1839
 undatus (Linnaeus, 1758) **R:** NT CT ?ST WS ES AT SE FE **E:** FR IT LJ
 CR BH SS BU RO HU AT CH DE CE SK NO PL SV FI EO LA LT BY UK **A:** MG CH KO
 russicus (Fabricius, 1777)
 ssp. russicus (Fabricius, 1777) **R:** CA **E:** IT CR SS AL GR RO HU
 BU AT SK UK UKC **A:** AR AB GG IN TR
 bifasciatus (Motschulsky, 1875) **R:** FE **A:** CH KO JP
 Genus: Callidium Fabricius, 1775
 Subgenus: Palaeocallidium Plavilstshikov, 1940
 coriaceum Paykull, 1800 **R:** NT CT ST WS FT ES FE **E:** FR IT LJ BH RO
 HU BU AT CH LU CE SK DE PL NO SV FI EO LT LA BY UK **A:** MG CH KO JP
 chlorizans (Solsky, 1871) **R:** WS AT ES SE FE SI **A:** MG CH KO JP
 Subgenus: Callidium Fabricius, 1775
 violaceum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** SP
 FR IT LJ CR BH SS AL BU RO HU AT CH BE NL DK GB IR DE LU CE SK PL NO SV FI EO
 LA LT BY UK UKC MD **A:** GG AR AB KZ MG CH KO JP
 Subgenus: Callidostola Reitter, 1913
 aeneum (DeGeer, 1775)
 ssp. aeneum (DeGeer, 1775) **R:** NT CT ST WS AT ES SE FE SI **E:** FR
 IT SL CR BH SB ME AL GR BU RO HU AU SZ BE NL CZ SK GE PL NR SV FI EN LT LA BY
 UK **A:** KZ MG CH
 ssp. longipenne Plavilstshikov, 1940 **R:** CA **A:** GG AB
 Genus: Oupyrrhidium Pic, 1900
 cinnabarinum (Blessig, 1872) **R:** SE FE **A:** KO CH
 Genus: Pyrrhidium Fairmaire, 1864
 sanguineum (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR IT ITI ITA
 LJ CR BH SS MN AL GR GRC BU TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO SE
 FI EO ?LA LT BY UK UKC MD **A:** GG AR AB IN TR SY **N**
 Genus: Phymatodes Mulsant, 1839
 Subgenus: Phymatodes Mulsant, 1839
 testaceus (Linnaeus, 1758) **R:** NT CT ST CA WS AT FE **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT CH LU BE NL DK DE
 GB CE SK PL NO SV FI EO LA LT BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB IN TR
 SY IS KZ JP **N**
 Subgenus: Melasmetus Reitter, 1913
 femoralis (Ménétriés, 1832)
 ssp. femoralis (Ménétriés, 1832) **R:** CA **E:** TR **A:** GG AR AB IN TR
 Subgenus: Phymatoderus Reitter, 1913
 = Reitteroderus Sama, 1991

lividus (Rossi, 1794) **R:** CT ST CA **E:** ES FR FRC IT ITI ITA ?LJ CR
 BH MN GR GRC BU RO ?BE ?DE CH CE ?SK ?PL UK UKC **A:** GG ?AB TR SY IS **N**
 puncticollis Mulsant, 1862 **R:** CT ST CA **E:** KD BU RO SK UK UKC KZ
A: KZ
 pusillus (Fabricius, 1787)
 ssp. rufipenne Stark, 1889 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN
 TR
 glabratus (Charpentier, 1825) **R:** CA **E:** ES FR IT ITA CR BH SS GR
 BU HU AT CH DE CE SK PL UK UKC **A:** GG
 abietinus Plavilstshikov et Lurie, 1960 **R:** NT CT WS
 Subgenus: Phymatodellus Reitter, 1913
 rufipes (Fabricius, 1777)
 ssp. rufipes (Fabricius, 1777) **R:** ST CA **E:** ES FR IT LJ CR BH
 SS BU RO HU AT CH DE CE SK PL UK UKC MD
 zemlinae (Plavilstshikov et Anufriev, 1964) **R:** FE **A:** KO CH
 infasciatus (Pic, 1935) **R:** FE KU **A:** KO CH JP
 = vandykei Gressitt, 1935
 = ussuricus Plavilstshikov, 1940
 murzini Danilevsky, 1993 **R:** FE **A:** KO
 Subgenus: Paraphymatodes Plavilstshikov, 1934
 mediofasciatus Pic, 1933 **R:** SE FE **A:** KO CH JP
 Subgenus: Poecilium Fairmaire, 1864
 alni (Linnaeus, 1767)
 ssp. alni (Linnaeus, 1767) **R:** NT CT ST CA **E:** MD UK **A:** KZ
 ssp. pici Aurivillius, 1912 **R:** CA **A:** GG AR AB IN TR
 = alnoides Reitter, 1913
 ermolenkoi Tsherepanov, 1980 **R:** FE **A:** KO
 maacki (Kraatz, 1879)
 ssp. maacki (Kraatz, 1879) **R:** SE FE **A:** KO CH
 ssp. viarius Danilevsky, 1988 **R:** SI KU **A:** JP
 Tribus: ANAGLYPTINI
 Genus: Paraclytus Bates, 1884
 excultus Bates, 1884 **R:** KU **A:** JP
 sexguttatus (Adams, 1817) **R:** CA **E:** BU **A:** GG AR AB IN TR
 Genus: Anaglyptus Mulsant, 1839
 simplicicornis Reitter, 1905 **R:** CA **A:** GG AR AB IN TR
 arabicus (Küster, 1847) **R:** CA **A:** GG AR AB TR
 Genus: Aglaophis Thomson, 1857
 colobothooides Bates, 1884 **R:** FE **A:** KO CH JP
 Genus: Oligoenoplus Chevrolat, 1863
 rosti (Pic, 1911)
 ssp. rosti (Pic, 1911) **R:** KU **A:** JP
 Tribus: CLYTINI
 Genus: Plagionotus Mulsant, 1842
 detritus (Linnaeus, 1758)
 ssp. detritus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR
 FRC IT CR BH SS AL GR GRC BU TR RO HU AT CH BE NL DE CE SK PL SV EO LA LT BY
 UK UKC MD KZ **A:** KZ
 ssp. caucasicola Plavilstshikov, 1940 **R:** CA **A:** GG AR AB IN TR
 SY
 pulcher (Blessig, 1872) **R:** SE FE SI KU **A:** KO CH JP
 christophi (Kraatz, 1879) **R:** SE FE **A:** KO CH JP
 arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI
 ITA LJ CR BH SS AL GR GRC BU TR RO HU AT CH LU BE NL DK DE ?GB CE SK PL NO SV
 FI ?EO LA LT BY UK UKC MD KZ **A:** KZ KI GG AR AB **N**
 ssp. arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR
 IT ITI ITA LJ CR BH SS AL GR GRC BU TR RO HU AT CH LU BE NL DK DE ?GB CE SK
 PL NO SV FI ?EO LA LT BY UK UKC MD KZ **A:** KZ GG AB **N**
 Genus: Neoplacionotus Kasatkin, 2005
 bobelayei (Brullé, 1832) **R:** ST CA **E:** ES KD GR BU TR RO UK UKC **A:**
 GG AR AB TM IN TR SY IS JO LE IQ
 ssp. huseyini Lazarev, 2016b **R:** ST CA **E:** UK UKC **A:** GG AR AB TM
 IN TR
 Genus: Echinocerus Mulsant, 1863

= *Paraplagionotus* Kasatkin, 2005
floralis (Pallas, 1773) **R:** NT CT ST CA WS AT ES **E:** ES FR IT LJ CR
 BH SS KD AL GR BU TR RO HU AT CH DE CE SK PL LA LT UK MD KZ **A:** GG AR AB KZ TM
 UZ TD KI IN TR SY IS LE JO IQ
 Genus: *Teratoclytus* Zaitzev, 1937
plavilstshikovi Zaitzev, 1937 **R:** FE SI **A:** KO CH JP
 Genus: *Epiclytus* Gressitt, 1935
ussuricus (Pic, 1933) **R:** SE FE **A:** KO CH
 Genus: *Rhabdoclytus* Ganglbauer, 1889
 = *Hayashiclytus* Ohbayashi, 1963
acutivittis (Kraatz, 1879)
 ssp. *acutivittis* (Kraatz, 1879) **R:** FE SI **A:** KO CH JP
 Genus: *Isotomus* Mulsant, 1863
speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?CH ?DE LJ CR BH
 SS KD AL GR BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR
 ssp. *speciosus* (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?CH ?DE LJ
 CR BH SS KD AL GR BU RO HU AT CE SK PL UK MD **A:** GG AR AB TR
comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB IN TR
 ssp. *comptus* (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB TR
 Genus: *Chlorophorus* Chevrolat, 1863
 Subgenus: *Immaculatus* Özdikmen, 2011
varius (Müller, 1766)
 ssp. *varius* (Müller, 1766) **R:** CT ST CA WS **E:** ES FR FRC IT ITI
 ITA MT LJ CR BH SS MN KD AL GR BU TR RO HU AT CH DE SV CE SK PL LT BY UK UKC
 MD KZ **A:** GG AR AB KZ IN TR
elaeagni Plavilstshikov, 1956 **R:** ST **A:** AB KZ TM UZ KI TD
faldermanni (Faldermann, 1837) **R:** ST **A:** GG AR AB IN KZ TM UZ TD
 KI CH
obliteratus (Ganglbauer, 1889) **R:** ES **A:** MG CH
 = *mongolicus* Pic, 1943
 = *kaszabi* Heyrovsky, 1970
 = *ubsanurensis* Tsherepanov, 1971
simillimus (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
 = *sexmaculatus* Motschulsky, 1859
herbstii (Brahm, 1790) **R:** NT CT ST CA WS AT ?ES **E:** ES FR CR BH SS
 BU TR RO HU AT CH DE CE SK PL SV NO FI EO LA LT BY UK MD UK ?UKC KZ **A:** KZ
 Subgenus: *Humeromaculatus* Özdikmen, 2011
figuratus (Scopoli, 1763) **R:** NT CT ST CA AT WS ES **E:** PT SP FR IT
 CR BH SB ME MC AL GR BU TR RO HU AU SZ LU GE CZ SK PL EN LA LT BY UK MD KZ **A:**
 GG AR AB KZ IN TR
japonicus (Chevrolat, 1863) **R:** SI KU **A:** KO CH JP
motschulskyi (Ganglbauer, 1886) **R:** ES SE FE SI **A:** MG CH KO
 = *latofasciatus* (Motschulsky, 1861)
 = *chasanensis* Tsherepanov, 1982
diadema (Motschulsky, 1854)
 ssp. *diadema* (Motschulsky, 1854) **R:** FE **A:** KO CH ?MG
 ssp. *inhirsutus* Matsushita, 1933 **R:** KU **A:** JP
tohokensis Hayashi, 1968 **R:** FE **A:** KO JP
 Subgenus: *Perderomaculatus* Özdikmen, 2011
sartor (Müller, 1766) **R:** CT ST CA ?WS ?AT ?ES ?SE ?FE **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT CH LU DE CE SK PL
 ?LA BY UK UKC MD KZ **A:** GG AR AB TM KZ IN TR SY IS LE JO IQ
 Genus: *Rhaphuma* Pascoe, 1858
gracilipes (Faldermann, 1835) **R:** NT CT ST WS ES AT SE FE SI KU **E:**
 PL ?RO ?LT BY ?UK **A:** KZ MG CH KO JP
 = *sachalinensis* Matsumura, 1911
diminuta (Bates, 1873)
 ssp. *diminuta* (Bates, 1873) **R:** FE **A:** JP KO
 Genus: *Demonax* Thomson, 1861
savioi (Pic, 1924) FE **A:** CH KO
 Genus: *Xylotrechus* Chevrolat, 1860
 Subgenus: *Xylotrechus* Chevrolat, 1860
antilope (Schönherr, 1817)

ssp. antilope (Schönherr, 1817) **R:** CT ST CA **E:** PT ES FR IT ITI
LJ CR BH SS AL GR BU TR RO HU AT CH DE CE SK PL NO SV LT BY UK UKC MD **A:** GG
AR AB IN TR **N**

arvicola (Olivier, 1795)
ssp. planarius Danilevsky, 2016 **R:** CT ST CA WS **E:** KZ
ssp. lazarevi Danilevsky, 2016 **R:** CA **A:** GG AR AB IN TR ?SY
rufilius Bates, 1884 **R:** FE SI KU **A:** KO CH JP
= irinae Plavilstshikov, 1925
= magnicollis Fairmaire, 1888
mixtus Plavilstshikov, 1940 **R:** FE
hircus (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG KO CH JP
cuneipennis (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
pavlovskii Plavilstshikov, 1954 **R:** FE **A:** KO
polyzonus (Fairmaire, 1888) **R:** FE **A:** KO CH
capricornus (Gebler, 1830) **R:** CT ST WS AT **E:** SK AU CE PL UK KZ **A:**

KZ
= capricornis (Chevrolat, 1863)
ibex (Gebler, 1825) **R:** NT CT ST WS AT ES SE FE **E:** DE PL FI BY KZ
A: KZ MG KO CH
clarinus Bates, 1884 **R:** SI KU **A:** KO CH JP
Subgenus: Rusticoclytus Vives, 1977
salicis Takakuwa et Oda, 1978 **R:** ES SE FE **A:**?MG KO CH JP
= nadezhdae Tsherepanov, 1982
rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
PT ES FR LU IT ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT CH DK DE CE SK PL
EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ TM TD MG CH KO JP
adpersus (Gebler, 1830) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
pantherinus (Savenius, 1825) **R:** NT CT ST CA WS AT ES SE FE **E:** FR
IT AT RO HU CE SK DE PL NO SV FI LT BY UK MD **A:** KZ MG KO CH
= jakowlewi Semenov, 1899
= jakovlevi Plavilstshikov, 1931
Subgenus: Ootora Niisato et Wakejima, 2008
villioni (Villard, 1892) **R:** KU **A:** JP
Subgenus: Xyloclytus Reitter, 1913
altaicus (Gebler, 1836) **R:** CT WS AT ES SE SI **A:** ?KZ MG CH KO
chinensis Chevrolat, 1852
ssp. kurosawai Fujita, 2010 **R:** ?KU **A:** JP
Genus: Cyrtoclytus Ganglbauer, 1882
capra (Germar, 1824) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR IT BH
SS RO AT CH DE CE SK PL EO LT LA BY UK MD KZ **A:** AB KZ MG CH KO
caproides (Bates, 1873)
ssp. caproides (Bates, 1873) **R:** SI KU **A:** JP
Genus: Brachyclytus Kraatz, 1879
singularis Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
Genus: Pseudosphegesthes Reitter, 1913
brunnescens (Pic, 1897) **R:** CA **A:** GG AR AB ?IN TR
= circassica Pic, 1905
Genus: Clytus Laicharting, 1784
Subgenus: Clytus Laicharting, 1784
tropicus (Panzer, 1795) **R:** ST(Voronezh) **E:** ES FR FRC CR SS KD GR
BU TR RO HU AT CH DE CE SK PL BY UK
rhamni Germar, 1817
ssp. temesiensis Germar, 1824 **R:** CT ST CA **E:** SS KD BU TR RO HU
AT DE CE SK BY UK UKC MD KZ **A:** GG AR AB KZ TR IR SY IS LE SY
arietis (Linnaeus, 1758)
ssp. oblitus Roubal, 1932 **R:** CA **A:** GG AR AB TR IR
ssp. arietis (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC
IT LJ CR BH SS KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB ?IR CE SK PL NO
SV FI EO LA LT BY UK UKC MD ?KZ
arietoides Reitter, 1899 **R:** NT CT ?ST WS AT ES SE FE SI **A:** KZ MG
CH KO JP
= venustulus Plavilstshikov, 1940
mayeti Théry, 1892 **R:** ?ES ?FE
melaenus Bates, 1884 **R:** KU **A:** KO JP

raddensis Pic, 1904 **R:** SE FE **A:** KO CH JP
 = *hypocrita* Plavilstshikov, 1940
nigritulus Kraatz, 1879 **R:** SE FE **A:** KO CH
 = *fulvohirsutus* Pic, 1904
 Subgenus: *Sphegoclytus* Sama, 2005
stepanovi Danilevsky et Miroshnikov, 1985 **R:** CA **A:** GG
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: CEROPLESINI
 Genus: *Moechotypa* Thomson, 1864
diphysis (Pascoe, 1871) **R:** FE **A:** KO CH JP
 Tribus: PARMENINI
 Genus: *Parmena* Dejean, 1821
pontocircassica Danilevsky et Miroshnikov, 1985 **R:** CA **E:** UKC **A:**
 GG AR AB IN TR
 Genus: *Plectrura* Mannerheim, 1852
 Subgenus: *Phlyctidola* Bates, 1884
metallica Bates, 1884
ssp. metallica Bates, 1884 **R:** FE SI KU **A:** KO CH JP
 = *sachalinica* Jacobson, 1899
 = *mandshurica* Jacobson, 1899
 Tribus: MESOSINI
 Genus: *Mesosa* Latreille, 1829
 Subgenus: *Mesosa* Latreille, 1829
myops (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI **E:** PL FI SV LT
 LA BY UK KZ **A:** KZ MG KO CH
japonica Bates, 1873 **R:** SI KU **A:** JP
curculionoides (Linnaeus, 1761) **R:** CT ST CA WS (Orenburg) **E:** PT ES
 FR FRC IT ITI ITA LJ CR BH SS KD AL GR BU TR RO HU AT CH DE CE SK PL NO SV LT
 LA BY UK UKC MD KZ **A:** GG AR AB KZ IN TR
 Subgenus: *Aplocnemia* Stephens, 1831
 = *Aphelocnemia* Stephens, 1832
nebulosa (Fabricius, 1781)
ssp. nebulosa (Fabricius, 1781) **R:** CT ST CA **E:** PT ES FR FRC IT
 ITI ITA LJ CR BH SS MN AL GR BU TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO
 SV BY UK UKC MD **A:** GG AR AB TR
senilis Bates, 1884 **R:** SI KU **A:** JP
 Subgenus: *Perimesosa* Breuning, 1939
hirsuta Bates, 1884
ssp. continentalis Hayashi, 1964 **R:** FE **A:** KO CH
 Tribus: MORIMONELLINI
 Genus: *Morimonella* Podaný, 1979 C
bednariki Podaný, 1979 **R:** CA **A:** GG
 Tribus: BATOCERINI
 Genus: *Apriona* Chevrolat, 1852
germari (Hope, 1831) **R:** ?ES FE **A:** KO CH ID
 = *rugicollis* Chevrolat, 1852
 = *plicicollis* Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: *Anoplophora* Hope, 1839
glabripennis (Motschulsky, 1854) **R:** ?SE FE **E:** FR GB DE NL AT CE
 SK IT TR **A:** KO CH
 Genus: *Acalolepta* Pascoe, 1858
 = *Dihammus* Thomson, 1864
ussurica (Plavilstshikov, 1951) **R:** FE **A:** KO CH
fraudatrix (Bates, 1873)
 = *cervina* auct., nec Hope, 1831
ssp. fraudatrix (Bates, 1873) **R:** FE KU **A:** KO CH JP
sejuncta (Bates, 1873)
ssp. sejuncta (Bates, 1873) **R:** FE SI KU **A:** KO CH JP
luxuriosa (Bates, 1873)
ssp. luxuriosa (Bates, 1873) **R:** KU **A:** JP
seunghwani Danilevsky, 2013 **R:** FE **A:** KO CH
 Genus: *Astynoscelis* Pic, 1904
degener (Bates, 1873) **R:** SE FE SI **A:** KO CH JP

= longicornis Pic, 1904
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 = Monochammus Dejean, 1835 (wrong subsequent spelling)
 guttulatus Gressitt, 1951 **R:** SE FE **A:** KO CH
 = guttatus Blessig, 1873
 impluviatus (Motschulsky, 1859) **R:** NT CT WS AT ES SE FE SI **A:** MG
 KO CH
 saltuarius Gebler, 1830 **R:** NT CT WS AT ES SE FE SI **E:** IT LJ BH RO
 HU AT CE SK DE PL BY LA LT UK **A:** KZ MG KO CH JP
 ssp. saltuarius Gebler, 1830 **R:** ?NT ?CT WS AT ES SE FE SI **A:**
 KZ MG KO CH JP
 ssp. occidentalis Sláma, 2017b **R:** NT CT **E:** IT LJ BH RO HU AT
 CE SK DE PL BY LA LT UK
 galloprovincialis (Olivier, 1795)
 ssp. pistor (Germar, 1818) **R:** NT CT ST CA WS AT **E:** FRC IT LJ
 CR BH SS KD AL GR BU RO HU AT CH NL DE CE SK PL SV FI EO LA LT BY UK MD **A:** KZ
 KI
 = lignator Krynicky, 1832
 ssp. cinerascens (Motschulsky, 1860) **R:** WS ES SE ?FE **A:** MG CH
 = sibiricus Pic, 1908
 ssp. transitivus Lazarev, 2017 **R:** CA **A:** GG AR AB TR
 nitens Bates, 1884 **R:** SI KU **A:** KO JP
 grandis Waterhouse, 1881 **R:** KU **A:** JP
 urussovii (Fischer-Waldheim, 1805) **R:** NT CT ST CA WS AT ES SE FE
 SI KU **E:** CE PL NO SV FI EO LT LA BY UK **A:** ?GG KZ MG CH KO JP
 = rosenmuelleri auct., nec Cederhjelm, 1798
 sutor (Linnaeus, 1758)
 = rosenmuelleri Cederhjelm, 1798
 ssp. sutor (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** ES FR IT
 LJ BH SS ME AL BU RO HU AT CH DE NL CE SK PL DK NO SV FI EO LT LA BY MD UK
 ?UKC **A:** AR GG KZ
 ssp. pello (Germar, 1818) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Tribus: LAMIINI
 Genus: Lamiomimus Kolbe, 1886
 gottschei Kolbe, 1886 **R:** FE **A:** KO CH
 Genus: Lamia Fabricius, 1775
 textor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES
 FR IT ?ITI LJ CR BH SS MN KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB IR CE
 SK PL NO SV FI EO LA LT BY UK ?UKC MD KZ **A:** GG AR AB IR TR KZ MG KO CH JP
 Genus: Morimus Brullé, 1832
 = Morinus Brullé, 1832 (misprint)
 verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN
 = ficitor Bogachev, 1949
 ssp. verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM
 TR IN
 = ficitor Bogachev, 1949
 Tribus: DORCADIONINI
 Genus: Dorcadion Dalman, 1817
 Subgenus: Carinatodorcadion Breuning, 1943
 = Dorcadodium Gistel, 1856
 carinatum (Pallas, 1771)
 ssp. carinatum (Pallas, 1771) **R:** CT ST CA **E:** MD UK UKC KZ **A:**
 KZ
 ssp. sunzhenum Danilevsky, 1998 **R:** CA
 ssp. cylindraceum Reitter, 1886 **R:** CA **A:** AB
 Subgenus: Cribridorcadion Pic, 1901
 = Pedestredorcadion Breuning, 1943
 = Autodorcadion Plavilstshikov, 1958
 = Dzhungarodorcadion Danilevsky, 1993
 = Bergerianum Pesarini et Sabbadini, 2004
 pusillum Küster, 1847
 = otshakovi Suvorov, 1913

spp. tanaiticum Kasatkin, 2002 **R:** ST
 ciscaucasicum Jakovlev, 1899 **R:** CA
 ssp. ciscaucasicum Jakovlev, 1899 **R:** CA
 ssp. abramovi Lazarev, 2009 **R:** CA
 elegans Kraatz, 1873 **R:** ST CA WS **E:** UK KZ **A:** KZ
 sareptanum Kraatz, 1873
 ssp. sareptanum Kraatz, 1873 **R:** ST CA **E:** KZ **A:** KZ
 ssp. euxinum Suvorov, 1915 **R:** ST
 ssp. kubanicum Plavilstshikov, 1934 **R:** CA
 ssp. estriatum Suvorov, 1913 **R:** CA
 ssp. striatifforme Suvorov, 1913 **R:** CA
 cinerarium (Fabricius, 1787)
 ssp. cinerarium (Fabricius, 1787) **R:** ST CA **E:** UK
 ssp. panticapaeum Plavilstshikov, 1951 **R:** CA **E:** UKC
 ssp. okhrimenkoi Danilevsky, 2016b **R:** CA
 ssp. sindorum Lazarev, 2011 **R:** CA
 ssp. veniamini Lazarev, 2011 **R:** CA
 ssp. novorossicum Lazarev, 2015 **R:** CA
 ssp. papayense Lazarev, 2014 **R:** CA
 ssp. adygorum Lazarev, 2011 **R:** CA
 ssp. smetanai Lazarev, 2011 **R:** CA
 ssp. terkense Lazarev, 2011 **R:** CA
 holosericeum Krynicki, 1832
 ssp. holosericeum Krynicki, 1832 **R:** CT ST CA **E:** RO ?HU ?SK PL
 BY MD UK UKC KZ
 ssp. tristriatum Suvorov, 1913 **R:** CA **A:** GG
 = striatum Dalman, 1817 [HN]
 equestre (Laxmann, 1770)
 ssp. equestre (Laxmann, 1770) **R:** CT ST CA **E:** UK UKC **A:** GG
 apicerufum Breuning, 1943 **R:** ?CA **A:** GG AR AB TR
 beckeri Kraatz, 1873
 ssp. beckeri Kraatz, 1873 **R:** CA **A:** AB
 ssp. koenigi Jakovlev, 1897 **R:** CA
 Subgenus: Dorcadion Dalm. 1817
 = Compsodorcadion Ganglbauer, 1884
 glycyrrhizae (Pallas, 1773)
 ssp. nemkovi Danilevsky, 2006 **R:** ST **E:** KZ **A:** KZ
 ssp. korshikovi Danilevsky, 2006 **R:** WS **A:** KZ
 ssp. ishkarganum Danilevsky, 2009 **R:** WS
 ssp. striatum (Goeze, 1777) **R:** CT ST WS **E:** KZ **A:** KZ
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. guberlense Danilevsky, 2006 **R:** ST
 ssp. dubianskii Jakovlev, 1906 **R:** WS **A:** KZ
 gebleri Kraatz, 1873
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 **R:** AT **A:** KZ CH
 Genus: Politodorcadion Danilevsky, 1996
 politum (Dalman, 1823)
 ssp. politum (Dalman, 1823) **R:** WS AT **A:** KZ
 = lydiae Plavilstshikov, 1929
 ssp. akmolense (Suvorov, 1911) **R:** WS **A:** KZ
 ssp. shapovalovi Danilevsky, 2006 **R:** WS **A:** KZ
 eurygyne (Suvorov, 1911)
 ssp. eurygyne (Suvorov, 1911) **R:** AT **A:** KZ CH
 Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum (Fabricius, 1781)
 ssp. carinatum (Fabricius, 1781) **R:** CT ST WS AT ES **A:** KZ
 ssp. blessigi (Ganglbauer, 1884) **R:** AT ?ES **A:** KZ
 ssp. bramsoni (Pic, 1901) **R:** AT
 = gassneri Breit, 1917
 ssp. involvens (Fischer-Waldheim, 1823) **R:** ES SE FE **A:** MG CH
 = vestita Jakovlev, 1901

= longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **R:** ES
 tuvense Plavilstshikov, 1958 **R:** ES
 ptyalopleurum (Suvorov, 1909) **R:** ES
 maurum (Jakovlev, 1889)
 ssp. quinquevittatum (Hammarström, 1893) **R:** ES
 ssp. sajanicum (Hammarström, 1893) **R:** ES
 = leucogrammmum Suvorov, 1909
 ssp. katharinae (Reitter, 1898) **R:** ES **A:** MG
 ssp. maurum (Jakovlev, 1889) **R:** ES **A:** MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = fortecostatum Heyrovsky, 1969
 Subgenus Ornatodorcadion Breuning, 1947
 brandti (Gebler, 1841) **R:** ?AT **A:** KZ CH
 = dux Jakovlev, 1894
 = nigrolineatum Reitter, 1897
 Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005
 humerale (Gebler, 1823)
 ssp. humerale (Gebler, 1823) **R:** ES **A:** MG
 ssp. impluviatum (Faldermann, 1833) **R:** ?ES **A:** MG
 = irroratum Reitter, 1893
 ssp. trabeatum (Jakovlev, 1901) **R:** SE FE **A:** CH ?KO
 = mogissemium Suvorov, 1909, unavailable
 = melan Suvorov, 1909, unavailable
 = quadrilineatum Breit, 1915
 = xingana Chiang et Wang in Wang, 2003
 lutshniki (Plavilstshikov, 1937)
 ssp. lutshniki (Plavilstshikov, 1937) **R:** ES
 ssp. burenum Danilevsky, 2007 **R:** ES
 ssp. bicoloratum Danilevsky, 2007 **R:** ES
 Tribus: ANCYLONOTINI
 Genus: Palimna Pascoe, 1862
 laturata (Bates, 1884)
 ssp. continentalis (Semenov, 1914) **R:** FE **A:** KO CH
 Tribus: DORCASHEMATINI
 Genus: Olenecamptus Chevrolat, 1835
 octopustulatus (Motschulsky, 1860)
 ssp. octopustulatus (Motschulsky, 1860) **R:** ES SE FE SI **A:** MG
 KO CH JP
 = mordkovitshi Tshernyshev et Dubatolov, 2000
 riparius Danilevsky, 2011b **R:** FE **A:** KO CH JP
 Tribus: PTEROPLIINI
 Genus: Pterolophia Newman, 1842
 Subgenus: Pterolophia Newman, 1842
 maacki (Blessig, 1873) **R:** FE **A:** KO CH
 angusta (Bates, 1873)
 ssp. multinotata Pic, 1931 **R:** ES SE FE **A:** MG CH KO
 = mandshurica Breuning, 1938
 = ussuriensis Plavilstshikov, 1954
 = burakowskii Heyrovsky, 1973
 = selengensis Ljamtzeva, 1979
 Subgenus: Ale Pascoe, 1865
 jugosa (Bates, 1873)
 ssp. jugosa (Bates, 1873) **R:** SI KU **A:** JP
 Genus: Egesina Pascoe, 1864
 = Baeckmanella Shabliovskiy, 1936
 Subgenus: Niijimaia Matsushita, 1933
 bifasciana (Matsushita, 1933)
 ssp. bifasciana (Matsushita, 1933) **R:** FE SI **A:** KO CH JP
 = iljinskyi Shabliovskiy, 1936
 Tribus: APOMECCYNINI
 Genus: Apomeccyna Dejean, 1829

Subgenus: Apomecyna Dejean, 1829
 histrio (Fabricius, 1793) **R:** ES **A:** ?MG KO CH JP ID

Genus: Microlera Bates, 1873
 ptinoides Bates, 1873 **R:** KU **A:** JP

Genus: Asaperda Bates, 1873
 agapanthina Bates, 1873
 ssp. agapanthina Bates, 1873 **R:** SI KU **A:** JP
 = "meridiana" sensu Krivolutzkaya, 1973 et auct., not Matsushita, 1931(Taiwan)

rufipes Bates, 1873
 ssp. rufipes Bates, 1873 **R:** FE **A:** ?KO ?CH JP

stenostola Kraatz, 1873 **R:** AT ?WS ?ES SE FE **A:** KZ MG CH KO

Tribus: PTERICOPTINI
 Genus: Xylariopsis Bates, 1884
 mimica Bates, 1884 **R:** FE **A:** KO CH JP

Tribus: APODASYINI
 Genus: Quasimesosella Miroshnikov 2006
 = Pseudomesosella Miroshnikov, 1989
 ussuriensis (Tsherepanov, 1983) **R:** SE FE **A:** CH KO
 = florovi Tsherepanov, 1984

Genus: Deroplia Dejean, 1835
 = Stenidea Mulsant, 1842
 genei (Aragona, 1830)
 ssp. genei (Aragona, 1830) **R:** CA **E:** ES FR FRC IT ITI LJ CR BH
 SS MN AL GR BU RO HU ?DE CE SK AT CH UK UKC **A:** GG AR ?AB IN TR IS JO

Genus: Sophronica Blanchard, 1845
 sundukovi Danilevsky, 2009 **R:** FE **A:** KO

Genus: Anaesthetis Dejean, 1835
 confossicollis Beckmann, 1903 **R:** ES SE FE SI **A:** MG CH KO
 flavipilis Beckmann, 1903 **R:** AT
 testacea (Fabricius, 1781)
 ssp. testacea (Fabricius, 1781) **R:** CT ST CA WS **E:** ES FR IT ITI
 ITA LJ CR BH SS AL BU TR RO HU AT CH LU BE NL DE CE SK PL SV BY EO LA LT UK
 UKC MD KZ **A:** KZ

ssp. rufescens Beckmann, 1903 **R:** CA **A:** GG AR AB IN TR

Genus: Ussurella Danilevsky, 1997
 = Ussuria Danilevsky, 1995
 napolovi (Danilevsky, 1995) **R:** FE **A:** CH

Genus: Cylindilla Bates, 1884
 = Pseudanaesthetis Pic, 1929
 = Anaesthetomorphus Pic, 1929
 = Ascoldatimura Breuning, 1960
 grisescens Bates, 1884 **R:** FE SI KU **A:** CH KO JP
 = apicalis Pic, 1929
 = ascoldensis Heyden, 1884

Genus: Terinaea Bates, 1884
 tiliae Murzin, 1983 **R:** FE **A:** CN KO

Genus: Mimectatina Aurivillius, 1927
 = Doius Matsushita, 1933
 divaricata (Bates, 1884)
 ssp. divaricata (Bates, 1884) **R:** FE SI KU **A:** CH KO JP

Genus: Rhopaloscelis Blessig, 1873
 maculata Bates, 1877 **R:** KU **A:** JP
 unifasciata Blessig, 1873 **R:** WS AT ES SE FE SI KU **A:** KZ MG CH KO

JP

Genus: Arhopaloscelis Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
 bifasciata (Kraatz, 1879) **R:** FE SI **A:** KO CH
 nipponensis (Pic, 1932) **R:** KU **A:** JP

Genus: Clytosemia Bates, 1884
 pulchra Bates, 1884 **R:** KU **A:** JP

Genus: Miccolamia Bates, 1884
 Subgenus: Miccolamia Bates, 1884
 cleroides Bates, 1884 **R:** KU **A:** JP

Subgenus: *Isomiccolamia* Ohbayashi, 1963
glabricula Bates, 1884
 ssp. *glabricula* Bates, 1884 **R:** SI KU **A:** JP
 = *verrucosa* auct. (not Bates, 1884)

Tribus: POGONOCHERINI
 Genus: *Parmenopsis* Ganglbauer, 1882
caucasica (Leder, 1879) **R:** CA **A:** GG TR
 Genus: *Pogonocherus* Dejean, 1821
 Subgenus: *Pogonocherus* Dejean, 1821
hispidus (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITI
 LJ CR BH SS MN AL GR BU RO HU AT CH LU BE NL DK DE GB IR CE SK PL NO SV FI EO
 LA LT BY UK UKC **A:** GG AR AB IN TR **N**
hispidulus (Piller et Mitterpacher, 1783) **R:** NT CT ST CA **E:** PT ES
 FR FRC IT ITI LJ CR BH KD AL GR BU RO HU AT CH LU BE NL DK DE GB IR CE SK PL
 NO SV EO LA LT BY UK ?UKC MD **A:** GG AR AB IN KZ TR
dimidiatus Blessig, 1873 **R:** SE FE SI KU **A:** CH KO JP
 = *seminiveus* Bates, 1873
 = *tristiculus* Kraatz, 1879
perroudi Mulsant, 1839 **R:** CA **E:** ES FR FRC IT ITI ITA LJ CR AL GR
 GRC UKC **A:** GG TR IS LE **N**
 Subgenus: *Pityphilus* Mulsant, 1863
fasciculatus (DeGeer, 1775)
 = *costatus* Motschulsky, 1859
 ssp. *fasciculatus* (DeGeer, 1775) **R:** NT CT ST CA WS AT ES SE
 FE SI **E:** ES FR FRC IT ITI LJ CR BH SS MN KD AL GR GRC BU RO HU AT CH LU BE NL
 DK DE GB CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG
 CH KO JP
decoratus Fairmaire, 1855 **R:** NT CT ST CA WS AT **E:** ES FR IT LJ CR
 BH SS AL GR BU HU AT CH BE NL DK DE CE SK PL NO SV FI EO LA LT BY UK UKC **A:**
 KZ
inermicollis Reitter, 1894 **R:** CA **A:** GG TR

Tribus: ACANTHODERINI
 Genus: *Aegomorphus* Haldeman, 1847
 = *Acanthoderes* auct. (not Audinet-Serville, 1835)
 = *Psapharochrus* auct. (not Thomson, 1874)
clavipes (Schrank, 1781) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES
 FR FRC IT ITI ITA LJ CR BH SS ?AL GR BU TR RO HU AT CH DK DE CE SK PL NO SV
 FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP **N**
 = *lucidus* Plavilstshikov, 1927 [Caucasus-Syrie]
obscurior (Pic, 1904) **R:** CT ST WS AT ES SE FE **E:** PL LA **A:** KZ MG
 = *wojtylai* Hilszczanski, Bystrowski, 2005
 Genus: *Oplosia* Mulsant, 1862
 = *Hoplosia* Fairmaire, 1864
cinerea (Mulsant, 1839) **R:** NT CT ST CA **E:** FR IT CR RO HU AT CH DE
 CE SK PL DK NO SV FI EO LT ?LA BY UK
 = *fennica* Paykull, 1800
suvorovi (Pic, 1914) **R:** SE FE SI **A:** KO CH JP

Tribus: ACANTHOCININI
 Genus: *Acanthocinus* Dejean, 1821
 Subgenus: *Acanthocinus* Dejean, 1821
griseus (Fabricius, 1793) **R:** NT CT ST CA WS AT ES **E:** ES FR FRC IT
 LJ CR BH SS KD AL GR BU TR RO HU AT CH DE CE BE SK PL NO SV FI EO LA LT BY UK
 UKC MD KZ **A:** AR ?GG ?AB KZ
orientalis Ohbayashi, 1939 **R:** KU **A:** JP KO
carinulatus (Gebler, 1833) **R:** WS AT ES SE **A:** MG CH
 = *sibiricus* Motschulsky, 1860
sachalinensis Matsushita, 1933 **R:** ES SE FE SI KU **A:** CH KO ?MG
aedilis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT
 ES FR IT LJ CR BH SS KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB ?IR CE SK
 PL NO SV FI EO LA LT BY UK MD KZ **A:** GG ?AR ?AB KZ MG CH KO
 Subgenus: *Acanthobatesianus* Wallin, Kvamme & Lin, 2012
guttatus (Bates, 1873) **R:** KU **A:** KO CH JP
 Genus: *Leiopus* Audinet-Serville, 1835
 Subgenus: *Leiopus* Audinet-Serville, 1835

stillatus (Bates, 1884) **R:** FE SI KU **A:** KO CH JP
 nebulosus (Linnaeus, 1758)
 ssp. nebulosus (Linnaeus, 1758) **R:** CT [Kaliningrad] **E:** ?PT ?ES
 FR ?FRC IT ITI ?ME ?CR ?BH ?SS ?AL ?GR ?BU ?TR ?RO ?HU AT ?CH ?LU BE ?NL GE
 GB IR ?CZ ?SK ?PL NR SV FI EO LT ?BY UK ?UKC ?MD
 ssp. caucasicus Ganglbauer, 1887 **R:** CA **A:** GG AR AB **E:** MD UK IN
 TR
 linnei Wallin, Nylander & Kvamme, 2009 **R:** ?NT CT ST WS **E:** PT ?ES
 FR ?FRC ?IT ?ITI ?ME CR ?BH ?SS ?AL ?GR BU ?TR RO ?HU AU CH ?LU BE ?NL GE GB
 ?IR CZ SK PL NR SV ?FI EN LA LT BY UK ?UKC MD KZ **A:** ?KZ
 punctulatus (Paykull, 1800) **R:** NT CT **E:** ?FR CH AT DE HU CE SK PL
 SV EO LT LA BY UK
 femoratus Fairmaire, 1859 **R:** ST CA **E:** FR BE NL DE LU IT ITI SB ME
 HU BU TR UK UKC **A:** GG AR AB IN TR
 = pachymerus Ganglbauer, 1884
 albivittis (Kraatz, 1879)
 = ganglbaueri Csiki, 1901
 ssp. albivittis Kraatz, 1879 **R:** WS AT ES SE FE SI **A:** MG CH KO
 ssp. malaisei Aurivillius, 1928 **R:** ES
 Genus: *Ostedes* Pascoe, 1859
 kadleci Danilevsky, 1992 **R:** FE **A:** KO
 Genus: *Rondibilis* Thomson, 1857
 = *Eryssamena* Bates, 1884
 saperdina Bates, 1884 **R:** SI KU **A:** JP
 schabliovskiyi (Tsherepanov, 1982) **R:** FE **A:** KO CH
 = shabliovskiyi, Tsherepanov, 1984
 Tribus: EXOCENTRINI
 Genus: *Exocentrus* Dejean, 1835
 lusitanus (Linnaeus, 1767) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR BH
 SS AL GR BU RO HU AT CH DE CE SK PL DK NO SV FI EO LA LT BY UK UKC MD KZ **A:**
 GG AR AB KZ
 adpersus Mulsant, 1846 **R:** ST CA **E:** ES FR FRC IT ITI LJ CR BH SS
 AL GR BU TR RO HU AT CH LU BE DE CE SK PL SV UK UKC MD **A:** GG AR AB TR
 = alemdaghensis Breuning, 1981
 = ?hirsutululus Faldermann, 1837
 punctipennis Mulsant et Guill. 1856
 ssp. punctipennis Mulsant et Guillebeau, 1856 **R:** CT ST CA **E:**
 ?FR CH AT DE HU CE SK PL SV EO LT LA BY UK
 ssp. signatus Mulsant et Rey, 1863 **R:** CA **A:** GG ?AB TR
 stierlini Ganglbauer, 1884 **R:** ST CA WS AT ES SE FE **E:** CR SS RO HU
 ?AT ?CH CE SK PL UK MD **A:** ?KZ MG CH KO
 fasciolatus Bates, 1873 **R:** FE **A:** KO CH JP
 = curtipennis Pic, 1918
 ssp. plavilstshikovi Danilevsky, 2014c **R:** FE **A:** KO CH
 tsushmanus Hayashi, 1968 **R:** FE **A:** KO CH JP
 = conjugatofasciatus Tsherepanov, 1973
 testudineus Matsushita, 1931 **R:** KU **A:** JP KO
 lineatus Bates, 1873 **R:** FE **A:** KO CH JP
 guttulatus Bates, 1873
 ssp. ussuricus Tsherepanov, 1973 **R:** FE **A:** KO CH
 marginatus Tsherepanov, 1973 **R:** FE **A:** KO CH
 ?= fisheri Gressitt, 1935
 Genus: *Miaenia* Pascoe, 1864
 Subgenus: *Miaenia* Pascoe, 1864
 maritima Tsherepanov, 1979 **R:** FE **A:** KO
 Tribus: TETROPINI
 Genus: *Tetrops* Kirby in Kirby et Spence, 1826
 Subgenus: *Tetrops* Kirby in Kirby et Spence, 1826
 praeustus (Linnaeus, 1758)
 ssp. praeustus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB
 IR CE SK PL NO SV FI EO LA LT BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TR IN
 SY KZ MG

starkii Chevrolat, 1859 **R:** CT ST CA **E:** SP FR IT ITI SL CR BH SB
 MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE NL DE NR SV EN LT LA BY MD UK ?UKC
A: ?GG AB

ssp. starkii Chevrolat, 1859 **R:** CT ST **E:** SP FR IT ITI SL CR BH
 SB MD GR BU RO HU AU SZ GE GB IR CZ SK PL BE NL DE NR SV EN LT LA BY MD UK
 ?UKC **A:** ?GG ?AB

ssp. aquilus Danilevsky, 2012 **R:** CA
 gilvipes (Faldermann, 1837) **A:** GG AR AB TM TR IN
 ssp. gilvipes (Faldermann, 1837) **R:** ST CA **A:** GG AR AB TR
 ssp. adlbaueri Lazarev, 2012 **R:** ?ST ?CT **E:** CE [probably most
 part of Europe]

rosarum Tsherepanov, 1975 **R:** SE FE
 mongolicus Murzin, 1977 **R:** ES **A:** MG
 Subgenus: Mimosophronica Breuning, 1943
 elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ **A:** KZ UZ TM CH
 ssp. elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ

Tribus: SAPERDINI
 Genus: Eutetrappa Bates, 1884
 ocelota (Bates, 1873) **R:** KU **A:** JP
 sedecimpunctata (Motschulsky, 1860) **R:** SE FE SI KU **A:** KO CH JP
 = motschulskyi Plavilstshikov, 1915
 metallescens (Motschulsky, 1860) **R:** SE FE ?SI **A:** KO CH
 chrysochloris (Bates, 1879)
 ssp. chrysochloris (Bates, 1879) **R:** KU SI **A:** JP

Genus: Saperda Fabricius, 1775
 = Anaerea Mulsant, 1839
 Subgenus: Saperda Fabricius, 1775
 carcharias (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** ES
 FR IT LJ CR BH SS KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO SV
 FI EO LA LT BY UK ?UKC MD KZ **A:** GG AR AB TR KZ MG CH
 similis Laicharting, 1784 **R:** CT ST WS AT ES SE FE **E:** ES FR IT LJ
 CR SS KD AL BU RO HU AT CH BE DE CE SK PL NO SV FI ?LT LA EO BY UK KZ **A:** KZ
 KI TD UZ MG CH
 Subgenus: Lopezcolonia Alonso-Zarazaga, 1998
 = Argalia Mulsant, 1862
 = Scalaperda Shapovalov, 2011 [nomen nudum]
 alberti Plavilstshikov, 1915 **R:** WS AT ES SE FE SI **A:** KZ MG CH KO

JP
 perforata (Pallas, 1773) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR
 IT CR BH BU RO HU AT CH DE CE SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG
 AR AB IN TR KZ MG CH **N**
 scalaris (Linnaeus, 1758)
 ssp. scalaris (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR IT ITI
 LJ CR BH SS AL GR BU TR RO HU AT CH LU BE NL DK DE GB CE SK PL ?NO SV ?FI EO
 LA LT BY UK UKC MD KZ **A:** GG AR AB KZ TR **N**
 ssp. hieroglyphica (Pallas, 1773) **R:** NT CT ST WS AT ES SE FE
 SI **A:** KZ MG CH KO
 interrupta Gebler, 1825 **R:** WS AT ES SE FE SI KU **A:** MG CH KO
 subobliterata Pic, 1910 **R:** SE FE **A:** KO CH JP
 = mandschukuoensis Breuning, 1943
 = harbinensis Chiang, 1983
 octomaculata Blessig, 1873 **R:** ES SE FE SI KU **A:** MG CH KO JP
 octopunctata (Scopoli, 1772) **R:** CT ST CA **E:** ES FR IT LJ CR BH SS
 AL GR BU RO HU AT CH BE DE CE SK PL LT BY UK UKC MD **A:** GG AR AB IN TR
 punctata (Linnaeus, 1767) **R:** CT ST WS **E:** ES FR FRC IT ITI ITA MT
 LJ CR BH SS KD AL GR BU TR RO HU AT CH DE CE SK PL LA BY UK UKC MD KZ **A:** GG
 AR AB IN TR **N**
 Subgenus: Compsidia Mulsant 1839
 populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT ITI
 LJ CR BH SS MN KD AL GR BU RO HU AT CH LU BE NL DK DE GB CE SK PL NO SV FI EO
 LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN KZ TD KO CH **N**
 ssp. populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES
 FR IT ITI LJ CR BH SS MN KD AL GR BU RO HU AT CH LU BE NL DK DE GB CE SK PL
 NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB TR IN AF KZ TD KO CH **N**

ssp. lapponica Wallin, Kvamme & Bergsten, 2017 **R:** NT **E:** FI NR

SV

ssp. balsamifera (Motschulsky, 1860) **R:** ES **A:** MG
bilineatocollis Pic, 1924 **R:** SE FE **A:** CH

Genus: Eumecocera Solsky, 1871
impustulata (Motschulsky, 1860) **R:** WS AT ES SE FE **A:** MG CH KO JP
callosicollis (Breuning, 1943) **R:** SE FE **A:** CH KO

Genus: Nietzscheana Zubov, 2014
plutenkoi Zubov, 2014 **R:** FE

Genus: Stenostola Dejean, 1835
dubia (Laicharting, 1784) **R:** NT CT ST CA **E:** FR IT LJ CR BH SS RO
HU AT CH LU BE NL DK DE ?GB CE SK PL NO SV ?ES LA UK UKC MD **A:** GG AR AB
ferrea (Schrank, 1776)
ssp. ferrea (Schrank, 1776) **R:** CT ST CA **E:** FR IT LJ CR BH BU
RO HU AT CH LU BE DK DE ?GB CE SK PL NO FI EO LA LT BY UK UKC MD **A:** GG AR AB
ssp. maculipennis Holzschuh, 1982 **R:** CA **E:** UKC
ivanovi Danilevsky, 2014c **R:** FE **A:** KO

Genus: Menesia Mulsant, 1856
albifrons Heyden, 1886 **R:** AT ?ES SE FE **A:** KO CH
bipunctata (Zoubkoff, 1829) **R:** NT CT ST WS ?AT **E:** FR IT LJ BH SS
RO HU AT CH DE CE SK PL EO LA LT BY UK KZ **A:** KZ
sulphurata (Gebler, 1825) **R:** ST WS AT ES SE FE SI KU **A:** KZ MG CH
KO JP

flavotecta Heyden, 1886 **R:** ?ES SE FE SI KU **A:** ?MG CH KO

Genus: Paramenesia Breuning, 1952
theaphia (Bates, 1884) **R:** KU **A:** JP

Genus: Cagosima Thomson, 1864
sanguinolenta Thomson, 1864
ssp. sanguinolenta Thomson, 1864 **R:** SE SI KU **A:** JP

Genus: Thyestilla Aurivillius, 1923
gebleri (Faldermann, 1835) **R:** SE FE **A:** CH KO JP

Tribus: GLENEINI
Genus: Glenea Newman, 1842
Subgenus: Glenea Newman, 1842
relicta Pascoe, 1868
ssp. relicta Pascoe, 1868 **R:** SI KU **A:** JP

Tribus: PHYTOECIINI
Genus: Nupserha Chevrolat, 1858
marginella (Bates, 1873) **R:** SE FE **A:** MG CH KO JP
sericans (Bates, 1884) **R:** KU **A:** JP
alexandrovii (Plavilstshikov, 1915) **R:** FE **A:** CH

Genus: Oberea Dejean, 1835
Subgenus: Oberea Dejean, 1835
pupillata (Gyllenhal, 1817) **R:** NT CT ST **E:** ES FR IT LJ CR BH MN
KD GR RO HU AT CH BE DE CE SK PL EO LA LT BY UK ?UKC MD
kostini Danilevsky, 1988 **R:** CT WS AT ES **A:** KZ
heyrovskyi Pic, 1927 **R:** SE FE **A:** KO CH
depressa (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** MG CH KO
= amurica Suvorov, 1913
= transbaicalica Suvorov, 1913
oculata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES
FR IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB CE
SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN IQ TR KZ MG CH KO **N**
linearis (Linnaeus, 1761) **R:** CT ST CA **E:** PT ES FR IT ?ITI ITA LJ
CR BH SS AL GR BU RO HU AT CH LU BE NL DK DE CE SK PL NO SV LA BY UK UKC MD
A: GG AR AB TR IN
morio Kraatz, 1879 **R:** ES SE FE **A:** MG CH
scutellaroides Breuning, 1947 **R:** FE **A:** MG CH KO
= scutellaris Fairmaire, 1888
= chinensis Tsherepanov, 1985
coreensis Gressitt, 1951 **R:** FE **A:** KO CH
herzi Ganglbauer, 1887 **R:** FE **A:** CH
vittata Blessig, 1873 **R:** ES SE FE **A:** MG CH KO JP
japonica (Thunberg, 1787) **R:** FE **A:** CH JP

Subgenus: Amaurostoma Müller, 1906
euphorbiae (Germar, 1813) **R:** CT ST CA WS **E:** ?IT CH CR SS MN GR
?BU RO HU AT CE SK PL UK ?UKC MD KZ **A:** AR KZ
donceeli Pic, 1907 **R:** ES SE FE **A:** MG CH
erythrocephala (Schrank, 1776)
ssp. erythrocephala (Schrank, 1776) **R:** CT ST CA WS **E:** PT ES FR
IT MT LJ CR BH SS MN KD GR GRC BU TR RO HU AT CH DE CE SK PL LT BY UK UKC MD
KZ **A:** GG AR AB KZ TR IN LE SY **N**

Genus Pilemia Fairmaire, 1863
Subgenus Pilemia Fairmaire, 1863
tigrina Mulsant, 1851 **R:** ?CA(Derbent) **E:** ?FR SS BU RO HU MD UK **A:**
AR TR

Subgenus: Pseudopilemia Kasatkin, 2018
hirsutula (Frölich, 1793)
ssp. hirsutula (Frölich, 1793) **R:** ST CA WS **E:** IT CR BH SS KD
AL GR BU TR RO HU SK MD UK UKC KZ **A:** GG AR AB KZ IN TR SY

Genus: Phytoecia Dejean, 1835
Subgenus: Cardoria Mulsant, 1863
scutellata (Fabricius, 1793) **R:** CT ST CA WS **E:** ?MD UK **A:** GG AR AB
IN TR

Subgenus: Helladia Fairmaire, 1864
millefolii (Adams, 1817)
ssp. millefolii (Adams, 1817) **R:** ST CA **E:** GR GRC BU UKC **A:** GG
AR AB TR IN

praetextata (Steven, 1817)
ssp. praetextata (Steven, 1817) **R:** ?CA **E:** BU RO ?UK UKC **A:** ?GG
AR AB IN TR

pretiosa Faldermann, 1837
ssp. pretiosa Faldermann, 1837 **R:** ?CA **A:** AR AB ?GG

Subgenus: Musaria Thomson, 1864
faldermanni Faldermann, 1837 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR
KZ

wachanrui Mulsant, 1851 **R:** ?ST **A:** ?AB IN TR SY JO LE IS
argus (Frölich, 1793) **R:** CT ST **E:** IT CR BH GR BU AT RO HU CE SK
UK UKC MD

affinis (Harrer, 1784)
= nigripes Voet, 1778
= bipunctata Piller, 1783
ssp. affinis (Harrer, 1784) **R:** CT ST CA WS **E:** ES FR IT LJ CR
BH SS KD AL GR BU RO HU AT CH DE CE SK PL BY UK MD KZ **A:** KZ
ssp. nigropubescens Müller, 1948 **R:** CA **A:** GG AR TR
ssp. altaica Suvorov, 1913 **R:** WS AT **A:** KZ
ssp. volgensis Kraatz, 1884 **R:** ST **A:** ?KZ
ssp. boeberi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
astarte Ganglbauer, 1886
ssp. lederi Pic, 1899 **R:** CA **A:** GG AR AB IN TR
puncticollis Faldermann, 1837
ssp. puncticollis Faldermann, 1837 **R:** CA **A:** GG AR AB IN TR

Subgenus: Phytoecia Dejean, 1835
nigricornis (Fabricius, 1782) **R:** NT CT ST CA WS AT ES FE **E:** ES FR
IT ITI LJ BH SS KD AL GR BU TR RO HU AT CH LU BE DE CE SK PL SV FI EO LA LT
BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
= julii Mulsant, 1863
ferrea Ganglbauer, 1887 **R:** ?WS ES SE FE **A:** MG CH
= analis Mannerheim, 1849
= mannerheimi Breuning, 1951
stenostoloides Breuning, 1943 **R:** ES SE FE **A:** CH
cylindrica (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT
ES FR IT LJ CR BH SS AL GR BU TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO SV
FI EO LA LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ

pustulata (Schrank, 1776)
ssp. pustulata (Schrank, 1776) **R:** CT ST CA **E:** PT ES FR IT LJ
CR BH SS MN KD AL GR BU TR RO HU AT CH DE CE SK PL LA BY UK UKC MD KZ **A:** GG
AR AB KZ KI UZ TD TR IN

ssp. pulla Ganglbauer, 1886 **R:** ST **A:** KZ KI UZ
 = kryzhanovskii Kostin, 1973
 rufiventris Gautier, 1870 **R:** ES SE FE SI KU **A:** MG CH KO JP
 virgula (Charpentier, 1825) **R:** CT ST CA WS ES **E:** PT ES FR IT ITI
 LJ CR BH SS KD AL GR BU TR RO HU AT CH DE CE SK PL LA LT BY UK UKC MD KZ **A:**
 GG AR AB KZ TM UZ KI TD SY LE JO
 rufipes (Olivier, 1795)
 = sibirica Gebler, 1833
 ssp. rufipes (Olivier, 1795) **R:** CT ST CA WS AT ?ES **E:** ES FR
 FRC IT ITI LJ CR ?AT CH ?UK ?UKC KZ **A:** ?GG TR KZ ?TM UZ TD KI **N**
 pubescens Pic, 1895 **R:** CA **E:** LJ CR BH KD GR BU TR **A:** GG AR AB IN
 TR
 = glaphyra K. Daniel, 1906
 icterica (Schaller, 1783) **R:** CT ST CA WS AT **E:** PT ES FR IT LJ CR
 BH SS MN ?AL GR BU TR RO HU AT CH DE ?BE CE SK PL UK UKC MD KZ **A:** ?GG ?AR ?AB
 KZ
 caerulea (Scopoli, 1772)
 ssp. caerulea (Scopoli, 1772) **R:** CT ST CA **E:** PT ES IT ITI CR
 BH SS KD AL GR BU TR RO HU AT CH CE SK ?LA BY UK UKC MD KZ **A:** GG AR AB IN TR
 KZ TM UZ TD SY
 Subgenus: Cinctophytoecia Breuning, 1947
 cinctipennis Mannerheim, 1849
 ssp. cinctipennis Mannerheim, 1849 **R:** ES SE FE **A:** MG CH
 sareptana Ganglbauer, 1888 **R:** SE FE **A:** CH KO
 Subgenus: Opsilia Mulsant, 1863
 coerulescens (Scopoli, 1763)
 ssp. coerulescens (Scopoli, 1763) **R:** CT ST CA WS **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR BU TR RO HU AT CH LU BE NL DE CE SK PL
 LA LT ?BY UK UKC MD KZ **A:** GG AR AB KZ UZ KI TD SY LE **N**
 = ?tienschanica Fuchs, 1965
 varentzowi Semenov, 1896 **R:** CA **A:** GG AR AB IN KZ TM UZ TD KI
 = varentzovi Semenov, 1912 [unjustified emendation]
 uncinata W. Redtenbacher, 1842 **R:** CT ST **E:** FR ?IT LJ CR SS AL BU
 RO HU AT CE SK PL DE MD UK **A:** TM
 molybdaena (Dalman, 1817) **R:** ST CA WS **ES E:** PT SP FR IT ?ITI SB
 GR BU RO HU SZ GE CZ SK ?PL UK **A:** AR GG AB TM TR IN ?KZ **N**
 Tribus: AGAPANTHIINI
 Genus: Theophilea Pic, 1895
 subcylindricollis Hladil, 1988 **R:** CT ST WS CA **E:** SK HU RO MD UK
A: KZ
 Genus: Calamobius Guérin-Méneville, 1844
 filum (Rossi, 1790) **R:** ST CA **E:** PT ES FR FRC BE NL IT ITI ITA MT
 LJ CR BH SS MN KD AL GR GRC BU TR RO HU AT CH DE PL CE SK UK UKC MD **A:** GG AR
 AB IN TR IQ SY JO LE IS **N**
 Genus: Pseudocalamobius Kraatz, 1879
 japonicus (Bates, 1873)
 ssp. japonicus (Bates, 1873) **R:** SE FE SI **A:** CH KO JP
 Genus: Agapanthia Audinet-Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** ES FR IT BH SS KD AL
 GR BU TR RO HU UK UKC MD **A:** GG AR AB TM TR IN SY IS
 ssp. kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** ES FR IT BH
 SS KD AL GR BU TR RO HU UK UKC MD **A:** GG AR AB TM TR IN SY IS
 Subgenus: Epoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004
 asphodeli (Latreille, 1804) **R:** ST CA ?WS **E:** PT ES FR FRC IT ITI
 ITA MT CR BH KD AL GR RO CH ?SV UK UKC ?MD **A:** GG AR AB KZ TR SY IS LE **N**
 dahli (Richter, 1821)
 ssp. dahli (Richter, 1821) **R:** CT ST CA WS AT ES **E:** ES FR FRC
 BE LJ CR BH SS MN KD AL BU RO HU AT CH DE CE SK PL BY UK UKC MD KZ **A:** KZ TD
 UZ KZ ?MG
 ssp. ismailovae Lazarev 2013 **R:** CA **A:** AB
 alternans Fischer-Waldheim, 1842
 ssp. alternans Fischer-Waldheim, 1842 **R:** WS AT ES **A:** KZ MG KO

= ganglbaueri Semenov, 1893
 ssp. eualternans Danilevsky, 2017a **R:** ST
 altaica Plavilstshikov, 1933 **R:** AT
 cynarae (Germar, 1817)
 ssp. cynarae (Germar, 1817) **R:** ST CA WS ES **E:** IT LJ CR BH SS
 MN KD GR BU TU RO HU CE SK ?DE UK UKC ?MD RSS KZ **A:** GG AR AB KZ
 lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 = mesmini Pic, 1927
 = helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988
 subchalybaea Reitter, 1898 **R:** CA **A:** GG AB ?TR
 villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR FRC IT ITI LJ CR BH SS KD AL GR BU TR RO HU AT CH LU BE NL DK DE GB CE
 SK PL NO SV FI EO LA LT BY UK UKC MD KZ **A:** KZ ?MG
 daurica Ganglbauer, 1884 **R:** ES SE FE SI KU **A:** MG KO CH JP
 Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis (Gyllenhal, 1817) **R:** ST CA WS AT **E:** CR MN KD GR BU
 TR RO HU SK UK ?MD KZ **A:** KZ
 Subgenus: Agapanthia Audinet-Serville, 1835
 cardui (Linnaeus, 1767) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ CR
 BH SS MN KD AL GR BU TR RO HU AT CH DE BE CE SK PL UK UKC KZ **A:** KZ
 = pannonica Kratochvil, 1985
 Subgenus: Amurobia Pesarini et Sabbadini, 2004
 pilicornis (Fabricius, 1787)
 ssp. pilicornis (Fabricius, 1787) **R:** ES SE FE SI **A:** MG KO CH
 amurensis Kraatz, 1879 **R:** ES SE FE **A:** MG KO CH
 Subgenus: Smaragdula Pesarini et Sabbadini, 2004
 violacea (Fabricius, 1775) **R:** NT CT ST CA WS AT ?ES **E:** ES FR IT
 ITI ?LJ CR BH SS MN KD AL GR BU TR RO HU AT CH LU BE DE CE SK PL LA ?LA BY UK
 UKC MD **A:** GG AR AB KZ TR
 = mulsanti Plavilstshikov, 1930
 intermedia Ganglbauer, 1884 **R:** NT CT ST CA WS **E:** ES FR IT HU RO
 AT CH DE CE DK SK PL ?LA BY UK UKC MD KZ **A:** GG KZ
 Genus: Agapanthiola Ganglbauer, 1900
 leucaspis (Steven, 1817) **R:** CT ST CA WS AT ES **E:** CR SS MN KD GR
 BU TR RO HU AT CE SK UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD MG TR IN
 = euterpe Ganglbauer, 1900