

Updated 18.01.2024

A check list of the longicorn beetles (Cerambycoidea) of Russia, Ukraine, Moldova, Transcaucasia, Central Asia, Kazakhstan and Mongolia.

All geographical divisions are accepted according to “Catalogue of Palaearctic Coleoptera” [volumes 1st - 5th, but not 6th with another geographical divisions!] editing by I. Löbl and A. Smetana, but Transcaucasia (Georgia, Armenia and Azerbajdzhan) is traditionally joined to Asia.

Regions:

E:

NT – North of European Russia (including Komi, Vologda and S.-Petersburg regions).

CT – Centre of European Russia (including transural Asian territories of Ekaterinburg and Cheliabinsk regions, as well as Pskov, Novgorod, Tver, Jaroslavl, Kostroma, Kirov, Perm regions and Udmurtia)

ST – South of European Russia and Russian Caucasus (including transural Asian territory of Orenburg Region, Kursk, Voronezh and Saratov regions, as well as whole Dagestan, Krasnodar and Stavropol regions.)

MD – Moldova (including Tiraspol Region)

UK – Ukraine (including Crimea)

A:

WS – West Siberia (without Ekaterinburg, Cheliabinsk and Orenburg regions; including Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo and Altai regions, as well as Khanty-Mansi and Jamalo-Nenetz regions)

ES – East Siberia (from Tuva and Krasnoiarsk to Chita regions, including Irkutsk region and Yakutia)

FE – Far East Russia (Amur, Khabarovsk, Primorie, Magadan, Chukotka, Kamchatka and Sakhalin regions, including Kunashir Is.)

AR – Armenia

GG – Georgia (including Abkhazia and Adzharia)

AB – Azerbaidjan (including Nakhichevan and Karabakh)

TM - Turkmenia

UZ – Uzbekistan

TD - Tadjikistan

KI – Kyrgyzstan

KZ – Kazakhstan (including European part of NW Kazakhstan)

MG - Mongolia

Familia: VESPERIDAE Mulsant, 1839

Subfamilia: PHILINAE Thomson, 1860

Tribus: PHILINI

Genus: Mantitheus Fairmaire, 1889

pekinensis Fairmaire, 1889 **A: MG**

=gracilis Pic, 1924

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= *Apheles* Blessig, 1872

Subgenus: *Distenia* Lepeletier & Audinet-Serville, 1828

gracilis Blessig, 1872 **A: FE**

japonica Bates, 1873 **A: FE**

ssp. japonica Bates, 1873 **A: FE**

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PARANDRINAE Blanchard, 1845

Tribus: PARANDRINI

Genus: *Archandra* Lameere, 1912

caspia Ménériés, 1832 **A: AB**

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: *Callipogon* Audinet-Serville, 1832

Subgenus: *Eoxenus* Semenov, 1899

relictus Semenov, 1898 **A: FE**

Tribus: ERGATINI

Genus: *Ergates* Audinet-Serville, 1832

Subgenus: *Ergates* Audinet-Serville, 1832

faber Linnaeus, 1760

ssp. faber Linnaeus, 1760 **E: UK CT ST A: GG AR ?AB**

Tribus: MACROTOMINI

Genus: *Prinobius* Mulsant, 1842

myardi Mulsant, 1842

ssp. slamorum Danilevsky, 2012 [RN] **E: UK A: GG**

= *scutellaris* Germar, 1817 [HN]

Tribus: REMPHANINI

Genus: *Rhaesus* Motschulsky, 1875

= *Rhesus* Thomson, 1860 (nec *Rhesus* Lesson, 1840)

serricollis Motschulsky, 1838 **E: ST A: GG AR AB**

Tribus: AEGOSOMATINI

Genus: *Aegosoma* Audinet-Serville, 1832

Subgenus: *Aegosoma* Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **A: FE**

ivanovi Danilevsky, 2011 **A: FE**

scabricorne Scopoli, 1763 **E: ?MD UK ST A: GG AR AB**

Tribus: MEROSCELISINI

Genus: *Tragosoma* Audinet-Serville, 1832

depsarium Linnaeus, 1767 **E: UK NT CT ST A: WS ES ?FE**

Tribus: PRIONINI

Genus: *Dorysthenes* Vigors, 1826

Subgenus: *Cyrtognathus* Dejean, 1835

paradoxus Faldermann, 1833 **A: FE ?MG**

Genus: *Prionus* Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **A: WS ES FE**

coriarius Linnaeus, 1758 **E: MD UK NT CT ST A: WS ?KZ GG AR AB**

Genus: *Mesoprionus* Jakovlev, 1887

asiaticus Faldermann, 1837 **E: ST A: GG AR AB KZ**

angustatus Jakovlev, 1887 **A: KZ TR UZ TD KI**

zarudnii Semenov, 1933 **A: TD**

Genus: *Psilotarsus* Motschulsky, 1860

- = *Psilopus* Gebler, 1860
- = *Otiartes* Thomson, 1866
- = *Brachyprionus* Jakovlev, 1887
- = *Prionoxys* Semenov, 1899
 - brachypterus* Gebler, 1830
 - ssp. *brachypterus* Gebler, 1830 **A:** ?WS KZ
 - = *latidens* Motschulsky, 1860
 - ssp. *hemipterus* Motschulsky, 1845 **E:** ST **A:** KZ UZ
 - ssp. *aralensis* Danilevsky, 2000 **A:** KZ UZ
 - ssp. *pubiventris* Semenov, 1900 **A:** KZ
 - = *hypogymnus* Semenov, 1900
 - ssp. *alpherakii* Semenov, 1900 **A:** ?KZ
 - hirticollis* Motschulsky, 1860
 - ssp. *hirticollis* Motschulsky, 1860 **A:** KZ UZ TD
 - ssp. *nudicollis* Danilevsky, 2000 **A:** KZ
 - ssp. *auliensis* Danilevsky, 2000 **A:** KZ KI
 - turkestanicus* Semenov, 1888 **A:** TM UZ TD
 - = *curticornis* Ganglbauer, 1888
 - =? *ruficornis* Fairmaire, 1892
 - heydeni* Ganglbauer, 1888
 - =? *ruficornis* Fairmaire, 1892
 - ssp. *heydeni* Ganglbauer, 1888 **A:** UZ KI
 - = *minusculus* Semenov, 1935
 - ssp. *arkitensis* Danilevsky, 2000 **A:** KI
 - ssp. *talassicus* Danilevsky, 2000 **A:** KI
 - ssp. *alatauensis* Danilevsky, 2014 **A:** KZ
- Genus: *Lobarthron* Semenov, 1900
 - balassogloi* Jakovlev, 1885 **A:** KZ UZ KI
 - ssp. *balassogloi* Jakovlev, 1885 **A:** UZ
 - ssp. *brevispinum* (Jakovlev, 1885) **A:** KZ UZ KI
- Genus: *Polylobarthron* Semenov, 1899
 - margelanicum* Théry, 1896 **A:** KI KZ UZ
- Genus: *Pogonarthron* Semenov, 1899
 - Subgenus: *Pogonarthron* Semenov, 1899
 - bedeli* Semenov, 1899 **A:** TD
 - petrovi* Danilevsky, 2004 **A:** TD
 - ssp. *petrovi* Danilevsky, 2004 **A:** TD
 - ssp. *ivanovae* Pak & Skrylnik, 2014 **A:** TD
 - tschitscherini* Semenov, 1889 **A:** UZ KI
 - ssp. *tschitscherini* Semenov, 1889 **A:** KI
 - ssp. *brunnescens* Danilevsky & Shapovalov, 2017 **A:** KI UZ
 - ssp. *pallidus* Danilevsky & Shapovalov, 2017 **A:** KI UZ
 - Subgenus: *Multicladum* Danilevsky in Danilevsky & Komiya, 2014
 - semenovianus* Plavilstshikov, 1936 **A:** TD
- Genus: *Pseudoprionus* Pic, 1898
 - bienerti* Heyden, 1885 **A:** TM
 - ssp. *bienerti* Heyden, 1885 **A:** TM
 - = *pluschewskyi* Jakovlev, 1887
 - = *banghaasi* Pic, 1901
- Genus: *Miniprionus* Danilevsky, 2000
 - pavlovskii* Semenov, 1935 **A:** TD
- Genus: *Microarthron* Pic, 1900
 - komaroffi* (Dohrn, 1885) [orig. spell.] **A:** KZ TM UZ TD

- = komarowi Pic, 1898 [unjustify emendation]
- = komarovi Semenov, 1935 [unjustify emendation]

Subfamilia: LEPTURINAE Latreille, 1802

Tribus: XYLOSTEINI

- Genus: Xylosteus I. Frivaldsky, 1837
 - caucasicola Plavilstshikov, 1936 **E: ST A: GG**
- Genus: Leptorhabdium Kraatz, 1879
 - = Psilorhabdium Kraatz, 1879
 - caucasicum Kraatz, 1879 **E: ST A: GG AR AB**

Tribus: ENCYCLOPINI

- Genus: Encyclops Newman, 1838
 - = Microrhabdium Kraatz, 1879
 - macilentus Kraatz, 1879 **A: FE**
 - = parallelus Pic, 1914
 - = ussuricus Tsherepanov, 1975
 - olivaceus Bates, 1884 **A: FE**

Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

- Genus: Neoxymirus Miroshnikov, 2013c
 - mirabilis Motschulsky, 1838 **E: ST A: GG AR AB**
- Genus: Oxymirus Mulsant, 1862
 - cursor Linnaeus, 1758 **E: MD UK NT CT ST A: WS**

Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

- Genus: Enoploderes Faldermann, 1837
 - Subgenus: Enoploderes Faldermann, 1837
 - sanguineus Faldermann, 1837 **E: UK ST A: GG AR AB**

Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

- Genus: Rhamnusium Latreille, 1829
 - bicolor Schrank, 1781 **E: MD UK NT CT ST A: AR GG AB KZ**
 - ssp. constans Danilevsky, 2012 **E: MD UK NT CT ST A: KZ**
 - ssp. testaceipenne Pic, 1897 **E: UK ST A: GG AR**
 - ssp. lenkoranum Danilevsky, 2012 **A: AR AB**

Tribus: RHAGIINI

- Genus: Rhagium Fabricius, 1775
 - Subgenus: Hagrium Villiers, 1978
 - bifasciatum Fabricius, 1775 **E: MD UK ?CT ST A: GG AR AB**
 - Subgenus: Megarhagium Reitter, 1913
 - fasciculatum Faldermann, 1837 **E: ST A: GG AR AB**
 - mordax DeGeer, 1775 **E: MD UK NT CT ST A: WS ES KZ**
 - caucasicum Reitter, 1889 **C TI**
 - ssp. caucasicum Reitter, 1889 **?E: ?ST A: GG AR AB**
 - ssp. semicorne Holzschuh, 1974 **A: AB**
 - sycophanta Schrank, 1781 **E: MD UK CT ST A: WS**
 - pygmaeum Ganglbauer, 1882 **A: AB**
 - Subgenus: Rhagium Fabricius, 1775
 - inquisitor Linnaeus, 1758
 - ssp. inquisitor Linnaeus, 1758 **E: MD UK NT CT ST A: WS ES KZ MG**
 - ssp. rugipenne Reitter, 1898 **A: ES FE MG**
 - ssp. schtschukini Semenov, 1898 **E: ST A: GG AR AB**
 - = minimum Podany, 1964
 - japonicum Bates, 1884 **A: FE**
 - heyrovskyi Podany, 1964 **A: FE**
- Genus: Akimerus Audinet-Serville, 1835
 - schaefferi Laicharting, 1784 **E: MD UK CT ST**

Genus: *Japanocorus* Danilevsky, 2012
caeruleipennis Bates, 1873 **A: FE**

Genus: *Stenocorus* Geoffroy, 1762
= *Toxotus* Dejean 1821

Subgenus: *Anisorus* Mulsant, 1862
quercus Götze, 1783 **E: MD UK CT ST A: ?WS ES GG AR AB MG**
ssp. quercus Götze, 1783 **E: MD UK CT ST A: ?WS ES MG**
ssp. aureopubens Pic, 1908 **A: GG AR AB**

Subgenus: *Stenocorus* Geoffroy, 1762
amurensis Kraatz, 1879 **A: FE**
= *sachalinensis* Matsumura, 1911
meridianus Linnaeus, 1758 **E: MD UK NT CT ST A: WS ES KZ**
insitivus Germar, 1824 **E: UK ST A: GG AR AB**
ssp. insitivus Germar, 1824 **E: UK ST A: GG AR AB**
ssp. persicus Faldermann, 1837 **A: AB**
biformis Tournier, 1872 **A: GG**
vittidorsum Reitter, 1890 **A: GG AR AB**
lepturoides Reitter, 1914 **A: ?FE**
minutus Gebler, 1841 **A: KZ ?WS ?MG**
= *tataricus* Gebler, 1841
vittatus Fischer-Waldheim, 1842 **A: KZ**
= *turkestanicus* Ganglbauer, 1889
= *suvorovi* Reitter, 1907

Subgenus: *Toxotochorus* Reitter, 1907
validicornis Pic, 1900
ssp. karatauensis Danilevsky, 2012 **A: KZ**
ssp. univittatus Reitter, 1913 **A: KZ KI**
ssp. mediocris Danilevsky, 2012 **A: KZ UZ KI**
ssp. validicornis Pic, 1900 **A: UZ KI**
ssp. shapovalovi Danilevsky, 2019 **A: KI**
ssp. alaiensis Pic, 1906 **A: KI**
ssp. milkoi Danilevsky, 2014 **A: KI**
ssp. tarbinskyi Danilevsky, 2014 **A: KI**

Genus: *Pachytella* Heyrovsky, 1969
mongolica Heyrovsky, 1969 **A: MG**

Genus: *Pachyta* Dejean, 1821
lamed Linnaeus, 1758 **E: MD UK NT CT A: WS ES FE MG**
= *sasakii* Fujita, 2018
bicuneata Motschulsky, 1860 **A: ES FE**
quadrimaculata Linnaeus, 1758 **E: MD UK NT CT ST A: WS ES KZ MG**

Genus: *Evodinellus* Plavilstshikov, 1915
Subgenus: *Evodinellus* Plavilstshikov, 1915
borealis Gyllenhal, 1827 **E: UK NT CT A: WS ES FE MG**
= *grisescens* Pic, 1889
= *petrovi* (Danilevsky, 2023)

Subgenus: *Brachytodes* Planet, 1924
clathratus Fabricius, 1793 **E: MD UK**

Genus: *Brachyta* Fairmaire, 1865
Subgenus: *Fasciobrachyta* Danilevsky, 2014
bifasciata Olivier, 1800
ssp. bifasciata Olivier, 1800 **A: ES FE**
ssp. plasoni Breit, 1915 **A: ?ES ?MG**
ssp. japonica Matsushita, 1933 **A: FE**

- caucasica Rost, 1892
 ssp. caucasica Rost, 1892 **E: ST A: GG**
 = conjuncta Rost, 1893
 ssp. kubanica Miroshnikov, 1990 **E: ST A: GG**
- Subgenus: Variobrachyta Danilevsky, 2014
 rosti Pic, 1900 **E: ST ?A: ?GG**
 ssp. rosti Pic, 1900 **E: ST ?A: ?GG**
 = caucasicola Plavilstshikov, 1936
 ssp. baksaniense Lazarev, 2010b **E: ST**
 ssp. alexeevi Lazarev, 2010b **E: ST**
- variabilis Gebler, 1817 **E: NT CT A: KZ WS ES FE MG**
 “variabilis variabilis group”
 ssp. variabilis Gebler, 1817 **E: NT CT A: KZ WS ES**
 = constricta Germar, 1824
 ssp. shapovalovi Lazarev, 2014 **A: KZ**
 ssp. tungusensis Danilevsky, 2014 **A: ES**
 ssp. scapularis Mannerheim, 1849 **A: ES FE MG**
 = comosa Solsky, 1871
 = solskyi Kraatz, 1879
 ssp. testaceimembris Pic, 1916 **A: ES FE**
 = rufimembris Pic, 1926
 ssp. jakutensis Danilevsky, 2014 **A: ES**
 ssp. ivlievi Danilevsky, 2014 **A: FE**
 ssp. chukotensis Danilevsky, 2014 **A: FE**
 ssp. basarukini Danilevsky, 2014 **A: FE**
 ssp. aberrans Villiers, 1960 **A: FE**
 “variabilis striolata group”
 ssp. striolata Gebler, 1817 **A: ES**
 = eurinensis Tsherepanov, 1978
 = mutabilis Motschulsky, 1859
 ssp. sinuatolineata (Pic, 1915) **A: ES**
 = discobilineata Pic, 1928
 = breiti Tippmann, 1946
 ssp. striatiformis Plavilstshikov, 1936 **A: MG**
 ssp. tuvensis Danilevsky, 2014 **A: ES MG**
 ssp. kurayensis Danilevsky, 2014 **A: KZ WS**
- Subgenus: Brachyta Fairmaire, 1865
 interrogationis Linnaeus, 1758 **E: MD UK NT CT ST A: GG KZ WS ES FE MG**
 ssp. interrogationis (Linnaeus, 1758) **E: NT**
 = altajensis Pic, 1900
 ssp. russica **E: MD UK NT CT ST A: KZ WS**
 ssp. zubovi Lazarev, 2016a **E: NT A: WS**
 ssp. gabzdili Danilevsky & Peks, 2016 **E: UK**
 ssp. mannerheimii Motschulsky, 1860 **A: ES MG**
 = marginalis Motschulsky, 1875
 = obsidiana Motschulsky, 1875
 = cruciata Kraatz, 1879
 ssp. duodecimmaculata Fabricius, 1781 **A: FE**
 = kraatzi Ganglbauer, 1889
 ssp. shapsugorum Lazarev, 2011 **E: ST**
 ssp. miroshnikovii Lazarev, 2011 **E: ST A: GG**
 ssp. lederi Lazarev, 2011 **E: ST**
 punctata (Faldermann, 1833) **A: ES MG**

ssp. punctata (Faldermann, 1833) **A: ES MG**
= reductemaculata Pic, 1915
= sajanensis Pic, 1916
= subunicolor Pic, 1916
= quadrinotatus Pic, 1916
= turanensis Pic, 1927
= sochondensis Tshernyshev et Dubatolov, 2005
ssp. lazarevi Danilevsky, 2014 **A: FE**
danilevskyi Tshernyshev, Dubatolov, 2005 **A: FE**
ssp. danilevskyi Tshernyshev, Dubatolov, 2005 **A: FE**
amurensis Kraatz, 1879 **A: FE**
= bisbioculata Pic, 1910
= inapicalis Pic, 1910
= korbi Pic, 1910
= semilunata Pic, 1910
sachalinensis Matsumura, 1911 **A: FE**

Genus: Gaurotina Ganglbauer, 1889
sichotensis Danilevsky, 1988 **A: FE**

Genus: Pseudogaurotina Plavilstshikov, 1958
splendens Jakovlev, 1893 **A: ES ?MG**
magnifica Plavilstshikov, 1958 **A: FE**
excellens Brancsik, 1874 **E: UK**

Genus: Carilia Mulsant, 1863
virginea Linnaeus, 1758
ssp. virginea Linnaeus, 1758 **E: MD UK NT CT ST**
ssp. aemula Mannerheim, 1852 **E: ?CT ?ST A: KZ WS ES FE MG**
ssp. kozhevnikovi Plavilstshikov, 1915 **A: FE**
= sibirica Podany, 1962

Genus: Paragaurotes Plavilstshikov, 1921
ussuriensis Blessig, 1873 **A: ES FE**
doris Bates, 1884
ssp. suvorovi Semenov, 1914 **A: FE**

Genus: Euracmaeops Danilevsky, 2014
= Acmaeops auct. nec LeConte, 1850
marginatus Fabricius, 1781 **E: UK NT CT ST A: KZ WS ES FE MG**
septentrionis Thomson, 1866 **E: UK NT CT ST A: KZ WS ES FE MG**
smaragdulus Fabricius, 1793 [NP] **E: NT CT A: KZ WS ES FE MG**
= smaragdinus Naezen, 1792 [NO]
angusticollis Gebler, 1833 **E: NT CT A: WS ES FE MG**
= viridula Matsumura, 1911
= sachalinensis Tsherepanov, 1978

Genus: Gnathacmaeops Linsley et Chemsak, 1972
pratensis Laicharting, 1784 **E: MD UK NT CT ST A: GG AR AB KZ UZ KI WS ES FE**

MG

brachypterus K.Daniel et J.Daniel, 1898 **A: KZ KI**

Genus: Pseudodinoptera Pic, 1900
daghestanica Pic, 1897 **E: ST**

Genus: Dinoptera Mulsant, 1863
minuta Gebler, 1832 **A: ES FE**
ssp. minuta Gebler, 1832 **A: ES FE**
anthracina Mannerheim, 1849 **A: ES FE MG**
collaris Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ WS ES**
concolor Heyden & Faust, 1888 **A: GG**

Genus: Rhondia Gahan, 1906

placida Heller, 1923 **A:** MG

Genus: Cortodera Mulsant, 1863

= Taiwanocarilia Hayashi, 1983

humeralis Schaller, 1783 **E:** MD UK ST

femorata Fabricius, 1787 **E:** UK NT CT ST

pumila Ganglbauer, 1882 **E:** ST **A:** GG AR AB

ssp. pumila Ganglbauer, 1882 **E:** ST **A:** GG AB

ssp. tournieri Pic, 1895 **A:** GG AR ?AB

kazaryani Danilevsky, 2014 **A:** AR

syriaca Pic, 1901 **A:** AR AB

ussuriensis Tsherepanov, 1978 **A:** FE

villosa Heyden, 1876

ssp. villosa Heyden, 1876 **E:** MD UK

ssp. krasnobaevi Danilevsky, 2010 **E:** UK ?ST

ssp. kazakorum Danilevsky, 2014 **E:** ST

ssp. mariae Danilevsky, 2010 **E:** ST

ssp. magdeevi Danilevsky, 2011 **E:** CT

ssp. major Miroshnikov, 2007 **E:** CT ?ST

ssp. kuvandykensis Danilevsky, 2012 **E:** ST

ssp. mikhailovi Danilevsky, 2001 **E:** CT ST

ssp. circassica Reitter, 1890 **E:** ST

ssp. miroshnikovi Danilevsky, 2010 **A:** GG

ssp. nakhichevanica Miroshnikov, 2007 **A:** AB

ssp. zhuravlevi Miroshnikov, 2007 **E:** ST **A:** KZ

ssp. chivilini Danilevsky, 2012 **E:** ST

ssp. aktolagaica Miroshnikov, 2007 **A:** KZ

ssp. parfentjevi Miroshnikov, 2007 **E:** UK

ivanovi Danilevsky, 2013 **A:** KZ

holosericea Fabricius, 1801

ssp. holosericea Fabricius, 1801 **E:** UK ST **A:** ?GG

kaphanica Danilevsky, 1985 **A:** AR

= kafanica Danilevsky, 1987

colchica Reitter, 1890

ssp. colchica Reitter, 1890 **A:** GG AR AB

ssp. erevanica Danilevsky, 2014 **A:** AR

ssp. dilizhanica Danilevsky, 2014 **A:** AR

ssp. ponomarenkoi Danilevsky, 2014 **A:** AB

ssp. deyrollei Pic, 1894 **A:** GG

ssp. pseudalpina Danilevsky, 2014 **A:** GG

ssp. aishkha Danilevsky, 2014 **E:** ST

ssp. murzini Danilevsky, 2014 **E:** ST

ssp. bulungensis Danilevsky, 2014 **E:** ST

ssp. ossetica Danilevsky, 2014 **E:** ST

ssp. danczenkoi Danilevsky, 1985 **A:** AB

ssp. kalashiani Danilevsky, 2000 **A:** AR

kiesenwetteri Pic, 1898

ssp. kiesenwetteri Pic, 1898 **E:** ST

ssp. subtruncata Pic, 1934 **E:** CT

ssp. gusakovi Danilevsky, 2013 **A:** KZ

ciliata Danilevsky, 2001

ssp. ciliata Danilevsky, 2001 **A:** KZ

ssp. sakmarensis Danilevsky, 2006 **E:** ST

ssp. milaenderi Danilevsky, 2001 **E: CT**
 goriensis Danilevsky & Hodek, 2016 **A: GG**
 reitteri Pic, 1891
 ssp. reitteri Pic, 1891 **E: UK ST**
 = alexandri Danilevsky, 1996
 ssp. taurica Plavilstshikov, 1936 **E: UK**
 = beckeriana Plavilstshikov, 1936
 analis Gebler, 1830 **A: WS KZ**
 = haemorhoidalis Pic, 1898
 = ruficornis Pic, 1926
 kokpektensis Danilevsky, 2007 **A: KZ**
 sibirica Plavilstshikov, 1915
 = semenovi Plavilstshikov, 1936
 ssp. sibirica Plavilstshikov, 1915 **A: WS**
 ssp. shavrovi Danilevsky, 2001 **A: ES**
 tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **E: ST**
 = pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **E: ST KZ A: KZ**
 ssp. rossica Danilevsky, 2001 **E: UK CT ST**
 komarovi Danilevsky, 1996 **A: KZ**
 ssp. komarovi Danilevsky, 1996 **A: KZ**
 ssp. solodovnikovi Danilevsky, 2013 **A: KZ**
 ssp. romantzovi Danilevsky, 2013 **A: KZ**
 ssp. sarysuensis Danilevsky, 2013 **A: KZ**
 turgaica Danilevsky, 2001 **E: ST A: KZ**
 moldovana Danilevsky, 1996 **E: MD**
 flavimana Wlthl, 1838 **A: ?GG**
 khatchikovi Danilevsky, 2001 **E: ST**
 alpina Ménériés, 1832
 ssp. alpina Ménériés, 1832 **E: ST A: AB GG**
 ssp. baksaniensis Danilevsky, 2014 **E: ST**
 ssp. matusiaki Danilevsky, 2014 **E: ST A: GG**
 ssp. gudissensis Danilevsky, 2013 **A: GG**
 ssp. rosti Pic, 1892 **E: ST**
 ssp. psebayensis Danilevsky, 2014 **E: ST**
 ssp. starki Reitter, 1888 **E: ST A: GG**
 ssp. fischensis Stark, 1894 **E: ST**
 ssp. armeniaca Pic, 1898 **A: AR**
 ssp. umbripennis Reitter, 1890 **A: AR AB**
 ssp. zekarensis Danilevsky, 2014 **A: GG**
 ssp. svanorum Danilevsky, 2014 **A: GG**
 tatiana Miroshnikov, 2011 **AB**
 transcaspica Plavilstshikov, 1936 **A: AR AB TM**
 ssp. transcaspica Plavilstshikov, 1936 **TM**
 ssp. lobanovi Kaziuchitz, 1988 **AR AB**
 pseudomoplus Reitter, 1889 **A: AR AB TM**
 Genus: Fallacia Mulsant et Rey, 1863
 elegans Faldermann, 1837 **E: ST A: GG AR AB**
 Genus: Macropidonia Pic, 1901
 = Sivana Strand, 1942
 = Sieversia Ganglbauer, 1887
 bicolor Ganglbauer, 1887 **A: FE**

= coreana Okamoto, 1927
 Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa Kraatz, 1879 **A: FE**
 = ruficollis Plavilstshikov, 1915
 Genus: Pidonia Mulsant, 1863
 Subgenus: Pidonia Mulsant, 1863
 lurida Fabricius, 1793 **E: MD UK**
 Subgenus: Pseudopidonia Pic, 1900
 similis Kraatz, 1879 **A: FE**
 semiobscura Pic, 1901 **A: FE**
 alticollis Kraatz, 1879 **A: FE**
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis Pic, 1900 **A: FE**
 = quelpartensis Hayashi 1983
 malthinoides Kraatz, 1879 **A: FE**
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **A: FE**
 suvorovi Baeckmann, 1903 **A: FE**
 Subgenus: Mumon Hayashi, 1968
 debilis Kraatz, 1879 **A: FE**
 Subgenus: Cryptopidonia Kuboki, 1981
 kurosawai Ohbayashi et Hayashi, 1960 **A: FE**
 Subgenus: Omphalodera Solsky, 1873
 puziloi Solsky, 1873 **A: FE ?MG**
 Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei Heyden, 1887 **A: ES FE**
 Genus: Xenoleptura Danilevsky, Lobanov et Murzin, 1981 in Lobanov et al., 1981
 hecate Reitter, 1896 **A: KZ KI TD UZ**
 Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **A: FE**
 = plavilstshikovi Heyrovsky, 1965
 Subgenus: Grammoptera Dejean, 1835
 abdominalis Stephens, 1831 **E: UK ST A: GG AR AB**
 = variegata Germar, 1824
 ruficornis Fabricius, 1781
 ssp. ruficornis Fabricius, 1781 **E: MD UK ST**
 ssp. obscuricornis Kraatz, 1886 **A: AB**
 ustulata Schaller, 1783 **E: MD UK ?ST ?CT A: AR AB**
 ssp. ustulata Schaller, 1783 **E: MD UK ?ST ?CT**
 ssp. tibialis Kraatz, 1886 **A: AR AB**
 gracilis Brancsik, 1914 **A: FE**
 coerulea Jurecek, 1933 **A: FE**
 Genus: Cornumutilla Letzn. 1844
 lineata Letzner, 1844 **E: UK NT A: WS ES**
 quadrivittata Gebler, 1830 **E: ?CT A: WS ES ?FE**
 = semenovi Plavilstshikov, 1936 **A: ES FE**
 Genus: Corennys Bates, 1884
 sericata Bates, 1884 **A: FE**

Genus: *Nivellia* Mulsant, 1863
sanguinosa Gyllenhal, 1827 **E:** UK NT CT **A:** ?KZ WS ES FE MG
= *rubripennis* Matsumura, 1911
extensa Gebler, 1833 **E:** NT **A:** WS ES FE MG
ssp. *extensa* Gebler, 1833 **E:** NT **A:** WS ES FE MG
ssp. *umbratilis* Shimomura & Toyoshima, 1988 **A:** FE

Genus: *Strangalomorpha* Solsky, 1873
tenuis Solsky, 1873
ssp. *tenuis* Solsky, **A:** FE

Genus: *Kirgizobia* Danilevsky, 1992
= *Kirgisiana* Ovchinnikov 1996 [unavailable]
= *Kirgisobia* Ovchinnikov, 2007 [unavailable]
bohnei Danilevsky, 1992 **A:** KI

Genus: *Alosterna* Mulsant, 1863
scapularis Heyden, 1879 **A:** AB TM
= *talyschensis* Reitter, 1885
tabacicolor DeGeer, 1775
ssp. *tabacicolor* DeGeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS
= *chrysomeloides* Schrank, 1781
ssp. *subvittata* Reitter, 1885 **E:** ST **A:** GG AR AB
= *caucasica* Plavilstshikov, 1936
ssp. *azerbaijanica* Danilevsky, 2014 **A:** AB
ssp. *erythropus* Gebler, 1841 **A:** KZ WS ES FE MG
= *bivittis* Motschulsky, 1860
= *plavilstshikovi* Podany, 1963
ssp. *tenebris* Danilevsky, 2012 **A:** FE
ssp. *sachalinensis* Danilevsky, 2012 **A:** FE
ingrica Baeckm. 1902 **E:** UK NT ST CT
diversipes Pic, 1929 **A:** FE
= *perpera* Danilevsky, 1988
chalybeella Bates, 1884 **A:** FE
= *japonica* Pic, 1935

Genus: *Vadonia* Mulsant, 1863
bitlisiensis Chevrolat, 1882 **A:** AR AB
bicolor Redt. 1850 **A:** AB
unipunctata Fabricius, 1787
ssp. *unipunctata* Fabricius, 1787 **E:** MD UK ST CT **A:** KZ GG AR AB
saucia Mulsant et Godart, 1855 **E:** UK
bipunctata Fabricius, 1781
ssp. *bipunctata* Fabricius, 1781 **E:** CT ST **A:** KZ WS
ssp. *sareptana* Pic, 1941 **E:** ST **A:** KZ WS
= *beckeri* Pic, 1941 [HN]
ssp. *urdensis* Danilevsky, 2014 **E:** ?ST **A:** KZ
ssp. *aralensis* Danilevsky, 2019 **A:** KZ
ssp. *laterimaculata* (Motschulsky, 1875) **E:** UK
= *puchneri* Holzschuh, 2007
ssp. *glocollis* Desbrochers des Loges, 1870 **E:** MD UK ST
= *mulsantiana* Plavilstshikov, 1936
= *bilitigiosa* Pic, 1941
ssp. *steveni* Sperk 1835 **E:** MD UK ST
ssp. *teberdensis* Danilevsky, 2014 **E:** ST
moesiaca K. Daniel & J. Daniel, 1891 **E:** UK

Genus: *Pseudalosterna* Plavilstshikov, 1934

elegantula Kraatz, 1879 **A: FE**
 = *orientalis* Plavilstshikov, 1934
 Genus: *Pseudovadonia* Lobanov, Danilevsky et Murzin, 1981
livida Fabricius, 1777
 ssp. *livida* Fabricius, 1777 **E: UK**
 ssp. *setosa* Danilevsky, 2013 **E: MD UK**
 ssp. *bicarinata* Arnold, 1869 **E: UK NT CT ST A: AR GG AB KZ KI WS ES FE**
 ssp. *desbrochersi* Pic, 1891 **A: AR GG AB**
 Genus: *Konoa* Matsushita, 1933 I
granulata Bates, 1884 **A: FE**
 Genus: *Anoplodera* Mulsant, 1839
 Subgenus: *Anoplodera* Mulsant, 1839
rufipes Schaller, 1783
 ssp. *rufipes* Schaller, 1783 **E: MD UK ?NT**
 ssp. *ventralis* Heyden, 1886 **E: UK CT ST A: GG AR AB KZ ?WS ES**
 ssp. *astrabadensis* Pic, 1900 **A: AB**
sexguttata Fabricius, 1775 **E: MD UK NT CT ST A: GG**
rufihumeralis Tamanuki 1938 **A: FE**
 Genus: *Anoploderomorpha* Pic, 1901
cyanea Gebler, 1832 **A: ES FE MG**
 Genus: *Xestoleptura* Casey, 1913
rufiventris Gebler, 1830 **A: ?KZ WS ES MG**
baeckmanni Plavilstshikov, 1936 **A: FE**
 = *changbaishanensis* Gao, Meng & Yan, 2011
 Genus: *Stictoleptura* Casey, 1924
 = *Brachyleptura* auct. (not Casey, 1913)
 Subgenus: *Aredolpona* Nakane et K. Ohbayashi, 1957
 = *Corymbia* Des Gozis, 1886
rubra Linnaeus, 1758 **E: MD UK NT CT ST A: KZ WS ES**
 ssp. *rubra* Linnaeus, 1758 **E: MD UK NT CT ST A: KZ WS ES**
dichroa Blanchard, 1871 **A: ES FE**
 = *succedanea* Lew., 1879
 Subgenus: *Stictoleptura* Casey, 1924
cardinalis K.Daniel et J.Daniel, 1898 **A: KI TD UZ**
cordigera Fuesslin, 1775
 ssp. *cordigera* Fuesslin, 1775 **E: UK ST A: GG AR AB**
erythroptera Hagenbach, 1822 **E: UK ST A: AR GG AB**
rufa Brullé, 1832
 ssp. *realis* Danilevsky, 2012 **E: ST A: GG AR AB**
 Subgenus: *Variileptura* Danilevsky, 2014
variicornis Dalman, 1817 **E: UK NT CT A: KZ WS ES FE MG**
 Subgenus: *Melanoleptura* Miroshnikov 1998
scutellata Fabricius, 1781
 ssp. *scutellata* Fabricius, 1781 **E: MD UK ?CT ST**
 ssp. *ochracea* Faust, 1878 **E: ST A: GG AR AB**
 ssp. *miroshnikovi* Danilevsky, 2012 **A: AB**
 Subgenus: *Maculileptura* Danilevsky, 2014
maculicornis DeGeer, 1775 **E: MD UK NT CT ST A: ?GG**
 Subgenus: *Melanoleptura* Miroshnikov 1998
deyrollei Pic, 1895 **A: GG**
 Subgenus: *Batesiata* Miroshnikov, 1998
tesserula Charp. 1825 **E: UK ST A: GG AR AB**
 Subgenus: *Paracorymbia* Miroshnikov 1998

fulva DeGeer, 1775 **E:** UK CT ST
 =apicalis Motschulsky, 1875
 tonsa J.Daniel et K.Daniel, 1891 **E:** UK ST **A:** GG AR AB
 = ustulata Ménétriés, 1832 [HN]
 pallidipennis Tournier, 1872 **E:** ST **A:** GG ?AB
 nadezhdae Plavilstshikov, 1932 **E:** ST
 Genus: Anastrangalia Casey 1924
 scotodes Bates, 1873 UI CJ
 ssp. scotodes Bates, 1873 **A:** FE
 ssp. continentalis Plavilstshikov, 1936 **A:** FE
 sanguinolenta Linnaeus, 1760 **E:** ?MD UK NT CT ST **A:** GG AR AB KZ WS ?ES
 dubia Scopoli, 1763
 ssp. dubia Scopoli, 1763 **E:** ?MD UK
 ssp. melanota Faldermann, 1837 **E:** ST **A:** GG AR AB
 = distincta Tournier, 1872
 reyi Heyden, 1885 **E:** UK NT CT ST **A:** WS KZ
 = inexpectata Jans. et Sjob. 1928
 sequensi Reitter, 1898 **E:** CT **A:** KZ WS ES FE MG
 renardi Gebler, 1848 **E:** NT **A:** KZ WS ES FE MG
 Genus: Lepturobosca Reitter, 1913
 virens Linnaeus, 1758 **E:** UK NT CS ST **A:** KZ WS ES FE MG
 Genus: Xenoleptura Danilevsky, Lobanov et Murzin, 1981 in Lobanov et al.,1981
 hecate Reitter, 1896 **A:** KZ KI TD UZ
 Genus: Eustrangalis Bates, 1884
 distenioides Bates, 1884 **A:** FE
 Genus: Pedostrangalia Sokol. 1897
 Subgenus: Pedostrangalia Sokol. 1897
 imberbis Ménétriés, 1832 **A:** AB TM
 revestita Linnaeus, 1767 **E:** MD UK
 tokatensis Sama, 1996 **A:** GG
 Subgenus: Neosphenalia Löble, 2010
 = Sphenalia Daniel 1904 (not Sphenalia Wood, 1874, in Mollusca)
 kurda Sama, 1996 **A:** AR GG
 verticenigra Pic, 1893 **A:** ?GG
 verticalis Germar, 1822 **E:** ?MD
 femoralis Motschulsky, 1860 **A:** ES FE
 = xanthoma Bates, 1873
 Genus: Etorofus Matsushita 1933
 Subgenus: Etorofus Matsushita 1933
 nemurensis Matsushita 1933 **A:** FE
 = variicornis Matsushita, 1933
 = niger Matsushita, 1933
 = circaocularis Pic,1934
 pubescens Fabricius, 1787 **E:** UK NT CT ST **A:** ?GG
 Subgenus: Nakanea Ohb. 1963
 vicaria Bates, 1884
 ssp. vicaria Bates, 1884 **A:** FE
 Genus: Judolidia Plavilstshikov, 1936
 znojkoii Plavilstshikov, 1936 **A:** FE
 bangi Pic,1902 **A:** ?FE
 Genus: Judolia Mulsant, 1863
 sexmaculata Linnaeus, 1758 **E:** UK NT CT ST **A:** KZ
 dentatofasciata Mannerheim, 1852 **E:** ?NT **A:** WS ES FE MG

= *parallelipeda* Motschulsky, 1860
 = *abbreviata* Motschulsky, 1875
 = *shirarakensis* Matsumura, 1911
 = *rufimembris* Pic, 1917

Genus: *Pachytodes* Pic, 1891
erraticus Dalman, 1817 **E:** MD UK CT ST KZ **A:** WS ES GG AR AB KZ ?MG
cerambyciformis Schrank 1781 **E:** MD UK NT CT ST
bottcheri Pic, 1911 **A:** WS ES MG
 = *orthotrichus* Plavilstshikov, 1936
longipes Gebler, 1832 **A:** ES FE MG
cometes Bates, 1884 **A:** FE
 = *connecta* Nishio 1950

Genus: *Rapuzziana* Danilevsky, 2006
hangaiensis Danilevsky, 2006 **A:** MG

Genus: *Oedecnema* Thomson, 1857
gebleri Ganglbauer, 1889 **E:** UK NT CT **A:** KZ WS ES FE MG
 = *dubia* Fabricius, 1781
 = *decemmaculata* Matsumura, 1911

Genus: *Dokhtouroffia* Ganglbauer, 1886
baeckmanni Jankowski, 1934 **A:** UZ KI
nebulosa Gebler, 1845 **A:** KZ KI ?WS ?MG

Genus: *Leptura* Linnaeus, 1758
 Subgenus: *Noona* Sama, 2007
 = *Nona* Sama, 2002
regalis Bates, 1884 **A:** FE

Subgenus: *Macroleptura* Nakane et Ohb. 1957
thoracica Creutz. 1799 **E:** UK ST CT NT **A:** KZ WS ES FE MG
 = *obscurissima* Pic, 1900

Subgenus: *Leptura* Linnaeus, 1758
ochraceofasciata Motschulsky, 1862
 ssp. *ochraceofasciata* Motschulsky, 1862 **A:** FE
latipennis Matsushita, 1933 **A:** FE
aurulenta Fabricius, 1793 **E:** MD UK ST CT
quadrifasciata Linnaeus, 1758
 ssp. *quadrifasciata* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES FE MG
 ssp. *lederi* Ganglbauer, 1882 **E:** ST **A:** GG AR AB
 = *caucasica* Plavilstshikov, 1924
annularis Fabricius, 1801
 = *arcuata* Panzer, 1793
 ssp. *annularis* Fabricius, 1801 **E:** ?MD UK NT CT ST **A:** KZ WS ES FE MG
 ssp. *mimica* Bates, 1884 **A:** FE
duodecimguttata Fabricius, 1801 **A:** KZ WS ES FE MG
aethiops Poda 1761 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ WS ES FE MG
 = *aterrima* Motschulsky, 1860
 = *akitai* Fijita, 2018
 = *doii* Matsushita, 1933

Genus: *Lepturalia* Reitter, 1913
nigripes DeGeer, 1775
 ssp. *nigripes* DeGeer, 1775 **E:** UK NT CT ST **A:** KZ WS ES
 ssp. *rufipennis* Blessig, 1873 **A:** KZ WS ES FE MG

Genus: *Strangalia* Dejean, 1835
 = *Strangalina* Aurivillius, 1912
attenuata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG

takeuchii Matsushita et Tamanuki, 1935 **A: FE**

Genus: *Rutpela* Nak. et Ohb. 1957

maculata Poda 1761 **E: MD UK CT ST A: GG AR AB KZ**

ssp. maculata Poda 1761 **E: MD UK CT ST A: KZ**

ssp. manca (Schaufuss, 1863) **E: UK ST A: GG AR AB**

= nigricornis (Stielin, 1864) **E: UK ST A: GG AR AB**

inermis K.Daniel et J.Daniel, 1898 **A: AB TM**

Genus: *Stenurella* Villiers 1974

Subgenus: *Stenurella* Villiers 1974

melanura Linnaeus, 1758 **E: MD UK NT CT ST A: ?GG ?AR ?AB KZ WS ES FE MG**

ssp. melanura Linnaeus, 1758 **E: MD UK NT CT ST A: ?GG ?AR ?AB KZ WS ES FE**

MG

=sennii Sama, 2002

Subgenus: *Stenurelloides* Özdikmen, 2013

novercalis Reitter, 1901 **E: ST A: GG**

jaegeri Humm. 1825 **E: UK CT ST A: GG AR AB**

Subgenus: *Priscostenurella* Özdikmen, 2013

= *Eduardvivesia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species

Leptura vaucheri Bedel, 1900

= *Nigromacularia* Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species

Leptura septempunctata Fabricius 1793

bifasciata Müller, 1776

ssp. bifasciata Müller, 1776 **E: MD UK NT CT ST A: GG AR AB KZ WS ES**

= sedakovi Mannerheim, 1852

ssp. limbiventris Reitter, 1898 **A: GG**

septempunctata Fabricius, 1793

ssp. septempunctata Fabricius, 1793 **E: MD UK**

= suturata (Reiche, 1858)

ssp. latenigra Pic, 1915 **E: ST A: GG AR**

= anatolica Heyrovsky, 1961

Subgenus: *Nigrostenurella* Özdikmen, 2013

nigra Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB**

ssp. nigra Linnaeus, 1758 **E: MD UK NT CT ST**

ssp. maesta Danilevsky, 2013 **E: ST A: GG AR AB**

Subfamilia: *NECYDALINAE* Latreille, 1825

Tribus: *NECYDALINI*

Genus: *Necydalis* Linnaeus, 1758

Subgenus: *Necydalis* Linnaeus, 1758

ulmi (Chevrolat, 1838) **E: ?MD UK ST A: GG AR AB**

= mesembrina Plavilstshikov, 1936

major Linnaeus, 1758 **E: MD UK NT CT ST A: AB GG KZ WS ES FE MG**

= xantha Semenov, 1898

= aino Kusama, 1974

gigantea Kano, 1933 **A: FE**

ssp. gigantea Kano, 1933 **A: FE**

Subgenus: *Necydalisca* Plavilstshikov, 1936

= *Eonecydalis* Ohbayshi, 1961

pennata Lew. 1879 **A: FE**

= morio Kraatz, 1879

= ebenina Bates, 1884

= pacifica Plavilstshikov, 1936

= ussuriensis Plavilstshikov, 1936

= semenovi Plavilstshikov, 1936

= *ea* Plavilstshikov, 1936
sachalinensis Matsumura et Tamanuki, 1927 **A: FE**
 Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
 = Aseminae Thomson, 1860
 Tribus: SAPHANINI Gistel, 1848
 Genus: *Drymochares* Mulsant, 1847
 starcki Ganglbauer, 1888 **E: ST A: ?GG**
 cavazzutii Sama et Rapuzzi, 1993 **A: GG AR**
 ssp. *cavazzutii* Sama et Rapuzzi, 1993 **A: GG AR**
 Genus: *Saphanus* Audinet-Serville, 1834
 piceus Laicharting, 1784
 ssp. *piceus* Laicharting, 1784 **E: UK**
 = *?pubescens* Pic, 1907
 Genus: *Oxypleurus* Mulsant, 1839
 nodieri Mulsant, 1839 **E: UK A: GG**
 Tribus: ANISARTHINI Mamaev et Danilevsky, 1973
 Genus: *Anisarthron* Dejean, 1835
 = *Falsanoeme* Villiers, 1971
 cyrus Villiers, 1971 **A: AB**
 barbipes Schrank, 1781 **E: UK**
 Tribus: ATIMIINI Le Conte, 1873
 Genus: *Atimia* Haldeman, 1847
 = *Myctus* Semenov et Plavilstshikov, 1937
 maculipuncta Semenov et Plavilstshikov, 1937
 ssp. *maculipuncta* Semenov et Plavilstshikov, 1937 **A: MG**
 ssp. *nadezhdae* Tsherepanov, 1973 **A: FE**
 Tribus: ASEMINE Thomson, 1860
 Genus: *Nothorhina* Redt. 1845
 punctata Fabricius, 1798 **E: UK NT CT ST A: KZ WS**
 = *muricata* Dalman, 1817
 Genus: *Megasemum* Kraatz, 1879
 quadrilocostulatum Kraatz, 1879 **A: FE**
 Genus: *Asemum* Eschz. 1830
 striatum Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR ?AB KZ KI WS ES FE MG**
 = *subsulcatum* Motschulsky, 1860
 = *amurense* Kraatz, 1879
 = *ishidai* Fujita, 2018
 tenuicorne Kraatz, 1879 **E: UK ST A: ?GG**
 ssp. *tenuicorne* Kraatz, 1879 **E: UK ST A: ?GG**
 punctulatum Blessig, 1872 **A: FE**
 Genus: *Arhopalus* Audinet-Serville, 1834
 Subgenus: *Arhopalus* Audinet-Serville, 1834
 = *Criocephalum* Dejean, 1835
 = *Criocephalus* Mulsant, 1839
 rusticus Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ TD WS ES FE MG**
 ssp. *rusticus* Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ TD WS ES FE**
 = *tristis* Fabricius, 1787
 ?= *coreanus* Sharp, 1905
 ferus Mulsant, 1839 **E: MD UK NT CT ST A: GG AR AB KZ WS ES FE**
 Genus: *Tetropium* Kirby 1837
 = *Isarthron* Dejean 1835
 castaneum Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ WS ES FE MG**

MG

gabrieli Weise 1905 **E:** UK NT ?CT(Kaliningrad Reg.)
gracilicorne Reitter, 1889 **E:** CT **A:** KZ WS ES FE MG
gracilicum Hayashi 1983 **A:** FE
staudingeri Pic, 1901 **A:** KZ KI UZ
= tjanshanicum Semenov, 1906
= laticolle Semenov, 1906
aquilonium Plavilstshikov, 1940 **E:** NT **A:** WS
tauricum Shapovalov, 2007 **E:** UK
danilevskiy Slama, 2005 **A:** ES
fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS
ssp. fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS

Tribus: SPONDYLIDINI Audinet-Serville, 1832

Genus: Spondylis Fabricius, 1775

buprestoides Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG

Subfamilia: APATOPHYSEINAE Lacordaire, 1869

Tribus: APATOPHYSEINI

Genus: Apatophysis Chevrolat, 1860

Subgenus: Apatophysis Chevrolat, 1860

pavlovskii Plavilstshikov, 1954 **A:** TD UZ

serricornis Gebler, 1843 **A:** KZ MG

= tomentosa Gebl. 1845

= spinicornis Gebl. 1859

= obtusicollis Motschulsky, 1860

= mongolica Sem. 1901

= kadyrbekovi Kadlec, 2006

caspiica Semenov, 1901 **E:** ST **A:** AB GG TM ?UZ KZ

vedica Danilevsky, 2008 **A:** AR

komarowi Semenov, 1889 **A:** **AB TM TD**

baeckmanniana Semenov, 1907 **A:** KZ KI UZ

Subgenus: Angustephis Pic, 1956 **A:**

margiana Semenov et Schegoleva-Barovskaia, 1936 **A:** **TM UZ KZ**

= plavilstshikovi Miroshnikov, 1992

Subfamilia: CERAMBYCINAE Latreille, 1802

Tribus: ACHRYSONINI

Genus: Icosium Lucas 1854

tomentosum Lucas 1854

ssp. atticum Ganglbauer 1882 **A:** AB

Tribus: HESPEROPHANINI

Genus: Turcmenigena Melg. 1894

warentzowi Melg. 1894 **A:** KZ TM UZ

Genus: Hesperophanes Dejean, 1835

sericeus Fabricius, 1787 **E:** UK ST **A:** GG AR AB TM

heydeni Baeckm. 1923 **A:** KZ MG

pilosus Bodung. 1908 **A:** AB

Genus: Trichoferus Woll. 1854

holosericeus Rossi 1790 **E:** UK ST **A:** GG AR AB

= cinereus Villers 1789

fasciculatus Faldermann, 1837 **E:** UK ST **A:** GG AR AB

ssp. fasciculatus Faldermann, 1837 **E:** UK ST **A:** GG AR AB

griseus Fabricius, 1793 **E:** UK ?ST **A:** ?GG

campestris Faldermann, 1835 **E:** MD CT ST UK **A:** KZ KI UZ TD TM AB AR ES FE MG

= turkestanicus Heyden, 1886

pallidus Olivier, 1790 **E:** MD UK ST

Genus: *Stromatium* Audinet-Serville, 1834
 auratum (Böber, 1793) **E: UK ST A: GG AR AB TM**
 = fulvum Villers 1789
 = unicolor Olivier, 1800

Tribus: Phoracanthini
 Genus: *Phoracantha* Newman, 1840
 semipunctata Fabricius, 1775 **Ai: GG**

Tribus: CERAMBYCINI
 Genus: *Neocerambyx* Thomson, 1860
 = *Mallambyx* Bates, 1873
 = *Mesocerambyx* Breuning et Hitzinger, 1943
 raddei Blessig, 1872 **A: FE**

Genus: *Cerambyx* Linnaeus, 1758
 Subgenus: *Cerambyx* Linnaeus, 1758
 welensii Küster, 1846
 = velutinus Brullé, 1832
 ssp. welensii Küster, 1846 **E: UK A: GG AB**
 cerdo Linnaeus, 1758
 ssp. cerdo Linnaeus, 1758 **E: MD UK ?CT ?ST**
 ssp. acuminatus Motschulsky, 1852 **E: UK ST A: GG AR AB**
 = klinzigi Podany, 1964
 ssp. manderstjernaе Mulsant & Godart, 1855 **E: UK ST**
 dux Faldermann, 1837 **E: UK ST A: GG AR AB**
 nodulosus Germar, 1817 **E: UK ST A: GG AR AB**
 ssp. nodulosus Germar, 1817 **E: UK ST A: GG AR AB**
 miles Bonelli, 1812 **E: MD UK ST A: GG AR AB**

Subgenus: *Microcerambyx* Miksic et Georgijevic, 1973
 = *Mesocerambyx* Zagaikevitch, 1991
 scopoli Fuesslin, 1775
 ssp. scopoli Fuesslin, 1775 **E: MD UK NT CT ST A: GG AR AB**
 multiplicatus Motschulsky, 1859 **A: AB**

Genus: *Trirachis* Hope, 1843 #853
 = *Aeolesthes* auct.
 sarta Solsky, 1871 **A: KZ TM UZ TD KI**

Genus: *Xenopachys* Sama, 1999 **A**
 matthiesseni Reitter, 1907 **A: TM**

Genus: *Dissopachys* Reitter, 1886 **A**
 pulvinatus Reitter, 1886 **A: AB TM**

Genus: *Neoplocaederus* Sama, 1991
 danilevskyi Lazarev, 2009 **A: UZ**
 scapularis Fischer-Waldheim, 1821 **A: KZ TM UZ TD KI**

Tribus: COMPSOCERINI
 = ROSALIINI
 Genus: *Rosalia* Audinet-Serville, 1834
 alpina Linnaeus, 1758
 ssp. alpina Linnaeus, 1758 **E: UK ST A: GG AR AB**
 coelestis Semenov, 1911 **A: FE**
 = yanagii Fujita & Akita, 2020 [Tsushima Is.]

Tribus: PURPURICENINI
 Genus: *Purpuricenus* Dejean, 1821
 kaehleri Linnaeus, 1758 **E: MD UK CT ST A: WS GG AR AB**
 ssp. rossicus Danilevsky, 2019 **E: MD UK CT ST A: KZ**
 ssp. miroshnikovii Lazarev, 2013 **E: ST A: GG**

ssp. *menetriesi* Motschulsky, 1845 AR AB
 = *astrabadensis* Pic, 1915
 = *caucasicus* Th. Pic, 1902
globulicollis Mulsant, 1839 E: UK CT ST A: KZ WS
 ssp. *globulicollis* Mulsant, 1839 E: UK CT ST A: KZ WS
 = *tsherepanovae* Tsherepanov, 1980
budensis Götze, 1783 E: MD UK CT ST A: GG AR AB ?WS
caucasicola Danilevsky, 2015 E: ST A: GG ?AR AZ
baeckmanni Danilevsky, 2007 E: UK
wachanrui Levr. 1858 A: AB
deyrollei Thomson, 1867 A: TM
talyshensis Reitter, 1891 A: AB
lituratus Ganglbauer, 1887 A: FE
 = *petasifer* Fairmaire, 1888
sideriger Fairmaire, 1888 A: FE
 ssp. *sideriger* Fairmaire, 1888 A: FE
 Genus: *Anoplistes* Audinet-Serville, 1834
 = *Asias* Semenov, 1914
jacobsoni Baeckm. 1901 A: KZ
halodendri Pall. 1773
 = *humeralis* Olivier 1795
 = *elaeagni* Fischer-Waldheim, 1824
 ssp. *ephippium* Steven et Dalman, 1817 E: UK ST A: KZ
 ssp. *kasatkini* Lazarev, 2014a E: ST
 ssp. *halodendri* Pall. 1773 A: WS KZ
 ssp. *heptapotamicus* Semenov, 1923 A: KZ
 ssp. *minutus* Hamm. 1893 A: ES MG
 ssp. *pirus* Arakawa 1932 A: ES FE
churkini Danilevsky, 2020 A: KI
kozlovi Semenov et Znoiko, 1934 A: MG
gobiensis Namhaidorzh 1973 A: MG
agababiani Danilevsky, 2000 A: AR
diabolicus Reitter, 1915 A: KZ
forticornis Reitter, 1901 A: KZ KI ?UZ
jomudorum Plavilstshikov, 1940 A: TM ?KZ
 = *chodjaii* Holzschuh, 1974
galusoi Kostin 1974 A: KZ
tuvensis Tsherepanov, 1978 A: ES MG
amoenus Reitter, 1898
 = *procerus* Semenov, 1907
 = *francisci* Reymond, 1933
 ssp. *mongolicus* Ganglbauer, 1889 A: MG
 Genus: *Amarysius* Fairmaire, 1888
sanguinipennis Blessig, 1872 E: CT A: KZ WS ES FE MG
suturalis Pic, 1906 A: FE
 = *grallator* Baeckm. 1924
altajensis Laxmann, 1770
 ssp. *altajensis* Laxmann, 1770 A: KZ WS
 = *sellatus* Germar, 1824
 = *affinis* Motschulsky, 1875
 ssp. *coreanus* Okamoto, 1924 A: ES FE MG
 = *ussuricus* Tsherepanov, 1975
duplicatus Tsherepanov, 1980 A: KZ WS ?ES FE ?MG

Tribus: CALLICHRMATINI

Genus: *Aphrodisium* Thomson, 1864

= *Tomentaromia* Plavilstshikov, 1934

faldermannii Saunders, 1853

ssp. *faldermannii* Saunders, 1853 **A: ?ES ?MG**

Genus: *Aromia* Audinet-Serville, 1834

moschata Linnaeus, 1758

= *thea* Reitter, 1894

ssp. *moschata* Linnaeus, 1758 **E: MD UK NT CT ST A: GG KZ WS ES ?MG**

ssp. *malukhini* Danilevsky, 2019 **E: ST**

ssp. *ambrosiaca* Steven, 1809 **E: ST A: GG AR AB**

ssp. *sumbarensis* Danilevsky, 2007 **A: TM**

ssp. *cruenta* Bogatchev, 1962 **A: TD ?KI**

ssp. *jankovskyi* Danilevsky, 2007 **A: KI**

ssp. *vetusta* Bogatchev, 1962 **A: KZ**

orientalis Plavilstshikov, 1932 **ES FE MG**

bungii Faldermann, 1835 **A: ?MN**

Genus: *Turkaromia* Danilevsky 1993

pruinosa Reitter, 1903 **A: KZ**

gromenkoi Danilevsky, 2000 **A: UZ TD**

Genus: *Chelidonium* Thomson, 1864 **U**

zaitzevi Plavilstshikov, 1933 **A: FE**

Genus: *Chloridolum* Thomson, 1864

Subgenus: *Chloridolum* Thomson, 1864 **U**

sieversi Ganglbauer, 1887 **A: FE**

= *coreana* Fairmaire, 1897

Genus: *Leontium* Thomson, 1864

viride Thomson, 1864 **A: FE**

Genus: *Polyzonus* Dejean, 1835

fasciatus Fabricius, 1781 **A: ES FE MG**

Tribus: CALLIDIOPINI

Genus: *Stenygrinum* Bates, 1873

quadrinotatum Bates, 1873 **A: FE**

Tribus: GRACILIINI

Genus: *Gracilia* Audinet-Serville, 1834

minuta Fabricius, 1781 **E: MD UK NT CT ST KZ A: GG AR AB**

Genus: *Penichroa* Stephens, 1839

fasciata Stephens, 1831 **E: UK ST A: GG AR AB**

Genus: *Axinopalpis* Dejean, 1835

gracilis Krynicki, 1832

ssp. *gracilis* Krynicki, 1832 **E: MD UK ST CT A: GG**

Genus: *Hybometopia* Ganglbauer, 1889

starcki Ganglbauer, 1889

ssp. *starcki* Ganglbauer, 1889 **E: ST A: GG**

Tribus: OBRINI

Genus: *Obrium* Dejean, 1821

cantharinum Linnaeus, 1767

ssp. *cantharinum* Linnaeus, **E: MD UK NT CT ST A: KZ WS ES FE GG AR AB**

brunneum Fabricius, 1793 **E: MD UK ?NT ?CT ST A: GG AR AB**

obscuripenne Pic, 1904 **A: FE**

= *graciliforme* Lipp, 1939

= *gracile* Plavilstshikov, 1933

brevicornis Plavilstshikov, 1940 **A: FE**

Tribus: CERTALLINI

Genus: *Certallum* Dejean, 1821

= *Cartallum* Audinet-Serville, 1834

ebulinum Linnaeus, 1767 **E: UK ST A: GG AR AB**

= *ruficolle* Fabricius, 1781

Tribus: DEILINI

Genus: *Deilus* Audinet-Serville, 1834

fugax Olivier, 1790 **E: MD UK CT ST A: KZ GG AR AB**

Tribus: STENOPTERINI

Genus: *Stenopterus* Illiger, 1804

rufus Linnaeus, 1767 **E: MD UK ST A: GG AR AB TM**

ssp. *rufus* Linnaeus, 1767 **E: MD UK ST**

ssp. *geniculatus* **E: ST A: GG AR AB**

ssp. *transcaspicus* Lazarev, 2008 **A: TM**

flavicornis Küster, 1846 **E: UK**

ater Linnaeus, 1767 **E: UK A: GG**

Genus: *Callimus* Mulsant, 1846

= *Callimellum* Strand, 1928

Subgenus: *Callimus* Mulsant, 1846

angulatus Schrank, 1789

ssp. *angulatus* Schrank, 1789 **E: MD UK A: GG AR AB TM**

Subgenus: *Lampropterus* Mulsant, 1863

= *Callimomimus* Ieniştea, 1952

femoratus Germar, 1824 **E: MD UK ST A: GG AR AB**

= *adonis* Perrin, 1881

= *narcissus* Perrin, 1881

= *distinctus* Ieniştea, 1952

Subgenus: *Procallimus* Pic, 1907

= *Protocallimus* Plavilstshikov 1940

egregius Mulsant et Rey, 1863 **E: UK ?ST A: ?GG**

Genus: *Callimoxys* Kraatz, 1863

gracilis Brullé, 1832 **E: UK ST A: GG AR AB TM**

Tribus: PSEBIINI

Genus: *Nathrius* Brethes, 1916

brevipennis Mulsant, 1839 **E: MD UK ST A: KZ GG AR AB**

Tribus: MOLORCHINI

Genus: *Leptepania* Heller, 1924

= *Molorchinus* Shabliovsky, 1936

okunevi Shabliovsky, 1936 **A: FE**

= *incognitus* Tsherepanov, 1975

Genus: *Nadezhdiana* Tsherepanov, 1976

villosa Tsherepanov, 1976 **A: FE**

Genus: *Molorchus* Fabricius, 1793

Subgenus: *Caenoptera* Thomson, 1859

minor Linnaeus, 1758

ssp. *minor* Linnaeus, 1758 **E: MD UK NT CT ST A: GG KZ WS ES FE MG**

= *rufescens* Kiesenwetter, 1879

monticola Plavilstshikov, 1931 **A: GG AR AB TM**

? = *rufescens* Kiesenwetter, 1879

juglandis Sama, 1982 **A: ?GG**

? = *rufescens* Kiesenwetter, 1879

pallidipennis Heyden, 1887 **A: KZ KI ?UZ**

tjanschanicus Plavilstshikov, 1959 **A: ?KZ KI**

Subgenus: *Molorchus* Fabricius, 1793

= *Glaphyra* Newman, 1840

= *Linomius* Mulsant, 1862

umbellatarum Schreber, 1759

ssp. *umbellatarum* Schreber, 1759 **E:** MD UK NT CT ST **A:** GG AR AB ?TM

plagiatus Reiche, 1877 **E:** ?CT ST **A:** GG AR AB ?KZ

kiesenwetteri Mulsant et Rey, 1861

ssp. *kiesenwetteri* Mulsant et Rey, 1861 **E:** UK ST

ssp. *hircus* Abeille de Perrin, 1881 **E:** ?UK ?ST **A:** GG AR AB

= *anatolicus* Adlbauer, 1988

schmidti Ganglbauer, 1883 **E:** UK CT ST **A:** AB GG KZ TM UZ KI

= *salicicola* Stiller, 1935

= ?*semenovi* Plavilstshikov, 1940

marmottani Brisout de Barneville, 1863

ssp. *marmottani* Brisout de Barneville, 1863 **E:** CT ST

starki Shabliovsky, 1936 **A:** FE

?= *kojimai* Matsushita, 1939

= *ussuriensis* Plavilstshikov, 1940

= *ichikawai* Niisato, 1988

ishiharai Ohbayashi, 1936 **A:** FE

= *kunashiricus* Tsherepanov, 1981

kobotokensis Ohbayashi, 1963 **A:** FE

Subgenus: *Nathrioglaphyra* Sama, 1995

heptapotamicus Plavilstshikov, 1940 **E:** ST **A:** KZ KI UZ

= *amygdali* Holzschuh, 1979

Tribus: *Brachypteromatini* Sama, 2008

Genus: *Dolocerus* Mulsant, 1862

= *Brachyptero* Heyden, 1863

reichii Mulsant, 1862 **A:** AB AR GG

= *ottomanum* Heyden, 1863

Tribus: STENHOMALINI

Genus: *Stenhomalus* White, 1855

japonicus Pic, 1904 **A:** FE

= *lighti* Gressitt, 1935

= *vulcanus* Tsherepanov, 1976

Tribus: HYLOTRUPINI

Genus: *Hylotropes* Audinet-Serville, 1834

bajulus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS GG AR AB UZ

Tribus: CALLIDIINI

Genus: *Paraxylocrius* Niisato, 2009

testaceus Niisato, 2009 **A:** FE

verigai Danilevsky, 2012 **A:** FE

Genus: *Ropalopus* Mulsant, 1839

= *Rhopalopus* L. Redtenbacher, 1845

Subgenus: *Prorrhopalopus* Plavilstshikov, 1921

signaticollis Solsky, 1873 **A:** FE

speciosus Plavilstshikov, 1915 **A:** FE

Subgenus: *Pronocerodes* Plavilstshikov, 1940

ruficollis Matsumura, 1911 **A:** FE

aurantiicollis Plavilstshikov, 1940 **A:** FE

Subgenus: *Ropalopus* Mulsant, 1839

ungaricus Herbst, 1784 **E:** UK ST CT

ssp. *ungaricus* Herbst, 1784 **E:** UK

ssp. *insubricus* Germar, 1824 **E: UK ST CT**
 = *fischeri* Krynicki, 1829
lederi Ganglbauer, 1882 **E: UK ST A: GG AR AB**
clavipes Fabricius, 1775 **E: MD UK NT CT ST A: FE GG AR AB KZ WS**
macropus Germar, 1824 **E: MD UK CT ST A: GG AR AB**
 ?= *caucasicus* Desbrochers, 1873
varini Bedel, 1870 **E: MD UK**
 = *spinicornis* Abeille de Perrin, 1869
femoratus Linnaeus, 1758 **E: MD UK CT**
nadari Pic, 1894 **A: KI TD UZ**
mali Holzschuh, 1993 **A: KZ KI UZ**
Genus: Pronocera Motschulsky, 1859
 sibirica Gebler, 1848 **A: WS ES FE MG**
 = *brevicollis* Gebler, 1833
 = *daurica* Motschulsky, 1859
 angusta Kreichbaum, 1844 **E: UK**
Genus: Turanium Baeckmann, 1923
 Subgenus: *Turanium* Baeckmann, 1923
 rauschorum Holzschuh, 1998 **A: KZ KI**
 tekeorum Danilevsky, 2001 **A: TM**
 pilosum Reitter, 1891 **A: KZ KI TD UZ TM**
 scabrum Kraatz, 1882 **E: ST A: WS KZ TM KI UZ TD**
 hladili Kratochvil, 1985 **A: UZ**
 Subgenus: *Chalcoturanium* Jankowski, 1934
 johannis Baeckmann, 1923 **A: KI**
 ssp. *johannis* Baeckmann, 1923 **A: KI**
 ssp. *juglandis* Jankowsky, 1934 **A: KI**
 ssp. n. **A: KI**
 badenkoi Danilevsky, 2001 **A: KZ**
Genus: Leioderes L. Redtenbacher, 1845
 kollari L. Redtenbacher, 1849 **E: MD UK CT ST A: GG**
 ssp. *kollari* L. Redtenbacher, 1849 **E: MD UK CT ST A: GG**
Genus: Callidiellum Linsley, 1940
 rufipenne Motschulsky, 1861 **E: ST A: GG FE**
Genus: Semanotus Mulsant, 1839
 undatus Linnaeus, 1758 **E: UK NT CT ?ST A: WS ES FE MG**
 russicus Fabricius, 1777
 ssp. *russicus* Fabricius, 1777 **E: UK ST A: AR AB GG**
 ssp. *persicus* Solsky, 1876 **A: TM**
 semenovi Okunev, 1933 **A: KZ KI UZ TD**
 bifasciatus Motschulsky, 1875 **A: FE**
Genus: Callidium Fabricius, 1775
 Subgenus: *Palaeocallidium* Plavilstshikov, 1940
 coriaceum Paykull, 1800 **E: UK NT CT ST A: WS ES FE MG**
 chlorizans Solsky, 1871 **A: ES FE MG**
 Subgenus: *Callidium* Fabricius, 1775
 violaceum Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ KI WS ES FE MG**
 Subgenus: *Callidostola* Reitter, 1913
 aeneum DeGeer, 1775
 ssp. *aeneum* DeGeer, 1775 **E: UK NT CT ST A: WS ES FE KZ MG**
 ssp. *longipenne* Plavilstshikov, 1940 **E: ST A: GG AB**
Genus: Oupyrrhidium Pic, 1900
 cinnabarinum Blessig, 1872 **A: FE**

- Genus: *Pyrrhidium* Fairmaire, 1864
sanguineum Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB**
- Genus: *Phymatodes* Mulsant, 1839
 Subgenus: *Phymatodes* Mulsant, 1839
testaceus Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ WS FE**
- Subgenus: *Melasmetus* Reitter, 1913
femoralis Ménériés, 1832
 ssp. *femoralis* Ménériés, 1832 **E: ST A: GG AR AB**
- Subgenus: *Phymatoderus* Reitter, 1913
 = *Reitteroderus* Sama, 1991
lividus Rossi, 1794 **E: UK CT ST A: GG ?AB**
puncticollis Mulsant, 1862 **E: UK CT ST A: KZ**
pusillus Fabricius, 1787
 ssp. *pusillus* Fabricius, 1787 **E: MD UK**
 ssp. *rufipenne* Stark, 1889 **E: UK ST A: GG AR AB**
glabratus Charpentier, 1825 **E: UK ST A: GG**
abietinus Plavilstshikov et Lurie, 1960 **E: CT NT A: WS**
- Subgenus: *Phymatodellus* Reitter, 1913
rufipes Fabricius, 1777
 ssp. *rufipes* Fabricius, 1777 **E: MD UK ST**
zemlinae Plavilstshikov et Anufriev, 1964 **A: FE**
infasciatus Pic, 1935 **A: FE**
 = *vandykei* Gressitt, 1935
 = *ussuricus* Plavilstshikov, 1940
murzini Danilevsky, 1993 **A: FE**
- Subgenus: *Paraphymatodes* Plavilstshikov, 1934
fasciatus Villers 1789 **E: MD UK**
hauseri (Pic, 1907) **A: KZ**
mediofasciatus Pic, 1933 **A: FE**
- Subgenus: *Poecilium* Fairmaire, 1864
alni Linnaeus, 1767
 ssp. *alni* Linnaeus, 1767 **E: MD UK ST CT NT A: KZ**
 ssp. *pici* Aurivillius, 1912: **E: ST A: GG AR AB**
 = *alnoides* Reitter, 1913
 ssp. *lateniger* (Pic, 1945) **A: AB**
 = *elburzensis* Holzschuh, 1977
ermolenkoi Tsherepanov, 1980 **A: FE**
maacki Kraatz, 1879
 ssp. *maacki* Kraatz, 1879 **A: FE**
 ssp. *viarius* Danilevsky, 1988 **A: FE**

Tribus: TILLOMORPHINI

- Genus: *Cleroclytus* Kraatz, 1884
 Subgenus: *Obliqueclytus* Lazarev, 2014a **A**
gracilis Jakovlev, 1900 **A: TD**
 = *baeckmanni* Okunev 1933
 = *grandiculus* Plavilstshikov, 1940
banghaasi Reitter, 1895 **A: TD ?KI**
 = *semenowi* Jakovlev, 1900
- Subgenus: *Cleroclytus* Kraatz, 1884
semirufus Kraatz, 1884
 = *vestitus* Jakovlev, 1900
 ssp. *semirufus* Kraatz, 1884 **A: KZ KI UZ**
 ssp. *collaris* Jakovlev, 1885 **A: KZ KI**

= strigicollis Jakovlev, 1900
ssp. savitzkyi Lazarev, 2014a **A: MG**

Tribus: ANAGLYPTINI

Genus: Paraclytus Bates, 1884

excultus Bates, 1884 **A: FE**
raddei Ganglbauer, 1882 **A: AB**
reitteri Ganglbauer, 1882 **A: AB**
sexguttatus Adams, 1817 **E: ST A: GG AR AB**

Genus: Anaglyptus Mulsant, 1839

bicallosus Kraatz, 1882 **A: TD UZ KI KZ**
mysticus Linnaeus, 1758 **E: MD UK**
simplicicornis Reitter, 1905 **E: ST A: GG AR AB**
mysticoides Reitter, 1894 **A: GG AR AB**
ssp. mysticoides Reitter, 1894 **A: GG AR AB**
arabicus Küster, 1847 **E: ST A: GG AR AB**
ganglbaueri Reitter, 1886 **A: AB**
= natae Lobanov, 1994
= persicus Pic, 1906
danilevskii Miroshnikov, 2000 **A: ?GG AR AB**

Genus: Aglaophis Thomson, 1857 U

colobothoides Bates, 1884 **A: FE**

Genus: Oligoenoplus Chevrolat, 1863

rosti Pic, 1911
ssp. rosti Pic, 1911 **A: FE**

Tribus: CLYTINI

Genus: Plagionotus Mulsant, 1842

detritus Linnaeus, 1758
ssp. detritus Linnaeus, 1758 **E: MD UK NT CT ST A: KZ**
ssp. caucasicola Plavilstshikov, 1940 **E: ST A: GG AR AB**
pulcher Blessig, 1872 **A: FE**
christophi Kraatz, 1879 **A: FE**
arcuatus (Linnaeus, 1758) **E: MD UK NT CT ST A: WS KZ KI GG AR AB**
ssp. arcuatus (Linnaeus, 1758) **E: MD UK NT CT ST A: WS KZ GG AB**
ssp. multiinterruptus Pic, 1933 **A: AR AB**
ssp. lugubris (Ménétriés, 1832) **A: AR AB TM**
ssp. kirgizicus Lazarev, 2010 **A: KZ**
bartholomei Motschulsky, 1859 **A: AB**

Genus: Neoplacionotus Kasatkin, 2005

bobelayei Brullé, 1832 **E: UK ST A: GG AR AB TM**
= speciosus Adams 1817
ssp. huseyini Lazarev, 2016b **E: UK ST A: GG AR AB TM**

Genus: Echinocerus Mulsant, 1863

=Paraplacionotus Kasatkin, 2005
floralis (Pallas, 1773) **E: MD UK NT CT ST A: GG AR AB KZ TM UZ TD KI WS ES**
ssp. floralis (Pallas, 1773) **E: UK CT ST A: KZ WS**
ssp. aulicus (Laicharting 1784) **E: MD UK A: KZ TM UZ TD KI WS ES**
ssp. armeniacus (Reitter, 1890) **A: GG AR AB**

Genus: Teratoclytus Zaitzev, 1937

plavilstshikovi Zaitzev, 1937 **A: FE**

Genus: Epiclytus Gressitt, 1935

ussuricus Pic, 1933 **A: FE**

Genus: Rhabdoclytus Ganglbauer, 1889

= Hayashiclytus Ohbayashi, 1963

acutivittis Kraatz, 1879
 ssp. acutivittis Kraatz, 1879 **A: FE**
 Genus: Isotomus Mulsant, 1863
 speciosus Schneider, 1787 **E: MD UK ST A: GG AR AB**
 ssp. speciosus Schneider, 1787 **E: MD UK ST A: GG AR AB**
 comptus Mannerheim, 1825 **E: UK ST A: GG AR AB**
 ssp. comptus Mannerheim, 1825 **E: UK ST A: GG AR AB**
 Genus: Chlorophorus Chevrolat, 1863
 Subgenus: Crassofasciatus Özdikmen, 2011
 hubenyi Viktora, 2019 **A: KI**
 Subgenus: Immaculatus Özdikmen, 2011
 varius Müller, 1766
 ssp. varius Müller, 1766 **E: MD UK CT ST A: GG AR AB KZ WS**
 hrabovskyi Kratochvil, 1985 **A: TM**
 elaeagni Plavilstshikov, 1956 **E: ST A: AZ KZ TM UZ KI TD**
 faldermanni Faldermann, 1837 **E: ST A: GG AR AB KZ TM UZ TD KI ?MG**
 obliteratus Ganglbauer, 1889 **A: ES MG**
 = mongolicus Pic, 1943
 = kaszabi Heyrovsky, 1970
 = ubsanurensis Tsherepanov, 1971
 simillimus Kraatz, 1879 **A: ES FE MG**
 = sexmaculatus Motschulsky, 1859
 herbsti (Brahm, 1790) **E: MD UK NT CT ST A: KZ WS ?ES**
 Subgenus: Humeromaculatus Özdikmen, 2011
 figuratus Scopoli, 1763 **E: MD UK NT CT ST A: GG AR AB KZ WS ES**
 navratili Holzschuh, 1981 **A: UZ TD**
 japonicus Chevrolat, 1863 **A: FE**
 motschulskyi Ganglbauer, 1887 **A: ES FE MG**
 = latofasciatus Motschulsky, 1861
 = chasanensis Tsherepanov, 1982
 diadema Motschulsky, 1854
 ssp. diadema Motschulsky, 1854 **A: FE ?MG**
 ssp. inhirsutus Matsushita, 1933 **A: FE**
 tohokensis Hayashi, 1968 **A: FE**
 Subgenus: Perderomaculatus Özdikmen, 2011
 sartor Müller, 1766 **E: MD UK CT ST A: GG AR AB TM KZ ?WS ?ES ?FE**
 Genus: Rhaphuma Pascoe, 1858
 gracilipes Faldermann, 1835 **E: NT CT ST A: KZ WS ES FE MG**
 = sachalinensis Matsumura, 1911
 diminuta Bates, 1873
 ssp. diminuta Bates, 1873 **A: FE**
 Genus: Demonax Thomson, 1861
 savioi (Pic, 1924) **A: FE**
 Genus: Xylotrechus Chevrolat, 1860
 Subgenus: Xylotrechus Chevrolat, 1860
 antilope Schönherr, 1817
 ssp. antilope Schönherr, 1817 **E: MD UK CT ST**
 ssp. bitlisiensis S.Marklund & D.Marklund, 2013 **A: GG AR AB**
 arvicola Olivier, 1800 **E: MD UK CT ST A: GG AR AB KZ**
 ssp. arvicola Olivier, 1800 **E: MD UK**
 ssp. planarius Danilevsky, 2016 **E: UK CT ST A: KZ**
 ssp. lazarevi Danilevsky, 2016 **E: ST A: GG AR AB**
 ssp. iranicus Rapuzzi & Sama, 2014 **A: AB**

rufilius Bates, 1884 **A:** FE
 = *irinae* Plavilstshikov, 1925
 = *magnicollis* Fairmaire, 1888
stebbingi Gahan, 1906 **A:** TD
mixtus Plavilstshikov, 1940 **A:** FE
hircus Gebler, 1825 **A:** KZ WS ES FE MG
cuneipennis Kraatz, 1879 **A:** ES FE
pavlovskii Plavilstshikov, 1954 **A:** FE
polyzonus Fairmaire, 1888 **A:** FE
capricornus Gebler, 1830 **E:** UK CT ST **A:** KZ WS
 = *capricornis* (Chevrolat, 1863)
ibex Gebler, 1825 **E:** NT CT ST **A:** KZ WS ES FE MG
clarinus Bates, 1884 **A:** FE
Subgenus: *Turanoclytus* Sama, 1994
 sieversi Ganglbauer, 1890 **A:** GG AR AB
 ilamensis Holzschuh, 1979 **E:** ST **A:** AB AR
 ssp. *zuvandiensis* Lazarev, 2016d **E:** ST **A:** AB
 ssp. *hadullai* Danilevsky, 2010 **A:** AR
 asellus Thieme, 1881 **A:** KZ TM UZ TD KI
 = *grumi* Semenov, 1889
 namanganensis Heyden, 1885 **A:** KZ TM UZ TD KI
Subgenus: *Kostinicytus* Danilevsky, 2009
 zaisanicus Plavilstshikov, 1940 **A:** KZ
 alakolensis Karpiński & Szczepański, 2018 **A:** KZ
 katerinae Shapovalov, 2014 **A:** KZ
 arnoldii Kostin, 1974 **A:** KZ
 ssp. *arnoldii* Kostin, 1974 **A:** KZ
 ssp. *tenebrosus* Shapovalov, 2014 **A:** KZ
 medvedevi Danilevsky, 2009 **A:** MG
Subgenus: *Rusticoclytus* Vives, 1977
 salicis Takakuwa et Oda, 1978 **A:** ES FE ?MG
 = *nadezhdae* Tsherepanov, 1982
 rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM TD WS ES FE MG
 adpersus Gebler, 1830 **A:** KZ WS ES FE MG
 pantherinus Savenius, 1825 **E:** MD UK NT CT ST **A:** KZ WS ES FE MG
Subgenus: *Ootora* Niisato et Wakejima, 2008
 villioni Villard, 1892 **A:** FE
Subgenus: *Xyloclytus* Reitter, 1913
 altaicus Gebler, 1836 **E:** CT **A:** ?KZ WS ES FE MG
 chinensis Chevrolat, 1852 ?U CJ
 ssp. *kurosawai* Fujita, 2010 ?U J
Genus: *Cyrtoclytus* Ganglbauer, 1882
 capra Germar, 1824 **E:** MD UK NT CT ST **A:** AB KZ WS ES FE MG
 caproides Bates, 1873
 ssp. *caproides* Bates, 1873 **A:** FE
Genus: *Brachyclytus* Kraatz, 1879
 singularis Kraatz, 1879 **A:** FE
Genus: *Pseudosphegistes* Reitter, 1913
 cinerea Laporte et Gory, 1836 **E:** UK
 brunnescens Pic, 1897 **E:** ST **A:** GG AR AB
 = *circassica* Pic, 1905
Genus: *Clytus* Laicharting, 1784
 Subgenus: *Insolitomaculatus* Özdikmen, 2023

tropicus Panzer, 1795 **E: MD UK ST**
 Subgenus: *Pseudoclytus* Özdikmen, 2023
 schneideri Kiesenwetter, 1879
 ssp. *schneideri* Kiesenwetter, 1879 **A: GG AR AB**
 Subgenus: *Clytoides* Özdikmen, 2023
 rhamni Germar, 1817
 ssp. *temesiensis* Germar, 1824 **E: MD UK CT ST A: GG AR AB KZ**
 Subgenus: *Clytus* Laicharting, 1784
 lama Mulsant, 1847 **E: UK MD**
 arietis Linnaeus, 1758
 ssp. *oblitus* Roubal, 1932 **E: ST A: GG AR AB**
 ssp. *arietis* Linnaeus, 1758 **E: MD UK NT CT ST**
 ssp. *lederi* Ganglbauer, 1882 **A: AB TM**
 arietoides Reitter, 1899 **E: NT CT ?ST A: KZ WS ES FE MG**
 venustulus Plavilstshikov, 1940 **A: ES FE**
 nigritulus Kraatz, 1879 **A: ES FE**
 = *fulvohirsutus* Pic, 1904
 Subgenus: *Paulomaculatoides* Özdikmen, 2023
 melaenus Bates, 1884 **A: FE**
 Subgenus: *Paulomaculatus* Özdikmen, 2023
 mayeti Théry, 1892 **A: ?ES ?FE**
 Subgenus: *Sphegoclytus* Sama, 2005
 raddensis Pic, 1904 **A: FE**
 = *hypocrita* Plavilstshikov, 1940
 vesparum Reitter, 1889 **A: AB**
 stepanovi Danilevsky et Miroshnikov, 1985 **E: ST A: GG**
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: CEROPLESINI
 Genus: *Moechotypa* Thomson, 1864
 diphysis Pascoe, 1871 **A: FE**
 Tribus: PARMENINI
 Genus: *Parmena* Dejean, 1821
 aurora Danilevsky, 1980 **A: AB**
 pontocircassica Danilevsky, 1985 **E: UK ST A: GG AR AB**
 batumiensis Danilevsky, 2023 **A: GG**
 europaea Danilevsky, 2017 **E: MD UK**
 pilosa Brullé, 1832
 ssp. *pilosa* Brullé, 1832 **E: ?UK**
 Genus: *Plectrura* Mannerheim, 1852
 Subgenus: *Phlyctidola* Bates, 1884
 metallica Bates, 1884
 ssp. *metallica* Bates, 1884 **A: FE**
 = *sachalinica* Jacobson, 1899
 = *mandshurica* Jacobson, 1899
 Tribus: MESOSINI
 Genus: *Mesosa* Latreille, 1829
 Subgenus: *Mesosa* Latreille, 1829
 myops Dalman, 1817 **E: UK NT CT ST A: KZ WS ES FE MG**
 japonica Bates, 1873 **A: FE**
 curculionoides Linnaeus, 1761 **E: MD UK CT ST A: GG AR AB KZ WS**
 Subgenus: *Aplocnemia* Stephens, 1831
 = *Aphelocnemia* Stephens, 1832
 nebulosa Fabricius, 1781

ssp. *nebulosa* Fabricius, 1781 **E:** MD UK CT ST **A:** GG AR AB
obscuricornis Pic, 1894 **A:** AB
senilis Bates, 1884 **A:** FE
 Subgenus: *Perimesosa* Breuning, 1939
hirsuta Bates, 1884
 ssp. *continentalis* Hayashi, 1964 **A:** FE
 Tribus: MORIMONELLINI
 Genus: *Morimonella* Podany, 1979
bednariki Podany, 1979 **E:** ST **A:** GG
 Tribus: BATOCERINI
 Genus: *Apriona* Chevrolat, 1852
rugicollis Chevrolat, 1852 **A:** ?ES FE
 ssp. *rugicollis* Chevrolat, 1852 **A:** ?ES FE
 = *plicicollis* Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: *Murzinia* Lazarev, 2011
 = ? *Ethiopiochamus* Dillon & Dillon 1961
karatauensis Lazarev, 2011 **A:** KZ
 = ? *ruspator* Fabricius, 1781 [Africa]
 Genus: *Anoplophora* Hope, 1839
glabripennis Motschulsky, 1854 **A:** FE
 Genus: *Acalolepta* Pascoe, 1858
 Subgenus: *Acalolepta* Pascoe, 1858
ussurica Plavilstshikov, 1951 **A:** FE
fraudator Bates, 1873
 ssp. *fraudator* Bates, 1873 **A:** FE
sejuncta Bates, 1873
 ssp. *sejuncta* Bates, 1873 **A:** FE
luxuriosa Bates, 1873
 ssp. *luxuriosa* Bates, 1873 **A:** FE
seunghwani Danilevsky, 2013 **A:** FE
 Genus: *Astynoscelis* Pic, 1904
degener Bates, 1873 **A:** FE
 = *longicornis* Pic, 1904
 Genus: *Monochamus* Dejean, 1821
 Subgenus: *Monochamus* Dejean, 1821
guttulatus Gressitt, 1951 **A:** FE
 = *guttatus* Blessig, 1873
impluviatus Motschulsky, 1859 **E:** NT CT **A:** WS ES FE MG
saltuarius Gebler, 1830 **E:** UK NT CT **A:** KZ WS ES FE MG
 ssp. *saltuarius* Gebler, 1830 **?E:** ?NT ?CT **A:** KZ WS ES FE MG
 ssp. *occidentalis* Sláma, 2017b **E:** UK NT CT **A:** ?KZ
galloprovincialis Olivier, 1800
 ssp. *pistor* Germar, 1818 **E:** MD UK NT CT ST KZ WS **A:** KZ KI
 = *lignator* Krynicki, 1832 [Odessa]
 ssp. *cinerascens* Motschulsky, 1860 **E:** NT **A:** WS ES FE MG
 = *sibiricus* Pic, 1908
 ssp. *transitivus* Lazarev, 2017 **E:** ST **A:** GG AR AB
nitens Bates, 1884 **A:** FE
grandis Waterhouse, 1881 **A:** FE
sartor Fabricius, 1787 **E:** UK
 ssp. *sartor* Fabricius, 1787 **E:** UK
 ssp. *urussovii* Fischer-Waldheim, 1806 **E:** UK NT CT ST **A:** ?GG KZ WS ES FE MG

= rosenmuelleri auct., nec Cederhjelm, 1798
sutor Linnaeus, 1758
= rosenmuelleri Cederhjelm, 1798
ssp. sutor Linnaeus, 1758 **E:** UK NT CT ST **A:** GG KZ
= pellio Germar, 1818 [“Curland”]
ssp. longulus Pic, 1898 [“Amour”] **A:** ES FE MG

Tribus: LAMIINI

Genus: Lamiomimus Kolbe, 1886
gottschei Kolbe, 1886 **A:** FE
Genus: Lamia Fabricius, 1775
textor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG
Genus: Morimus Brullé 1832
= Morinus Brullé 1832 (misprint)
verecundus Faldermann, 1836 **E:** UK ST **A:** GG AR AB TM
ssp. verecundus Faldermann, 1836 **E:** UK ST **A:** GG AR AB TM
= ficitor Bogachev, 1949
gabzdili Danilevsky, 2015 **E:** ?UK
asper Sulzer, 1776
ssp. funereus Mulsant, 1863 **E:** MD UK

Tribus: DORCADIONINI

Genus: Dorcadion Dalman, 1817
Subgenus: Carinatodorcadion Breuning, 1943
= Dorcadodium Gistel, 1856
carinatum Pallas, 1771
ssp. carinatum Pallas, 1771 **E:** MD UK ST
ssp. igrenum Danilevsky, 1998 **E:** UK
ssp. sunzhenum Danilevsky, 1998 **E:** ST
ssp. uralense Danilevsky, 1998 **A:** KZ
ssp. cylindraceum Reitter, 1886 **E:** ST **A:** AB
fulvum Scopoli, 1763
ssp. fulvum Scopoli, 1763 **E:** UK
ssp. erythropterum Fischer von Waldheim, 1823 **E:** MD UK
= canaliculatum Fischer von Waldheim, 1824
= erythropterum Fischer von Waldheim, 1824 [wrong spelling]
aethiops Scopoli, 1763 **E:** MD UK
Subgenus: Cribridorcadion Pic, 1901
= Pedestredorcadion Breuning, 1943
= Autodorcadion Plavilstshikov, 1958
= Dzhungarodorcadion Danilevsky, 1993
= Bergerianum Pesarini et Sabbadini, 2004
mniszechi Kraatz, 1873
ssp. mniszechi Kraatz, 1873 **A:** AR
ssp. cavernosum Lazarev, 2014b AR
ssp. georgianum Lazarev, 2014b GG
pedestre Poda, 1761
ssp. pedestre Poda, 1761 **E:** MD UK
decipiens Germar, 1824 **E:** MD UK
sericatum Sahlberg, 1823 **E:** UK
pusillum Küster, 1847
= otshakovi Suvorov, 1913
ssp. pusillum Küster, 1847 **E:** MD UK
ssp. tanaiticum Kasatkin, 2002 **E:** ST
scopolii Herbst, 1784 **E:** MD UK

litigiosum Ganglbauer, 1884 **E:** ?MD UK
 ssp. litigiosum Ganglbauer, 1884 **E:** ?MD
 ssp. otshakovi Suvorov, 1913 **E:** UK ?MD
 ciscaucasicum Jakovlev, 1899b
 ssp. ciscaucasicum Jakovlev, 1899b **E:** ST
 ssp. abramovi Lazarev, 2009 **E:** ST
 ssp. mokrzeckii Jakovlev, 1902 **E:** UK
 = crimeense Breuning, 1946
 elegans Kraatz, 1873 **E:** UK ST **A:** KZ WS
 frustrator Plavilstshikov, 1958 **A:** AB
 = hypocrita Plavilstshikov, 1937
 auratum Tournier, 1872 **A:** GG ?AR
 komarowi Jakovlev, 1887
 ssp. komarowi Jakovlev, 1887 **A:** TM
 = interruptum Jakovlev, 1895
 = transcaspicum Jakovlev, 1901
 = janzcyki Breuning, 1963
 ssp. kryzhanovskii Plavilstshikov, 1958 **A:** TM
 sareptanum Kraatz, 1873
 ssp. sareptanum Kraatz, 1873 **E:** ST KZ
 ssp. euxinum Suvorov, 1915 **E:** ST
 ssp. kubanicum Plavilstshikov, 1934 **E:** ST
 ssp. estriatum Suvorov, 2013 **E:** ST
 ssp. striatiforme Suvorov, 1913 **E:** ST
 daratshitshagi Suvorov, 1915 **A:** AR
 cinerarium Fabricius, 1787
 ssp. zubovi Lazarev, 2011 **E:** MD
 ssp. demidovi Danilevsky, 2013e **E:** UK MD
 ssp. gorodinskii Danilevsky, 1996 **E:** UK
 ssp. cinerarium (Fabricius, 1787) **E:** UK ST
 = tricolor Fischer von Waldheim, 1805
 ssp. macropoides Plavilstshikov, 1932 **E:** UK
 ssp. skrylniki Lazarev, 2011 **E:** UK
 ssp. azovense Lazarev, 2011 **E:** UK
 ssp. perroudi Pic, 1942 **E:** UK
 ssp. bartenevi Lazarev, 2011 **E:** UK
 ssp. mosyakini Danilevsky, 2021 **E:** UK
 ssp. panticapaeum Plavilstshiko, 1951 **E:** UK ST
 ssp. okhrimenkoi Danilevsky, 2016b
 ssp. sindorum Lazarev, 2011 **E:** ST
 ssp. veniamini Lazarev, 2011 **E:** ST
 ssp. novorossicum Lazarev, 2015 **E:** ST
 ssp. papayense Lazarev, 2014a **E:** ST
 ssp. adygorum Lazarev, 2011 **E:** ST
 ssp. smetanai Lazarev, 2011 **E:** ST
 ssp. terkense Lazarev, 2011 **E:** ST
 ssp. belousovi Lazarev, 2011 **A:** AB
 ssp. deniz Lazarev, 2011 **A:** AB
 ssp. napolovi Lazarev, 2011 **A:** AB
 kasikoporanum Pic, 1902 **A:** AR
 kalashiani Danilevsky, 1992 **A:** AB
 sisianense Lazarev, 2009 **A:** AR
 shushense Lazarev, 2010 **A:** AB

megriense Lazarev, 2009 **A: AR**
 sulcipenne Küster, 1847
 ssp. sulcipenne Küster, 1847 **A: GG**
 ssp. caucasicum Küster, 1847 **A: GG AR**
 = impressicorne Tournier, 1872
 ssp. demokidovi Suvorov, 1915 **A: GG**
 ssp. plyushchi Danilevsky, 2014d **A: GG**
 ssp. gubibni Danilevsky, 2014d **A: GG**
 ssp. maljushenkoi Pic, 1904 **A: AB**
 ssp. borzhomiense Danilevsky, 2014d **A: GG**
 ssp. zekariense Danilevsky, 2014d **A: GG**
 ssp. goektshanum Suvorov, 1915 **A: AR**
 = armenum Suvorov, 1915
 ssp. argonauta Suvorov, 1913 **A: AR GG**
 = kurda Suvorov, 1913
 ssp. paki Danilevsky, 2014d **A: GG**
 caspiense Breuning, 1956 **A: AB**
 czegodaevi Danilevsky, 1992 **A: AB**
 holosericeum Krynicki, 1832
 ssp. holosericeum Krynicki, 1832 **E: MD UK CT ST KZ**
 ssp. ustinovi Danilevsky, 2021d **E: UK**
 ssp. tristriatum Suvorov, 1913 **E: ST A: GG**
 = striatum Dalman, 1817
 ssp. alanorum Danilevsky, 2023 **E: ST**
 ssp. avarum Danilevsky, 2023 **E: ST**
 striolatum Kraatz, 1873 **A: GG AR ?AB**
 equestre Laxmann, 1770
 ssp. equestre Laxmann, 1770 **E: CT ST A: GG KZ**
 ssp. vadimi Danilevsky, 2021d **E: UK**
 ~~ssp. transsilvanicum Ganglbauer 1884 **E: MD**~~
 rufogenum Reitter, 1895 **A: KZ**
 ssp. rufogenum Reitter, 1895 **A: KZ**
 semenovi Ganglbauer, 1884
 ssp. semenovi Ganglbauer, 1884 **A: KZ KI**
 ssp. terskeicum Danilevsky, 2002 **A: KI**
 ssp. almatense Danilevsky, 2002 **A: KZ**
 ssp. issykkulense Pic, 1906 **A: KI**
 = bisbicoatum Pic, 1908
 ssp. uriuktense Danilevsky, 2002 **A: KI**
 ssp. hauseri Reitter, 1895 **A: KI**
 = oblitteraticostum Suvorov, 1913 [not available]
 ssp. aleksandrae Danilevsky & Rubenyan, 2021 **A: KI**
 ssp. kuvakense Danilevsky, 2002 **A: KI**
 ssp. aktasyense Danilevsky, 2023 **A: KZ**
 ssp. thaisiae Danilevsky, 2002 **A: KI**
 kuldschanum Pic, 1908 **A: ?KZ ?KI**
 dokhtouroffi Ganglbauer, 1886 **A: KI ZU TD**
 sokolowi Jakovlev, 1899a **A: KZ**

 = ~~apicipenne Jakovlev, 1899b~~
 = jacobsoni Jakovlev, 1899c
 = amymon Jakovlev, 1906
 = dsungaricum Pic, 1907
 = melancholicum Pic, 1907

= conicolle Breuning, 1946
 = ? merzbacheri Breuning, 1946
 = ? samarkandiae Breuning, 1946
 morozovi Danilevsky, 1992 **A: KZ**
 laeve Faldermann, 1837
 ssp. vladimiri Danilevsky et Murzin, 2009 **A: AR**
 shirvanicum Bogatchev, 1934
 ssp. shirvanicum Bogatchev, 1934 **E: ST A: AB**
 ssp. azerbajdzhanicum Plavilstshikov, 1937 **A: AB**
 talyschense Ganglbauer, 1884
 ssp. talyschense Ganglbauer, 1884 **A: AB**
 scabricolle Dalman, 1817
 ssp. scabricolle Dalman, 1817 **A: GG AR ?AB**
 ssp. shirakense Lazarev, 2020 **A: AR**
 ssp. artsakhense Lazarev, 2020 **A: AR**
 ssp. tavushense Lazarev, 2020 **A: AR**
 ssp. gegarkunicum Lazarev, 2020 **A: AR**
 ssp. tekhense Lazarev, 2020 **A: AR**
 ssp. vaykense Lazarev, 2020 **A: AR**
 ssp. tuzovi Lazarev, 2020 **A: AR**
 ssp. araxense Lazarev, 2020 **A: AB**
 ssp. dobrovljanskii Lazarev, 2020 **A: AB**
 ssp. modestum Tournier, 1872 **A: AB**
 = elisabethpolicum Suvorov, 1915
 = micheli Pic, 1948
 ssp. corpulentum Ménétriés, 1832 **A: AB**
 = lutescens Kraatz, 1873
 ssp. shakhbuzum Lazarev, 2020 **A: AB**
 ssp. buzgoviense Lazarev, 2020 **A: AB**
 ssp. sevangense Reitter, 1889 **A: AR**
 ssp. nakhiczewanum Danilevsky, 1999 **A: AB**
 ssp. paiz Danilevsky, 1999 **A: AB**
 artemi Lazarev, 2019d **A: AR**
 khosrovi Lazarev, 2019d **A: AR**
 klavdiae Danilevsky, 1992 **A: GG**
 niveisparsum Thomson, 1865 **A: GG**
 wagneri Küster, 1846 **A: AR GG**
 ssp. wagneri Küster, 1846 **A: AR GG**
 gorbunovi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A: AR AB**
 ssp. gorbunovi Danilevsky in Danilevsky et Miroshnikov, 1985 **A: AR AB**
 ssp. rubenyani Lazarev, 2014a **A: AR**
 semilucens Kraatz, 1873 **A: AR AB**
 cineriferum Suvorov, 1909 **A: AR AB**
 ponomarenkoi Danilevsky, 2010 **A: AB**
 indutum Faldermann, 1837 **A: AR AB**
 pulchrum Pic, 1908 **A: AB**
 nigrosuturatum Reitter, 1897 **A: AR**
 = griseipenne Breuning, 1943
 sevliczi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A: AR**
 glaucum Faldermann, 1837 **A: AR ?AB**
 nitidum Motschulsky, 1838 **A: GG AR AB**
 danczenkoi Danilevsky, 1996 **A: AB**
 dimidiatum Motschulsky, 1838

ssp. dimidiatum Motschulsky, 1838 **A: GG AR AB**
 nobile Hampe, 1852
 ssp. plavilshikovi Lazarev, 2019 **?A: AB**
 bistratum Pic, 1898 **A: AR AB**
 seminudum Kraatz, 1873 **A: AR AB**
 = nachycevanicum Breuning, 1943
 = impuncticolle Breuning, 1946
 bisignatum Jakovlev, 1899b **A: ?GG**
 apicerufum Breuning, 1943 **E: ?ST A: GG AR AB**
 gusakovi Danilevsky, 2007 **A: GG**
 reitteri Ganglbauer, 1884 **A: GG**
 shestopalovi Danilevsky, 1993 **A: GG**
 sodale Hampe, 1852 **A: ?GG**
 ssp. sodale Hampe, 1852 **A: ?GG**
 rosti Pic, 1900 **A: GG**
 tauricum Wajtl, 1838 **E: UK**
 ssp. tauricum Wajtl, 1838 **E: UK**
 turkestanicum Kraatz, 1881 **A: KZ KI UZ TD**
 ssp. turkestanicum Kraatz, 1881 **A: KZ UZ**
 = samarkandiae Breuning, 1946
 ssp. altimonticola Danilevsky, 2023 **A: KI KZ TD UZ**
 ssp. magnum Danilevsky, 2023 **A: KZ**
 beckeri Kraatz, 1873 **E: ST A: AB**
 koenigi Jakovlev, 1897 **E: ST**

Subgenus: *Dorcadion* Dalm. 1817

 = *Compsodorcadion* Ganglbauer, 1884
 glycyrrhizae Pallas, 1773
 ssp. glycyrrhizae Pallas, 1773 **E: ?ST KZ A: ?KZ**
 ssp. murati Danilevsky, 2013f **A: KZ**
 ssp. eugenyi Abramov, 2015 **A: KZ**
 ssp. braginae Danilevsky, 2023 **A: KZ**
 ssp. chivilini Danilevsky, 2012 **A: KZ**
 ssp. androsovi Suvorov, 1909 **A: KZ**
 = dalilae Kadyrbekov, 2004
 ssp. uilense Danilevsky, 2023 **A: KZ**
 ssp. obtusipenne Motschulsky, 1860 **A: KZ**
 ssp. fedorenkoi Danilevsky, 2001 **A: KZ**
 ssp. ivanovi Danilevsky, 2023 **A: KZ**
 ssp. dostojewskii Semenov, 1899 **A: KZ**
 ssp. nikireevi Danilevsky, 2001 **A: KZ**
 ssp. inderiense Suvorov, 1911 **E: KZ A: KZ**
 ssp. korshikovi Danilevsky, 2006 **E: ST A: KZ**
 ssp. ishkarganum Danilevsky, 2009 **E: ST**
 ssp. pseudostriatum Danilevsky, 2023 **A: KZ**
 ssp. striatum Goeze, 1777 **E: ST CT KZ A: KZ**
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. nemkovi Danilevsky, 2006 **E: ST KZ A: KZ**
 ssp. guberlense Danilevsky, 2006 **E: ST**
 ssp. dubianskii Jakovlev, 1906 **A: KZ ST**
 ssp. uvarovi Suvorov, 1911 **A: KZ**
 ssp. turgaicum Suvorov, 1915 **A: KZ**
 ssp. tobolense Danilevsky, 2001 **A: KZ**

ssp. galinae Danilevsky, 2001 A: KZ
 crassipes Ballion, 1878
 ssp. crassipes Ballion, 1878 A: KZ KI
 ssp. validipes Jakovlev, 1906 A: ?KZ KI
 ssp. glazunovi Suvorov, 1910 A: KZ
 ganglbaueri Jakovlev, 1898 A: KZ
 ssp. ganglbaueri Jakovlev, 1898 A: KZ
 ssp. paveli Danilevsky, 2013f A: KZ
 gebleri Kraatz, 1873 A: KZ WS
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 A: KZ WS
 ssp. demimetrum Danilevsky, 1996 A: KZ
 ssp. terekensis Danilevsky, 2023 A: KZ
 ssp. takyr Danilevsky, 1996 A: KZ
 ssp. lukhtanovi Danilevsky, 1996 A: KZ
 cephalotes (Jakovlev, 1889) A: KZ
 alakoliense Danilevsky, 1988 A: KZ
 abakumovi Thomson, 1964 A: KZ
 ssp. abakumovi Thomson, 1964 A: KZ
 ssp. sarkandicum Danilevsky, 2004 A: KZ
 = aizhanae Kadyrbekov, 2004
 ssp. laterale Jakovlev, 1895 A: KZ
 ssp. lepsyense Danilevsky, 2004 A: KZ
 tenuelineatum Jakovlev, 1895 A: KZ
 Subgenus: Acutodorcadion Danil., Kasat., Rub., 2005
 songaricum Ganglbauer, 1884 A: KZ
 ssp. songaricum Ganglbauer, 1884 A: KZ
 urdzharicum Plavilstshikov, 1937 A: KZ
 natali Abramov, 2019 A: KZ
 acutispinum Motschulsky, 1860 A: KZ
 nivosum Suvorov, 1913 A: KZ
 suvorovi Jakovlev, 1906
 ssp. suvorovi Jakovlev, 1906 A: KZ
 ssp. konyroloenum Danilevsky, 1996 A: KZ
 ssp. kugalyense Danilevsky, 2023 A: KZ
 ssp. sholakense Danilevsky, 2023 A: KZ
 ssp. karachokense Danilevsky, 1996 A: KZ
 ssp. tekeliense Danilevsky, 1996 A: KZ
 ssp. taldykurganum Danilevsky, 1996
 nikolaevi Danilevsky, 1995 A: KZ
 arietinum Jakovlev, 1898
 ssp. arietinum Jakovlev, 1898 A: KZ
 ssp. zhalanash Danilevsky, 1996 A: KZ
 ssp. phenax Jakovlev, 1899b A: KZ
 = strandi Plavilstshikov, 1931
 ssp. charynense Danilevsky, 1996 A: KZ
 ssp. ketmeniense Danilevsky, 1996 A: KZ
 ssp. chilikense Danilevsky, 1996 A: KZ
 irinae Danilevsky, 1997 A: KZ
 pantherinum Jakovlev, 1899a
 ssp. pantherinum Jakovlev, 1899a A: KZ
 ssp. ludmilae Abramov, 2018 A: KZ
 ssp. sabulosum Danilevsky, 1995 A: KZ

ssp. shamaevi Danilevsky, 1995 **A: KZ**
ssp. desertum Danilevsky, 1995 **A: KZ**
absinthium Plavilstshikov, 1937 **A: KZ**
ssp. absinthium Plavilstshikov, 1937 **A: KZ**
ssp. ishkovi Kadyrbekov, 2004 **A: KZ**
ninae Danilevsky, 1995 **A: KZ**
zhaisanicum Shapovalov, 2007 **A: KZ**
ataense Pic, 1901
(= mystacinum, auct., not Ballion, 1878)
ssp. ataense Pic, 1901 **A: KZ KI UZ**
= kusnezovi Ballion, 1878
= auliense Pic, 1901 (unavailable name)
= capreolum Heyden, 1887 (unavailable name)
ssp. rufidens Jakovlev, 1906 **A: KZ**
ssp. pumilio Plavilstshikov, 1951 **A: KZ**
suvorovianum Plavilstshikov, 1915
ssp. suvorovianum Plavilstshikov, 1915 **A: KZ**
ssp. koramense Danilevsky, 1999 **A: KZ**
unidiscala Breuning, 1946 **A: KZ**
tschitscherini Jakovlev, 1899a **A: KZ**
kapchagaicum Danilevsky, 1996 **A: KZ**
tianshanskii Suvorov, 1910
ssp. tianshanskii Suvorov, 1910 **A: KZ**
ssp. radkevitchi Suvorov, 1910 **A: KZ**
ssp. terminum Danilevsky, 1999 **A: KZ**
ssp. heptapotamicum Plavilstshikov, 1951 **A: KZ**
ssp. algaense Danilevsky, 2012 **A: KZ**
ssp. otariense Danilevsky, 2012 **A: KZ**
ssp. parapumilio Danilevsky, 2012 **A: KZ**
ssp. euzhaisanicum Danilevsky, 2012 **A: KZ**
optatum Jakovlev, 1906
ssp. optatum Jakovlev, 1906 **A: KI KZ**
ssp. matthieseni Suvorov, 1910 **A: KI**
ssp. alamedinum Danilevsky, 2023 **A: KI**
ssp. toropyginae Danilevsky, 1999 **A: KI**
ssp. kadyrbekovi Danilevsky, 1999 **A: KZ**
ssp. vallesum Danilevsky, 1999 **A: KI**
danilevskyi Dolin et Ovtshinnikov, 1999 **A: KI**
darjae Danilevsky, 2001 **A: KI**
ssp. darjae Danilevsky, 2001 **A: KI**
ssp. kungeyense Danilevsky & Rubenyan, 2021 **A: KI**
ssp. keminum Danilevsky & Rubenyan, 2021 **A: KI**
kastekum Danilevsky, 1996 **A: KZ KI**
ssp. kastekum Danilevsky, 1996 **A: KZ KI**
ssp. kichikeminum Danilevsky & Rubenyan, 2021 **A: KI**
ssp. aktyuzum Danilevsky & Rubenyan, 2021 **A: KI**
alexandris Pic, 1900 **A: KI**
= luteolum Suvorov, 1910
profanifuga Plavilstshikov, 1951 **A: KZ**
globithorax Jakovlev, 1895 **A: KZ**
grande Jakovlev, 1906 **A: KZ**
pelidnum Jakovlev, 1906 **A: KI**
topopovi Danilevsky, 1999 **A: KI**

tibiale (Jakovlev, 1889) **A: KI**
 Genus: Neodorcadion Ganglbauer, 1884
 bilineatum Germar, 1824 **E: MD UK**
 Genus: Politodorcadion Danilevsky, 1996
 ribbei Kraatz, 1878
 ssp. ribbei Kraatz, 1878 **A: KZ**
 ssp. bobrovi Danilevsky, 2001 **A: KZ**
 politum Dalman, 1823
 ssp. politum Dalman, 1823 **A: WS KZ**
 = lydiae Plavilstshikov, 1929
 ssp. knyazevi Danilevsky, 20020b **A: WS**
 ssp. akmolense Suvorov, 1911 **E: ST**
 ssp. shapovalovi Danilevsky, 2006 **E: ST A: KZ**
 ssp. tarbagataicum Danilevsky, 2023 **A: KZ**
 ssp. eurygyne Suvorov, 1911 **A: KZ WS**
 ssp. lailanum Danilevsky, 2007 **A: KZ**
 ssp. naurzumense Danilevsky, 2023 **A: KZ**
 ssp. balchashense Suvorov, 1911 **A: KZ**
 ssp. betpakdalense Danilevsky, 1996 **A: KZ**
 archarlense Danilevsky, 1996 **A: KZ**
 lativittis Kraatz, 1878 **A: KZ**
 Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum Fabricius, 1781 **E: CT ST A: WS ES KZ MG**
 ssp. carinatum Fabricius, 1781 **E: CT ST A: WS ES KZ**
 ssp. blessigi Ganglbauer, 1884 **A: KZ WS ?ES**
 ssp. bramsoni Pic, 1901 **A: WS**
 = gassneri Breit, 1917
 ssp. involvens Fischer-Waldheim, 1823 **A: ES FE MG**
 = vestita Jakovlev, 1901
 = longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **A: ES**
 altaicum Suvorov, 1909 **A: KZ WS**
 ssp. altaicum Suvorov, 1909 **A: KZ**
 ssp. violovitshi Danilevsky & Korshunov, 2022 **A: WS**
 chinganicum Suvorov, 1909 **A: MG**
 ssp. kerulenum Danilevsky, 2007 **A: MG**
 darigangense Heyrovsky, 1967 **A: MG**
 tuvense Plavilstshikov, 1958 **A: ES**
 ptyalopleurum Suvorov, 1909 **A: ES**
 maurum Jakovlev, 1889 **A: ES MG**
 ssp. sajanicum Hammarström, 1893 **A: ES**
 ssp. quinquevittatum Hammarström, 1893 **A: ES**
 = leucogrammmum Suvorov, 1909
 ssp. maurum Jakovlev, 1889 **A: ES MG**
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = fortocostatum Heyrovsky, 1969
 ssp. katharinae Reitter, 1898 **A: ES MG**
 ssp. australe Danilevsky, 2014 **A: MG**
 Subgenus Ornatodorcadion Breuning, 1947
 dorcacas Jakovlev, 1901 **A: MG**

ssp. *dorcas* Jakovlev, 1901 **A: MG**
 = *morosum* Jakovlev, 1901
 = *annulatum* Heyrovsky, 1969
 ssp. *scabrosum* Namkhaidorzh, 1972 **A: MG**
consentaneum Jakovlev, 1899 **A: MG**
 = *hirticollis* Jakovlev, 1901
 = *insignis* Jakovlev, 1901
savitskyi Danilevsky, 2014 **A: MG**
intermedium Jakovlev, 1889 **A: MG**
 ssp. *intermedium* Jakovlev, 1889 **A: MG**
 = *mongolicum* Jakovlev, 1896
 = *kaszabi* Heyrovsky, 1965
 ssp. *kozlovi* Suvorov, 1912 **A: MG**
 = *hedini* Pic, 1935
gorbunovi Danilevsky, 2004 **A: MG**
argaloides Breuning, 1947 **A: MG**
zichyi Csiki, 1901 **A: MG**
 = *heros*, Namkhaidorzh, 1972, not Jakovlev, 1899
oryx Jakovlev, 1896 **A: MG**
novitzkyi Suvorov, 1909 **A: MG**
 = *inalbatum* Suvorov, 1909
exaratum Ménériés in Motschulsky, 1854 **A: MG**
 ssp. *exaratum* Ménériés in Motschulsky, 1854 **A: MG**
 = *rugipenne* Heyrovsky, 1967
 ssp. *argali* Jakovlev, 1889 **A: MG**
 = *miraculum* Reitter, 1897
 = *hircus* Jakovlev, 1906
 = *quadricarinatum* Heyrovsky, 1970
egregium Reitter, 1897 **A: MG**
 = *albitarsale* Breuning, 1966
 = *kabaki* Kadyrbekov, 2004
brandti Gebler, 1841 **A: KZ ?WS**
 = *dux* Jakovlev, 1894
 = *nigrolineatum* Reitter, 1897
 Subgenus: *Humerodorcadion* Danilevsky, Kasatkin, Rubenian, 2005
humerale Gebler, 1823 **A: ES FE MG**
 ssp. *humerale* Gebler, 1823 **A: ES MG**
 ssp. *impluviatum* Faldermann, 1833 **A: ?ES MG**
 = *irroratum* Reitter, 1893
 ssp. *trabeatum* (Jakovlev, 1901) **A: FE**
 = *mogissemium* Suvorov, 1909, unavailable
 = *melan* Suvorov, 1909, unavailable
 = *quadri-lineatum* Breit, 1915
 = *xingana* Chiang et Wang in Wang, 2003
lutshniki Plavilstshikov, 1937 **A: ES MG**
 ssp. *lutshniki* Plavilstshikov, 1937 **A: ES**
 ssp. *burenium* Danilevsky, 2007 **A: ES**
 ssp. *bicoloratum* Danilevsky, 2007 **A: ES**
 ssp. *altanelsense* Heyrovsky, 1973 **A: MG**

Tribus: ANCYLONOTINI

Genus: *Palimna* Pascoe, 1862

liturata Bates, 1884

ssp. *continentalis* Semenov, 1914 **A: FE**

Tribus: DORCASCHEMATINI

- Genus: *Olenecamptus* Chevrolat, 1835
 octopustulatus Motschulsky, 1860
 ssp. *octopustulatus* Motschulsky, 1860 **A: ES FE MG**
 = *mordkovitshi* Tshernyshev et Dubatolov, 2000
 riparius Danilevsky, 2011b **A: FE**

Tribus: PTEROPLIINI

- Genus: *Pterolophia* Newman, 1842
 Subgenus: *Pterolophia* Newman, 1842
 maacki Blessig, 1873 **A: FE**
 angusta (Bates, 1873)
 ssp. *multinotata* Pic, 1931 **A: ES FE MG**
 = *mandshurica* Breuning, 1938
 = *ussuriensis* Plavilstshikov, 1954
 = *burakowskii* Heyrovsky, 1973
 = *selengensis* Ljamtzeva, 1979

- Subgenus: *Ale* Pascoe, 1865
 jugosa Bates, 1873
 ssp. *jugosa* Bates, 1873 **A: FE**

- Genus: *Egesina* Pascoe, 1864
 = *Baekmanella* Shabliovskiy, 1936

- Subgenus: *Nijimaia* Matsushita, 1933
 bifasciana Matsushita, 1933
 ssp. *bifasciana* Matsushita, 1933 **A: FE**
 = *iljinskyi* Shabliovskiy, 1936

Tribus: APOMECCYNINI

- Genus: *Apomeccyna* Dejean, 1829
 Subgenus: *Apomeccyna* Dejean, 1829
 histrion Fabricius, 1793 **A: ES ?MG**

- Genus: *Microlera* Bates, 1873
 ptinoides Bates, 1873 **A: FE**

- Genus: *Asaperda* Bates, 1873
 agapanthina Bates, 1873
 ssp. *agapanthina* Bates, 1873 **A: FE**
 krivolutzkayae Danilevsky, 2023: **A: FE** (Kunashir)
 = *meridiana* auct. not Matsushita, 1931
 stenostola Kraatz, 1873 **A: KZ WS FE MG**

Tribus: PTERICOPTINI

- Genus: *Xylariopsis* Bates, 1884
 mimica Bates, 1884 **A: FE**

Tribus: APODASYINI

- Genus: *Quasimesosella* Miroshnikov 2006
 = *Pseudomesosella* Miroshnikov, 1989
 ussuriensis Tsherepanov, 1983 **A: FE**
 = *florovi* Tsherepanov, 1984

- Genus: *Deroplia* Dejean, 1835
 = *Stenidea* Mulsant, 1842
 genei Aragona, 1830
 ssp. *genei* Aragona, 1830 **E: UK ST A: GG AR ?AB**

- Genus: *Sophronica* Blanchard, 1845
 sundukovi Danilevsky, 1873 **A: FE**

- Genus: *Anaesthetis* Dejean, 1835
 confossicollis Beckmann, 1903 **A: ES FE MG**

flavipilis Beckmann, 1903 **A:** WS
 = ?strandiella Breuning, 1943
 lanuginosa Beckmann, 1903 **A:** TM
 testacea Fabricius, 1781
 ssp. testacea Fabricius, 1781 **E:** MD UK CT ST **A:** KZ WS
 ssp. rufescens Beckmann, 1903 **E:** ST **A:** GG AR AB
 Genus: Ussurella Danilevsky, 1997
 = Ussuria Danilevsky, 1995
 napolovi Danilevsky, 1995 **A:** FE
 Genus: Cylindilla Bates, 1884
 = Pseudanaesthetis Pic, 1929
 = Anaesthetomorphus Pic, 1929
 = Ascoldatimura Breuning, 1960
 grisescens Bates, 1884 **A:** FE
 = apicalis Pic, 1929
 = ascoldensis Heyden, 1884
 Genus: Terinaea Bates, 1884
 tiliae Murzin, 1983 **A:** FE
 Genus: Mimectatina Aurivillius, 1927
 = Doius Matsushita, 1933
 divaricata Bates, 1884
 ssp. divaricata Bates, 1884 **A:** FE
 Genus: Rhopaloscelis Blessig, 1873
 maculata Bates, 1877 **A:** FE
 unifasciata Blessig, 1873 **A:** KZ WS ES FE MG
 schurmanni Breuning, 1969 **A:** AB
 = schuberti Breuning, 1975
 Genus: Arhopaloscelis Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
 bifasciata Kraatz, 1879 **A:** FE
 nipponensis Pic, 1932 **A:** FE
 Genus: Clytosemia Bates, 1884
 pulchra Bates, 1884 **A:** FE
 Genus: Miccolamia Bates, 1884
 Subgenus: Miccolamia Bates, 1884
 cleroides Bates, 1884 **A:** FE
 Subgenus: Isomiccolamia Ohbayashi, 1963
 glabricula Bates, 1884
 ssp. glabricula Bates, 1884 **A:** FE
 = verrucosa auct. (not Bates, 1884)
 Tribus: POGONOCHERINI
 Genus: Parmenopsis Ganglbauer, 1882
 caucasica Leder, 1879 **E:** ST **A:** GG
 Genus: Pogonocherus Dejean, 1821
 Subgenus: Pogonocherus Dejean, 1821
 hispidus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 hispidulus Piller et Mitterpacher, 1783 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 dimidiatus Blessig, 1873 **A:** FE
 = seminiveus Bates, 1873
 = tristiculus Kraatz, 1879
 sieversi Ganglbauer, 1887 **?E:** ?UK **A:** GG AR
 = caasicus Ganglbauer, 1891
 = kuksha Plavilstshikov, 1924
 perroudi Mulsant, 1839 **E:** UK ST **A:** GG

Subgenus: Pityphilus Mulsant, 1863

fasciculatus DeGeer, 1775

= costatus Motschulsky, 1859

ssp. fasciculatus DeGeer, 1775 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG

decoratus Fairmaire, 1855 **E:** MD UK NT CT ST **A:** WS KZ

ovatus Goeze, 1777 **E:** ?UK ?CT

inermicollis Reitter, 1894 **E:** ST **A:** GG

ressli Holzschuh, 1977 **A:** AB

zubovi Danilevsky, 2015 **E:** UK

Tribus: ACANTHODERINI

Genus: Aegomorphus Haldeman, 1847

= Acanthoderes auct. (not Audinet-Serville, 1835)

= Psapharochrus auct. (not Thomson, 1874)

clavipes Schrank, 1781 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG

obscurior Pic, 1904 **E:** CT ST UK **A:** KZ WS ES FE MG

= wojtylai Hilszczanski, Bystrowski, 2005

Genus: Oplosia Mulsant, 1862

cinerea Mulsant 1839 **E:** UK NT CT ST

= fennica Paykull, 1800

suvorovi Pic, 1914 **A:** ES FE

Tribus: ACANTHOCININI

Genus: Acanthocinus Dejean, 1821

Subgenus: Acanthocinus Dejean, 1821

elegans Ganglbauer, 1884 **E:** ST **A:** AB

reticulatus Razoumowsky, 1789 **E:** UK

griseus Fabricius, 1793 **E:** MD UK NT CT ST **A:** AR ?GG ?AB KZ WS ES ?MG

orientalis Ohbayashi, 1939 **A:** FE

carinulatus Gebler, 1833 **A:** WS ES FE MG

= sibiricus Motschulsky, 1860

sachalinensis Matsushita, 1933 **A:** ES FE ?MG

aedilis Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG ?AR ?AB KZ WS ES FE MG

Subgenus: Acanthobatesianus Wallin, Kvamme & Lin, 2012

guttatus (Bates, 1873) FE

Genus: Leiopus Audinet-Serville, 1835

Subgenus: Leiopus Audinet-Serville, 1835

stillatus Bates, 1884 **A:** FE

nebulosus Linnaeus, 1758

ssp. nebulosus Linnaeus, 1758 **E:** ?MD UK CT [Kaliningrad]

ssp. caucasicus Ganglbauer, 1887 **E:** ST **A:** GG AR AB

taeniatus (Gmelin, 1790) **E:** MD UK ?NT CT ST **A:** KZ

= linnei Wallin, Nylander & Kvamme, 2009

kharazii Holzschuh, 1974 **E:** ST **A:** AB

punctulatus Paykull, 1800 **E:** UK NT CT

femoratus Fairmaire, 1859 **E:** UK ST **A:** GG AR AB

= pachymerus Ganglbauer, 1884

albivittis Kraatz, 1879

= ganglbaueri Csiki, 1901

ssp. albivittis Kraatz, 1879 **A:** WS ES FE MG

ssp. malaisei Aurivillius, 1928 **A:** FE

Genus: Ostedes Pascoe, 1859

kadleci Danilevsky, 1992 **A:** FE

Genus: Rondibilis Thomson, 1857

= Eryssamena Bates, 1884

saperdina Bates, 1884 **A: FE**
schabliovskiy Tsherepanov, 1982 **A: FE**
= shabliovskiy, Tsherepanov, 1984

Tribus: EXOCENTRINI

Genus: Exocentrus Dejean, 1835

Subgenus: Exocentrus Dejean, 1835

lusitanus Linnaeus, 1767 **E: MD UK NT CT ST A: GG AR AB KZ ?WS**
adpersus Mulsant, 1846 **E: MD UK ST A: GG AR AB**
= alemdaghensis Breuning, 1981
= ?hirsutululus Faldermann, 1837
pseudopunctipennis Holzschuh, 1979 **A: GG AR AB TM**
punctipennis Mulsant et Guill. 1856
ssp. punctipennis Mulsant et Guill. 1856 **E: MD UK ST CT**
ssp. signatus Mulsant et Rey, 1863 **E: ST A: GG ?AB**
stierlini Ganglbauer, 1884 **E: MD UK ST A: ?KZ WS ES FE**
fasciolatus Bates, 1873 **A: FE**
ssp. **plavilstshikovi Danilevsky, 2014c A: FE**
tsushmanus Hayashi, 1968 **A: FE**
= conjugatofasciatus Tsherepanov, 1973
testudineus Matsushita, 1931 **A: FE**
lineatus Bates, 1873 **A: FE**
guttulatus Bates, 1873
ssp. ussuricus Tsherepanov, 1973 **A: FE**
marginatus Tsherepanov, 1973 **A: FE**

Genus: Miaenia Pascoe, 1864

Subgenus: Miaenia Pascoe, 1864

maritima Tsherepanov, 1979 **A: FE**

Tribus: TETROPINI

Genus: Tetrops Kirby in Kirby et Spence, 1826

Subgenus: Tetrops Kirby in Kirby et Spence, 1826

praeustus Linnaeus, 1758
ssp. praeustus Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ WS ES MG**
starkii Chevrolat, 1859 **E: MD UK CT ST A: ?GG AB**
ssp. starkii Chevrolat, 1859 **E: MD UK CT A: ?GG ?AB**
ssp. aquilus Danilevsky, 2012 **E: ST**
gilvipes Faldermann, 1837 **E: UK ST A: GG AR AB TM**
ssp. gilvipes Faldermann, 1837 **E: ST A: GG AR AB**
ssp. efetovi Lazarev, 2012 **E: UK**
ssp. murzini Lazarev, 2012 **A: AB TM**
ssp. adlbaueri Lazarev, 2012 **E: ?MD UK ?CT ?ST**
rosarum Tsherepanov, 1975 **A: FE**
mongolicus Murzin, 1977 **A: ES MG**

Subgenus: Mimosophronica Breuning, 1943

elaeagni Plavilstshikov, 1954 **E: ST KZ A: KZ UZ TM**
ssp. elaeagni Plavilstshikov, 1954 **E: ST KZ**
ssp. plaviltshikovi Kostin, 1973 **A: KZ**
ssp. shapovalovi Danilevsky, 2018 **A: KZ UZ TM**
formosus Baeckmann, 1903
ssp. formosus Baeckmann, 1903 **A: KI KZ**
ssp. bivittulatus Jankowski, 1934 **A: KZ**
ssp. songaricus Kostin 1973 **A: KZ**
bicoloricornis Kostin, 1973 **A: KI UZ**
ssp. bicoloricornis Kostin, 1973 **A: KI**

ssp. ferganensis Danilevsky, 2018 **A:** KI UZ
ssp. nigricornis Danilevsky, 2018a **A:** KI
ssp. oshensis Danilevsky, 2018a **A:** KI
hauseri Reitter, 1897 **A:** KZ
ssp. kostini Özdikmen, Turgut, 2008 KZ
= nigra Kostin, 1973

Tribus: SAPERDINI

Genus: Eutetrappa Bates, 1884

ocelota (Bates, 1873) **A:** FE
sedecimpunctata Motschulsky, 1860 **A:** ?ES FE
= motschulskyi Plavilstshikov, 1915
metallescens Motschulsky, 1860 **A:**?ES FE
chrysochloris Bates, 1879
ssp. chrysochloris Bates, 1879 **A:** FE

Genus: Saperda Fabricius, 1775

Subgenus: Saperda Fabricius, 1775

= Anaerea Mulsant, 1839
carcharias Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS ES FE MG
similis Laicharting, 1784 **E:** UK NT CT ST **A:** KZ KI TD UZ WS ES FE MG

Subgenus: Eusaperda Danilevsky, 2023

perforata Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG
maculosa Ménériés, 1832 **A:** AB
scalaris Linnaeus, 1758
ssp. scalaris Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ
ssp. hieroglyphica Pallas, 1773 **E:** NT CT ST **A:** KZ WS ES FE MG

Subgenus: Nietzscheana Zubov, 2014

alberti Plavilstshikov, 1915 **A:** KZ WS ES FE MG
= plutenkoi Zubov, 2014

Subgenus: Lopezcolonia Alonso-Zarazaga, 1998

= Argalia Mulsant, 1862
= Scalaperda Shapovalov, 2011 [nomen nudum]
interrupta Gebler, 1825 **A:** WS ES FE
octopunctata Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB
punctata Linnaeus, 1767 **E:** MD UK CT ST **A:** GG AR AB KZ WS
subobliterata Pic, 1910 **A:** FE
= mandschukuoensis Breuning, 1943
= harbinensis Chiang, 1983
otomaculata Blessig, 1873 **A:** ES FE MG

Subgenus: Compsidia Mulsant 1839

balsamifera Motschulsky, 1860 **A:** ES FE MG
populnea Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS ES FE MG
ssp. populnea Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI TD WS ES FE
ssp. lapponica Wallin, Kvamme & Bergsten, 2017 **E:** NT **A:** ?WS
ssp. balsamifera Motschulsky, 1860 **A:** WS MG
bilineatocollis Pic, 1924 **A:** FE

Genus: Eumecocera Solsky, 1871

impustulata Motschulsky, 1860 **A:** WS ES FE MG
callosicollis Breuning, 1943 **A:** FE

Genus: Stenostola Dejean, 1835

dubia Laicharting, 1784 **E:** MD UK NT CT ST **A:** GG AR AB
ferrea Schrank, 1776
ssp. ferrea Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB

ssp. maculipennis Holzschuh, 1982 **E:** ST UK
 ivanovi Danilevsky, 2014c **A:** FE
 Genus: Menesia Mulsant, 1856
 albifrons Heyden, 1886 **A:** ES FE
 bipunctata Zoubkoff, 1829 **E:** UK NT CT ST **A:** KZ
 sulphurata Gebler, 1825 **E:** ST **A:** KZ WS ES FE MG
 flavotecta Heyden, 1886 **A:** ?ES FE ?MG
 Genus: Paramenesia Breuning, 1952
 theaphia Bates, 1884 **A:** FE
 Genus: Cagosima Thomson, 1864
 sanguinolenta Thomson, 1864
 ssp. sanguinolenta Thomson, 1864 **A:** FE
 Genus: Thyestilla Aurivillius, 1923
 gebleri Faldermann, 1835
 Tribus: GLENEINI
 Genus: Glenea Newman, 1842
 Subgenus: Glenea Newman, 1842
 relicta Pascoe, 1868
 ssp. relicta Pascoe, 1868 **A:** FE
 Tribus: PHYTOECIINI
 Genus: Nupserha Chevrolat, 1858
 marginella Bates, 1873 **A:** FE MG
 sericans Bates, 1884 **A:** FE
 alexandrovi Plavilstshikov, 1915 **A:** FE
 Genus: Oberea Dejean, 1835
 Subgenus: Oberea Dejean, 1835
 pupillata Gyllenhal, 1817 **E:** UK NT CT ST
 kostini Danilevsky, 1988 **E:** CT **A:** KZ WS ES
 heyrovskyi Pic, 1927 **A:** FE
 depressa Gebler, 1825 **A:** WS ES FE MG
 = amurica Suvorov, 1913
 = transbaicalica Suvorov, 1913
 oculata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE MG
 linearis Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB
 morio Kraatz, 1879 **A:** ES FE MG
 licenti Pic, 1939 **A:** FE
 = scutellaroides Breuning, 1947 **A:** FE
 = scutellaris Fairmaire, 1888
 = chinensis Tsherepanov, 1985
 corensis Gressitt, 1951 **A:** FE
 herzi Ganglbauer, 1887 **A:** FE
 dubia Danilevsky, 2023 **A:** FE
 curticornis Danilevsky, 2023 **A:** FE
 vittata Blessig, 1873 **A:** ES FE MG
 japonica Thunberg, 1787 **A:** FE MG
 Subgenus: Amaurostoma Müller, 1906
 euphorbiae Germar, 1813 **E:** MD UK ST CT **A:** AR KZ WS
 donceeli Pic, 1907 **A:** ES FE MG
 moravica Kratochvil, 1989 **E:** MD UK
 = histrionis Pic, 1917
 erythrocephala Schrank, 1776
 ssp. erythrocephala Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB KZ WS
 ruficeps Fischer-Waldheim, 1842

ssp. ruficeps Fischer-Waldheim, 1842 **A:** KZ UZ KI WS
 ssp. muchei Breuning, 1981 **A:** TD
 Genus: *Oxyilia* Mulsant, 1863
 = *Coptosia* Fairmaire, 1865
 argentata Ménétriés, 1832
 ssp. *argentata* Ménétriés, 1832 **E:** UK **A:** GG AR AB
 Genus: *Pteromallosia* Pic, 1900
 albolineata Hampe, 1852 **A:** GG AR AB
 Genus: *Mallosia* Mulsant, 1863
 Subgenus: *Semnosia* K.Daniel, 1904
 = *Eusemnosia* Özdikmen & Aytar, 2012
 scovitzii Faldermann, 1837 **A:** GG AB AR
 tristis Reitter, 1888 **A:** AB
 = *angelicae* Reitter, 1890
 galinae Danilevsky, 1990 **A:** AB GG
 Subgenus: *Eumallosia* Danilevsky, 1990
 = *Anatolomallosia* Özdikmen & Aytar, 2012
 = *Submallosia* Özdikmen & Aytar, 2012
 brevipes Pic, 1897 **A:** AR
 = *cribratofasciata* Daniel 1904
 armeniaca Pic, 1897 **A:** AR ?AB
 = *caucasica* Pic 1898
 = *haiastanica* Danilevsky, 2007
 gobustanica Danilevsky 1990 **A:** AB
 herminae Reitter, 1890 **A:** AB
 Genus: *Paramallosia* Fuchs, 1955
 afghanica Fuchs, 1955 **A:** TM
 Genus: *Mallosiola* Semenov, 1895
 regina Heyden, 1887 **A:** TD
 Genus: *Conizonia* Fairmaire, 1864
 Subgenus: *Iranocoptosia* Villiers, 1967
 fausti Ganglbauer, 1886 **A:** TM
 = *balachowskyi* Villiers, 1967
 Subgenus: *Conizonioides* Özdikmen, 2015
 kalashiani Danilevsky, 1992 **A:** AR
 georgiana Navrátil & Rozsival, 2016 **A:** GG
 Subgenus: *Eurycoptosia* Reitter, 1913
 bodoani Pic, 1912 **A:** AB
 Genus: *Pilemia* Fairmaire, 1863
 Subgenus: *Pilemia* Fairmaire, 1863
 annulata Hampe, 1852
 ssp. *annulata* Hampe, 1852 **A:** AB AR
 tigrina Mulsant, 1851 **E:** MD UK ?ST **A:** ?AR
 Subgenus: *Pseudopilemia* Kasatkin, 2018
 hirsutula Frölich, 1793
 ssp. *hirsutula* Frölich, 1793 **E:** MD UK ST **A:** KZ WS
 ssp. *holosericea* Faldermann, 1837 **A:** GG AR AB
 homoiesthes Ganglbauer, 1888 **A:** TM
 Genus: *Phytoecia* Dejean, 1835
 Subgenus: *Paracoptosia* Danilevsky, 2017b
 compacta Ménétriés, 1832 **A:** GG AR AB
 urartica Kasatkin, 2015b **A:** AB
 Subgenus: *Coptosiella* Kasatkin, 2015

antoniae Reitter, 1889 **A:** GG AR AB TM
 Subgenus: Pseudocoptosia Pic, 1900
 cinerascens Kraatz, 1882 **A:** KZ TM UZ TD KI
 = sokolovi Semenov, 1895
 eylandti Semenov, 1891 **A:** KZ TM UZ TD KI
 = glasunovi Semenov, 1895
 kubani Holzschuh, 1991 **A:** TD
 Subgenus: Cardoria Mulsant, 1863
 scutellata Fabricius, 1793 **E:** ?MD UK CT ST **A:** GG AR AB
 Subgenus: Pseudomusaria Pic, 1900
 farinosa Ganglbauer, 1886 **A:** TM
 = mucida Semenov, 1893
 Subgenus: Fulgophytoecia Pic, 1900
 =Pseudomallosia Breuning, 1967
 circumdata Kr. 1882 **A:** KZ KI UZ TD
 =sellata Ganglbauer, 1887
 =parterufipennis Breuning, 1967
 pilosicollis Holzsch. 1981 **A:** KZ UZ ?KI
 Subgenus: Helladia Fairmaire, 1864
 pretiosa Faldermann, 1837
 ssp. pretiosa Faldermann, 1837 **?E:** ?ST **A:** AR AB ?GG
 fatima Ganglbauer, 1884 **A:** AB
 diademata Faldermann, 1837 **A:** GG AR AB
 adelpha Ganglbauer, 1886 **A:** AR
 millefolii Adams, 1817
 ssp. millefolii Adams, 1817 **E:** UK ST **A:** GG AR AB
 armeniaca Frivaldsky, 1878 **A:** AR AB GG
 testaceovittata Pic, 1934
 = iranica Villiers, 1960
 = holzschuhi Özdikmen, 2008 [unavailable name]
 ssp. natali Lobanov, 1994 **A:** AB
 praetextata Steven, 1817
 ssp. praetextata Steven, 1817 **E:** UK ST **A:** GG AR AB
 humeralis Waltl, 1838 **A:** AB GG
 plasoni Ganglbauer, 1884 **A:** AR ?AB TM
 Subgenus: Musaria Thomson, 1864
 faldermanni Faldermann, 1837 **E:** UK ST **A:** GG AR AB KZ
 argus Frölich, 1793 **E:** MD UK CT ST
 affinis Harrer, 1784
 = nigripes Voet, 1778
 = bipunctata Piller, 1783
 ssp. affinis Harrer, 1784 **E:** MD UK CT ST **A:** KZ
 ssp. nigropubescens Müller, 1948 **E:** ST **A:** GG AR
 ssp. ciscaucasica Danilevsky, 2023 **E:** ST
 ssp. m-notata Pic, 1911 **E:** ST
 ssp. altaica Suvorov, 1913 **A:** KZ WS
 ssp. volgensis Kraatz, 1884 **E:** ST
 ssp. boeberi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
 wachanrui Mulsant, 1851 **E:** ?ST **A:** ?AB
 astarte Ganglbauer, 1886
 ssp. lederi Pic, 1899 **E:** ST **A:** GG AR AB
 kurdistana Ganglbauer, 1884 **A:** GG AR AB
 puncticollis Faldermann, 1837

ssp. puncticollis Faldermann, 1837 **E: ST A: GG AR AB**
 ssp. stygia Ganglbauer, 1884 **A: TM**
 Subgenus: Neomusaria Plav. 1928
 dantchenkoi Danilevsky, 2008 **A: AR**
 kazaryani Danilevsky, 2020 **A: AR**
 Subgenus: Kalashania Danilevsky, 2010
 erivanica Reitter, 1899 **A: GG AR AB**
 pici Reitter, 1892 **A: GG AR AB**
 Subgenus: Phytoecia Dejean, 1835
 nigricornis Fabricius, 1782 **E: MD UK NT CT ST A: GG AR AB KZ WS ES FE**
 = julii Mulsant, 1863
 ferrea Ganglbauer, 1887 **A: ?WS ES FE MG**
 = analis Mannerheim, 1849
 = mannerheimi Breuning, 1951
 stenostoloides Breuning, 1943 **A: ES FE**
 mongolorum Namhaidorzh, 1979 **A: MG**
 cylindrica Linnaeus, 1758 **E: MD UK NT CT ST A: GG AR AB KZ WS ES FE**
 pustulata Schrank, 1776
 ssp. pustulata Schrank, 1776 **E: MD UK CT ST A: GG AR AB KZ KI UZ TD**
 = murina Marseul, 1870
 ssp. pilipennis Reitter, 1895 **A: AR AB**
 ssp. pulla Ganglbauer, 1886 **E: ST A: KZ KI UZ**
 = kryzhanovskii Kostin, 1973
 rufiventris Gautier, 1870 **A: ES FE MG**
 virgula Charpentier, 1825 **E: MD UK CT ST A: GG AR AB KZ TM UZ KI TD WS ES**
 rufipes Olivier, 1800
 = sibirica Gebler, 1833
 ssp. rufipes Olivier, 1800 **E: ?UK CT ST A: ?GG KZ ?TM UZ TD KI WS ?ES**
 bangi Pic, 1897 **A: AR GG**
 acidula Holzschuh, 1981 **A: KI UZ TD**
 croceipes Reiche, 1858 **A: GG AR AB**
 asiatica Pic, 1891
 = achilleae Holzschuh, 1971
 ssp. sublineata Holzschuh, 1984 **A: AR AB**
 pubescens Pic, 1895 **E: ST A: GG AR AB**
 = glaphyra K. Daniel, 1906
 icterica Schaller, 1783 **E: MD UK ST CT A: ?GG ?AR ?AB KZ**
 marki Danilevsky, 2008 **A: AR GG**
 caerulea Scopoli, 1772
 ssp. caerulea Scopoli, 1772 **E: MD UK CT ST A: GG AR AB KZ TM UZ TD**
 Subgenus: Cinctophytoecia Breuning, 1947
 cinctipennis Mannerheim, 1849 **A: ES FE MG**
 = coreensis Breuning, 1955
 sareptana Ganglbauer, 1888 **A: ES FE**
 Subgenus: Opsilia Mulsant, 1863
 coerulescens Scopoli, 1763
 ssp. coerulescens Scopoli, 1763 **E: MD UK CT ST A: GG AR AB KZ UZ KI TD WS**
 = ?tienschanica Fuchs, 1965
 transcaspica Fuchs, 1955 **A: KZ TM UZ**
 bucharica Breuning, 1943 **A: TD**
 = breuningi Dahlgren, 1988
 aspericollis Holzschuh, 1981 **A: KZ**
 varentzowi Semenov, 1896 **E: ST A: GG AR AB KZ TM UZ TD KI**

= varentzovi Semenov, 1912 [unjustified emendation]
 prasina Reitter, 1911 **A:** AB AR ?TM
 ssp. prasina Reitter, 1911 **A:** AB ?TM
 ssp. kotaika Miroshnikov, 2009b **A:** AR
 uncinata W. Redtenbacher, 1842 **E:** MD UK CT ST **A:** TM
 molybdaena Dalman, 1817 **E:** UK ST **A:** AR GG AB TM ?KZ WS ES
 badenkoi Danilevsky, 1988 **A:** KZ
 Subgenus: Parobereina Danilevsky, 2018
 vittipennis Reiche, 1877 **A:** GG AR AB TM
 ssp. pravei Plavilstshikov, 1926 **A:** GG AR AB TM
 ochraceipennis Kraatz, 1882 **A:** KZ KI TD UZ TM
 = pallidipennis Plavilstshikov, 1926
 = plavilshikovi Lazarev, 2019
 tekensis Semenov, 1896 **A:** TM
 nivea Kraatz, 1882 **A:** KZ KI UZ TD
 repetekensis Semenov, 1935 **A:** TM
 Tribus: AGAPANTHIINI
 Genus: Theophilea Pic, 1895
 cylindricollis Pic, 1895 **A:** GG AR AB
 subcylindricollis Hladil, 1988 **E:** MD UK ST CT **A:** KZ
 Genus: Calamobius Guérin-Méneville, 1844
 filum Rossi, 1790 **E:** MD UK ST **A:** GG AR AB
 Genus: Pseudocalamobius Kraatz, 1879
 tsushimae Breuning, 1961 **A:** FE
 japonicus Bates, 1873 **A:** ?FE
 Genus: Coreocalamobius Hasegawa, Han & Oh, 2014
 parantennatus Hasegawa, Han & Oh, 2014 **A:** FE
 Genus: Agapanthia Audinet-Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi Gyllenhal, 1817 **E:** MD UK CT ST **A:** GG AR AB TM
 ssp. kirbyi Gyllenhal, 1817 **E:** MD UK CT ST
 ssp. samai Rapuzzi & Parisi, 2022 **A:** GG AR AB TM
 Subgenus: Agapafgania Danilevsky, 2023
 nigriventris Waterhouse, 1889 **A:** TM
 Subgenus: Eoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004
 detrita Kraatz, 1882 **A:** KZ UZ TD KI
 = bucharica Pic, 1901
 = paki Rapuzzi, 2012
 obydovi Danilevsky, 2000 **A:** KZ
 auliensis Pic, 1907 **A:** KZ UZ ?TM
 = bilateralis Pic, 1927
 = amabilis Holzschuh, 1981
 parauliensis Danilevsky, 2017a **A:** KZ UZ
 shovkuni Shapovalov, 2009 **A:** KZ
 dahli Richter, 1821
 ssp. dahli Richter, 1821 **E:** MD UK CT ST KZ **A:** ?GG TD UZ KZ WS ES ?MG
 ssp. calculensis Lazarev 2013 **A:** KZ
 ssp. kuleshovi Danilevsky, 2018 **A:** WS
 ssp. efimovi Danilevsky, 2021 **A:** WS
 ssp. ismailovae Lazarev 2013 **E:** ST **A:** AB
 ssp. nitidipennis Holzschuh, 1984 **A:** GG
 ssp. rubenyani Lazarev 2013 **A:** AB AR

ssp. lenkorana Lazarev, Plewa & Jaworski, 2016 **A:** AB
 ssp. walteri Reitter, 1898 **A:** GG AR AB
 ssp. transcaspica Pic, 1900 **A:** TM
 ssp. muellneri Reitter, 1898 **A:** KI UZ
 ssp. alexandris Pic, 1901 **A:** KZ KI
 ssp. iliensis Danilevsky, 2018 **A:** KZ
 ssp. lepsyensis Danilevsky, 2018 **A:** KZ
 ssp. alaiensis Kratochvil, 1985 **A:** KI UZ
 ssp. ustinovi Danilevsky, 2013 **A:** TD
 perovskiensis Danilevsky, 2021 **A:** KZ
 ssp. perovskiensis Danilevsky, 2021 **A:** KZ
 ssp. chulakkurgana Danilevsky, 2021 **A:** KZ
 alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG
 ssp. alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG
 = ganglbaueri Semenov, 1893
 ssp. eualternans Danilevsky, 2017a **E:** ST
 ssp. paralternans Danilevsky, 2017a **A:** KZ
 ssp. songarica Kostin, 1973 **A:** KZ
 ssp. tarbagataica Kostin, 1978 **A:** KZ
 angelicae Reitter, 1898 **A:** TM
 = latior Pic, 1898
 = hauseri Reitter, 1901
 = subnuda Reitter, 1905
 = jacobsoni Plavilstshikov, 1915
 altaica Plavilstshikov, 1933 **A:** WS
 boeberi Fischer von Waldheim, 1805 [?1806] **E:** UK ST **A:** GG AR AB WS ES
 = cynarae Germar, 1817
 ssp. boeberi Fischer von Waldheim, 1805 [?1806] **E:** UK ST **A:** GG AR AB WS
 ssp. selengensis Danilevsky, 2021 **A:** ES
 danilevskiyi Lazarev, 2013b **A:** KZ
 griseocaudata Kasatkin, 2020 **A:** AR
 lederi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
 ssp. lederi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
 = mesmini Pic, 1927
 = helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988
 ssp. hodeki Danilevsky, 2018 **A:** AB
 subchalybaea Reitter, 1898 **E:** ST **A:** GG AB
 subnigra Pic, 1890 **A:** GG
 villosoviridescens DeGeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS ES ?MG
 turanica Plavilstshikov, 1929 **A:** KZ KI UZ
 daurica Ganglbauer, 1884 **A:** ES FE MG
 Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis Gyllenhal, 1817 **E:** MD UK ST **A:** KZ WS
 korostelevi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:** AB AR
 Subgenus: Agapanthia Audinet-Serville, 1835
 cardui Linnaeus, 1767 **E:** UK CT ST **A:** WS KZ
 = pannonica Kratochvil, 1985
 suturalis Fabricius, 1787 **A:** GG AR AB
 Subgenus: Stichodera Pesarini et Sabbadini, 2004
 soror Kraatz, 1882 **A:** KZ KI UZ TD
 Subgenus: Amurobia Pesarini et Sabbadini, 2004
 pilicornis Fabricius, 1787

ssp. pilicornis Fabricius, 1787 **A:** ES FE MG
amurensis Kraatz, 1879 **A:** ES FE MG
Subgenus: Smaragdula Pesarini et Sabbadini, 2004
violacea Fabricius, 1775 **E:** MD UK ST CT NT **A:** GG AR AB ?KZ ?ES
= mulsanti Plavilstshikov, 1930
talassica Kostin, 1973 **A:** KZ KI
intermedia Ganglbauer, 1884 **E:** MD UK NT CT ST **A:** GG KZ
incerta Plavilstshikov, 1930 **A:** KI TD UZ
persicola Reitter, 1894 **A:** GG AR AB TM
mikhaili Hodek, 2021 **A:** AR
chvalkovskyi Hodek, 2021 **A:** GG
chalybea Faldermann, 1837 **A:** GG AR AB
= chalybaea auct.
viti Rapuzzi & Sama, 2012 **E:** UK
Genus: Agapanthiola Ganglbauer, 1900
leucaspis Steven, 1817 **E:** UK MD ST CT **A:** GG AR AB KZ KI UZ TD WS ES MG
= euterpe Ganglbauer, 1900