

**Updated: 11.12.2018**

**A check list of the longicorn beetles (Cerambycoidea) of Russia, Ukraine,  
Moldova, Transcaucasia, Central Asia, Kazakhstan and Mongolia.**

All geographical divisions are accepted according to "Catalogue of Palaearctic Coleoptera" [volumes 1<sup>st</sup> - 5<sup>th</sup>, but not 6<sup>th</sup> with another geographical divisions!] editing by I. Löbl and A. Smetana, but Transcaucasia (Georgia, Armenia and Azerbajdzhan) is traditionally joined to Asia.

Regions:

**E:**

- NT - North of European Russia (including Komi, Vologda and S.-Petersburg regions).
- CT - Centre of European Russia (including transural Asian territories of Ekaterinburg and Cheliabinsk regions, as well as Pskov, Novgorod, Tver, Jaroslavl, Kostroma, Kirov, Perm regions and Udmurtia)
- ST - South of European Russia and Russian Caucasus (including transural Asian territory of Orenburg Region, Kursk, Voronezh and Saratov regions, as well as whole Dagestan, Krasnodar and Stavropol regions.)
- MD - Moldova (including Tiraspol Region)
- UK - Ukraine (including Crimea)

**A:**

- WS - West Siberia (without Ekaterinburg, Cheliabinsk and Orenburg regions; including Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo and Altai regions, as well as Khanty-Mansi and Jamalo-Nenetz regions)
- ES - East Siberia (from Tuva and Krasnoyarsk to Chita regions, including Irkutsk region and Yakutia)
- FE - Far East Russia (Amur, Khabarovsk, Primorie, Magadan, Chukotka, Kamchatka and Sakhalin regions, including Kunashir Is.)
  
- AR - Armenia
- GG - Georgia (including Abkhazia and Adzharia)
- AB - Azerbaidjan (including Nakhichevan and Karabakh)
  
- TM - Turkmenia
- UZ - Uzbekistan
- TD - Tadzhikistan
- KI - Kyrgyzstan
- KZ - Kazakhstan (including European part of NW Kazakhstan)
  
- MG - Mongolia

Familia: VESPERIDAE Mulsant, 1839

Subfamilia: PHILINAE Thomson, 1860

Tribus: PHILINI

Genus: Mantitheus Fairmaire, 1889

    pekinensis Fairmaire, 1889 **A:** MG

    = gracilis Pic, 1924

Familia: DISTENIIDAE Thomson, 1861

    = Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

    = Apehes Blessig, 1872

Sugenus: *Distenia* Lepeletier & Audinet-Serville, 1828  
     *gracilis* Blessig, 1872 **A:** FE  
     *japonica* Bates, 1873 **A:** FE  
     *ssp. japonica* Bates, 1873 **A:** FE

Familia: CERAMBYCIDAE Latreille, 1802  
 Subfamilia: PARANDRINAE Blanchard, 1845  
 Tribus: PARANDRINI  
     Genus: *Parandra* Latreille, 1802  
         Subgenus: *Archandra* Lameere, 1912  
             *caspia* Ménétriés, 1832 **A:** AB  
 Subfamilia: PRIONINAE Latreille, 1802  
 Tribus: CALLIPOGONINI  
     Genus: *Callipogon* Audinet-Serville, 1832  
         Subgenus: *Eoxenus* Semenov, 1899  
             *relictus* Semenov, 1898 **A:** FE  
 Tribus: ERGATINI  
     Genus: *Ergates* Audinet-Serville, 1832  
         Subgenus: *Ergates* Audinet-Serville, 1832  
             *faber* Linnaeus, 1760  
             *ssp. faber* Linnaeus, 1760 **E:** UK CT ST **A:** GG AR ?AB  
 Tribus: MACROTOMINI  
     Genus: *Prinobius* Mulsant, 1842  
         *myardi* Mulsant, 1842  
         *ssp. slamorum* Danilevsky, 2012 [RN] **E:** UK **A:** GG  
             = *scutellaris* Germar, 1817 [HN]  
 Tribus: REMPHANINI  
     Genus: *Rhaesus* Motschulsky, 1875  
         = *Rhesus* Thomson, 1860 (nec *Rhesus* Lesson, 1840)  
         *serricollis* Motschulsky, 1838 **E:** ST **A:** GG AR AB  
 Tribus: AEGOSOMATINI  
     Genus: *Aegosoma* Audinet-Serville, 1832  
         Subgenus: *Aegosoma* Audinet-Serville, 1832  
             *sinicum* White, 1853  
             *ssp. sinicum* White, 1853 **A:** FE  
             *ivanovi* Danilevsky, 2011 **A:** FE  
             *scabricorne* Scopoli, 1763 **E:** ?MD UK ST **A:** GG AR AB  
 Tribus: MEROSCELISINI  
     Genus: *Tragosoma* Audinet-Serville, 1832  
         *depsarium* Linnaeus, 1767 **E:** UK NT CT ST **A:** WS ES ?FE  
 Tribus: PRIONINI  
     Genus: *Dorysthenes* Vigors, 1826  
         Subgenus: *Cyrtognathus* Dejean, 1835  
             *paradoxus* Faldermann, 1833 **A:** FE ?MG  
     Genus: *Prionus* Geoffroy, 1762  
         *insularis* Motschulsky, 1858  
         *ssp. insularis* Motschulsky, 1858 **A:** WS ES FE  
         *coriarius* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ?KZ GG AR AB  
     Genus: *Mesoprionus* Jakovlev, 1887  
         *asiaticus* Faldermann, 1837 **E:** ST **A:** GG AR AB KZ  
         *angustatus* Jakovlev, 1887 **A:** KZ TR UZ TD KI  
         *zarudnii* Semenov, 1933 **A:** TD  
     Genus: *Psilotarsus* Motschulsky, 1860  
         = *Psilopus* Gebler, 1860  
         = *Otiartes* Thomson, 1866  
         = *Brachyprionus* Jakovlev, 1887  
         = *Prionoxys* Semenov, 1899  
             *brachypterus* Gebler, 1830  
             *ssp. brachypterus* Gebler, 1830 **A:** ?WS KZ

= *latidens* Motschulsky, 1860  
*ssp. hemipterus* Motschulsky, 1845 **E:** ST **A:** KZ UZ  
*ssp. aralensis* Danilevsky, 2000 **A:** KZ UZ  
*ssp. pubiventris* Semenov, 1900 **A:** KZ KI  
 = *hypogymnus* Semenov, 1900  
*ssp. alpherakii* Semenov, 1900 **A:** ?KZ  
*hirticollis* Motschulsky, 1860  
*ssp. hirticollis* Motschulsky, 1860 **A:** KZ UZ TD  
*ssp. nudicollis* Danilevsky, 2000 **A:** KZ  
*ssp. auliensis* Danilevsky, 2000 **A:** KZ KI  
*turkestanicus* Semenov, 1888 **A:** TM UZ TD  
 = *curticornis* Ganglbauer, 1888  
 =? *ruficornis* Fairmaire, 1892  
*heydeni* Ganglbauer, 1888  
 =? *ruficornis* Fairmaire, 1892  
*ssp. heydeni* Ganglbauer, 1888 **A:** UZ KI  
 = *minusculus* Semenov, 1935  
*ssp. arkitensis* Danilevsky, 2000 **A:** KI  
*ssp. talassicus* Danilevsky, 2000 **A:** KI  
*ssp. alatauensis* Danilevsky, 2014 **A:** KZ  
 Genus: *Lobarthron* Semenov, 1900  
     *balassogloi* Jakovlev, 1885 **A:** KZ UZ KI  
     *ssp. balassogloi* Jakovlev, 1885 **A:** UZ  
     *ssp. brevispinum* (Jakovlev, 1885) **A:** KZ UZ KI  
 Genus: *Polylobarthron* Semenov, 1899  
     *margelanicum* Théry, 1896 **A:** KI KZ UZ  
 Genus: *Pogonarthron* Semenov, 1899  
     Subgenus: *Pogonarthron* Semenov, 1899  
         *bedeli* Semenov, 1899 **A:** TD  
         *petrovi* Danilevsky, 2004 **A:** TD  
             *ssp. petrovi* Danilevsky, 2004 **A:** TD  
             *ssp. ivanovae* Pak & Skrylnik, 2014 **A:** TD  
         *tschitscherini* Semenov, 1889 **A:** UZ KI  
             *ssp. tschitscherini* Semenov, 1889 **A:** KI  
             *ssp. brunnescens* Danilevsky & Shapovalov, 2017 **A:** KI UZ  
             *ssp. pallidus* Danilevsky & Shapovalov, 2017 **A:** KI UZ  
     Subgenus: *Multicladum* Danilevsky in Danilevsky & Komiya, 2014  
         *semenovianus* Plavilstshikov, 1936 **A:** TD  
 Genus: *Pseudoprionus* Pic, 1898  
     *bienerti* Heyden, 1885 **A:** TM  
     = *pluschewskyi* Jakovlev, 1887  
     = *banghaasi* Pic, 1901  
 Genus: *Miniprionus* Danilevsky, 2000  
     *pavlovskii* Semenov, 1935 **A:** TD  
 Genus: *Microarthron* Pic, 1900  
     *komaroffi* (Dohrn, 1885) [orig. spell.] **A:** KZ TM UZ TD  
     = *komarowi* Pic, 1898 [unjustify emendation]  
     = *komarovi* Semenov, 1935 [unjustify emendation]  
 Subfamilia: LEPTURINAE Latreille, 1802  
 Tribus: XYLOSTEINI  
     Genus: *Xylosteus* I. Frivaldsky, 1837  
         *caucasicola* Plavilstshikov, 1936 **E:** ST **A:** GG  
     Genus: *Leptorhabdium* Kraatz, 1879  
         = *Psilorhabdium* Kraatz, 1879  
         *caucasicum* Kraatz, 1879 **E:** ST **A:** GG AR AB  
 Tribus: ENCYCLOPINI  
     Genus: *Encyclops* Newman, 1838  
         = *Microrhabdium* Kraatz, 1879  
         *macilentus* Kraatz, 1879 **A:** FE

= parallelus Pic, 1914  
 = ussuricus Tsherepanov, 1975  
 olivaceus Bates, 1884 **A:** FE  
 Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997  
 Genus: Neoxymirus Miroshnikov, 2013c  
     mirabilis Motschulsky, 1838 **E:** ST **A:** GG AR AB  
 Genus: Oxymirus Mulsant, 1862  
     cursor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS  
 Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997  
 Genus: Enoploderes Faldermann, 1837  
     Subgenus: Enoploderes Faldermann, 1837  
         sanguineus Faldermann, 1837 **E:** UK ST **A:** GG AR AB  
 Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997  
 Genus: Rhammusium Latreille, 1829  
     bicolor Schrank, 1781 **E:** MD UK NT CT ST **A:** AR GG AB KZ  
     ssp. constans Danilevsky, 2012 **E:** MD UK NT CT ST **A:** KZ  
     ssp. testaceipenne Pic, 1897 **E:** UK ST **A:** GG AR  
     ssp. lenkoranum Danilevsky, 2012 **A:** AR AB  
 Tribus: RHAGIINI  
 Genus: Rhagium Fabricius, 1775  
     Subgenus: Hagrium Villiers, 1978  
         bifasciatum Fabricius, 1775 **E:** MD UK ?CT ST **A:** GG AR AB  
     Subgenus: Megarhagium Reitter, 1913  
         fasciculatum Faldermann, 1837 **E:** ST **A:** GG AR AB  
         mordax DeGeer, 1775 **E:** MD UK NT CT ST **A:** WS ES KZ  
         caucasicum Reitter, 1889 C TI  
             ssp. caucasicum Reitter, 1889 **E:** ?ST **A:** GG AR AB  
             ssp. semicorne Holzschuh, 1974 **A:** AB  
         sycophanta Schrank, 1781 **E:** MD UK CT ST **A:** WS  
         pygmaeum Ganglbauer, 1882 **A:** AB  
     Subgenus: Rhagium Fabricius, 1775  
         inquisitor Linnaeus, 1758  
             ssp. inquisitor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ MG  
             ssp. rugipenne Reitter, 1898 **A:** ES FE MG  
             ssp. schtschukini Semenov, 1898 **E:** ST **A:** GG AR AB  
             = minimum Podany, 1964  
         japonicum Bates, 1884 **A:** FE  
         heyrovskyi Podaný, 1964 **A:** FE  
 Genus: Akimerus Audinet-Serville, 1835  
     schaefferi Laicharting, 1784 **E:** MD UK CT ST  
 Genus: Japanocorus Danilevsky, 2012  
     caeruleipennis Bates, 1873 **A:** FE  
 Genus: Stenocorus Geoffroy, 1762  
     = Toxotus Dejean 1821  
     Subgenus: Anisorus Mulsant, 1862  
         quercus Götze, 1783 **E:** MD UK CT ST **A:** ?WS ES GG AR AB MG  
             ssp. quercus Götze, 1783 **E:** MD UK CT ST **A:** ?WS ES MG  
             ssp. aureopubens Pic, 1908 **A:** GG AR AB  
     Subgenus: Stenocorus Geoffroy, 1762  
         amurensis Kraatz, 1879 **A:** FE  
             = sachalinensis Matsumura, 1911  
         meridianus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ  
         insitivus Germar, 1824 **E:** UK ST **A:** GG AR AB  
             ssp. insitivus Germar, 1824 **E:** UK ST **A:** GG AR AB  
             ssp. persicus Faldermann, 1837 **A:** AB  
         biformis Tournier, 1872 **A:** GG  
         vittidorsum Reitter, 1890 **A:** GG AR AB  
         lepturoides Reitter, 1914 **A:** ?FE  
         minutus Gebler, 1841 **A:** KZ ?WS ?MG

=tataricus Gebler, 1841  
 vittatus Fischer-Waldheim, 1842 **A:** KZ  
 = turkestanicus Ganglbauer, 1889  
 = suvorovi Reitter, 1907  
 Subgenus: Toxotochorus Reitter, 1907  
 validicornis Pic, 1900  
   ssp. karatauensis Danilevsky, 2012 **A:** KZ  
   ssp. univittatus Reitter, 1913 **A:** KZ KI  
   ssp. mediocris Danilevsky, 2012 **A:** KZ UZ KI  
   ssp. validicornis Pic, 1900 **A:** UZ KI  
     = alaiensis Pic, 1906  
   ssp. milkoi Danilevsky, 2014 **A:** KI  
   ssp. tarbinskyi Danilevsky, 2014 **A:** KI  
 Genus: Pachytella Heyrovsky, 1969  
   mongolica Heyrovsky, 1969 **A:** MG  
 Genus: Pachyta Dejean, 1821  
   lamed Linnaeus, 1758  
     ssp. lamed Linnaeus, 1758 **E:** MD UK NT CT **A:** WS ES FE MG  
   bicuneata Motschulsky, 1860 **A:** ES FE  
   quadrifasciata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ MG  
 Genus: Evodinellus Plavilstshikov, 1915  
   Subgenus: Evodinellus Plavilstshikov, 1915  
     borealis Gyllenhal, 1827 **E:** UK NT CT **A:** WS ES FE MG  
     = grisescens Pic, 1889  
   Subgenus: Brachytodes Planet, 1924  
     clathratus Fabricius, 1793 **E:** MD UK  
 Genus: Brachyta Fairmaire, 1865  
   Subgenus: Fasciobrachyta Danilevsky, 2014  
     bifasciata Olivier, 1795  
       ssp. bifasciata Olivier, 1795 **A:** ES FE  
       ssp. plasoni Breit, 1915 **A:** ?ES ?MG  
       ssp. japonica Matsushita, 1933 **A:** FE  
     caucasica Rost, 1892  
       ssp. caucasica Rost, 1892 **E:** ST **A:** GG  
       = conjuncta Rost, 1893  
       ssp. kubanica Miroshnikov, 1990 **E:** ST **A:** GG  
   Subgenus: Variobrachyta Danilevsky, 2014  
     rosti Pic, 1900 **E:** ST **?A:** ?GG  
       ssp. rosti Pic, 1900 **E:** ST **?A:** ?GG  
       = caucasicola Plavilstshikov, 1936  
       ssp. baksaniense Lazarev, 2010b **E:** ST  
       ssp. alexeevi Lazarev, 2010b **E:** ST  
     variabilis Gebler, 1817 **E:** NT CT **A:** KZ WS ES FE MG  
       "variabilis variabilis group"  
       ssp. variabilis Gebler, 1817 **E:** NT CT **A:** KZ WS ES  
       = constricta Germar, 1824  
       ssp. shapovalovi Lazarev, 2014 **A:** KZ  
       ssp. tungusensis Danilevsky, 2014 **A:** ES  
       ssp. scapularis Mannerheim, 1849 **A:** ES FE MG  
       = comosa Solsky, 1871  
       = solskyi Kraatz, 1879  
       ssp. testaceimembris Pic, 1916 **A:** ES FE  
       = rufimembris Pic, 1926  
       ssp. jakutensis Danilevsky, 2014 **A:** ES  
       ssp. ivlievi Danilevsky, 2014 **A:** FE  
       ssp. chukotensis Danilevsky, 2014 **A:** FE  
       ssp. basarukini Danilevsky, 2014 **A:** FE  
       ssp. aberrans Villiers, 1960 **A:** FE  
       "variabilis striolata group"

ssp. striolata Gebler, 1817 **A:** ES  
     = eurinensis Tsherepanov, 1978  
     = mutabilis Motschulsky, 1859  
 ssp. sinuatolineata (Pic, 1915) **A:** ES  
     = discobilineata Pic, 1928  
     = breiti Tippmann, 1946  
 ssp. striatiformis Plavilstshikov, 1936 **A:** MG  
 ssp. tuvensis Danilevsky, 2014 **A:** ES MG  
 ssp. kurayensis Danilevsky, 2014 **A:** KZ WS  
 Subgenus: Brachyta Fairmaire, 1865  
     interrogationis Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES  
 FE MG  
     ssp. interrogationis (Linnaeus, 1758 **E:** NT  
         = altajensis Pic, 1900  
 ssp. russica **E:** MD UK NT CT ST **A:** KZ WS  
 ssp. zubovi Lazarev, 2016a **E:** NT **A:** WS  
 ssp. gabzdili Danilevsky & Peks, 2016 **E:** UK  
 ssp. mannerheimii Motschulsky, 1860 **A:** ES MG  
     = marginalis Motschulsky, 1875  
     = obsidiana Motschulsky, 1875  
     = cruciata Kraatz, 1879  
 ssp. duodecimmaculata Fabricius, 1781 **A:** FE  
     = kraatzi Ganglbauer, 1889  
 ssp. shapsugorum Lazarev, 2011 **E:** ST  
 ssp. miroshnikovi Lazarev, 2011 **E:** ST **A:** GG  
 ssp. lederi Lazarev, 2011 **E:** ST  
 punctata (Faldermann, 1833) **A:** ES MG  
     ssp. punctata (Faldermann, 1833) **A:** ES MG  
         = reductemaculata Pic, 1915  
         = sajanensis Pic, 1916  
         = subunicolor Pic, 1916  
         = quadrinotatus Pic, 1916  
         = turanensis Pic, 1927  
         = sochondensis Tshernyshev et Dubatolov, 2005  
     ssp. lazarevi Danilevsky, 2014 **A:** FE  
     danilevskiyi Tshernyshev, Dubatolov, 2005 [RN] **A:** FE  
         = japonicus Fujimura, 1956 [HN]  
     amurensis Kraatz, 1879 **A:** FE  
         = bisbioculata Pic, 1910  
         = inapicalis Pic, 1910  
         = korbi Pic, 1910  
         = semilunata Pic, 1910  
     sachalinensis Matsumura, 1911 **A:** FE  
 Genus: Gaurotina Ganglbauer, 1889  
     sichotensis Danilevsky, 1988 **A:** FE  
 Genus: Pseudogaurotina Plavilstshikov, 1958  
     splendens Jakovlev, 1893 **A:** ES ?MG  
     magnifica Plavilstshikov, 1958 **A:** FE  
     excellens Brancsik, 1874 **E:** UK  
 Genus: Carilia Mulsant, 1863  
     virginea Linnaeus, 1758  
         ssp. virginea Linnaeus, 1758 **E:** MD UK NT CT ST  
         ssp. aemula Mannerheim, 1852 **E:** ?CT ?ST **A:** KZ WS ES FE MG  
         ssp. kozhevnikovi Plavilstshikov, 1915 **A:** FE  
             = sibirica Podany, 1962  
 Genus: Paragaurotus Plavilstshikov, 1921  
     ussuriensis Blessig, 1873 **A:** ES FE  
     doris Bates, 1884  
     spp. suvorovi Semenov, 1914 **A:** FE

Genus: *Lemula* Bates, 1884  
*decipiens* Bates, 1884 **A:** ?FE

Genus: *Euracmaeops* Danilevsky, 2014  
= *Acmaeops* auct. nec LeConte, 1850  
*marginatus* Fabricius, 1781 **E:** UK NT CT ST **A:** KZ WS ES FE MG  
*septentrionis* Thomson, 1866 **E:** UK NT CT ST **A:** KZ WS ES FE MG  
*smaragdulus* Fabricius, 1793 [NP] **E:** NT CT **A:** KZ WS ES FE MG  
= *smaragdinus* Naezen, 1792 [NO]  
*angusticollis* Gebler, 1833 **E:** NT CT **A:** WS ES FE MG  
= *viridula* Matsumura, , 1911  
= *sachalinensis* Tsherepanov, 1978

Genus: *Gnathacmaeops* Linsley et Chemsak, 1972  
*pratensis* Laicharting, 1784 **E:** MD UK NT CT ST **A:** GG AR AB KZ UZ KI WS  
ES FE MG

*brachypterus* K.Daniel et J.Daniel, 1898 **A:** KZ KI

Genus: *Pseudodiptera* Pic,1900  
*daghestanica* Pic,1897 **E:** ST

Genus: *Dinoptera* Mulsant, 1863  
*minuta* Gebler, 1832 **A:** ES FE  
ssp. *minuta* Gebler, 1832 **A:** ES FE  
*anthracina* Mannerheim, 1849 **A:** ES FE MG  
*collaris* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES  
*concolor* Heyden & Faust, 1888 **A:** GG

Genus: *Cortodera* Mulsant, 1863  
= *Taiwanocarilia* Hayashi, 1983  
*humeralis* Schaller, 1783 **E:** MD UK ST  
*femorata* Fabricius, 1787 **E:** UK NT CT ST  
*pumila* Ganglbauer, 1882 **E:** ST **A:** GG AR AB  
ssp. *pumila* Ganglbauer, 1882 **E:** ST **A:** GG AB  
ssp. *tournieri* Pic, 1895 **A:** GG AR ?AB  
*kazaryani* Danilevsky, 2014 **A:** AR  
*syriaca* Pic,1901 **A:** AR AB  
*ussuriensis* Tsherepanov, 1978 **A:** FE  
*villosa* Heyden, 1876  
ssp. *villosa* Heyden, 1876 **E:** MD UK  
ssp. *krasnobaevi* Danilevsky, 2010 **E:** UK ?ST  
ssp. *kazakorum* Danilevsky, 2014 **E:** ST  
ssp. *mariae* Danilevsky, 2010 **E:** ST  
ssp. *magdeevi* Danilevsky, 2011 **E:** CT  
ssp. *major* Miroshnikov, 2007 **E:** CT ?ST  
ssp. *kuvandykensis* Danilevsky, 2012 **E:** ST  
ssp. *mikhailovi* Danilevsky, 2001 **E:** CT ST  
ssp. *circassica* Reitter, 1890 **E:** ST  
ssp. *miroshnikovi* Danilevsky, 2010 **A:** GG  
ssp. *nakhichevanica* Miroshnikov, 2007 **A:** AB  
ssp. *zhuravlevi* Miroshnikov, 2007 **E:** ST **A:** KZ  
ssp. *chuvilini* Danilevsky, 2012 **E:** ST  
ssp. *aktolagaica* Miroshnikov, 2007 **A:** KZ  
ssp. *parfentjevi* Miroshnikov, 2007 **E:** UK  
*ivanovi* Danilevsky, 2013 **A:** KZ  
*holosericea* Fabricius, 1801  
ssp. *holosericea* Fabricius, 1801 **E:** UK ST **A:** ?GG  
*kaphanica* Danilevsky, 1985 **A:** AR  
= *kafanica* Danilevsky, 1987  
*colchica* Reitter, 1890  
ssp. *colchica* Reitter, 1890 **E:** ST **A:** GG AR AB  
ssp. *erevanica* Danilevsky, 2014 **A:** AR  
ssp. *dilizhanica* Danilevsky, 2014 **A:** AR  
ssp. *ponomarenkoi* Danilevsky, 2014 **A:** AB  
ssp. *deyrollei* Pic, 1894 **A:** GG

ssp. pseudalpina Danilevsky, 2014 **A:** GG  
 ssp. aishkha Danilevsky, 2014 **E:** ST  
 ssp. murzini Danilevsky, 2014 **E:** ST  
 ssp. bulungensis Danilevsky, 2014 **E:** ST  
 ssp. ossetica Danilevsky, 2014 **E:** ST  
 ssp. danczenkoi Danilevsky, 1985 **A:** AB  
 ssp. kalashiani Danilevsky, 2000 **A:** AR  
 kiesenwetteri Pic, 1898  
 ssp. kiesenwetteri Pic, 1898 **E:** ST  
 ssp. subtruncata Pic, 1934 **E:** CT  
 ssp. gusakovi Danilevsky, 2013 **A:** KZ  
 ciliata Danilevsky, 2001  
 ssp. ciliata Danilevsky, 2001 **A:** KZ  
 ssp. sakmarensis Danilevsky, 2006 **E:** ST  
 ssp. milaenderi Danilevsky, 2001 **E:** CT  
 goriensis Danilevsky & Hodek, 2016 **A:** GG  
 reitteri Pic, 1891  
 ssp. reitteri Pic, 1891 **E:** UK ST  
 = alexandri Danilevsky, 1996  
 ssp. taurica Plavilstshikov, 1936 **E:** UK  
 = beckeriana Plavilstshikov, 1936  
 analis Gebler, 1830 **A:** WS KZ  
 = haemorhoidalis Pic, 1898  
 = ruficornis Pic, 1926  
 kokpektensis Danilevsky, 2007 **A:** KZ  
 sibirica Plavilstshikov, 1915  
 = semenovi Plavilstshikov, 1936  
 ssp. sibirica Plavilstshikov, 1915 **A:** WS  
 ssp. shavrovi Danilevsky, 2001 **A:** ES  
 tibialis Marseul, 1876  
 ssp. tibialis Marseul, 1876 **E:** ST  
 = pallidipes Pic, 1898  
 ssp. ruthena Plavilstshikov, 1936 **E:** ST KZ **A:** KZ  
 ssp. rossica Danilevsky, 2001 **E:** UK CT ST  
 komarovi Danilevsky, 1996 **A:** KZ  
 ssp. komarovi Danilevsky, 1996 **A:** KZ  
 ssp. solodovnikovi Danilevsky, 2013 **A:** KZ  
 ssp. romantzovi Danilevsky, 2013 **A:** KZ  
 ssp. sarysuensis Danilevsky, 2013 **A:** KZ  
 turgaica Danilevsky, 2001 **E:** ST **A:** KZ  
 moldovana Danilevsky, 1996 **E:** MD  
 flavimana Waltl, 1838 **A:** ?GG  
 khatchikovi Danilevsky, 2001 **E:** ST  
 alpina Ménéttriés, 1832  
 ssp. alpina Ménéttriés, 1832 **E:** ST **A:** AB GG  
 ssp. baksaniensis Danilevsky, 2014 **E:** ST  
 ssp. matusiaki Danilevsky, 2014 **E:** ST **A:** GG  
 ssp. gudissensis Danilevsky, 2013 **A:** GG  
 ssp. rosti Pic, 1892 **E:** ST  
 ssp. psebayensis Danilevsky, 2014 **E:** ST  
 ssp. starki Reitter, 1888 **E:** ST **A:** GG  
 ssp. fischtensis Stark, 1894 **E:** ST  
 ssp. armeniaca Pic, 1898 **A:** AR  
 ssp. umbripennis Reitter, 1890 **A:** AR AB  
 ssp. zekarensis Danilevsky, 2014 **A:** GG  
 ssp. svanorum Danilevsky, 2014 **A:** GG  
 tatianae Miroshnikov, 2011 AB  
 transcaspica Plavilstshikov, 1936 **A:** AR AB TM  
 ssp. transcaspica Plavilstshikov, 1936 TM



ssp. lobanovi Kaziuchitz, 1988 AR AB  
 pseudomophlus Reitter, 1889 **A:** AR AB TM  
 Genus: Fallacia Mulsant et Rey, 1863  
     elegans Faldermann, 1837 **E:** ST **A:** GG AR AB  
 Genus: Sivana Strand, 1942  
     = Sieversia Ganglbauer, 1887  
     bicolor Ganglbauer, 1887 **A:** FE  
     = coreana Okamoto, 1927  
 Genus: Pseudosieversia Pic 1902  
     = Macrorhabdium Plavilstshikov, 1915  
     rufa Kraatz, 1879 **A:** FE  
     = ruficollis Plavilstsshikov, 1915  
 Genus: Pidonia Mulsant, 1863  
     Subgenus: Pidonia Mulsant, 1863  
         lurida Fabricius, 1793 **E:** MD UK  
     Subgenus: Pseudopidonia Pic, 1900  
         similis Kraatz, 1879 **A:** FE  
         semiobscura Pic, 1901 **A:** FE  
         alticollis Kraatz, 1879 **A:** FE  
             = tristicula Kraatz, 1879  
             = rubricollis Pic, 1931  
         amurensis Pic, 1900 **A:** FE  
             = quelpartensis Hayashi 1983  
         malthinoides Kraatz, 1879 **A:** FE  
             = quercus Tsherepanov, 1975  
         gibbicollis (Blessig, 1873) **A:** FE  
         suvorovi Baeckmann, 1903 **A:** FE  
     Subgenus: Mumon Hayashi, 1968  
         debilis Kraatz, 1879 **A:** FE  
     Subgenus: Cryptopidonia Kuboki, 1981  
         kurosawai Ohbayashi et Hayashi, 1960 **A:** FE  
     Subgenus: Omphalodera Solsky, 1873  
         puziloi Solsky, 1873 **A:** FE ?MG  
 Tribus: SACHALINOBIINI  
     Genus: Sachalinobia Jacobs. 1899  
         koltzei Heyden, 1887 **A:** ES FE  
     Genus: Xenoleptura Danilevsky, Lobanov et Murzin, 1981 in Lobanov et  
 al., 1981  
         hecate Reitter, 1896 **A:** KZ KI TD UZ  
 Tribus: LEPTURINI  
     Genus: Grammoptera Dejean, 1835  
         Subgenus: Neoencyclops Matsushita et Tamanuki, 1940  
             cyanea Tamanuki, 1933 **A:** FE  
             = plavilstshikovi Heyrovsky, 1965  
         Subgenus: Grammoptera Dejean, 1835  
             abdominalis Stephens, 1831 **E:** UK ST **A:** GG AR AB  
             = variegata Germar, 1824  
             ruficornis Fabricius, 1781  
                 ssp. ruficornis Fabricius, 1781 **E:** MD UK ST  
                 ssp. obscuricornis Kraatz, 1886 **A:** AB  
             ustulata Schaller, 1783 **E:** MD UK ?ST ?CT **A:** AR AB  
                 ssp. ustulata Schaller, 1783 **E:** MD UK ?ST ?CT  
                 ssp. tibialis Kraatz, 1886 **A:** AR AB  
             gracilis Brancsik, 1914 **A:** FE  
             coerulea Jurecek, 1933 **A:** FE  
     Genus: Cornumutilla Letzn. 1844  
         lineata Letzner, 1844 **E:** UK NT **A:** WS ES  
         quadrivittata Gebler, 1830 **E:** ?CT **A:** WS ES ?FE  
             = semenovi Plavilstshikov, 1936 **A:** ES FE

Genus: *Corennys* Bates, 1884  
     *sericata* Bates, 1884 **A:** FE

Genus: *Nivellia* Mulsant, 1863  
     *sanguinosa* Gyllenhal, 1827 **E:** UK NT CT **A:** ?KZ WS ES FE MG  
     = *rubripennis* Matsumura, 1911  
     *extensa* Gebler, 1833 **E:** NT **A:** WS ES FE MG  
     ssp. *extensa* Gebler, 1833 **E:** NT **A:** WS ES FE MG  
     ssp. *umbratilis* Shimomura & Toyoshima, 1988 **A:** FE

Genus: *Strangalomorpha* Solsky, 1873  
     *tenuis* Solsky, 1873  
     ssp. *tenuis* Solsky, **A:** FE

Genus: *Kirgizobia* Danilevsky, 1992  
     = *Kirgisiana* Ovchinnikov 1996 [unavailable]  
     = *Kirgisobia* Ovchinnikov, 2007 [unavailable]  
     *bohnei* Danilevsky, 1992 **A:** KI

Genus: *Alosterna* Mulsant, 1863  
     *scapularis* Heyden, 1879 **A:** AB TM  
     = *talyschensis* Reitter, 1885  
     *tabacicolor* DeGeer, 1775  
     ssp. *tabacicolor* DeGeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS  
     = *chrysomeloides* Schrank, 1781  
     ssp. *subvittata* Reitter, 1885 **E:** ST **A:** GG AR AB  
     = *caucasica* Plavilstshikov, 1936  
     ssp. *azerbaijanica* Danilevsky, 2014 **A:** AB  
     ssp. *erythropus* Gebler, 1841 **A:** KZ WS ES FE MG  
     = *bivittis* Motschulsky, 1860  
     = *plavilstshikovi* Podany, 1963  
     ssp. *tenebris* Danilevsky, 2012 **A:** FE  
     ssp. *sachalinensis* Danilevsky, 2012 **A:** FE  
     *ingrica* Baeckm. 1902 **E:** UK NT ST CT  
     *diversipes* Pic, 1929 **A:** FE  
     = *perpera* Danilevsky, 1988  
     *chalybeella* Bates, 1884 **A:** FE  
     = *japonica* Pic, 1935

Genus: *Vadonia* Mulsant, 1863  
     *bitlisiensis* Chevrolat, 1882 **A:** AR AB  
     *bicolor* Redt. 1850 **A:** AB  
     *unipunctata* Fabricius, 1787  
     ssp. *unipunctata* Fabricius, 1787 **E:** MD UK ST CT **A:** KZ GG AR AB  
     *saucia* Mulsant et Godart, 1855 **E:** UK  
     *bipunctata* Fabricius, 1781  
     ssp. *bipunctata* Fabricius, 1781 **E:** CT ST **A:** KZ WS  
     ssp. *sareptana* Pic, 1941 **E:** ST **A:** KZ WS  
     = *beckeri* Pic, 1941 [HN]  
     ssp. *urdensis* Danilevsky, 2014 **E:** ?ST **A:** KZ  
     ssp. *laterimaculata* (Motschulsky, 1875) **E:** UK  
     = *puchneri* Holzschuh, 2007  
     ssp. *globoicollis* Desbrochers des Loges, 1870 **E:** MD UK ST  
     = *mulsantiana* Plavilstshikov, 1936  
     = *bilitigiosa* Pic, 1941  
     ssp. *steveni* Sperk 1835 **E:** MD UK ST  
     ssp. *teberdensis* Danilevsky, 2014 **E:** ST

Genus: *Pseudalosterna* Plavilstshikov, 1934  
     *elegantula* Kraatz, 1879 **A:** FE  
     = *orientalis* Plavilstshikov, 1934

Genus: *Pseudovadonia* Lobanov, Danilevsky et Murzin, 1981  
     *livida* Fabricius, 1777  
     ssp. *livida* Fabricius, 1777 **E:** UK  
     ssp. *setosa* Danilevsky, 2013 **E:** MD UK

ssp. bicarinata Arnold, 1869 **E:** UK NT CT ST **A:** AR GG AB KZ KI WS  
 ES  
 ssp. desbrochersi Pic, 1891 **A:** AR GG AB  
 Genus: Konoa Matsushita, 1933 I  
 granulata Bates, 1884 **A:** FE  
 Genus: Anoplodera Mulsant, 1839  
 Subgenus: Anoplodera Mulsant, 1839  
 rufipes Schaller, 1783  
 ssp. rufipes Schaller, 1783 **E:** MD UK ?NT  
 ssp. ventralis Heyden, 1886 **E:** UK CT ST **A:** GG AR AB KZ ?WS ES  
 ssp. astrabadensis Pic, 1900 **A:** AB  
 sexguttata Fabricius, 1775 **E:** MD UK NT CT ST **A:** GG  
 rufihumeralis Tamanuki 1938 **A:** FE  
 Subgenus: Anoploderomorpha Pic, 1901  
 cyanea Gebler, 1832 **A:** ES FE MG  
 Genus: Xestoleptura Casey, 1913  
 rufiventris Gebler, 1830 **A:** ?KZ WS ES MG  
 baeckmanni Plavilstshikov, 1936 **A:** FE  
 Genus: Stictoleptura Casey, 1924  
 = Brachyleptura auct. (not Casey, 1913)  
 Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957  
 = Corymbia Des Gozis, 1886  
 rubra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES  
 ssp. rubra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES  
 dichroa Blanchard, 1871 **A:** ES FE  
 = succedanea Lew., 1879  
 Subgenus: Stictoleptura Casey, 1924  
 cardinalis K. Daniel et J. Daniel, 1898 **A:** KI TD UZ  
 cordigera Fuesslin, 1775  
 ssp. cordigera Fuesslin, 1775 **E:** UK ST **A:** GG AR AB  
 erythroptera Hagenbach, 1822 **E:** UK ST **A:** AR GG AB  
 rufa Brullé, 1832  
 ssp. realis Danilevsky, 2012 **E:** ST **A:** GG AR AB  
 Subgenus: Variileptura Danilevsky, 2014  
 variicornis Dalman, 1817 **E:** UK NT CT **A:** KZ WS ES FE MG  
 Subgenus: Melanoleptura Miroshnikov 1998  
 scutellata Fabricius, 1781  
 ssp. scutellata Fabricius, 1781 **E:** MD UK ?CT ST  
 ssp. ochracea Faust, 1878 **E:** ST **A:** GG AR AB  
 ssp. miroshnikovii Danilevsky, 2012 **A:** AB  
 Subgenus: Maculileptura Danilevsky, 2014  
 maculicornis DeGeer, 1775 **E:** MD UK NT CT ST **A:** ?GG  
 Subgenus: Melanoleptura Miroshnikov 1998  
 deyrollei Pic, 1895 **A:** GG  
 Subgenus: Batesiata Miroshnikov, 1998  
 tesserula Charp. 1825 **E:** UK ST **A:** GG AR AB  
 Subgenus: Paracorymbia Miroshnikov 1998  
 fulva DeGeer, 1775 **E:** UK CT ST  
 = apicalis Motschulsky, 1875  
 tonsa J. Daniel et K. Daniel, 1891 **E:** UK ST **A:** GG AR AB  
 = ustulata Ménétériés, 1832 [HN]  
 pallidipennis Tournier, 1872 **E:** ST **A:** GG ?AB  
 nadezhdae Plavilstshikov, 1932 **E:** ST  
 Genus: Anastrangalia Casey 1924  
 scotodes Bates, 1873 UI CJ  
 ssp. scotodes Bates, 1873 **A:** FE  
 ssp. continentalis Plavilstshikov, 1936 **A:** FE  
 sanguinolenta Linnaeus, 1760 **E:** ?MD UK NT CT ST **A:** GG AR AB KZ WS

?ES

*dubia* Scopoli, 1763  
     *ssp. dubia* Scopoli, 1763 **E:** ?MD UK  
     *ssp. melanota* Faldermann, 1837 **E:** ST **A:** GG AR AB  
     = *distincta* Tournier, 1872  
*reyi* Heyden, 1885 **E:** UK NT CT ST **A:** WS KZ  
     = *inexpectata* Jans. et Sjob. 1928  
*sequensi* Reitter, 1898 **E:** CT **A:** KZ WS ES FE MG  
*renardi* Gebler, 1848 **E:** NT **A:** KZ WS ES FE MG  
Genus: *Lepturobosca* Reitter, 1913  
     *virens* Linnaeus, 1758 **E:** UK NT CS ST **A:** KZ WS ES FE MG  
Genus: *Xenoleptura* Danilevsky, Lobanov et Murzin, 1981 in Lobanov et al., 1981  
     *hecate* Reitter, 1896 **A:** KZ KI TD UZ  
Genus: *Eustrangalis* Bates, 1884  
     *distenioides* Bates, 1884 **A:** FE  
Genus: *Pedostrangalia* Sokol. 1897  
     Subgenus: *Pedostrangalia* Sokol. 1897  
         *imberbis* Ménétré, 1832 **A:** AB TM  
         *revestita* Linnaeus, 1767 **E:** MD UK  
         *tokatensis* Sama, 1996 **A:** GG  
     Subgenus: *Neosphenalia* Löble, 2010  
         = *Sphenalia* Daniel 1904 (not *Sphenalia* Wood, 1874, in Mollusca)  
         *kurda* Sama, 1996 **A:** AR GG  
         *verticenigra* Pic, 1893 **A:** ?GG  
         *verticalis* Germar, 1822 **E:** ?MD  
         *femoralis* Motschulsky, 1860 **A:** ES FE  
         = *xanthoma* Bates, 1873  
Genus: *Etorofus* Matsushita 1933  
     Subgenus: *Etorofus* Matsushita 1933  
         *nemurensis* Matsushita 1933 **A:** FE  
         = *variicornis* Matsushita, 1933  
         = *niger* Matsushita, 1933  
         = *circaocularis* Pic, 1934  
         *pubescens* Fabricius, 1787 **E:** UK NT CT ST **A:** ?GG  
     Subgenus: *Nakanea* Ohb. 1963  
         *vicaria* Bates, 1884  
         *ssp. vicaria* Bates, 1884 **A:** FE  
Genus: *Judolidia* Plavilstshikov, 1936  
     *znojko* Plavilstshikov, 1936 **A:** FE  
     *bangi* Pic, 1902 **A:** ?FE  
Genus: *Judolia* Mulsant, 1863  
     *sexmaculata* Linnaeus, 1758 **E:** UK NT CT ST **A:** KZ  
     *dentatofasciata* Mannerheim, 1852 **E:** ?NT **A:** WS ES FE MG  
     = *parallelopipeda* Motschulsky, 1860  
     = *abbreviata* Motschulsky, 1875  
     = *shirarakensis* Matsumura, 1911  
     = *rufimembris* Pic, 1917  
Genus: *Pachytodes* Pic, 1891  
     *erraticus* Dalman, 1817 **E:** MD UK CT ST KZ **A:** WS ES GG AR AB KZ ?MG  
     *cerambyciformis* Schrank 1781 **E:** MD UK NT CT ST  
     *bottcheri* Pic, 1911 **A:** WS ES MG  
     = *orthotrichus* Plavilstshikov, 1936  
     *longipes* Gebler, 1832 **A:** ES FE MG  
     *cometes* Bates, 1884 **A:** FE  
     = *connecta* Nishio 1950  
Genus: *Rapuzziana* Danilevsky, 2006  
     *hangaiensis* Danilevsky, 2006 **A:** MG  
Genus: *Oedecnema* Thomson, 1857  
     *gebleri* Ganglbauer, 1889 **E:** UK NT CT **A:** KZ WS ES FE MG

= dubia Fabricius, 1781  
 = decemmaculata Matsumura, 1911  
 Genus: Dokhtouroffia Ganglbauer, 1886  
     baeckmanni Jankowski, 1934 **A:** UZ KI  
     nebulosa Gebler, 1845 **A:** KZ KI ?WS ?MG  
 Genus: Leptura Linnaeus, 1758  
     Subgenus: Noona Sama, 2007  
         =Nona Sama, 2002  
         regalis Bates, 1884 **A:** FE  
     Subgenus: Macroleptura Nakane et Ohb. 1957  
         thoracica Creutz. 1799 **E:** UK ST CT NT **A:** KZ WS ES FE MG  
     Subgenus: Leptura Linnaeus, 1758  
         ochraceofasciata Motschulsky, 1862  
             ssp. ochraceofasciata Motschulsky, 1862 **A:** FE  
         latipennis Matsushita, 1933 **A:** FE  
         aurelenta Fabricius, 1793 **E:** UK ST CT  
         quadrifasciata Linnaeus, 1758  
             ssp. quadrifasciata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES  
 FE MG  
             ssp. lederi Ganglbauer, 1882 **E:** ST **A:** GG AR AB  
                 = caucasica Plavilstshikov, 1924  
         annularis Fabricius, 1801  
             = arcuata Panzer, 1793  
             ssp. annularis Fabricius, 1801 **E:** ?MD UK NT CT ST **A:** KZ WS ES FE  
 MG  
             ssp. mimica Bates, 1884 **A:** FE  
         duodecimguttata Fabricius, 1801 **A:** KZ WS ES FE MG  
         aethiops Poda 1761 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ WS ES FE  
 MG  
         = aterrima Motschulsky, 1860  
         = doii Matsushita, 1933  
 Genus: Lepturalia Reitter, 1913  
     nigripes DeGeer, 1775  
         ssp. nigripes DeGeer, 1775 **E:** UK NT CT ST **A:** KZ WS ES  
         ssp. rufipennis Blessig, 1873 **A:** KZ WS ES FE MG  
 Genus: Strangalia Dejean, 1835  
     = Strangalina Aurivillius, 1912  
     attenuata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES  
 FE MG  
     takeuchii Matsushita et Tamanuki, 1935 **A:** FE  
 Genus: Rutpela Nak. et Ohb. 1957  
     maculata Poda 1761 **E:** MD UK CT ST **A:** GG AR AB KZ  
     ssp. maculata Poda 1761 **E:** MD UK CT ST **A:** KZ  
     ssp. manca (Schaufuss, 1863) **E:** UK ST **A:** GG AR AB  
         = nigricornis (Stielin, 1864) **E:** UK ST **A:** GG AR AB  
     inermis K.Daniel et J.Daniel, 1898 **A:** AB TM  
 Genus: Stenurella Villiers 1974  
     Subgenus: Stenurella Villiers 1974  
         melanura Linnaeus, 1758 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ WS ES  
 FE MG  
         ssp. melanura Linnaeus, 1758 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ  
 WS ES FE MG  
             =sennii Sama, 2002  
     Subgenus: Stenurelloides Özdikmen, 2013  
         novercalis Reitter, 1901 **E:** ST **A:** GG  
         jaegeri Humm. 1825 **E:** UK CT ST **A:** GG AR AB  
     Subgenus: Priscostenurella Özdikmen, 2013  
         bifasciata Müller, 1776  
         ssp. bifasciata Müller, 1776 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS

ES

- = sedakovi Mannerheim, 1852
- ssp. limbiventris Reitter, 1898 **A:** GG
- septempunctata Fabricius, 1793
- ssp. septempunctata Fabricius, 1793 **E:** MD UK
- = suturata (Reiche, 1858)
- ssp. latenigra Pic, 1915 **E:** ST **A:** GG AR
- = anatolica Heyrovsky, 1961
- Subgenus: Nigrostenurella Özdikmen, 2013
- nigra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
- ssp. nigra Linnaeus, 1758 **E:** MD UK NT CT ST
- ssp. maesta Danilevsky, 2013 **E:** ST **A:** GG AR AB
- Subfamilia: NECYDALINAE Latreille, 1825
- Tribus: NECYDALINI
- Genus: Necydalis Linnaeus, 1758
- Subgenus: Necydalis Linnaeus, 1758
- ulmi (Chevrolat, 1838) **E:** ?MD UK ST **A:** GG AR AB
- = mesembrina Plavilstshikov, 1936
- major Linnaeus, 1758 **E:** MD UK NT CT ST **A:** AB GG KZ WS ES FE MG
- = xantha Semenov, 1898
- = aino Kusama, 1974
- gigantea Kano, 1933 **A:** FE
- ssp. gigantea Kano, 1933 **A:** FE
- Subgenus: Necydalisca Plavilstshikov, 1936
- = Eonecydalis Ohbayshi, 1961
- pennata Lew. 1879 **A:** FE
- = morio Kraatz, 1879
- = ebenina Bates, 1884
- = pacifica Plavilstshikov, 1936
- = ussuriensis Plavilstshikov, 1936
- = semenovi Plavilstshikov, 1936
- = eoa Plavilstshikov, 1936
- sachalinensis Matsumura et Tamanuki, 1927 **A:** FE
- Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
- = Aseminae Thomson, 1860
- Tribus: SAPHANINI Gistel, 1848
- Genus: Drymochares Mulsant, 1847
- starcki Ganglbauer, 1888 **E:** ST **A:** ?GG
- cavazzutii Sama et Rapuzzi, 1993 **A:** GG AR
- ssp. cavazzutii Sama et Rapuzzi, 1993 **A:** GG AR
- Genus: Saphanus Audinet-Serville, 1834
- piceus Laicharting, 1784
- ssp. piceus Laicharting, 1784 **E:** UK
- = ?pubescens Pic, 1907
- Genus: Oxypleurus Mulsant, 1839
- nodieri Mulsant, 1839 **E:** UK **A:** GG
- Tribus: ANISARTHRIINI Mamaev et Danilevsky, 1973
- Genus: Anisarthron Dejean, 1835
- = Falsanoeme Villiers, 1971
- cyrus Villiers, 1971 **A:** AB
- barbipes Schrank, 1781 **E:** UK
- Tribus: ATIMIINI Le Conte, 1873
- Genus: Atimia Haldeman, 1847
- = Myctus Semenov et Plavilstshikov, 1937
- maculipuncta Semenov et Plavilstshikov, 1937
- ssp. maculipuncta Semenov et Plavilstshikov, 1937 **A:** MG
- ssp. nadezhdae Tsherepanov, 1973 **A:** FE
- Tribus: ASEMINE Thomson, 1860
- Genus: Nothorhina Redt. 1845

punctata Fabricius, 1798 **E:** UK NT CT ST **A:** KZ WS  
 = muricata Dalman, 1817  
 Genus: Megasemum Kraatz, 1879  
 quadricostulatum Kraatz, 1879 **A:** FE  
 Genus: Asemum Eschz. 1830  
 striatum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR ?AB KZ KI WS  
 ES FE MG  
 = subsulcatum Motschulsky, 1860  
 = amurense Kraatz, 1879  
 tenuicorne Kraatz, 1879 **E:** UK ST **A:** ?GG  
 ssp. tenuicorne Kraatz, 1879 **E:** UK ST **A:** ?GG  
 punctulatum Blessig, 1872 **A:** FE  
 Genus: Arhopalus Audinet-Serville, 1834  
 Subgenus: Arhopalus Audinet-Serville, 1834  
 = Criocephalum Dejean, 1835  
 = Criocephalus Mulsant, 1839  
 rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TD WS ES  
 FE MG  
 ssp. rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TD  
 WS ES FE MG  
 = tristis Fabricius, 1787  
 ?= coreanus Sharp, 1905  
 ferus Mulsant, 1839 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE  
 Genus: Tetropium Kirby 1837  
 = Isarthron Dejean 1835  
 castaneum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES  
 FE MG  
 gabrieli Weise 1905 **E:** UK ?CT(Kaliningrad Reg.)  
 gracilicorne Reitter, 1889 **E:** CT **A:** KZ WS ES FE MG  
 gracilicum Hayashi 1983 **A:** FE  
 staudingeri Pic, 1901 **A:** KZ KI UZ  
 = tjanshanicum Semenov, 1906  
 = laticolle Semenov, 1906  
 aquilonium Plavilstshikov, 1940 **E:** NT **A:** WS  
 tauricum Shapovalov, 2007 **E:** UK  
 danilevskiy Slama, 2005 **A:** ES  
 fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS  
 ssp. fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS  
 Tribus: SPONDYLIDINI Audinet-Serville, 1832  
 Genus: Spondylis Fabricius, 1775  
 buprestoides Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS  
 ES FE MG  
 Subfamilia: APATOPHYSEINAE Lacordaire, 1869  
 Tribus: APATOPHYSEINI  
 Genus: Apatophysis Chevrolat, 1860  
 Subgenus: Apatophysis Chevrolat, 1860  
 pavlovskii Plavilstshikov, 1954 **A:** TD UZ  
 serricornis Gebler, 1843 **A:** KZ MG  
 = tomentosa Gebl. 1845  
 = spinicornis Gebl. 1859  
 = obtusicollis Motschulsky, 1860  
 = mongolica Sem. 1901  
 = kadyrbekovi Kadlec, 2006  
 caspica Semenov, 1901 **E:** ST **A:** AB GG TM ?UZ KZ  
 vedica Danilevsky, 2008 **A:** AR  
 komarowi Semenov, 1889 **A:** AB TM TD  
 baekmanniana Semenov, 1907 **A:** KZ KI UZ  
 Subgenus: Angustephyasis Pic, 1956 A  
 margiana Semenov et Schegoleva-Barovskaia, 1936 **A:** TM UZ KZ

= plavilstshikovi Miroshnikov, 1992  
 Subfamilia: CERAMBYCINAE Latreille, 1802  
 Tribus: ACHRYSONINI  
   Genus: Icosium Lucas 1854  
     tomentosum Lucas 1854  
     ssp. atticum Ganglbauer 1882 **A:** AB  
 Tribus: HESPEROPHANINI  
   Genus: Turcmenigena Melg. 1894  
     warentzowi Melg. 1894 **A:** KZ TM UZ  
   Genus: Hesperophanes Dejean, 1835  
     sericeus Fabricius, 1787 **E:** UK ST **A:** GG AR AB TM  
     heydeni Baeckm. 1923 **A:** KZ MG  
     pilosus Bodung. 1908 **A:** AB  
   Genus: Trichoferus Woll. 1854  
     holosericeus Rossi 1790 **E:** UK ST **A:** GG AR AB  
     = cinereus Villers 1789  
     fasciculatus Faldermann, 1837 **E:** UK ST **A:** GG AR AB  
     ssp. fasciculatus Faldermann, 1837 **E:** UK ST **A:** GG AR AB  
     griseus Fabricius, 1793 **E:** UK ?ST **A:** ?GG  
     campestris Faldermann, 1835 **E:** MD CT ST UK **A:** KZ KI UZ TD TM AB  
 AR ES FE MG  
     = turkestanicus Heyden, 1886  
     pallidus Olivier, 1790 **E:** MD UK ST  
   Genus: Stromatium Audinet-Serville, 1834  
     auratum (Böber, 1793) **E:** UK ST **A:** GG AR AB TM  
     = fulvum Villers 1789  
     = unicolor Olivier, 1795  
 Tribus: Phoracanthini  
   Genus: Phoracantha Newman, 1840  
     semipunctata Fabricius, 1775 **Ai:** GG  
 Tribus: CERAMBYCINI  
   Genus: Neocerambyx Thomson, 1860  
     = Mallambyx Bates, 1873  
     = Mesocerambyx Breuning et Hitzinger, 1943  
     raddei Blessig, 1872 **A:** FE  
   Genus: Cerambyx Linnaeus, 1758  
     Subgenus: Cerambyx Linnaeus, 1758  
       welensii Küster, 1846  
         = velutinus Brullé, 1832  
         ssp. welensii Küster, 1846 **E:** UK **A:** GG AB  
       cerdo Linnaeus, 1758  
         ssp. cerdo Linnaeus, 1758 **E:** MD UK ?CT ?ST  
         ssp. acuminatus Motschulsky, 1852 **E:** UK ST **A:** GG AR AB  
           = klinzigi Podany, 1964  
         ssp. manderstjernaee Mulsant & Godart, 1855 **E:** UK ST  
         dux Faldermann, 1837 **E:** UK ST **A:** GG AR AB  
         nodulosus Germar, 1817 **E:** UK ST **A:** GG AR AB  
           ssp. nodulosus Germar, 1817 **E:** UK ST **A:** GG AR AB  
         miles Bonelli, 1812 **E:** MD UK ST **A:** GG AR AB  
     Subgenus: Microcerambyx Miksic et Georgijevic, 1973  
       = Mesocerambyx Zagaikevitch, 1991  
       scopolii Fuesslin, 1775  
         ssp. scopolii Fuesslin, 1775 **E:** MD UK NT CT ST **A:** GG AR AB  
         multiplicatus Motschulsky, 1859 **A:** AB  
   Genus: Trirachis Hope, 1843 #853  
     = Aeolesthes auct.  
     sarta Solsky, 1871 **A:** KZ TM UZ TD KI  
   Genus: Xenopachys Sama, 1999 A  
     matthiesseni Reitter, 1907 **A:** TM



Genus: *Dissopachys* Reitter, 1886 A  
*pulvinatus* Reitter, 1886 **A:** AB TM

Genus: *Neoplocaederus* Sama, 1991  
*danilevskyi* Lazarev, 2009 **A:** UZ  
*scapularis* Fischer-Waldheim, 1821 **A:** KZ TM UZ TD KI

Tribus: ROSALIINI  
Genus: *Rosalia* Audinet-Serville, 1834  
*alpina* Linnaeus, 1758  
*ssp. alpina* Linnaeus, 1758 **E:** UK ST **A:** GG AR AB  
*coelestis* Semenov, 1911 **A:** FE

Tribus: PURPURICENINI  
Genus: *Purpuricen* Dejean, 1821  
*kaehleri* Linnaeus, 1758 **E:** MD UK CT ST **A:** WS GG AR AB  
*ssp. kaehleri* Linnaeus, 1758 **E:** MD UK CT ST **A:** WS  
*ssp. menetriesi* Motschulsky, 1845 **E:** ST **A:** GG AR AB  
= *astrabadensis* Pic, 1915  
= *causicus* Th. Pic, 1902  
*globulicollis* Mulsant, 1839 **E:** UK CT ST **A:** KZ WS  
*ssp. globulicollis* Mulsant, 1839 **E:** UK CT ST **A:** KZ WS  
= *tsherepanovae* Tsherepanov, 1980  
*budensis* Götz, 1783 **E:** MD UK CT ST **A:** GG AR AB ?WS  
*caucasicola* Danilevsky, 2015 **E:** ST **A:** GG ?AR AZ  
*baeckmanni* Danilevsky, 2007 **E:** UK  
*wachanrui* Levr. 1858 **A:** AB  
*deyrollei* Thomson, 1867 **A:** TM  
*talyshensis* Reitter, 1891 **A:** AB  
*lituratus* Ganglbauer, 1887 **A:** FE  
= *petasifer* Fairmaire, 1888  
*sideriger* Fairmaire, 1888 **A:** FE  
*ssp. sideriger* Fairmaire, 1888 **A:** FE

Genus: *Anoplistes* Audinet-Serville, 1834  
= *Asias* Semenov, 1914  
*jacobsoni* Baeckm. 1901 **A:** KZ  
*halodendri* Pall. 1773  
= *humeralis* Olivier 1795  
= *elaeagni* Fischer-Waldheim, 1824  
*ssp. ephippium* Steven et Dalman, 1817 **E:** UK ST **A:** KZ  
*ssp. kasatkini* Lazarev, 2014a **E:** ST  
*ssp. halodendri* Pall. 1773 **A:** WS KZ  
*ssp. heptapotamicus* Semenov, 1923 **A:** KZ ?WS ?ES  
*ssp. minutus* Hamm. 1893 **A:** ES MG  
*ssp. pirus* Arakawa 1932 **A:** ES FE  
*kozlovi* Semenov et Znoiko, 1934 **A:** MG  
*gobiensis* Namhaidorzh 1973 **A:** MG  
*agababiani* Danilevsky, 2000 **A:** AR  
*diabolicus* Reitter, 1915 **A:** KZ  
*forticornis* Reitter, 1901 **A:** KZ KI ?UZ  
*jomudorum* Plavilstshikov, 1940 **A:** TM ?KZ  
= *chodjaii* Holzschuh, 1974  
*galusoi* Kostin 1974 **A:** KZ  
*tuvensis* Tsherepanov, 1978 **A:** ES MG  
*amoenus* Reitter, 1898  
= *procerus* Semenov, 1907  
= *francisci* Reymond, 1933  
*ssp. mongolicus* Ganglbauer, 1889 **A:** MG

Genus: *Amarysius* Fairmaire, 1888  
*sanguinipennis* Blessig, 1872 **E:** CT **A:** KZ WS ES FE MG  
*suturalis* Pic, 1906 **A:** FE  
= *grallator* Baeckm. 1924

altajensis Laxmann, 1770  
 ssp. altajensis Laxmann, 1770 **A:** KZ WS  
 =sellatus Germar, 1824  
 =affinis Motschulsky, 1875  
 ssp. coreanus Okamoto, 1924 **A:** ES FE MG  
 =ussuricus Tsherepanov, 1975  
 duplicatus Tsherepanov, 1980 **A:** KZ WS ?ES FE ?MG

Tribus: CALLICHRMATINI  
 Genus: Aphrodisium Thomson, 1864  
 = Tomentaromia Plavilstshikov, 1934  
 faldermannii Saunders, 1853  
 ssp. faldermannii Saunders, 1853 **A:**?ES ?MG  
 Genus: Aromia Audinet-Serville, 1834  
 moschata Linnaeus, 1758  
 = thea Reitter, 1894  
 ssp. moschata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES

?MG  
 ssp. ambrosiaca Steven, 1809 **E:** ST **A:** GG AR AB  
 ssp. sumbarensis Danilevsky, 2007 **A:** TM  
 ssp. cruenta Bogatchev, 1962 **A:** TD ?KI  
 ssp. jankovskyi Danilevsky, 2007 **A:** KI  
 ssp. vetusta Bogatchev, 1962 **A:** KZ  
 orientalis Plavilstshikov, 1932 ES FE MG  
 bungii Faldermann, 1835 **A:** ?MN  
 Genus: Turkaromia Danilevsky 1993  
 pruinosa Reitter, 1903 **A:** KZ  
 gromenkoi Danilevsky, 2000 **A:** UZ TD  
 Genus: Chelidonium Thomson, 1864 U  
 zaitzevi Plavilstshikov, 1933 **A:** FE  
 Genus: Chloridolum Thomson, 1864  
 Subgenus: Chloridolum Thomson, 1864 U  
 sieversi Ganglbauer, 1887 **A:** FE  
 = coreana Fairmaire, 1897  
 Genus: Leontium Thomson, 1864  
 viride Thomson, 1864 **A:** FE  
 Genus: Polyzonus Dejean, 1835  
 fasciatus Fabricius, 1781 **A:** ES FE MG

Tribus: CALLIDIOPINI  
 Genus: Stenygrinum Bates, 1873  
 quadrinotatum Bates, 1873 **A:** FE

Tribus: GRACILIINI  
 Genus: Gracilia Audinet-Serville, 1834  
 minuta Fabricius, 1781 **E:** MD UK NT CT ST KZ **A:** GG AR AB  
 Genus: Penichroa Stephens, 1839  
 fasciata Stephens, 1831 **E:** UK ST **A:** GG AR AB  
 Genus: Axinopalpis Dejean, 1835  
 gracilis Krynicki, 1832  
 ssp. gracilis Krynicki, 1832 **E:** MD UK ST CT **A:** GG  
 Genus: Hybometopia Ganglbauer, 1889  
 starcki Ganglbauer, 1889  
 ssp. starcki Ganglbauer, 1889 **E:** ST **A:** GG

Tribus: OBRIINI  
 Genus: Obrium Dejean, 1821  
 cantharinum Linnaeus, 1767  
 ssp. cantharinum Linnaeus, **E:** MD UK NT CT ST **A:** KZ WS ES FE GG

AR AB  
 brunneum Fabricius, 1793 **E:** MD UK ?NT ?CT ST **A:** GG AR AB  
 obscuripenne Pic, 1904 **A:** FE  
 = graciliforme Lipp, 1939

= gracile Plavilstshikov, 1933  
 brevicorne Plavilstshikov, 1940 **A:** FE  
 Tribus: CERTALLINI  
 Genus: Certallum Dejean, 1821  
     = Cartallum Audinet-Serville, 1834  
     ebulinum Linnaeus, 1767 **E:** UK ST **A:** GG AR AB  
     = ruficolle Fabricius, 1781  
 Tribus: DEILINI  
 Genus: Deilus Audinet-Serville, 1834  
     fugax Olivier, 1790 **E:** MD UK CT ST **A:** KZ GG AR AB  
 Tribus: STENOPTERINI  
 Genus: Stenopterus Illiger, 1804  
     rufus Linnaeus, 1767 **E:** MD UK ST **A:** GG AR AB TM  
     ssp. rufus Linnaeus, 1767 **E:** MD UK ST  
     ssp. geniculatus **E:** ST **A:** GG AR AB  
     ssp. transcaspicus Lazarev, 2008 **A:** TM  
     flavicornis Küster, 1846 **E:** UK  
     ater Linnaeus, 1767 **E:** UK **A:** GG  
 Genus: Callimus Mulsant, 1846  
     = Callimellum Strand, 1928  
 Subgenus: Callimus Mulsant, 1846  
     angulatus Schrank, 1789  
     ssp. angulatus Schrank, 1789 **E:** MD UK **A:** GG AR AB TM  
 Subgenus: Lampropterus Mulsant, 1863  
     = Callimomimus Ieniştea, 1952  
     femoratus Germar, 1824 **E:** MD UK ST **A:** GG AR AB  
     = adonis Perrin, 1881  
     = narcissus Perrin, 1881  
     = distinctus Ieniştea, 1952  
 Subgenus: Procallimus Pic, 1907  
     = Protocallimus Plavilstshikov 1940  
     egregius Mulsant et Rey, 1863 **E:** UK ?ST **A:** ?GG  
 Genus: Callimoxys Kraatz, 1863  
     gracilis Brullé, 1832 **E:** UK ST **A:** GG AR AB TM  
 Tribus: NATHRIINI  
 Genus: Nathrius Brethes, 1916  
     brevipennis Mulsant, 1839 **E:** MD UK ST **A:** KZ GG AR AB  
 Tribus: MOLORCHINI  
 Genus: Leptepania Heller, 1924  
     = Molorchinus Shabliovsky, 1936  
     okunevi Shabliovsky, 1936 **A:** FE  
     = incognitus Tsherepanov, 1975  
 Genus: Nadezhdiana Tsherepanov, 1976  
     villosa Tsherepanov, 1976 **A:** FE  
 Genus: Molorchus Fabricius, 1793  
 Subgenus: Caenoptera Thomson, 1859  
     minor Linnaeus, 1758  
     ssp. minor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES FE MG  
     = rufescens Kiesenwetter, 1879  
     monticola Plavilstshikov, 1931 **A:** GG AR AB TM  
     ? = rufescens Kiesenwetter, 1879  
     juglandis Sama, 1982 **A:** ?GG  
     ? = rufescens Kiesenwetter, 1879  
     pallidipennis Heyden, 1887 **A:** KZ KI ?UZ  
     tjanschanicus Plavilstshikov, 1959 **A:** ?KZ KI  
 Subgenus: Molorchus Fabricius, 1793  
     = Glaphyra Newman, 1840  
     = Linomius Mulsant, 1862  
     umbellatarus Schreber, 1759

?TM

- ssp. *umbellatarus* Schreber, 1759 **E:** MD UK NT CT ST **A:** GG AR AB
- plagiatus* Reiche, 1877 **E:** ?CT ST **A:** GG AR AB ?KZ
- kiesenwetteri* Mulsant et Rey, 1861
- ssp. *kiesenwetteri* Mulsant et Rey, 1861 **E:** UK ST
- ssp. *hircus* Abeille de Perrin, 1881 **E:** ?UK ?ST **A:** GG AR AB
- = *anatolicus* Adlbauer, 1988
- schmidti* Ganglbauer, 1883 **E:** UK CT ST **A:** AB GG KZ TM UZ KI
- = *salicicola* Stiller, 1935
- = ?*semenovi* Plavilstshikov, 1940
- marmottani* Brisout de Barneville, 1863
- ssp. *marmottani* Brisout de Barneville, 1863 **E:** CT ST
- starki* Shabliovsky, 1936 **A:** FE
- ?= *kojimai* Matsushita, 1939
- = *ussuriensis* Plavilstshikov, 1940
- = *ichikawai* Niisato, 1988
- ishiharai* Ohbayashi, 1936 **A:** FE
- = *kunashiricus* Tsherepanov, 1981
- kobotokensis* Ohbayashi, 1963 **A:** FE
- Subgenus: *Nathrioglaphyra* Sama, 1995
- heptapotamicus* Plavilstshikov, 1940 **E:** ST **A:** KZ KI UZ
- = *amygdali* Holzschuh, 1979
- Tribus: *Brachypteromatini* Sama, 2008
- Genus: *Dolocerus* Mulsant, 1862
- = *Brachypteroma* Heyden, 1863
- reichii* Mulsant, 1862 **A:** AB AR GG
- = *ottomanum* Heyden, 1863
- Tribus: *STENHOMALINI*
- Genus: *Stenhomalus* White, 1855
- japonicus* Pic, 1904 **A:** FE
- = *lighti* Gressitt, 1935
- = *vulcanus* Tsherepanov, 1976
- Tribus: *HYLOTRUPINI*
- Genus: *Hylotrupes* Audinet-Serville, 1834
- bajulus* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS GG AR AB UZ
- Tribus: *CALLIDIINI*
- Genus: *Paraxylocrius* Niisato, 2009
- testaceus* Niisato, 2009 **A:** FE
- verigai* Danilevsky, 2012 **A:** FE
- Genus: *Ropalopus* Mulsant, 1839
- = *Rhopalopus* L. Redtenbacher, 1845
- Subgenus: *Prorrhopalopus* Plavilstshikov, 1921
- signaticollis* Solsky, 1873 **A:** FE
- speciosus* Plavilstshikov, 1915 **A:** FE
- Subgenus: *Pronocerodes* Plavilstshikov, 1940
- ruficollis* Matsumura, 1911 **A:** FE
- aurantiicollis* Plavilstshikov, 1940 **A:** FE
- Subgenus: *Ropalopus* Mulsant, 1839
- ungaricus* Herbst, 1784 **E:** UK
- insubricus* Germar, 1824
- ssp. *fischeri* Krynicki, 1829 **E:** UK ST CT
- lederi* Ganglbauer, 1882 **E:** UK ST **A:** GG AR AB
- clavipes* Fabricius, 1775 **E:** MD UK NT CT ST **A:** GG AR AB KZ
- macropus* Germar, 1824 **E:** MD UK CT ST **A:** GG AR AB
- ?= *caucasicus* Desbrochers, 1873
- varini* Bedel, 1870 **E:** MD UK
- = *spinicornis* Abeille de Perrin, 1869
- femoratus* Linnaeus, 1758 **E:** UK ?CT
- nadari* Pic, 1894 **A:** KI TD UZ

mali Holzschuh, 1993 **A:** KZ KI UZ  
 Genus: Pronocera Motschulsky, 1859  
     sibirica Gebler, 1848 **A:** WS ES FE MG  
         = brevicollis Gebler, 1833  
         = daurica Motschulsky, 1859  
     angusta Kreichbaum, 1844 **E:** UK  
 Genus: Turanium Baeckmann, 1923  
     Subgenus: Turanium Baeckmann, 1923  
         rauschorum Holzschuh, 1998 **A:** KZ KI  
         tekeorum Danilevsky, 2001 **A:** TM  
         pilosum Reitter, 1891 **A:** KZ KI TD UZ TM  
         scabrum Kraatz, 1882 **E:** ST **A:** WS KZ TM KI UZ TD  
         hladili Kratochvil, 1985 **A:** UZ  
     Subgenus: Chalcoturanium Jankowski, 1934  
         johannis Baeckmann, 1923 **A:** KI  
             ssp. johannis Baeckmann, 1923 **A:** KI  
             ssp. juglandis Jankowsky, 1934 **A:** KI  
             ssp. n. **A:** KI  
         badenkoi Danilevsky, 2001 **A:** KZ  
 Genus: Leioderes L. Redtenbacher, 1849  
     kollari L. Redtenbacher, 1849 **E:** MD UK CT ST **A:** GG  
         ssp. kollari L. Redtenbacher, 1849 **E:** MD UK CT ST **A:** GG  
 Genus: Callidiellum Linsley, 1940  
     rufipenne Motschulsky, 1861 **E:** ST **A:** GG FE  
 Genus: Semanotus Mulsant, 1839  
     undatus Linnaeus, 1758 **E:** UK NT CT ?ST **A:** WS ES FE MG  
     russicus Fabricius, 1777  
         ssp. russicus Fabricius, 1777 **E:** UK ST **A:** AR AB GG  
         ssp. persicus Solsky, 1876 **A:** TM  
     semenovi Okunev, 1933 **A:** KZ KI UZ TD  
     bifasciatus Motschulsky, 1875 **A:** FE  
 Genus: Callidium Fabricius, 1775  
     Subgenus: Palaeocallidium Plavilstshikov, 1940  
         coriaceum Paykull, 1800 **E:** UK NT CT ST **A:** WS ES FE MG  
         chlorizans Solsky, 1871 **A:** ES FE MG  
     Subgenus: Callidium Fabricius, 1775  
         violaceum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS  
 ES FE MG  
     Subgenus: Callidostola Reitter, 1913  
         aeneum DeGeer, 1775  
             ssp. aeneum DeGeer, 1775 **E:** UK NT CT ST **A:** WS ES FE KZ MG  
             ssp. longipenne Plavilstshikov, 1940 **E:** ST **A:** GG AB  
 Genus: Oupyrrhidium Pic, 1900  
     cinnabarinum Blessig, 1872 **A:** FE  
 Genus: Pyrrhidium Fairmaire, 1864  
     sanguineum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB  
 Genus: Phymatodes Mulsant, 1839  
     Subgenus: Phymatodes Mulsant, 1839  
         testaceus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS FE  
     Subgenus: Melasmetus Reitter, 1913  
         femoralis Ménéttriés, 1832  
             ssp. femoralis Ménéttriés, 1832 **E:** ST **A:** GG AR AB  
     Subgenus: Phymatoderus Reitter, 1913  
         = Reitteroderus Sama, 1991  
         lividus Rossi, 1794 **E:** UK CT ST **A:** GG ?AB  
         puncticollis Mulsant, 1862 **E:** UK CT ST **A:** KZ  
         pusillus Fabricius, 1787  
             ssp. pusillus Fabricius, 1787 **E:** MD UK  
             ssp. rufipenne Stark, 1889 **E:** UK ST **A:** GG AR AB

glabratus Charpentier, 1825 **E:** UK **ST A:** GG  
 abietinus Plavilstshikov et Lurie, 1960 **E:** CT NT **A:** WS  
 Subgenus: Phymatodellus Reitter, 1913  
   rufipes Fabricius, 1777  
     ssp. rufipes Fabricius, 1777 **E:** MD UK ST  
     zemlinae Plavilstshikov et Anufriev, 1964 **A:** FE  
     infasciatus Pic, 1935 **A:** FE  
       = vandykei Gressitt, 1935  
       = ussuricus Plavilstshikov, 1940  
     murzini Danilevsky, 1993 **A:** FE  
 Subgenus: Paraphymatodes Plavilstshikov, 1934  
   fasciatus Villers 1789 **E:** MD UK  
   hauseri (Pic, 1907) **A:** KZ  
   mediofasciatus Pic, 1933 **A:** FE  
 Subgenus: Poecilium Fairmaire, 1864  
   alni Linnaeus, 1767  
     ssp. alni Linnaeus, 1767 **E:** MD UK ST CT NT **A:** KZ  
     ssp. pici Aurivillius, 1912: **E:** ST **A:** GG AR AB  
       = alnoides Reitter, 1913  
     ssp. lateniger (Pic, 1945) **A:** AB  
       = elburzensis Holzschuh, 1977  
     ermolenkoi Tsherepanov, 1980 **A:** FE  
     maacki Kraatz, 1879  
       ssp. maacki Kraatz, 1879 **A:** FE  
       ssp. viarius Danilevsky, 1988 **A:** FE  
 Tribus: TILLOMORPHINI  
 Genus: Cleroclytus Kraatz, 1884  
   Subgenus: *Obliqueclytus* Lazarev, 2014a **A**  
     gracilis Jakovlev, 1900 **A:** TD  
       = baeckmanni Okunev 1933  
       = grandiculus Plavilstshikov, 1940  
     banghaasi Reitter, 1895 **A:** TD ?KI  
       = semenowi Jakovlev, 1900  
   Subgenus: *Cleroclytus* Kraatz, 1884  
     semirufus Kraatz, 1884  
       = vestitus Jakovlev, 1900  
       ssp. semirufus Kraatz, 1884 **A:** KZ KI UZ  
       ssp. collaris Jakovlev, 1885 **A:** KZ KI  
       = strigicollis Jakovlev, 1900  
       ssp. savitzkyi Lazarev, 2014a **A:** MG  
 Tribus: ANAGLYPTINI  
 Genus: Paracllytus Bates, 1884  
   excultus Bates, 1884 **A:** FE  
   raddei Ganglbauer, 1882 **A:** AB  
   reitteri Ganglbauer, 1882 **A:** AB  
   sexguttatus Adams, 1817 **E:** ST **A:** GG AR AB  
 Genus: Anaglyptus Mulsant, 1839  
   bicallosus Kraatz, 1882 **A:** TD UZ KI KZ  
   mysticus Linnaeus, 1758 **E:** MD UK  
   simplicicornis Reitter, 1905 **E:** ST **A:** GG AR AB  
   mysticoides Reitter, 1894 **A:** GG AR AB  
     ssp. mysticoides Reitter, 1894 **A:** GG AR AB  
   arabicus Küster, 1847 **E:** ST **A:** GG AR AB  
   ganglbaueri Reitter, 1886 **A:** AB  
     = natae Lobanov, 1994  
     = persicus Pic, 1906  
   danilevskii Miroshnikov, 2000 **A:** ?GG AR AB  
 Genus: Aglaophis Thomson, 1857 U  
   colobothooides Bates, 1884 **A:** FE

Genus: *Oligoenoplus* Chevrolat, 1863  
 rosti Pic, 1911  
 ssp. rosti Pic, 1911 **A:** FE

Tribus: CLYTINI

Genus: *Plagionotus* Mulsant, 1842  
 detritus Linnaeus, 1758  
 ssp. detritus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ  
 ssp. caucasicola Plavilstshikov, 1940 **E:** ST **A:** GG AR AB  
 pulcher Blessig, 1872 **A:** FE  
 christophi Kraatz, 1879 **A:** FE  
 arcuatus (Linnaeus, 1758) **E:** MD UK NT CT ST **A:** WS KZ KI GG AR AB  
 ssp. arcuatus (Linnaeus, 1758) **E:** MD UK NT CT ST **A:** WS KZ GG AB  
 ssp. multiinterruptus Pic, 1933 **A:** AR AB  
 ssp. lugubris (Ménétriés, 1832) **A:** AR AB TM  
 ssp. kirgizicus Lazarev, 2010 **A:** KZ  
 bartholomei Motschulsky, 1859 **A:** AB

Genus: *Neoplacionotus* Kasatkin, 2005  
 bobelayei Brullé, 1832 **E:** UK ST **A:** GG AR AB TM  
 = speciosus Adams 1817  
 ssp. huseyini Lazarev, 2016b **E:** UK ST **A:** GG AR AB TM

Genus: *Echinocerus* Mulsant, 1863  
 = *Paraplacionotus* Kasatkin, 2005  
 floralis Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM UZ TD

KI WS ES

Genus: *Teratoclytus* Zaitzev, 1937  
 plavilstshikovi Zaitzev, 1937 **A:** FE

Genus: *Epiclytus* Gressitt, 1935  
 ussuricus Pic, 1933 **A:** FE

Genus: *Rhabdoclytus* Ganglbauer, 1889  
 = *Hayashiclytus* Ohbayashi, 1963  
 acutivittis Kraatz, 1879  
 ssp. acutivittis Kraatz, 1879 **A:** FE

Genus: *Isotomus* Mulsant, 1863  
 speciosus Schneider, 1787 **E:** MD UK ST **A:** GG AR AB  
 ssp. speciosus Schneider, 1787 **E:** MD UK ST **A:** GG AR AB  
 comptus Mannerheim, 1825 **E:** UK ST **A:** GG AR AB  
 ssp. comptus Mannerheim, 1825 **E:** UK ST **A:** GG AR AB

Genus: *Chlorophorus* Chevrolat, 1863  
 Subgenus: *Immaculatus* Özdikmen, 2011  
 varius Müller, 1766  
 ssp. varius Müller, 1766 **E:** MD UK CT ST **A:** GG AR AB KZ WS  
 hrabovskiy Kratochvil, 1985 **A:** TM  
 elaeagni Plavilstshikov, 1956 **E:** ST **A:** AZ KZ TM UZ KI TD  
 faldermanni Faldermann, 1837 **E:** ST **A:** GG AR AB KZ TM UZ TD KI ?MG  
 obliterated Ganglbauer, 1889 **A:** ES MG  
 = mongolicus Pic, 1943  
 = kaszabi Heyrovsky, 1970  
 = ubsanurensis Tsherepanov, 1971  
 simillimus Kraatz, 1879 **A:** ES FE MG  
 = sexmaculatus Motschulsky, 1859  
 herbstil (Brahm, 1790) **E:** MD UK NT CT ST **A:** KZ WS ?ES

Subgenus: *Humeromaculatus* Özdikmen, 2011  
 figuratus Scopoli, 1763 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES  
 navratili Holzschuh, 1981 **A:** UZ TD  
 japonicus Chevrolat, 1863 **A:** FE  
 motschulskiy Ganglbauer, 1887 **A:** ES FE MG  
 = latofasciatus Motschulsky, 1861  
 = chasanensis Tsherepanov, 1982  
 diadema Motschulsky, 1854

ssp. diadema Motschulsky, 1854 **A:** FE ?MG  
 ssp. inhirsutus Matsushita, 1933 **A:** FE  
 tohokensis Hayashi, 1968 **A:** FE  
 Subgenus: Perderomaculatus Özdikmen, 2011  
 sartor Müller, 1766 **E:** MD UK CT ST **A:** GG AR AB TM KZ ?WS ?ES ?FE  
 Genus: Raphuma Pascoe, 1858  
 gracilipes Faldermann, 1835 **E:** NT CT ST **A:** KZ WS ES FE MG  
 = sachalinensis Matsumura, 1911  
 diminuta Bates, 1873  
 ssp. diminuta Bates, 1873 **A:** FE  
 Genus: Demonax Thomson, 1861  
 savioi (Pic, 1924) **A:** FE  
 Genus: Xylotrechus Chevrolat, 1860  
 Subgenus: Xylotrechus Chevrolat, 1860  
 antilope Schönherr, 1817  
 ssp. antilope Schönherr, 1817 **E:** MD UK CT ST  
 ssp. bitlisiensis S.Marklund & D.Marklund, 2013 **A:** GG AR AB  
 arvicola Olivier, 1795 **E:** MD UK CT ST **A:** GG AR AB KZ  
 ssp. arvicola Olivier, 1795 **E:** MD UK  
 ssp. planarius Danilevsky, 2016 **E:** UK CT ST **A:** KZ  
 ssp. lazarevi Danilevsky, 2016 **E:** ST **A:** GG AR AB  
 ssp. iranicus Rapuzzi & Sama, 2014 **A:** AB  
 rufilius Bates, 1884 **A:** FE  
 = irinae Plavilstshikov, 1925  
 = magnicollis Fairmaire, 1888  
 stebbingi Gahan, 1906 **A:** TD  
 mixtus Plavilstshikov, 1940 **A:** FE  
 hircus Gebler, 1825 **A:** KZ WS ES FE MG  
 cuneipennis Kraatz, 1879 **A:** ES FE  
 pavlovskii Plavilstshikov, 1954 **A:** FE  
 polyzonus Fairmaire, 1888 **A:** FE  
 capricornus Gebler, 1830 **E:** UK CT ST **A:** KZ WS  
 = capricornis (Chevrolat, 1863)  
 ibex Gebler, 1825 **E:** NT CT ST **A:** KZ WS ES FE MG  
 clarinus Bates, 1884 **A:** FE  
 Subgenus: Turanoclytus Sama, 1994  
 sieversi Ganglbauer, 1890 **A:** GG AR AB  
 ilamensis Holzschuh, 1979 **A:** AB AR  
 ssp. zuvandiensis Lazarev, 2016d **A:** AB  
 ssp. hadullai Danilevsky, 2010 **A:** AR  
 asellus Thieme, 1881 **A:** KZ TM UZ TD KI  
 = grumi Semenov, 1889  
 namanganensis Heyden, 1885 **A:** KZ TM UZ TD KI  
 Subgenus: Kostiniclytus Danilevsky, 2009  
 zaisanicus Plavilstshikov, 1940 **A:** KZ  
 alakolensis Karpiński & Szczepański, 2018 **A:** KZ  
 katerinae Shapovalov, 2014 **A:** KZ  
 arnoldii Kostin, 1974 **A:** KZ  
 ssp. arnoldii Kostin, 1974 **A:** KZ  
 ssp. tenebrosus Shapovalov, 2014 **A:** KZ  
 medvedevi Danilevsky, 2009 **A:** MG  
 Subgenus: Rustioclytus Vives, 1977  
 salicis Takakuwa et Oda, 1978 **A:** ES FE ?MG  
 = nadezhdae Tsherepanov, 1982  
 rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM TD WS  
 ES FE MG  
 adspersus Gebler, 1830 **A:** KZ WS ES FE MG  
 pantherinus Savenius, 1825 **E:** MD UK NT CT ST **A:** KZ WS ES FE MG  
 Subgenus: Ootora Niisato et Wakejima, 2008



villioni Villard, 1892 **A:** FE  
 Subgenus: Xyloclytus Reitter, 1913  
   altaicus Gebler, 1836 **E:** CT **A:** ?KZ WS ES FE MG  
   chinensis Chevrolat, 1852 ?U CJ  
   ssp. kurosawai Fujita, 2010 ?U J  
 Genus: Cyrtoclytus Ganglbauer, 1882  
   capra Germar, 1824 **E:** MD UK NT CT ST **A:** AB KZ WS ES FE MG  
   caproides Bates, 1873  
   ssp. caproides Bates, 1873 **A:** FE  
 Genus: Brachyclytus Kraatz, 1879  
   singularis Kraatz, 1879 **A:** FE  
 Genus: Pseudosphegesthes Reitter, 1913  
   cinerea Laporte et Gory, 1836 **E:** UK  
   brunnescens Pic, 1897 **E:** ST **A:** GG AR AB  
   = circassica Pic, 1905  
 Genus: Clytus Laicharting, 1784  
   Subgenus: Clytus Laicharting, 1784  
   tropicus Panzer, 1795 **E:** MD UK ST  
   schneideri Kiesenwetter, 1879  
   ssp. schneideri Kiesenwetter, 1879 **A:** GG AR AB  
   rhamni Germar, 1817  
   ssp. temesiensis Germar, 1824 **E:** MD UK CT ST **A:** GG AR AB KZ  
   lama Mulsant, 1847 **E:** UK MD  
   arietis Linnaeus, 1758  
   ssp. oblitus Roubal, 1932 **E:** ST **A:** GG AR AB  
   ssp. arietis Linnaeus, 1758 **E:** MD UK NT CT ST  
   ssp. lederi Ganglbauer, 1882 **A:** AB TM  
   arietoides Reitter, 1899 **E:** NT CT ?ST **A:** KZ WS ES FE MG  
   = venustulus Plavilstshikov, 1940  
   mayeti Théry, 1892 **A:** ?ES ?FE  
   melaenus Bates, 1884 **A:** FE  
   raddensis Pic, 1904 **A:** FE  
   = hypocrita Plavilstshikov, 1940  
   nigritulus Kraatz, 1879 **A:** FE  
   = fulvohirsutus Pic, 1904  
   Subgenus: Sphegoclytus Sama, 2005  
   vesparum Reitter, 1889 **A:** AB  
   stepanovi Danilevsky et Miroshnikov, 1985 **E:** ST **A:** GG  
 Subfamilia: LAMIINAE Latreille, 1825  
 Tribus: CEROPLESINI  
   Genus: Moechotypa Thomson, 1864  
   diphysis Pascoe, 1871 **A:** FE  
 Tribus: PARMENINI  
   Genus: Parmena Dejean, 1821  
   aurora Danilevsky, 1980 **A:** GG AB  
   pontocircassica Danilevsky, 1985 **E:** UK ST **A:** GG AR AB  
   europaea Danilevsky, 2017 **E:** MD UK  
   pilosa Brullé, 1832  
   ssp. pilosa Brullé, 1832 **E:** ?UK  
   Genus: Plectrura Mannerheim, 1852  
   Subgenus: Phlyctidola Bates, 1884  
   metallica Bates, 1884  
   ssp. metallica Bates, 1884 **A:** FE  
   = sachalinica Jacobson, 1899  
   = mandshurica Jacobson, 1899  
 Tribus: MESOSINI  
   Genus: Mesosa Latreille, 1829  
   Subgenus: Mesosa Latreille, 1829  
   myops Dalman, 1817 **E:** UK NT CT ST **A:** KZ WS ES FE MG  
   japonica Bates, 1873 **A:** FE

curculionoides Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB KZ WS  
 Subgenus: Aplocnemia Stephens, 1831  
     = Aphelocnemia Stephens, 1832  
     nebulosa Fabricius, 1781  
         ssp. nebulosa Fabricius, 1781 **E:** MD UK CT ST **A:** GG AR AB  
     obscuricornis Pic, 1894 **A:** AB  
     senilis Bates, 1884 **A:** FE  
 Subgenus: Perimesosa Breuning, 1939  
     hirsuta Bates, 1884  
         ssp. continentalis Hayashi, 1964 **A:** FE  
 Tribus: MORIMONELLINI  
     Genus: Morimonella Podany, 1979  
         bednariki Podany, 1979 **E:** ST **A:** GG  
 Tribus: BATOCERINI  
     Genus: Apriona Chevrolat, 1852  
         germari Hope, 1831 **A:** ?ES FE  
         = rugicollis Chevrolat, 1852  
         = plicicollis Motschulsky, 1853  
 Tribus: MONOCHAMINI  
     Genus: Murzina Lazarev, 2011  
         karatauensis Lazarev, 2011 **A:** KZ  
     Genus: Anoplophora Hope, 1839  
         glabripennis Motschulsky, 1854 **A:** FE  
     Genus: Acalolepta Pascoe, 1858  
         = Dihammus Thomson, 1864  
             ussurica Plavilstshikov, 1951 **A:** FE  
             fraudatrix Bates, 1873  
                 ssp. fraudatrix Bates, 1873 **A:** FE  
             sejuncta Bates, 1873  
                 ssp. sejuncta Bates, 1873 **A:** FE  
             luxuriosa Bates, 1873  
                 ssp. luxuriosa Bates, 1873 **A:** FE  
             seunghwani Danilevsky, 2013 **A:** FE  
     Genus: Astynoscelis Pic, 1904  
         degener Bates, 1873 **A:** FE  
         = longicornis Pic, 1904  
     Genus: Monochamus Dejean, 1821  
         Subgenus: Monochamus Dejean, 1821  
             guttulatus Gressitt, 1951 **A:** FE  
             = guttatus Blessig, 1873  
             impluviatus Motschulsky, 1859 **E:** NT CT **A:** WS ES FE MG  
             saltuarius Gebler, 1830 **E:** UK NT CT **A:** KZ WS ES FE MG  
                 ssp. saltuarius Gebler, 1830 **?E:** ?NT ?CT **A:** KZ WS ES FE MG  
                 ssp. occidentalis Sláma, 2017b **E:** UK NT CT **A:** ?KZ  
             galloprovincialis Olivier, 1795  
                 ssp. pistor Germar, 1818 **E:** MD UK NT CT ST KZ WS **A:** KZ KI  
                     = lignator Krynicki, 1832 [Odessa]  
                 ssp. cinerascens Motschulsky, 1860 **A:** WS ES FE MG  
                     = sibiricus Pic, 1908  
                 ssp. transitivus Lazarev, 2017 **E:** ST **A:** GG AR AB  
             nitens Bates, 1884 **A:** FE  
             grandis Waterhouse, 1881 **A:** FE  
             urussovii Fischer-Waldheim, 1805 **E:** UK NT CT ST **A:** ?GG KZ WS ES  
  
 FE MG  
     = rosenmuelleri auct., nec Cederhjelm, 1798  
     sartor Fabricius, 1787 **E:** UK  
     = fleischeri Heyrovsky, 1966 [unavailable]  
     sutor Linnaeus, 1758  
     = rosenmuelleri Cederhjelm, 1798

ssp. sutor Linnaeus, 1758 **E:** UK NT CT ST **A:** GG KZ  
= pellio Germar, 1818 ["Curland"]  
ssp. longulus Pic, 1898 ["Amour"] **A:** WS ES FE MG

Tribus: LAMIINI

Genus: Lamiomimus Kolbe, 1886

gottschei Kolbe, 1886 **A:** FE

Genus: Lamia Fabricius, 1775

textor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE

MG

Genus: Morimus Brullé 1832

= Morinus Brullé 1832 (misprint)

verecundus Faldermann, 1836 **E:** UK ST **A:** GG AR AB TM

ssp. verecundus Faldermann, 1836 **E:** UK ST **A:** GG AR AB TM

= ficitor Bogachev, 1949

gabzdili Danilevsky, 2015 **E:** ?UK

asper Sulzer, 1776

ssp. funereus Mulsant, 1863 **E:** MD UK

Tribus: DORCADIONINI

Genus: Dorcadion Dalman, 1817

Subgenus: Carinatodorcadion Breuning, 1943

= Dorcadodium Gistel, 1856

carinatum Pallas, 1771

ssp. carinatum Pallas, 1771 **E:** MD UK ST

ssp. igrenum Danilevsky, 1998 **E:** UK

ssp. sunzhenum Danilevsky, 1998 **E:** ST

ssp. uralense Danilevsky, 1998 **A:** KZ

ssp. cylindraceum Reitter, 1886 **E:** ST **A:** AB

fulvum Scopoli, 1763

ssp. fulvum Scopoli, 1763 **E:** UK

ssp. erythropterum Fischer von Waldheim, 1823 **E:** MD UK

= canaliculatum Fischer von Waldheim, 1824

= erythropteron Fischer von Waldheim, 1824 [wrong spelling]

aethiops Scopoli, 1763 **E:** MD UK

Subgenus: Cribridorcadion Pic, 1901

= Pedestredorcadion Breuning, 1943

= Autodorcadion Plavilstshikov, 1958

= Dzhungarodorcadion Danilevsky, 1993

= Bergerianum Pesarini et Sabbadini, 2004

mniszzechi Kraatz, 1873

ssp. mniszzechi Kraatz, 1873 **A:** AR

ssp. cavernosum Lazarev, 2014b AR

ssp. georgianum Lazarev, 2014b GG

pedestre Poda, 1761

ssp. pedestre Poda, 1761 **E:** MD UK

decipiens Germar, 1824 **E:** MD UK

sericatum Sahlberg, 1823 **E:** UK

pusillum Küster, 1847

= otshakovi Suvorov, 1913

ssp. pusillum Küster, 1847 **E:** MD UK

ssp. tanaiticum Kasatkin, 2002 **E:** ST

scopolii Herbst, 1784 **E:** MD UK

litigiosum Ganglbauer, 1884 **E:** ?MD UK

ssp. litigiosum Ganglbauer, 1884 **E:** ?MD

ssp. otshakovi Suvorov, 1913 **E:** UK ?MD

ciscaucasicum Jakovlev, 1899b

ssp. ciscaucasicum Jakovlev, 1899b **E:** ST

ssp. abramovi Lazarev, 2009 **E:** ST

ssp. mokrzeckii Jakovlev, 1902 **E:** UK

= crimeense Breuning, 1946

*elegans* Kraatz, 1873 **E:** UK ST **A:** KZ WS  
*frustrator* Plavilstshikov, 1958 **A:** AB  
 = *hypocrita* Plavilstshikov, 1937  
*auratum* Tournier, 1872 **A:** GG ?AR  
*komarowi* Jakovlev, 1887  
   *ssp. komarowi* Jakovlev, 1887 **A:** TM  
     = *interruptum* Jakovlev, 1895  
     = *transcaspicum* Jakovlev, 1901  
     = *janzcyki* Breuning, 1963  
   *ssp. kryzhanovskii* Plavilstshikov, 1958 **A:** TM  
*sareptanum* Kraatz, 1873  
   *ssp. sareptanum* Kraatz, 1873 **E:** ST KZ  
   *ssp. euxinum* Suvorov, 1915 **E:** ST  
   *ssp. kubanicum* Plavilstshikov, 1934 **E:** ST  
   *ssp. estiatum* Suvorov, 2013 **E:** ST  
   *ssp. striatiforme* Suvorov, 1913 **E:** ST  
*daratshitshagi* Suvorov, 1915 **A:** AR  
*cinerarium* Fabricius, 1787  
   *ssp. zubovi* Lazarev, 2011 **E:** MD  
   *ssp. demidovi* Danilevsky, 2013e **E:** UK  
   *ssp. gorodinskii* Danilevsky, 1996 **E:** UK MD  
   *ssp. cinerarium* (Fabricius, 1787) **E:** UK ST  
     = *tricolor* Fischer von Waldheim, 1805  
   *ssp. macropoides* Plavilstshikov, 1932 **E:** UK  
   *ssp. skrylniki* Lazarev, 2011 **E:** UK  
   *ssp. azovense* Lazarev, 2011 **E:** UK  
   *ssp. perroudi* Pic, 1942 **E:** UK  
   *ssp. bartenevi* Lazarev, 2011 **E:** UK  
   *ssp. panticapaeum* Plavilstshiko, 1951 **E:** UK ST  
   *ssp. okhrimenkoi* Danilevsky, 2016b  
   *ssp. sindorum* Lazarev, 2011 **E:** ST  
   *ssp. veniamini* Lazarev, 2011 **E:** ST  
   *ssp. novorossicum* Lazarev, 2015 **E:** ST  
   *ssp. papayense* Lazarev, 2014a **E:** ST  
   *ssp. adygorum* Lazarev, 2011 **E:** ST  
   *ssp. smetanai* Lazarev, 2011 **E:** ST  
   *ssp. terkense* Lazarev, 2011 **E:** ST  
   *ssp. belousovi* Lazarev, 2011 **A:** AB  
   *ssp. deniz* Lazarev, 2011 **A:** AB  
   *ssp. napolovi* Lazarev, 2011 **A:** AB  
*kasikoporanum* Pic, 1902 **A:** AR  
*kalashiani* Danilevsky, 1992 **A:** AB  
*sisianense* Lazarev, 2009 **A:** AR  
*shushense* Lazarev, 2010 **A:** AB  
*megriense* Lazarev, 2009 **A:** AR  
*sulcipenne* Küster, 1847  
   *ssp. sulcipenne* Küster, 1847 **A:** GG  
   *ssp. caucasicum* Küster, 1847 **A:** GG AR  
     = *impressicorne* Tournier, 1872  
   *ssp. demokidovi* Suvorov, 1915 **A:** GG  
   *ssp. plyushchi* Danilevsky, 2014d **A:** GG  
   *ssp. gubibni* Danilevsky, 2014d **A:** GG  
   *ssp. maljushenkoi* Pic, 1904 **A:** AB  
   *ssp. borzhomiense* Danilevsky, 2014d **A:** GG  
   *ssp. zekariense* Danilevsky, 2014d **A:** GG  
   *ssp. goektshanum* Suvorov, 1915 **A:** AR  
     = *armenum* Suvorov, 1915  
   *ssp. argonauta* Suvorov, 1913 **A:** AR GG  
     = *kurda* Suvorov, 1913

ssp. paki Danilevsky, 2014d **A:** GG  
 caspiense Breuning, 1956 **A:** AB  
 czegodaevi Danilevsky, 1992 **A:** AB  
 holosericeum Krynicky, 1832  
 ssp. holosericeum Krynicky, 1832 **E:** MD UK CT ST KZ  
 ssp. tristriatum Suvorov, 1913 **E:** ST **A:** GG  
 = striatum Dalman, 1817  
 striolatum Kraatz, 1873 **A:** GG AR ?AB  
 = masculinum Plavilstshikov, 1926 [ab. - unavailable]  
 equestre Laxmann, 1770  
 ssp. equestre Laxmann, 1770 **E:** UK CT ST **A:** GG  
 ssp. transsilvanicum Ganglbauer 1884 **E:** MD  
 rufogenum Reitter, 1895 **A:** KZ  
 ssp. rufogenum Reitter, 1895 **A:** KZ  
 semenovi Ganglbauer, 1884  
 ssp. semenovi Ganglbauer, 1884 **A:** KZ KI  
 ssp. terskeicum Danilevsky, 2002 **A:** KI  
 ssp. almatense Danilevsky, 2002 **A:** KZ  
 ssp. issykkulense Pic, 1906 **A:** KI  
 ssp. bisbicostatum Pic, 1908 **A:** KI  
 ssp. uriuktense Danilevsky, 2002 **A:** KI  
 ssp. hauseri Reitter, 1895 **A:** KI  
 = oblitteraticostum Suvorov, 1913 [not available]  
 ssp. kuvakense Danilevsky, 2002 **A:** KI  
 ssp. thaisia Danilevsky, 2002 **A:** KI  
 kuldschanum Pic, 1908 **A:** ?KZ ?KI  
 dokhtouroffi Ganglbauer, 1886 **A:** KI ZU TD  
 sokolowi Jakovlev, 1899a **A:** KZ  
 = apicipenne Jakovlev, 1899b  
 = jacobsoni Jakovlev, 1899c  
 = amydon Jakovlev, 1906  
 = dsungaricum Pic, 1907  
 = melancholicum Pic, 1907  
 = conicolle Breuning, 1946  
 = ? merzbacheri Breuning, 1946  
 = ? samarkandiae Breuning, 1946  
 morozovi Danilevsky, 1992 **A:** KZ  
 laeve Faldermann, 1837  
 ssp. vladimiri Danilevsky et Murzin, 2009 **A:** AR  
 shirvanicum Bogatchev, 1934  
 ssp. shirvanicum Bogatchev, 1934 **E:** ST **A:** AB  
 ssp. azerbaijdzhanicum Plavilstshikov, 1937 **A:** AB  
 talyschense Ganglbauer, 1884  
 ssp. talyschense Ganglbauer, 1884 **A:** AB  
 scabricolle Dalman, 1817  
 ssp. scabricolle Dalman, 1817 **A:** GG AR AB  
 ssp. elisabethpolicum Suvorov, 1915 **A:** AB  
 ssp. corpulentum Ménétériés, 1832 **A:** AB  
 ssp. sevangense Reitter, 1889 **A:** AR  
 ssp. dobrovljanskii Suvorov, 1915 AB  
 ssp. nakhichevanum Danilevsky, 1999 **A:** AB  
 ssp. paiz Danilevsky, 1999 **A:** AB  
 klavdiae Danilevsky, 1992 **A:** GG  
 niveisparsum Thomson, 1865 **A:** GG  
 wagneri Küster, 1846 **A:** AR GG  
 ssp. wagneri Küster, 1846 **A:** AR GG  
 gorbunovi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**  
 ssp. gorbunovi Danilevsky in Danilevsky et Miroshnikov, 1985 **A:**

AR AB

AR AB

ssp. rubenyani Lazarev, 2014a **A:** AR  
semilucens Kraatz, 1873 **A:** AR AB  
cineriferum Suvorov, 1909 **A:** AR AB  
ponomarenkoi Danilevsky, 2010 **A:** AB  
indutum Faldermann, 1837 **A:** AR AB  
pulchrum Pic, 1908 **A:** AB  
nigrosuturatum Reitter, 1897 **A:** AR  
= griseipenne Breuning, 1943  
sevliczi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**

AR

glaucum Faldermann, 1837 **A:** AR ?AB  
nitidum Motschulsky, 1838 **A:** GG AR AB  
danczenkoi Danilevsky, 1996 **A:** AB  
dimidiatum Motschulsky, 1838  
ssp. dimidiatum Motschulsky, 1838 **A:** GG AR AB  
bistriatum Pic, 1898 **A:** AR AB  
seminudum Kraatz, 1873 **A:** AR AB  
= nachycevanicum Breuning, 1943  
= impuncticolle Breuning, 1946  
bisignatum Jakovlev, 1899b **A:** ?GG  
apicerufum Breuning, 1943 **E:** ?ST **A:** GG AR AB  
gusakovi Danilevsky, 2007 **A:** GG  
reitteri Ganglbauer, 1884 **A:** GG  
shestopalovi Danilevsky, 1993 **A:** GG  
sodale Hampe, 1852 **A:** ?GG  
ssp. sodale Hampe, 1852 **A:** ?GG  
rosti Pic, 1900 **A:** GG  
tauricum Walth, 1838 **E:** UK  
ssp. tauricum Walth, 1838 **E:** UK  
turkestanicum Kraatz, 1881 **A:** KZ KI UZ TD  
= samarkandiae Breuning, 1946  
beckeri Kraatz, 1873  
ssp. beckeri Kraatz, 1873 **E:** ST **A:** AB  
ssp. koenigi Jakovlev, 1897 **E:** ST  
Subgenus: Dorcadion Dalm. 1817  
= Compsodorcadion Ganglbauer, 1884  
glicyrrhizae Pallas, 1773  
ssp. glicyrrhizae Pallas, 1773 **E:** ?ST KZ **A:** ?KZ  
ssp. murati Danilevsky, 2013f **A:** KZ  
ssp. eugenyi Abramov, 2015 **A:** KZ  
ssp. chuvilini Danilevsky, 2012 **A:** KZ  
ssp. androsovi Suvorov, 1909 **A:** KZ  
= dalilae Kadyrbekov, 2004  
ssp. obtusipenne Motschulsky, 1860 **A:** KZ  
ssp. fedorenkoi Danilevsky, 2001 **A:** KZ  
ssp. dostojewskii Semenov, 1899 **A:** KZ  
ssp. nikireevi Danilevsky, 2001 **A:** KZ  
ssp. inderiense Suvorov, 1911 **E:** KZ **A:** KZ  
ssp. korshikovi Danilevsky, 2006 **E:** ST **A:** KZ  
ssp. ishkarganum Danilevsky, 2009 **E:** ST  
ssp. striatum Goeze, 1777 **E:** ST CT KZ **A:** KZ  
= rufifrons Motschulsky, 1860  
= ?iliense Plavilstshikov, 1937  
ssp. nemkovi Danilevsky, 2006 **E:** ST KZ **A:** KZ  
ssp. guberlense Danilevsky, 2006 **E:** ST  
ssp. dubianskii Jakovlev, 1906 **A:** KZ ST  
ssp. uvarovi Suvorov, 1911 **A:** KZ  
ssp. turgaicum Suvorov, 1915 **A:** KZ

ssp. tobolense Danilevsky, 2001 **A:** KZ  
 ssp. galinae Danilevsky, 2001 **A:** KZ  
 crassipes Ballion, 1878  
 ssp. crassipes Ballion, 1878 **A:** KZ KI  
 ssp. validipes Jakovlev, 1906 **A:** ?KZ KI  
 ssp. glazunovi Suvorov, 1910 **A:** KZ  
 ganglbaueri Jakovlev, 1898 **A:** KZ  
 ssp. ganglbaueri Jakovlev, 1898 **A:** KZ  
 ssp. paveli Danilevsky, 2013f **A:** KZ  
 gebleri Kraatz, 1873 **A:** KZ WS  
 = occidentale Breuning, 1947  
 ssp. gebleri Kraatz, 1873 **A:** KZ WS  
 ssp. demimetrum Danilevsky, 1996 **A:** KZ  
 ssp. takyr Danilevsky, 1996 **A:** KZ  
 ssp. lukhtanovi Danilevsky, 1996 **A:** KZ  
 cephalotes (Jakovlev, 1889) **A:** KZ  
 alakoliense Danilevsky, 1988 **A:** KZ  
 abakumovi Thomson, 1964 **A:** KZ  
 ssp. abakumovi Thomson, 1964 **A:** KZ  
 ssp. sarkandicum Danilevsky, 2004 **A:** KZ  
 = aizhanae Kadyrbekov, 2004  
 ssp. laterale Jakovlev, 1895 **A:** KZ  
 ssp. lepsyense Danilevsky, 2004 **A:** KZ  
 tenuelineatum Jakovlev, 1895 **A:** KZ  
 Subgenus: Acutodorcadion Danil., Kasat., Rub., 2005  
 songaricum Ganglbauer, 1884 **A:** KZ  
 urdzharicum Plavilstshikov, 1937 **A:** KZ  
 acutispinum Motschulsky, 1860 **A:** KZ  
 nivosum Suvorov, 1913 **A:** KZ  
 suvorovi Jakovlev, 1906  
 ssp. suvorovi Jakovlev, 1906 **A:** KZ  
 ssp. konyroloenum Danilevsky, 1996 **A:** KZ  
 ssp. karachokense Danilevsky, 1996 **A:** KZ  
 ssp. tekeliense Danilevsky, 1996 **A:** KZ  
 ssp. taldykurganum Danilevsky, 1996  
 nikolaevi Danilevsky, 1995 **A:** KZ  
 arietinum Jakovlev, 1898  
 ssp. arietinum Jakovlev, 1898 **A:** KZ  
 ssp. zhalanash Danilevsky, 1996 **A:** KZ  
 ssp. phenax Jakovlev, 1899b **A:** KZ  
 = strandi Plavilstshikov, 1931  
 ssp. charynense Danilevsky, 1996 **A:** KZ  
 ssp. ketmeniense Danilevsky, 1996 **A:** KZ  
 ssp. chilikense Danilevsky, 1996 **A:** KZ  
 irinae Danilevsky, 1997 **A:** KZ  
 pantherinum Jakovlev, 1899a  
 ssp. pantherinum Jakovlev, 1899a **A:** KZ  
 ssp. ludmilae Abramov, 2018 **A:** KZ  
 ssp. sabulosum Danilevsky, 1995 **A:** KZ  
 ssp. shamaevi Danilevsky, 1995 **A:** KZ  
 ssp. desertum Danilevsky, 1995 **A:** KZ  
 absinthium Plavilstshikov, 1937 **A:** KZ  
 ssp. absinthium Plavilstshikov, 1937 **A:** KZ  
 ssp. ishkovi Kadyrbekov, 2004 **A:** KZ  
 ninae Danilevsky, 1995 **A:** KZ  
 zhaisanicum Shapovalov, 2007 **A:** KZ  
 mystacinum Ballion, 1878  
 ssp. mystacinum Ballion, 1878 **A:** KZ KI UZ  
 = ataense Pic, 1901

ssp. rufidens Jakovlev, 1906 **A:** KZ  
 ssp. pumilio Plavilstshikov, 1951 **A:** KZ  
 suvorovianum Plavilstshikov, 1915  
 ssp. suvorovianum Plavilstshikov, 1915 **A:** KZ  
 ssp. koramense Danilevsky, 1999 **A:** KZ  
 unidiscale Breuning, 1946 **A:** KZ  
 tschitscherini Jakovlev, 1899a **A:** KZ  
 kapchagaicum Danilevsky, 1996 **A:** KZ  
 tianshanskii Suvorov, 1910  
 ssp. tianshanskii Suvorov, 1910 **A:** KZ  
 ssp. radkevitshi Suvorov, 1910 **A:** KZ  
 ssp. terminum Danilevsky, 1999 **A:** KZ  
 ssp. heptapotamicum Plavilstshikov, 1951 **A:** KZ  
 ssp. algaense Danilevsky, 2012 **A:** KZ  
 ssp. otariense Danilevsky, 2012 **A:** KZ  
 ssp. parapumilio Danilevsky, 2012 **A:** KZ  
 ssp. euzhaisanicum Danilevsky, 2012 **A:** KZ  
 optatum Jakovlev, 1906  
 ssp. optatum Jakovlev, 1906 **A:** KI KZ  
 ssp. matthieseni Suvorov, 1910 **A:** KI  
 ssp. toropyginae Danilevsky, 1999 **A:** KI  
 ssp. kadyrbekovi Danilevsky, 1999 **A:** KZ  
 ssp. vallesum Danilevsky, 1999 **A:** KI  
 danilevskiy Dolin et Ovtschinnikov, 1999 **A:** KI  
 darjae Danilevsky, 2001 **A:** KI  
 kastekum Danilevsky, 1996 **A:** KZ KI  
 alexandris Pic, 1900 **A:** KI  
 = luteolum Suvorov, 1910  
 profanifuga Plavilstshikov, 1951 **A:** KZ  
 globithorax Jakovlev, 1895 **A:** KZ  
 grande Jakovlev, 1906 **A:** KZ  
 pelidnum Jakovlev, 1906 **A:** KI  
 toropovi Danilevsky, 1999 **A:** KI  
 tibiale (Jakovlev, 1889) **A:** KI  
 Genus: Neodorcadion Ganglbauer, 1884  
 bilineatum Germar, 1824 **E:** MD UK  
 Genus: Politodorcadion Danilevsky, 1996  
 ribbei Kraatz, 1878  
 ssp. ribbei Kraatz, 1878 **A:** KZ  
 ssp. bobrovi Danilevsky, 2001 **A:** KZ  
 politum Dalman, 1823  
 ssp. politum Dalman, 1823 **A:** WS KZ  
 = lydiae Plavilstshikov, 1929  
 ssp. akmolense Suvorov, 1911 **E:** ST **A:** KZ  
 ssp. shapovalovi Danilevsky, 2006 **E:** ST **A:** KZ  
 balchashense Suvorov, 1911  
 ssp. balchashense Suvorov, 1911 **A:** KZ  
 ssp. betpakdalense Danilevsky, 1996 **A:** KZ  
 archarlense Danilevsky, 1996 **A:** KZ  
 eurygyne Suvorov, 1911 **A:** KZ WS  
 ssp. eurygyne Suvorov, 1911 **A:** KZ WS  
 ssp. lailanum Danilevsky, 2007 **A:** KZ  
 lativittis Kraatz, 1878 **A:** KZ  
 Genus: Eodorcadion Breuning, 1946  
 Subgenus Eodorcadion Breuning, 1946  
 carinatum Fabricius, 1781 **E:** CT ST **A:** WS ES KZ MG  
 ssp. carinatum Fabricius, 1781 **E:** CT ST **A:** WS ES KZ  
 ssp. blessigi Ganglbauer, 1884 **A:** KZ WS ?ES  
 ssp. bramsoni Pic, 1901 **A:** WS



= gassneri Breit, 1917  
 ssp. involvens Fischer-Waldheim, 1823 **A:** ES FE MG  
 = vestita Jakovlev, 1901  
 = longjiangensis Wang, 2003  
 ssp. kiahtenum Danilevsky, 2007 **A:** ES  
 altaicum Suvorov, 1909 **A:** KZ  
 chinganicum Suvorov, 1909 **A:** MG  
 ssp. kerulenum Danilevsky, 2007 **A:** MG  
 darigangense Heyrovsky, 1967 **A:** MG  
 tuvense Plavilstshikov, 1958 **A:** ES  
 ptyalopleurum Suvorov, 1909 **A:** ES  
 maurum Jakovlev, 1889 **A:** ES MG  
 ssp. sajanicum Hammarström, 1893 **A:** ES  
 ssp. quinquevittatum Hammarström, 1893 **A:** ES  
 = leucogrammmum Suvorov, 1909  
 ssp. maurum Jakovlev, 1889 **A:** ES MG  
 = hirtipes Jakovlev, 1901  
 = grumi Suvorov, 1909  
 = boldi Heyrovsky, 1965  
 = fortocostatum Heyrovsky, 1969  
 ssp. katharinae Reitter, 1898 **A:** ES MG  
 ssp. australe Danilevsky, 2014 **A:** MG  
 Subgenus Ornatodorcadion Breuning, 1947  
 dorcas Jakovlev, 1901 **A:** MG  
 ssp. dorcas Jakovlev, 1901 **A:** MG  
 = morosum Jakovlev, 1901  
 = annulatum Heyrovsky, 1969  
 ssp. scabrosum Namkhaidorzh, 1972 **A:** MG  
 consentaneum Jakovlev, 1899 **A:** MG  
 = hirticollis Jakovlev, 1901  
 = insignis Jakovlev, 1901  
 savitskyi Danilevsky, 2014 **A:** MG  
 intermedium Jakovlev, 1889 **A:** MG  
 ssp. intermedium Jakovlev, 1889 **A:** MG  
 = mongolicum Jakovlev, 1896  
 = kaszabi Heyrovsky, 1965  
 ssp. kozlovi Suvorov, 1912 **A:** MG  
 = hedinii Pic, 1935  
 gorbunovi Danilevsky, 2004 **A:** MG  
 argaloides Breuning, 1947 **A:** MG  
 zichyi Csiki, 1901 **A:** MG  
 = heros, Namkhaidorzh, 1972, not Jakovlev, 1899  
 oryx Jakovlev, 1896 **A:** MG  
 novitzkyi Suvorov, 1909 **A:** MG  
 = inalbatum Suvorov, 1909  
 exaratum Ménéttriés in Motschulsky, 1854 **A:** MG  
 ssp. exaratum Ménéttriés in Motschulsky, 1854 **A:** MG  
 = rugipenne Heyrovsky, 1967  
 ssp. argali Jakovlev, 1889 **A:** MG  
 =miraculum Reitter, 1897  
 =hircus Jakovlev, 1906  
 =quadricarinatum Heyrovsky, 1970  
 egregium Reitter, 1897 **A:** MG  
 = albitarsale Breuning, 1966  
 = kabaki Kadyrbekov, 2004  
 brandti Gebler, 1841 **A:** KZ ?WS  
 = dux Jakovlev, 1894  
 = nigrolineatum Reitter, 1897  
 Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005

humerale Gebler, 1823 **A:** ES FE MG  
   ssp. humerale Gebler, 1823 **A:** ES MG  
   ssp. impluviatum Faldermann, 1833 **A:** ?ES MG  
   = irroratum Reitter, 1893  
   ssp. trabeatum (Jakovlev, 1901) **A:** FE  
     = mogissemium Suvorov, 1909, unavailable  
     = melan Suvorov, 1909, unavailable  
     = quadrilineatum Breit, 1915  
     = xingana Chiang et Wang in Wang, 2003  
 lutshniki Plavilstshikov, 1937 **A:** ES MG  
   ssp. lutshniki Plavilstshikov, 1937 **A:** ES  
   ssp. burenum Danilevsky, 2007 **A:** ES  
   ssp. bicoloratum Danilevsky, 2007 **A:** ES  
   ssp. altanelsense Heyrovsky, 1973 **A:** MG

Tribus: ANCYLONOTINI  
 Genus: Palimna Pascoe, 1862  
   liturata Bates, 1884  
   ssp. continentalis Semenov, 1914 **A:** FE

Tribus: DORCASCHEMATINI  
 Genus: Olenecamptus Chevrolat, 1835  
   octopustulatus Motschulsky, 1860  
   ssp. octopustulatus Motschulsky, 1860 **A:** ES FE MG  
     = mordkovitshi Tshernyshev et Dubatolov, 2000  
   riparius Danilevsky, 2011b **A:** FE

Tribus: PTEROPLIINI  
 Genus: Pterolophia Newman, 1842  
   Subgenus: Pterolophia Newman, 1842  
     maacki Blessig, 1873 **A:** FE  
     angusta (Bates, 1873)  
       ssp. multinotata Pic, 1931 **A:** ES FE MG  
       = mandshurica Breuning, 1938  
       = ussuriensis Plavilstshikov, 1954  
       = burakowskii Heyrovsky, 1973  
       = selengensis Ljamtzeva, 1979  
   Subgenus: Ale Pascoe, 1865  
     jugosa Bates, 1873  
     ssp. jugosa Bates, 1873 **A:** FE

Genus: Egesina Pascoe, 1864  
   = Baeckmanella Shabliovskiy, 1936  
   Subgenus: Niijimaia Matsushita, 1933  
     bifasciana Matsushita, 1933  
     ssp. bifasciana Matsushita, 1933 **A:** FE  
     = iljinskyi Shabliovskiy, 1936

Tribus: APOMECCYNINI  
 Genus: Apomeccyna Dejean, 1829  
   Subgenus: Apomeccyna Dejean, 1829  
     histrion Fabricius, 1793 **A:** ES ?MG

Genus: Microclera Bates, 1873  
   ptinoides Bates, 1873 **A:** FE

Genus: Asaperda Bates, 1873  
   agapanthina Bates, 1873  
     ssp. agapanthina Bates, 1873 **A:** FE  
     = meridiana auct. not Matsushita, 1931  
   rufipes Bates, 1873  
     ssp. rufipes Bates, 1873 **A:** ?FE  
   stenostola Kraatz, 1873 **A:** KZ WS FE MG

Tribus: PTERICOPTINI  
 Genus: Xylariopsis Bates, 1884  
   mimica Bates, 1884 **A:** FE

Tribus: APODASYINI

Genus: *Quasimesosella* Miroshnikov 2006  
 = *Pseudomesosella* Miroshnikov, 1989  
*ussuriensis* Tsherepanov, 1983 **A:** FE  
 = *florovi* Tsherepanov, 1984

Genus: *Deroplia* Dejean, 1835  
 = *Stenidea* Mulsant, 1842  
*genei* Aragona, 1830  
 ssp. *genei* Aragona, 1830 **E:** UK ST **A:** GG AR ?AB

Genus: *Sophronica* Blanchard, 1845  
*sundukovi* Danilevsky, 1873 **A:** FE

Genus: *Anaesthetis* Dejean, 1835  
*confossicollis* Beckmann, 1903 **A:** ES FE MG  
*flavipilis* Beckmann, 1903 **A:** WS  
 = ?*strandiella* Breuning, 1943  
*lanuginosa* Beckmann, 1903 **A:** TM  
*testacea* Fabricius, 1781  
 ssp. *testacea* Fabricius, 1781 **E:** MD UK CT ST **A:** KZ  
 ssp. *rufescens* Beckmann, 1903 **E:** ST **A:** GG AR AB

Genus: *Ussurella* Danilevsky, 1997  
 = *Ussuria* Danilevsky, 1995  
*napolovi* Danilevsky, 1995 **A:** FE

Genus: *Cylindilla* Bates, 1884  
 = *Pseudanaesthetis* Pic, 1929  
 = *Anaesthetomorphus* Pic, 1929  
 = *Ascoldatimura* Breuning, 1960  
*grisescens* Bates, 1884 **A:** FE  
 = *apicalis* Pic, 1929  
 = *ascoldensis* Heyden, 1884

Genus: *Terinaea* Bates, 1884  
*tiliae* Murzin, 1983 **A:** FE

Genus: *Mimectatina* Aurivillius, 1927  
 = *Doius* Matsushita, 1933  
*divaricata* Bates, 1884  
 ssp. *divaricata* Bates, 1884 **A:** FE

Genus: *Rhopaloscelis* Blessig, 1873  
*maculata* Bates, 1877 **A:** FE  
*unifasciata* Blessig, 1873 **A:** KZ WS ES FE MG  
*schurmanni* Breuning, 1969 **A:** AB  
 = *schuberti* Breuning, 1975

Genus: *Arhopaloscelis* Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al.,  
 1981  
*bifasciata* Kraatz, 1879 **A:** FE  
*nipponensis* Pic, 1932 **A:** FE

Genus: *Clytosemia* Bates, 1884  
*pulchra* Bates, 1884 **A:** FE

Genus: *Miccolamia* Bates, 1884  
 Subgenus: *Miccolamia* Bates, 1884  
*cleroides* Bates, 1884 **A:** FE  
 Subgenus: *Isomiccolamia* Ohbayashi, 1963  
*glabricula* Bates, 1884  
 ssp. *glabricula* Bates, 1884 **A:** FE  
 = *verrucosa* auct. (not Bates, 1884)

Tribus: POGONOCHERINI

Genus: *Parmenopsis* Ganglbauer, 1882  
*caucasica* Leder, 1879 **E:** ST **A:** GG

Genus: *Pogonocherus* Dejean, 1821  
 Subgenus: *Pogonocherus* Dejean, 1821  
*hispidus* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB

hispidulus Piller et Mitterpacher, 1783 **E:** MD UK NT CT ST **A:** GG  
 AR AB KZ  
 dimidiatus Blessig, 1873 **A:** FE  
   = seminiveus Bates, 1873  
   = tristiculus Kraatz, 1879  
 sieversi Ganglbauer, 1887 **?E:** ?UK **A:** GG AR  
   = caucasicus Ganglbauer, 1891  
   = kuksha Plavilstshikov, 1924  
 perroudi Mulsant, 1839 **E:** UK ST **A:** GG  
 Subgenus: Pityphilus Mulsant, 1863  
   fasciculatus DeGeer, 1775  
     = costatus Motschulsky, 1859  
     ssp. fasciculatus DeGeer, 1775 **E:** MD UK NT CT ST **A:** GG AR AB KZ  
 WS ES FE MG  
 decoratus Fairmaire, 1855 **E:** MD UK NT CT ST **A:** WS KZ  
 ovatus Goeze, 1777 **E:** ?UK ?CT  
 inermicollis Reitter, 1894 **E:** ST **A:** GG  
 resslii Holzschuh, 1977 **A:** AB  
 zubovi Danilevsky, 2015 **E:** UK  
 Tribus: ACANTHODERINI  
   Genus: Aegomorphus Haldeman, 1847  
     = Acanthoderes auct. (not Audinet-Serville, 1835)  
     = Psapharochrus auct. (not Thomson, 1874)  
     clavipes Schrank, 1781 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE  
 MG  
   obscurior Pic, 1904 **E:** CT ST UK **A:** KZ WS ES FE MG  
     = wojtylai Hilszczanski, Bystrowski, 2005  
   Genus: Oplosia Mulsant, 1862  
     cinerea Mulsant 1839 **E:** UK NT CT ST  
     = fennica Paykull, 1800  
     suvorovi Pic, 1914 **A:** ES FE  
 Tribus: ACANTHOCININI  
   Genus: Acanthocinus Dejean, 1821  
     Subgenus: Acanthocinus Dejean, 1821  
       elegans Ganglbauer, 1884 **E:** ST **A:** AB  
       reticulatus Razoumowsky, 1789 **E:** UK  
       griseus Fabricius, 1793 **E:** MD UK NT CT ST **A:** AR ?GG ?AB KZ WS ES  
 ?MG  
   orientalis Ohbayashi, 1939 **A:** FE  
   carinulatus Gebler, 1833 **A:** WS ES FE MG  
     = sibiricus Motschulsky, 1860  
   sachalinensis Matsushita, 1933 **A:** ES FE ?MG  
   aedilis Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG ?AR ?AB KZ WS ES  
 FE MG  
   Subgenus: Acanthobatesianus Wallin, Kvamme & Lin, 2012  
     guttatus (Bates, 1873) FE  
   Genus: Leiopus Audinet-Serville, 1835  
     Subgenus: Leiopus Audinet-Serville, 1835  
       stillatus Bates, 1884 **A:** FE  
       nebulosus Linnaeus, 1758  
       ssp. nebulosus Linnaeus, 1758 **E:** ?MD UK CT [Kaliningrad]  
       ssp. caucasicus Ganglbauer, 1887 **E:** ST **A:** GG AR AB  
       linnei Wallin, Nylander & Kvamme, 2009 **E:** MD UK ?NT CT ST **A:** KZ  
       kharazii Holzschuh, 1974 **A:** AB  
       punctulatus Paykull, 1800 **E:** UK NT CT  
       femoratus Fairmaire, 1859 **E:** UK ST **A:** GG AR AB  
       = pachymerus Ganglbauer, 1884  
       albivittis Kraatz, 1879  
       = ganglbaueri Csiki, 1901

ssp. albivittis Kraatz, 1879 **A:** WS ES FE MG  
 ssp. malaisei Aurivillius, 1928 **A:** FE  
 Genus: *Ostedes* Pascoe, 1859  
     kadleci Danilevsky, 1992 **A:** FE  
 Genus: *Rondibilis* Thomson, 1857  
     = *Eryssamena* Bates, 1884  
     saperdina Bates, 1884 **A:** FE  
     schabliovskiyi Tsherepanov, 1982 **A:** FE  
     = shabliovskiyi, Tsherepanov, 1984  
 Tribus: EXOCENTRINI  
 Genus: *Exocentrus* Dejean, 1835  
     Subgenus: *Exocentrus* Dejean, 1835  
         lusitanus Linnaeus, 1767 **E:** MD UK NT CT ST **A:** GG AR AB KZ ?WS  
         adpersus Mulsant, 1846 **E:** MD UK ST **A:** GG AR AB  
             = alemdaghensis Breuning, 1981  
             = ?hirsutululus Faldermann, 1837  
         pseudopunctipennis Holzschuh, 1979 **A:** GG AR AB TM  
         punctipennis Mulsant et Guill. 1856  
             ssp. punctipennis Mulsant et Guill. 1856 **E:** MD UK ST CT  
             ssp. signatus Mulsant et Rey, 1863 **E:** ST **A:** GG ?AB  
         stierlini Ganglbauer, 1884 **E:** MD UK ST **A:** ?KZ WS ES FE  
         fasciolatus Bates, 1873 **A:** FE  
             ssp. **plavilstshikovi Danilevsky, 2014c** **A:** FE  
         tsushmanus Hayashi, 1968 **A:** FE  
             = conjugatofasciatus Tsherepanov, 1973  
         testudineus Matsushita, 1931 **A:** FE  
         lineatus Bates, 1873 **A:** FE  
         guttulatus Bates, 1873  
             ssp. ussuricus Tsherepanov, 1973 **A:** FE  
         marginatus Tsherepanov, 1973 **A:** FE  
 Genus: *Miaenia* Pascoe, 1864  
     Subgenus: *Miaenia* Pascoe, 1864  
         maritima Tsherepanov, 1979 **A:** FE  
 Tribus: TETROPINI  
 Genus: *Tetrops* Kirby in Kirby et Spence, 1826  
     Subgenus: *Tetrops* Kirby in Kirby et Spence, 1826  
         praeustus Linnaeus, 1758  
             ssp. praeustus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ  
 WS ES MG  
         starkii Chevrolat, 1859 **E:** MD UK CT ST **A:** ?GG AB  
             ssp. starkii Chevrolat, 1859 **E:** MD UK CT **A:** ?GG ?AB  
             ssp. aquilus Danilevsky, 2012 **E:** ST  
         gilvipes Faldermann, 1837 **E:** UK ST **A:** GG AR AB TM  
             ssp. gilvipes Faldermann, 1837 **E:** ST **A:** GG AR AB  
             ssp. efetovi Lazarev, 2012 **E:** UK  
             ssp. murzini Lazarev, 2012 **A:** AB TM  
             ssp. adlbaueri Lazarev, 2012 **E:** ?MD ?UK ?CT ?ST  
         rosarum Tsherepanov, 1975 **A:** FE  
         mongolicus Murzin, 1977 **A:** ES MG  
     Subgenus: *Mimosophronica* Breuning, 1943  
         elaeagni Plavilstshikov, 1954 **E:** ST KZ **A:** KZ UZ TM  
             ssp. elaeagni Plavilstshikov, 1954 **E:** ST KZ  
             ssp. plaviltshikovi Kostin, 1973 **A:** KZ  
             ssp. shapovalovi Danilevsky, 2018 **A:** KZ UZ TM  
         formosus Baeckmann, 1903  
             ssp. formosus Baeckmann, 1903 **A:** KI KZ  
             ssp. bivittulatus Jankowski, 1934 **A:** KZ  
             ssp. songaricus Kostin 1973 **A:** KZ  
         bicoloricornis Kostin, 1973 **A:** KI UZ

ssp. *bicoloricornis* Kostin, 1973 **A:** KI  
 ssp. *ferganensis* Danilevsky, 2018 **A:** KI UZ  
 ssp. *nigricornis* Danilevsky, 2018a **A:** KI  
 ssp. *oshensis* Danilevsky, 2018a **A:** KI  
*hauseri* Reitter, 1897 **A:** KZ  
 ssp. *kostini* Özdikmen, Turgut, 2008 KZ  
 = *nigra* Kostin, 1973

**Tribus: SAPERDINI**  
**Genus: Eutetrapha** Bates, 1884  
*ocelota* (Bates, 1873) **A:** FE  
*sedecimpunctata* Motschulsky, 1860 **A:** ?ES FE  
 = *motschulskyi* Plavilstshikov, 1915  
*metallescens* Motschulsky, 1860 **A:**?ES FE  
*chrysochloris* Bates, 1879  
 ssp. *chrysochloris* Bates, 1879 **A:** FE

**Genus: Saperda** Fabricius, 1775  
**Subgenus: Saperda** Fabricius, 1775  
 = *Anaerea* Mulsant, 1839  
*carcharias* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS  
 ES FE MG  
*similis* Laicharting, 1784 **E:** UK NT CT ST **A:** KZ KI TD UZ WS ES FE  
 MG

**Subgenus: Lopezcolonia** Alonso-Zarazaga, 1998  
 = *Argalia* Mulsant, 1862  
 = *Scalaperda* Shapovalov, 2011 [nomen nudum]  
*alberti* Plavilstshikov, 1915 **A:** KZ WS ES FE MG  
*perforata* Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE  
 MG

*maculosa* Ménéttriés, 1832 **A:** AB  
*scalaris* Linnaeus, 1758  
 ssp. *scalaris* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ  
 ssp. *hieroglyphica* Pallas, 1773 **E:** NT CT ST **A:** KZ WS ES FE MG  
*interrupta* Gebler, 1825 **A:** WS ES FE  
*octopunctata* Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB  
*punctata* Linnaeus, 1767 **E:** MD UK CT ST **A:** GG AR AB KZ WS  
*subobliterata* Pic, 1910 **A:** FE  
 = *mandschukoensis* Breuning, 1943  
 = *harbinensis* Chiang, 1983  
*octomaculata* Blessig, 1873 **A:** ES FE MG

**Subgenus: Compsidia** Mulsant 1839  
*balsamifera* Motschulsky, 1860 **A:** ES FE MG  
*populnea* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI WS ES  
 FE MG  
 ssp. *populnea* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ KI  
 TD WS ES FE  
 ssp. *lapponica* Wallin, Kvamme & Bergsten, 2017 **E:** NT **A:** ?WS  
 ssp. *balsamifera* Motschulsky, 1860 **A:** WS MG  
*bilineatocollis* Pic, 1924 **A:** FE

**Genus: Eumecocera** Solsky, 1871  
*impustulata* Motschulsky, 1860 **A:** WS ES FE MG  
*callosicollis* Breuning, 1943 **A:** FE

**Genus: Nietzscheana** Zubov, 2014  
*plutenkoi* Zubov, 2014 **A:** FE

**Genus: Stenostola** Dejean, 1835  
*dubia* Laicharting, 1784 **E:** MD UK NT CT ST **A:** GG AR AB  
*ferrea* Schrank, 1776  
 ssp. *ferrea* Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB  
 ssp. *maculipennis* Holzschuh, 1982 **E:** ST UK  
*ivanovi* Danilevsky, 2014c **A:** FE

Genus: *Menesia* Mulsant, 1856  
*albifrons* Heyden, 1886 **A:** ES FE  
*bipunctata* Zoubkoff, 1829 **E:** UK NT CT ST **A:** KZ  
*sulphurata* Gebler, 1825 **E:** ST **A:** KZ WS ES FE MG  
*flavotecta* Heyden, 1886 **A:** ?ES FE ?MG

Genus: *Paramenesia* Breuning, 1952  
*theaphia* Bates, 1884 **A:** FE

Genus: *Cagosima* Thomson, 1864  
*sanguinolenta* Thomson, 1864  
*ssp. sanguinolenta* Thomson, 1864 **A:** FE

Genus: *Thyestilla* Aurivillius, 1923  
*gebleri* Faldermann, 1835

Tribus: GLENEINI  
Genus: *Glenea* Newman, 1842  
Subgenus: *Glenea* Newman, 1842  
*relicta* Pascoe, 1868  
*ssp. relicta* Pascoe, 1868 **A:** FE

Tribus: PHYTOECIINI  
Genus: *Nupserha* Chevrolat, 1858  
*marginella* Bates, 1873 **A:** FE MG  
*sericans* Bates, 1884 **A:** FE  
*alexandrovi* Plavilstshikov, 1915 **A:** FE

Genus: *Oberea* Dejean, 1835  
Subgenus: *Oberea* Dejean, 1835  
*pupillata* Gyllenhal, 1817 **E:** UK NT CT ST  
*kostini* Danilevsky, 1988 **E:** CT **A:** KZ WS ES  
*heyrovskyi* Pic, 1927 **A:** FE  
*depressa* Gebler, 1825 **A:** WS ES FE MG  
= *amurica* Suvorov, 1913  
= *transbaicalica* Suvorov, 1913  
*oculata* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE

MG  
*linearis* Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB  
*morio* Kraatz, 1879 **A:** ES FE MG  
*scutellaroides* Breuning, 1947 **A:** FE  
= *scutellaris* Fairmaire, 1888  
= *chinensis* Tsherepanov, 1985  
*corensis* Gressitt, 1951 **A:** FE  
*herzi* Ganglbauer, 1887 **A:** FE  
*vittata* Blessig, 1873 **A:** ES FE MG  
*japonica* Thunberg, 1787 **A:** FE MG

Subgenus: *Amaurostoma* Müller, 1906  
*euphorbiae* Germar, 1813 **E:** MD UK ST CT **A:** AR KZ WS  
*donceeli* Pic, 1907 **A:** ES FE MG  
*moravica* Kratochvil, 1989 **E:** MD UK  
= *histrionis* Pic, 1917  
*erythrocephala* Schrank, 1776  
*ssp. erythrocephala* Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB KZ

WS  
*ruficeps* Fischer-Waldheim, 1842  
*ssp. ruficeps* Fischer-Waldheim, 1842 **A:** KZ UZ KI WS  
*ssp. muchei* Breuning, 1981 **A:** TD

Genus: *Oxylia* Mulsant, 1863  
= *Coptosia* Fairmaire, 1865  
*argentata* Ménéttriés, 1832  
*ssp. argentata* Ménéttriés, 1832 **E:** UK **A:** GG AR AB

Genus: *Pteromallosia* Pic, 1900  
*albolineata* Hampe, 1852 **A:** GG AR AB

Genus: *Mallosia* Mulsant, 1863

Subgenus: *Semnosia* K.Daniel, 1904  
     *scovitzii* Faldermann, 1837 **A:** GG AB AR  
     *tristis* Reitter, 1888 **A:** AB  
     = *angelicae* Reitter, 1890  
     *galinae* Danilevsky, 1990 **A:** AB GG  
 Subgenus: *Eumallosia* Danilevsky, 1990  
     *brevipes* Pic, 1897 **A:** AR  
     = *cribratofasciata* Daniel 1904  
     *armeniaca* Pic, 1897 **A:** AR ?AB  
     = *caucasica* Pic 1898  
     = *haiastanica* Danilevsky, 2007  
     *gobustanica* Danilevsky 1990 **A:** AB  
     *herminae* Reitter, 1890 **A:** AB  
 Genus: *Paramallosia* Fuchs, 1955  
     *afghanica* Fuchs, 1955 **A:** TM  
 Genus: *Mallosiola* Semenov, 1895  
     *regina* Heyden, 1887 **A:** TD  
 Genus: *Conizonia* Fairmaire, 1864  
     Subgenus: *Iranocoptosia* Villiers, 1967  
         *fausti* Ganglbauer, 1886 **A:** TM  
         = *balachowskyi* Villiers, 1967  
     Subgenus: *Conizonioides* Özdikmen, 2015  
         *kalashiani* Danilevsky, 1992 **A:** AR  
         *georgiana* Navrátil & Rozsival, 2016 **A:** GG  
     Subgenus: *Eurycoptosia* Reitter, 1913  
         *bodoani* Pic, 1912 **A:** AB  
 Genus: *Pilemia* Fairmaire, 1863  
     Subgenus: *Pilemia* Fairmaire, 1863  
         *annulata* Hampe, 1852  
         ssp. *annulata* Hampe, 1852 **A:** AB AR  
         *tigrina* Mulsant, 1851 **E:** MD UK ?ST **A:** ?AR  
     Subgenus: *Pseudopilemia* Kasatkin, 2018  
         *hirsutula* Frölich, 1793  
         ssp. *hirsutula* Frölich, 1793 **E:** MD UK ST **A:** GG AR AB KZ WS  
         ssp. *homoiesthes* Ganglbauer, 1888 **A:** TM  
 Genus: *Phytoecia* Dejean, 1835  
     Subgenus: *Paracoptosia* Danilevsky, 2017b  
         *compacta* Ménéttriés, 1832 **A:** GG AR AB  
     Subgenus: *Coptosiella* Kasatkin, 2015  
         *antoniae* Reitter, 1889 **A:** GG AR AB TM  
     Subgenus: *Pseudocoptosia* Pic, 1900  
         *cinerascens* Kraatz, 1882 **A:** KZ TM UZ TD KI  
         = *sokolovi* Semenov, 1895  
         *eylandti* Semenov, 1891 **A:** KZ TM UZ TD KI  
         = *glasunovi* Semenov, 1895  
         *kubani* Holzschuh, 1991 **A:** TD  
     Subgenus: *Cardoria* Mulsant, 1863  
         *scutellata* Fabricius, 1793 **E:** ?MD UK CT ST **A:** GG AR AB  
     Subgenus: *Pseudomusaria* Pic, 1900  
         *farinosa* Ganglbauer, 1886 **A:** TM  
         = *mucida* Semenov, 1893  
     Subgenus: *Fulgophytoecia* Pic, 1900  
         = *Pseudomallosia* Breuning, 1967  
         *circumdata* Kr. 1882 **A:** KZ KI UZ TD  
         = *sellata* Ganglbauer, 1887  
         = *parterufipennis* Breuning, 1967  
         *pilosicollis* Holzsch. 1981 **A:** KZ UZ ?KI  
     Subgenus: *Helladia* Fairmaire, 1864  
         *pretiosa* Faldermann, 1837



ssp. pretiosa Faldermann, 1837 ?E: ?ST A: AR AB ?GG  
 fatima Ganglbauer, 1884 A: AB  
 diademata Faldermann, 1837 A: GG AR AB  
 adelpha Ganglbauer, 1886 A: AR  
 millefolii Adams, 1817  
 ssp. millefolii Adams, 1817 E: UK ST A: GG AR AB  
 armeniaca Frivaldsky, 1878 A: AR AB GG  
 testaceovittata Pic, 1934  
 = iranica Villiers, 1960  
 = holzschuhi Özdikmen, 2008 [unavailable name]  
 ssp. natali Lobanov, 1994 A: AB  
 praetextata Steven, 1817  
 ssp. praetextata Steven, 1817 E: UK ST A: GG AR AB  
 humeralis Waltl, 1838 A: AB GG  
 plasoni Ganglbauer, 1884 A: AR ?AB TM  
 Subgenus: Musaria Thomson, 1864  
 faldermanni Faldermann, 1837 E: UK ST A: GG AR AB KZ  
 argus Frölich, 1793 E: MD UK CT ST  
 affinis Harrer, 1784  
 = nigripes Voet, 1778  
 = bipunctata Piller, 1783  
 ssp. affinis Harrer, 1784 E: MD UK CT ST A: KZ  
 ssp. nigropubescens Müller, 1948 E: ST A: GG AR  
 ssp. altaica Suvorov, 1913 A: KZ WS  
 ssp. volgensis Kraatz, 1884 E: ST  
 ssp. boeberi Ganglbauer, 1884 E: ST A: GG AR AB  
 wachanrui Mulsant, 1851 E: ?ST A: ?AB  
 astarte Ganglbauer, 1886  
 ssp. lederi Pic, 1899 E: ST A: GG AR AB  
 kurdistana Ganglbauer, 1884 A: GG AR AB  
 puncticollis Faldermann, 1837  
 ssp. puncticollis Faldermann, 1837 E: ST A: GG AR AB  
 ssp. stygia Ganglbauer, 1884 A: TM  
 Subgenus: Neomusaria Plav. 1928  
 dantchenkoi Danilevsky, 2008 A: AR  
 Subgenus: Kalashania Danilevsky, 2010  
 erivanica Reitter, 1899 A: GG AR AB  
 pici Reitter, 1892 A: GG AR AB  
 Subgenus: Phytoecia Dejean, 1835  
 nigricornis Fabricius, 1782 E: MD UK NT CT ST A: GG AR AB KZ WS  
 ES FE  
 = julii Mulsant, 1863  
 ferrea Ganglbauer, 1887 A: ?WS ES FE MG  
 = analis Mannerheim, 1849  
 = mannerheimi Breuning, 1951  
 stenostoloides Breuning, 1943 A: ES FE  
 mongolorum Namhaidorzh, 1979 A: MG  
 cylindrica Linnaeus, 1758 E: MD UK NT CT ST A: GG AR AB KZ WS ES  
 FE  
 pustulata Schrank, 1776  
 ssp. pustulata Schrank, 1776 E: MD UK CT ST A: GG AR AB KZ KI UZ  
 TD  
 = murina Marseul, 1870  
 ssp. pilipennis Reitter, 1895 A: AR AB  
 ssp. pulla Ganglbauer, 1886 E: ST A: KZ KI UZ  
 = kryzhanovskii Kostin, 1973  
 rufiventris Gautier, 1870 A: ES FE MG  
 virgula Charpentier, 1825 E: MD UK CT ST A: GG AR AB KZ TM UZ KI  
 TD WS ES

rufipes Olivier, 1795  
 = sibirica Gebler, 1833  
 ssp. rufipes Olivier, 1795 **E:** ?UK CT ST **A:** ?GG KZ ?TM UZ TD KI

WS ?ES

bangi Pic, 1897 **A:** AR GG  
 acridula Holzschuh, 1981 **A:** KI UZ TD  
 croceipes Reiche, 1858 **A:** GG AR AB  
 asiatica Pic, 1891  
 = achilleae Holzschuh, 1971  
 ssp. sublineata Holzschuh, 1984 **A:** AR AB  
 pubescens Pic, 1895 **E:** ST **A:** GG AR AB  
 = glaphyra K. Daniel, 1906  
 icterica Schaller, 1783 **E:** MD UK ST CT **A:** ?GG ?AR ?AB KZ  
 marki Danilevsky, 2008 **A:** AR GG  
 caerulea Scopoli, 1772  
 ssp. caerulea Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB KZ TM UZ

TD

Subgenus: Cinctophytoecia Breuning, 1947  
 cinctipennis Mannerheim, 1849 **A:** ES FE MG  
 = coreensis Breuning, 1955  
 sareptana Ganglbauer, 1888 **A:** ES FE

Subgenus: Opsilia Mulsant, 1863  
 coerulescens Scopoli, 1763  
 ssp. coerulescens Scopoli, 1763 **E:** MD UK CT ST **A:** GG AR AB KZ UZ

KI TD WS

= ?tienschanica Fuchs, 1965  
 transcaspica Fuchs, 1955 **A:** KZ TM UZ  
 bucharica Breuning, 1943 **A:** TD  
 = breuningi Dahlgren, 1988  
 aspericollis Holzschuh, 1981 **A:** KZ  
 varentzowi Semenov, 1896 **E:** ST **A:** GG AR AB KZ TM UZ TD KI  
 = varentzovi Semenov, 1912 [unjustified emendation]  
 prasina Reitter, 1911 **A:** AB AR ?TM  
 ssp. prasina Reitter, 1911 **A:** AB ?TM  
 ssp. kotaika Miroshnikov, 2009b **A:** AR  
 uncinata W. Redtenbacher, 1842 **E:** MD UK CT ST **A:** TM  
 molybdaena Dalman, 1817 **E:** UK ST **A:** AR GG AB TM ?KZ WS ES  
 badenkoi Danilevsky, 1988 **A:** KZ

Subgenus: Parobereina Danilevsky, 2018  
 vittipennis Reiche, 1877 **A:** GG AR AB TM  
 ssp. pravei Plavilstshikov, 1926 **A:** GG AR AB TM  
 pallidipennis Plavilstshikov, 1926 **A:** TM  
 ochraceipennis Kraatz, 1882 **A:** KZ KI TD UZ  
 tekensis Semenov, 1896 **A:** TM  
 nivea Kraatz, 1882 **A:** KZ KI UZ TD  
 repetekensis Semenov, 1935 **A:** TM

Tribus: AGAPANTHIINI

Genus: Theophilea Pic, 1895  
 cylindricollis Pic, 1895 **A:** GG AR AB  
 subcylindricollis Hladil, 1988 **E:** MD UK ST CT **A:** KZ

Genus: Calamobius Guérin-Méneville, 1844  
 filum Rossi, 1790 **E:** MD UK ST **A:** GG AR AB

Genus: Pseudocalamobius Kraatz, 1879  
 japonicus Bates, 1873 **A:** FE

Genus: Agapanthia Audinet-Serville, 1835  
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004  
 kirbyi Gyllenhal, 1817 **E:** MD UK CT ST **A:** GG AR AB TM  
 ssp. kirbyi Gyllenhal, 1817 **E:** MD UK CT ST **A:** GG AR AB TM

Subgenus: Eoptes Gistel, 1857

= Agapanthiella Pesarini et Sabbadini, 2004  
nigriventris Waterhouse, 1889 **A:** TM  
detrita Kraatz, 1882 **A:** KZ UZ TD KI  
= bucharica Pic, 1901  
obydovi Danilevsky, 2000 **A:** KZ  
auliensis Pic, 1907 **A:** KZ UZ ?TM  
= bilateralis Pic, 1927  
= amabilis Holzschuh, 1981  
parauliensis Danilevsky, 2017a **A:** KZ UZ  
shovkuni Shapovalov, 2009 **A:** KZ  
asphodeli Latreille, 1804 **E:** ?MD UK ST **A:** GG AR AB KZ  
dahli Richter, 1821  
ssp. dahli Richter, 1821 **E:** MD UK CT ST KZ **A:** ?GG TD UZ KZ WS ES

?MG

ssp. calculensis Lazarev 2013 **A:** KZ  
ssp. kuleshovi Danilevsky, 2018 **A:** WS  
ssp. ismailovae Lazarev 2013 **E:** ST **A:** AB  
ssp. nitidipennis Holzschuh, 1984 **A:** GG  
ssp. rubenyani Lazarev 2013 **A:** AB AR  
ssp. lenkorana Lazarev, Plewa & Jaworski, 2016 **A:** AB  
ssp. walteri Reitter, 1898 **A:** GG AR AB  
ssp. transcaspica Pic, 1900 **A:** TM  
ssp. muellneri Reitter, 1898 **A:** KI UZ  
ssp. alexandris Pic, 1901 **A:** KZ KI  
ssp. iliensis Danilevsky, 2018 **A:** KZ  
ssp. lepsyensis Danilevsky, 2018 **A:** KZ  
ssp. alaiensis Kratochvil, 1985 **A:** KI UZ  
ustinovi Danilevsky, 2013 **A:** TD  
alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG  
ssp. alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG  
= ganglbaueri Semenov, 1893  
ssp. eualternans Danilevsky, 2017a **E:** ST  
ssp. paralternans Danilevsky, 2017a **A:** KZ  
ssp. songarica Kostin, 1973 **A:** KZ  
ssp. tarbagataica Kostin, 1978 **A:** KZ  
angelicae Reitter, 1898 **A:** TM  
= latior Pic, 1898  
= hauseri Reitter, 1901  
= subnuda Reitter, 1905  
= jacobsoni Plavilstshikov, 1915  
altaica Plavilstshikov, 1933 **A:** WS  
cynarae Germar, 1817  
ssp. cynarae Germar, 1817 **E:** UK ST **A:** GG AR AB  
danilevskyi Lazarev, 2013b **A:** KZ  
lederi Ganglbauer, 1884 **E:** ST **A:** GG AR AB  
ssp. lederi Ganglbauer, 1884 **E:** ST **A:** GG AR AB  
= mesmini Pic, 1927  
= helianthi Plavilstshikov, 1935  
= lopatini Kaziuchitz, 1988  
ssp. hodeki Danilevsky, 2018 **A:** AB  
subchalybaea Reitter, 1898 **E:** ST **A:** GG AB  
subnigra Pic, 1890 **A:** GG  
villosoviridescens DeGeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS ES ?MG  
turanica Plavilstshikov, 1929 **A:** KZ KI UZ  
daurica Ganglbauer, 1884 **A:** ES FE MG  
Subgenus: Homoblephara Pesarini et Sabbadini, 2004  
maculicornis Gyllenhal, 1817 **E:** MD UK ST **A:** KZ WS  
korostelevi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985

**A:** AB AR

Subgenus: *Agapanthia* Audinet-Serville, 1835  
     *cardui* Linnaeus, 1767 **E:** UK CT ST **A:** WS KZ  
     = *pannonica* Kratochvil, 1985  
     *suturalis* Fabricius, 1787 **A:** GG AR AB  
 Subgenus: *Stichodera* Pesarini et Sabbadini, 2004  
     *soror* Kraatz, 1882 **A:** KZ KI UZ TD  
 Subgenus: *Amurobia* Pesarini et Sabbadini, 2004  
     *pilicornis* Fabricius, 1787  
     ssp. *pilicornis* Fabricius, 1787 **A:** ES FE MG  
     *amurensis* Kraatz, 1879 **A:** ES FE MG  
 Subgenus: *Smaragdula* Pesarini et Sabbadini, 2004  
     *violacea* Fabricius, 1775 **E:** MD UK ST CT NT **A:** GG AR AB ?KZ ?ES  
     = *mulsanti* Plavilstshikov, 1930  
     *talassica* Kostin, 1973 **A:** KZ KI  
     *intermedia* Ganglbauer, 1884 **E:** MD UK NT CT ST **A:** GG KZ  
     *incerta* Plavilstshikov, 1930 **A:** KI TD UZ  
     *chalybea* Faldermann, 1837 **A:** GG AR AB  
     = *chalybaea* auct.  
     *persicola* Reitter, 1894 **A:** GG AR AB TM  
 Genus: *Agapanthiola* Ganglbauer, 1900  
     *leucaspis* Steven, 1817 **E:** UK MD ST CT **A:** GG AR AB KZ KI UZ TD WS  
     = *euterpe* Ganglbauer, 1900

ES MG