

**Updated: 11.12.2018**

**SYSTEMATIC LIST OF LONGICORN BEETLES (CERAMBYCOIDEA) OF THE  
TERRITORY  
OF THE FORMER USSR**

**M.L. Danilevsky**

I am very grateful to my colleagues who sent me a lot of remarks, corrections and new data to the list:

K. Adlbauer (Graz)  
E. Akulov (Krasnoyarsk)  
N. Anisimov (Blagoveshchensk)  
D. Heffern (Houston)  
C. Holzschuh (Villah)  
S. Ivanov (Vladivostok)  
S. Kadlec (Litvinov)  
S. Kakunin (Krasnodar)  
D. Kasatkin (Rostov-on-Don)  
D. Kuleshov (Tomsk)  
J. Kurzawa (Tomaszow Maz)  
M. Lazarev (Moscow)  
O. Legezin (Tver)  
A. Lobanov (St.-Petersburg)  
D. Milko (Bishkek)  
A. Miroshnikov (Krasnodar)  
S. Murzin (Moscow)  
A. Napolov (Riga)  
O. Pak (Donetzk)  
G. Sama (Cesena)  
A. Shapovalov (Orenburg)  
Yu. Skrylnik (Kharkov)  
P. Švácha (České Budějovice)  
T. Tichý (Opava)  
A. Verdugo (Cadiz)  
E. Vives (Barcelona)

USSR

A - Republics of Central Asia (Kirgizia, Uzbekistan, Tadzhikistan, Turkmenia)  
C - Caucasus (Republics of Transcaucasia and territories of North Caucasus from Krasnodar Region to Daghestan)  
E - Europe (including European part of Orenburg Region; without territories of North Caucasus, and without European NW part of Kazakhstan)  
I - Sakhalin and Kunashir Islands  
K - Kazakhstan  
S - East Siberia (from Tuva and Krasnoyarsk region eastwards to north part of Khabarovsk reg. and further northwards)  
U - Far East Russia (Amur region and eastwards to Khabarovsk and Vladivostok)  
W - West Siberia (Asian part of Orenburg Region; Ekaterinburg, Cheliabinsk, Tiumen, Kurgan, Omsk, Altai, Novosibirsk, Tomsk and Kemerovo regions)  
Y - Crimea Peninsula

Palaeartic region

A - North Africa  
 B - Balkan Peninsula  
 C - China, Korea  
 E - North and Middle Europe  
 I - Iran, Afghanistan  
 J - Japan  
 M - Mongolia  
 T - Near East (Turkey, Cyprus, Lebanon, Syria, Israel, Jordan, Irak, Arabian Peninsula)  
 S - South Europe (Portugal, Spain, S France, Italy)

Familia: DISTENIIDAE Thomson, 1861 #699  
 = Cometites Blanchard, 1845 #677  
 Tribus: DISTENIINI  
 Genus: Distenia Lepeletier & Audinet-Serville, 1828 UI #794  
 = Apheles Blessig, 1872  
 Sugenus: Distenia Lepeletier & Audinet-Serville, 1828  
 gracilis (Blessig, 1872) UI C #6 #773  
 japonica Bates, 1873 I J #773  
 ssp. japonica Bates, 1873 I J #6  
 Familia: CERAMBYCIDAE Latreille, 1802  
 Subfamilia: PARANDRINAE Blanchard, 1845  
 Tribus: PARANDRINI  
 Genus: Parandra Latreille, 1802 C  
 Subgenus: Archandra Lameere, 1912 #5  
 caspia Ménétriés, 1832 C I #1 #822  
 Subfamilia: PRIONINAE Latreille, 1802  
 Tribus: CALLIPOGONINI #2  
 Genus: Callipogon Audinet-Serville, 1832 U  
 Subgenus: Eoxenus Semenov, 1899 #5  
 relictus Semenov, 1899 U C #5  
 Tribus: ERGATINI #2  
 Genus: Ergates Audinet-Serville, 1832 EYC  
 faber (Linnaeus, 1760) EYC ASEBT #3  
 ssp. faber (Linnaeus, 1760) EYC ASEBT  
 Tribus: MACROTOMINI #4  
 Genus: Prinobius Mulsant, 1842 YC #4  
 myardi Mulsant, 1842 YC ASBTI  
 ssp. slamorum Danilevsky, 2012 YC SBTI #4  
 = scutellaris Germar, 1817 #4  
 Tribus: REMPHANINI #743  
 Genus: Rhaesus Motschulsky, 1875 C  
 = Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)  
 serricollis (Motschulsky, 1838) C BTI #8  
 Tribus: AEGOSOMATINI  
 Genus: Aegosoma Audinet-Serville, 1832 EYCU I #9  
 Subgenus: Aegosoma Audinet-Serville, 1832  
 sinicum White, 1853 UI CJ  
 ssp. sinicum White, 1853 UI CJ #6  
 ivanovi Danilevsky, 2011i U - #6  
 scabricorne (Scopoli, 1763) EYC SEBTI  
 Tribus: MEROSCELISINI #10  
 Genus: Tragosoma Audinet-Serville, 1832 E?CWSU  
 depsarium (Linnaeus, 1767) E?CWSU SEB #11  
 Tribus: PRIONINI  
 Genus: Dorysthenes Vigors, 1826 U  
 Subgenus: Cyrtognathus Dejean, 1835 #783  
 paradoxus (Faldermann, 1833) U C?M #12  
 Genus: Prionus Geoffroy, 1762 ESYCAKWUI #384

*insularis* Motschulsky, 1858 WSUI CJ #13  
     *ssp. insularis* Motschulsky, 1858 WSUI JC #13  
     = *tetanicus* Pascoe, 1867  
     *coriarius* (Linnaeus, 1758) EYC?KW ASEBTI  
 Genus: *Mesoprionus* Jakovlev, 1887 ECAK  
     *asiaticus* (Faldermann, 1837) ECK IT #14  
     *angustatus* (Jakovlev, 1887) AK I #7  
     *zarudnii* (Semenov, 1933) A I #15  
     = *zarudnyi* Plavilstshikov, 1936  
 Genus: *Psilotarsus* Motschulsky, 1860 EAK?W #16  
     = *Psilopus* Gebler, 1860 #17  
     = *Otiartes* Thomson, 1866  
     = *Brachyprionus* Jakovlev 1887  
     = *Prionoxys* Semenov, 1899  
     *brachypterus* (Gebler, 1830) ?EWAK C  
     *ssp. brachypterus* (Gebler, 1830) ?WK C #556  
     = *latidens* Motschulsky, 1860  
     *ssp. hemipterus* (Motschulsky, 1845) ?EWKA - #16  
     *ssp. aralensis* Danilevsky, 2000 KA -  
     *ssp. pubiventris* (Semenov, 1900) KA -  
     = *hypogymnus* Semenov, 1900  
     *ssp. alpherakii* (Semenov, 1900) ?K C  
     *hirticollis* Motschulsky, 1860 KA - #16  
     *ssp. hirticollis* Motschulsky, 1860 KA -  
     *ssp. nudicollis* Danilevsky, 2000 K -  
     *ssp. auliensis* Danilevsky, 2000 KA -  
     *turkestanicus* (Semenov, 1888) A - #69 #838  
     = *curticornis* Ganglbauer, 1888  
     =? *ruficornis* Fairmaire, 1892  
     *heydeni* (Ganglbauer, 1888) A -  
     =? *ruficornis* Fairmaire, 1892  
     *ssp. heydeni* (Ganglbauer, 1888) A -  
     = *minusculus* Semenov, 1935  
     = *lividipennis* Plavilstshikov, 1936 [not available] #16  
     *ssp. arkitensis* Danilevsky, 2000 A -  
     *ssp. talassicus* Danilevsky, 2000 A -  
     *ssp. alatauensis* Danilevsky, 2014e A - #806  
 Genus: *Lobarthron* Semenov, 1900 AK  
     *balassogloi* (Jakovlev, 1885) AK - #681b  
     *ssp. balassogloi* (Jakovlev, 1885) A - #772  
     *ssp. brevispinum* (Jakovlev, 1885) A - #772  
 Genus: *Polylobarthron* Semenov, 1899 A  
     *margelanicum* (Théry 1896) AK - #358 #463  
 Genus: *Pogonarthron* Semenov, 1899 A #385  
     Subgenus: *Pogonarthron* Semenov, 1899 A #385  
         *bedeli* (Semenov, 1899) A - #847  
         *tschitscherini* (Semenov, 1889) A - #358  
             *ssp. tschitscherini* (Semenov, 1889) A - #358  
             *ssp. pallidus* Danilevsky & Schapovalov, 2017 A - #848  
             *ssp. brunnescens* Danilevsky & Schapovalov, 2017 A - #848  
         *petrovi* Danilevsky, 2004 A - #385  
             *ssp. petrovi* Danilevsky, 2004 A - #385  
             *ssp. ivanovae* Pak & Skrylnik, 2014 A - #385  
     Subgenus: *Multicladum* Danilevsky in Danilevsky & Komiya, 2014 A #385  
         *semenovianum* (Plavilstshikov, 1936) A ?I #18 #19  
 Genus: *Pseudoprionus* Pic, 1898 A  
     *bienerti* (Heyden, 1885) A I  
     = *pluschewskyi* Jakovlev, 1887  
     = *banghaasi* Pic, 1901

Genus: *Miniprionus* Danilevsky 2000d A  
pavlovskii (Semenov, 1935) A I #506

Genus: *Microarthron* Pic, 1900 AK  
komaroffi (Dohrn, 1885) [original spelling] AK ?I #114 #715  
= komarowi Pic, 1898e [unjustify emendation]  
= komarovi Semenov, 1935 [unjustify emendation]

Subfamilia: LEPTURINAE Latreille, 1802 #20

Tribus: XYLOSTEINI #424

Genus: *Xylosteus* I.Frivaldszky, 1837 C #439  
caucasicola Plavilstshikov, 1936 C T #18 #21 #22 #606

Genus: *Leptorhabdium* Kraatz, 1879 C #21 #439  
= *Psilorhabdium* Kraatz, 1879  
caucasicum (Kraatz, 1879) C IT #23

Tribus: ENCYCLOPINI #20 #699

Genus: *Encyclops* Newm. 1838 UI #24  
= *Microrhabdium* Kraatz, 1879 #814  
macilentus (Kraatz, 1879) U C #25  
= *parallelus* Pic, 1914  
= *ussuricus* Tsherepanov, 1975  
olivaceus Bates, 1884 I J

Tribus: OXYMIRINI Danilevsky in Althoff, Danilevsky, 1997 #20 #26 #606 #699

Genus: *Neoxymirus* Miroshnikov, 2013c #690  
mirabilis (Motschulsky, 1838) C I #690

Genus: *Oxymirus* Mulsant, 1862 ECW #690  
cursor (Linnaeus, 1758) EW EB

Tribus: ENOPLODERINI Danilevsky in Althoff, Danilevsky, 1997 #20 #632

Genus: *Enoploderes* Faldermann, 1837 ECY #407  
Subgenus: *Enoploderes* Faldermann, 1837 #407  
sanguineus Faldermann, 1837 ECY BIT

Tribus: RHAMNUSIINI Danilevsky in Althoff, Danilevsky, 1997 #20 #26 #632  
#699

Genus: *Rhamnusium* Latreille, 1829 EYCK #364  
bicolor (Schrank, 1781) EK EBS #43 #364 #816  
= *gracilicorne* Théry, 1894 #43 #364 #531 #750  
ssp. *constans* Danilevsky, 2012h EWK - #364  
ssp. *testaceipenne* Pic, 1897 YC T  
ssp. *lenkoranum* Danilevsky, 2012h C I

Tribus: RHAGIINI Kirby, 1837

= *Toxotaires* Mulsant, 1839  
= *Stenocoritae* Thomson, 1864

Genus: *Rhagium* Fabricius, 1775 EYCKWSUI #26  
Subgenus: *Hagrium* Villiers 1978 #418  
bifasciatum Fabricius, 1775 E?YC SEBTI #424

Subgenus: *Megarhagium* Reitter, 1913 #418  
fasciculatum Faldermann, 1837 C TI  
mordax (DeGeer, 1775) EK?YWS SEB #27  
caucasicum Reitter, 1889 C TI #418 #572  
ssp. *caucasicum* Reitter, 1889 C T  
ssp. *semicorne* Holzschuh, 1974 C I #425  
sycophanta (Schrank, 1781) E?YW EB?T  
pygmaeum Ganglbauer, 1882 C I

Subgenus: *Rhagium* Fabricius, 1775 #28 #323  
inquisitor (Linnaeus, 1758) EYCKWSUI ASEBTICJ #418  
ssp. *inquisitor* (Linnaeus, 1758) EYCKWS ASEBT #29 #30  
ssp. *rugipenne* Reitter, 1898 SUI MC #480  
ssp. *schtschukini* Semenov, 1898 C T?I #480  
= *stshukini* Plavilstshikov, 1915 #697  
= *minimum* Podany 1964  
japonicum Bates, 1884 I J

heyrovskyi Podaný, 1964 I J #697  
 Genus: Akimerus Audinet-Serville, 1835 E  
     schaefferi (Laicharting, arting, . 1784) E SEB #377 #566 #570  
 Genus: Japanocorus Danilevsky, 2012 #604  
     caeruleipennis (Bates, 1873) I J #35  
 Genus: Stenocorus Geoffroy, 1762 EYCAWSUI #33 #604  
     = Toxotus Dejean, 1821 #24  
     Subgenus: Anisorus Mulsant, 1863 #604 #727  
         quercus (Götz, 1783) EC?WS SEBT?IM #357 #566 #594  
             ssp. quercus (Götz, 1783) EC?WS SEBTM  
             ssp. aureopubens (Pic, 1908) C IT #357  
     Subgenus: Stenocorus Geoffroy, 1762  
         amurensis (Kraatz, 1879) UI C #30  
             = sachalinensis Matsumura, 1911 #404  
         meridianus (Linnaeus, 1758) ECKWS SEB  
         insitivus (Germar, 1824) EYC TI #37 #577  
             ssp. insitivus (Germar, 1824) EYC TI  
             ssp. persicus (Falderman, 1837) C I #577  
         biformis (Tournier, 1872) C -  
         vittidorsum (Reitter, 1890) C T  
         lepturoides (Reitter, 1914) U C #588  
         minutus (Gebler, 1841) K?S ?MC #639  
             =tataricus Gebler, 1841 #372  
         vittatus (Fischer-Waldheim, 1842) K C [prevailing usage] #820  
             = vittatus Fischer-Waldheim, 1842[original spelling]  
             = turkestanicus Ganglbauer, 1889 #372  
             = suworowi Reitter, 1907 #38  
             = suvorovi Semenov, 1910 [unjust. emendation]  
     Subgenus: Toxotochorus Reitter, 1907 #372 #604  
         validicornis (Pic, 1900) AK ?C #372  
             ssp. karatauensis Danilevsky, 2012 K - #775  
             ssp. univittatus Reitter, 1914 AK - #323 #775  
             ssp. mediocris Danilevsky, 2012 AK - #775  
             ssp. validicornis (Pic, 1900) A ?C  
                 = alaiensis Pic, 1906  
             ssp. milkoi Danilevsky, 2014e A - #775  
             ssp. tarbinskyi Danilevsky, 2014e A - #775  
 Genus: Pachyta Dejean, 1821 EKWSUI  
     lamed (Linnaeus, 1758) EWSUI EBM CJ  
         ssp. lamed (Linnaeus, 1758) EWSUI EBM CJ  
     bicuneata Motschulsky, 1860 SUI C  
     quadrifasciata (Linnaeus, 1758) EKWS EBM C #12  
 Genus: Evodinellus Plavilstshikov, 1915 EWSUI #442  
     Subgenus: Evodinellus Plavilstshikov, 1915 EWSUI  
         borealis (Gyllenhal, 1827) EWSUI EMCJ #39 #816  
             = grisescens Pic, 1889 #39  
     Subgenus: Brachytodes Planet, 1924 E #372 #442  
         clathratus (Fabricius, 1793) E SEB #39 #678  
 Genus: Brachyta Fairmaire, 1865 ECKWSUI  
     Subgenus: Fasciobrachyta Danilevsky, 2014e #807  
         bifasciata (Olivier, 1795) SUI MCJ #40 #733  
             ssp. bifasciata (Olivier, 1795) SU MC  
             ssp. japonica (Matsushita, 1933) ?I J #733  
             ssp. plasoni (Breit, 1915) ?S C?M #733  
         caucasica (Rost, 1892a [1892b]) C - #452  
             ssp. caucasica (Rost, 1892 [1892b]) C - #452  
                 = conjuncta Rost, 1893  
             ssp. kubanica Miroshnikov, 1990 C - #452  
     Subgenus: Variobrachyta Danilevsky, 2014e #807

|   |               |
|---|---------------|
| rosti Pic, 1900 C -                               | #453          |
| ssp. rosti Pic, 1900 C -                          | #453          |
| = caucasicola Plavilstshikov, 1936                | #24           |
| ssp. baksaniense Lazarev, 2010b C -               | #453          |
| ssp. alexeevi Lazarev, 2010b C -                  | #453          |
| variabilis (Gebler, 1817) EKWSUI MC               | #449          |
| "variabilis variabilis group"                     |               |
| ssp. variabilis (Gebler, 1817) EKWS MC            | #449          |
| = constricta Germar, 1824                         |               |
| ssp. shapovalovi Lazarev, 2014a K -               | #801          |
| ssp. tungusensis Danilevsky, 2014e S -            | #449          |
| ssp. scapularis (Mannerheim, 1849) SU MC          | #449          |
| = comosa Solsky, 1871                             |               |
| = solskyi Kraatz, 1879                            |               |
| = diversesignatus Pic, 1935 - not available       |               |
| = jekeli Pic, 1935 - not available                |               |
| = medioadjunctus Pic, 1935 - not available        |               |
| ssp. testaceimembris Pic, 1916 U -                | #449          |
| = rufimembris Pic, 1926                           |               |
| ssp. jakutensis Danilevsky, 2014e S -             | #449          |
| ssp. ivlievi Danilevsky, 2014e S -                | #449          |
| ssp. chukotensis Danilevsky, 2014e S -            | #449          |
| ssp. basarukini Danilevsky, 2014e S -             | #449          |
| ssp. aberrans (Villiers, 1960) U C                | #449          |
| "variabilis striolata group"                      |               |
| ssp. striolata (Gebler, 1817) S -                 | #449          |
| = eurinensis Tsherepanov, 1978                    | #449          |
| = mutabilis Motschulsky, 1859a [1859b]            | #449          |
| ssp. sinuatolineata (Pic, 1915) S M               | #42 #449      |
| = discobilineata Pic, 1928a                       | #42           |
| = breiti Tippmann, 1946                           | #42 #449      |
| ssp. tuvensis Danilevsky, 2014e S ?M              | #449          |
| ssp. kurayensis Danilevsky, 2014e W -             | #449          |
| Subgenus: Brachyta Fairmaire, 1865                | #807          |
| interrogationis (Linnaeus, 1758) ECKWSUI ESMC     | #30 #466 #448 |
| ssp. interrogationis (Linnaeus, 1758) E E         | #827 #828     |
| ssp. russica (Herbst, 1784) EKW -                 | #827          |
| = altajensis Pic, 1900                            |               |
| ssp. zubovi Lazarev, 2016a EW -                   | #827          |
| ssp. gabzdili Danilevsky & Peks, 2016 E E         | #828          |
| ssp. mannerheimii Motschulsky, 1860 S MC          | #448          |
| = marginalis Motschulsky, 1875                    | #448          |
| = obsidiana Motschulsky, 1875                     | #448          |
| = cruciata Kraatz, 1879                           | #448          |
| ssp. duodecimmaculata Fabricius, 1781 UI C        | #828          |
| = kraatzi Ganglbauer, 1889                        | #448          |
| ssp. shapsugorum Lazarev, 2011 C -                | #466          |
| ssp. miroshnikovii Lazarev, 2011 C -              | #466          |
| ssp. lederi Lazarev, 2011 C -                     | #466          |
| punctata (Faldermann, 1833) S MC                  | #40 #448      |
| ssp. punctata (Faldermann, 1833) S MC             | #448          |
| = reductemaculata Pic, 1915                       |               |
| = sajanensis Pic, 1916                            |               |
| = subunicolor Pic, 1916                           |               |
| = quadrinotatus Pic, 1916                         |               |
| = turanensis Pic, 1927                            |               |
| = sochondensis Tshernyshev et Dubatolov, 2005     |               |
| ssp. lazarevi Danilevsky, 2014e U C               | #448          |
| danilevskyi Tshernyshev, Dubatolov, 2005 [RN] I J | #448          |

|                        |  |                   |
|------------------------|--|-------------------|
|                        | = japonicus Fujimura, 1956 [HN]                  | #448              |
|                        | amurensis (Kraatz, 1879) U C                     | #44               |
|                        | = bisbioculata Pic, 1910                         |                   |
|                        | = inapicalis Pic, 1910                           |                   |
|                        | = korbi Pic, 1910                                |                   |
|                        | = semilunata Pic, 1910                           |                   |
|                        | sachalinensis Matsumura, 1911 UI JC              | #40 #448          |
| Genus: Gaurotina       | Ganglbauer, 1889 U                               |                   |
|                        | sichotensis Danilevsky, 1988 U -                 | #25               |
| Genus: Pseudogaurotina | Plavilstshikov, 1958 ESU                         |                   |
|                        | splendens (Jakovlev, 1893) S ?M                  |                   |
|                        | magnifica Plavilstshikov, 1958 U -               |                   |
|                        | excellens (Brancsik, 1874) E E                   | #845              |
| Genus: Paragaurotes    | Plavilstshikov, 1921 SUI                         | #443 #604 #727    |
|                        | ussuriensis (Blessig, 1873) SU C                 |                   |
|                        | doris (Bates, 1884) I J                          |                   |
|                        | ssp. suvorovi (Semenov, 1914) I J                | #40 #604          |
| Genus: Carilia         | Mulsant, 1863 EKWSUI                             | #443 #604 #727    |
|                        | virginea (Linnaeus, 1758) EKWSUI SEBMC           |                   |
|                        | ssp. virginea (Linnaeus, 1758) EW SEB            |                   |
|                        | ssp. aemula (Mannerheim, 1852) KWSUI MC          | #45               |
|                        | ssp. kozhevnikovi (Plavilstshikov, 1915) U C     | #46 #290          |
|                        | = sibirica Podany 1962                           | #45               |
| Genus: Euracmaeops     | Danilevsky, 2014e EKWSUI                         | #444              |
|                        | = Acmaeops auct. nec LeConte, 1850               | #444 #727         |
|                        | marginatus (Fabricius, 1781) EKWSUI SEBTMC       | #30 #47 #491 #816 |
|                        | septentrionis (C. G.Thomson, 1866) EKWSUI ESBMCJ | #40 #491          |
|                        | smaragdulus (Fabricius, 1793) [NP] EKWSUI ESMC   | #541 #678 #814    |
|                        | = smaragdinus Naezen, 1792 [NO]                  |                   |
|                        | angusticollis (Gebler, 1833) EWSUI EMCJ          | #566 #816         |
|                        | = subbrachyptera Plaviltshikov, 1915             |                   |
|                        | = viridula Matsumura, 1911                       | #404              |
|                        | = sachalinensis Tsherepanov, 1978                | #48               |
| Genus: Gnathacmaeops   | Linsley et Chemsak, 1972 ECKWSUI                 | #444 #727         |
|                        | pratensis (Laicharting, 1784) ECAKWSUI SEBTMC    | #29 #49 #450      |
| #814                   |  |                   |
|                        | brachypterus (K.Daniel et J.Daniel, 1898) AK C   | #49               |
| Genus: Lemula          | Bates, 1884 ?U                                   |                   |
|                        | decipiens Bates, 1884 ?U J                       | #706              |
| Genus: Pseudodinoptera | Pic, 1900 K                                      | #727              |
|                        | daghestanica (Pic, 1897) C -                     | #549              |
| Genus: Dinoptera       | Mulsant, 1863 EYCKWSUI                           |                   |
|                        | minuta (Gebler, 1832) SUI CJ                     | #392 #845         |
|                        | ssp. minuta (Gebler, 1832) SUI C                 | #392              |
|                        | anthracina (Mannerheim, 1849) SU MC              |                   |
|                        | collaris (Linnaeus, 1758) EYCKW SEBTIC           |                   |
|                        | concolor Heyden & Faust, 1888 C T                | #770              |
| Genus: Cortodera       | Mulsant, 1863 EYCAKWSU                           |                   |
|                        | = Taiwanocarilia Hayashi, 1983                   | #810              |
|                        | humeralis (Schaller, 1783) E EB                  | #559              |
|                        | femorata (Fabricius, 1787) EW SEB                |                   |
|                        | pumila Ganglbauer, 1882 EC TI                    | #81 #425 #531     |
|                        | ssp. pumila Ganglbauer, 1882 EC -                | #81 #425 #531     |
|                        | ssp. tournieri Pic, 1895 C TI                    | #81               |
|                        | kazaryani Danilevsky, 2014 C -                   | #808              |
|                        | syriaca Pic, 1901 C T                            | #50               |
|                        | ussuriensis Tsherepanov, 1978 U -                |                   |
|                        | villosa Heyden, 1876 E?YCW EB?T                  | #52 #562          |
|                        | ssp. villosa Heyden, 1876 E?Y EB                 | #52               |

|   |                |
|---|----------------|
| = nigrita Heyden, 1876                                | #502           |
| = frivaldskiyi Kraatz, 1876                           |                |
| ssp. parfentjevi Miroshnikov, 2007 Y -                | #52            |
| ssp. krasnobaevi Danilevsky, 2010d E -                | #711           |
| ssp. kazakorum Danilevsky, 2014 E -                   | #711           |
| ssp. chivilini Danilevsky, 2012 E                     | #753           |
| ssp. aktolagaica Miroshnikov, 2007 K -                | #52            |
| ssp. zhuravlevi Miroshnikov, 2007 EK -                | #52            |
| ssp. mariae Danilevsky, 2010d C -                     | #711           |
| ssp. circassica Reitter, 1890 C -                     | #52            |
| ssp. miroshnikovi Danilevsky, 2010a C -               | #709           |
| ssp. nakhichevanica Miroshnikov, 2007 C -             | #52            |
| ssp. magdeevi Danilevsky, 2011d E -                   | #711           |
| ssp. major Miroshnikov, 2007 E -                      | #52 #687       |
| ssp. kuvandykensis Danilevsky, 2012 E                 | #753           |
| ssp. mikhailovi Danilevsky, 2001 EW -                 | #711           |
| ivanovi Danilevsky, 2013b K -                         | #778           |
| holosericea (Fabricius, 1801) EC EBS                  | #376 #502      |
| ssp. holosericea (Fabricius, 1801) EC E?B?S           | #727           |
| kaphanica Danilevsky, 1985 C I                        | #343 #502 #672 |
| = kafanica Danilevsky, 1987                           | #343           |
| colchica Reitter, 1890 C TI                           | #52 #365       |
| ssp. colchica Reitter, 1890 C TI                      |                |
| ssp. erevanica Danilevsky, 2014e C -                  | #809           |
| ssp. dilizhanica Danilevsky, 2014e C -                | #809           |
| ssp. ponomarenkoi Danilevsky, 2014e C -               | #809           |
| ssp. deyrollei Pic, 1894 C -                          | #809           |
| ssp. pseudalpina Danilevsky, 2014e C -                | #365 #809      |
| ssp. aishkha Danilevsky, 2014e C -                    | #809           |
| ssp. murzini Danilevsky, 2014e C -                    | #809           |
| ssp. bulungensis Danilevsky, 2014e C -                | #809           |
| ssp. ossetica Danilevsky, 2014e C -                   | #809           |
| ssp. danczenkoi Danilevsky, 1985 C -                  | #343 #680      |
| ssp. kalashiani Danilevsky, 2000c C -                 | #502           |
| goriensis Danilevsky & Hodek, 2016 C -                | #832           |
| kiesenwetteri Pic, 1898 E -                           | #562 #566      |
| ssp. kiesenwetteri Pic, 1898 E -                      | #780           |
| ssp. subtruncata Pic, 1934 E -                        | #510 #576 #780 |
| ssp. gusakovi Danilevsky, 2013a KZ -                  | #780           |
| ciliata Danilevsky, 2001 EK -                         | #780           |
| ssp. ciliata Danilevsky, 2001 K -                     | #780           |
| ssp. sakmarensis Danilevsky, 2006 E -                 | #780           |
| ssp. milaenderi Danilevsky, 2001 E -                  | #780           |
| reitteri Pic, 1891 EYW -                              | #382 #562      |
| ssp. reitteri Pic, 1891 E -                           |                |
| = kiesenwetteri Kraatz, 1876 [nomen nudum]            |                |
| = alexandri Danilevsky, 1996                          | #52            |
| ssp. taurica Plavilstshikov, 1936 Y -                 | #52            |
| = beckeriana Plavilstshikov, 1936                     |                |
| analis (Gebler, 1830) KW -                            |                |
| = haemorhoidalis Pic, 1898                            | #389           |
| = haemorrhoidalis Aurivillius, 1912: 197 [unjustified |                |
| emendation]   |                |
| = ruficornis Pic, 1926                                | #389           |
| kokpektensis Danilevsky, 2007 K -                     | #610           |
| sibirica (Plavilstshikov, 1915) WS -                  | #57            |
| ssp. sibirica (Plavilstshikov, 1915) W -              |                |
| = semenovi Plavilstshikov, 1936 WS -                  | #57 #610       |
| ssp. shavrovi Danilevsky, 2001 S -                    |                |



|   |                     |
|---|---------------------|
| tibialis (Marseul, 1876) („Sarepta“) EKW -      | #365 #486 #562 #566 |
| ssp. tibialis (Marseul, 1876) E -               | #365 #727           |
| = pallidipes Pic, 1898                          | #727                |
| ssp. ruthena Plavilstshikov, 1936 EKW -         | #365 #727           |
| ssp. rossica Danilevsky, 2001 E -               | #365                |
| komarovi Danilevsky, 1996 K -                   | #52 #778            |
| ssp. komarovi Danilevsky, 1996 K -              | #52 #778            |
| ssp. solodovnikovi Danilevsky, 2013b K -        | #778                |
| ssp. romantzovi Danilevsky, 2013b K -           | #778                |
| ssp. sarysuensis Danilevsky, 2013b K -          | #778                |
| turgaica Danilevsky, 2001 WK -                  | #778                |
| moldovana Danilevsky, 1996 E -                  | #52                 |
| flavimana (Waltl, 1838) ?C EBT                  | #52 #554            |
| ssp. corallipes Pesarini & Sabbadini, 2009 ?C T | #802                |
| khatchikovi Danilevsky, 2001 E -                | #22                 |
| alpina (Ménétriés, 1832) C T                    | #22 #53 #56         |
| ssp. alpina (Ménétriés, 1832) C -               | #53                 |
| = daghestanica Kraatz, 1876 [nomen nudum]       |                     |
| = beckeri Desbrochers des Loges, 1875           |                     |
| = confusa Reitter, 1891                         |                     |
| ssp. rosti Pic, 1892 C -                        | #53                 |
| ssp. psebayensis Danilevsky, 2014e C -          | #809 #831           |
| ssp. baksaniensis Danilevsky, 2014e C -         | #53                 |
| ssp. matusiaki Danilevsky, 2014e C -            | #53                 |
| ssp. gudissensis Danilevsky, 2013 C -           | #53                 |
| ssp. starki Reitter, 1888 C -                   | #53 #426            |
| ssp. fischtensis Starck, 1894 C -               | #53                 |
| ssp. umbripennis Reitter, 1890 C ?T?I           | #531 #365 #606      |
| ssp. armeniaca Pic, 1898 C ?T                   | #727                |
| ssp. zekarensis Danilevsky, 2014e C -           | #53                 |
| ssp. svanorum Danilevsky, 2014e C -             | #53                 |
| tatiana Miroshnikov, 2011 C -                   | #745                |
| transcaspica Plavilstshikov, 1936 CA TI         | #50 #55             |
| ssp. transcaspica Plavilstshikov, 1936 A I      | #745                |
| ssp. lobanovi Kaziuchitz, 1988 C IT             | #27 #745            |
| pseudomophlus Reitter, 1889 CA IT               |                     |
| Genus: Fallacia Mulsant et Rey, 1863 C          |                     |
| elegans (Faldermann, 1837) C IT                 | #746                |
| Genus: Sivana Strand, 1942 U C                  | #61                 |
| = Sieversia Ganglbauer, 1887                    |                     |
| bicolor (Ganglbauer, 1887) U C                  |                     |
| = coreana Okamoto, 1927                         |                     |
| Genus: Pseudosieversia Pic, 1902 U              |                     |
| = Macrorhabdium Plavilstshikov, 1915            | #638                |
| rufa (Kraatz, 1879) U C                         |                     |
| = ruficolle Plavilstshikov, 1915                | #638                |
| Genus: Pidonia Mulsant, 1863 EUI                | #62                 |
| Subgenus: Pidonia Mulsant, 1863 E               | #62 #727            |
| lurida (Fabricius, 1793) E SEB                  | #37 #678 #851       |
| Subgenus: Pseudopidonia Pic, 1900 UI            | #62 #727            |
| similis (Kraatz, 1879) U C                      |                     |
| semiobscura Pic, 1901 I J                       | #646                |
| alticollis (Kraatz, 1879) U C                   |                     |
| = tristicula Kraatz, 1879                       | #280                |
| = rubricollis Pic, 1931                         |                     |
| amurensis (Pic, 1900) U C                       | #63                 |
| = quelpartensis Hayashi, 1983                   |                     |
| malthinoides (Kraatz, 1879) U C                 | #65                 |
| = quercus Tsherepanov, 1975                     | #56                 |

gibbicollis (Blessig, 1873) U CJ  
 suvorovi Baeckmann, 1903 U C #44  
 Subgenus: Mumon Hayashi, 1968  
 debilis (Kraatz, 1879) UI C #30  
 Subgenus: Cryptopidonia Kuboki, 1981  
 kurosawai (Ohbayashi et Hayashi 1960) I J #67  
 Subgenus: Omphalodera Solsky, 1873  
 puziloi (Solsky, 1873) UI ?MCJ #401  
 Tribus: SACHALINOBIINI #20 #632  
 Genus: Sachalinobia Jacobson, 1899 SUI #20  
 koltzei (Heyden, 1887) SUI CJ  
 Tribus: LEPTURINI  
 Genus: Grammoptera Dejean, 1835 ECUI #632 #784 #859  
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940 #25 #58  
 cyanea (Tamanuki, 1933) UI C #25  
 = plavilstshikovi Heyrovský, 1965  
 Subgenus: Grammoptera Dejean, 1835 #784  
 abdominalis (Stephens, 1831) EC SEBTI #692  
 = variegata Germar, 1824  
 ruficornis (Fabricius, 1781) EC ISEB #59 #727  
 ssp. ruficornis (Fabricius, 1781) E SEB  
 ssp. obscuricornis Kraatz, 1886 C I #60 #531  
 ustulata (Schaller, 1783) EC SEBTI #454  
 ssp. ustulata (Schaller, 1783) E SEBT #454  
 ssp. tibialis Kraatz, 1886 C I #454  
 gracilis Brancsik, 1914 UI C #44 #366  
 coerulea Jureček, 1933 U C #814  
 Genus: Cornumutila Letzner, 1844 EWS?U  
 lineata (Letzner, 1844) EWS E #198  
 quadrivittata (Gebler, 1830) ?EWS C #44 #198 #814  
 = semenovi Plavilstshikov, 1936 #198  
 Genus: Corennys Bates, 1884  
 sericata Bates, 1884 I CJ #857  
 Genus: Nivellia Mulsant, 1863 E?KWSUI #720  
 sanguinosa (Gyllenhal, 1827) E?KWSUI EMCJ #566  
 = rubripennis Matsumura, 1911 #404  
 extensa (Gebler, 1833) EWSUI ?EMCJ #66  
 ssp. extensa (Gebler, 1833) EWSU EMC #66  
 ssp. umbratilis (Shimomura & Toyoshima, 1988) I J #66  
 Genus: Strangalomorpha Solsky, 1873 UI  
 tennis Solsky, 1873 UI CJ?M  
 ssp. tennis Solsky, 1873 UI C?MJ #40  
 Genus: Kirgizobia Danilevsky, 1992 A  
 = Kirgisiana Ovtchinnikov, 1996 [unavailable] #69  
 = Kirgisobia Ovchinnikov, 2007 [unavailable]  
 bohnei Danilevsky, 1992 A - #675  
 Genus: Alosterna Mulsant, 1863 ECKWSUI  
 = Allosterna Stierlin, 1898  
 scapularis (Heyden, 1878) CA I #360  
 = talyschensis Reitter, 1885  
 tabacicolor (DeGeer 1775) ECKWSUI SEBTIMCJ #89 #604  
 ssp. tabacicolor (DeGeer 1775) ECKW SEB  
 = chrysomeloides Schrank, 1781  
 ssp. subvittata Reitter, 1885 C TI #642 #691  
 = caucasica Plavilstshikov, 1936 #642 #727  
 ssp. azerbaijanica Danilevsky, 2014e C - #642  
 ssp. erythropus (Gebler, 1841) KWSUI MCJ #89 #90 #541  
 = bivittis Motschulsky, 1860  
 = plavilstshikovi Podany, 1963 #32

|   |                |
|---|----------------|
| ssp. tenebris Danilevsky, 2012 U C                              | #642           |
| ssp. sachalinensis Danilevsky, 2012 U -                         | #642           |
| ingrica (Baeckmann, 1902) EW E                                  | #90 #816       |
| diversipes Pic, 1929 UI C                                       | #776           |
| = perpera Danilevsky, 1988                                      |                |
| chalybeella (Bates, 1884) I J                                   | #25            |
| = japonica Pic, 1935  | #88            |
| Genus: Vadonia Mulsant, 1863 EYCKS                              |                |
| bitlisiensis Chevrolat, 1882 C T                                | #543           |
| = bittisiensis Chevrolat, 1882 [original spelling]              |                |
| bicolor (L. Redtenbacher, 1850) C I?T                           | #764           |
| unipunctata (Fabricius, 1787) [NP] ECK ASEBTI                   | #572 #640 #683 |
| = pilosa Forster, 1777 [NO]                                     | #683           |
| ssp. unipunctata (Fabricius, 1787) ECK ASEBTI                   | #331           |
| saucia (Mulsant et Godart, 1855) Y E                            | #640           |
| bipunctata (Fabricius, 1781) ECK SEB                            | #640 #641 #701 |
| ssp. bipunctata (Fabricius, 1781) EWK -                         | #494 #641      |
| ssp. sareptana Pic, 1941 EK -                                   | #494 ##641     |
| = beckeri Pic, 1941   | #641           |
| ssp. urdensis Danilevsky, 2014e ?EK -                           | #641           |
| ssp. laterimaculata (Motschulsky, 1875) Y -                     | #641 #494      |
| = puchneri Holzschuh, 2007                                      | #641           |
| ssp. globicollis (Desbrochers des Loges, 1870) E EB             | #494           |
| = mulsantiana (Plavilstshikov, 1936)                            | #494           |
| = bilitigiosa Pic, 1941   |                |
| ssp. steveni (Sperk, 1835) E E                                  | #494 #641      |
| ssp. teberdensis Danilevsky, 2014e K -                          | #641           |
| Genus: Pseudalosterna Plavilstshikov, 1934 U                    | #417           |
| = Pseudalosterna Plavilstshikov, 1936 [unjustified emendation]  |                |
| elegantula (Kraatz, 1879) U C                                   | #92 #387       |
| = orientalis Plavilstshikov, 1934                               | #24            |
| Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981 EYCKWS |                |
| livida (Fabricius, 1777) EYCKAWS SEBTI                          | #98 #409       |
| #681b   |                |
| ssp. livida (Fabricius, 1777) E SEB?T                           | #98 #409       |
| #681b   |                |
| ssp. setosa Danilevsky, 2013h E EBT                             | #98            |
| ssp. bicarinata (Arnold, 1869) EYCKAWS ?ETI                     | #98 #409       |
| ssp. desbrochersi (Pic, 1891) C T                               | #98            |
| = corallipes Reitter, 1894                                      |                |
| Genus: Konoa Matsushita, 1933 I                                 |                |
| granulata (Bates, 1884) I J                                     | #404           |
| Genus: Anoplodera Mulsant, 1839 ECKSUI                          | #445           |
| Subgenus: Anoplodera Mulsant, 1839                              | #57            |
| rufipes (Schaller, 1783) [HN] ECK?WS SEBTI                      | #732           |
| ssp. rufipes (Schaller, 1783) E SEB                             | #732           |
| = krueperi (Ganglbauer, 1882)                                   | #732           |
| ssp. ventralis Heyden, 1886 ECK?WS T                            | #732           |
| = rufiventris (Tournier, 1872)[HN]                              |                |
| ssp. astrabadensis Pic, 1900 C I                                | #732           |
| sexguttata (Fabricius, 1775) EC ASEB                            |                |
| rufihumeralis (Tamanuki 1938) U C                               | #92            |
| Subgenus: Anoploderomorpha Pic, 1901                            | #445 #604      |
| cyanea (Gebler, 1832) SUI MCJ                                   | #40            |
| Genus: Xestoleptura Casey, 1913                                 | #93            |
| rufiventris (Gebler, 1830) ?KWS?UI MC                           | #89 #415       |
| baeckmanni (Plavilstshikov, 1936) U C                           | #601 #814      |
| Genus: Stictoleptura Casey, 1924 ECYKAWSUI SEBTI                | #93            |
| = Brachyleptura auct. (not Casey, 1913)                         |                |

Subgenus: *Stictoleptura* Casey 1924 #93  
     *cardinalis* (K.Daniel & J.Daniel, 1898) A -  
     *cordigera* (Fuesslin, 1775) YC SEBTI  
         ssp. *cordigera* (Fuesslin, 1775) YC SEBTI #728  
     *erythroptera* (Hagenbach, 1822) EC SEBTI #616  
     *rufa* (Brullé, 1832) C SEBTI #684  
         ssp. *realis* Danilevsky, 2012 C T #95  
 Subgenus: *Variileptura* Danilevsky, 2014e #93  
     *variicornis* (Dalman, 1817) EKWSUI EMCJ  
 Subgenus: *Melanoleptura* Miroshnikov 1998 #93 #493  
     *scutellata* (Fabricius, 1781) EYC SEBTI #566  
         ssp. *scutellata* (Fabricius, 1781) EY SEBT  
         = *carbonaria* Scopoli, 1763 [NO] #614  
         ssp. *ochracea* (Faust, 1878) C T #724 #750  
         ssp. *miroshnikovi* Danilevsky, 2012 C I #724 #750  
 Subgenus: *Aredolpona* Nakane et K. Ohbayashi, 1957 #93 #493  
     = *Corymbia* Des Gozis, 1886  
     *rubra* (Linnaeus, 1758) EKWS ASEB #763  
         ssp. *rubra* (Linnaeus, 1758) EKWS ASEB  
     *dichroa* (Blanchard, 1871) SUI CJ #97  
         = *succedanea* Lewis, 1879  
 Subgenus: *Maculileptura* Danilevsky, 2014e #93  
     *maculicornis* (DeGeer 1775) E?CW SE #429  
 Subgenus: *Miroshnikovia* Danilevsky, 2014e #93  
     *deyrollei* (Pic, 1895) C T  
 Subgenus: *Batesiata* Miroshnikov, 1998 #93 #493  
     *tesserula* (Charpentier, 1825) EC EBTI  
 Subgenus: *Paracorymbia* Miroshnikov 1998 #93 #493  
     *fulva* (DeGeer 1775) E SEBT #183 #744  
         = *apicalis* Motschulsky, 1875 #94  
     *tonsa* (K.Daniel & J.Daniele, 1891) CY?E TI #37 #183 #435  
         = *ustulata* Ménétériés, 1832 [HN] #96 #435  
         = *menetriesi* Ganglbauer, 1889 [Talysh; nomen oblitum] #435  
     *pallidipennis* (Tournier, 1872) C - #435  
         = *circassica* K. Daniel & J. Daniel, 1891  
     *nadezhdae* (Plavilstshikov, 1932) C -  
 Genus: *Anastrangalia* Casey, 1924 ECKWSUI  
     *scotodes* (Bates, 1873) UI CJ  
         ssp. *scotodes* (Bates, 1873) I ?CJ  
         ssp. *continentalis* (Plavilstshikov, 1936) U C  
     *sanguinolenta* (Linnaeus, 1760) ECKW?S SEBC #399 #633 #851  
     *dubia* (Scopoli, 1763) EC SEBTI #536 #851  
         ssp. *dubia* (Scopoli, 1763) E SEB #744  
         ssp. *melanota* Faldermann, 1837 C TI #536  
             = *distincta* (Tournier, 1872)  
     *reyi* (Heyden, 1889) EK SE #536 #851  
         = *inexpectata* Jansson et Sjöberg, 1928 #24  
     *sequensi* (Reitter, 1898) KWSUI MCJ #399  
     *renardi* (Gebler, 1848) E?KWSUI MC #158 #399  
 Genus: *Lepturobosca* Reitter, 1913 EKWSUI #424  
     *virens* (Linnaeus, 1758) EKWSUI SEBMC #30 #542  
 Genus: *Xenoleptura* Danilevsky, Lobanov et Murzin in Lobanov et al., 1981 AK  
 #20  
     *hecate* (Reitter, 1896) AK C  
 Genus: *Eustrangalis* Bates, 1884 I  
     *distenioides* Bates, 1884 I J  
 Genus: *Pedostrangalia* Sokolov, 1897 ECASUI #71  
     Subgenus: *Pedostrangalia* Sokolov, 1897 ECA  
         *imberbis* (Ménétériés, 1832) CA I #70

= imperbis Plavilstshikov, 1932 [wrong spelling]  
 revestita (Linnaeus, 1767) E SEB #511  
 tokatensis Sama, 1996 C T #511  
 = revestita auct. nec Linnaeus, 1767  
 Subgenus: Neosphenalia Löbl, 2010 SUIC  
 =Sphenalia K.Daniel, 1904 (not Sphenalia Wood, 1874, in  
 Mollusca)  
 kurda Sama, 1996 C T #455  
 = emmipoda auct. nec Mulsant, 1863  
 verticenigra (Pic, 1893) ?C BT #512 #554  
 verticalis (Germar, 1822) ?E EBS?T #512  
 femoralis (Motschulsky, 1860) SUI CJ  
 = xanthoma Bates, 1873 #24  
 Genus: Etorofus Matsushita 1933 IE #71  
 Subgenus: Etorofus Matsushita 1933 IE  
 = Etorofus auct. (wrong spelling, not available)  
 nemurensis Matsushita, 1933 I J #72  
 = variicornis Matsushita, 1933 [HN]  
 = niger Matsushita, 1933  
 = circaocularis (Pic, 1934) #72  
 pubescens (Fabricius, 1787) E?CKW SEBT #446  
 Subgenus: Nakanea Ohbayashi, 1963 I #71 #604  
 vicarius (Bates, 1884) I J  
 ssp. vicarius (Bates, 1884) I J #40  
 Genus: Judolidia Plavilstshikov, 1936 U  
 znojkoii Plavilstshikov, 1936 U C #83  
 bangi (Pic, 1902) ?I J #83  
 Genus: Judolia Mulsant, 1863 EKWSUI  
 sexmaculata (Linnaeus, 1758) EKW ES  
 dentatofasciata Mannerheim, 1852 EWSUI CMJ #84 #695  
 = parallelpipeda Motschulsky, 1860  
 = abbreviata Motschulsky, 1875  
 = shirarakensis Matsumura, 1911 #404  
 = rufimembris Pic, 1917 #695  
 Genus: Pachytodes Pic, 1891 ECKWSUI  
 erraticus (Dalman, 1817) EYCKWS SEBTIC #85 #684 #750  
 cerambyciformis (Schrank 1781) E SEB #605 #684  
 bottcheri (Pic, 1911) WS M #393 #750  
 = orthotrichus (Plavilstshikov, 1936) #396  
 longipes (Gebler, 1832) SUI MC #396  
 cometes (Bates, 1884) I JC #44  
 = connecta Nishio 1950 #86  
 Genus: Oedecnema Dejean, 1835 EKWSUI  
 gebleri Ganglbauer, 1889 EKWSUI MCJ [RN] #87 #566 #616  
 = dubia Fabricius, 1781  
 = decemmaculata Matsumura, 1911 #404  
 Genus: Dokhtouroffia Ganglbauer, 1886 AK?S #73  
 = Dochturovia Jakobson, 1924 [unjustified emendation]  
 = Dokhturovia Semenov, 1926 [unjustified emendation]  
 baeckmanni (Jankovsky, 1934) A - #74  
 nebulosa (Gebler, 1845) AK?S ?MC #487  
 Genus: Leptura Linnaeus, 1758 EYCAKWSUI #40  
 Subgenus: Noona Sama, 2007 #40 #492 #604  
 = Nona Sama, 2002 #727  
 regalis (Bates, 1884) I JC #44 #845  
 Subgenus: Macroleptura Nakane et Ohbayashi, 1957 #40 #727  
 thoracica Creutzer, 1799 E?CKWSUI E?IMCJ #456 #684 #814  
 Subgenus: Leptura Linnaeus, 1758  
 ochraceofasciata (Motschulsky, 1862) I CJ

ssp. ochraceofasciata (Motschulsky, 1862) I CJ #40  
 latipennis (Matsushita, 1933) I J  
 aurulenta Fabricius, 1793 E SEBT #76 #633 #637 #678  
 #744  
 quadrifasciata Linnaeus, 1758 EYCKWSUI SEBTIMCJ  
 ssp. quadrifasciata Linnaeus, 1758 ECKWSUI SEBMCJ  
 ssp. lederi Ganglbauer, 1882 C TI #691  
 = caucasica Plavilstshikov, 1924 #691  
 annularis Fabricius, 1801 EKWSUI EBM CJ #29  
 = arcuata Panzer, 1793  
 ssp. annularis Fabricius, 1801 EKWSU EBMC #858  
 ssp. mimica Bates, 1884 I J #604 #858  
 duodecimguttata Fabricius, 1801 KWSUI MCJ #40 #722  
 aethiops Poda von Neuhaus, 1761 E?CKWSUI SEB?T?IMCJ #78  
 = aterrima Motschulsky, 1860  
 = doii Matsushita, 1933 #78 #326  
 Genus: Lepturalia Reitter, 1913 EKWSUI #424  
 nigripes (DeGeer 1775) EKWSUI EMC  
 ssp. nigripes (DeGeer 1775) EKWS E #91  
 ssp. rufipennis (Blessig, 1873) ?EKWSUI MC #91  
 Genus: Strangalia Dejean, 1835 EYCKWSUI #785  
 = Strangalina Aurivillius, 1912 #356  
 attenuata (Linnaeus, 1758) EYCKWSUI SEBTIMCJ #80  
 takeuchii Matsushita & Tamanuki, 1935 I J  
 Genus: Rutpela Nak. et Ohbayashi, 1957 #440  
 maculata (Poda von Neuhaus, 1761) EYCK SEBTI #563  
 ssp. maculata (Poda von Neuhaus, 1761) EYCKW SEBTI #75  
 ssp. manca (Schaufuss, 1863) CY STI #649  
 = nigricornis (Stierlin, 1864)  
 inermis (K. Daniel et J. Daniel 1898) CA I  
 Genus: Stenurella Villiers 1974 EYCKWS?U  
 Subgenus: Stenurella Villiers 1974 #787  
 melanura (Linnaeus, 1758) ECKWSU SEBMJ #40  
 ssp. melanura (Linnaeus, 1758) E?CKWSU SEBMJ #40 #723  
 = sennii Sama, 2002 #767  
 Subgenus: Stenurelloides Özdikmen, 2013 #787  
 novercalis (Reitter, 1901) C T #81  
 jaegeri (Hummel, 1825) EY TI #37  
 Subgenus: Priscostenurella Özdikmen, 2013 #787  
 bifasciata (Müller, 1776) EYCKWS SEBTI  
 ssp. bifasciata (Müller, 1776) EYCKWS SEBTI  
 = sedakovi Mann. 1852  
 ssp. limbiventris (Reitter, 1898) C T #82  
 septempunctata (Fabricius, 1793) EYC EBTI #678  
 ssp. septempunctata (Fabricius, 1793) EY EBTI  
 = suturata (Reiche, 1858)  
 ssp. latenigra (Pic, 1915) C BT #82  
 = anatolica Heyrovský, 1961 #82  
 Subgenus: Nigrostenurella Özdikmen, 2013 #787  
 nigra (Linnaeus, 1758) EYCW SEBTI #82  
 ssp. nigra (Linnaeus, 1758) EYW SEBTI #82  
 ssp. maesta Danilevsky, 2013a C TI #82  
 Subfamilia: NECYDALINAE Latreille, 1825 #632  
 Tribus: NECYDALINI  
 Genus: Necydalis Linnaeus, 1758 EYCKWSUI  
 Subgenus: Necydalis Linnaeus, 1758  
 ulmi (Chevrolat, 1838) EC EBT?I #99  
 = mesembrina Plavilstshikov, 1936 #99  
 = hadullai Szallies, 1994 #99

|   |               |
|---|---------------|
| major Linnaeus, 1758 EYCKWSUI SEBMCJ                | #40 #99       |
| = xantha Semenov, 1898                              | #99           |
| = aino Kusama, 1974                                 | #100          |
| gigantea Kano 1933 I J                              | #68           |
| ssp. gigantea Kano 1933 I J                         | #68           |
| Subgenus: Necydalisca Plavilstshikov,, 1936         |               |
| pennata Lewis, 1879 UI JC                           | #44 #545      |
| = morio Kraatz, 1879                                | #40 #545 #604 |
| = ebenina Bates, 1884                               |               |
| = pacifica Plavilstshikov, 1936                     |               |
| = ussuriensis Plavilstshikov, 1936                  |               |
| = semenovi Plavilstshikov, 1936                     |               |
| = eoa Plavilstshikov, 1936                          |               |
| sachalinensis Matsumura & Tamanuki, 1927 UI JC      | #40 #44       |
| Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832    | #101          |
| = Aseminae auct.                                    |               |
| Tribus: SAPHANINI Gistel, 1848                      |               |
| Genus: Drymochares Mulsant, 1847 C                  |               |
| starcki Ganglbauer, 1888 C -                        | #102          |
| cavazzutii Sama et Rapuzzi 1993 C T                 | #131          |
| ssp. cavazzutii Sama et Rapuzzi 1993 C T            | #131          |
| Genus: Saphanus Audinet-Serville, 1834 E SEB?T      |               |
| piceus (Laicharting, 1784) E SEBT                   | #50 #103      |
| ssp. piceus (Laicharting, 1784) E SEB               |               |
| = ?pubescens Pic, 1907                              | #131          |
| Genus: Oxypleurus Mulsant, 1839 YC                  |               |
| nodieri Mulsant, 1839 YC ASB                        | #434          |
| Tribus: ANISARTHINI Mamaev et Danilevsky, 1973      | #420 #606     |
| Genus: Anisarthron Dejean, 1835 EC                  |               |
| = Falsanoeme Villiers, 1971                         |               |
| cyrus (Villiers, 1971) C I                          |               |
| barbipes (Schrank 1781) E EB                        |               |
| Tribus: ATIMIINI LeConte, 1873                      |               |
| Genus: Atimia Haldeman, 1847 U                      |               |
| = Myctus Semenov et Plavilstshikov, 1937            | #104          |
| maculipuncta (Semenov et Plavilstshikov, 1937) U MC |               |
| ssp. nadezhdae Tsherepanov, 1973 U C                | #105 #814     |
| [?= okayamensis Hayashi, 1972]                      |               |
| Tribus: ASEMINE Thomson, 1860                       |               |
| Genus: Megasemum Kraatz, 1879 UI                    |               |
| quadricostulatum Kraatz, 1879 UI CJ                 |               |
| Genus: Asemum Eschscholtz, 1830 EYCAKWSUI           |               |
| striatum (Linnaeus, 1758) ECAKWSUI SEBMCJ           |               |
| = subsulcatum Motschulsky, 1860                     | #107          |
| = amurense Kraatz, 1879                             | #24           |
| tenuicorne Kraatz, 1879 YC EST                      | #109          |
| ssp. tenuicorne Kraatz, 1879 YC EST                 | #109          |
| punctulatum Blessig, 1872 UI ?MCJ                   | #6            |
| Genus: Arhopalus Audinet-Serville, 1834 EYCKWSUI    |               |
| Subgenus: Arhopalus Audinet-Serville, 1834 EYCKWSUI |               |
| = Criocephalum Dejean, 1835                         | #24           |
| = Criocephalum Mulsant, 1839                        |               |
| rusticus (Linnaeus, 1758) EYCKWSUI SEBTIMCJ         | #838          |
| ssp. rusticus (Linnaeus, 1758) EYCKWSUI SEBTIMCJ    | #838          |
| = tristis Fabricius, 1787                           | #111          |
| = coreanus Sharp, 1905                              | #762          |
| ferus (Mulsant, 1839) EYCKWSU ASEBTC                | #111 #541     |
| Genus: Nothorhina L. Redtenbacher, 1845 EKW         | #106          |
| punctata (Fabricius, 1798) EKW EBTJ                 | #40 #441 #750 |

= muricata (Dalman, 1817)  
 Genus: Tetropium Kirby, 1837 EYCAKWSUI  
   = Isarthron Dejean, 1835 #47  
     castaneum (Linnaeus, 1758) EYCKWSUI SEBMCJ #50 #110  
     gabrieli Weise, 1905 E SE #108  
     gracilicornis Reitter, 1889 ?EKWSUI MCJ #108 #814  
     gracilicum Hayashi, 1983 UI CJ #25 #547  
     staudingeri Pic, 1901 AK C  
       = tjanshanicum Semenov, 1907  
       = laticolle Podani, 1967 #56 #69  
     aquilonium Plavilstshikov, 1940 EW E #112 #845  
     tauricum Shapovalov, 2007 E - #607  
     danilevskyi Slama, 2005 S - #585  
     fuscum (Fabricius, 1787) ECKW SEBT #40 #109 #383  
       ssp. fuscum (Fabricius, 1787) ECKW SEBT  
 Tribus: SPONDYLIDINI Audinet-Serville, 1832 #101 #632  
 Genus: Spondylis Fabricius, 1775 EYCKWSUI  
   buprestoides (Linnaeus, 1758) EYCKWSUI SEBTIMCJ  
 Subfamilia: APATOPHYSEINAE Lacordaire, 1869 #113 #632 #699  
 Tribus: APATOPHYSEINI  
 Genus: Apatophysis Chevrolat, 1860 CAK?W #608  
   Subgenus: Apatophysis Chevrolat, 1860 CAK  
     pavlovskii Plavilstshikov, 1954 A - #354  
     serricornis (Gebler, 1843) K CM #69 #558  
       = tomentosa Gebler, 1845 #24  
       = spinicornis Gebler, 1860  
       = obtusicollis Motschulsky, 1860 #558  
       = mongolica Semenov, 1901 ?AK MC #558  
       = kadyrbekovi Kadlec, 2006 #558  
     caspica Semenov, 1901 CAK I #114 #508  
     vedica Danilevsky, 2008 C T #508  
     komarowi Semenov, 1889 AC I #508  
     baeckmanniana Semenov, 1907 AK -  
   Subgenus: Angustephyasis Pic, 1956 A #671  
     margiana Semenov et Schegoleva-Barovskaya, 1936 AK I #671  
     = plavilstshikovi Miroshnikov, 1992 #671  
 Subfamilia: CERAMBYCINAE Latreille, 1802 #333 #632  
 Tribus: ACHRYSONINI  
 Genus: Icosium Lucas, 1854 C  
   tomentosum Lucas, 1854 C ABST  
     ssp. atticum Ganglbauer, 1882 C BST #115 #425  
 Tribus: HESPEROPHANINI  
 Genus: Turcmenigena Melgunov, 1893b AK #104  
   warenzowi Melgunov, 1893b AK BC  
 Genus: Hesperophanes Dejean, 1835 EYCAK #33  
   sericeus (Fabricius, 1787) EYCA SBTI #571 #727  
   heydeni Baeckmann, 1923 K MC #89 #761  
   pilosus Bodungen, 1908 C A  
 Genus: Trichoferus Wollaston, 1854 EYACKSU #336 #604  
   holosericeus (Rossi, 1790) EYC ASBTI #116  
     = cinereus Villers, 1789  
   fasciculatus (Faldermann, 1837) EYC ASBTI #117  
     ssp. fasciculatus (Faldermann, 1837) EYC ASBTI  
   griseus (Fabricius, 1793) EY?C ASBT #117 #678  
   campestris (Faldermann, 1835) EYCAKSU EMCJ #50 #518 #566  
 #633  
   = turkestanicus Heyden, 1886  
   pallidus (Olivier, 1790) EYC SEB #629  
 Genus: Stromatium Audinet-Serville, 1834 EYCA #538



auratum (Böber, 1793) EYCA ASBTI #755  
     = fulvum (Villers, 1789)  
     = unicolor (Olivier, 1795) #96

Tribus: Phoracanthini  
 Genus: Phoracantha Newman, 1840 C  
     semipunctata (Fabricius, 1775) C ATS #118

Tribus: CERAMBYCINI  
 Genus: Neocerambyx Thomson, 1860 U #119  
     = Mallambyx Bates, 1873  
     = Mesocerambyx Breuning et Hitzinger, 1943  
         raddei (Blessig, 1872) U CJ

Genus: Cerambyx Linnaeus, 1758 EYC  
 Subgenus: Cerambyx Linnaeus, 1758  
     welensii Küster, 1846 ?E?YC ASEBTI #96 #120  
         = velutinus Brullé, 1832  
         ssp. welensii Küster, 1846 ?C ASEBT

    cerdo Linnaeus, 1758 EYC ASEBTI #121 #566 #571  
         ssp. cerdo Linnaeus, 1758 E SEB  
         ssp. acuminatus Motschulsky, 1852 C ATI #121  
         = klinzigi Podany, 1964 #121  
         ssp. manderstjernaee Mulsant & Godart, 1855 Y #121  
         dux (Faldermann, 1837) YC BTI  
         nodulosus Germar, 1817 YC SBT  
         ssp. nodulosus Germar, 1817 YC SBT  
         miles Bonelli, 1812 YC SEBT #436

Subgenus: Microcerambyx Miksic et Georgijevic, 1973 #106 #727  
     = Mesocerambyx Zagajkevitch, 1991 [unavailable]

    scopolii Fuesslin, 1775 EYC SEBT #563  
         ssp. scopolii Fuesslin, 1775 EYC SEBT #647  
     multiplicatus Motschulsky, 1859 C I  
         = elegans Dohrn, 1873 #457

Genus: Trirachys Hope, 1843 AK #853  
     = Aeolesthes auct., nec Gahan, 1890 #853  
     sartus (Solsky, 1871) AK IC

Genus: Xenopachys Sama, 1999 A  
     matthiesseni (Reitter, 1907) A I

Genus: Dissopachys Reitter, 1886 A  
     pulvinatus Reitter, 1886 AC I #122

Genus: Neoplocaederus Sama, 1991 AK #96  
     danilevskyi Lazarev, 2009b A -  
     scapularis (Fischer-Waldheim, 1821) AK I #

Tribus: ROSALIINI  
 Genus: Rosalia Audinet-Serville, 1834 EYCU  
     alpina (Linnaeus, 1758) EYCW SEBT #587  
         ssp. alpina (Linnaeus, 1758) EYCW SEBT  
     coelestis Semenov, 1911 U C #123 #359

Tribus: PURPURICENINI  
 Genus: Purpuriceninus Dejean, 1821 EYCAKWU #33 #850  
     kaehlerii (Linnaeus, 1758) EYCW SEBTI #560 #572  
         ssp. kaehlerii (Linnaeus, 1758) EYCW SEBT #560 #572  
         ssp. menetriesii Motschulsky, 1845 C IT #528  
             = caucasicus Th. Pic, 1902 #  
             = astrabadensis Pic, 1915

    budensis (Götz, 1783) EYC?W ASEBTI #481 #602  
     baeckmanni Danilevsky, 2007 Y - #481 #727  
     caucasicola Danilevsky, 2015 C T #481 #727  
         = caucasicus auct. not T.Pic, 1902 #481  
     globulicollis Mulsant, 1839 EWK BES #528  
         ssp. globulicollis Mulsant, 1839 EWK BES #528

|  |                |
|--|----------------|
| = laurenti Bonneau, 1987                         |                |
| = tsherepanovae Tsherepanov, 1980                | #528           |
| wachanrui Levrat, 1858 C TI                      | #110           |
| deyrollei Thomson, 1867 A TI                     |                |
| talyshensis Reitter, 1891 C I                    | #124 #426      |
| sideriger Fairmaire, 1888 U C                    | #56            |
| ssp. sideriger Fairmaire, 1888 U C               | #56            |
| lituratus Ganglbauer, 1887 U CJ                  | #604           |
| = petasifer Fairmaire, 1888                      | #125           |
| Genus: Anoplistes Audinet-Serville, 1834 ECAKWSU | #462           |
| = Asias Semenov, 1914                            | #462           |
| jacobsoni Baeckmann, 1901 K -                    | #126           |
| halodendri (Pallas, 1773) ECKWSU MC              | #37 #126       |
| = humeralis Olivier, 1795                        |                |
| = elaeagni Fischer-Waldheim, 1824                |                |
| ssp. ephippium (Steven et Dalman, 1817) ECK -    |                |
| ssp. kasatkini Lazarev, 2014a C                  | #801           |
| ssp. halodendri (Pallas, 1773) KW -              | #597           |
| ssp. heptapotamicus (Semenov, 1923) K?W?S ?C     | #126           |
| ssp. minutus Hammarström, 1893 S M?C             | #126           |
| ssp. pirus (Arakawa, 1932) SU C                  | #126           |
| agababiani (Danilevsky, 2000c) C -               |                |
| diabolicus Reitter, 1915 K -                     |                |
| forticornis Reitter, 1901 AK ?C                  | #597           |
| jomudorum (Plavilstshikov, 1940) A?K -           | #127           |
| = chodjaii Holzschuh, 1974                       | #127           |
| galusoi (Kostin, 1974) K -                       |                |
| tuvensis (Tsherepanov, 1978) S M                 | #375           |
| Genus: Amarysius Fairmaire, 1888 EKWSU           |                |
| sanguinipennis (Blessig, 1872) EKWSU MCJ         | #158 #402 #541 |
| suturalis (Pic, 1906) U C                        | #673           |
| = grallator Baeckmann, 1924                      |                |
| altajensis (Laxmann, 1770) KWSU MC               |                |
| ssp. altajensis (Laxmann, 1770) KW -             | #394           |
| = sellatus Germar, 1824 (Barnaul)                |                |
| = affinis Motschulsky, 1875 (Altaj, Dauria)      |                |
| ssp. coreanus (Okamoto, 1924) US MC              | #394           |
| = ussuricus Tsherepanov, 1975                    |                |
| duplicatus Tsherepanov, 1980 W?SKU ?M?C          | #394 #541      |
| Tribus: CALLICHRMATINI                           |                |
| Genus: Aphrodisium Thomson, 1864 ?S              |                |
| = Tomentaromia Plavilstshikov, 1934              | #128           |
| faldermannii (Saunders, 1853) ?S ?MC             | #129           |
| ssp. faldermannii (Saunders, 1853) ?S ?MC        |                |
| Genus: Aromia Audinet-Serville, 1834 EYCAKWSUI   |                |
| moschata (Linnaeus, 1758) EYCAKWS ASEBTIC        |                |
| = thea Reitter, 1894                             |                |
| ssp. moschata (Linnaeus, 1758) EYCKAWS EB        | #410           |
| ssp. ambrosiaca (Steven, 1809) ?EC ASTI          | #410           |
| ssp. sumbarensis Danilevsky, 2007 A -            |                |
| ssp. cruenta Bogatchev, 1962 A -                 | #589           |
| ssp. jankovskyi Danilevsky, 2007 A -             |                |
| ssp. vetusta Bogatchev, 1962 K -                 | #590           |
| orientalis Plavilstshikov, 1932 SUI MCJ          | #540 #604      |
| Genus: Turkaromia Danilevsky 1993 AK C           |                |
| pruinosa (Reitter, 1903) K C                     |                |
| gromenkoi Danilevsky, 2000 A -                   |                |
| Genus: Chelidonium Thomson, 1864 U               |                |
| zaitzevi Plavilstshikov, 1933 U C                | #719           |

Genus: Chloridolum Thomson, 1864 U  
   Subgenus: Chloridolum Thomson, 1864 U  
     siewersi (Ganglbauer, 1887) U C  
     = coreana Fairmaire, 1897 #280  
 Genus: Leontium Thomson, 1864 I #40 #604  
   viride Thomson, 1864 I JC #845  
 Genus: Polyzonus Dejean, 1835 SU  
   fasciatus (Fabricius, 1781) SU MC  
 Tribus: CALLIDIOPINI #420  
   Genus: Stenygrinum Bates, 1873 U  
     quadrinotatum Bates, 1873 U CJ  
 Tribus: GRACILIINI  
   Genus: Gracilia Audinet-Serville, 1834 EYCW  
     minuta (Fabricius, 1781) EYCWK ASEBTC #30 #471 #560  
   Genus: Penichroa Stephens, 1839 YC #337 #355 #593  
     = Graecoeme Adlbauer, 2006  
     fasciata (Stephens, 1831) YC ASEBTI  
     = eggeri Adlbauer, 2006  
   Genus: Axinopalpis Dejean, 1835 EC #420  
     gracilis (Krynicky, 1832) EC SEBTI #130  
     ssp. gracilis (Krynicky, 1832) EC SEBT #130  
   Genus: Hybometopia Ganglbauer, 1889 C #420  
     starcki Ganglbauer, 1889 C T #102  
     ssp. starcki Ganglbauer, 1889 C T #75  
 Tribus: OBRIINI  
   Genus: Obrium Dejean 1821 EYCKWSUI  
     cantharinum (Linnaeus, 1767) ECKWSU SEBTJ #40 #862  
     ssp. cantharinum (Linnaeus, 1767) ECKWSU SEBT #40  
     brunneum (Fabricius, 1793) EYC SEBTI #110 #566 #678  
     obscuripenne (Pic, 1904) UI CJ  
     ssp. obscuripenne (Pic, 1904) UI C  
     = graciliforme Lipp, 1939 #133  
     = gracile Plavilstshikov, 1933  
     brevicorne (Plavilstshikov, 1940) U JK #169  
     = japonicum  
 Tribus: CERTALLINI  
   Genus: Certallum Dejean, 1821 EYC #50  
     = Cartallum Audinet-Serville, 1834  
     ebulinum (Linnaeus, 1767) EYC ASEBTI  
     = ruficolle Fabricius, 1787 #150 #701  
 Tribus: DEILINI  
   Genus: Deilus Audinet-Serville, 1834 E?YCK #572  
     fugax (Olivier, 1790) E?YCKW ASEBT #471 #862  
 Tribus: STENOPTERINI  
   Genus: Stenopterus Illiger, 1804 EYCA  
     rufus (Linnaeus, 1767) EYCA ASEBTI #146 #554 #851  
     ssp. rufus (Linnaeus, 1767) EYC ASEB  
     ssp. geniculatus Kraatz, 1863 C SBTI #146  
     ssp. transcaspicus Lazarev, 2008 A I #146  
     flavicornis Küster, 1846 E ESBT #702  
     ater (Linnaeus, 1767) Y?C ASEB #147  
   Genus: Callimus Mulsant, 1846 EYC #148  
     = Callimellum Strand, 1928  
   Subgenus: Callimus Mulsant, 1846 #727  
     angulatus (Schrank 1789) ECA ASEBTI #469 #851  
     ssp. angulatus (Schrank, 1789) ECA ASEBTI  
   Subgenus: Lampropterus Mulsant, 1863 #727  
     = Callimomimus Ieniştea, 1952  
     femoratus (Germar, 1824) EYC ABTI

= adonis Abeille de Perrin, 1881 #24  
 = narcissus Abelle de Perrin, 1881  
 = distinctus Ieništea, 1952  
 Subgenus: Procallimus Pic, 1907 #727  
     = Protocallimus Plavilstshikov, 1940 #149  
     egregius Mulsant et Rey, 1863 YC T  
 Genus: Callimoxys Kraatz, 1863 YCA  
     gracilis (Brullé, 1832 ) YCA EBTI #470 #851  
 Tribus: NATHRIINI  
 Genus: Nathrius Brèthes, 1916 EYCK  
     brevipennis (Mulsant, 1839) EYCK ASEBIC  
 Tribus: MOLORCHINI  
 Genus: Leptepania Heller, 1924 U  
     = Molorchinus Shabliovsky, 1936 #416  
     okunevi (Shabliovsky, 1936) U M #56 #416 #761  
     = incognitus Tsherepanov, 1975  
 Genus: Nadezhdiana Tsherepanov, 1976 U  
     villosa Tsherepanov, 1976 U -  
 Genus: Molorchus Fabricius, 1793 EYCAKWSUI #678  
     Subgenus: Caenoptera C.G. Thomson, 1859 #693 #727  
         minor (Linnaeus, 1758) EC?AKWSUI SEBTIMCJ #40  
         ssp. minor (Linnaeus, 1758) EC?AKWSUI SEBTIMCJ #40 #135  
         = rufescens Kiesenwetter, 1879  
         monticola Plavilstshikov, 1931 AC I #50 #136 #672  
         pallidipennis Heyden, 1887 AK C  
         tjanschanicus Plavilstshikov, 1959 A?K - #468  
     Subgenus: Molorchus Fabricius, 1793 #693 #727  
         = Glaphyra Newman, 1840 #604  
         = Linomius Mulsant, 1862 #137  
         umbellatarus (Schreber, 1759) EYC?W ESBTI  
         ssp. umbellatarus (Schreber, 1759) EYC?W ESBTI #467  
         plagiatus Reiche, 1877 ECK I #138 #139 #566  
         kiesenwetteri Mulsant et Rey, 1861 EYC SEBT #138 #69 #284  
         ssp. kiesenwetteri Mulsant et Rey, 1861 E?Y SEB #139  
         ssp. hircus Abeille de Perrin, 1881 ?YC T #139 #700  
         = anatolicus Adlbauer, 1988 #139  
         schmidti Ganglbauer, 1883 EYCAK E #139 #284  
         = salicicola Stiller, 1935 #139  
         = ?semenovi Plavilstshikov, 1940 #69 #139 #284  
         marmottani Brisout de Barneville, 1863 E SET #139 #140 #566 #862  
         ssp. marmottani Brisout de Barneville, 1863 E SE #139  
         starki Shabliovsky, 1936 U C?J #143  
         = ussuriensis Plavilstshikov, 1940 #25  
         ?= kojimai Matsushita, 1939 #143  
         = ichikawai Niisato, 1988 #143  
         ishiharai Ohbayashi, 1936 UI J #141  
         = kunashiricus Tsherepanov, 1981 #141  
         kobotokensis Ohbayashi, 1963 U JC #142  
     Subgenus: Nathrioglaphyra Sama, 1995 EWAK #727  
         heptapotamicus Plavilstshikov, 1940 EWKA ?C #144 #145  
         = amygdali Holzschuh, 1979 #145  
 Tribus: Brachypteromatini Sama, 2008 #683  
 Genus: Dolocerus Mulsant, 1862 C #683 #730  
     = Brachypteroma Heyden, 1863 #683 #730  
     reichii Mulsant, 1862 C SBT #730  
     = ottomanum Heyden, 1863 #730  
 Tribus: STENHOMALINI #132 #604 #699  
 Genus: Stenhomalus White, 1855 UI  
     japonicus (Pic, 1904) UI J #604

= *lighti* Gressitt, 1935 #132  
 = *vulcanus* Tsherepanov, 1976  
 Tribus: HYLOTRUPINI #106 #606 #699  
   Genus: *Hylotrupes* Audinet-Serville, 1834 EYCW  
     *bajulus* (Linnaeus, 1758) EYCAW ASEBTIC #685  
 Tribus: CALLIDIINI  
   Genus: *Paraxylocrius* Niisato, 2009 #688  
     *testaceus* Niisato, 2009 I - #688  
     *verigai* Danilevsky, 2012 U - #688  
   Genus: *Ropalopus* Mulsant, 1839 EYCAK?SUI #151  
     = *Rhopalopus* L. Redtenbacher, 1845  
   Subgenus: *Prorrhopalopus* Plavilstshikov, 1921  
     *signaticollis* (Solsky, 1873) UI CJ #814  
     *speciosus* (Plavilstshikov, 1915) U C #290 #823  
   Subgenus: *Pronocerodes* Plavilstshikov, 1940  
     *ruficollis* (Matsumura, 1911) UI - #581  
     *aurantiicollis* (Plavilstshikov, 1940) UI C #581  
   Subgenus: *Ropalopus* Mulsant, 1839  
     *insubricus* (Germar, 1824) YE SEB #37 #152  
     *ssp. fischeri* (Krynicky, 1829) YE - #152 566  
     *ungaricus* (Herbst, 1784) E SEB #152 #566  
     *lederi* (Ganglbauer, 1882) YC IT #425 #741  
     *clavipes* (Fabricius, 1775) EYCKW SEIT #59  
     *macropus* (Germar, 1824) EYC SEBTI #683  
       = *caucasicus* Desbrochers, 1873 #153  
     *varini* (Bedel, 1870) E SEB  
       = *spinicornis* Abeille de Perrin, 1869 #154  
     *femoratus* (Linnaeus, 1758) E SEB #441 #472  
       = *punctatus*: Sama 2002 (not Fabricius, 1798) #441  
     *nadari* (Pic, 1894) A - #473  
     *mali* Holzschuh, 1993 AK - #473  
   Genus: *Pronocera* Motschulsky, 1859 EWSUI #155  
     *sibirica* (Gebler, 1848) WSUI MC #155  
       = *brevicollis* Gebler, 1833  
       = *daurica* Motschulsky, 1859 #155  
     *angusta* (Kriechbaumer, 1844) E EB  
   Genus: *Turanium* Baeckmann, 1923 ?EWAK #371  
   Subgenus: *Turanium* Baeckmann, 1923  
     *rauschorum* Holzschuh, 1998 AK - #474  
     *tekeorum* Danilevsky, 2001 A I #617 #691  
     *pilosum* (Reitter, 1891) AK C #342  
     *scabrum* (Kraatz, 1882) ?EWAK C #568  
       = *simplarium* Heyden, 1885  
     *hladili* Kratochvil, 1985 A -  
   Subgenus: *Chalcoturanium* Jankovsky, 1934  
     *johannis* Baeckmann, 1923 A - #490  
       *ssp. johannis* Baeckmann, 1923 A - #490  
       *ssp. juglandis* Jankovsky, 1934 A - #490  
       *ssp. n. A*[Arslan-Bob - Kara-Alma] - #490  
     *badenkoi* Danilevsky, 2001 K ?C  
   Genus: *Leioderes* L. Redtenbacher, 1849 [1848?] E?C #458  
     *kollari* L. Redtenbacher, 1849 [1848?] E?C SEB #458  
       *ssp. kollari* L. Redtenbacher, 1849 [1848?] E?C SEB #458  
   Genus: *Callidiellum* Linsley, 1940 C  
     *rufipenne* (Motschulsky, 1861) C CJES #156  
   Genus: *Semanotus* Mulsant, 1839 EYCAKWSU  
     *undatus* (Linnaeus, 1758) E?YWSU SEBMC #157  
     *russicus* (Fabricius, 1777) EYCA AEBTI #592  
       *ssp. russicus* (Fabricius, 1777) EYC EBT

ssp. persicus (Solsky, 1876) A I  
 semenovi Okunev, 1933 AK - #475  
 bifasciatus (Motschulsky, 1875) U CJ  
 Genus: Callidium Fabricius, 1775 EYCKWSUI #124  
 Subgenus: Palaeocallidium Plavilstshikov, 1940 #493 #604  
 coriaceum Paykull, 1800 EWSUI SEBMC?J #525 #816  
 = lucidum Scopoli, 1772 [NO] #614  
 ? = chlorizans Solsky, 1871 WSU MCJ #525  
 Subgenus: Callidium Fabricius, 1775 #493  
 violaceum (Linnaeus, 1758) EYCKAWSUI SEBMCJ #676 #814  
 Subgenus: Callidostola Reitter, 1913 #335 #424 #493  
 aeneum DeGeer, 1775 ECKWSU SEBTMJ #158  
 ssp. aeneum (DeGeer, 1775) EWKSU SEBTMJ #158  
 ssp. longipenne Plavilstshikov, 1940 C - #159  
 Genus: Oupyrrhidium Pic, 1900 U  
 cinnabarinum (Blessig, 1872) U C  
 Genus: Pyrrhidium Fairmaire, 1864 EYC  
 sanguineum (Linnaeus, 1758) EYC ASEBTI #357  
 Genus: Phymatodes Mulsant, 1839 EYCKAWUI #160 #604  
 Subgenus: Phymatodes Mulsant, 1839  
 testaceus (Linnaeus, 1758) EYCKWU ASEBTIJ #357  
 Subgenus: Melasmetus Reitter, 1913 #424  
 femoralis (Ménétriés, 1832) C IT  
 ssp. femoralis (Ménétriés, 1832) C I  
 Subgenus: Phymatoderus Reitter, 1913 #424 #493 #727  
 = Reitteroderus Sama, 1991 #161  
 lividus (Rossi, 1794) EYC ASEB #700  
 puncticollis Mulsant, 1862 EYC EB  
 pusillus (Fabricius, 1787) EYCA SEB  
 ssp. pusillus (Fabricius, 1787) E SEB  
 ssp. rufipenne (Starck, 1889) EYCA - #162  
 glabratus (Charpentier, 1825) EYC SEB  
 abietinus Plavilstshikov & Lurie, 1960 EW - #552  
 Subgenus: Phymatodellus Reitter, 1913 #424 #493 #604  
 rufipes (Fabricius, 1777) EY SEBT #571 #727  
 ssp. rufipes (Fabricius, 1776) EY SEBT #567  
 zemlinae Plavilstshikov & Anufriev, 1964 U C #777  
 infasciatus (Pic, 1935) UI CJ #163  
 = vandykei Gressitt, 1935 #25  
 = ussuricus Plavilstshikov, 1940  
 murzini Danilevsky, 1993e U C #855  
 Subgenus: Paraphymatodes Plavilstshikov, 1934 #493 #604 #727  
 fasciatus (Villers, 1789) E SEB #164 #700  
 hauseri (Pic, 1907) K C #643  
 mediofasciatus Pic, 1933 U C #814  
 Subgenus: Poecilium Fairmaire, 1864 #493 #604 #727  
 alni (Linnaeus, 1767) EYCK ASEBTI  
 ssp. alni (Linnaeus, 1767) EYK SEB #50 #683  
 ssp. pici Aurivillius, 1912 ("Tiflis")?EC ATI #165 #424 #438  
 = alnoides Reitter, 1913 #165  
 ssp. lateniger (Pic, 1945) C I #165  
 = elburzensis (Holzschuh, 1977) #165  
 ermolenkoi Tsherepanov, 1980 U C #823  
 maacki (Kraatz, 1879) UI CJ  
 ssp. maacki (Kraatz, 1879) U C  
 ssp. viarius Danilevsky, 1988 I J #604  
 Tribus: TILLOMORPHINI  
 Genus: Cleroclytus Kraatz, 1884 AK #166  
 Subgenus: Obliqueclytus Lazarev, 2014a A #166 #801

*gracilis* Jakovlev, 1900 A -  
 = *baeckmanni* Okunev, 1933  
 = *grandiculus* Plavilstshikov, 1940  
*banghaasi* (Reitter, 1895) A -  
 = *semenowi* Jakovlev, 1900  
 Subgenus: *Cleroclytus* Kraatz, 1884 AK #166 #801  
*semirufus* Kraatz, 1884 AK MC #89  
 = *vestitus* Jakovlev, 1900  
*ssp. semirufus* Kraatz, 1884 AK -  
*ssp. collaris* Jakovlev, 1885 AK MC #89  
 = *strigicollis* Jakovlev, 1900  
 Tribus: ANAGLYPTINI #699  
 Genus: *Paraclytus* Bates, 1884 CI  
*excultus* Bates, 1884 I J  
*raddei* (Ganglbauer, 1882) C I #425  
*reitteri* (Ganglbauer, 1882) C I #425  
*sexguttatus* (Adams, 1817) C BTI #507 #437  
 Genus: *Anaglyptus* Mulsant, 1839 EYCA #349  
 Subgenus: *Anaglyptus* Mulsant, 1839  
*bicallosus* (Kraatz, 1882) KA - #681b  
*mysticus* (Linnaeus, 1758) E?Y ASEB #167 #168  
*simplicicornis* Reitter, 1905 C TI  
*mysticoides* Reitter, 1894 C T  
*ssp. mysticoides* Reitter, 1894 C T #835  
*arabicus* (Küster, 1847) C T  
*ganglbaueri* Reitter, 1886 C I  
 = *natae* Lobanov, 1994 #168  
 = *persicus* Pic, 1906 #140 #168  
*danilevskii* Miroshnikov, 2000 C TI #729  
 Genus: *Aglaophis* Thomson, 1857 U #349 #604  
*colobothooides* Bates, 1884 U CJ  
 Genus: *Oligoenoplus* Chevrolat, 1863 I #25 #349  
*rosti* (Pic, 1911) I J  
*ssp. rosti* (Pic, 1911) I J #271  
 Tribus: CLYPTINI  
 Genus: *Plagionotus* Mulsant, 1842 EYCA?WU #171 #683 #727  
*detritus* (Linnaeus, 1758) EYCK?W SEBTI  
*ssp. detritus* (Linnaeus, 1758) EYCK?W SEBTI  
*ssp. caucasicola* Plavilstshikov, 1940 C - #170 #727 #750  
*pulcher* (Blessig, 1872) U CJ  
*christophi* (Kraatz, 1879) U CJ  
*arcuatus* (Linnaeus, 1758) EYCKWA ASEBTI #519 #836  
*ssp. arcuatus* (Linnaeus, 1758) EYCKW ASEBTI #519  
*ssp. multiinterruptus* Pic, 1933 C T #519  
*ssp. lugubris* (Ménétriés, 1832) CA I #519  
*ssp. kirgizicus* Lazarev, 2010 A - #519  
*bartholomei* (Motschulsky, 1859) C I #423  
 = *admirabilis* Heyden in Schneider & Leder, 1879 #423  
 Genus: *Neoplacionotus* Kasatkin, 2005 EYCA BTI #171 #173 #606 #683  
 #727  
*bobelayei* (Brullé, 1832 ) EYCA BTI #37 #96  
 = *speciosus* Adams, 1817 [HN]  
*ssp. huseyini* Lazarev, 2016c EYCA - #829  
 Genus: *Echinocerus* Mulsant, 1863 #171 #172 #683  
 #727  
 = *Paraplacionotus* Kasatkin, 2005 EYCKAWS #171 #172 #606  
*floralis* (Pallas, 1773) EYCKAWS SEBTI #526  
 Genus: *Teratoclytus* Zaitzev, 1937 UI  
*plavilstshikovi* Zaitzev, 1937 UI JC #731

Genus: *Epiclytus* Gressitt, 1935 U  
= *Eoclytus* Plavilstshikov, 1940  
ussuricus (Pic, 1933) U - #575

Genus: *Rhabdoclytus* Ganglbauer, 1889 UI #381 #604  
= *Hayashiclytus* Ohbayashi, 1963  
acutivittis (Kraatz, 1879) UI CJ  
ssp. acutivittis (Kraatz, 1879) UI CJ

Genus: *Isotomus* Mulsant, 1863 EYC  
speciosus (Schneider, 1787) EYC EBT #140 #570 #744  
ssp. speciosus (Schneider, 1787) EYC EBT #140  
comptus (Mannerheim in Hummel, 1825) EYC TI #378 #744  
ssp. comptus (Mannerheim in Hummel, 1825) EYC T

Genus: *Chlorophorus* Chevrolat, 1863 EYCAKWSUI #734  
= *Chloropterus* Löbl & Smetana, 2011 [not available] #734

Subgenus: *Immaculatus* Özdikmen, 2011 #742  
varius (Müller, 1766) EYCKW SEBTIC #735  
ssp. varius (Müller, 1766) EYCKW SEBTIC

*hrabovskiyi* Kratochvil, 1985 A I #840  
*elaeagni* Plavilstshikov, 1956 ECAK - #578  
*faldermanni* (Faldermann, 1837) ECAK IC #174 #584  
*obliteratus* (Ganglbauer, 1889) S CM #56 #175 #761  
= *mongolicus* Pic, 1943 #174  
= *kaszabi* Heyrovský, 1970 #174  
= *ubsanurensis* Tsherepanov, 1971 #56

*simillimus* (Kraatz, 1879) SUI MCJ  
= *sexmaculatus* Motschulsky, 1859 #134  
*herbstii* (Brahm, 1790) E?Y?CKW?S SEBT #586 #684

Subgenus: *Humeromaculatus* Özdikmen, 2011 #742  
*figuratus* (Scopoli, 1763) EYCKWS SEBTI #554  
*navratili* Holzschuh, 1981 A -  
*japonicus* (Chevrolat, 1863) I CJ  
*motschulskyi* (Ganglbauer, 1887) SUI MCJ #460 #644  
= *latofasciatus* (Motschulsky, 1861) #644  
= *chasanensis* Tsherepanov, 1982 #341  
*diadema* (Motschulsky, 1854) UI ?MCJ #174  
ssp. *diadema* (Motschulsky, 1854) U ?MCJ  
ssp. *inhirsutus* Matsushita, 1933 I J #25  
*tohokensis* Hayashi, 1968 U JC #24

Subgenus: *Perderomaculatus* Özdikmen, 2011 #742  
*sartor* (Müller, 1766) EYCAK?W?S?U SEBTI #397 #535

Genus: *Rhaphuma* Pascoe, 1858 EKWSUI #177  
*gracilipes* (Faldermann, 1835) EKWSUI EMCJ #636 #782 #862  
= *sachalinensis* Matsumura, 1911 #404  
*diminuta* (Bates, 1873) U CJ  
ssp. *diminuta* (Bates, 1873) U CJ #169

Genus: *Demonax* Thomson, 1861 U #747  
*savioi* (Pic, 1924) U C #747

Genus: *Xylotrechus* Chevrolat, 1860 EYCAKWSUI #686  
Subgenus: *Xylotrechus* Chevrolat, 1860  
*antilope* (Schönherr, 1817) EYC ASEBTI #792  
ssp. *antilope* (Schönherr, 1817) EYC ASEBTI  
ssp. *bitlisiensis* S.Marklund & D.Marklund, 2013 C T #792  
*arvicola* (Olivier, 1795) EYCKW ASEBTI #726  
ssp. *arvicola* (Olivier, 1795) E ASEBT  
ssp. *planarius* Danilevsky, 2016a EYKW - #726  
ssp. *lazarevi* Danilevsky, 2016a C IT #726  
ssp. *iranicus* Rapuzzi & Sama, 2014a C I #726  
*rufilius* Bates, 1884 U?I CJ #683  
= *irinae* Plavilstshikov, 1925 #351



|  |                     |
|--|---------------------|
| = magnicollis Fairmaire, 1888                    | #351                |
| stebbingi Gahan, 1906 A ESBTI                    | #573 #683           |
| mixtus Plavilstshikov, 1940 U -                  |                     |
| hircus (Gebler, 1825) KSUI MCJ                   |                     |
| cuneipennis (Kraatz, 1879) SUI CJ                |                     |
| pavlovskii Plavilstshikov, 1954 U C              | #754                |
| polyzonus (Fairmaire, 1888) U C                  | #179                |
| capricornus (Gebler, 1830) EKW EB                | #541 #816           |
| = capricornis (Chevrolat, 1863)                  |                     |
| ibex (Gebler, 1825) EKWSUI EBMC                  | #541 #563 #566      |
| clarinus Bates, 1884 I CJ                        |                     |
| Subgenus: Turanoclytus Sama, 1994                | #171 #683 #727      |
| sieversi Ganglbauer, 1890 C T?I                  | #524 #683           |
| ilamensis Holzschuh, 1979 C I                    | #524 #683           |
| ssp. zuvandiensis Lazarev, 2016c C I             | #524                |
| ssp. hadullai Danilevsky, 2010f C I              | #725                |
| asellus (Thieme, 1881) AK C                      | #56                 |
| = grumi Semenov, 1889                            |                     |
| namanganensis (Heyden, 1885) AK CI [prev.usagel] | #171                |
| = namaganensis Heyden, 1885 [original spelling]  |                     |
| Subgenus: Kostiniclytus Danilevsky, 2009         | #686                |
| zaisanicus Plavilstshikov, 1940 K ?C             | #639                |
| alakolensis Karpiński & Szczepański, 2018 K -    | #854                |
| katerinae Shapovalov, 2014 K -                   | #811                |
| arnoldii Kostin, 1974 K -                        | #639                |
| ssp. arnoldii Kostin, 1974 K -                   | #811                |
| ssp. tenebrosus Shapovalov, 2014 K -             | #811                |
| Subgenus: Rustioclytus Vives, 1977               | #178 #604 #683 #750 |
| salicis Takakuwa et Oda, 1978 SU JC?M            | #25                 |
| = nadezhdae Tsherepanov, 1982                    | #25                 |
| rusticus (Linnaeus, 1758) EYCKAWSUI SEBTIMCJ     | #323 #475           |
| adspersus (Gebler, 1830) KWSUI MCJ               | #30 #814            |
| pantherinus (Savenius, 1825) ECKWSU EBMC?I       | #476 #761           |
| = jakowlewi Semenov, 1899                        |                     |
| = jakovlevi Plavilstshikov, 1931                 | #476                |
| Subgenus: Xyloclytus Reitter, 1913               | #178 #424 #604      |
| altaicus (Gebler, 1836) E?KWSUI MC               | #158 #551 #814      |
| chinensis Chevrolat, 1852 ?U CJ                  | #760                |
| ssp. kurosawai Fujita, 2010 ?U J                 | #760                |
| Subgenus: Ootora Niisato et Wakejima, 2008       | #686                |
| villioni (Villard, 1892) I J                     | #64                 |
| Genus: Cyrtoclytus Ganglbauer, 1882 E?CKWSUI     | #425                |
| capra (Germar, 1824) E?CKWSUI EBMC?I             | #527 #816           |
| caproides (Bates, 1873) I CJ                     |                     |
| ssp. caproides (Bates, 1873) I CJ                | #40                 |
| Genus: Brachyclytus Kraatz, 1879 UI              |                     |
| singularis Kraatz, 1879 UI CJ                    |                     |
| Genus: Pseudosphegesthes Reitter, 1913 EC        | #424                |
| cinerea (Laporte et Gory, 1836) E SE             |                     |
| brunnescens (Pic, 1897) C T?I                    | #489                |
| = circassica Pic, 1905                           | #24                 |
| Genus: Clytus Laicharting, 1784 EYCAKWSUI        |                     |
| Subgenus: Clytus Laicharting, 1784 EYCAKWSUI     |                     |
| tropicus (Panzer, 1795) E EB                     | #636                |
| schneideri Kiesenwetter, 1879 C TI               | #684                |
| ssp. schneideri Kieswetter, 1879 C TI            | #75                 |
| rhamni Germar, 1817 EYCK SEBTI                   | #518 #744           |
| ssp. temesiensis (Germar, 1824) EYCK EBTI        | #696 #750           |
| lama Mulsant, 1847 E SEB                         |                     |

|   |           |
|---|-----------|
| arietis (Linnaeus, 1758) EYCA SEBTI                       | #513      |
| = gazella Fabricius, 1793                                 | #513      |
| ssp. oblitus Roubal, 1932 C -                             |           |
| ssp. arietis (Linnaeus, 1758) EYC SEBTI                   | #687 #862 |
| ssp. lederi Ganglbauer, 1882 CA I                         | #50 #425  |
| arietoides Reitter, 1899 EKWSUI MCJ                       | #569 #814 |
| = venustulus Plavilstshikov, 1940                         | #181      |
| mayeti Théry, 1892 ?S?U -                                 | #674      |
| melaenus Bates, 1884 I JC                                 | #44       |
| raddensis Pic, 1904 U CJ                                  |           |
| = hypocrita Plavilstshikov, 1940                          | #181      |
| nigritulus Kraatz, 1879 U C                               |           |
| = fulvohirsutus Pic, 1904                                 | #182      |
| Subgenus: Sphegoclytus Sama, 2005 C TI                    | #180      |
| vesparum Reitter, 1889 C TI                               | #180      |
| stepanovi Danilevsky et Miroshnikov, 1985 C ?T            | #180      |
| Subfamilia: LAMIINAE Latreille, 1825                      |           |
| Tribus: CEROPLESINI                                       |           |
| Genus: Moechotypa Thomson, 1864 U                         |           |
| diphysis (Pascoe, 1871) U CJ                              |           |
| Tribus: PARMENINI   |           |
| Genus: Parmena Dejean, 1821 EYC                           | #33       |
| aurora Danilevsky, 1980 C ?T                              | #50       |
| pontocircassica Danilevsky, 1985 EYC T                    | #432 #701 |
| europaea Danilevsky, 2017 in Danilevsky & Hızal, 2017 E E | #637      |
| #701 #833   |           |
| pilosa Brullé, 1832 ?E SEB                                | #748      |
| ssp. pilosa Brullé, 1832 ?E SEB                           | #748      |
| Tribus: MORIMOPSINI                                       |           |
| Genus: Plectrura Mannerheim, 1852 I                       |           |
| Subgenus: Phlyctidola Bates, 1884                         |           |
| metallica (Bates, 1884) IU CJ                             | #814 #843 |
| ssp. metallica (Bates, 1884) IU CJ                        | #40       |
| = sachalinica Jacobson, 1899                              |           |
| = mandschurica Jacobson, 1899                             | #40       |
| Tribus: MESOSINI  |           |
| Genus: Mesosa Latreille, 1829 EYCKWSUI                    |           |
| Subgenus: Mesosa Latreille, 1829                          | #493      |
| myops (Dalman, 1817) EYKWSU EMC                           |           |
| japonica Bates, 1873 I J                                  | #41       |
| curculionoides (Linnaeus, 1761) ECKW ASEBTIC              | #670      |
| Subgenus: Aplocnemia Stephens, 1831                       | #201 #493 |
| = Aphelocnemia Stephens, 1832 [RN]                        |           |
| nebulosa (Fabricius, 1781) EYC ASEBT                      |           |
| ssp. nebulosa (Fabricius, 1781) EYC ASEBT                 |           |
| obscuricornis Pic, 1894 C I                               | #202 #497 |
| senilis Bates, 1884 I J                                   | #203      |
| Subgenus: Perimesosa Breuning, 1939                       |           |
| hirsuta Bates, 1884 U CJ                                  |           |
| ssp. continentalis Hayashi, 1964 U C                      | #204      |
| Tribus: MORIMONELLINI                                     | #191      |
| Genus: Morimonella Podany, 1979 C                         | #191      |
| bednariki Podany, 1979 C -                                |           |
| Tribus: BATOCERINI  |           |
| Genus: Apriona Chevrolat, 1852                            |           |
| germari (Hope, 1831) ?SU C                                | #205      |
| = rugicollis Chevrolat, 1852                              |           |
| = plicicollis Motschulsky, 1853                           |           |
| Tribus: MONOCHAMINI                                       | #604      |

Genus: Murzinia Lazarev, 2011 K #740  
karatauensis Lazarev, 2011 K - #740

Genus: Anoplophora Hope, 1839 ?S?U  
glabripennis (Motschulsky, 1854) ?SU ESTC?J #391

Genus: Acalolepta Pascoe, 1858 UI  
= Dihammus Thomson, 1864 #24  
ussurica (Plavilstshikov, 1951) U - #31  
fraudatrix (Bates, 1873) IU CJ #188  
ssp. fraudatrix (Bates, 1873) IU CJ  
= cervina auct. (not Hope, 1831) #31  
sejuncta (Bates, 1873) I?U CJ #31 #188  
ssp. sejuncta (Bates, 1873) I?U CJ #40  
luxuriosa (Bates, 1873) I CJ  
ssp. luxuriosa (Bates, 1873) I CJ #40  
seunghwani Danilevsky, 2013h U C #797

Genus: Astynoscelis Pic, 1904 U  
degener (Bates, 1873) U CJ  
= longicornis Pic, 1904 #24

Genus: Monochamus Dejean, 1821 EYCKWSUI  
= Monochammus Dejean, 1835 (unjustified emendation)

Subgenus: Monochamus Dejean, 1821 EYCKWSUI  
guttulatus Gressitt, 1951 U C #30  
= guttatus Blessig, 1873 #24

impluviatus (Motschulsky, 1859) EWSUI MC  
saltuarius (Gebler, 1830) EKWSUI EBM CJ #206  
ssp. saltuarius (Gebler, 1830) WSUI MCJ #206 #849  
ssp. occidentalis Sláma, 2017 E - #849

galloprovincialis (Olivier, 1795) EYCKAWS?U ASEBTM #30  
ssp. pistor (Germar, 1818) EYKAW EB #683 #685 #750  
= lignator Krynicki, 1832 [Odessa]  
ssp. cinerascens Motschulsky, 1860 S?U M #207 #750  
= sibiricus Pic, 1908  
ssp. transitivus Lazarev, 2017 C T #207 #750

nitens (Bates, 1884) I JC #44  
grandis Waterhouse, 1881 I J #44  
urussovii (Fischer-Waldheim, 1805) ECKWSUI EMCJ #208 #408 #499  
= quadrimaculatus Motschulsky, 1845  
= rosenmuelleri auct., nec Cederhjelm, 1798 #604

sartor (Fabricius, 1787) E SEB #538  
fleischeri Heyrovský, 1966 [unavailable]

sutor (Linnaeus, 1758) EYCKWSUI SEBMCJ  
ssp. sutor (Linnaeus, 1758) EYCKW SEBM  
= rosenmuelleri Cederhjelm, 1798 #499  
= pello (Germar, 1818) ["Curland"]  
ssp. longulus Pic, 1898 ["Amour"] SUI MCJ #209

Tribus: LAMIINI #683

Genus: Lamiomimus Kolbe, 1886 U  
gottschei Kolbe, 1886 U C

Genus: Lamia Fabricius, 1775 ECKWSUI  
textor (Linnaeus, 1758) ECKWSUI SEBTMCJ

Genus: Morimus Brullé, 1832 E?YC #96 #422  
= Morinus Brullé, 1832 (misprint, not available) #96  
verecundus (Faldermann, 1836) EYCA BTI #529  
= ficitor Bogatchev, 1949  
ssp. verecundus (Faldermann, 1836) EYCA TI #529  
gabzdili Danilevsky, 2015 ?E #529  
asper (Sulzer, 1776) E SEB #529 #727  
ssp. funereus (Mulsant, 1863) E SEB

Tribus: DORCADIONINI #521 #683

|  |                     |
|--|---------------------|
| Genus: <i>Dorcadion</i> Dalman in Schönher, 1817 EYCAKWS           | #496 #521           |
| Subgenus: <i>Carinatodorcadion</i> Breuning, 1943                  | #210 #496 #606      |
| = <i>Dorcadodium</i> Gistel, 1856                                  |                     |
| <i>carinatum</i> (Pallas, 1771) EYCK -                             | #211 #851           |
| ssp. <i>carinatum</i> (Pallas, 1771) EYCK -                        |                     |
| ssp. <i>igrenum</i> Danilevsky, 1998 E -                           |                     |
| ssp. <i>sunzhenum</i> Danilevsky, 1998 C -                         |                     |
| ssp. <i>uralense</i> Danilevsky, 1998 K -                          |                     |
| ssp. <i>cylindraceum</i> (Reitter, 1886) C -                       | #211                |
| <i>fulvum</i> (Scopoli, 1763) EY EB                                | #260                |
| ssp. <i>fulvum</i> (Scopoli, 1763) E E                             |                     |
| ssp. <i>erythropterum</i> Fischer von Waldheim, 1823 EY EB         | #716                |
| = <i>canaliculatum</i> Fischer von Waldheim, 1824                  | #716                |
| = <i>erythropteron</i> Fischer von Waldheim, 1824 [wrong spelling] |                     |
| <i>aethiops</i> (Scopoli, 1763) E EB                               | #851                |
| Subgenus: <i>Cribridorcadion</i> Pic, 1901                         | #521 #606           |
| = <i>Pedestredorcadion</i> Breuning, 1943                          | #496 #521           |
| = <i>Autodorcadion</i> Plavilstshikov, 1958                        |                     |
| = <i>Dzhungarodorcadion</i> Danilevsky, 1993                       | #521                |
| = <i>Bergerianum</i> Pesarini et Sabbadini, 2004                   | #533                |
| <i>mniszzechi</i> Kraatz, 1873 C T                                 | #707                |
| ssp. <i>mniszzechi</i> Kraatz, 1873 C T                            | #707                |
| ssp. <i>cavernosum</i> Lazarev, 2014b C T                          | #707                |
| ssp. <i>georgianum</i> Lazarev, 2014b C -                          | #707                |
| <i>pedestre</i> (Poda von Neuhaus, 1761) EY SEB                    | #591                |
| ssp. <i>pedestre</i> (Poda von Neuhaus, 1761) EY SEB               |                     |
| <i>decipiens</i> (Germar, 1824) E EB                               |                     |
| <i>sericatum</i> Sahlberg, 1823 Y -                                | #218                |
| <i>pusillum</i> Küster, 1847 EY E                                  |                     |
| ssp. <i>pusillum</i> Küster, 1847 EY -                             |                     |
| ssp. <i>tanaiticum</i> Kasatkin, 2002 E -                          |                     |
| <i>scopolii</i> (Herbst, 1784) E EB                                |                     |
| <i>litigiosum</i> Ganglbauer, 1884 E EB                            | #425                |
| ssp. <i>litigiosum</i> Ganglbauer, 1884 ?E EB                      |                     |
| ssp. <i>otshakovi</i> Suvorov, 1913 E -                            | #219                |
| <i>ciscaucasicum</i> Jakoblev, 1899b YC -                          | #352 #428 #631      |
| ssp. <i>ciscaucasicum</i> Jakoblev, 1899b C -                      | #352 #428 #631      |
| ssp. <i>abramovi</i> Lazarev, 2009 C -                             | #352                |
| ssp. <i>mokrzeckii</i> Jakoblev, 1902 Y -                          | #220 #352           |
| = <i>crimeense</i> Breuning, 1946 (not available)                  | #221                |
| <i>elegans</i> Kraatz, 1873 ECKW -                                 | #221 #222 #353 #566 |
| <i>frustrator</i> Plavilstshikov, 1958 C -                         |                     |
| = <i>hypocrita</i> Plavilstshikov, 1937                            |                     |
| <i>auratum</i> Tournier, 1872 C -                                  | #708                |
| <i>komarowi</i> Jakoblev, 1887 A I                                 | #73 #223            |
| ssp. <i>komarowi</i> Jakoblev, 1887 A I                            |                     |
| = <i>interruptum</i> Jakoblev, 1895                                | #737                |
| = <i>transcaspicum</i> Jakoblev, 1901                              |                     |
| = <i>jancyki</i> Breuning, 1963                                    |                     |
| ssp. <i>kryzhanovskii</i> Plavilstshikov, 1958 A -                 | #223                |
| <i>sareptanum</i> Kraatz, 1873 ECK -                               |                     |
| ssp. <i>sareptanum</i> Kraatz, 1873 ECK -                          | #224 #409           |
| ssp. <i>euxinum</i> Suvorov, 1915 C -                              | #224 #409 #521 #831 |
| ssp. <i>kubanicum</i> Plavilstshikov, 1934 C -                     | #224 #727           |
| ssp. <i>estriatum</i> Suvorov, 1913 C                              | #224                |
| ssp. <i>striatifforme</i> Suvorov, 1913 C -                        | #224                |
| <i>daratshitshagi</i> Suvorov, 1915 C -                            |                     |
| <i>cinerarium</i> (Fabricius, 1787) EY -                           | #50 #213 #629       |
| ssp. <i>zubovi</i> Lazarev, 2011 E -                               | #214                |

|  |                |
|--|----------------|
| ssp. gorodinskii Danilevsky, 1966 E -                | #214 #532      |
| ssp. demidovi Danilevsky, 2013e E -                  | #532           |
| ssp. cinerarium (Fabricius, 1787) E -                | #214           |
| = tricolor Fischer von Waldheim, 1805                |                |
| ssp. macropoides Plavilstshikov, 1932 E -            | #214           |
| ssp. skrylniki Lazarev, 2011 E -                     | #214           |
| ssp. azovense Lazarev, 2011 E -                      | #214           |
| ssp. perroudi Pic, 1942 Y -                          | #214           |
| ssp. bartenevi Lazarev, 2011 Y -                     | #214           |
| ssp. panticapaeum Plavilstshikov, 1951 YC -          | #214 #352      |
| ssp. okhrimenkoi Danilevsky, 2016b C -               | #830           |
| ssp. sindorum Lazarev, 2011 C -                      | #214 #831      |
| ssp. veniamini Lazarev, 2011 C -                     | #214           |
| ssp. novorossicum Lazarev, 2015 C -                  | #821           |
| ssp. papayense Lazarev, 2014a C -                    | #801           |
| ssp. adygorum Lazarev, 2011 C -                      | #214           |
| ssp. smetanai Lazarev, 2011 C -                      | #214           |
| ssp. terkense Lazarev, 2011 C -                      | #214           |
| ssp. belousovi Lazarev, 2011 C -                     | #214           |
| ssp. deniz Lazarev, 2011 C -                         | #214           |
| ssp. napolovi Lazarev, 2011 C -                      | #214           |
| kasikoporanum Pic, 1902 C TI                         | #215           |
| kalashiani Danilevsky, 1992 C I                      | #215           |
| sisianense Lazarev, 2009 C -                         | #213           |
| shushense Lazarev, 2010 C -                          | #717           |
| megriense Lazarev, 2009 C -                          | #213           |
| sulciperenne Küster, 1847 C T                        | #213           |
| ssp. sulciperenne Küster, 1847 C -                   |                |
| ssp. caucasicum Küster, 1847 C -                     | #213 #521      |
| = impressicorne Tournier, 1872                       | #213           |
| = exsertum Plavilstshikov, 1948 (not available)      |                |
| ssp. demokidovi Suvorov, 1915 C -                    |                |
| ssp. plyushchi Danilevsky, 2014d C -                 | #803           |
| ssp. gubini Danilevsky, 2014d C -                    | #803           |
| ssp. maljushenkoi Pic, 1904 C -                      | #803           |
| ssp. borzhomiense Danilevsky, 2014d C -              | #803           |
| ssp. zekariense Danilevsky, 2014d C -                | #803           |
| ssp. goktshanum Suvorov, 1915 C -                    | #216           |
| = armenum Suvorov, 1915                              |                |
| ssp. argonauta Suvorov, 1913 C T                     | #216 #350      |
| = kurda Suvorov, 1913                                |                |
| ssp. paki Danilevsky, 2014d C -                      | #803           |
| caspiense Breuning, 1956 C -                         | #213 #217      |
| czegodaevi Danilevsky, 1992 C -                      | #215           |
| holosericeum Krynicki, 1832 EYCK E                   | #350 #514 #629 |
| ssp. holosericeum Krynicki, 1832 EYCK E              |                |
| ssp. tristriatum Suvorov, 1913 C -                   | #225           |
| = striatum Dalman, 1817 (homonym)                    | #225           |
| striolatum Kraatz, 1873 C TI                         |                |
| = masculinum Plavilstshikov, 1927 [ab.- unavailable] |                |
| equestre (Laxmann, 1770) EYC EBT                     |                |
| ssp. equestre (Laxmann, 1770) EYC EBT                | #566           |
| = cruciferum (Lepechin, 1774)                        |                |
| ssp. transsilvanicum Ganglbauer, 1884 E E            | #226 #425      |
| rufogenum Reitter, 1895 K C                          |                |
| ssp. rufogenum Reitter, 1895 K C                     |                |
| semenovi Ganglbauer, 1884 AK C                       | #235 #425      |
| ssp. semenovi Ganglbauer, 1884 AK C                  |                |
| ssp. terskeicum Danilevsky, 2002 A -                 |                |

|                |  |                   |
|----------------|--|-------------------|
|                | ssp. almatense Danilevsky, 2002 K -                        |                   |
|                | ssp. issykkulense Pic, 1906 A -                            |                   |
|                | ssp. bisbicostatum Pic, 1908 A -                           |                   |
|                | ssp. uriuktense Danilevsky, 2002 A -                       |                   |
|                | ssp. hauseri Reitter, 1895 A -                             | #235              |
|                | = obliteraticostum Suvorov, 1913                           |                   |
|                | ssp. kuvakense Danilevsky, 2002 A -                        |                   |
|                | ssp. thaisiae Danilevsky, 2002 A -                         |                   |
|                | kuldschanum Pic, 1908 ?A?K C                               | #73 #236 #237     |
|                | dokhtouroffi Ganglbauer, 1886 A C                          | #73 #805          |
|                | = dokhturovi Plavilstshikov, 1958                          |                   |
|                | sokolowi Jakovlev, 1899a K C                               | #69 #73 #231 #247 |
| #428           |  |                   |
|                | = apicipenne Jakovlev, 1899b                               | #428              |
|                | = jacobsoni Jakovlev, 1899c                                | #428              |
|                | = amymon Jakovlev, 1906                                    |                   |
|                | = dsungaricum Pic, 1907                                    |                   |
|                | = melancholicum Pic, 1907                                  |                   |
|                | = conicolle Breuning, 1946                                 |                   |
|                | = ? merzbacheri Breuning, 1946                             | #231              |
|                | = ? samarkandiae Breuning, 1946                            | #232              |
|                | morozovi Danilevsky, 1992 K C                              | #233 #234         |
|                | laeve Faldermann, 1837 C IT                                | #609              |
|                | ssp. vladimiri Danilevsky & Murzin, 2009 C -               | #609              |
|                | shirvanicum Bogachev, 1934 C -                             | #227              |
|                | ssp. shirvanicum Bogachev, 1934 C -                        | #227              |
|                | ssp. azerbaijdzhanicum Plavilstshikov, 1937 C -            | #227              |
|                | talyschense Ganglbauer, 1884 C I                           | #425 #426         |
|                | = talyschense Plavilstshikov, 1958                         |                   |
|                | ssp. talyschense Ganglbauer, 1884 C I                      |                   |
|                | scabricolle (Dalman, 1817) C TI                            | #350 #353         |
|                | ssp. scabricolle (Dalman, 1817) C T                        |                   |
|                | = lutescens Kraatz, 1873 [locality?]                       |                   |
|                | ssp. elisabethpolicum Suvorov, 1915 C -                    | #635              |
|                | ?= modestum Tournier, 1872 ["Annenfeld" - now Shamkir in   |                   |
| Azerbaijdzhan] |  |                   |
|                | ?= micheli Pic, 1948 [«Aresh» now Agdash in Azerbaijdzhan] |                   |
|                | ssp. corpulentum Ménétrié, 1832 C I                        | #635              |
|                | ssp. sevangense Reitter, 1889 C -                          | #645              |
|                | ssp. dobrovljanskii Suvorov, 1915 C -                      | #645              |
|                | ssp. nakhiczevanum Danilevsky, 1999a C -                   |                   |
|                | ssp. paiz Danilevsky, 1999a C -                            |                   |
|                | klavdiae Danilevsky, 1992 C -                              | #521              |
|                | niveisparsum Thomson, 1865 C ?T                            |                   |
|                | wagneri Küster, 1846 C T                                   | #353              |
|                | ssp. wagneri Küster, 1846 C T                              | #837              |
|                | = solyzinosum Pic, 1942                                    | #623              |
|                | = solyzinum Breuning, 1962                                 | #623              |
|                | gorbunovi Danilevsky, 1985 C -                             | #343              |
|                | ssp. gorbunovi Danilevsky, 1985 C -                        | #343              |
|                | ssp. rubenyani Lazarev, 2014a C                            | #801              |
|                | semilucens Kraatz, 1873 C -                                |                   |
|                | cineriferum Suvorov, 1909 C -                              | #359              |
|                | indutum Faldermann, 1837 C I                               | #229 #727         |
|                | ponomarenkoi Danilevsky, 2010f C -                         | #725              |
|                | pulchrum Pic, 1908 C -                                     | #229              |
|                | nigrosuturatum Reitter, 1897 C -                           | #229 #727         |
|                | = griseipenne Breuning, 1943                               |                   |
|                | sevliczi Danilevsky, 1985 C -                              | #343              |

|  |                |
|--|----------------|
| glaucum Faldermann, 1837 C I                             | #459           |
| nitidum Motschulsky, 1838 C T                            |                |
| danczenkoi Danilevsky, 1996 C I                          | #213 #521      |
| dimidiatum Motschulsky, 1838 C TI                        |                |
| ssp. dimidiatum Motschulsky, 1838 C TI                   |                |
| bistriatum Pic, 1898 C -                                 |                |
| seminudum Kraatz, 1873 C ?T?I                            |                |
| = nachycevanicum Breuning, 1943                          |                |
| = impuncticolle Breuning, 1946                           |                |
| bisignatum Jakovlev, 1899b ?C T                          | #228 #428      |
| apicerufum Breuning, 1943 C TI                           | #557           |
| = thomsonianum Plavilstshikov, 1948                      |                |
| gusakovi Danilevsky, 2007 C -                            | #620           |
| reitteri Ganglbauer, 1884 C -                            | #425           |
| shestopalovi Danilevsky, 1993 C -                        |                |
| sodale Hampe, 1852 ?C T                                  | #230           |
| ssp. sodale Hampe, 1852 ?C T                             |                |
| rosti Pic, 1900 C T                                      |                |
| = kalinowskyi König, 1901                                |                |
| tauricum Waltl, 1838 E?Y EB                              | #167           |
| ssp. tauricum Waltl, 1838 E?Y EB                         |                |
| turkestanicum Kraatz, 1881 AK C                          | #232 #521 #788 |
| = ? samarkandiae Breuning, 1946                          | #232           |
| beckeri Kraatz, 1873 C -                                 | #411           |
| ssp. beckeri Kraatz, 1873 C -                            |                |
| ssp. koenigi Jakovlev, 1897 C -                          | #212           |
| Subgenus: Dorcadion Dalman, 1817                         | #496 #521      |
| = Compsodorcadion Ganglbauer, 1884                       | #239 #425      |
| glicyrrhizae (Pallas, 1773) EKW -                        | #73 #245       |
| = glycyrrhizae Fabricius,, 1781 [unjustified emendation] |                |
| "ssp. glicyrrhizae-group"                                |                |
| ssp. glicyrrhizae (Pallas, 1773) ?EK -                   | #363 #379      |
| ssp. murati Danilevsky, 2013a K -                        | #790           |
| ssp. eugenyi Abramov, 2015 K -                           | #818           |
| ssp. chuvilini Danilevsky, 2012 K -                      | #751           |
| ssp. androsovi Suvorov, 1909 K -                         | #359           |
| = dalilae Kadyrbekov, 2004                               | #595           |
| ssp. obtusipenne Motschulsky, 1860 K -                   | #240           |
| ssp. fedorenkoi Danilevsky, 2001 K -                     | #790           |
| ssp. dostojewskii Semenov, 1899 K -                      | #73            |
| ssp. nikireevi Danilevsky, 2001 K -                      |                |
| "ssp. inderiense-group"                                  |                |
| ssp. inderiense Suvorov, 1911 K -                        | #359           |
| ssp. korshikovi Danilevsky, 2006 KW -                    | #580           |
| ssp. ishkarganum Danilevsky, 2009 K -                    |                |
| "ssp. striatum-group"                                    |                |
| ssp. striatum (Goeze, 1777) EKW -                        | #245 #566      |
| = rufifrons Motschulsky, 1860                            |                |
| = ?iliense Plavilstshikov, 1937                          | #245           |
| ssp. nemkovi Danilevsky, 2006 EK -                       |                |
| ssp. guberlense Danilevsky, 2006 W -                     | #244           |
| ssp. dubianskii Jakovlev, 1906 WK -                      | #582           |
| ssp. uvarovi Suvorov, 1911 K -                           | #359           |
| "ssp. turgaicum -group"                                  |                |
| ssp. turgaicum (Suvorov, 1915) K -                       | #246           |
| ssp. tobolense Danilevsky, 2001 K -                      |                |
| ssp. galinae Danilevsky, 2001 K -                        |                |
| crassipes Ballion, 1878 AK C                             | #240           |
| ssp. crassipes Ballion, 1878 AK -                        |                |

|   |                |
|---|----------------|
| ssp. validipes Jakovlev, 1906 A?K -                     | #323           |
| ssp. glazunovi Suvorov, 1910 K C                        | #359           |
| ganglbaueri Jakovlev, 1898 K -                          | #241           |
| ssp. ganglbaueri Jakovlev, 1898 K -                     |                |
| ssp. paveli Danilevsky, 2013f K -                       | #790           |
| gebleri Kraatz, 1873 KS C                               | #242 #303      |
| = occidentale Breuning, 1947b                           | #243           |
| ssp. gebleri Kraatz, 1873 KS C                          |                |
| ssp. demimetrum Danilevsky, 1996 K -                    |                |
| ssp. takyr Danilevsky, 1996 K -                         |                |
| ssp. lukhtanovi Danilevsky, 1996 K -                    |                |
| cephalotes (Jakovlev, 1889) K C                         | #246           |
| alakoliense Danilevsky, 1988 K -                        |                |
| abakumovi Thomson, 1865 K C                             | #520           |
| ssp. abakumovi Thomson, 1865 K C                        |                |
| ssp. laterale Jakovlev, 1895 K -                        | #520           |
| ssp. sarkandicum Danilevsky, 2004 K -                   | #520           |
| = aizhanae Kadyrbekov, 2004                             | #555           |
| ssp. lepsyense Danilevsky, 2004 K -                     | #520           |
| tenuelineatum Jakovlev, 1895 K C                        | #73            |
| Subgenus: Acutodorcadion Danilevsky, Kasat., Rub., 2005 | #496 #521 #548 |
| songaricum Ganglbauer, 1884 K C                         | #425           |
| urdzharicum Plavilstshikov, 1937 K -                    |                |
| acutispinum Motschulsky, 1860 K C                       |                |
| nivosum (Suvorov, 1913) K -                             |                |
| suvorovi Jakovlev, 1906 K -                             | #248           |
| ssp. suvorovi Jakovlev, 1906 K -                        |                |
| ssp. konyrolenum Danilevsky, 1996 K -                   |                |
| ssp. karachokense Danilevsky, 1996 K -                  |                |
| ssp. tekeliense Danilevsky, 1996 K -                    |                |
| ssp. taldykurganum Danilevsky, 1996 K -                 |                |
| nikolaevi Danilevsky, 1995 K -                          |                |
| arietinum Jakovlev, 1898 K C                            | #247           |
| ssp. arietinum Jakovlev, 1898 K -                       |                |
| ssp. zhalanash Danilevsky, 1996 K -                     |                |
| ssp. phenax Jakovlev, 1899b K C                         | #428 #618      |
| = strandi Plavilstshikov, 1931                          | #247           |
| ssp. charynense Danilevsky, 1996 K -                    |                |
| ssp. chilikense Danilevsky, 1996 K -                    |                |
| ssp. ketmeniense Danilevsky, 1996 K C                   | #461           |
| irinae Danilevsky, 1997 K -                             |                |
| pantherinum Jakovlev, 1899a K -                         | #428           |
| ssp. pantherinum Jakovlev, 1899a K -                    | #598           |
| ssp. sabulosum Danilevsky, 1995 K -                     |                |
| ssp. shamaevi Danilevsky, 1995 K -                      |                |
| ssp. desertum Danilevsky, 1995 K -                      | #598           |
| ssp. ludmilae Abramov, 2018 K -                         | #864           |
| absinthium Plavilstshikov, 1937 K -                     |                |
| ssp. absinthium Plavilstshikov, 1937 K -                |                |
| ssp. ishkovi Kadyrbekov, 2004 K -                       | #596           |
| ninae Danilevsky, 1995 K -                              |                |
| zhaisanicum Shapovalov, 2007 K -                        | #607           |
| mystacinum Ballion, 1878 AK -                           | #251           |
| ssp. mystacinum Ballion, 1878 AK -                      |                |
| = ataense Pic, 1901                                     |                |
| ssp. rufidens Jakovlev, 1906 K -                        | #251           |
| ssp. pumilio Plavilstshikov, 1951 K -                   | #251           |
| suvorovianum Plavilstshikov, 1915 K -                   | #249           |
| ssp. suvorovianum Plavilstshikov, 1915 K -              |                |



|      |   |                     |
|------|---|---------------------|
|      | ssp. koramense Danilevsky, 1999b K -          |                     |
|      | undiscale Danilevsky, 1996 K -                | #250                |
|      | tschitscherini Jakovlev, 1899a K -            | #73 #428            |
|      | = tshitsherini Plavilstshikov, 1958           |                     |
|      | kapchagaicum Danilevsky, 1996 K -             |                     |
|      | tianshanskii Suvorov, 1910 K -                | #253 #359           |
|      | ssp. tianshanskii Suvorov, 1910 K -           |                     |
|      | ssp. radkevitshi Suvorov, 1910 K -            | #253 #359           |
|      | = opulentum Suvorov, 1910                     |                     |
|      | = pauperum Suvorov, 1910 (not available name) |                     |
|      | ssp. terminum Danilevsky, 1999b K -           |                     |
|      | ssp. heptapotamicum Plavilstshikov, 1951 K -  | #253                |
|      | ssp. algaense Danilevsky, 2012j K -           |                     |
|      | ssp. otariense Danilevsky, 2012j K -          |                     |
|      | ssp. parapumilio Danilevsky, 2012j K -        |                     |
|      | ssp. euzhaisanicum Danilevsky, 2012j K -      |                     |
|      | optatum Jakovlev, 1906 AK -                   | #252                |
|      | ssp. optatum Jakovlev, 1906 A -               |                     |
|      | ssp. matthieseni Suvorov, 1910 A -            | #73 #359            |
|      | ssp. toropyginae Danilevsky, 1999b A -        |                     |
|      | ssp. kadyrbekovi Danilevsky, 1999b A -        |                     |
|      | ssp. vallesum Danilevsky, 1999b K -           |                     |
|      | danilevskiyi Dolin et Ovtshinnikov, 1999 A -  |                     |
|      | darjae Danilevsky, 2001 A -                   |                     |
|      | kastekum Danilevsky, 1996 KA -                |                     |
|      | alexandris Pic, 1900 A -                      | #254                |
|      | = luteolum Suvorov, 1910                      | #359                |
|      | profanifuga Plavilstshikov, 1951 K -          |                     |
|      | globithorax Jakovlev, 1895 K -                | #69 #255            |
| #379 |   |                     |
|      | grande Jakovlev, 1906 K -                     |                     |
|      | pelidnum Jakovlev, 1906 A -                   | #257                |
|      | toropovi Danilevsky 1999b A -                 | #256                |
|      | tibiale (Jakovlev, 1889) A C                  |                     |
|      | Genus: Iberodorcadion Breuning, 1943 E        | #496 #521           |
|      | Subgenus: Iberodorcadion Breuning, 1943 E     |                     |
|      | fuliginator (Linnaeus, 1758) E ES             | #258                |
|      | ssp. fuliginator (Linnaeus, 1758) E ES        |                     |
|      | Genus: Neodorcadion Ganglbauer, 1884 E        | #425 #496 #521      |
|      | bilineatum (Germar, 1824) E EBT               |                     |
|      | Genus: Politodorcadion Danilevsky, 1996 ?EKW  | #521 #522           |
|      | ribbei (Kraatz, 1878) K C                     |                     |
|      | ssp. ribbei (Kraatz, 1878) K C                |                     |
|      | ssp. bobrovi (Danilevsky, 2001) K -           |                     |
|      | politum (Dalman, 1823) ?EKW?S -               |                     |
|      | ssp. politum (Dalman, 1823) KW?S -            |                     |
|      | = lydiae Plavilstshikov, 1929                 | #238                |
|      | ssp. akmolense (Suvorov, 1911) WK -           | #359 #565 #566      |
|      | ssp. shapovalovi Danilevsky, 2006 ?EWK -      | #238                |
|      | balchashense (Suvorov, 1911) K -              | #359                |
|      | ssp. balchashense (Suvorov, 1911) K -         |                     |
|      | ssp. betpakdalense (Danilevsky, 1996) K -     |                     |
|      | archarlense (Danilevsky, 1996) K -            |                     |
|      | eurygyne (Suvorov, 1911) KW -                 | #303 #359           |
|      | ssp. eurygyne (Suvorov, 1911) KW -            | #303 #359           |
|      | ssp. lailanum Danilevsky, 2007 K -            | #630                |
|      | lativittis Kraatz, 1878 K C                   |                     |
|      | Genus: Eodorcadion Breuning, 1947a EKWSU      | #259 #521 #564 #627 |
|      | Subgenus: Eodorcadion Breuning, 1947a EKWSU   |                     |

|  |                |
|--|----------------|
| carinatum (Fabricius, 1781) EKWSU MC                           | #260           |
| ssp. carinatum (Fabricius, 1781) EKWS -                        | #260           |
| ssp. blessigi (Ganglbauer, 1884) KW?E -                        | #260 #425 #521 |
| ssp. bramsoni (Pic, 1901) W -                                  | #521           |
| = gassneri Breit, 1917   | #260           |
| ssp. involvens (Fischer-Waldheim, 1823) SU MC                  | #600           |
| = vestita Jakovlev, 1901                                       |                |
| = longjiangensis Wang, 2003                                    | #622           |
| ssp. kiahtenum Danilevsky, 2007 S -                            | #622           |
| altaicum (Suvorov, 1909) K -                                   | #260 #359 #521 |
| maurum (Jakovlev, 1889) S MC                                   | #264 #622 #627 |
| ssp. quinquevittatum (Hammarström, 1893) S -                   |                |
| ssp. sajanicum (Hammarström, 1893) S -                         |                |
| = leucogrammmum Suvorov, 1909                                  | #264 #359      |
| ssp. katharinae (Reitter, 1898) S M                            | #264           |
| ssp. maurum (Jakovlev, 1889) S MC                              | #264           |
| = hirtipes Jakovlev, 1901                                      |                |
| = grumi Suvorov, 1909  | #359           |
| = boldi Heyrovský, 1965  |                |
| = fortocostatum Heyrovský, 1969                                | #622           |
| tuvense Plavilstshikov, 1958 S -                               | #264 #505      |
| ptyalopleurum (Suvorov, 1909) S -                              | #504 #359      |
| Subgenus: Ornatodorcadion Breuning, 1947a                      | #431 #521      |
| brandti (Gebler, 1841) KS ?MC                                  | #403           |
| Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2004 | #521           |
| humerales (Gebler, 1823) SU MC                                 | #361           |
| ssp. humerales (Gebler, 1823) S M                              | #430           |
| ssp. impluviatum (Faldermann, 1833) S M                        | #89 #430       |
| ssp. trabeatum (Jakovlev, 1901) SU C                           | #430 #627      |
| = mogissemium Suvorov, 1909, unavailable                       | #627           |
| = melan Suvorov, 1909, unavailable                             | #622 #627      |
| = quadrilineatum Breit, 1915                                   | #622           |
| = xingana Chiang et Wang in Wang, 2003                         | #622           |
| lutshniki (Plavilstshikov, 1937) S M                           | #89            |
| ssp. lutshniki (Plavilstshikov, 1937) S -                      | #263           |
| ssp. burenum Danilevsky, 2007 S -                              | #622           |
| ssp. bicoloratum Danilevsky, 2007 S -                          | #263 #622      |
| Tribus: ANCYLONOTINI   |                |
| Genus: Palimna Pascoe, 1862 U                                  |                |
| liturata (Bates, 1884) U CJ                                    |                |
| ssp. continentalis (Semenov, 1914) U C                         | #184           |
| Tribus: DORCASHEMATINI   |                |
| Genus: Olenecamptus Chevrolat, 1835 SUI                        | #338           |
| octopustulatus (Motschulsky, 1860) SUI MCJ                     | #40 #185       |
| ssp. octopustulatus (Motschulsky, 1860) SUI MCJ                |                |
| = mordkovitshi Tsherneshev et Dubatolov, 2000                  | #186           |
| riparius Danilevsky, 2011b U CJ                                | #718           |
| Tribus: PTEROPLIINI  |                |
| Genus: Pterolophia Newman, 1842 SUI                            |                |
| Subgenus: Pterolophia Newman, 1842                             |                |
| maacki (Blessig, 1873) U C                                     | #187           |
| angusta (Bates, 1873) SUJ MC                                   | #187           |
| ssp. multinotata Pic, 1931 SU MC                               | #187 #188      |
| = mandshurica Breuning, 1938                                   | #187           |
| = ussuriensis Plavilstshikov, 1954                             |                |
| = burakowskii Heyrovský, 1973                                  | #189           |
| = selengensis Ljamtzeva, 1979                                  | #188           |
| Subgenus: Ale Pascoe, 1865                                     |                |
| jugosa (Bates, 1873) I JC                                      | #44            |

ssp. jugosa (Bates, 1873) I JC #40  
 Genus: Egesina Pascoe, 1864 UI  
   Subgenus: Niijimaia Matsushita, 1933  
     = Baeckmanella Shabliovsky, 1936 #24  
     bifasciana (Matsushita, 1933) UI CJ #188  
     ssp. bifasciana (Matsushita, 1933) UI CJ #40  
       = iljinskyi Shabliovsky, 1936 #24  
 Tribus: APOMECCYNINI #191  
   Genus: Apomeccyna Dejean, 1821 S  
     Subgenus: Apomeccyna Dejean, 1821  
       histrion (Fabricius, 1793) S ?MC #190 #678  
   Genus: Microclera Bates, 1873 UI #188  
     ptinoides Bates, 1873 I J  
   Genus: Asaperda Bates, 1873 KWUI  
     agapanthina Bates, 1873 I J #727  
       ssp. agapanthina Bates, 1873 I J #40  
       = meridiana auct. not Matsushita, 1931 #672  
     rufipes Bates, 1873 ?U J?C  
       ssp. rufipes Bates, 1873 ?U J?C #40  
       stenostola Kraatz, 1873 KWU M #465  
       #191  
 Tribus: PTERICOPTINI  
   Genus: Xylariopsis Bates, 1884 U  
     mimica Bates, 1884 U CJ  
 Tribus: APODASYINI #191 #192  
   Genus: Quasimesosella Miroshnikov 2006 #575  
     =Pseudomesosella Miroshnikov, 1989 U - #188 #575  
     ussuriensis (Tsherepanov, 1983) U C #814  
     = florovi Tsherepanov, 1984 #193  
   Genus: Deroplia Dejean, 1835 EYC #33 #96 #196  
     = Stenidea Mulsant, 1842  
       genei (Aragona, 1830) EYC SEBTI #194  
       ssp. genei (Aragona, 1830) EYC SEBT  
   Genus: Sophronica Blanchard, 1845 U #694  
     sundukovi Danilevsky, 2009 U C #195  
   Genus: Anaesthetis Dejean, 1835 EYCAKWSU #33  
     confossicollis Baeckmann, 1903 SUI MCJ  
     flavipilis Baeckmann, 1903 W ?C #369  
     lanuginosa Baeckmann, 1903 A -  
     testacea (Fabricius, 1781) EYCK EBTI #531  
       ssp. testacea (Fabricius, 1781) EYK EB  
       ssp. rufescens Baeckmann, 1903 C TI #485  
   Genus: Ussurella Danilevsky, 1997 U - #195 #488  
     = Ussuria Danilevsky, 1995 #195  
       napolovi (Danilevsky, 1995) U C  
   Genus: Cylindilla Bates, 1884 UI  
     = Pseudanaesthetis Pic, 1929  
     = Anaesthetomorphus Pic, 1929 #625  
     = Ascoldatimura Breuning, 1960  
       grisescens Bates, 1884 UI J #31  
       = ascoldensis Heyden, 1884 #92  
       = apicalis Pic, 1929 #625  
   Genus: Terinaea Bates, 1884 U  
     tiliae Murzin, 1983 U C #197  
   Genus: Mimectatina Aurivillius, 1927 UI #191 #198 #482  
     = Doius Matsushita, 1933  
       divaricata (Bates, 1884) UI J  
       ssp. divaricata (Bates, 1884) UI J #40  
   Genus: Rhopaloscelis Blessig, 1873 CKSUI  
     maculata Bates, 1877 I J #796

unifasciata Blessig, 1873 KSUI MCJ #541  
 schurmanni Breuning, 1969 C I #199 #332  
 = schuberti Breuning, 1975 [wrong spelling]  
 Genus: Arhopaloscelis Murzin, Danilevsky et Lobanov in Lobanov et al., 1981 UI  
 #604  
     bifasciata (Kraatz, 1879) U?I C #346  
     nipponensis (Pic, 1932) I J #346 #604  
 Genus: Clytosemia Bates, 1884 I  
     pulchra Bates, 1884 I J #195  
 Genus: Miccolamia Bates, 1884 I  
     Subgenus: Miccolamia Bates, 1884  
         cleroides Bates, 1884 I J  
     Subgenus: Isomiccolamia K. Ohbayashi, 1963  
         glabricula Bates, 1884 I J #198 #200  
         ssp. glabricula Bates, 1884 I J  
         = verrucosa auct. (not Bates, 1884)  
 Tribus: POGONOCHEIRINI #683  
 Genus: Parmenopsis Ganglbauer, 1882 C #425 #683  
     caucasica (Leder, 1879) C T #432  
 Genus: Pogonocherus Dejean, 1821 EYCKWSUI #265  
     Subgenus: Pogonocherus Dejean, 1821 #493  
         = Eupogonocherus Linsley, 1935  
         hispidus (Linnaeus, 1758) EYC ASEBT  
         hispidulus (Piller et Mitterpacher, 1783) EKC ASEBT #140 #687 #862  
         dimidiatus Blessig, 1873 UI CJ #266  
             = seminiveus Bates, 1873 #266  
             = tristiculus Kraatz, 1879 #266  
         sieversi Ganglbauer, 1887 C?Y T #395  
             = caucasicus Ganglbauer, 1891 #267  
             = kuksha Plavilstshikov, 1924 #267  
         perroudi Mulsant, 1839 CY S?EB #268  
     Subgenus: Pityphilus Mulsant, 1862 #269 #493  
         fasciculatus (DeGeer, 1775) EYCKWSUI SEBTMCJ  
             = costatus Motschulsky, 1859 #270 #604  
             ssp. fasciculatus (DeGeer, 1775) EYCKWSU SEBTMCJ #40  
         decoratus Fairmaire, 1855 ECWK SEB #110 #270 #701  
         zubovi Danilevsky, 2015b Y - #110  
         ovatus (Goeze, 1777) ?E?Y SEB #110 #272 #701  
         inermicollis Reitter, 1894 C T #432  
         ressli Holzschuh, 1977 C I #165  
 Tribus: ACANTHODERINI  
 Genus: Aegomorphus Haldeman, 1847 E YCKWSU #171  
     = Acanthoderes auct. (not Audinet-Serville, 1835) #171  
     = Psapharochrus auct. (not Thomson, 1864)  
         clavipes (Schrank, 1781) EYCKWSU ASEBMCJ #273  
             = lucidus Plavilstshikov, 1927 [Caucasus-Syrie]  
         obscurior (Pic, 1904) EKWSU EM?C #583 #816  
             = wojtylai Hilszczanski, Bystrowski, 2005 #583  
 Genus: Oplosia Mulsant, 1862 ECUI #196  
     = Hoplosia Fairmaire, 1864  
         cinerea (Mulsant, 1839) E SEB #274 #572 #687  
         = fennica Paykull, 1800  
         suvorovi (Pic, 1914) UI JC #339  
 Tribus: ACANTHOCININI  
 Genus: Acanthocinus Dejean, 1821 EYCKWSUI  
     Subgenus: Acanthocinus Dejean, 1821 EYCKWSUI #766  
         elegans Ganglbauer, 1884 C I #425 #684  
         reticulatus (Razoumowsky, 1789) E SEB #744  
         griseus (Fabricius, 1793) EYCKWS SEB?M?C #275 #276 #678

|  |                |
|--|----------------|
| orientalis Ohbayashi, 1939 I J                           | #276 #814      |
| carinulatus Gebler, 1833 WSU?I MC                        | #276 #750      |
| = ?sibiricus Motschulsky, 1860                           |                |
| sachalinensis Matsushita, 1933 SUI ?MCJ                  | #276 #814      |
| = ?sibiricus Motschulsky, 1860                           |                |
| aedilis (Linnaeus, 1758) ECKWSU EBTMC                    | #30            |
| = validus Matsushita, 1936                               | #30            |
| Subgenus: Acanthobatesianus Wallin, Kvamme & Lin, 2012 I | #795           |
| guttatus (Bates, 1873) I CJ                              | #795           |
| Genus: Leiopus Audinet-Serville, 1835 EYCKWSUI           |                |
| Subgenus: Leiopus Audinet-Serville, 1835 EYCKWSUI        | #766           |
| stillatus (Bates, 1884) UI CJ                            |                |
| nebulosus (Linnaeus, 1758) E?YC SEBT                     | #682           |
| ssp. nebulosus (Linnaeus, 1758) E?Y SEB                  | #682           |
| ssp. caucasicus (Ganglbauer, 1887) C T                   | #277 #682      |
| linnei Wallin, Nylander & Kvamme, 2009 E?YKW SEB         | #682 #687      |
| kharazii Holzschuh, 1974 C I                             |                |
| punctulatus (Paykull, 1800) E E                          | #566 #633      |
| femoratus Fairmaire, 1859 EYC BT                         | #37 #744       |
| = pachymerus Ganglbauer, 1884                            | #278 #425      |
| = caspius Ganglbauer, 1884                               |                |
| albivittis (Kraatz, 1879) WSUI MC                        | #30            |
| = ganglbaueri Csiki, 1901                                | #280           |
| ssp. albivittis (Kraatz, 1879) WSUI MC                   | #158           |
| ssp. malaisei Aurivillius, 1928 S -                      | #279           |
| Genus: Ostedes Pascoe, 1859 U                            |                |
| kadleci Danilevsky, 1992 U C                             | #799           |
| Genus: Rondibilis Thomson, 1857 UI                       |                |
| = Eryssamena Bates, 1884                                 |                |
| saperdina (Bates, 1884) I J                              | #25            |
| schabliovskiyi (Tsherepanov, 1982) U -                   | #25            |
| = shabliovskiyi Tsherepanov, 1984: 4 [wrong spell.]      |                |
| Tribus: EXOCENTRINI                                      | #699           |
| Genus: Exocentrus Dejean, 1835 EYCKAWSUI                 | #33 #106 #683  |
| Subgenus: Exocentrus Dejean, 1835                        | #689           |
| lusitanus (Linnaeus, 1767) EYCKW SEB                     | #560 #572 #816 |
| adpersus Mulsant, 1846 EYC SEBT                          |                |
| = alemdaghensis Breuning, 1981                           | #281           |
| = ?hirsutulus Faldermann, 1837                           | #282           |
| stierlini Ganglbauer, 1883 ECWSU EBCM                    | #50 #427 #464  |
| fasciolatus Bates, 1873 U JC                             | #757           |
| = curtipennis Pic, 1918                                  |                |
| ssp. plavilstshikovi Danilevsky, 2014c U C               | #757           |
| tsushimanus Hayashi, 1968 U JC                           | #757           |
| = conjugatofasciatus Tsherepanov, 1973                   | #757           |
| pseudopunctipennis Holzschuh, 1979 CA I                  | #54 #282       |
| punctipennis Mulsant et Guillebeau, 1856 ECY TSEB        | #283           |
| ssp. punctipennis Mulsant et Guillebeau, 1856 ECY SEB    |                |
| ssp. signatus Mulsant et Rey 1863 C BT                   | #283           |
| testudineus Matsushita, 1931 I CJ                        | #195 #814      |
| lineatus Bates, 1873 U CJ                                | #198           |
| guttulatus Bates, 1873                                   | #758           |
| ssp. ussuricus Tsherepanov, 1973 U C                     | #758           |
| marginatus Tsherepanov, 1973 U C                         | #814           |
| ?= fisheri Gressitt, 1935                                |                |
| Genus: Miaenia Pascoe, 1864 U                            | #604 #812      |
| Subgenus: Miaenia Pascoe, 1864                           |                |
| maritima Tsherepanov, 1979 U C                           | #774           |
| Tribus: TETROPINI  | #398 #699      |

|   |                     |
|---|---------------------|
| Genus: <i>Tetrops</i> Kirby in Kirby et Spence, 1826a EYCAKWSUI | #500                |
| Subgenus: <i>Tetrops</i> Kirby in Kirby et Spence, 1826a        | #860                |
| <i>praeustus</i> (Linnaeus, 1758) EYCKWS ASEBTM                 | #34                 |
| ssp. <i>praeustus</i> (Linnaeus, 1758) EYCKWS SEBTM             |                     |
| <i>starkii</i> Chevrolat, 1859 EC SEB                           | #208 #744 #769      |
| ssp. <i>starkii</i> Chevrolat, 1859 EC SEB                      | #744 #769           |
| ssp. <i>aquilus</i> Danilevsky, 2012 C -                        | #769                |
| <i>gilvipes</i> (Faldermann, 1837) EYCA ETI                     | #34 #727            |
| ssp. <i>gilvipes</i> (Faldermann, 1837) EYCA ETI                | #34                 |
| ssp. <i>efetovi</i> Lazarev, 2012 Y -                           | #34                 |
| ssp. <i>adlbaueri</i> Lazarev, 2012 ?E ?SE?B                    | #34                 |
| ssp. <i>murzini</i> Lazarev, 2012 CA T                          | #34                 |
| <i>rosarum</i> Tsherepanov, 1975 U ?C                           | #374                |
| <i>mongolicus</i> Murzin, 1977 S M                              | #374                |
| Subgenus: <i>Mimosophronica</i> Breuning, 1943                  | #369 #860           |
| <i>elaeagni</i> Plavilstshikov, 1954 EAK C                      | #367                |
| ssp. <i>elaeagni</i> Plavilstshikov, 1954 EK -                  | #367 #860           |
| ssp. <i>plavilstshikovi</i> Kostin, 1973 K C                    | #134 #860           |
| ssp. <i>shapovalovi</i> Danilevsky, 2018a KA -                  |                     |
| <i>formosus</i> Baeckmann, 1903 AK C                            | #369 #860           |
| ssp. <i>formosus</i> Baeckmann, 1903 KA -                       | #367                |
| ssp. <i>songaricus</i> Kostin 1973 K -                          | #367                |
| ssp. <i>bivittulatus</i> Jankovsky, 1934 K -                    | #24 #367            |
| <i>bicoloricornis</i> Kostin, 1973 A -                          | #24 #367            |
| ssp. <i>bicoloricornis</i> Kostin, 1973 A -                     | #860                |
| = <i>bicoloricornis</i> Plavilstshikov, 1954 (not available)    |                     |
| = <i>ruficollis</i> Plavilstshikov, 1954 (not available)        |                     |
| ssp. <i>ferganensis</i> Danilevsky, 2018a A -                   | #860                |
| ssp. <i>nigricornis</i> Danilevsky, 2018a A -                   | #860                |
| ssp. <i>oshensis</i> Danilevsky, 2018a A -                      | #860                |
| <i>hauseri</i> Reitter, 1897 K C                                | #367                |
| ssp. <i>kostini</i> Özdikmen, Turgut, 2008 K -                  | #367                |
| = <i>niger</i> Kostin 1973                                      | #367                |
| Tribus: SAPERDINI   | #284 #604           |
| Genus: <i>Eutetrappa</i> Bates, 1884 ?SUI                       |                     |
| <i>ocelota</i> (Bates, 1873) I J                                | #804                |
| <i>sedecimpunctata</i> (Motschulsky, 1860) ?SUI CJ              |                     |
| = <i>motschulskyi</i> Plavilstshikov, 1915                      | #327                |
| <i>metallescens</i> (Motschulsky, 1860) ?SU?I C                 | #30 #348            |
| <i>chrysochloris</i> (Bates, 1879) I J                          | #348                |
| ssp. <i>chrysochloris</i> (Bates, 1879) I J                     | #40                 |
| Genus: <i>Saperda</i> Fabricius, 1775 EYCAKWSUI                 | #286 #678           |
| Subgenus: <i>Saperda</i> Fabricius, 1775                        | #493 #604 #727      |
| = <i>Anaerea</i> Mulsant, 1839                                  | #286 #493           |
| <i>carcharias</i> (Linnaeus, 1758) ECKAWSUI EBMC                | #681b               |
| <i>similis</i> (Laicharting, 1784) EAKWSU EBM                   |                     |
| Subgenus: <i>Lopezcolonia</i> Alonso-Zarazaga, 1998 EYC ASEB    | #286 #493 #678 #727 |
| = <i>Anaerea</i> Mulsant, 1839                                  |                     |
| = <i>Scalaperda</i> Shapovalov, 2011a [nomen nudum]             | #841                |
| <i>alberti</i> Plavilstshikov, 1915 KWSUI MCJ                   | #509 #541           |
| <i>perforata</i> (Pallas, 1773) ECKWSU ASEBTIMCJ                | #89 #479 #867       |
| <i>maculosa</i> Ménéttriés, 1832 C I                            |                     |
| <i>scalaris</i> (Linnaeus, 1758) EYCKWSUI ASEBTIMC              | #89                 |
| ssp. <i>scalaris</i> (Linnaeus, 1758) EYCK SEBTC                |                     |
| ssp. <i>hieroglyphica</i> (Pallas, 1773) EKWSUI MC              | #421 #541           |
| <i>interrupta</i> Gebler, 1825 WSUI MC                          |                     |
| <i>octopunctata</i> (Scopoli, 1772) EYC SEB                     |                     |
| <i>punctata</i> (Linnaeus, 1767) EYCKW ASEBT?I                  | #704                |
| <i>subobliterata</i> Pic, 1910 U CJ                             | #287                |

= mandschukuoensis Breuning, 1943  
 = harbinensis Chiang, 1983 #287  
 octomaculata Blessig, 1873 SUI MCJ  
 Subgenus: Compsidia Mulsant, 1839 #493 #604 #727  
   populnea (Linnaeus, 1758) ECKAWSU ASEBTIMC #681 #786  
   ssp. populnea (Linnaeus, 1758) ECKAWSU ASEBTI #771  
   ssp. lapponica Wallin, Kvamme & Bergsten, 2017 E?W E #844  
   ssp. balsamifera (Motschulsky, 1860) S M #631 #771  
   bilineatocollis Pic, 1924 U C #288  
 Genus: Eumecocera Solsky, 1871 WSU #284  
   impustulata (Motschulsky, 1860) WSU MCJ #89  
   callosicollis (Breuning, 1943) U C #285  
 Genus: Nietzscheana Zubov, 2014 U #804  
   plutenkoi Zubov, 2014 U - #804  
 Genus: Stenostola Dejean, 1835 EYC #96 #285  
   dubia (Laicharting, 1784) EYC EB #368  
   ferrea (Schrank, 1776) EYC EB #368  
   ssp. ferrea (Schrank, 1776) EYC EB #687  
   ssp. maculipennis Holzschuh, 1982 C?Y - #289  
   ivanovi Danilevsky, 2014c U C #800  
 Genus: Menesia Mulsant, 1856 EKWSUI  
   albifrons Heyden, 1886 WU - #400  
   bipunctata (Zoubkoff, 1829) EKW SEB #400  
   sulphurata (Gebler, 1825) EKWSUI MCJ #400  
   flavotecta Heyden, 1886 ?SUI ?MCJ #400  
 Genus: Paramenesia Breuning, 1952 I  
   theaphia (Bates, 1884) I J  
 Genus: Cagosima Thomson, 1864 UI  
   sanguinolenta Thomson, 1864 UI J #24  
   ssp. sanguinolenta Thomson, 1864 UI J  
 Genus: Thyestilla Aurivillius, 1923 SU  
   gebleri (Faldermann, 1835) SU CJ  
 Tribus: GLENEINI  
 Genus: Glenea Newman, 1842 I  
   Subgenus: Glenea Newman, 1842 I  
   relicta Pascoe, 1868 I CJ  
   ssp. relicta Pascoe, 1868 I CJ #40  
 Tribus: PHYTOECIINI #284  
   = Obereini Pascoe, 1864 #683 #699  
 Genus: Nupserha Chevrolat, 1858 UI #825  
   marginella (Bates, 1873) U MCJ #89 #388  
   sericans (Bates, 1884) I J #604  
   alexandrovi (Plavilstshikov, 1915) U CJ #31 #290  
 Genus: Oberea Dejean, 1835 EYCAKWSUI #33  
   Subgenus: Oberea Dejean, 1835  
   pupillata (Gyllenhal, 1817) E SEB?C #44 #451  
   kostini Danilevsky, 1988 EKWS - #451  
   heyrovskyi Pic, 1927 U C #44  
   depressa (Gebler, 1825) WSUI MC #80 #451  
   = amurica Suvorov, 1913 #36  
   = transbaicalica Suvorov, 1913 #36  
   oculata (Linnaeus, 1758) EYCKWSU SEBNTIMC #814  
   linearis (Linnaeus, 1761) EYC SEB  
   morio Kraatz, 1879 SU MC #345 #291  
   scutellaroides Breuning, 1947c U C #284 #291 #345  
 #814  
   = scutellaris Fairmaire, 1888  
   = chinensis Tsherepanov, 1985  
   coreensis Gressitt, 1951 U C #92 #634

|  |                |
|--|----------------|
| herzi Ganglbauer, 1887 U C                       | #291 #345      |
| vittata Blessig, 1873 ?SU CJM                    | #40 #56        |
| japonica (Thunberg, 1787) ?U CJ                  | #31            |
| Subgenus: Amaurostoma Müller, 1906               |                |
| euphorbiae (Germar, 1813) ECKW EBT               | #412           |
| donceeli Pic, 1907 SU MC                         | #79            |
| histrionis Pic, 1917 E BE                        | #648           |
| = moravica Kratochvil, 1989                      | #727           |
| erythrocephala (Schrank, 1776) EYCAKW ASEBT      | #358 #556 #572 |
| ssp. erythrocephala (Schrank, 1776) EYCAKW ASEBT |                |
| = theophilei Pic, 1914                           |                |
| ruficeps Fischer-Waldheim, 1842 AKW ?C           | #69            |
| ssp. ruficeps Fischer-Waldheim, 1842 AKW ?C      | #358           |
| ssp. muchei Breuning, 1981 A -                   | #358 #501      |
| Genus: Oxylia Mulsant, 1863 YC                   |                |
| = Coptosia Fairmaire, 1865                       | #852           |
| argentata (Ménétriés, 1832) YC TI                |                |
| ssp. argentata (Ménétriés, 1832) YC TI           | #292           |
| Genus: Pteromallosia Pic, 1900 C                 | #293           |
| albolineata (Hampe, 1852) C IT                   |                |
| Genus: Mallosia Mulsant, 1863 C                  | #300           |
| Subgenus: Semnosia K. Daniel, 1904               |                |
| = Eusemnosia Özdikmen & Aytar, 2012              | #768           |
| scovitzii (Faldermann, 1837) C TI                | #294           |
| tristis Reitter, 1888 C T?I                      | #294           |
| = angelicae Reitter, 1890                        |                |
| galinae Danilevsky, 1990 C -                     | #530           |
| Subgenus: Eumallosia Danilevsky 1990             |                |
| brevipes Pic, 1897 C T                           | #621           |
| = cribratofasciata Daniel, 1904                  | #300           |
| armeniaca Pic, 1897 C ?T?I                       | #621           |
| = caucasica Pic, 1898                            | #621           |
| = haiastanica Danilevsky, 2007                   | #621           |
| gobustanica Danilevsky, 1990 C -                 |                |
| herminae Reitter, 1890 C TI                      | #503           |
| Genus: Paramallosia Fuchs, 1955b A               |                |
| afghanica Fuchs, 1955 A I                        | #295           |
| Genus: Mallosioloa Semenov, 1895 A               |                |
| regina (Heyden, 1887) A -                        |                |
| = lopatini Heyrovský, 1969                       |                |
| Genus: Conizonia Fairmaire, 1864 CA              | #546           |
| Subgenus: Iranocoptosia Villiers, 1967           | #287           |
| fausti (Ganglbauer, 1885) A I                    |                |
| = balachowskyi Villiers, 1967                    | #287           |
| Subgenus: Conizonioides Özdikmen, 2015a C        | #813           |
| kalashiani Danilevsky, 1992 C I                  | #612           |
| georgiana (Navrátil & Rozsival, 2016) C -        | #824           |
| Subgenus: Eurycoptosia Reitter, 1913             |                |
| bodoani Pic, 1912 C TI                           | #297           |
| Genus Pilemia Fairmaire, 1864                    | #863           |
| Subgenus: Pilemia Fairmaire, 1864                | #750           |
| annulata Hampe, 1852 C TI                        | #727           |
| ssp. annulata Hampe, 1852 C TI                   |                |
| tigrina Mulsant, 1851 E?C EBT                    | #298           |
| Subgenus: Pseudopilemia Kasatkin, 2018           | #863           |
| hirsutula (Frölich, 1793) EYCAKW SEBTI           | #50            |
| ssp. hirsutula (Frölich, 1793) EYCW EBST         | #370           |
| ssp. homoiesthes Ganglbauer, 1888 A I            | #370           |
| Genus: Phytoecia Dejean, 1835 EYCAKWSU           |                |



|  |                     |
|--|---------------------|
| Subgenus: Paracoptosia Danilevsky, 2017b                   | #483 #546 #750 #852 |
| <i>compacta</i> (Ménétriés, 1832) C TI                     |                     |
| ?ssp. <i>compacta</i> (Ménétriés, 1832) C TI               | #615                |
| Subgenus: Coptosiella Kasatkin, 2015                       | #819                |
| <i>antoniae</i> Reitter, 1889 CA TI                        | #433                |
| Subgenus: Pseudocoptosia Pic, 1900                         | #301 #484           |
| <i>cinerascens</i> Kraatz, 1882 AK -                       |                     |
| = <i>sokolowi</i> Semenov, 1895                            | #302                |
| <i>eylandti</i> Semenov, 1891 AK -                         | #303                |
| = <i>glasunowi</i> Semenov, 1895                           | #302                |
| <i>kubani</i> (Holzschuh, 1991) A -                        | #296                |
| Subgenus: Cardoria Mulsant, 1863                           |                     |
| <i>scutellata</i> (Fabricius, 1793) EYCKW SEBT             | #447 #566 #678      |
| Subgenus: Pseudomusaria Pic, 1900                          | #301                |
| <i>farinosa</i> Ganglbauer, 1886 A I                       |                     |
| = <i>mucida</i> Semenov, 1893                              | #304                |
| Subgenus: Fulgophytoecia Pic, 1900                         | #517                |
| = <i>Pseudomallosia</i> Breuning, 1967                     | #517                |
| <i>circumdata</i> Kraatz, 1882 AK I                        |                     |
| = <i>sellata</i> Ganglbauer, 1887                          |                     |
| = <i>parterufipennis</i> Breuning, 1967                    | #517                |
| <i>pilosicollis</i> Holzschuh, 1981 KA -                   | #517 #727           |
| Subgenus: Helladia Fairmaire, 1864                         | #110                |
| <i>pretiosa</i> Faldermann, 1837 C ?T?I                    | #727                |
| ssp. <i>pretiosa</i> Faldermann, 1837 C -                  | #305                |
| <i>fatima</i> Ganglbauer, 1884 C I                         | #425                |
| <i>diademata</i> Faldermann, 1837 C TI                     |                     |
| <i>adelpha</i> Ganglbauer, 1886 C T                        | #306                |
| <i>millefolii</i> (Adams, 1817) EYC TI                     | #81                 |
| ssp. <i>millefolii</i> (Adams, 1817) EYC TI                |                     |
| <i>armeniaca</i> J.Frivaldszky, 1878b [=1878a = 1879] C TI | #516 #700           |
| <i>testaceovittata</i> (Pic, 1934) C I                     | #307                |
| = <i>iranica</i> (Villiers, 1960)                          | #307                |
| = <i>holzschuhi</i> Özdikmen, 2008 [unavailable name]      | #679                |
| ssp. <i>natali</i> Lobanov, 1994 C -                       | #307 #727           |
| <i>praetextata</i> (Steven, 1817) EYC BT                   |                     |
| ssp. <i>praetextata</i> (Steven, 1817) EYC BT              |                     |
| <i>humeralis</i> (Waltl, 1838) C BTI                       | #297                |
| <i>plasoni</i> Ganglbauer, 1884 CA TI                      | #262                |
| Subgenus: Musaria Thomson, 1864                            |                     |
| <i>faldermanni</i> Faldermann, 1837 EYCK -                 | #110 #308 #516 #566 |
| <i>argus</i> (Frölich, 1793) EY EBS                        | #308 #566 #701      |
| <i>affinis</i> (Harrer, 1784) ECKWS SEBT?I                 | #309 #570           |
| = <i>nigripes</i> Voet, 1778                               | #24                 |
| = <i>bipunctata</i> Piller, 1783                           |                     |
| ssp. <i>affinis</i> (Harrer, 1784) EKW SEBT                |                     |
| ssp. <i>nigropubescens</i> Müller, 1948 C T                | #309                |
| ssp. <i>altaica</i> (Suvorov, 1913) KWS -                  |                     |
| ssp. <i>volgensis</i> Kraatz, 1884 EC -                    | #309 #409           |
| ssp. <i>boeberi</i> Ganglbauer, 1884 C TI                  | #309 #425 #672      |
| <i>wachanrui</i> Mulsant, 1851 ?C TI                       | #110                |
| <i>astarte</i> Ganglbauer, 1886 C T                        |                     |
| ssp. <i>lederi</i> Pic, 1899 C T                           | #310                |
| <i>kurdistana</i> Ganglbauer, 1884 C ?TI                   | #425                |
| <i>puncticollis</i> Faldermann, 1837 CA TI                 | #414                |
| ssp. <i>puncticollis</i> Faldermann, 1837 C TI             |                     |
| ssp. <i>stygia</i> Ganglbauer, 1884 A I                    | #311 #425           |
| Subgenus: Neomusaria Plavilstshikov, 1928                  | #312 #516           |
| <i>dantchenkoi</i> Danilevsky, 2008 C -                    |                     |

|   |                        |
|---|------------------------|
| Subgenus: Kalashania Danilevsky, 2010               | #710                   |
| erivanica Reitter, 1899 C TI                        | #390                   |
| pici Reitter, 1892 C TI                             | #390                   |
| Subgenus: Phytoecia Dejean, 1835                    |                        |
| nigricornis (Fabricius, 1782) EYCKWSU SEBT          | #523 #834#851          |
| = julii Mulsant, 1863                               | #24                    |
| ferrea Ganglbauer, 1887 ?WSU MC                     | #89 #313               |
| = analis Mannerheim, 1849                           | #31                    |
| = mannerheimi Breuning, 1951                        |                        |
| stenostoloides Breuning, 1943 SU -                  | #419                   |
| cylindrica (Linnaeus, 1758) ECKWS?U SEBTIMC         | #531 #574              |
| pustulata (Schrank, 1776) EYCKA ASEBTI              |                        |
| ssp. pustulata (Schrank, 1776) EYCKA ASEBTI         | #816                   |
| = murina Marseul, 1870                              |                        |
| ssp. pilipennis Reitter, 1895 C TI                  | #314                   |
| = vexans Reitter, 1895                              | #27 #314               |
| = adnexa Pic, 1947                                  |                        |
| ssp. pulla Ganglbauer, 1886 ECKA -                  | #314                   |
| = kryzhanovskii Kostin, 1973                        |                        |
| rufiventris Gautier des Cottés, 1870 SU MCJ         |                        |
| virgula (Charpentier, 1825) EYCAKWS SEBTI           | #599                   |
| rufipes (Olivier, 1795) E?YCAKW?S ASEBTIC           | #44 #69                |
| = sibirica Gebler, 1833                             | #315                   |
| ssp. rufipes (Olivier, 1795) E?YCAKW?S ASEBTC       |                        |
| bangi Pic, 1897 C TI                                | #315 #846              |
| acridula Holzschuh, 1981 A -                        |                        |
| croceipes Reiche et Saulcy, 1858 C T                | \$846                  |
| asiatica Pic, 1891 C T                              | #613 #834              |
| = achilleae Holzschuh, 1971                         |                        |
| ssp. sublineata Holzschuh, 1984 C T                 | #613                   |
| pubescens Pic, 1895 C BTI                           | #51                    |
| = glaphyra K. Daniel in K. Daniel & J. Daniel, 1906 |                        |
| icterica (Schaller, 1783) EYCKW SEBT                | #44 #51 #315 #626 #862 |
| = ephippium Fabricius 1793                          | #727                   |
| marki Danilevsky, 2008 C -                          | #626 #826              |
| caerulea (Scopoli, 1772) EYCAK ASEBTI               | #531 #566              |
| ssp. caerulea (Scopoli, 1772) EYCAK ASEBT           |                        |
| = ?rufimana Schrank, 1789                           | #544                   |
| = baccueti (Brullé, 1832)                           | #834                   |
| Subgenus: Cinctophytoecia Breuning, 1947a           |                        |
| cinctipennis Mannerheim, 1849 SU MC                 | #44 #316               |
| = coreensis Breuning, 1955                          |                        |
| sareptana Ganglbauer, 1888 SU C                     |                        |
| Subgenus: Opsilia Mulsant, 1863                     | #33 #750               |
| coerulescens (Scopoli, 1763) EYCAKW ASEBTIC         |                        |
| ssp. coerulescens (Scopoli, 1763) EYCAKW ASEBTIC    |                        |
| = ?tienschanica Fuchs, 1965                         | #317                   |
| transcaspica Fuchs, 1955a AK -                      | #856                   |
| bucharica Breuning, 1943 A I                        |                        |
| = breuningi Dahlgren, 1988                          | #318                   |
| aspericollis Holzschuh, 1981 K -                    | #517                   |
| varentzowi Semenov, 1896 CA I                       | #413                   |
| = varentzovi Semenov, 1912 [unjustified emendation] |                        |
| prasina Reitter, 1911 C?A TI                        | #319                   |
| ssp. prasina Reitter, 1911 C?A I                    |                        |
| ssp. kotaika Miroshnikov, 2009 C T                  | #703                   |
| uncinata (W. Redtenbacher, 1842) EA SEB             | #566 #571              |
| molybdaena (Dalman, 1817) E?KCAWS ASEBTI            | #531 #561              |
| badenkoi Danilevsky, 1988 K -                       |                        |

|   |                     |
|---|---------------------|
| Subgenus: Parobereina Danilevsky, 2018c             | #868                |
| vittipennis Reiche, 1877 CA BTI                     |                     |
| ssp. pravei Plavilstshikov, 1926 CA TI              | #320 #531           |
| pallidipennis Plavilstshikov, 1926 A -              | #603                |
| ochraceipennis Kraatz, 1882 AK -                    |                     |
| tekensis Semenov, 1896 A I                          | #531                |
| nivea Kraatz, 1882 AK -                             |                     |
| repetekensis Semenov, 1935 A -                      |                     |
| Tribus: AGAPANTHIINI                                | #321 #604           |
| Genus: Theophilea Pic, 1895 ECK                     | #553                |
| cylindricollis Pic, 1895 C T                        |                     |
| = erzurumensis Önalp, 1974                          | #553                |
| subcylindricollis Hladil, 1988 ECKW E               | #553 #566           |
| Genus: Calamobius Guérin-Méneville, 1844 EYC        |                     |
| filum (Rossi, 1790) EYC ASTEBI                      | #531 #629           |
| Genus: Pseudocalamobius Kraatz, 1879 U              | #604                |
| japonicus (Bates, 1873) U CJ                        | #40 #44             |
| Genus: Agapanthia Audinet-Serville, 1835 EYCAKWSUI  | #537                |
| Subgenus: Synthapsia Pesarini et Sabbadini, 2004    | #537 #727           |
| kirbyi (Gyllenhal, 1817) EYCKA SEBTI                | #531                |
| ssp. kirbyi (Gyllenhal, 1817) EYCA SEBTI            |                     |
| Subgenus: Eoptes Gistel, 1857                       | #537                |
| = Agapanthiella Pesarini et Sabbadini, 2004         | #537                |
| nigriventris Waterhouse, 1889 A I                   | #303                |
| detrita Kraatz, 1882 AK -                           | #324                |
| = bucharica Pic, 1901                               | #324                |
| obydovi Danilevsky, 2000 K -                        | #406                |
| auliensis Pic, 1907 ?AK ?C                          | #323 #324 #328      |
| = amabilis Holzschuh, 1981                          |                     |
| parauliensis Danilevsky, 2017a AK -                 | #839                |
| shovkuni Shapovalov, 2009 K -                       | #324                |
| asphodeli (Latreille, 1804) EYCKW ASEBT             |                     |
| dahli (Richter, 1821) EYCAKWS EBTI?MC               | #329 #405 #570 #572 |
| ssp. dahli (Richter, 1821) EYCAKWS EBTI?MC          | #789                |
| ssp. calculensis Lazarev 2013d K -                  | #791                |
| ssp. kuleshovi Danilevsky, 2018b K -                | #866                |
| ssp. ismailovae Lazarev 2013c C -                   | #479                |
| ssp. lenkorana Lazarev, Plewa & Jaworski, 2016 C ?I | #789                |
| ssp. nitidipennis Holzschuh, 1984 C -               | #477 #789           |
| ssp. rubenyani Lazarev 2013c C -                    | #789                |
| ssp. walteri Reitter, 1898 C TI                     | #56 #531 #789       |
| ssp. transcaspica Pic, 1900 A ?I                    | #698 #789           |
| ssp. muellneri Reitter, 1898 ?KA ?T                 | #323 #386 #789      |
| ssp. alexandris Pic, 1901 KA -                      | #386 #789           |
| ssp. iliensis Danilevsky, 2018b K -                 | #866                |
| ssp. lepsyensis Danilevsky, 2018b K -               | #866                |
| ssp. alaiensis Kratochvil, 1985 A -                 |                     |
| ustinovii Danilevsky, 2013h A -                     | #798                |
| alternans Fischer-Waldheim, 1842 WSK CM             | #329 #405 #814      |
| ssp. alternans Fischer-Waldheim, 1842 WSK CM        | #405                |
| = ganglbaueri Semenov, 1893                         | #24                 |
| = coeruleonigra Reitter, 1898                       |                     |
| = transbaicalica Suvorov, 1913                      |                     |
| ssp. eualternans Danilevsky, 2017a E -              | #839                |
| ssp. paralternans Danilevsky, 2017a K -             | #839                |
| ssp. songarica Kostin, 1973 K -                     | #329                |
| = songarica Kostin, 1978 [HN]                       |                     |
| ssp. tarbagataica Kostin, 1978 K -                  | #329                |
| angelicae Reitter, 1898 A I                         | #328                |

|  |                |
|--|----------------|
| = latior Pic, 1898                                 | #619           |
| = hauseri Reitter, 1901                            |                |
| = subnuda Reitter, 1905                            | #619           |
| = jacobsoni Plavilstshikov, 1915                   | #619           |
| altaica Plavilstshikov, 1933 S -                   | #329           |
| cynarae (Germar, 1817) EYCWS ASEB                  | #736           |
| ssp. cynarae (Germar, 1817) EYCWS ASEB             |                |
| danilevskyi Lazarev, 2013b K -                     | #779           |
| lederi Ganglbauer, 1884 EC -                       | #425           |
| ssp. lederi Ganglbauer, 1884 EC -                  | #425           |
| = mesmini Pic, 1927                                | #628           |
| = helianthi Plavilstshikov, 1935                   | #27            |
| = lopatini Kaziuchitz, 1988                        | #56            |
| ssp. hodeki Danilevsky, 2018b                      | #866           |
| subchalybaea Reitter, 1898 C T                     | #380 #409      |
| subnigra Pic, 1890 C -                             | #380           |
| villosoviridescens (DeGeer, 1775) ECKWS SEBM       | #330           |
| turanica Plavilstshikov, 1929 AK -                 |                |
| daurica Ganglbauer, 1884 SUI MCJ                   | #40 #425       |
| ssp. daurica Ganglbauer, 1884 SUI MCJ              | #40 #425       |
| Subgenus: Homoblephara Pesarini et Sabbadini, 2004 | #537 #727      |
| maculicornis (Gyllenhal, 1817) ECKW EB             | #298 #684      |
| korostelevi Danilevsky, 1985 C ?T                  | #343 #298      |
| Subgenus: Agapanthia Audinet-Serville, 1835        |                |
| cardui (Linnaeus, 1767) EYCKW SEB                  | #495 #606 #816 |
| = pannonica Kratochvil, 1985                       | #478 #495      |
| suturalis (Fabricius, 1787) C ASTI                 | #495 #606 #700 |
| = cardui cardui auct. (not Linnaeus, 1767)         | #495           |
| Subgenus: Stichodera Pesarini et Sabbadini, 2004   | #537 #727      |
| soror Kraatz, 1882 KA -                            | #323           |
| Subgenus: Amurobia Pesarini et Sabbadini, 2004     | #537 #727      |
| pilicornis (Fabricius, 1787) SU C                  |                |
| ssp. pilicornis (Fabricius, 1787) SU C             |                |
| amurensis Kraatz, 1879 SU MC                       |                |
| Subgenus: Smaragdula Pesarini et Sabbadini, 2004   | #537 #727      |
| violacea (Fabricius, 1775) EYC?AK SEBTI            | #322 #358 #531 |
| #851   |                |
| = mulsanti Plavilstshikov, 1930                    |                |
| intermedia Ganglbauer, 1884 ECKW ES?B              | #322 #425 #851 |
| talassica Kostin, 1973 KA -                        | #322           |
| incerta Plavilstshikov, 1930 A -                   | #322 #340 #358 |
| persicola Reitter, 1894 CA I                       | #322           |
| chalybea Faldermann, 1837 C TI                     | #322 #865      |
| = chalybaea auct.                                  | #865           |
| Genus: Agapanthiola Ganglbauer, 1900               | #498 #727      |
| leucaspis (Steven, 1817) EYCAKWS EBTIM             | #175           |
| = euterpe Ganglbauer, 1900                         | #176           |

END

excluded names

|  |           |
|--|-----------|
| Bellamira LeConte, 1873 I              | #492 #604 |
| Macrotoma Audinet-Serville, 1832 IC    | #5        |
| Megopis Audinet-Serville, 1832 EYCU    | #9        |
| Gaurotina superba Ganglbauer, 1889 - C | #25       |
| Gaurotes LeConte, 1850                 | #24       |

|  |           |
|--|-----------|
| Gaurotes thalassina Schrank, 1781                        | #45       |
| Evodinus LeConte, 1850                                   | #24       |
| Pidonia grallatrix (Bates, 1884) - J                     | #373      |
| P. signifera Bates, 1884 - J                             | #63       |
| P. amentata (Bates, 1884) - J                            | #67       |
| Cortodera cirsii Holzschuh, 1974 - T                     | #56       |
| Cortodera transcaspica persica Plavilstshikov, 1936 - I  | #745      |
| Pedostrangalia emmipoda (Mulsant, 1863) - BT             | #455      |
| Judolidia bangi Pic, 1901 - J                            | #83       |
| Brachyleptura Casey, 1913                                | #93       |
| Stictoleptura rufa dimidiata Daniel, 1891 - TI           | #95       |
| Stictoleptura heydeni (Ganglbauer, 1889)                 | #435      |
| Vadonia bisignata Brullé, 1832 - BT                      | #331 #701 |
| Vadonia moesiaca (K.Daniel et J.Daniel, 1891)            | #331      |
| Megaleptura Casey, 1913                                  | #93       |
| Leptura subtilis Bates, 1884 - J                         | #739 #750 |
| Leptura aethiops dimorpha Bates, 1873 - J                | #78       |
| Stenura Dejean, 1837                                     | #93       |
| Pseudalosterna misella Bates, 1884 - J                   | #387      |
| Pseudovadonia livida pecta (K. & J.Daniel, 1891)         | #98       |
| Anoplodera atramentaria Ganglbauer, 1889 - C             | #57       |
| Necydalis (s. str.) sirexoides Reitter, 1902             | #99       |
| Necydalis solida Bates, 1884 - J                         | #550      |
| ASEMINAE   | #101      |
| DORCASOMINAE   | #113      |
| Protapatophysis Semenov et Schegoleva-Barovskaya, 1935 A | #354      |
| Massicus Pascoe, 1867                                    | #119      |
| Cerambyx heinzianus Demelt, 1976 - T                     | #121      |
| Plocaederus Dejean, 1837                                 | #96       |
| Eurybatus Thomson, 1861                                  | #347      |
| Eurybatus gravidus Lameer, 1887 - C                      | #347      |
| Purpuricenus dalmatinus Sturm, 1843                      | #714      |
| Purpuricenus temminckii Guérin-Méneville, 1844           | #752      |
| Molorchus minor ssp. fuscus Hayashi, 1955 - J            | #135 #750 |
| Cyrtophorus LeConte, 1850                                | #349      |
| Chlorophorus hyrcanus Pic, 1905 - I                      | #554      |
| Parmena balteus Linnaeus, 1767 - ES                      | #50       |
| Parmena pubescens (Dalman, 1817)                         | #748      |
| Acalolepta cervina Hope, 1831 - C                        | #31       |
| Mecynippus pubicornis Bates, 1884                        | #44       |
| Dorcadion leopardinum Plavilstshikov, 1937 - C           | #334      |
| D. kagyzmanicum Suvorov, 1915 - T                        | #215      |
| D. arenarium Scopoli, 1763 - SB                          | #218      |
| D. lucae Pic, 1898                                       | #247      |
| D. nobile Hampe, 1852 - TI                               | #515      |
| D. haemorrhoidale Hampe, 1852 - TI                       | #515      |
| D. tuerki Ganglbauer, 1884 - I                           | #223      |
| D. varievittatum Pic, 1942:1                             | #624      |
| Eodorcadion dorcas Jakovlev, 1901 - MC                   | #261      |
| E. argali Jakovlev, 1889 - M                             | #431 #627 |
| Mesosa pieli Pic, 1936 - C                               | #24       |
| Exocentrus curtipennis Pic, 1918 - C                     | #344      |
| E. dalbergianus Gressitt, 1951 - C                       | #464      |
| E. saitoi Matsushita, 1935 - C                           | #195      |
| Olenecamptus subobliteratus auct. (not Pic, 1923) U CJ   | #718      |
| Olenecamptus clarus Pascoe, 1859                         | #718      |
| Kuatunia subasperata Gressitt, 1951                      | #198      |
| Sophronica obrioides (Bates, 1873) - J                   | #195      |
| Rhopaloscelis caucasicus Danilevsky, 1982 [nomen nudum]  | #332      |

|   |                |
|---|----------------|
| Ostedes tuberculatus (Pic, 1925) - C              | #25            |
| Terinaea atrofusca Bates, 1884 - J                | #197           |
| Miccolamia verrucosa Bates, 1884 - J              | #200           |
| Pseudanaesthetis seticornis Gressitt, 1940        | #200           |
| Pseudocentrus Fairmaire, 1901                     | #689           |
| Eutetrappa chrysargirea Bates 1884 - J            | #348           |
| Stenostola atra Gress. 1951 - C                   | #285           |
| Oberea atropunctata Pic, 1916 - C                 | #634           |
| Oberea coreana Pic, 1912                          | #291           |
| Oberea inclusa Pascoe, 1858 - C                   | #40 #56 #89    |
| Mallosia mirabilis Faldermann, 1837 - IT          | #50            |
| M. imperatrix Daniel 1885 - IT                    | #300           |
| Oxyilia duponcheli Brullé 1833 - TB               | #24            |
| Semiangusta Pic, 1829                             | #390           |
| Ph. (Coptosia) bithyniensis Ganglbauer, 1884 - BT | #299 #423 #425 |
| Phytoecia orbicollis Reiche et Saulcy, 1858 - T   | #306           |
| Ph. suworowi Pic, 1905 - T                        | #312 #516      |
| Ph. suworowi Koenig, 1906                         | #312           |
| Ph. merkli Ganglbauer, 1884 - T                   | #516           |
| Ph. rubropunctata Goeze, 1777 - SEB               | #308 #701      |
| Ph. tuerki Ganglbauer, 1884 - T                   | #309 #425      |
| Ph. geniculata Mulsant, 1863 - T                  | #24            |
| Ph. manicata Reiche, 1858 - BT                    | #51            |
| Ph. speciosa J.Frivaldszky, 1884 - T              | #24            |
| Agapanthia lais Reiche, 1858 - BT                 | #340           |
| A. osmanlis Reiche, 1858 - BT                     | #322           |
| A. salviae Holzschuh, 1974 - T                    | #56            |
| A. lateralis Ganglbauer, 1884 - ABT               | #325           |
| A. bilateralis Pic, 1927                          | #324           |
| HIPPOPSINI  | #321           |